





Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7487.56	47.90	44.92	-2.98	74.00	29.08	150	263	PK	Vertical	PASS
2	8319.88	47.60	46.47	-1.13	74.00	27.53	150	0	PK	Vertical	PASS
3	11038.19	44.24	45.42	1.18	74.00	28.58	150	337	PK	Vertical	PASS
4	14228.00	43.94	48.53	4.59	74.00	25.47	150	110	PK	Vertical	PASS
5	15898.38	42.08	51.35	9.27	74.00	22.65	150	10	PK	Vertical	PASS
6	17886.44	40.45	55.38	14.93	74.00	18.62	150	26	PK	Vertical	PASS
7	7503.38	37.81	34.80	-3.01	54.00	19.20	150	360	AV	Vertical	PASS
8	8321.31	41.79	40.66	-1.13	54.00	13.34	150	4	AV	Vertical	PASS
9	11020.94	35.13	36.42	1.29	54.00	17.58	150	305	AV	Vertical	PASS
10	14259.63	33.84	38.75	4.91	54.00	15.25	150	199	AV	Vertical	PASS
11	15984.63	33.28	42.56	9.28	54.00	11.44	150	199	AV	Vertical	PASS
12	17889.31	32.37	47.31	14.94	54.00	6.69	150	205	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna1	Test Date:	2024-12-09
Test Channel:	48-5240MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7986.38	46.49	45.05	-1.44	74.00	28.95	150	350	PK	Horizontal	PASS
2	9022.81	46.21	45.43	-0.78	74.00	28.57	150	323	PK	Horizontal	PASS
3	11929.44	44.84	46.04	1.20	74.00	27.96	150	306	PK	Horizontal	PASS
4	14437.88	42.58	47.44	4.86	74.00	26.56	150	0	PK	Horizontal	PASS
5	15911.31	42.40	52.18	9.78	74.00	21.82	150	328	PK	Horizontal	PASS
6	17866.31	42.03	56.28	14.25	74.00	17.72	150	344	PK	Horizontal	PASS
7	7982.06	37.07	35.66	-1.41	54.00	18.34	150	137	AV	Horizontal	PASS
8	9007.00	35.82	35.04	-0.78	54.00	18.96	150	186	AV	Horizontal	PASS
9	11930.88	37.51	38.72	1.21	54.00	15.28	150	306	AV	Horizontal	PASS
10	14394.75	33.46	38.61	5.15	54.00	15.39	150	186	AV	Horizontal	PASS
11	15888.31	33.66	43.22	9.56	54.00	10.78	150	20	AV	Horizontal	PASS
12	17874.94	31.56	45.84	14.28	54.00	8.16	150	344	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7924.56	46.43	45.34	-1.09	74.00	28.66	150	226	PK	Vertical	PASS
2	9024.25	46.70	45.92	-0.78	74.00	28.08	150	182	PK	Vertical	PASS
3	12270.13	45.04	46.72	1.68	74.00	27.28	150	42	PK	Vertical	PASS
4	14332.94	43.28	48.70	5.42	74.00	25.30	150	267	PK	Vertical	PASS
5	16331.06	42.70	52.12	9.42	74.00	21.88	150	210	PK	Vertical	PASS
6	17899.38	41.47	56.47	15.00	74.00	17.53	150	95	PK	Vertical	PASS
7	7954.75	38.04	36.78	-1.26	54.00	17.22	150	306	AV	Vertical	PASS
8	9024.25	36.27	35.49	-0.78	54.00	18.51	150	80	AV	Vertical	PASS
9	12202.56	34.82	36.62	1.80	54.00	17.38	150	226	AV	Vertical	PASS
10	14357.38	33.56	39.05	5.49	54.00	14.95	150	204	AV	Vertical	PASS
11	16381.38	33.12	42.76	9.64	54.00	11.24	150	300	AV	Vertical	PASS
12	17876.38	31.56	46.43	14.87	54.00	7.57	150	182	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna2	Test Date:	2024-12-09
Test Channel:	36-5180MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8288.25	47.59	46.39	-1.20	74.00	27.61	150	345	PK	Horizontal	PASS
2	10214.50	44.75	44.71	-0.04	74.00	29.29	150	229	PK	Horizontal	PASS
3	11930.88	44.85	46.06	1.21	74.00	27.94	150	297	PK	Horizontal	PASS
4	13828.38	43.81	47.02	3.21	74.00	26.98	150	329	PK	Horizontal	PASS
5	16026.31	42.83	52.18	9.35	74.00	21.82	150	0	PK	Horizontal	PASS
6	17916.63	41.50	55.82	14.32	74.00	18.18	150	134	PK	Horizontal	PASS
7	8289.69	43.41	42.21	-1.20	54.00	11.79	150	345	AV	Horizontal	PASS
8	10210.19	35.04	35.00	-0.04	54.00	19.00	150	177	AV	Horizontal	PASS
9	11930.88	38.13	39.34	1.21	54.00	14.66	150	303	AV	Horizontal	PASS
10	13874.38	33.67	37.02	3.35	54.00	16.98	150	17	AV	Horizontal	PASS
11	15908.44	33.00	42.78	9.78	54.00	11.22	150	0	AV	Horizontal	PASS
12	17889.31	31.77	46.14	14.37	54.00	7.86	150	171	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8288.25	46.70	45.50	-1.20	74.00	28.50	150	360	PK	Vertical	PASS
2	9934.19	45.00	45.14	0.14	74.00	28.86	150	248	PK	Vertical	PASS
3	11893.50	44.38	45.54	1.16	74.00	28.46	150	226	PK	Vertical	PASS
4	14200.69	43.77	48.09	4.32	74.00	25.91	150	285	PK	Vertical	PASS
5	15915.63	41.85	51.15	9.30	74.00	22.85	150	289	PK	Vertical	PASS
6	17877.81	40.84	55.72	14.88	74.00	18.28	150	43	PK	Vertical	PASS
7	8289.69	41.86	40.66	-1.20	54.00	13.34	150	5	AV	Vertical	PASS
8	9889.63	36.82	36.79	-0.03	54.00	17.21	150	328	AV	Vertical	PASS
9	11861.88	35.04	36.31	1.27	54.00	17.69	150	161	AV	Vertical	PASS
10	14325.75	34.27	39.66	5.39	54.00	14.34	150	300	AV	Vertical	PASS
11	15937.19	33.22	42.51	9.29	54.00	11.49	150	118	AV	Vertical	PASS
12	17850.50	31.94	46.67	14.73	54.00	7.33	150	118	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna2	Test Date:	2024-12-09
Test Channel:	40-5200MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7425.36	46.96	44.15	-2.81	74.00	29.85	150	165	PK	Horizontal	PASS
2	8434.43	46.04	44.84	-1.20	74.00	29.16	150	104	PK	Horizontal	PASS
3	9857.00	44.93	44.58	-0.35	74.00	29.42	150	119	PK	Horizontal	PASS
4	11980.75	44.34	45.78	1.44	74.00	28.22	150	57	PK	Horizontal	PASS
5	14417.31	42.76	47.79	5.03	74.00	26.21	150	62	PK	Horizontal	PASS
6	17858.69	40.81	55.01	14.20	74.00	18.99	150	67	PK	Horizontal	PASS
7	7396.56	37.46	34.70	-2.76	54.00	19.30	150	200	AV	Horizontal	PASS
8	8427.13	36.83	35.66	-1.17	54.00	18.34	150	240	AV	Horizontal	PASS
9	9865.19	36.25	35.89	-0.36	54.00	18.11	150	298	AV	Horizontal	PASS
10	11931.88	37.80	39.01	1.21	54.00	14.99	150	107	AV	Horizontal	PASS
11	14484.88	34.26	38.74	4.48	54.00	15.26	150	233	AV	Horizontal	PASS
12	17877.38	31.91	46.21	14.30	54.00	7.79	150	249	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7324.25	47.11	43.80	-3.31	74.00	30.20	150	213	PK	Vertical	PASS
2	9466.44	45.67	45.47	-0.20	74.00	28.53	150	251	PK	Vertical	PASS
3	11789.56	44.74	46.13	1.39	74.00	27.87	150	197	PK	Vertical	PASS
4	13921.38	43.65	47.68	4.03	74.00	26.32	150	297	PK	Vertical	PASS
5	15925.25	42.02	51.32	9.30	74.00	22.68	150	239	PK	Vertical	PASS
6	17855.81	40.54	55.29	14.75	74.00	18.71	150	133	PK	Vertical	PASS
7	7385.50	38.05	35.22	-2.83	54.00	18.78	150	259	AV	Vertical	PASS
8	9499.63	35.74	35.78	0.04	54.00	18.22	150	219	AV	Vertical	PASS
9	11769.44	34.99	36.23	1.24	54.00	17.77	150	266	AV	Vertical	PASS
10	13902.69	34.52	38.61	4.09	54.00	15.39	150	238	AV	Vertical	PASS
11	15880.69	33.65	42.56	8.91	54.00	11.44	150	222	AV	Vertical	PASS
12	17856.69	31.99	46.76	14.77	54.00	7.24	150	286	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna2	Test Date:	2024-12-09
Test Channel:	48-5240MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8036.69	46.56	45.23	-1.33	74.00	28.77	150	248	PK	Horizontal	PASS
2	9507.25	45.63	45.66	0.03	74.00	28.34	150	302	PK	Horizontal	PASS
3	10995.06	43.81	45.10	1.29	74.00	28.90	150	82	PK	Horizontal	PASS
4	13006.13	43.43	46.17	2.74	74.00	27.83	150	177	PK	Horizontal	PASS
5	15925.69	42.70	52.48	9.78	74.00	21.52	150	232	PK	Horizontal	PASS
6	17872.06	40.61	54.89	14.28	74.00	19.11	150	279	PK	Horizontal	PASS
7	7954.75	37.61	36.35	-1.26	54.00	17.65	150	360	AV	Horizontal	PASS
8	9497.19	35.64	35.67	0.03	54.00	18.33	150	216	AV	Horizontal	PASS
9	11013.75	34.69	35.91	1.22	54.00	18.09	150	194	AV	Horizontal	PASS
10	13016.19	34.88	37.64	2.76	54.00	16.36	150	350	AV	Horizontal	PASS
11	15957.31	33.13	42.91	9.78	54.00	11.09	150	333	AV	Horizontal	PASS
12	17902.25	31.79	46.19	14.40	54.00	7.81	150	222	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7894.38	46.73	45.65	-1.08	74.00	28.35	150	346	PK	Vertical	PASS
2	9369.25	44.41	43.57	-0.84	74.00	30.43	150	319	PK	Vertical	PASS
3	11302.69	44.44	45.56	1.12	74.00	28.44	150	169	PK	Vertical	PASS
4	12398.06	44.75	47.11	2.36	74.00	26.89	150	360	PK	Vertical	PASS
5	14308.50	43.65	48.99	5.34	74.00	25.01	150	202	PK	Vertical	PASS
6	17844.75	41.26	55.96	14.70	74.00	18.04	150	176	PK	Vertical	PASS
7	7954.75	37.88	36.62	-1.26	54.00	17.38	150	298	AV	Vertical	PASS
8	9339.06	36.32	35.39	-0.93	54.00	18.61	150	278	AV	Vertical	PASS
9	11281.13	34.94	36.05	1.11	54.00	17.95	150	229	AV	Vertical	PASS
10	12347.75	35.26	37.25	1.99	54.00	16.75	150	36	AV	Vertical	PASS
11	14245.25	34.27	39.03	4.76	54.00	14.97	150	26	AV	Vertical	PASS
12	17833.25	32.27	46.91	14.64	54.00	7.09	150	117	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-CDD	Test Date:	2024-12-09
Test Channel:	36-5180MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8288.25	48.21	47.01	-1.20	74.00	26.99	150	280	PK	Horizontal	PASS
2	9925.56	45.49	45.15	-0.34	74.00	28.85	150	214	PK	Horizontal	PASS
3	12480.00	44.82	47.24	2.42	74.00	26.76	150	31	PK	Horizontal	PASS
4	14406.25	42.72	47.84	5.12	74.00	26.16	150	47	PK	Horizontal	PASS
5	15902.69	41.39	51.17	9.78	74.00	22.83	150	123	PK	Horizontal	PASS
6	17558.69	41.57	55.16	13.59	74.00	18.84	150	328	PK	Horizontal	PASS
7	8289.69	43.07	41.87	-1.20	54.00	12.13	150	355	AV	Horizontal	PASS
8	9859.44	35.82	35.47	-0.35	54.00	18.53	150	74	AV	Horizontal	PASS
9	12469.94	34.49	36.89	2.40	54.00	17.11	150	344	AV	Horizontal	PASS
10	14350.19	34.03	38.99	4.96	54.00	15.01	150	301	AV	Horizontal	PASS
11	15917.06	32.87	42.65	9.78	54.00	11.35	150	145	AV	Horizontal	PASS
12	17551.50	31.86	45.38	13.52	54.00	8.62	150	91	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8288.25	47.67	46.47	-1.20	74.00	27.53	150	11	PK	Vertical	PASS
2	10004.63	44.68	45.15	0.47	74.00	28.85	150	360	PK	Vertical	PASS
3	11784.25	44.27	45.63	1.36	74.00	28.37	150	322	PK	Vertical	PASS
4	14380.38	42.36	47.92	5.56	74.00	26.08	150	87	PK	Vertical	PASS
5	16322.44	43.55	52.94	9.39	74.00	21.06	150	0	PK	Vertical	PASS
6	17847.63	40.62	55.33	14.71	74.00	18.67	150	199	PK	Vertical	PASS
7	8289.69	41.92	40.72	-1.20	54.00	13.28	150	5	AV	Vertical	PASS
8	10036.25	35.50	35.95	0.45	54.00	18.05	150	237	AV	Vertical	PASS
9	11797.19	34.96	36.41	1.45	54.00	17.59	150	98	AV	Vertical	PASS
10	14422.06	34.05	39.45	5.40	54.00	14.55	150	155	AV	Vertical	PASS
11	16335.38	34.80	44.25	9.45	54.00	9.75	150	54	AV	Vertical	PASS
12	17890.75	31.80	46.75	14.95	54.00	7.25	150	76	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-CDD	Test Date:	2024-12-09
Test Channel:	40-5200MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8319.88	48.99	47.86	-1.13	74.00	26.14	150	344	PK	Horizontal	PASS
2	10635.69	44.51	45.15	0.64	74.00	28.85	150	154	PK	Horizontal	PASS
3	11930.88	44.99	46.20	1.21	74.00	27.80	150	306	PK	Horizontal	PASS
4	14409.13	42.67	47.76	5.09	74.00	26.24	150	96	PK	Horizontal	PASS
5	15978.88	42.47	52.25	9.78	74.00	21.75	150	252	PK	Horizontal	PASS
6	17849.06	41.11	55.27	14.16	74.00	18.73	150	230	PK	Horizontal	PASS
7	8321.31	44.58	43.45	-1.13	54.00	10.55	150	350	AV	Horizontal	PASS
8	10624.19	34.80	35.48	0.68	54.00	18.52	150	164	AV	Horizontal	PASS
9	11930.88	37.87	39.08	1.21	54.00	14.92	150	310	AV	Horizontal	PASS
10	14343.00	33.76	38.68	4.92	54.00	15.32	150	2	AV	Horizontal	PASS
11	15918.50	33.10	42.88	9.78	54.00	11.12	150	127	AV	Horizontal	PASS
12	17866.31	31.90	46.15	14.25	54.00	7.85	150	310	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8319.88	48.20	47.07	-1.13	74.00	26.93	150	360	PK	Vertical	PASS
2	9819.19	45.68	45.73	0.05	74.00	28.27	150	4	PK	Vertical	PASS
3	12412.44	44.24	46.63	2.39	74.00	27.37	150	42	PK	Vertical	PASS
4	14357.38	43.92	49.41	5.49	74.00	24.59	150	165	PK	Vertical	PASS
5	16342.56	42.57	52.04	9.47	74.00	21.96	150	250	PK	Vertical	PASS
6	17828.94	41.29	55.91	14.62	74.00	18.09	150	95	PK	Vertical	PASS
7	8321.31	42.38	41.25	-1.13	54.00	12.75	150	360	AV	Vertical	PASS
8	9819.19	36.05	36.10	0.05	54.00	17.90	150	202	AV	Vertical	PASS
9	12455.56	35.07	37.54	2.47	54.00	16.46	150	64	AV	Vertical	PASS
10	14432.13	34.16	39.46	5.30	54.00	14.54	150	344	AV	Vertical	PASS
11	16354.06	33.17	42.70	9.53	54.00	11.30	150	0	AV	Vertical	PASS
12	17918.06	32.14	47.02	14.88	54.00	6.98	150	229	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-CDD	Test Date:	2024-12-09
Test Channel:	48-5240MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7897.25	45.98	44.96	-1.02	74.00	29.04	150	223	PK	Horizontal	PASS
2	9140.69	45.74	44.80	-0.94	74.00	29.20	150	45	PK	Horizontal	PASS
3	11811.56	44.09	45.37	1.28	74.00	28.63	150	355	PK	Horizontal	PASS
4	14330.06	43.52	48.39	4.87	74.00	25.61	150	189	PK	Horizontal	PASS
5	15932.88	43.03	52.81	9.78	74.00	21.19	150	93	PK	Horizontal	PASS
6	17827.50	40.97	55.01	14.04	74.00	18.99	150	39	PK	Horizontal	PASS
7	7954.75	37.61	36.35	-1.26	54.00	17.65	150	278	AV	Horizontal	PASS
8	9111.94	36.08	35.26	-0.82	54.00	18.74	150	255	AV	Horizontal	PASS
9	11759.81	35.24	36.24	1.00	54.00	17.76	150	23	AV	Horizontal	PASS
10	14429.25	34.17	39.10	4.93	54.00	14.90	150	282	AV	Horizontal	PASS
11	15912.75	33.24	43.02	9.78	54.00	10.98	150	0	AV	Horizontal	PASS
12	17905.13	31.46	45.85	14.39	54.00	8.15	150	299	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7374.00	47.85	44.92	-2.93	74.00	29.08	150	279	PK	Vertical	PASS
2	8383.13	47.30	46.28	-1.02	74.00	27.72	150	321	PK	Vertical	PASS
3	11294.06	44.64	45.78	1.14	74.00	28.22	150	0	PK	Vertical	PASS
4	14519.81	43.96	48.59	4.63	74.00	25.41	150	163	PK	Vertical	PASS
5	16829.88	42.46	52.07	9.61	74.00	21.93	150	168	PK	Vertical	PASS
6	17885.00	41.06	55.97	14.91	74.00	18.03	150	120	PK	Vertical	PASS
7	7391.25	38.25	35.46	-2.79	54.00	18.54	150	78	AV	Vertical	PASS
8	8386.00	39.24	38.23	-1.01	54.00	15.77	150	321	AV	Vertical	PASS
9	11298.38	34.57	35.72	1.15	54.00	18.28	150	221	AV	Vertical	PASS
10	14387.56	33.52	39.10	5.58	54.00	14.90	150	195	AV	Vertical	PASS
11	16848.56	33.14	42.75	9.61	54.00	11.25	150	347	AV	Vertical	PASS
12	17915.19	31.99	46.90	14.91	54.00	7.10	150	152	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2024-12-09
Test Channel:	36-5180MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8288.25	47.65	46.45	-1.20	74.00	27.55	150	296	PK	Horizontal	PASS
2	10973.50	44.10	45.32	1.22	74.00	28.68	150	88	PK	Horizontal	PASS
3	11930.88	44.71	45.92	1.21	74.00	28.08	150	307	PK	Horizontal	PASS
4	14366.00	43.51	48.53	5.02	74.00	25.47	150	136	PK	Horizontal	PASS
5	15950.13	42.63	52.41	9.78	74.00	21.59	150	243	PK	Horizontal	PASS
6	17872.06	40.66	54.94	14.28	74.00	19.06	150	189	PK	Horizontal	PASS
7	8289.69	43.10	41.90	-1.20	54.00	12.10	150	356	AV	Horizontal	PASS
8	10985.00	35.38	36.63	1.25	54.00	17.37	150	67	AV	Horizontal	PASS
9	11930.88	37.92	39.13	1.21	54.00	14.87	150	302	AV	Horizontal	PASS
10	14351.63	33.57	38.53	4.96	54.00	15.47	150	61	AV	Horizontal	PASS
11	15934.31	33.25	43.03	9.78	54.00	10.97	150	1	AV	Horizontal	PASS
12	17906.56	32.11	46.48	14.37	54.00	7.52	150	45	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8288.25	47.20	46.00	-1.20	74.00	28.00	150	1	PK	Vertical	PASS
2	10214.50	45.23	45.61	0.38	74.00	28.39	150	70	PK	Vertical	PASS
3	12504.44	43.75	46.29	2.54	74.00	27.71	150	143	PK	Vertical	PASS
4	14449.38	43.34	48.47	5.13	74.00	25.53	150	276	PK	Vertical	PASS
5	16381.38	42.80	52.44	9.64	74.00	21.56	150	261	PK	Vertical	PASS
6	17906.56	41.20	56.16	14.96	74.00	17.84	150	239	PK	Vertical	PASS
7	8289.69	42.56	41.36	-1.20	54.00	12.64	150	5	AV	Vertical	PASS
8	10195.81	35.40	35.77	0.37	54.00	18.23	150	43	AV	Vertical	PASS
9	12477.13	35.39	37.90	2.51	54.00	16.10	150	360	AV	Vertical	PASS
10	14327.19	34.06	39.46	5.40	54.00	14.54	150	324	AV	Vertical	PASS
11	16358.38	34.17	43.71	9.54	54.00	10.29	150	298	AV	Vertical	PASS
12	17846.19	32.23	46.94	14.71	54.00	7.06	150	360	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2024-12-09
Test Channel:	40-5200MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8319.88	48.62	47.49	-1.13	74.00	26.51	150	345	PK	Horizontal	PASS
2	9150.75	46.53	45.55	-0.98	74.00	28.45	150	280	PK	Horizontal	PASS
3	10976.38	44.11	45.34	1.23	74.00	28.66	150	161	PK	Horizontal	PASS
4	14502.56	43.81	48.15	4.34	74.00	25.85	150	98	PK	Horizontal	PASS
5	16381.38	42.83	52.28	9.45	74.00	21.72	150	297	PK	Horizontal	PASS
6	17892.19	40.24	54.62	14.38	74.00	19.38	150	92	PK	Horizontal	PASS
7	8321.31	44.23	43.10	-1.13	54.00	10.90	150	345	AV	Horizontal	PASS
8	9183.81	36.52	35.40	-1.12	54.00	18.60	150	60	AV	Horizontal	PASS
9	11018.06	34.79	35.99	1.20	54.00	18.01	150	161	AV	Horizontal	PASS
10	14475.25	33.75	38.30	4.55	54.00	15.70	150	50	AV	Horizontal	PASS
11	16321.00	33.49	42.80	9.31	54.00	11.20	150	0	AV	Horizontal	PASS
12	17951.13	32.44	46.53	14.09	54.00	7.47	150	210	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8319.88	47.47	46.34	-1.13	74.00	27.66	150	4	PK	Vertical	PASS
2	10279.19	44.55	44.97	0.42	74.00	29.03	150	234	PK	Vertical	PASS
3	12465.63	43.59	46.07	2.48	74.00	27.93	150	42	PK	Vertical	PASS
4	14200.69	43.41	47.73	4.32	74.00	26.27	150	342	PK	Vertical	PASS
5	16283.63	43.14	52.29	9.15	74.00	21.71	150	336	PK	Vertical	PASS
6	17866.31	40.74	55.56	14.82	74.00	18.44	150	159	PK	Vertical	PASS
7	8321.31	42.46	41.33	-1.13	54.00	12.67	150	360	AV	Vertical	PASS
8	10292.13	35.57	36.00	0.43	54.00	18.00	150	288	AV	Vertical	PASS
9	12500.13	34.57	37.12	2.55	54.00	16.88	150	10	AV	Vertical	PASS
10	14308.50	34.04	39.38	5.34	54.00	14.62	150	100	AV	Vertical	PASS
11	16293.69	33.61	42.85	9.24	54.00	11.15	150	58	AV	Vertical	PASS
12	17870.63	32.01	46.85	14.84	54.00	7.15	150	89	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2024-12-09
Test Channel:	48-5240MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7408.50	46.94	44.18	-2.76	74.00	29.82	150	218	PK	Horizontal	PASS
2	8384.56	46.04	45.02	-1.02	74.00	28.98	150	290	PK	Horizontal	PASS
3	11051.13	44.12	45.10	0.98	74.00	28.90	150	0	PK	Horizontal	PASS
4	13052.13	43.96	46.77	2.81	74.00	27.23	150	333	PK	Horizontal	PASS
5	15919.94	42.25	52.03	9.78	74.00	21.97	150	190	PK	Horizontal	PASS
6	17936.75	40.90	55.08	14.18	74.00	18.92	150	69	PK	Horizontal	PASS
7	7411.38	37.59	34.82	-2.77	54.00	19.18	150	52	AV	Horizontal	PASS
8	8386.00	38.84	37.83	-1.01	54.00	16.17	150	4	AV	Horizontal	PASS
9	11055.44	35.58	36.53	0.95	54.00	17.47	150	201	AV	Horizontal	PASS
10	13119.69	34.79	37.79	3.00	54.00	16.21	150	278	AV	Horizontal	PASS
11	15930.00	32.90	42.68	9.78	54.00	11.32	150	58	AV	Horizontal	PASS
12	17903.69	31.86	46.26	14.40	54.00	7.74	150	234	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8007.94	46.52	45.05	-1.47	74.00	28.95	150	335	PK	Vertical	PASS
2	8384.56	46.85	45.83	-1.02	74.00	28.17	150	330	PK	Vertical	PASS
3	10302.19	45.23	45.66	0.43	74.00	28.34	150	195	PK	Vertical	PASS
4	12458.44	43.79	46.26	2.47	74.00	27.74	150	210	PK	Vertical	PASS
5	14373.19	42.51	48.04	5.53	74.00	25.96	150	273	PK	Vertical	PASS
6	17866.31	40.98	55.80	14.82	74.00	18.20	150	78	PK	Vertical	PASS
7	7954.75	38.37	37.11	-1.26	54.00	16.89	150	304	AV	Vertical	PASS
8	8386.00	39.76	38.75	-1.01	54.00	15.25	150	324	AV	Vertical	PASS
9	10333.81	35.45	35.91	0.46	54.00	18.09	150	360	AV	Vertical	PASS
10	12504.44	35.25	37.79	2.54	54.00	16.21	150	360	AV	Vertical	PASS
11	14368.88	33.55	39.07	5.52	54.00	14.93	150	189	AV	Vertical	PASS
12	17935.31	32.17	46.95	14.78	54.00	7.05	150	52	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna1	Test Date:	2024-12-09
Test Channel:	149-5745MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7424.31	46.96	44.15	-2.81	74.00	29.85	150	162	PK	Horizontal	PASS
2	8433.44	46.04	44.84	-1.20	74.00	29.16	150	194	PK	Horizontal	PASS
3	9858.00	44.93	44.58	-0.35	74.00	29.42	150	130	PK	Horizontal	PASS
4	11979.75	44.34	45.78	1.44	74.00	28.22	150	7	PK	Horizontal	PASS
5	14416.31	42.76	47.79	5.03	74.00	26.21	150	92	PK	Horizontal	PASS
6	17857.69	40.81	55.01	14.20	74.00	18.99	150	87	PK	Horizontal	PASS
7	7395.56	37.46	34.70	-2.76	54.00	19.30	150	0	AV	Horizontal	PASS
8	8429.13	36.83	35.66	-1.17	54.00	18.34	150	280	AV	Horizontal	PASS
9	9865.19	36.25	35.89	-0.36	54.00	18.11	150	98	AV	Horizontal	PASS
10	11930.88	37.80	39.01	1.21	54.00	14.99	150	307	AV	Horizontal	PASS
11	14483.88	34.26	38.74	4.48	54.00	15.26	150	263	AV	Horizontal	PASS
12	17876.38	31.91	46.21	14.30	54.00	7.79	150	49	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7389.81	46.86	44.06	-2.80	74.00	29.94	150	148	PK	Vertical	PASS
2	9015.63	45.37	44.59	-0.78	74.00	29.41	150	212	PK	Vertical	PASS
3	11813.00	44.90	46.33	1.43	74.00	27.67	150	0	PK	Vertical	PASS
4	13904.56	43.12	47.21	4.09	74.00	26.79	150	116	PK	Vertical	PASS
5	16362.69	42.35	51.91	9.56	74.00	22.09	150	90	PK	Vertical	PASS
6	17895.06	41.78	56.76	14.98	74.00	17.24	150	20	PK	Vertical	PASS
7	7394.13	37.68	34.91	-2.77	54.00	19.09	150	15	AV	Vertical	PASS
8	9004.13	36.19	35.41	-0.78	54.00	18.59	150	42	AV	Vertical	PASS
9	11903.56	35.07	36.22	1.15	54.00	17.78	150	164	AV	Vertical	PASS
10	13907.44	33.95	38.03	4.08	54.00	15.97	150	218	AV	Vertical	PASS
11	16385.69	33.23	42.89	9.66	54.00	11.11	150	79	AV	Vertical	PASS
12	17895.06	31.52	46.50	14.98	54.00	7.50	150	346	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna1	Test Date:	2024-12-09
Test Channel:	157-5785MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7356.75	47.27	44.22	-3.05	74.00	29.78	150	312	PK	Horizontal	PASS
2	9405.19	45.99	45.30	-0.69	74.00	28.70	150	56	PK	Horizontal	PASS
3	11930.88	45.07	46.28	1.21	74.00	27.72	150	318	PK	Horizontal	PASS
4	13550.94	43.44	46.65	3.21	74.00	27.35	150	242	PK	Horizontal	PASS
5	15930.00	42.08	51.86	9.78	74.00	22.14	150	0	PK	Horizontal	PASS
6	17899.38	40.59	55.01	14.42	74.00	18.99	150	2	PK	Horizontal	PASS
7	7395.56	37.87	35.11	-2.76	54.00	18.89	150	115	AV	Horizontal	PASS
8	9409.50	36.03	35.37	-0.66	54.00	18.63	150	307	AV	Horizontal	PASS
9	11930.88	38.41	39.62	1.21	54.00	14.38	150	307	AV	Horizontal	PASS
10	13516.44	34.62	37.91	3.29	54.00	16.09	150	183	AV	Horizontal	PASS
11	15919.94	33.11	42.89	9.78	54.00	11.11	150	220	AV	Horizontal	PASS
12	17864.88	32.26	46.49	14.23	54.00	7.51	150	1	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7322.25	47.11	43.80	-3.31	74.00	30.20	150	113	PK	Vertical	PASS
2	9468.44	45.67	45.47	-0.20	74.00	28.53	150	151	PK	Vertical	PASS
3	11788.56	44.74	46.13	1.39	74.00	27.87	150	97	PK	Vertical	PASS
4	13920.38	43.65	47.68	4.03	74.00	26.32	150	97	PK	Vertical	PASS
5	15924.25	42.02	51.32	9.30	74.00	22.68	150	269	PK	Vertical	PASS
6	17854.81	40.54	55.29	14.75	74.00	18.71	150	113	PK	Vertical	PASS
7	7385.50	38.05	35.22	-2.83	54.00	18.78	150	359	AV	Vertical	PASS
8	9498.63	35.74	35.78	0.04	54.00	18.22	150	349	AV	Vertical	PASS
9	11768.44	34.99	36.23	1.24	54.00	17.77	150	296	AV	Vertical	PASS
10	13901.69	34.52	38.61	4.09	54.00	15.39	150	178	AV	Vertical	PASS
11	15879.69	33.65	42.56	8.91	54.00	11.44	150	242	AV	Vertical	PASS
12	17857.69	31.99	46.76	14.77	54.00	7.24	150	316	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna1	Test Date:	2024-12-09
Test Channel:	165-5825MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7924.56	45.89	44.80	-1.09	74.00	29.20	150	32	PK	Horizontal	PASS
2	8831.63	46.20	45.11	-1.09	74.00	28.89	150	328	PK	Horizontal	PASS
3	11006.56	44.68	45.94	1.26	74.00	28.06	150	71	PK	Horizontal	PASS
4	12648.19	43.96	45.84	1.88	74.00	28.16	150	38	PK	Horizontal	PASS
5	13893.06	43.09	46.49	3.40	74.00	27.51	150	86	PK	Horizontal	PASS
6	17942.50	40.50	54.64	14.14	74.00	19.36	150	136	PK	Horizontal	PASS
7	7921.69	37.55	36.47	-1.08	54.00	17.53	150	200	AV	Horizontal	PASS
8	8821.56	35.93	34.85	-1.08	54.00	19.15	150	0	AV	Horizontal	PASS
9	11009.44	35.42	36.67	1.25	54.00	17.33	150	290	AV	Horizontal	PASS
10	12580.63	34.11	36.40	2.29	54.00	17.60	150	345	AV	Horizontal	PASS
11	13874.38	33.86	37.21	3.35	54.00	16.79	150	75	AV	Horizontal	PASS
12	17863.44	32.22	46.45	14.23	54.00	7.55	150	318	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7887.19	45.75	44.51	-1.24	74.00	29.49	150	146	PK	Vertical	PASS
2	9612.19	45.64	45.42	-0.22	74.00	28.58	150	193	PK	Vertical	PASS
3	11008.00	44.59	45.95	1.36	74.00	28.05	150	316	PK	Vertical	PASS
4	13947.69	43.59	47.55	3.96	74.00	26.45	150	130	PK	Vertical	PASS
5	15938.63	42.14	51.43	9.29	74.00	22.57	150	353	PK	Vertical	PASS
6	17823.19	41.18	55.77	14.59	74.00	18.23	150	162	PK	Vertical	PASS
7	7954.75	37.97	36.71	-1.26	54.00	17.29	150	300	AV	Vertical	PASS
8	9612.19	35.80	35.58	-0.22	54.00	18.42	150	236	AV	Vertical	PASS
9	11016.63	34.94	36.26	1.32	54.00	17.74	150	360	AV	Vertical	PASS
10	13931.88	34.19	38.19	4.00	54.00	15.81	150	357	AV	Vertical	PASS
11	15912.75	33.31	42.61	9.30	54.00	11.39	150	360	AV	Vertical	PASS
12	17867.75	31.77	46.59	14.82	54.00	7.41	150	55	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna2	Test Date:	2024-12-09
Test Channel:	149-5745MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7407.06	47.01	44.26	-2.75	74.00	29.74	150	75	PK	Horizontal	PASS
2	9018.50	45.55	44.77	-0.78	74.00	29.23	150	232	PK	Horizontal	PASS
3	11929.44	44.67	45.87	1.20	74.00	28.13	150	302	PK	Horizontal	PASS
4	14440.75	43.51	48.35	4.84	74.00	25.65	150	226	PK	Horizontal	PASS
5	15968.81	42.30	52.08	9.78	74.00	21.92	150	259	PK	Horizontal	PASS
6	17795.88	40.29	54.17	13.88	74.00	19.83	150	0	PK	Horizontal	PASS
7	7378.31	37.89	35.00	-2.89	54.00	19.00	150	118	AV	Horizontal	PASS
8	9018.50	36.48	35.70	-0.78	54.00	18.30	150	155	AV	Horizontal	PASS
9	11930.88	37.51	38.72	1.21	54.00	15.28	150	308	AV	Horizontal	PASS
10	14412.00	33.71	38.78	5.07	54.00	15.22	150	1	AV	Horizontal	PASS
11	15917.06	33.63	43.41	9.78	54.00	10.59	150	264	AV	Horizontal	PASS
12	17833.25	32.46	46.53	14.07	54.00	7.47	150	3	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7891.50	45.57	44.43	-1.14	74.00	29.57	150	359	PK	Vertical	PASS
2	9226.94	46.39	45.24	-1.15	74.00	28.76	150	57	PK	Vertical	PASS
3	10992.19	43.55	44.94	1.39	74.00	29.06	150	298	PK	Vertical	PASS
4	13111.06	43.66	46.15	2.49	74.00	27.85	150	36	PK	Vertical	PASS
5	15297.50	42.70	49.75	7.05	74.00	24.25	150	68	PK	Vertical	PASS
6	17882.13	40.52	55.43	14.91	74.00	18.57	150	41	PK	Vertical	PASS
7	7954.75	37.76	36.50	-1.26	54.00	17.50	150	325	AV	Vertical	PASS
8	9301.69	37.10	36.05	-1.05	54.00	17.95	150	30	AV	Vertical	PASS
9	11008.00	35.73	37.09	1.36	54.00	16.91	150	335	AV	Vertical	PASS
10	13013.31	34.39	36.75	2.36	54.00	17.25	150	160	AV	Vertical	PASS
11	15330.56	33.61	40.54	6.93	54.00	13.46	150	239	AV	Vertical	PASS
12	17943.94	31.91	46.64	14.73	54.00	7.36	150	149	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna2	Test Date:	2024-12-09
Test Channel:	157-5785MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8088.44	46.16	45.08	-1.08	74.00	28.92	150	303	PK	Horizontal	PASS
2	9500.06	45.17	45.22	0.05	74.00	28.78	150	265	PK	Horizontal	PASS
3	11930.88	46.24	47.45	1.21	74.00	26.55	150	303	PK	Horizontal	PASS
4	13926.13	43.90	47.16	3.26	74.00	26.84	150	360	PK	Horizontal	PASS
5	15915.63	42.09	51.87	9.78	74.00	22.13	150	127	PK	Horizontal	PASS
6	17839.00	41.25	55.36	14.11	74.00	18.64	150	238	PK	Horizontal	PASS
7	7954.75	38.21	36.95	-1.26	54.00	17.05	150	0	AV	Horizontal	PASS
8	9455.50	36.09	35.79	-0.30	54.00	18.21	150	303	AV	Horizontal	PASS
9	11930.88	37.97	39.18	1.21	54.00	14.82	150	303	AV	Horizontal	PASS
10	13903.13	34.23	37.64	3.41	54.00	16.36	150	314	AV	Horizontal	PASS
11	15977.44	33.36	43.14	9.78	54.00	10.86	150	90	AV	Horizontal	PASS
12	17860.56	31.88	46.09	14.21	54.00	7.91	150	69	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7345.25	47.17	44.04	-3.13	74.00	29.96	150	80	PK	Vertical	PASS
2	8706.56	45.96	44.84	-1.12	74.00	29.16	150	172	PK	Vertical	PASS
3	10632.81	44.19	45.09	0.90	74.00	28.91	150	38	PK	Vertical	PASS
4	13862.88	42.98	46.86	3.88	74.00	27.14	150	246	PK	Vertical	PASS
5	16292.25	43.07	52.30	9.23	74.00	21.70	150	90	PK	Vertical	PASS
6	17863.44	40.40	55.20	14.80	74.00	18.80	150	331	PK	Vertical	PASS
7	7399.88	38.39	35.66	-2.73	54.00	18.34	150	331	AV	Vertical	PASS
8	8618.88	36.75	35.50	-1.25	54.00	18.50	150	360	AV	Vertical	PASS
9	10652.94	35.31	36.15	0.84	54.00	17.85	150	172	AV	Vertical	PASS
10	13844.19	34.06	37.82	3.76	54.00	16.18	150	230	AV	Vertical	PASS
11	16309.50	33.50	42.84	9.34	54.00	11.16	150	273	AV	Vertical	PASS
12	17846.19	32.07	46.78	14.71	54.00	7.22	150	5	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna2	Test Date:	2024-12-09
Test Channel:	165-5825MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7336.63	47.25	44.05	-3.20	74.00	29.95	150	76	PK	Horizontal	PASS
2	8884.81	45.46	44.29	-1.17	74.00	29.71	150	66	PK	Horizontal	PASS
3	10343.88	44.45	44.56	0.11	74.00	29.44	150	249	PK	Horizontal	PASS
4	12507.31	43.55	45.99	2.44	74.00	28.01	150	23	PK	Horizontal	PASS
5	15487.25	42.95	50.44	7.49	74.00	23.56	150	40	PK	Horizontal	PASS
6	17764.25	41.05	54.76	13.71	74.00	19.24	150	93	PK	Horizontal	PASS
7	7391.25	37.67	34.88	-2.79	54.00	19.12	150	18	AV	Horizontal	PASS
8	8889.13	36.19	35.01	-1.18	54.00	18.99	150	163	AV	Horizontal	PASS
9	10302.19	35.67	35.72	0.05	54.00	18.28	150	157	AV	Horizontal	PASS
10	12478.56	35.28	37.70	2.42	54.00	16.30	150	55	AV	Horizontal	PASS
11	15547.63	33.76	41.09	7.33	54.00	12.91	150	98	AV	Horizontal	PASS
12	17804.50	32.17	46.09	13.92	54.00	7.91	150	72	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7418.56	46.57	43.78	-2.79	74.00	30.22	150	360	PK	Vertical	PASS
2	8880.50	45.93	44.77	-1.16	74.00	29.23	150	233	PK	Vertical	PASS
3	10788.06	44.21	44.94	0.73	74.00	29.06	150	206	PK	Vertical	PASS
4	14412.00	42.96	48.45	5.49	74.00	25.55	150	21	PK	Vertical	PASS
5	16387.13	41.96	51.63	9.67	74.00	22.37	150	131	PK	Vertical	PASS
6	17811.69	40.45	54.98	14.53	74.00	19.02	150	358	PK	Vertical	PASS
7	7409.94	38.49	35.73	-2.76	54.00	18.27	150	68	AV	Vertical	PASS
8	8915.00	36.37	35.24	-1.13	54.00	18.76	150	201	AV	Vertical	PASS
9	10847.00	34.28	35.19	0.91	54.00	18.81	150	0	AV	Vertical	PASS
10	14393.31	33.95	39.54	5.59	54.00	14.46	150	116	AV	Vertical	PASS
11	16293.69	34.09	43.33	9.24	54.00	10.67	150	233	AV	Vertical	PASS
12	17890.75	31.96	46.91	14.95	54.00	7.09	150	106	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-CDD	Test Date:	2024-12-09
Test Channel:	149-5745MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7427.19	46.13	43.33	-2.80	74.00	30.67	150	360	PK	Horizontal	PASS
2	8715.19	44.77	43.66	-1.11	74.00	30.34	150	314	PK	Horizontal	PASS
3	10204.44	44.92	44.87	-0.05	74.00	29.13	150	9	PK	Horizontal	PASS
4	13141.25	42.44	45.55	3.11	74.00	28.45	150	0	PK	Horizontal	PASS
5	15967.38	41.87	51.65	9.78	74.00	22.35	150	117	PK	Horizontal	PASS
6	17583.13	39.70	53.52	13.82	74.00	20.48	150	143	PK	Horizontal	PASS
7	7420.00	37.54	34.75	-2.79	54.00	19.25	150	0	AV	Horizontal	PASS
8	8710.88	35.48	34.37	-1.11	54.00	19.63	150	143	AV	Horizontal	PASS
9	10188.63	34.89	34.84	-0.05	54.00	19.16	150	237	AV	Horizontal	PASS
10	13193.00	33.42	36.83	3.41	54.00	17.17	150	92	AV	Horizontal	PASS
11	15922.81	32.41	42.19	9.78	54.00	11.81	150	35	AV	Horizontal	PASS
12	17580.25	31.26	45.06	13.80	54.00	8.94	150	220	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7059.19	46.24	41.76	-4.48	74.00	32.24	150	360	PK	Vertical	PASS
2	8617.44	44.92	43.67	-1.25	74.00	30.33	150	350	PK	Vertical	PASS
3	10750.69	42.67	43.39	0.72	74.00	30.61	150	177	PK	Vertical	PASS
4	14189.19	43.04	47.23	4.19	74.00	26.77	150	291	PK	Vertical	PASS
5	15963.06	41.38	50.67	9.29	74.00	23.33	150	68	PK	Vertical	PASS
6	17890.75	39.63	54.58	14.95	74.00	19.42	150	339	PK	Vertical	PASS
7	7063.50	37.98	33.53	-4.45	54.00	20.47	150	334	AV	Vertical	PASS
8	8618.88	36.23	34.98	-1.25	54.00	19.02	150	350	AV	Vertical	PASS
9	10750.69	33.92	34.64	0.72	54.00	19.36	150	62	AV	Vertical	PASS
10	14274.00	32.90	37.96	5.06	54.00	16.04	150	21	AV	Vertical	PASS
11	15928.56	32.64	41.94	9.30	54.00	12.06	150	261	AV	Vertical	PASS
12	17791.56	31.01	45.42	14.41	54.00	8.58	150	21	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-CDD	Test Date:	2024-12-09
Test Channel:	157-5785MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6975.81	46.48	41.74	-4.74	74.00	32.26	150	1	PK	Horizontal	PASS
2	9347.69	44.58	43.68	-0.90	74.00	30.32	150	28	PK	Horizontal	PASS
3	11929.44	45.36	46.56	1.20	74.00	27.44	150	309	PK	Horizontal	PASS
4	14410.56	41.77	46.85	5.08	74.00	27.15	150	80	PK	Horizontal	PASS
5	15997.56	41.40	51.18	9.78	74.00	22.82	150	293	PK	Horizontal	PASS
6	17821.75	39.73	53.75	14.02	74.00	20.25	150	153	PK	Horizontal	PASS
7	6938.44	37.93	33.36	-4.57	54.00	20.64	150	0	AV	Horizontal	PASS
8	9399.44	35.11	34.38	-0.73	54.00	19.62	150	319	AV	Horizontal	PASS
9	11930.88	37.37	38.58	1.21	54.00	15.42	150	309	AV	Horizontal	PASS
10	14390.44	32.89	38.02	5.13	54.00	15.98	150	205	AV	Horizontal	PASS
11	15917.06	32.33	42.11	9.78	54.00	11.89	150	314	AV	Horizontal	PASS
12	17922.38	30.94	45.22	14.28	54.00	8.78	150	100	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7374.00	46.08	43.15	-2.93	74.00	30.85	150	30	PK	Vertical	PASS
2	9498.63	43.91	43.95	0.04	74.00	30.05	150	0	PK	Vertical	PASS
3	11013.75	43.52	44.85	1.33	74.00	29.15	150	141	PK	Vertical	PASS
4	13151.31	42.57	45.28	2.71	74.00	28.72	150	168	PK	Vertical	PASS
5	15863.88	41.35	49.96	8.61	74.00	24.04	150	262	PK	Vertical	PASS
6	17545.75	40.08	54.06	13.98	74.00	19.94	150	354	PK	Vertical	PASS
7	7425.75	36.69	33.89	-2.80	54.00	20.11	150	14	AV	Vertical	PASS
8	9469.88	35.67	35.48	-0.19	54.00	18.52	150	214	AV	Vertical	PASS
9	11018.06	34.04	35.35	1.31	54.00	18.65	150	354	AV	Vertical	PASS
10	13201.63	32.97	35.93	2.96	54.00	18.07	150	236	AV	Vertical	PASS
11	15961.63	32.25	41.54	9.29	54.00	12.46	150	245	AV	Vertical	PASS
12	17583.13	30.94	45.28	14.34	54.00	8.72	150	78	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-CDD	Test Date:	2024-12-09
Test Channel:	165-5825MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7895.81	44.75	43.70	-1.05	74.00	30.30	150	55	PK	Horizontal	PASS
2	9551.81	43.67	43.59	-0.08	74.00	30.41	150	247	PK	Horizontal	PASS
3	11929.44	43.63	44.83	1.20	74.00	29.17	150	303	PK	Horizontal	PASS
4	14391.88	41.72	46.86	5.14	74.00	27.14	150	64	PK	Horizontal	PASS
5	15932.88	41.35	51.13	9.78	74.00	22.87	150	102	PK	Horizontal	PASS
6	17463.81	40.90	53.81	12.91	74.00	20.19	150	261	PK	Horizontal	PASS
7	7914.50	35.89	34.85	-1.04	54.00	19.15	150	158	AV	Horizontal	PASS
8	9533.13	35.32	35.28	-0.04	54.00	18.72	150	117	AV	Horizontal	PASS
9	11930.88	36.50	37.71	1.21	54.00	16.29	150	303	AV	Horizontal	PASS
10	14443.63	33.37	38.17	4.80	54.00	15.83	150	49	AV	Horizontal	PASS
11	15951.56	32.43	42.21	9.78	54.00	11.79	150	91	AV	Horizontal	PASS
12	17601.81	30.70	44.66	13.96	54.00	9.34	150	102	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7307.88	46.53	43.12	-3.41	74.00	30.88	150	26	PK	Vertical	PASS
2	8999.81	44.74	43.96	-0.78	74.00	30.04	150	340	PK	Vertical	PASS
3	10447.38	43.42	44.25	0.83	74.00	29.75	150	236	PK	Vertical	PASS
4	12442.63	42.61	45.06	2.45	74.00	28.94	150	109	PK	Vertical	PASS
5	15329.13	41.48	48.42	6.94	74.00	25.58	150	359	PK	Vertical	PASS
6	17860.56	39.26	54.05	14.79	74.00	19.95	150	199	PK	Vertical	PASS
7	7379.75	37.07	34.19	-2.88	54.00	19.81	150	130	AV	Vertical	PASS
8	9005.56	35.34	34.56	-0.78	54.00	19.44	150	282	AV	Vertical	PASS
9	10483.31	33.57	34.63	1.06	54.00	19.37	150	245	AV	Vertical	PASS
10	12527.44	33.70	36.17	2.47	54.00	17.83	150	267	AV	Vertical	PASS
11	15350.69	32.19	39.02	6.83	54.00	14.98	150	330	AV	Vertical	PASS
12	17879.25	30.92	45.81	14.89	54.00	8.19	150	199	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2024-12-09
Test Channel:	149-5745MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7103.75	46.35	42.14	-4.21	74.00	31.86	150	283	PK	Horizontal	PASS
2	8432.00	44.79	43.60	-1.19	74.00	30.40	150	149	PK	Horizontal	PASS
3	9824.94	44.53	44.25	-0.28	74.00	29.75	150	0	PK	Horizontal	PASS
4	11929.44	44.63	45.83	1.20	74.00	28.17	150	309	PK	Horizontal	PASS
5	15912.75	41.19	50.97	9.78	74.00	23.03	150	198	PK	Horizontal	PASS
6	17929.56	40.41	54.65	14.24	74.00	19.35	150	272	PK	Horizontal	PASS
7	7059.19	36.96	32.48	-4.48	54.00	21.52	150	17	AV	Horizontal	PASS
8	8459.31	36.24	34.88	-1.36	54.00	19.12	150	127	AV	Horizontal	PASS
9	9837.88	35.51	35.20	-0.31	54.00	18.80	150	293	AV	Horizontal	PASS
10	11930.88	37.21	38.42	1.21	54.00	15.58	150	303	AV	Horizontal	PASS
11	15930.00	32.28	42.06	9.78	54.00	11.94	150	97	AV	Horizontal	PASS
12	17893.63	30.71	45.10	14.39	54.00	8.90	150	127	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7895.81	45.79	44.74	-1.05	74.00	29.26	150	16	PK	Vertical	PASS
2	9116.25	44.91	44.07	-0.84	74.00	29.93	150	325	PK	Vertical	PASS
3	10307.94	44.31	44.74	0.43	74.00	29.26	150	36	PK	Vertical	PASS
4	13486.25	43.94	46.62	2.68	74.00	27.38	150	247	PK	Vertical	PASS
5	16359.81	41.87	51.42	9.55	74.00	22.58	150	299	PK	Vertical	PASS
6	17828.94	40.12	54.74	14.62	74.00	19.26	150	88	PK	Vertical	PASS
7	7954.75	37.05	35.79	-1.26	54.00	18.21	150	16	AV	Vertical	PASS
8	9037.19	35.99	35.22	-0.77	54.00	18.78	150	284	AV	Vertical	PASS
9	10198.69	34.64	35.01	0.37	54.00	18.99	150	152	AV	Vertical	PASS
10	13549.50	34.06	36.83	2.77	54.00	17.17	150	10	AV	Vertical	PASS
11	16367.00	32.04	41.62	9.58	54.00	12.38	150	225	AV	Vertical	PASS
12	17912.31	31.23	46.15	14.92	54.00	7.85	150	58	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2024-12-09
Test Channel:	157-5785MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7340.94	46.04	42.87	-3.17	74.00	31.13	150	86	PK	Horizontal	PASS
2	9035.75	44.93	44.16	-0.77	74.00	29.84	150	40	PK	Horizontal	PASS
3	11018.06	42.71	43.91	1.20	74.00	30.09	150	281	PK	Horizontal	PASS
4	12469.94	43.50	45.90	2.40	74.00	28.10	150	191	PK	Horizontal	PASS
5	15915.63	41.04	50.82	9.78	74.00	23.18	150	65	PK	Horizontal	PASS
6	17601.81	39.86	53.82	13.96	74.00	20.18	150	318	PK	Horizontal	PASS
7	7336.63	36.83	33.63	-3.20	54.00	20.37	150	165	AV	Horizontal	PASS
8	9101.88	35.14	34.36	-0.78	54.00	19.64	150	34	AV	Horizontal	PASS
9	11018.06	34.32	35.52	1.20	54.00	18.48	150	250	AV	Horizontal	PASS
10	12572.00	33.89	36.19	2.30	54.00	17.81	150	97	AV	Horizontal	PASS
11	15942.94	32.40	42.18	9.78	54.00	11.82	150	171	AV	Horizontal	PASS
12	17598.94	30.94	44.91	13.97	54.00	9.09	150	1	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7894.38	45.18	44.10	-1.08	74.00	29.90	150	266	PK	Vertical	PASS
2	10031.94	43.56	44.02	0.46	74.00	29.98	150	47	PK	Vertical	PASS
3	11846.06	43.79	45.11	1.32	74.00	28.89	150	146	PK	Vertical	PASS
4	14410.56	41.63	47.13	5.50	74.00	26.87	150	307	PK	Vertical	PASS
5	15958.75	41.84	51.13	9.29	74.00	22.87	150	57	PK	Vertical	PASS
6	17571.63	39.61	53.84	14.23	74.00	20.16	150	261	PK	Vertical	PASS
7	7954.75	37.12	35.86	-1.26	54.00	18.14	150	359	AV	Vertical	PASS
8	10034.81	35.31	35.76	0.45	54.00	18.24	150	235	AV	Vertical	PASS
9	11892.06	34.01	35.17	1.16	54.00	18.83	150	88	AV	Vertical	PASS
10	14331.50	33.06	38.47	5.41	54.00	15.53	150	360	AV	Vertical	PASS
11	15912.75	32.40	41.70	9.30	54.00	12.30	150	16	AV	Vertical	PASS
12	17619.06	30.71	45.10	14.39	54.00	8.90	150	224	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2024-12-09
Test Channel:	165-5825MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7890.06	44.92	43.75	-1.17	74.00	30.25	150	127	PK	Horizontal	PASS
2	9488.56	45.17	45.13	-0.04	74.00	28.87	150	360	PK	Horizontal	PASS
3	11930.88	44.22	45.43	1.21	74.00	28.57	150	304	PK	Horizontal	PASS
4	13194.44	42.77	46.19	3.42	74.00	27.81	150	96	PK	Horizontal	PASS
5	15912.75	41.07	50.85	9.78	74.00	23.15	150	127	PK	Horizontal	PASS
6	17663.63	39.93	53.52	13.59	74.00	20.48	150	137	PK	Horizontal	PASS
7	7954.75	36.72	35.46	-1.26	54.00	18.54	150	48	AV	Horizontal	PASS
8	9501.50	35.05	35.10	0.05	54.00	18.90	150	69	AV	Horizontal	PASS
9	11930.88	37.21	38.42	1.21	54.00	15.58	150	304	AV	Horizontal	PASS
10	13195.88	33.29	36.72	3.43	54.00	17.28	150	96	AV	Horizontal	PASS
11	15922.81	32.17	41.95	9.78	54.00	12.05	150	315	AV	Horizontal	PASS
12	17620.50	30.73	44.59	13.86	54.00	9.41	150	1	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7359.63	46.28	43.25	-3.03	74.00	30.75	150	103	PK	Vertical	PASS
2	8286.81	45.34	44.13	-1.21	74.00	29.87	150	334	PK	Vertical	PASS
3	10016.13	45.37	45.84	0.47	74.00	28.16	150	318	PK	Vertical	PASS
4	12488.63	42.43	44.96	2.53	74.00	29.04	150	214	PK	Vertical	PASS
5	15497.31	42.16	49.33	7.17	74.00	24.67	150	98	PK	Vertical	PASS
6	17607.56	39.51	53.97	14.46	74.00	20.03	150	103	PK	Vertical	PASS
7	7424.31	36.82	34.01	-2.81	54.00	19.99	150	30	AV	Vertical	PASS
8	8329.94	36.05	34.93	-1.12	54.00	19.07	150	360	AV	Vertical	PASS
9	10014.69	34.99	35.46	0.47	54.00	18.54	150	234	AV	Vertical	PASS
10	12511.63	33.74	36.26	2.52	54.00	17.74	150	229	AV	Vertical	PASS
11	15530.38	32.83	39.84	7.01	54.00	14.16	150	109	AV	Vertical	PASS
12	17600.38	30.90	45.40	14.50	54.00	8.60	150	41	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level

7.9. Radiated Restricted Band Edge Measurement

7.9.1. Test Limit

For 15.205 requirement:

Radiated emissions which fall in the restricted bands, as defined in Section 15.205(a) of FCC part 15, must also comply with the radiated emission limits specified in Section 15.209(a).

Frequency (MHz)	Frequency (MHz)	Frequency (MHz)	Frequency (GHz)
0.090 - 0.110	16.42 - 16.423	399.9 - 410	4.5 - 5.15
1 0.495 - 0.505	16.69475 - 16.69525	608 - 614	5.35 - 5.46
2.1735 - 2.1905	16.80425 - 16.80475	960 - 1240	7.25 - 7.75
4.125 - 4.128	25.5 - 25.67	1300 - 1427	8.25 - 8.5
4.17725 - 4.17775	37.5 - 38.25	1435 - 1626.5	9.0 - 9.2
4.20725 - 4.20775	73 - 74.6	1645.5 - 1646.5	9.3 - 9.5
6.215 - 6.218	74.8 - 75.2	1660 - 1710	10.6 - 12.7
6.26775 - 6.26825	108 - 121.94	1718.8 - 1722.2	13.25 - 13.4
6.31175 - 6.31225	123 - 138	2200 - 2300	14.47 - 14.5
8.291 - 8.294	149.9 - 150.05	2310 - 2390	15.35 - 16.2
8.362 - 8.366	156.52475 - 156.525	2483.5 - 2500	17.7 - 21.4
8.37625 - 8.38675	156.7 - 156.9	2690 - 2900	22.01 - 23.12
8.41425 - 8.41475	162.0125 - 167.17	3260 - 3267	23.6 - 24.0
12.29 - 12.293	167.72 - 173.2	3332 - 3339	31.2 - 31.8
12.51975 - 12.52025	240 - 285	3345.8 - 3358	36.43 - 36.5
12.57675 - 12.57725	322 - 335.4	3600 - 4400	(2)
13.36 - 13.41	--	--	--

For RSS-Gen Section 8.10 Requirement:

Radiated emissions which fall in the restricted bands, as defined in Section 8.10 of RSS-Gen, must also comply with the radiated emission limits specified in Section 8.9.

Frequency (MHz)	Frequency (MHz)	Frequency (GHz)
0.009 ~ 0.110	240 ~ 285	9.0 ~ 9.2
2.1735 ~ 2.1905	322 ~ 335.4	9.3 ~ 9.5
3.020 ~ 3.026	399.9 ~ 410	10.6 ~ 12.7
4.125 ~ 4.128	608 ~ 614	13.25 ~ 13.4
4.17725 ~ 4.17775	960 ~ 1427	14.47 ~ 14.5
4.20725 ~ 4.20775	1435 ~ 1626.5	15.35 ~ 16.2
5.677 ~ 5.683	1645.5 ~ 1646.5	17.7 ~ 21.4
6.215 ~ 6.218	1660 ~ 1710	22.01 ~ 23.12
6.26775 ~ 6.26825	1718.8 ~1722.2	23.6 ~ 24.0
6.31175 ~ 6.31225	2200 ~ 2300	31.2 ~ 31.8
8.291 ~ 8.294	2310 ~ 2390	36.43 ~ 36.5
8.362 ~ 8.366	2655 ~ 2900	Above 38.6
8.37625 ~ 8.38675	3260 ~ 3267	--
8.41425 ~ 8.41475	3332 ~ 3339	
12.29 ~ 12.293	334.5 ~ 3358	
12.51975 ~ 12.52025	3500 ~ 4400	
12.57675 ~ 12.57725	4500 ~ 5150	
13.36 ~13.41	5350 ~ 5460	
16.42 ~ 16.423	7250 ~ 7750	
16.69475 ~ 16.69525	8025 ~ 8500	
16.80425 ~ 16.80475	--	
25.5 ~ 25.67		
37.5 ~ 38.25		
73 ~ 74.6		
74.8 ~ 75.2		
108 ~ 138		
156.52475 ~ 156.525225		
156.7 ~ 156.9		

Note: *Certain frequency bands listed in Table 6 and in bands above 38.6 GHz are designated for licence-exempt applications. These frequency bands and the requirements that apply to the devices are set out in the 200- and 300-series of RSSs, such as RSS-210 and RSS-310, which contain the

requirements that apply to licence-exempt radio apparatus.

For 15.407(b) requirement:

For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

For FCC transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

For IC transmitters operating in the 5.725-5.85 GHz band: All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.

Refer to KDB 789033 D02v02r01 G)2)c), as specified in § 15.407(b), emissions above 1000 MHz that are outside of the restricted bands are subject to a maximum emission limit of -27 dBm/MHz (or -17 dBm/MHz as specified in § 15.407(b)(4)). However, an out-of-band emission that complies with both the peak and average limits of § 15.209 is not required to satisfy the -27 dBm/MHz or -17 dBm/MHz maximum emission limit.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR must not exceed the limits shown in Table per Section 15.209.

FCC Part 15 Subpart C Paragraph 15.209		
Frequency [MHz]	Field Strength [V/m]	Measured Distance [Meters]
0.009 ~ 0.490	2400/F (kHz)	300
0.490 ~ 1.705	24000/F (kHz)	30
1.705 ~ 30	30	30
30 ~ 88	100	3
88 ~ 216	150	3
216 ~ 960	200	3
Above 960	500	3

7.9.2. Test Result

There are three types of antennas for the Wireless Router Module. The antennas are DR5G15, DR5G17 and DR5G19 were tested, the report only show the worst case data.

Band edge measurements the test result:

Test Mode	Antenna	ChName	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-38.64	≤-27	PASS
	Ant2	Low	5180	-35.68	≤-27	PASS
	Ant1	High	5240	-47.21	≤-27	PASS
	Ant2	High	5240	-45.96	≤-27	PASS
11N20SISO	Ant1	Low	5180	-38.81	≤-27	PASS
	Ant2	Low	5180	-36.19	≤-27	PASS
	Ant1	High	5240	-46.91	≤-27	PASS
	Ant2	High	5240	-45.41	≤-27	PASS
11N40SISO	Ant1	Low	5190	-31.83	≤-27	PASS
	Ant2	Low	5190	-35.26	≤-27	PASS
	Ant1	High	5230	-47.71	≤-27	PASS
	Ant2	High	5230	-46.27	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-34.26	≤-27	PASS
	Ant2	Low	5180	-34.08	≤-27	PASS
	Ant1	High	5240	-46.79	≤-27	PASS
	Ant2	High	5240	-44.82	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-35.17	≤-27	PASS
	Ant2	Low	5190	-34.47	≤-27	PASS
	Ant1	High	5230	-47.77	≤-27	PASS
	Ant2	High	5230	-46.04	≤-27	PASS
11AC80SISO	Ant1	Low	5210	-38.72	≤-27	PASS
	Ant2	Low	5210	-40.7	≤-27	PASS
	Ant1	High	5210	-47.41	≤-27	PASS
	Ant2	High	5210	-45.88	≤-27	PASS
11AX20SISO	Ant1	Low	5180	-37.12	≤-27	PASS
	Ant2	Low	5180	-33.89	≤-27	PASS
	Ant1	High	5240	-46.89	≤-27	PASS
	Ant2	High	5240	-45.74	≤-27	PASS
11AX40SISO	Ant1	Low	5190	-34.81	≤-27	PASS
	Ant2	Low	5190	-33.36	≤-27	PASS
	Ant1	High	5230	-47.42	≤-27	PASS

	Ant2	High	5230	-46.07	≤ -27	PASS
11AX80SISO	Ant1	Low	5210	-36.54	≤ -27	PASS
	Ant2	Low	5210	-39.97	≤ -27	PASS
	Ant1	High	5210	-47.19	≤ -27	PASS
	Ant2	High	5210	-46.19	≤ -27	PASS
	Ant1	Low	5180	-38.56	≤ -27	PASS
11A-CDD	Ant2	Low	5180	-35.55	≤ -27	PASS
	Ant1	High	5240	-47.47	≤ -27	PASS
	Ant2	High	5240	-46.72	≤ -27	PASS
	Ant1	Low	5180	-38.08	≤ -27	PASS
11N20MIMO	Ant2	Low	5180	-35.5	≤ -27	PASS
	Ant1	High	5240	-47.44	≤ -27	PASS
	Ant2	High	5240	-46.08	≤ -27	PASS
	Ant1	Low	5190	-37.68	≤ -27	PASS
11N40MIMO	Ant2	Low	5190	-36.64	≤ -27	PASS
	Ant1	High	5230	-47.1	≤ -27	PASS
	Ant2	High	5230	-46.55	≤ -27	PASS
	Ant1	Low	5180	-39.51	≤ -27	PASS
11AC20MIMO	Ant2	Low	5180	-36.5	≤ -27	PASS
	Ant1	High	5240	-47.28	≤ -27	PASS
	Ant2	High	5240	-46.73	≤ -27	PASS
	Ant1	Low	5190	-35.06	≤ -27	PASS
11AC40MIMO	Ant2	Low	5190	-34.4	≤ -27	PASS
	Ant1	High	5230	-47	≤ -27	PASS
	Ant2	High	5230	-46.61	≤ -27	PASS
	Ant1	Low	5210	-33.33	≤ -27	PASS
11AC80MIMO	Ant2	Low	5210	-34.44	≤ -27	PASS
	Ant1	High	5210	-47.79	≤ -27	PASS
	Ant2	High	5210	-46.79	≤ -27	PASS
	Ant1	Low	5180	-34.96	≤ -27	PASS
11AX20MIMO	Ant2	Low	5180	-36.28	≤ -27	PASS
	Ant1	High	5240	-47.36	≤ -27	PASS
	Ant2	High	5240	-45.4	≤ -27	PASS
	Ant1	Low	5190	-33.84	≤ -27	PASS
11AX40MIMO	Ant2	Low	5190	-36.49	≤ -27	PASS
	Ant1	High	5230	-47.86	≤ -27	PASS
	Ant2	High	5230	-44.09	≤ -27	PASS
	Ant1	Low	5180	-34.96	≤ -27	PASS

11AX80MIMO	Ant1	Low	5210	-40.55	≤-27	PASS
	Ant2	Low	5210	-39.02	≤-27	PASS
	Ant1	High	5210	-48.21	≤-27	PASS
	Ant2	High	5210	-46.69	≤-27	PASS

Test Mode	Antenna	ChName	Channel	Frequency Range [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5650~5700	-37.66	≤-26.87	PASS
				5700~5720	-37.69	≤10.64	PASS
				5720~5725	-32.48	≤20.80	PASS
				5760~5650	-36.65	≤-27	PASS
	Ant2	Low	5745	5650~5700	-35.32	≤-26.79	PASS
				5700~5720	-36.07	≤11.15	PASS
				5720~5725	-35.33	≤16.87	PASS
				5760~5650	-34.4	≤-27	PASS
	Ant1	High	5825	5850~5855	-37.24	≤16.03	PASS
				5855~5875	-37.34	≤10.10	PASS
				5875~5925	-36.69	≤-26.91	PASS
				5925~5935	-35.73	≤-27	PASS
	Ant2	High	5825	5850~5855	-38.43	≤15.73	PASS
				5855~5875	-37.08	≤10.17	PASS
				5875~5925	-36.22	≤-25.91	PASS
				5925~5935	-35.99	≤-27	PASS
11N20SISO	Ant1	Low	5745	5650~5700	-37.33	≤-25.85	PASS
				5700~5720	-37.71	≤10.25	PASS
				5720~5725	-36.61	≤15.82	PASS
				5760~5650	-37.68	≤-27	PASS
	Ant2	Low	5745	5650~5700	-34.19	≤-26.87	PASS
				5700~5720	-38.41	≤10.15	PASS
				5720~5725	-36.69	≤16.08	PASS
				5760~5650	-35.61	≤-27	PASS
	Ant1	High	5825	5850~5855	-38.17	≤15.73	PASS
				5855~5875	-37	≤10.44	PASS
				5875~5925	-36.47	≤-26.11	PASS
				5925~5935	-36.23	≤-27	PASS
	Ant2	High	5825	5850~5855	-35.87	≤16.34	PASS

				5855~5875	-37.39	≤ 10.36	PASS
				5875~5925	-35.73	≤ -25.91	PASS
				5925~5935	-34.44	≤ -27	PASS
11N40SISO	Ant1	Low	5755	5650~5700	-38.27	≤ -26.70	PASS
				5700~5720	-28.63	≤ 15.50	PASS
				5720~5725	-28.11	≤ 16.66	PASS
				5780~5650	-36.75	≤ -27	PASS
	Ant2	Low	5755	5650~5700	-36.95	≤ -26.70	PASS
				5700~5720	-29.43	≤ 14.82	PASS
				5720~5725	-29.53	≤ 15.74	PASS
				5780~5650	-35.04	≤ -27	PASS
	Ant1	High	5795	5850~5855	-37.19	≤ 16.79	PASS
				5855~5875	-36.15	≤ 10.29	PASS
				5875~5925	-37.03	≤ -26.46	PASS
				5925~5935	-35.72	≤ -27	PASS
	Ant2	High	5795	5850~5855	-36.33	≤ 15.66	PASS
				5855~5875	-36.35	≤ 10.85	PASS
				5875~5925	-36.91	≤ -26.34	PASS
				5925~5935	-36.67	≤ -27	PASS
11AC20SISO	Ant1	Low	5745	5650~5700	-37.33	≤ -26.36	PASS
				5700~5720	-37.78	≤ 10.54	PASS
				5720~5725	-34.33	≤ 18.70	PASS
				5760~5650	-37.35	≤ -27	PASS
	Ant2	Low	5745	5650~5700	-33.95	≤ -26.10	PASS
				5700~5720	-37.98	≤ 10.47	PASS
				5720~5725	-36.63	≤ 17.13	PASS
				5760~5650	-33.79	≤ -27	PASS
	Ant1	High	5825	5850~5855	-36.07	≤ 16.65	PASS
				5855~5875	-36.6	≤ 10.47	PASS
				5875~5925	-35.91	≤ -25.91	PASS
				5925~5935	-35.82	≤ -27	PASS
	Ant2	High	5825	5850~5855	-36.42	≤ 16.34	PASS
				5855~5875	-36.37	≤ 10.70	PASS
				5875~5925	-34.85	≤ -25.61	PASS
				5925~5935	-36.36	≤ -27	PASS
11AC40SISO	Ant1	Low	5755	5650~5700	-39.04	≤ -26.50	PASS
				5700~5720	-27.88	≤ 14.94	PASS

				5720~5725	-29.25	≤ 16.35	PASS
				5780~5650	-37.14	≤ -27	PASS
	Ant2	Low	5755	5650~5700	-36.42	≤ -26.80	PASS
				5700~5720	-30.84	≤ 13.42	PASS
				5720~5725	-28.2	≤ 16.35	PASS
				5780~5650	-36.16	≤ -27	PASS
	Ant1	High	5795	5850~5855	-37.83	≤ 15.66	PASS
				5855~5875	-37.77	≤ 10.02	PASS
				5875~5925	-37.85	≤ -26.71	PASS
				5925~5935	-36.24	≤ -27	PASS
	Ant2	High	5795	5850~5855	-37.58	≤ 16.03	PASS
				5855~5875	-36.2	≤ 10.39	PASS
				5875~5925	-38.61	≤ -26.95	PASS
				5925~5935	-36.18	≤ -27	PASS
11AC80SIS O	Ant1	Low	5775	5650~5700	-36.13	≤ -26.57	PASS
				5700~5720	-33.08	≤ 10.22	PASS
				5720~5725	-30.03	≤ 15.65	PASS
				5800~5650	-36.55	≤ -27	PASS
		High	5775	5850~5855	-33.31	≤ 15.84	PASS
				5855~5875	-35.17	≤ 11.07	PASS
				5875~5925	-36.4	≤ -26.19	PASS
				5925~5935	-36.76	≤ -27	PASS
	Ant2	Low	5775	5650~5700	-37.23	≤ -26.80	PASS
				5700~5720	-31.23	≤ 12.78	PASS
				5720~5725	-32.82	≤ 15.65	PASS
				5800~5650	-36.68	≤ -27	PASS
		High	5775	5850~5855	-32.88	≤ 18.37	PASS
				5855~5875	-34.08	≤ 10.24	PASS
				5875~5925	-37.26	≤ -26.73	PASS
				5925~5935	-35.97	≤ -27	PASS
11AX20SIS O	Ant1	Low	5745	5650~5700	-36.72	≤ -25.68	PASS
				5700~5720	-30.66	≤ 15.43	PASS
				5720~5725	-30.25	≤ 16.87	PASS
				5760~5650	-37.33	≤ -27	PASS
	Ant2	Low	5745	5650~5700	-34.14	≤ -26.96	PASS
				5700~5720	-36.55	≤ 10.31	PASS
				5720~5725	-26.45	≤ 19.49	PASS

	Ant1	High	5825	5760~5650	-33.72	≤ -27	PASS
				5850~5855	-35.88	≤ 16.34	PASS
				5855~5875	-36.65	≤ 10.51	PASS
				5875~5925	-37.3	≤ -26.51	PASS
	Ant2	High	5825	5925~5935	-36.35	≤ -27	PASS
				5850~5855	-33.16	≤ 15.73	PASS
				5855~5875	-36.66	≤ 10.55	PASS
				5875~5925	-35.99	≤ -26.91	PASS
11AX40SIS O	Ant1	Low	5755	5925~5935	-33.99	≤ -27	PASS
				5650~5700	-37.57	≤ -26.10	PASS
				5700~5720	-27.33	≤ 14.33	PASS
				5720~5725	-26.8	≤ 15.74	PASS
	Ant2	Low	5755	5780~5650	-37.52	≤ -27	PASS
				5650~5700	-35.02	≤ -26.50	PASS
				5700~5720	-25.51	≤ 15.43	PASS
				5720~5725	-25	≤ 16.97	PASS
	Ant1	High	5795	5780~5650	-35.34	≤ -27	PASS
				5850~5855	-37.64	≤ 15.66	PASS
				5855~5875	-37.26	≤ 10.16	PASS
				5875~5925	-37.09	≤ -26.59	PASS
	Ant2	High	5795	5925~5935	-37.02	≤ -27	PASS
				5850~5855	-36.43	≤ 15.66	PASS
				5855~5875	-34.82	≤ 10.02	PASS
				5875~5925	-36.94	≤ -26.95	PASS
11AX80SIS O	Ant1	Low	5775	5925~5935	-36.25	≤ -27	PASS
				5650~5700	-37.36	≤ -26.80	PASS
				5700~5720	-25.02	≤ 14.52	PASS
				5720~5725	-27.92	≤ 15.65	PASS
		High	5775	5800~5650	-36.43	≤ -27	PASS
				5850~5855	-30.54	≤ 16.68	PASS
				5855~5875	-31.57	≤ 10.86	PASS
				5875~5925	-36.03	≤ -25.50	PASS
	Ant2	Low	5775	5925~5935	-35.91	≤ -27	PASS
				5650~5700	-36.43	≤ -26.91	PASS
				5700~5720	-29.5	≤ 10.27	PASS
				5720~5725	-27.83	≤ 16.00	PASS
				5800~5650	-35.61	≤ -27	PASS

		High	5775	5850~5855	-30.89	≤ 15.84	PASS
				5855~5875	-32.31	≤ 11.02	PASS
				5875~5925	-36.25	≤ -26.73	PASS
				5925~5935	-34.74	≤ -27	PASS
11A-CDD	Ant1	Low	5745	5650~5700	-39.28	≤ -26.79	PASS
				5700~5720	-37.59	≤ 10.06	PASS
				5720~5725	-37.04	≤ 17.13	PASS
				5760~5650	-37.79	≤ -27	PASS
	Ant2	Low	5745	5650~5700	-36.19	≤ -26.96	PASS
				5700~5720	-37.05	≤ 10.25	PASS
				5720~5725	-38.77	≤ 15.82	PASS
				5760~5650	-35.76	≤ -27	PASS
	Ant1	High	5825	5850~5855	-38.39	≤ 15.73	PASS
				5855~5875	-36.33	≤ 10.66	PASS
				5875~5925	-37.67	≤ -26.31	PASS
				5925~5935	-36.73	≤ -27	PASS
	Ant2	High	5825	5850~5855	-36.56	≤ 17.88	PASS
				5855~5875	-36.52	≤ 10.06	PASS
				5875~5925	-36.32	≤ -26.91	PASS
				5925~5935	-35.46	≤ -27	PASS
11N20MIM O	Ant1	Low	5745	5650~5700	-38.87	≤ -26.79	PASS
				5700~5720	-37.53	≤ 11.31	PASS
				5720~5725	-37.82	≤ 15.82	PASS
				5760~5650	-38.56	≤ -27	PASS
	Ant2	Low	5745	5650~5700	-37.34	≤ -26.79	PASS
				5700~5720	-38.28	≤ 10.51	PASS
				5720~5725	-38.22	≤ 16.08	PASS
				5760~5650	-35.64	≤ -27	PASS
	Ant1	High	5825	5850~5855	-38.99	≤ 15.73	PASS
				5855~5875	-36.4	≤ 10.89	PASS
				5875~5925	-37.49	≤ -26.41	PASS
				5925~5935	-36.62	≤ -27	PASS
	Ant2	High	5825	5850~5855	-39.46	≤ 15.73	PASS
				5855~5875	-35.59	≤ 10.44	PASS
				5875~5925	-36	≤ -25.41	PASS
				5925~5935	-35.77	≤ -27	PASS
11N40MIM	Ant1	Low	5755	5650~5700	-38.79	≤ -26.80	PASS

O				5700~5720	-37.72	≤ 10.14	PASS
				5720~5725	-37.69	≤ 15.74	PASS
				5780~5650	-37.45	≤ -27	PASS
	Ant2	Low	5755	5650~5700	-37.4	≤ -26.30	PASS
				5700~5720	-38.22	≤ 10.10	PASS
				5720~5725	-37.34	≤ 15.74	PASS
				5780~5650	-36.88	≤ -27	PASS
	Ant1	High	5795	5850~5855	-38.93	≤ 16.03	PASS
				5855~5875	-35.77	≤ 10.71	PASS
				5875~5925	-36.22	≤ -26.46	PASS
				5925~5935	-37.05	≤ -27	PASS
	Ant2	High	5795	5850~5855	-38.8	≤ 16.03	PASS
				5855~5875	-37.28	≤ 10.48	PASS
				5875~5925	-38.14	≤ -26.95	PASS
				5925~5935	-37.06	≤ -27	PASS
11AC20MI MO	Ant1	Low	5745	5650~5700	-37.97	≤ -26.27	PASS
				5700~5720	-37.93	≤ 10.25	PASS
				5720~5725	-39.15	≤ 15.82	PASS
				5760~5650	-38.42	≤ -27	PASS
	Ant2	Low	5745	5650~5700	-37.92	≤ -26.79	PASS
				5700~5720	-37.18	≤ 10.64	PASS
				5720~5725	-38.73	≤ 16.34	PASS
				5760~5650	-36.41	≤ -27	PASS
	Ant1	High	5825	5850~5855	-37.7	≤ 16.03	PASS
				5855~5875	-37.04	≤ 10.70	PASS
				5875~5925	-38.13	≤ -26.41	PASS
				5925~5935	-37.17	≤ -27	PASS
	Ant2	High	5825	5850~5855	-38.48	≤ 16.03	PASS
				5855~5875	-37	≤ 10.51	PASS
				5875~5925	-35.97	≤ -26.31	PASS
				5925~5935	-36.66	≤ -27	PASS
11AC40MI MO	Ant1	Low	5755	5650~5700	-38.2	≤ -26.30	PASS
				5700~5720	-38.22	≤ 10.25	PASS
				5720~5725	-37.14	≤ 16.04	PASS
				5780~5650	-36.6	≤ -27	PASS
	Ant2	Low	5755	5650~5700	-38.08	≤ -26.80	PASS
				5700~5720	-36.64	≤ 11.69	PASS

				5720~5725	-37.83	≤ 15.74	PASS
				5780~5650	-37.72	≤ -27	PASS
	Ant1	High	5795	5850~5855	-37.91	≤ 16.41	PASS
				5855~5875	-36.84	≤ 10.29	PASS
				5875~5925	-37.17	≤ -26.71	PASS
				5925~5935	-36.81	≤ -27	PASS
	Ant2	High	5795	5850~5855	-37.86	≤ 16.41	PASS
				5855~5875	-37.07	≤ 10.48	PASS
				5875~5925	-36.93	≤ -26.71	PASS
				5925~5935	-35.69	≤ -27	PASS
11AC80MI MO	Ant1	Low	5775	5650~5700	-38.31	≤ -26.91	PASS
				5700~5720	-36.81	≤ 10.09	PASS
				5720~5725	-38.33	≤ 16.00	PASS
				5800~5650	-37.53	≤ -27	PASS
		High	5775	5850~5855	-37.61	≤ 16.26	PASS
				5855~5875	-37.23	≤ 10.19	PASS
				5875~5925	-38.07	≤ -26.73	PASS
				5925~5935	-36.5	≤ -27	PASS
	Ant2	Low	5775	5650~5700	-38.61	≤ -26.91	PASS
				5700~5720	-37.83	≤ 10.53	PASS
				5720~5725	-37.62	≤ 15.65	PASS
				5800~5650	-37.45	≤ -27	PASS
		High	5775	5850~5855	-38.23	≤ 15.84	PASS
				5855~5875	-37.41	≤ 10.35	PASS
				5875~5925	-38.4	≤ -26.87	PASS
				5925~5935	-36.01	≤ -27	PASS
11AX20MIM O	Ant1	Low	5745	5650~5700	-39.45	≤ -26.96	PASS
				5700~5720	-37.94	≤ 10.22	PASS
				5720~5725	-37.57	≤ 15.82	PASS
				5760~5650	-38.32	≤ -27	PASS
	Ant2	Low	5745	5650~5700	-36.6	≤ -25.76	PASS
				5700~5720	-38.41	≤ 10.25	PASS
				5720~5725	-37.89	≤ 15.82	PASS
				5760~5650	-35.72	≤ -27	PASS
	Ant1	High	5825	5850~5855	-36.59	≤ 16.65	PASS
				5855~5875	-37.32	≤ 10.36	PASS
				5875~5925	-37.37	≤ -26.31	PASS