



Test Mode:	802.11b-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8152.50	47.96	46.71	-1.25	74.00	27.29	150	115	PK	Horizontal	PASS
2	8847.00	43.81	42.70	-1.11	74.00	31.30	150	172	PK	Horizontal	PASS
3	10540.50	42.70	43.52	0.82	74.00	30.48	150	352	PK	Horizontal	PASS
4	13623.00	42.25	45.36	3.11	74.00	28.64	150	337	PK	Horizontal	PASS
5	15982.50	40.21	49.99	9.78	74.00	24.01	150	344	PK	Horizontal	PASS
6	17581.50	39.17	52.98	13.81	74.00	21.02	150	348	PK	Horizontal	PASS
7	8152.50	41.73	40.48	-1.25	54.00	13.52	150	125	AV	Horizontal	PASS
8	8946.00	35.40	34.40	-1.00	54.00	19.60	150	160	AV	Horizontal	PASS
9	10452.00	34.25	34.79	0.54	54.00	19.21	150	233	AV	Horizontal	PASS
10	13500.00	33.10	36.44	3.34	54.00	17.56	150	88	AV	Horizontal	PASS
11	16000.50	31.91	41.68	9.77	54.00	12.32	150	360	AV	Horizontal	PASS
12	17599.50	30.18	44.16	13.98	54.00	9.84	150	233	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8152.50	55.08	53.83	-1.25	74.00	20.17	150	115	PK	Vertical	PASS
2	8287.50	46.77	45.57	-1.20	74.00	28.43	150	110	PK	Vertical	PASS
3	10519.50	42.95	44.09	1.14	74.00	29.91	150	38	PK	Vertical	PASS
4	13185.00	42.67	45.56	2.89	74.00	28.44	150	349	PK	Vertical	PASS
5	15921.00	40.30	49.60	9.30	74.00	24.40	150	330	PK	Vertical	PASS
6	17664.00	38.30	52.42	14.12	74.00	21.58	150	0	PK	Vertical	PASS
7	8152.50	49.28	48.03	-1.25	54.00	5.97	150	115	AV	Vertical	PASS
8	8287.50	40.35	39.15	-1.20	54.00	14.85	150	68	AV	Vertical	PASS
9	10522.50	34.02	35.15	1.13	54.00	18.85	150	0	AV	Vertical	PASS
10	13183.50	33.75	36.63	2.88	54.00	17.37	150	133	AV	Vertical	PASS
11	15955.50	32.12	41.41	9.29	54.00	12.59	150	164	AV	Vertical	PASS
12	17580.00	30.19	44.50	14.31	54.00	9.50	150	115	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11b-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6447.00	47.24	42.03	-5.21	74.00	31.97	150	134	PK	Horizontal	PASS
2	8152.50	48.22	46.97	-1.25	74.00	27.03	150	122	PK	Horizontal	PASS
3	9553.50	44.64	44.55	-0.09	74.00	29.45	150	322	PK	Horizontal	PASS
4	13188.00	41.64	45.02	3.38	74.00	28.98	150	280	PK	Horizontal	PASS
5	15957.00	40.26	50.04	9.78	74.00	23.96	150	223	PK	Horizontal	PASS
6	17614.50	37.94	51.83	13.89	74.00	22.17	150	188	PK	Horizontal	PASS
7	6370.50	37.96	33.13	-4.83	54.00	20.87	150	153	AV	Horizontal	PASS
8	8152.50	41.62	40.37	-1.25	54.00	13.63	150	122	AV	Horizontal	PASS
9	9459.00	35.06	34.79	-0.27	54.00	19.21	150	334	AV	Horizontal	PASS
10	13171.50	33.62	36.91	3.29	54.00	17.09	150	3	AV	Horizontal	PASS
11	15997.50	32.02	41.80	9.78	54.00	12.20	150	300	AV	Horizontal	PASS
12	17590.50	30.06	43.95	13.89	54.00	10.05	150	126	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7423.50	45.27	42.47	-2.80	74.00	31.53	150	48	PK	Vertical	PASS
2	8152.50	54.66	53.41	-1.25	74.00	20.59	150	125	PK	Vertical	PASS
3	8287.50	46.68	45.48	-1.20	74.00	28.52	150	71	PK	Vertical	PASS
4	10137.00	43.29	43.68	0.39	74.00	30.32	150	252	PK	Vertical	PASS
5	13200.00	42.34	45.31	2.97	74.00	28.69	150	232	PK	Vertical	PASS
6	17932.50	38.22	53.02	14.80	74.00	20.98	150	248	PK	Vertical	PASS
7	7389.00	36.37	33.56	-2.81	54.00	20.44	150	325	AV	Vertical	PASS
8	8152.50	49.03	47.78	-1.25	54.00	6.22	150	121	AV	Vertical	PASS
9	8287.50	40.97	39.77	-1.20	54.00	14.23	150	71	AV	Vertical	PASS
10	10128.00	34.79	35.19	0.40	54.00	18.81	150	36	AV	Vertical	PASS
11	13186.50	33.23	36.12	2.89	54.00	17.88	150	137	AV	Vertical	PASS
12	17632.50	30.39	44.70	14.31	54.00	9.30	150	132	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11b-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7060.50	45.70	41.23	-4.47	74.00	32.77	150	65	PK	Horizontal	PASS
2	8152.50	48.10	46.85	-1.25	74.00	27.15	150	128	PK	Horizontal	PASS
3	11274.00	42.98	43.82	0.84	74.00	30.18	150	360	PK	Horizontal	PASS
4	13491.00	42.59	45.89	3.30	74.00	28.11	150	350	PK	Horizontal	PASS
5	15934.50	40.23	50.01	9.78	74.00	23.99	150	360	PK	Horizontal	PASS
6	17614.50	38.50	52.39	13.89	74.00	21.61	150	154	PK	Horizontal	PASS
7	7129.50	37.11	32.92	-4.19	54.00	21.08	150	360	AV	Horizontal	PASS
8	8152.50	41.43	40.18	-1.25	54.00	13.82	150	119	AV	Horizontal	PASS
9	11325.00	34.91	35.49	0.58	54.00	18.51	150	164	AV	Horizontal	PASS
10	13581.00	33.12	36.25	3.13	54.00	17.75	150	210	AV	Horizontal	PASS
11	15889.50	33.00	42.58	9.58	54.00	11.42	150	138	AV	Horizontal	PASS
12	17547.00	30.34	43.82	13.48	54.00	10.18	150	273	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8152.50	55.02	53.77	-1.25	74.00	20.23	150	126	PK	Vertical	PASS
2	8287.50	47.07	45.87	-1.20	74.00	28.13	150	60	PK	Vertical	PASS
3	10395.00	43.31	43.84	0.53	74.00	30.16	150	0	PK	Vertical	PASS
4	14367.00	40.74	46.25	5.51	74.00	27.75	150	17	PK	Vertical	PASS
5	15975.00	40.57	49.85	9.28	74.00	24.15	150	187	PK	Vertical	PASS
6	17542.50	39.02	52.97	13.95	74.00	21.03	150	1	PK	Vertical	PASS
7	8152.50	49.60	48.35	-1.25	54.00	5.65	150	122	AV	Vertical	PASS
8	8287.50	40.50	39.30	-1.20	54.00	14.70	150	63	AV	Vertical	PASS
9	10465.50	33.66	34.61	0.95	54.00	19.39	150	268	AV	Vertical	PASS
10	14383.50	32.96	38.52	5.56	54.00	15.48	150	287	AV	Vertical	PASS
11	15963.00	32.04	41.33	9.29	54.00	12.67	150	199	AV	Vertical	PASS
12	17584.50	29.62	43.97	14.35	54.00	10.03	150	268	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11b-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6757.50	46.64	41.36	-5.28	74.00	32.64	150	73	PK	Horizontal	PASS
2	8152.50	47.95	46.70	-1.25	74.00	27.30	150	130	PK	Horizontal	PASS
3	9550.50	43.88	43.80	-0.08	74.00	30.20	150	338	PK	Horizontal	PASS
4	13206.00	41.84	45.24	3.40	74.00	28.76	150	211	PK	Horizontal	PASS
5	15571.50	41.61	48.82	7.21	74.00	25.18	150	342	PK	Horizontal	PASS
6	17619.00	39.27	53.13	13.86	74.00	20.87	150	15	PK	Horizontal	PASS
7	6799.50	37.11	32.20	-4.91	54.00	21.80	150	184	AV	Horizontal	PASS
8	8152.50	41.94	40.69	-1.25	54.00	13.31	150	126	AV	Horizontal	PASS
9	9646.50	35.34	34.66	-0.68	54.00	19.34	150	20	AV	Horizontal	PASS
10	13210.50	33.68	37.05	3.37	54.00	16.95	150	15	AV	Horizontal	PASS
11	15345.00	32.90	40.00	7.10	54.00	14.00	150	126	AV	Horizontal	PASS
12	17617.50	29.85	43.72	13.87	54.00	10.28	150	342	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6333.00	47.03	42.76	-4.27	74.00	31.24	150	294	PK	Vertical	PASS
2	8152.50	54.39	53.14	-1.25	74.00	20.86	150	110	PK	Vertical	PASS
3	10222.50	43.10	43.48	0.38	74.00	30.52	150	1	PK	Vertical	PASS
4	12403.50	43.00	45.38	2.38	74.00	28.62	150	246	PK	Vertical	PASS
5	15933.00	40.47	49.76	9.29	74.00	24.24	150	291	PK	Vertical	PASS
6	17554.50	38.67	52.73	14.06	74.00	21.27	150	234	PK	Vertical	PASS
7	6286.50	37.08	33.08	-4.00	54.00	20.92	150	1	AV	Vertical	PASS
8	8152.50	48.89	47.64	-1.25	54.00	6.36	150	133	AV	Vertical	PASS
9	10198.50	33.81	34.18	0.37	54.00	19.82	150	275	AV	Vertical	PASS
10	12399.00	33.88	36.24	2.36	54.00	17.76	150	222	AV	Vertical	PASS
11	15931.50	32.01	41.31	9.30	54.00	12.69	150	37	AV	Vertical	PASS
12	17614.50	30.26	44.67	14.41	54.00	9.33	150	68	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11b-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6235.50	46.25	42.00	-4.25	74.00	32.00	150	357	PK	Horizontal	PASS
2	8152.50	47.53	46.28	-1.25	74.00	27.72	150	134	PK	Horizontal	PASS
3	10039.50	43.30	43.27	-0.03	74.00	30.73	150	173	PK	Horizontal	PASS
4	13183.50	42.61	45.97	3.36	74.00	28.03	150	272	PK	Horizontal	PASS
5	15951.00	40.57	50.35	9.78	74.00	23.65	150	264	PK	Horizontal	PASS
6	17647.50	38.39	52.08	13.69	74.00	21.92	150	360	PK	Horizontal	PASS
7	6156.00	38.22	33.91	-4.31	54.00	20.09	150	299	AV	Horizontal	PASS
8	8152.50	40.82	39.57	-1.25	54.00	14.43	150	134	AV	Horizontal	PASS
9	9910.50	34.57	34.18	-0.39	54.00	19.82	150	360	AV	Horizontal	PASS
10	13192.50	33.12	36.52	3.40	54.00	17.48	150	318	AV	Horizontal	PASS
11	15969.00	31.63	41.41	9.78	54.00	12.59	150	126	AV	Horizontal	PASS
12	17623.50	30.35	44.18	13.83	54.00	9.82	150	223	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7072.50	46.34	41.95	-4.39	74.00	32.05	150	275	PK	Vertical	PASS
2	8152.50	54.30	53.05	-1.25	74.00	20.95	150	121	PK	Vertical	PASS
3	9847.50	43.81	43.83	0.02	74.00	30.17	150	84	PK	Vertical	PASS
4	13386.00	42.44	44.73	2.29	74.00	29.27	150	299	PK	Vertical	PASS
5	16002.00	40.75	50.00	9.25	74.00	24.00	150	186	PK	Vertical	PASS
6	17491.50	39.31	52.81	13.50	74.00	21.19	150	352	PK	Vertical	PASS
7	7056.00	36.97	32.47	-4.50	54.00	21.53	150	299	AV	Vertical	PASS
8	8152.50	48.50	47.25	-1.25	54.00	6.75	150	133	AV	Vertical	PASS
9	9847.50	37.15	37.17	0.02	54.00	16.83	150	78	AV	Vertical	PASS
10	13186.50	33.43	36.32	2.89	54.00	17.68	150	341	AV	Vertical	PASS
11	15901.50	31.88	41.18	9.30	54.00	12.82	150	310	AV	Vertical	PASS
12	17646.00	30.18	44.41	14.23	54.00	9.59	150	164	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11b-CDD	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6124.50	46.54	42.25	-4.29	74.00	31.75	150	165	PK	Horizontal	PASS
2	8152.50	48.85	47.60	-1.25	74.00	26.40	150	125	PK	Horizontal	PASS
3	10513.50	42.54	43.40	0.86	74.00	30.60	150	226	PK	Horizontal	PASS
4	13177.50	42.09	45.41	3.32	74.00	28.59	150	358	PK	Horizontal	PASS
5	15979.50	40.57	50.35	9.78	74.00	23.65	150	313	PK	Horizontal	PASS
6	17610.00	38.96	52.88	13.92	74.00	21.12	150	54	PK	Horizontal	PASS
7	6204.00	38.01	33.69	-4.32	54.00	20.31	150	21	AV	Horizontal	PASS
8	8152.50	43.05	41.80	-1.25	54.00	12.20	150	117	AV	Horizontal	PASS
9	10524.00	33.86	34.70	0.84	54.00	19.30	150	360	AV	Horizontal	PASS
10	13231.50	33.59	36.79	3.20	54.00	17.21	150	327	AV	Horizontal	PASS
11	15999.00	32.11	41.89	9.78	54.00	12.11	150	21	AV	Horizontal	PASS
12	17595.00	30.58	44.51	13.93	54.00	9.49	150	165	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6319.50	47.35	43.21	-4.14	74.00	30.79	150	60	PK	Vertical	PASS
2	8152.50	55.43	54.18	-1.25	74.00	19.82	150	124	PK	Vertical	PASS
3	10632.00	43.22	44.12	0.90	74.00	29.88	150	145	PK	Vertical	PASS
4	14313.00	41.91	47.27	5.36	74.00	26.73	150	109	PK	Vertical	PASS
5	16434.00	40.71	50.29	9.58	74.00	23.71	150	159	PK	Vertical	PASS
6	17649.00	38.77	52.98	14.21	74.00	21.02	150	124	PK	Vertical	PASS
7	6114.00	38.52	34.22	-4.30	54.00	19.78	150	271	AV	Vertical	PASS
8	8152.50	50.13	48.88	-1.25	54.00	5.12	150	132	AV	Vertical	PASS
9	10549.50	34.02	35.11	1.09	54.00	18.89	150	117	AV	Vertical	PASS
10	14397.00	33.22	38.82	5.60	54.00	15.18	150	255	AV	Vertical	PASS
11	16395.00	32.66	42.36	9.70	54.00	11.64	150	189	AV	Vertical	PASS
12	17602.50	30.30	44.79	14.49	54.00	9.21	150	2	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11b-CDD	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6336.00	46.15	41.68	-4.47	74.00	32.32	150	351	PK	Horizontal	PASS
2	8152.50	49.66	48.41	-1.25	74.00	25.59	150	124	PK	Horizontal	PASS
3	10249.50	43.37	43.37	0.00	74.00	30.63	150	226	PK	Horizontal	PASS
4	13177.50	42.12	45.44	3.32	74.00	28.56	150	233	PK	Horizontal	PASS
5	15955.50	39.92	49.70	9.78	74.00	24.30	150	289	PK	Horizontal	PASS
6	17623.50	39.41	53.24	13.83	74.00	20.76	150	124	PK	Horizontal	PASS
7	6322.50	38.11	33.78	-4.33	54.00	20.22	150	42	AV	Horizontal	PASS
8	8152.50	43.03	41.78	-1.25	54.00	12.22	150	118	AV	Horizontal	PASS
9	10182.00	34.81	34.76	-0.05	54.00	19.24	150	262	AV	Horizontal	PASS
10	13183.50	33.96	37.32	3.36	54.00	16.68	150	220	AV	Horizontal	PASS
11	16014.00	32.15	41.71	9.56	54.00	12.29	150	359	AV	Horizontal	PASS
12	17614.50	30.50	44.39	13.89	54.00	9.61	150	360	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6409.50	46.96	42.04	-4.92	74.00	31.96	150	1	PK	Vertical	PASS
2	8152.50	55.72	54.47	-1.25	74.00	19.53	150	127	PK	Vertical	PASS
3	9648.00	45.10	44.55	-0.55	74.00	29.45	150	73	PK	Vertical	PASS
4	14392.50	41.86	47.45	5.59	74.00	26.55	150	254	PK	Vertical	PASS
5	16020.00	41.38	50.37	8.99	74.00	23.63	150	1	PK	Vertical	PASS
6	17602.50	38.68	53.17	14.49	74.00	20.83	150	134	PK	Vertical	PASS
7	6324.00	37.33	33.14	-4.19	54.00	20.86	150	199	AV	Vertical	PASS
8	8152.50	50.27	49.02	-1.25	54.00	4.98	150	134	AV	Vertical	PASS
9	9648.00	39.82	39.27	-0.55	54.00	14.73	150	80	AV	Vertical	PASS
10	14319.00	33.67	39.04	5.37	54.00	14.96	150	7	AV	Vertical	PASS
11	15961.50	32.02	41.31	9.29	54.00	12.69	150	293	AV	Vertical	PASS
12	17907.00	29.85	44.81	14.96	54.00	9.19	150	86	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11b-CDD	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6084.00	46.83	42.45	-4.38	74.00	31.55	150	204	PK	Horizontal	PASS
2	8152.50	48.65	47.40	-1.25	74.00	26.60	150	129	PK	Horizontal	PASS
3	9811.50	42.83	42.58	-0.25	74.00	31.42	150	6	PK	Horizontal	PASS
4	12424.50	42.25	44.58	2.33	74.00	29.42	150	122	PK	Horizontal	PASS
5	15259.50	41.39	47.99	6.60	74.00	26.01	150	21	PK	Horizontal	PASS
6	17596.50	39.40	53.34	13.94	74.00	20.66	150	360	PK	Horizontal	PASS
7	6112.50	38.00	33.71	-4.29	54.00	20.29	150	46	AV	Horizontal	PASS
8	8152.50	42.54	41.29	-1.25	54.00	12.71	150	122	AV	Horizontal	PASS
9	9862.50	34.07	33.71	-0.36	54.00	20.29	150	189	AV	Horizontal	PASS
10	12492.00	33.47	35.91	2.44	54.00	18.09	150	103	AV	Horizontal	PASS
11	15540.00	32.42	39.79	7.37	54.00	14.21	150	176	AV	Horizontal	PASS
12	17613.00	29.97	43.87	13.90	54.00	10.13	150	196	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6169.50	47.04	42.77	-4.27	74.00	31.23	150	134	PK	Vertical	PASS
2	8152.50	54.88	53.63	-1.25	74.00	20.37	150	127	PK	Vertical	PASS
3	9648.00	45.07	44.52	-0.55	74.00	29.48	150	73	PK	Vertical	PASS
4	12466.50	41.92	44.41	2.49	74.00	29.59	150	54	PK	Vertical	PASS
5	16014.00	40.77	49.85	9.08	74.00	24.15	150	195	PK	Vertical	PASS
6	17620.50	38.97	53.35	14.38	74.00	20.65	150	0	PK	Vertical	PASS
7	6120.00	38.09	33.80	-4.29	54.00	20.20	150	276	AV	Vertical	PASS
8	8152.50	49.46	48.21	-1.25	54.00	5.79	150	127	AV	Vertical	PASS
9	9648.00	38.80	38.25	-0.55	54.00	15.75	150	81	AV	Vertical	PASS
10	12402.00	33.19	35.56	2.37	54.00	18.44	150	2	AV	Vertical	PASS
11	16021.50	32.42	41.39	8.97	54.00	12.61	150	350	AV	Vertical	PASS
12	17658.00	30.16	44.32	14.16	54.00	9.68	150	252	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6235.50	46.57	42.32	-4.25	74.00	31.68	150	302	PK	Horizontal	PASS
2	8152.50	48.04	46.79	-1.25	74.00	27.21	150	125	PK	Horizontal	PASS
3	10369.50	43.63	43.78	0.15	74.00	30.22	150	50	PK	Horizontal	PASS
4	12498.00	41.73	44.18	2.45	74.00	29.82	150	99	PK	Horizontal	PASS
5	14364.00	41.56	46.58	5.02	74.00	27.42	150	115	PK	Horizontal	PASS
6	17959.50	39.26	53.30	14.04	74.00	20.70	150	129	PK	Horizontal	PASS
7	6198.00	37.61	33.28	-4.33	54.00	20.72	150	129	AV	Horizontal	PASS
8	8152.50	41.56	40.31	-1.25	54.00	13.69	150	125	AV	Horizontal	PASS
9	10449.00	33.92	34.44	0.52	54.00	19.56	150	348	AV	Horizontal	PASS
10	12487.50	34.70	37.13	2.43	54.00	16.87	150	156	AV	Horizontal	PASS
11	14388.00	32.77	37.89	5.12	54.00	16.11	150	210	AV	Horizontal	PASS
12	17581.50	30.18	43.99	13.81	54.00	10.01	150	80	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6127.50	47.69	43.40	-4.29	74.00	30.60	150	232	PK	Vertical	PASS
2	8152.50	54.08	52.83	-1.25	74.00	21.17	150	114	PK	Vertical	PASS
3	10900.50	43.25	44.35	1.10	74.00	29.65	150	75	PK	Vertical	PASS
4	14308.50	41.63	46.97	5.34	74.00	27.03	150	114	PK	Vertical	PASS
5	16405.50	40.93	50.63	9.70	74.00	23.37	150	0	PK	Vertical	PASS
6	17563.50	39.07	53.22	14.15	74.00	20.78	150	210	PK	Vertical	PASS
7	6150.00	37.85	33.56	-4.29	54.00	20.44	150	0	AV	Vertical	PASS
8	8152.50	48.62	47.37	-1.25	54.00	6.63	150	129	AV	Vertical	PASS
9	10917.00	33.92	35.07	1.15	54.00	18.93	150	352	AV	Vertical	PASS
10	14389.50	32.47	38.05	5.58	54.00	15.95	150	52	AV	Vertical	PASS
11	16411.50	32.90	42.58	9.68	54.00	11.42	150	186	AV	Vertical	PASS
12	17622.00	30.04	44.41	14.37	54.00	9.59	150	145	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6235.50	46.37	42.12	-4.25	74.00	31.88	150	23	PK	Horizontal	PASS
2	8152.50	47.95	46.70	-1.25	74.00	27.30	150	130	PK	Horizontal	PASS
3	10081.50	43.28	43.23	-0.05	74.00	30.77	150	226	PK	Horizontal	PASS
4	12471.00	42.51	44.91	2.40	74.00	29.09	150	311	PK	Horizontal	PASS
5	15907.50	40.11	49.89	9.78	74.00	24.11	150	272	PK	Horizontal	PASS
6	17599.50	38.05	52.03	13.98	74.00	21.97	150	330	PK	Horizontal	PASS
7	6264.00	37.54	33.36	-4.18	54.00	20.64	150	76	AV	Horizontal	PASS
8	8152.50	41.28	40.03	-1.25	54.00	13.97	150	126	AV	Horizontal	PASS
9	10084.50	35.26	35.21	-0.05	54.00	18.79	150	0	AV	Horizontal	PASS
10	12414.00	33.72	36.03	2.31	54.00	17.97	150	311	AV	Horizontal	PASS
11	15976.50	32.09	41.87	9.78	54.00	12.13	150	268	AV	Horizontal	PASS
12	17628.00	30.83	44.64	13.81	54.00	9.36	150	146	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6172.50	47.04	42.76	-4.28	74.00	31.24	150	0	PK	Vertical	PASS
2	8152.50	54.03	52.78	-1.25	74.00	21.22	150	121	PK	Vertical	PASS
3	9747.00	44.01	43.50	-0.51	74.00	30.50	150	78	PK	Vertical	PASS
4	12535.50	42.20	44.64	2.44	74.00	29.36	150	102	PK	Vertical	PASS
5	15960.00	40.48	49.76	9.28	74.00	24.24	150	159	PK	Vertical	PASS
6	17895.00	38.15	53.12	14.97	74.00	20.88	150	13	PK	Vertical	PASS
7	6094.50	38.13	33.80	-4.33	54.00	20.20	150	317	AV	Vertical	PASS
8	8152.50	48.59	47.34	-1.25	54.00	6.66	150	121	AV	Vertical	PASS
9	9748.50	35.35	34.86	-0.49	54.00	19.14	150	82	AV	Vertical	PASS
10	12436.50	33.76	36.20	2.44	54.00	17.80	150	2	AV	Vertical	PASS
11	15985.50	31.88	41.17	9.29	54.00	12.83	150	197	AV	Vertical	PASS
12	17895.00	29.85	44.82	14.97	54.00	9.18	150	17	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6373.50	46.11	41.25	-4.86	74.00	32.75	150	202	PK	Horizontal	PASS
2	8152.50	48.00	46.75	-1.25	74.00	27.25	150	118	PK	Horizontal	PASS
3	9849.00	43.34	43.01	-0.33	74.00	30.99	150	360	PK	Horizontal	PASS
4	12145.50	42.48	44.09	1.61	74.00	29.91	150	57	PK	Horizontal	PASS
5	14809.50	42.34	47.73	5.39	74.00	26.27	150	221	PK	Horizontal	PASS
6	17601.00	38.00	51.97	13.97	74.00	22.03	150	360	PK	Horizontal	PASS
7	6306.00	37.41	33.25	-4.16	54.00	20.75	150	359	AV	Horizontal	PASS
8	8152.50	40.85	39.60	-1.25	54.00	14.40	150	125	AV	Horizontal	PASS
9	9855.00	34.24	33.90	-0.34	54.00	20.10	150	360	AV	Horizontal	PASS
10	12040.50	33.98	35.49	1.51	54.00	18.51	150	137	AV	Horizontal	PASS
11	14742.00	32.71	38.12	5.41	54.00	15.88	150	252	AV	Horizontal	PASS
12	17611.50	30.23	44.14	13.91	54.00	9.86	150	65	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6315.00	46.07	41.97	-4.10	74.00	32.03	150	149	PK	Vertical	PASS
2	8152.50	53.64	52.39	-1.25	74.00	21.61	150	118	PK	Vertical	PASS
3	9847.50	43.80	43.82	0.02	74.00	30.18	150	80	PK	Vertical	PASS
4	12813.00	42.40	44.22	1.82	74.00	29.78	150	1	PK	Vertical	PASS
5	14788.50	41.07	46.69	5.62	74.00	27.31	150	84	PK	Vertical	PASS
6	17595.00	38.73	53.18	14.45	74.00	20.82	150	314	PK	Vertical	PASS
7	6331.50	37.32	33.07	-4.25	54.00	20.93	150	126	AV	Vertical	PASS
8	8152.50	48.43	47.18	-1.25	54.00	6.82	150	118	AV	Vertical	PASS
9	9847.50	37.13	37.15	0.02	54.00	16.85	150	84	AV	Vertical	PASS
10	12780.00	33.72	35.51	1.79	54.00	18.49	150	263	AV	Vertical	PASS
11	14737.50	32.45	38.06	5.61	54.00	15.94	150	334	AV	Vertical	PASS
12	17598.00	29.65	44.14	14.49	54.00	9.86	150	0	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6096.00	46.51	42.20	-4.31	74.00	31.80	150	360	PK	Horizontal	PASS
2	8152.50	48.76	47.51	-1.25	74.00	26.49	150	123	PK	Horizontal	PASS
3	10894.50	44.40	45.34	0.94	74.00	28.66	150	359	PK	Horizontal	PASS
4	13672.50	41.93	45.11	3.18	74.00	28.89	150	219	PK	Horizontal	PASS
5	15912.00	40.32	50.10	9.78	74.00	23.90	150	50	PK	Horizontal	PASS
6	17614.50	38.56	52.45	13.89	74.00	21.55	150	158	PK	Horizontal	PASS
7	6108.00	37.82	33.54	-4.28	54.00	20.46	150	253	AV	Horizontal	PASS
8	8152.50	40.90	39.65	-1.25	54.00	14.35	150	130	AV	Horizontal	PASS
9	10884.00	33.90	34.79	0.89	54.00	19.21	150	192	AV	Horizontal	PASS
10	13603.50	33.47	36.55	3.08	54.00	17.45	150	158	AV	Horizontal	PASS
11	15906.00	32.04	41.82	9.78	54.00	12.18	150	237	AV	Horizontal	PASS
12	17614.50	29.85	43.74	13.89	54.00	10.26	150	359	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6262.50	46.28	42.20	-4.08	74.00	31.80	150	108	PK	Vertical	PASS
2	8152.50	54.54	53.29	-1.25	74.00	20.71	150	119	PK	Vertical	PASS
3	9648.00	44.23	43.68	-0.55	74.00	30.32	150	80	PK	Vertical	PASS
4	12394.50	42.56	44.89	2.33	74.00	29.11	150	325	PK	Vertical	PASS
5	14764.50	41.67	47.29	5.62	74.00	26.71	150	1	PK	Vertical	PASS
6	17575.50	37.66	51.92	14.26	74.00	22.08	150	226	PK	Vertical	PASS
7	6256.50	37.87	33.78	-4.09	54.00	20.22	150	360	AV	Vertical	PASS
8	8152.50	48.70	47.45	-1.25	54.00	6.55	150	119	AV	Vertical	PASS
9	9648.00	37.44	36.89	-0.55	54.00	17.11	150	80	AV	Vertical	PASS
10	12453.00	34.00	36.46	2.46	54.00	17.54	150	248	AV	Vertical	PASS
11	14776.50	33.04	38.67	5.63	54.00	15.33	150	157	AV	Vertical	PASS
12	17646.00	30.30	44.53	14.23	54.00	9.47	150	214	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6267.00	46.07	41.89	-4.18	74.00	32.11	150	164	PK	Horizontal	PASS
2	8152.50	47.17	45.92	-1.25	74.00	28.08	150	126	PK	Horizontal	PASS
3	9967.50	43.60	43.45	-0.15	74.00	30.55	150	80	PK	Horizontal	PASS
4	12442.50	42.00	44.36	2.36	74.00	29.64	150	291	PK	Horizontal	PASS
5	15960.00	40.13	49.91	9.78	74.00	24.09	150	35	PK	Horizontal	PASS
6	17580.00	38.83	52.63	13.80	74.00	21.37	150	254	PK	Horizontal	PASS
7	6232.50	37.37	33.11	-4.26	54.00	20.89	150	223	AV	Horizontal	PASS
8	8152.50	40.73	39.48	-1.25	54.00	14.52	150	126	AV	Horizontal	PASS
9	10020.00	34.51	34.48	-0.03	54.00	19.52	150	54	AV	Horizontal	PASS
10	12468.00	33.74	36.14	2.40	54.00	17.86	150	254	AV	Horizontal	PASS
11	15988.50	31.91	41.69	9.78	54.00	12.31	150	84	AV	Horizontal	PASS
12	17631.00	30.13	43.92	13.79	54.00	10.08	150	204	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6138.00	46.57	42.28	-4.29	74.00	31.72	150	9	PK	Vertical	PASS
2	8152.50	54.37	53.12	-1.25	74.00	20.88	150	124	PK	Vertical	PASS
3	10153.50	43.37	43.76	0.39	74.00	30.24	150	0	PK	Vertical	PASS
4	12379.50	42.09	44.31	2.22	74.00	29.69	150	290	PK	Vertical	PASS
5	16308.00	41.39	50.71	9.32	74.00	23.29	150	48	PK	Vertical	PASS
6	17581.50	38.84	53.17	14.33	74.00	20.83	150	283	PK	Vertical	PASS
7	6211.50	37.68	33.45	-4.23	54.00	20.55	150	128	AV	Vertical	PASS
8	8152.50	48.79	47.54	-1.25	54.00	6.46	150	121	AV	Vertical	PASS
9	10113.00	34.51	34.92	0.41	54.00	19.08	150	40	AV	Vertical	PASS
10	12456.00	33.93	36.40	2.47	54.00	17.60	150	6	AV	Vertical	PASS
11	16297.50	32.51	41.78	9.27	54.00	12.22	150	306	AV	Vertical	PASS
12	17590.50	30.44	44.85	14.41	54.00	9.15	150	114	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6340.50	46.38	41.86	-4.52	74.00	32.14	150	30	PK	Horizontal	PASS
2	8152.50	47.23	45.98	-1.25	74.00	28.02	150	126	PK	Horizontal	PASS
3	9036.00	44.21	43.44	-0.77	74.00	30.56	150	359	PK	Horizontal	PASS
4	12394.50	42.80	45.05	2.25	74.00	28.95	150	207	PK	Horizontal	PASS
5	15274.50	40.87	47.72	6.85	74.00	26.28	150	360	PK	Horizontal	PASS
6	17607.00	38.52	52.46	13.94	74.00	21.54	150	331	PK	Horizontal	PASS
7	6273.00	37.48	33.32	-4.16	54.00	20.68	150	359	AV	Horizontal	PASS
8	8152.50	40.89	39.64	-1.25	54.00	14.36	150	130	AV	Horizontal	PASS
9	9055.50	34.89	34.11	-0.78	54.00	19.89	150	250	AV	Horizontal	PASS
10	12490.50	33.72	36.15	2.43	54.00	17.85	150	334	AV	Horizontal	PASS
11	15316.50	32.32	39.54	7.22	54.00	14.46	150	360	AV	Horizontal	PASS
12	17628.00	29.79	43.60	13.81	54.00	10.40	150	95	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6216.00	47.38	43.16	-4.22	74.00	30.84	150	349	PK	Vertical	PASS
2	8152.50	54.17	52.92	-1.25	74.00	21.08	150	121	PK	Vertical	PASS
3	10369.50	43.28	43.78	0.50	74.00	30.22	150	74	PK	Vertical	PASS
4	13663.50	42.29	45.39	3.10	74.00	28.61	150	0	PK	Vertical	PASS
5	15957.00	41.20	50.49	9.29	74.00	23.51	150	130	PK	Vertical	PASS
6	17616.00	38.05	52.46	14.41	74.00	21.54	150	330	PK	Vertical	PASS
7	6132.00	38.19	33.90	-4.29	54.00	20.10	150	0	AV	Vertical	PASS
8	8152.50	47.95	46.70	-1.25	54.00	7.30	150	121	AV	Vertical	PASS
9	10512.00	34.42	35.57	1.15	54.00	18.43	150	175	AV	Vertical	PASS
10	13659.00	33.00	36.07	3.07	54.00	17.93	150	190	AV	Vertical	PASS
11	15937.50	31.75	41.04	9.29	54.00	12.96	150	253	AV	Vertical	PASS
12	17608.50	29.44	43.89	14.45	54.00	10.11	150	234	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-CDD	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6328.50	46.29	41.90	-4.39	74.00	32.10	150	231	PK	Horizontal	PASS
2	8152.50	48.97	47.72	-1.25	74.00	26.28	150	125	PK	Horizontal	PASS
3	10267.50	44.33	44.35	0.02	74.00	29.65	150	219	PK	Horizontal	PASS
4	13246.50	43.05	46.13	3.08	74.00	27.87	150	321	PK	Horizontal	PASS
5	15997.50	40.42	50.20	9.78	74.00	23.80	150	125	PK	Horizontal	PASS
6	17889.00	38.58	52.95	14.37	74.00	21.05	150	28	PK	Horizontal	PASS
7	6420.00	38.12	32.96	-5.16	54.00	21.04	150	205	AV	Horizontal	PASS
8	8152.50	43.21	41.96	-1.25	54.00	12.04	150	125	AV	Horizontal	PASS
9	10336.50	34.97	35.07	0.10	54.00	18.93	150	156	AV	Horizontal	PASS
10	13213.50	33.46	36.80	3.34	54.00	17.20	150	131	AV	Horizontal	PASS
11	16005.00	32.34	42.04	9.70	54.00	11.96	150	178	AV	Horizontal	PASS
12	17700.00	31.39	44.76	13.37	54.00	9.24	150	105	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6439.50	46.97	42.03	-4.94	74.00	31.97	150	246	PK	Vertical	PASS
2	8152.50	56.12	54.87	-1.25	74.00	19.13	150	125	PK	Vertical	PASS
3	10488.00	43.29	44.38	1.09	74.00	29.62	150	34	PK	Vertical	PASS
4	13182.00	42.77	45.64	2.87	74.00	28.36	150	145	PK	Vertical	PASS
5	15984.00	40.58	49.86	9.28	74.00	24.14	150	238	PK	Vertical	PASS
6	17542.50	39.61	53.56	13.95	74.00	20.44	150	2	PK	Vertical	PASS
7	6487.50	38.17	33.19	-4.98	54.00	20.81	150	61	AV	Vertical	PASS
8	8152.50	50.65	49.40	-1.25	54.00	4.60	150	132	AV	Vertical	PASS
9	10476.00	34.38	35.40	1.02	54.00	18.60	150	360	AV	Vertical	PASS
10	13260.00	34.00	36.46	2.46	54.00	17.54	150	192	AV	Vertical	PASS
11	15933.00	32.79	42.08	9.29	54.00	11.92	150	181	AV	Vertical	PASS
12	17599.50	30.64	45.14	14.50	54.00	8.86	150	181	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-CDD	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6103.50	46.61	42.33	-4.28	74.00	31.67	150	261	PK	Horizontal	PASS
2	8152.50	48.91	47.66	-1.25	74.00	26.34	150	122	PK	Horizontal	PASS
3	10743.00	43.74	44.25	0.51	74.00	29.75	150	236	PK	Horizontal	PASS
4	13242.00	42.74	45.85	3.11	74.00	28.15	150	287	PK	Horizontal	PASS
5	16000.50	40.93	50.70	9.77	74.00	23.30	150	174	PK	Horizontal	PASS
6	17611.50	39.36	53.27	13.91	74.00	20.73	150	360	PK	Horizontal	PASS
7	6214.50	38.04	33.74	-4.30	54.00	20.26	150	113	AV	Horizontal	PASS
8	8152.50	42.76	41.51	-1.25	54.00	12.49	150	122	AV	Horizontal	PASS
9	10717.50	34.19	34.68	0.49	54.00	19.32	150	20	AV	Horizontal	PASS
10	13171.50	33.76	37.05	3.29	54.00	16.95	150	358	AV	Horizontal	PASS
11	15999.00	32.21	41.99	9.78	54.00	12.01	150	360	AV	Horizontal	PASS
12	17601.00	30.61	44.58	13.97	54.00	9.42	150	236	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6315.00	46.46	42.36	-4.10	74.00	31.64	150	203	PK	Vertical	PASS
2	8152.50	56.23	54.98	-1.25	74.00	19.02	150	129	PK	Vertical	PASS
3	10500.00	43.25	44.42	1.17	74.00	29.58	150	334	PK	Vertical	PASS
4	13207.50	42.28	45.18	2.90	74.00	28.82	150	341	PK	Vertical	PASS
5	16000.50	40.51	49.78	9.27	74.00	24.22	150	318	PK	Vertical	PASS
6	17553.00	39.15	53.20	14.05	74.00	20.80	150	136	PK	Vertical	PASS
7	6268.50	37.67	33.61	-4.06	54.00	20.39	150	176	AV	Vertical	PASS
8	8152.50	50.73	49.48	-1.25	54.00	4.52	150	129	AV	Vertical	PASS
9	10447.50	34.12	34.96	0.84	54.00	19.04	150	255	AV	Vertical	PASS
10	13165.50	34.16	36.95	2.79	54.00	17.05	150	203	AV	Vertical	PASS
11	15978.00	32.32	41.61	9.29	54.00	12.39	150	355	AV	Vertical	PASS
12	17886.00	30.21	45.14	14.93	54.00	8.86	150	129	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-CDD	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6430.50	47.13	41.95	-5.18	74.00	32.05	150	109	PK	Horizontal	PASS
2	8152.50	48.49	47.24	-1.25	74.00	26.76	150	126	PK	Horizontal	PASS
3	11035.50	43.40	44.48	1.08	74.00	29.52	150	245	PK	Horizontal	PASS
4	13549.50	43.32	46.53	3.21	74.00	27.47	150	268	PK	Horizontal	PASS
5	15964.50	40.83	50.61	9.78	74.00	23.39	150	113	PK	Horizontal	PASS
6	17628.00	39.06	52.87	13.81	74.00	21.13	150	14	PK	Horizontal	PASS
7	6319.50	37.66	33.36	-4.30	54.00	20.64	150	6	AV	Horizontal	PASS
8	8152.50	42.71	41.46	-1.25	54.00	12.54	150	122	AV	Horizontal	PASS
9	11020.50	33.89	35.06	1.17	54.00	18.94	150	27	AV	Horizontal	PASS
10	13501.50	33.75	37.09	3.34	54.00	16.91	150	253	AV	Horizontal	PASS
11	15976.50	32.24	42.02	9.78	54.00	11.98	150	159	AV	Horizontal	PASS
12	17598.00	30.75	44.72	13.97	54.00	9.28	150	310	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6333.00	46.31	42.04	-4.27	74.00	31.96	150	48	PK	Vertical	PASS
2	8152.50	56.04	54.79	-1.25	74.00	19.21	150	128	PK	Vertical	PASS
3	9648.00	44.78	44.23	-0.55	74.00	29.77	150	265	PK	Vertical	PASS
4	12229.50	42.85	44.61	1.76	74.00	29.39	150	148	PK	Vertical	PASS
5	15127.50	41.63	47.35	5.72	74.00	26.65	150	135	PK	Vertical	PASS
6	17592.00	38.64	53.06	14.42	74.00	20.94	150	202	PK	Vertical	PASS
7	6316.50	37.78	33.66	-4.12	54.00	20.34	150	306	AV	Vertical	PASS
8	8152.50	50.36	49.11	-1.25	54.00	4.89	150	128	AV	Vertical	PASS
9	9648.00	38.29	37.74	-0.55	54.00	16.26	150	73	AV	Vertical	PASS
10	12447.00	34.51	36.97	2.46	54.00	17.03	150	238	AV	Vertical	PASS
11	15319.50	33.57	40.56	6.99	54.00	13.44	150	174	AV	Vertical	PASS
12	17605.50	30.96	45.42	14.46	54.00	8.58	150	7	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6273.00	45.87	41.71	-4.16	74.00	32.29	150	360	PK	Horizontal	PASS
2	8152.50	46.88	45.63	-1.25	74.00	28.37	150	126	PK	Horizontal	PASS
3	10927.50	42.00	43.06	1.06	74.00	30.94	150	146	PK	Horizontal	PASS
4	13167.00	42.12	45.38	3.26	74.00	28.62	150	53	PK	Horizontal	PASS
5	16017.00	40.80	50.31	9.51	74.00	23.69	150	34	PK	Horizontal	PASS
6	17917.50	38.19	52.50	14.31	74.00	21.50	150	207	PK	Horizontal	PASS
7	6433.50	38.13	32.95	-5.18	54.00	21.05	150	359	AV	Horizontal	PASS
8	8152.50	40.09	38.84	-1.25	54.00	15.16	150	130	AV	Horizontal	PASS
9	10975.50	33.35	34.57	1.22	54.00	19.43	150	360	AV	Horizontal	PASS
10	13168.50	33.17	36.44	3.27	54.00	17.56	150	311	AV	Horizontal	PASS
11	15933.00	31.79	41.57	9.78	54.00	12.43	150	311	AV	Horizontal	PASS
12	17616.00	29.85	43.74	13.89	54.00	10.26	150	352	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6193.50	46.15	41.87	-4.28	74.00	32.13	150	342	PK	Vertical	PASS
2	8152.50	53.30	52.05	-1.25	74.00	21.95	150	115	PK	Vertical	PASS
3	9763.50	44.26	43.93	-0.33	74.00	30.07	150	287	PK	Vertical	PASS
4	11800.50	42.56	44.03	1.47	74.00	29.97	150	22	PK	Vertical	PASS
5	15132.00	41.70	47.41	5.71	74.00	26.59	150	291	PK	Vertical	PASS
6	17655.00	38.35	52.52	14.17	74.00	21.48	150	226	PK	Vertical	PASS
7	6286.50	37.51	33.51	-4.00	54.00	20.49	150	0	AV	Vertical	PASS
8	8152.50	48.02	46.77	-1.25	54.00	7.23	150	115	AV	Vertical	PASS
9	9786.00	34.70	34.62	-0.08	54.00	19.38	150	161	AV	Vertical	PASS
10	11763.00	33.69	34.90	1.21	54.00	19.10	150	326	AV	Vertical	PASS
11	15288.00	32.62	39.52	6.90	54.00	14.48	150	1	AV	Vertical	PASS
12	17593.50	29.45	43.88	14.43	54.00	10.12	150	188	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6240.00	47.03	42.79	-4.24	74.00	31.21	150	157	PK	Horizontal	PASS
2	8152.50	47.42	46.17	-1.25	74.00	27.83	150	138	PK	Horizontal	PASS
3	10830.00	43.19	43.87	0.68	74.00	30.13	150	64	PK	Horizontal	PASS
4	13212.00	42.27	45.62	3.35	74.00	28.38	150	83	PK	Horizontal	PASS
5	15930.00	40.65	50.43	9.78	74.00	23.57	150	183	PK	Horizontal	PASS
6	17856.00	37.71	51.90	14.19	74.00	22.10	150	45	PK	Horizontal	PASS
7	6132.00	38.00	33.70	-4.30	54.00	20.30	150	353	AV	Horizontal	PASS
8	8152.50	40.70	39.45	-1.25	54.00	14.55	150	145	AV	Horizontal	PASS
9	10830.00	33.84	34.52	0.68	54.00	19.48	150	283	AV	Horizontal	PASS
10	13213.50	33.00	36.34	3.34	54.00	17.66	150	129	AV	Horizontal	PASS
11	15925.50	32.00	41.78	9.78	54.00	12.22	150	23	AV	Horizontal	PASS
12	17967.00	29.72	43.71	13.99	54.00	10.29	150	199	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6211.50	45.99	41.76	-4.23	74.00	32.24	150	79	PK	Vertical	PASS
2	8152.50	53.52	52.27	-1.25	74.00	21.73	150	110	PK	Vertical	PASS
3	10518.00	42.62	43.76	1.14	74.00	30.24	150	187	PK	Vertical	PASS
4	14382.00	41.08	46.64	5.56	74.00	27.36	150	180	PK	Vertical	PASS
5	15930.00	40.21	49.50	9.29	74.00	24.50	150	44	PK	Vertical	PASS
6	17647.50	38.58	52.80	14.22	74.00	21.20	150	141	PK	Vertical	PASS
7	6192.00	37.46	33.18	-4.28	54.00	20.82	150	275	AV	Vertical	PASS
8	8152.50	47.74	46.49	-1.25	54.00	7.51	150	137	AV	Vertical	PASS
9	10468.50	34.01	34.98	0.97	54.00	19.02	150	245	AV	Vertical	PASS
10	14409.00	32.72	38.24	5.52	54.00	15.76	150	106	AV	Vertical	PASS
11	15961.50	32.15	41.44	9.29	54.00	12.56	150	241	AV	Vertical	PASS
12	17628.00	30.00	44.34	14.34	54.00	9.66	150	241	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6333.00	45.93	41.49	-4.44	74.00	32.51	150	360	PK	Horizontal	PASS
2	8152.50	47.29	46.04	-1.25	74.00	27.96	150	138	PK	Horizontal	PASS
3	10503.00	42.43	43.29	0.86	74.00	30.71	150	134	PK	Horizontal	PASS
4	13150.50	41.59	44.76	3.17	74.00	29.24	150	42	PK	Horizontal	PASS
5	15505.50	41.55	49.10	7.55	74.00	24.90	150	338	PK	Horizontal	PASS
6	17914.50	37.67	52.00	14.33	74.00	22.00	150	126	PK	Horizontal	PASS
7	6319.50	37.71	33.41	-4.30	54.00	20.59	150	276	AV	Horizontal	PASS
8	8152.50	40.23	38.98	-1.25	54.00	15.02	150	130	AV	Horizontal	PASS
9	10471.50	33.36	34.03	0.67	54.00	19.97	150	172	AV	Horizontal	PASS
10	13245.00	33.01	36.10	3.09	54.00	17.90	150	145	AV	Horizontal	PASS
11	15502.50	32.13	39.70	7.57	54.00	14.30	150	92	AV	Horizontal	PASS
12	17607.00	29.55	43.49	13.94	54.00	10.51	150	76	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6210.00	46.52	42.28	-4.24	74.00	31.72	150	133	PK	Vertical	PASS
2	8152.50	53.19	51.94	-1.25	74.00	22.06	150	110	PK	Vertical	PASS
3	9847.50	43.99	44.01	0.02	74.00	29.99	150	82	PK	Vertical	PASS
4	12478.50	42.00	44.52	2.52	74.00	29.48	150	51	PK	Vertical	PASS
5	15243.00	41.55	47.71	6.16	74.00	26.29	150	232	PK	Vertical	PASS
6	17677.50	38.18	52.23	14.05	74.00	21.77	150	0	PK	Vertical	PASS
7	6142.50	38.66	34.37	-4.29	54.00	19.63	150	159	AV	Vertical	PASS
8	8152.50	47.81	46.56	-1.25	54.00	7.44	150	117	AV	Vertical	PASS
9	9847.50	36.88	36.90	0.02	54.00	17.10	150	79	AV	Vertical	PASS
10	12501.00	33.46	36.01	2.55	54.00	17.99	150	140	AV	Vertical	PASS
11	15337.50	32.01	38.91	6.90	54.00	15.09	150	1	AV	Vertical	PASS
12	17622.00	29.66	44.03	14.37	54.00	9.97	150	299	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6150.00	46.54	42.23	-4.31	74.00	31.77	150	29	PK	Horizontal	PASS
2	8152.50	46.49	45.24	-1.25	74.00	28.76	150	130	PK	Horizontal	PASS
3	9532.50	42.65	42.61	-0.04	74.00	31.39	150	325	PK	Horizontal	PASS
4	12465.00	42.72	45.11	2.39	74.00	28.89	150	221	PK	Horizontal	PASS
5	15985.50	40.45	50.23	9.78	74.00	23.77	150	321	PK	Horizontal	PASS
6	17625.00	38.00	51.83	13.83	74.00	22.17	150	310	PK	Horizontal	PASS
7	6066.00	37.70	33.21	-4.49	54.00	20.79	150	275	AV	Horizontal	PASS
8	8152.50	40.36	39.11	-1.25	54.00	14.89	150	130	AV	Horizontal	PASS
9	9618.00	34.49	34.10	-0.39	54.00	19.90	150	61	AV	Horizontal	PASS
10	12583.50	33.73	36.01	2.28	54.00	17.99	150	87	AV	Horizontal	PASS
11	15900.00	31.80	41.58	9.78	54.00	12.42	150	68	AV	Horizontal	PASS
12	17631.00	29.94	43.73	13.79	54.00	10.27	150	11	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6147.00	46.99	42.71	-4.28	74.00	31.29	150	294	PK	Vertical	PASS
2	8152.50	53.10	51.85	-1.25	74.00	22.15	150	124	PK	Vertical	PASS
3	9648.00	43.18	42.63	-0.55	74.00	31.37	150	66	PK	Vertical	PASS
4	12454.50	42.51	44.98	2.47	74.00	29.02	150	25	PK	Vertical	PASS
5	15918.00	40.08	49.37	9.29	74.00	24.63	150	352	PK	Vertical	PASS
6	17935.50	38.51	53.29	14.78	74.00	20.71	150	47	PK	Vertical	PASS
7	6166.50	37.52	33.24	-4.28	54.00	20.76	150	97	AV	Vertical	PASS
8	8152.50	47.22	45.97	-1.25	54.00	8.03	150	133	AV	Vertical	PASS
9	9648.00	35.75	35.20	-0.55	54.00	18.80	150	78	AV	Vertical	PASS
10	12412.50	33.65	36.04	2.39	54.00	17.96	150	341	AV	Vertical	PASS
11	15903.00	31.86	41.16	9.30	54.00	12.84	150	255	AV	Vertical	PASS
12	17901.00	29.20	44.19	14.99	54.00	9.81	150	260	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6127.50	46.07	41.78	-4.29	74.00	32.22	150	338	PK	Horizontal	PASS
2	8152.50	46.12	44.87	-1.25	74.00	29.13	150	126	PK	Horizontal	PASS
3	10053.00	42.45	42.41	-0.04	74.00	31.59	150	223	PK	Horizontal	PASS
4	12474.00	41.50	43.91	2.41	74.00	30.09	150	11	PK	Horizontal	PASS
5	15951.00	40.08	49.86	9.78	74.00	24.14	150	95	PK	Horizontal	PASS
6	17833.50	37.33	51.40	14.07	74.00	22.60	150	92	PK	Horizontal	PASS
7	6147.00	37.55	33.25	-4.30	54.00	20.75	150	360	AV	Horizontal	PASS
8	8152.50	39.38	38.13	-1.25	54.00	15.87	150	126	AV	Horizontal	PASS
9	10074.00	33.89	33.84	-0.05	54.00	20.16	150	65	AV	Horizontal	PASS
10	12402.00	33.15	35.44	2.29	54.00	18.56	150	311	AV	Horizontal	PASS
11	15945.00	31.67	41.45	9.78	54.00	12.55	150	184	AV	Horizontal	PASS
12	17923.50	29.23	43.50	14.27	54.00	10.50	150	107	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6124.50	45.47	41.18	-4.29	74.00	32.82	150	146	PK	Vertical	PASS
2	8152.50	52.93	51.68	-1.25	74.00	22.32	150	115	PK	Vertical	PASS
3	10045.50	42.36	42.81	0.45	74.00	31.19	150	357	PK	Vertical	PASS
4	12792.00	41.98	43.83	1.85	74.00	30.17	150	303	PK	Vertical	PASS
5	16128.00	41.93	49.96	8.03	74.00	24.04	150	1	PK	Vertical	PASS
6	17629.50	38.55	52.88	14.33	74.00	21.12	150	141	PK	Vertical	PASS
7	6111.00	37.97	33.67	-4.30	54.00	20.33	150	218	AV	Vertical	PASS
8	8152.50	47.16	45.91	-1.25	54.00	8.09	150	118	AV	Vertical	PASS
9	10018.50	33.68	34.15	0.47	54.00	19.85	150	126	AV	Vertical	PASS
10	12777.00	32.78	34.55	1.77	54.00	19.45	150	330	AV	Vertical	PASS
11	15966.00	31.83	41.12	9.29	54.00	12.88	150	57	AV	Vertical	PASS
12	17587.50	29.40	43.78	14.38	54.00	10.22	150	92	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level

Test Mode:	802.11n-HT20-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6297.00	46.52	42.41	-4.11	74.00	31.59	150	18	PK	Horizontal	PASS
2	8152.50	45.87	44.62	-1.25	74.00	29.38	150	126	PK	Horizontal	PASS
3	9561.00	42.35	42.24	-0.11	74.00	31.76	150	149	PK	Horizontal	PASS
4	12528.00	41.84	44.24	2.40	74.00	29.76	150	76	PK	Horizontal	PASS
5	15990.00	39.97	49.75	9.78	74.00	24.25	150	188	PK	Horizontal	PASS
6	17611.50	37.63	51.54	13.91	74.00	22.46	150	134	PK	Horizontal	PASS
7	6270.00	37.69	33.52	-4.17	54.00	20.48	150	134	AV	Horizontal	PASS
8	8152.50	39.55	38.30	-1.25	54.00	15.70	150	126	AV	Horizontal	PASS
9	9588.00	33.50	33.32	-0.18	54.00	20.68	150	4	AV	Horizontal	PASS
10	12432.00	33.68	36.02	2.34	54.00	17.98	150	353	AV	Horizontal	PASS
11	15939.00	31.52	41.30	9.78	54.00	12.70	150	64	AV	Horizontal	PASS
12	17607.00	29.52	43.46	13.94	54.00	10.54	150	45	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level