


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

n_10MHz

Ch 06 (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	65.10	45.27	19.83	119.13	-54.83	100	187	Peak	Open		
2	0.05	46.32	27.64	18.68	113.89	-66.77	100	53	Peak	Open		
3	0.06	39.93	21.88	18.05	111.72	-71.79	100	342	Peak	Open		
4	0.10	30.30	12.27	18.03	107.63	-77.33	100	179	Peak	Open		
5	0.12	28.81	10.63	18.18	105.70	-76.89	100	259	Peak	Open		
6	0.13	28.41	10.18	18.23	105.12	-76.71	100	189	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.39	47.02	28.38	18.64	95.81	-48.79	100	144	Peak	Open		
2	0.90	37.81	18.93	18.88	68.56	-30.75	100	178	Peak	Open		
3	7.08	34.26	13.49	20.77	69.50	-35.24	100	179	Peak	Open		
4	11.52	35.51	13.87	21.64	69.50	-33.99	100	256	Peak	Open		
5	20.90	36.34	13.65	22.69	69.50	-33.16	100	360	Peak	Open		
6	24.69	36.13	13.14	22.99	69.50	-33.37	100	28	Peak	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


n_10MHz

Ch 06 (Horizontal)

Ch 06 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	59.10	21.59	28.86	-7.27	40.00	-18.41	180	360	Peak	Horizontal		
2	153.19	30.09	37.07	-6.98	43.50	-13.41	200	165	Peak	Horizontal		
3	238.55	36.64	44.44	-7.80	46.00	-9.36	100	136	Peak	Horizontal		
4	298.69	36.78	43.20	-6.42	46.00	-9.22	100	188	Peak	Horizontal		
5	717.73	34.64	32.62	2.02	46.00	-11.36	100	151	Peak	Horizontal		
6	844.00	35.01	31.02	3.99	46.00	-10.99	200	243	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	46.49	25.55	32.67	-7.12	40.00	-14.45	100	14	Peak	Vertical		
2	166.77	28.39	35.04	-6.65	43.50	-15.11	100	81	Peak	Vertical		
3	240.49	34.30	42.05	-7.75	46.00	-11.70	200	201	Peak	Vertical		
4	298.69	30.91	37.33	-6.42	46.00	-15.09	100	261	Peak	Vertical		
5	709.97	33.32	31.34	1.98	46.00	-12.68	200	348	Peak	Vertical		
6	845.77	35.44	31.43	4.01	46.00	-10.56	150	360	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


g_10MHz

Ch 01 (Horizontal)


Ch 01 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




g_10MHz

Ch 06 (Horizontal)

Ch 06 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4874.00	28.91	36.64	-7.73	54.00	-25.09	100	216	Average	Horizontal		
2	4874.00	42.68	50.41	-7.73	74.00	-31.32	100	216	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4874.00	28.99	36.72	-7.73	54.00	-25.01	200	308	Average	Vertical		
2	4874.00	42.92	50.65	-7.73	74.00	-31.08	200	308	Peak	Vertical		


g_10MHz

Ch 12 (Horizontal)

Ch 12 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4934.00	28.62	36.14	-7.52	54.00	-25.38	100	143	Average	Horizontal		
2	4934.00	43.72	51.24	-7.52	74.00	-30.28	100	143	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4934.00	31.75	39.27	-7.52	54.00	-22.25	200	283	Average	Vertical		
2	4934.00	45.63	53.15	-7.52	74.00	-28.37	200	283	Peak	Vertical		


g_20MHz

Ch 01 (Horizontal)

Ch 01 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4824.00	28.30	36.17	-7.87	54.00	-25.70	100	232	Average	Horizontal		
2	4824.00	42.57	50.44	-7.87	74.00	-31.43	100	232	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4824.00	28.19	36.06	-7.87	54.00	-25.81	100	360	Average	Vertical		
2	4824.00	42.40	50.27	-7.87	74.00	-31.60	100	360	Peak	Vertical		


g_20MHz

Ch 06 (Horizontal)


Ch 06 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




g_20MHz

Ch 11 (Horizontal)

Ch 11 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	28.57	36.11	-7.54	54.00	-25.43	200	188	Average	Horizontal		
2	4924.00	43.51	51.05	-7.54	74.00	-30.49	200	188	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	28.91	36.45	-7.54	54.00	-25.09	100	60	Average	Vertical		
2	4924.00	45.67	53.21	-7.54	74.00	-28.33	100	60	Peak	Vertical		


n_10MHz

Ch 01 (Horizontal)

Ch 01 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4824.00	28.20	36.87	-7.87	54.00	-25.80	200	103	Average	Horizontal		
2	4824.00	42.09	49.96	-7.87	74.00	-31.91	200	103	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4824.00	29.23	37.10	-7.87	54.00	-24.77	100	23	Average	Vertical		
2	4824.00	43.36	51.23	-7.87	74.00	-30.64	100	23	Peak	Vertical		


n_10MHz

Ch 06 (Horizontal)

Ch 06 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4876.00	34.02	41.76	-7.74	54.00	-19.98	100	207	Average	Horizontal		
2	4876.00	48.41	56.15	-7.74	74.00	-25.59	100	207	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4871.00	38.24	45.99	-7.75	54.00	-15.76	100	12	Average	Vertical		
2	4871.00	52.75	60.50	-7.75	74.00	-21.25	100	12	Peak	Vertical		


n_10MHz

Ch 12 (Horizontal)

Ch 12 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4934.00	28.40	35.92	-7.52	54.00	-25.60	100	85	Average	Horizontal		
2	4934.00	42.38	49.90	-7.52	74.00	-31.62	100	85	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4934.00	34.51	42.03	-7.52	54.00	-19.49	100	21	Average	Vertical		
2	4934.00	50.69	58.21	-7.52	74.00	-23.31	100	21	Peak	Vertical		


n_20MHz

Ch 01 (Horizontal)

Ch 01 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4824.00	28.42	36.29	-7.87	54.00	-25.58	200	260	Average	Horizontal		
2	4824.00	42.43	50.30	-7.87	74.00	-31.57	200	260	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4824.00	29.55	37.42	-7.87	54.00	-24.45	162	360	Average	Vertical		
2	4824.00	43.40	51.27	-7.87	74.00	-30.60	162	360	Peak	Vertical		


n_20MHz

Ch 06 (Horizontal)

Ch 06 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4874.00	29.12	36.85	-7.73	54.00	-24.88	180	94	Average	Horizontal		
2	4874.00	42.62	50.35	-7.73	74.00	-31.38	180	94	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4874.00	32.32	40.05	-7.73	54.00	-21.68	180	18	Average	Vertical		
2	4874.00	46.83	54.56	-7.73	74.00	-27.17	180	18	Peak	Vertical		


n_20MHz

Ch 11 (Horizontal)

Ch 11 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	28.84	36.38	-7.54	54.00	-25.16	180	112	Average	Horizontal	
2	4924.00	42.63	50.17	-7.54	74.00	-31.37	180	112	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	34.97	42.51	-7.54	54.00	-19.03	183	19	Average	Vertical	
2	4924.00	50.12	57.66	-7.54	74.00	-23.68	183	19	Peak	Vertical	

<RM-2450-12M3>

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


n_10MHz

CH06 (Open) 9kHz~150kHz

CH06 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	60.66	42.55	18.11	127.60	-66.94	100	159 Peak	Open	
2	0.03	68.30	48.47	19.83	119.13	-50.83	100	60 Peak	Open	
3	0.03	47.21	27.20	20.01	118.05	-70.84	100	158 Peak	Open	
4	0.05	47.49	28.81	18.68	113.09	-65.60	100	233 Peak	Open	
5	0.06	48.45	22.40	18.05	111.72	-71.27	100	183 Peak	Open	
6	0.14	37.49	19.20	18.29	104.47	-66.98	100	147 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.15	45.94	27.60	18.34	104.88	-58.14	100	177 Peak	Open	
2	0.27	45.55	26.98	18.57	98.99	-53.44	100	150 Peak	Open	
3	1.64	33.87	15.05	18.82	63.29	-29.42	100	73 Peak	Open	
4	11.97	35.53	13.79	21.74	69.50	-33.97	100	3 Peak	Open	
5	19.91	36.40	13.55	22.85	69.50	-33.10	100	170 Peak	Open	
6	29.28	37.34	14.10	23.24	69.50	-32.16	100	301 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


n_10MHz

CH06 (Horizontal)

CH06 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	68.00	26.51	35.88	-9.37	40.00	-13.49	300	256	Peak	Horizontal		
2	147.37	33.66	40.72	-7.06	43.50	-9.84	300	146	Peak	Horizontal		
3	168.71	31.05	37.77	-6.72	43.50	-12.45	200	131	Peak	Horizontal		
4	193.93	30.23	39.43	-9.20	43.50	-13.27	200	344	Peak	Horizontal		
5	238.55	34.18	41.98	-7.80	46.00	-11.82	200	274	Peak	Horizontal		
6	897.18	38.94	34.29	4.65	46.00	-7.06	100	155	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	53.28	32.22	39.09	-6.87	40.00	-7.78	100	360	Peak	Vertical		
2	68.00	33.05	42.42	-9.37	40.00	-6.95	100	20	Peak	Vertical		
3	107.60	28.22	39.22	-11.00	43.50	-15.28	100	100	Peak	Vertical		
4	151.25	30.92	37.92	-7.00	43.50	-12.58	199	0	Peak	Vertical		
5	728.40	33.35	31.40	1.95	46.00	-12.65	400	122	Peak	Vertical		
6	897.18	37.89	33.24	4.65	46.00	-8.11	100	169	Peak	Vertical		

<RM-2450-12M4>

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


n_10MHz

CH06 (Open) 9kHz~150kHz

CH06 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	60.30	42.19	18.11	127.60	-67.30	100	70 Peak	Open	
2	0.03	65.34	45.51	19.83	119.13	-53.79	100	14 Peak	Open	
3	0.03	48.71	28.70	20.01	118.05	-69.34	100	173 Peak	Open	
4	0.05	46.70	28.02	18.68	113.09	-66.39	100	182 Peak	Open	
5	0.06	40.41	22.36	18.05	111.72	-71.31	100	237 Peak	Open	
6	0.12	29.71	11.53	18.18	105.71	-76.00	100	238 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.15	46.12	27.78	18.34	104.08	-57.96	100	178 Peak	Vertical	
2	0.45	44.08	25.38	18.70	94.57	-50.49	100	171 Peak	Vertical	
3	1.08	36.57	17.78	18.79	66.97	-30.40	100	268 Peak	Vertical	
4	11.02	35.36	13.83	21.53	69.50	-34.14	100	328 Peak	Vertical	
5	21.49	36.33	13.81	22.52	69.50	-33.17	100	84 Peak	Vertical	
6	27.37	37.94	14.91	23.03	69.50	-31.56	100	220 Peak	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


n_10MHz

CH06 (Horizontal)

CH06 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	238.55	39.16	46.96	-7.80	46.00	-6.04	100	239	Peak	Horizontal		
2	800.18	40.44	37.01	3.43	46.00	-5.56	100	209	Peak	Horizontal		
3	823.46	40.70	37.39	3.31	46.00	-5.30	300	198	Peak	Horizontal		
4	867.11	40.99	37.02	3.97	46.00	-5.01	100	170	Peak	Horizontal		
5	897.18	42.05	37.40	4.65	46.00	-3.95	100	263	Peak	Horizontal		
6	932.10	42.43	37.06	5.37	46.00	-3.57	200	229	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	68.00	28.30	37.67	-9.37	40.00	-11.70	100	360	Peak	Vertical		
2	800.18	40.54	37.11	3.43	46.00	-5.46	100	227	Peak	Vertical		
3	845.77	38.08	34.07	4.01	46.00	-7.92	200	0	Peak	Vertical		
4	888.45	39.67	34.98	4.69	46.00	-6.33	210	0	Peak	Vertical		
5	897.18	41.47	36.82	4.65	46.00	-4.53	100	208	Peak	Vertical		
6	932.10	40.47	35.10	5.37	46.00	-5.53	192	360	Peak	Vertical		