



BLE_125K-Ant1-2440-PASS



BLE_125K-Ant1-2480-PASS



BLE_500K-Ant1-2402-PASS




BLE_500K-Ant1-2440-PASS




BLE_500K-Ant1-2480-PASS

Band edge measurements :


TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	10.59	-41.62	≤-9.41	PASS
BLE_1M	Ant1	High	2480	9.70	-48.35	≤-10.3	PASS
BLE_2M	Ant1	Low	2402	8.42	-26.49	≤-11.58	PASS
BLE_2M	Ant1	High	2480	7.52	-44.17	≤-12.48	PASS
BLE_125K	Ant1	Low	2402	7.99	-41.66	≤-12.01	PASS
BLE_125K	Ant1	High	2480	7.24	-49.58	≤-12.76	PASS
BLE_500K	Ant1	Low	2402	10.59	-43.17	≤-9.41	PASS
BLE_500K	Ant1	High	2480	9.61	-47.39	≤-10.39	PASS




BLE_1M-Ant1-2402-PASS




BLE_1M-Ant1-2480-PASS




BLE_2M-Ant1-2402-PASS




BLE_2M-Ant1-2480-PASS




BLE_125K-Ant1-2402-PASS



BLE_125K-Ant1-2480-PASS



BLE_500K-Ant1-2402-PASS



BLE_500K-Ant1-2480-PASS

Conducted Spurious Emission :

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	30~1000	10.59	-66.28	≤-9.41	PASS
BLE_1M	Ant1	2402	1000~3000	10.59	-66.11	≤-9.41	PASS
BLE_1M	Ant1	2402	3000~5000	10.59	-48.58	≤-9.41	PASS
BLE_1M	Ant1	2402	5000~7000	10.59	-65.19	≤-9.41	PASS
BLE_1M	Ant1	2402	7000~9000	10.59	-59.76	≤-9.41	PASS
BLE_1M	Ant1	2402	9000~11000	10.59	-59.54	≤-9.41	PASS
BLE_1M	Ant1	2402	11000~13000	10.59	-46.36	≤-9.41	PASS
BLE_1M	Ant1	2402	13000~15000	10.59	-64.72	≤-9.41	PASS
BLE_1M	Ant1	2402	15000~17000	10.59	-55.59	≤-9.41	PASS
BLE_1M	Ant1	2402	17000~19000	10.59	-63.83	≤-9.41	PASS
BLE_1M	Ant1	2402	19000~21000	10.59	-56.95	≤-9.41	PASS
BLE_1M	Ant1	2402	21000~23000	10.59	-61.74	≤-9.41	PASS
BLE_1M	Ant1	2402	23000~25000	10.59	-61.3	≤-9.41	PASS
BLE_1M	Ant1	2440	30~1000	10.46	-66.79	≤-9.54	PASS
BLE_1M	Ant1	2440	1000~3000	10.46	-71.84	≤-9.54	PASS
BLE_1M	Ant1	2440	3000~5000	10.46	-55.72	≤-9.54	PASS
BLE_1M	Ant1	2440	5000~7000	10.46	-65.22	≤-9.54	PASS
BLE_1M	Ant1	2440	7000~9000	10.46	-57.82	≤-9.54	PASS
BLE_1M	Ant1	2440	9000~11000	10.46	-65.12	≤-9.54	PASS
BLE_1M	Ant1	2440	11000~13000	10.46	-39.57	≤-9.54	PASS
BLE_1M	Ant1	2440	13000~15000	10.46	-64.51	≤-9.54	PASS
BLE_1M	Ant1	2440	15000~17000	10.46	-62.97	≤-9.54	PASS
BLE_1M	Ant1	2440	17000~19000	10.46	-63	≤-9.54	PASS
BLE_1M	Ant1	2440	19000~21000	10.46	-56.57	≤-9.54	PASS
BLE_1M	Ant1	2440	21000~23000	10.46	-61.74	≤-9.54	PASS
BLE_1M	Ant1	2440	23000~25000	10.46	-61.75	≤-9.54	PASS
BLE_1M	Ant1	2480	30~1000	9.70	-67.06	≤-10.3	PASS
BLE_1M	Ant1	2480	1000~3000	9.70	-66.61	≤-10.3	PASS
BLE_1M	Ant1	2480	3000~5000	9.70	-61.69	≤-10.3	PASS
BLE_1M	Ant1	2480	5000~7000	9.70	-65.32	≤-10.3	PASS
BLE_1M	Ant1	2480	7000~9000	9.70	-55.14	≤-10.3	PASS
BLE_1M	Ant1	2480	9000~11000	9.70	-65.34	≤-10.3	PASS
BLE_1M	Ant1	2480	11000~13000	9.70	-42.45	≤-10.3	PASS
BLE_1M	Ant1	2480	13000~15000	9.70	-65.19	≤-10.3	PASS
BLE_1M	Ant1	2480	15000~17000	9.70	-64.8	≤-10.3	PASS
BLE_1M	Ant1	2480	17000~19000	9.70	-55.4	≤-10.3	PASS
BLE_1M	Ant1	2480	19000~21000	9.70	-56.27	≤-10.3	PASS
BLE_1M	Ant1	2480	21000~23000	9.70	-62.17	≤-10.3	PASS
BLE_1M	Ant1	2480	23000~25000	9.70	-61.46	≤-10.3	PASS
BLE_2M	Ant1	2402	30~1000	8.42	-67.14	≤-11.58	PASS
BLE_2M	Ant1	2402	1000~3000	8.42	-65.17	≤-11.58	PASS
BLE_2M	Ant1	2402	3000~5000	8.42	-49.66	≤-11.58	PASS
BLE_2M	Ant1	2402	5000~7000	8.42	-60.03	≤-11.58	PASS
BLE_2M	Ant1	2402	7000~9000	8.42	-62.69	≤-11.58	PASS
BLE_2M	Ant1	2402	9000~11000	8.42	-62.94	≤-11.58	PASS
BLE_2M	Ant1	2402	11000~13000	8.42	-46.59	≤-11.58	PASS
BLE_2M	Ant1	2402	13000~15000	8.42	-64.7	≤-11.58	PASS


BLE_2M	Ant1	2402	15000~17000	8.42	-58.33	≤-11.58	PASS
BLE_2M	Ant1	2402	17000~19000	8.42	-64.04	≤-11.58	PASS
BLE_2M	Ant1	2402	19000~21000	8.42	-56.4	≤-11.58	PASS
BLE_2M	Ant1	2402	21000~23000	8.42	-62.54	≤-11.58	PASS
BLE_2M	Ant1	2402	23000~25000	8.42	-62.04	≤-11.58	PASS
BLE_2M	Ant1	2440	30~1000	8.19	-66.97	≤-11.81	PASS
BLE_2M	Ant1	2440	1000~3000	8.19	-63.98	≤-11.81	PASS
BLE_2M	Ant1	2440	3000~5000	8.19	-56.32	≤-11.81	PASS
BLE_2M	Ant1	2440	5000~7000	8.19	-65.74	≤-11.81	PASS
BLE_2M	Ant1	2440	7000~9000	8.19	-59.17	≤-11.81	PASS
BLE_2M	Ant1	2440	9000~11000	8.19	-64.4	≤-11.81	PASS
BLE_2M	Ant1	2440	11000~13000	8.19	-42.51	≤-11.81	PASS
BLE_2M	Ant1	2440	13000~15000	8.19	-65.05	≤-11.81	PASS
BLE_2M	Ant1	2440	15000~17000	8.19	-65.07	≤-11.81	PASS
BLE_2M	Ant1	2440	17000~19000	8.19	-63.71	≤-11.81	PASS
BLE_2M	Ant1	2440	19000~21000	8.19	-56.21	≤-11.81	PASS
BLE_2M	Ant1	2440	21000~23000	8.19	-62.33	≤-11.81	PASS
BLE_2M	Ant1	2440	23000~25000	8.19	-62.05	≤-11.81	PASS
BLE_2M	Ant1	2480	30~1000	7.52	-67.21	≤-12.48	PASS
BLE_2M	Ant1	2480	1000~3000	7.52	-64.36	≤-12.48	PASS
BLE_2M	Ant1	2480	3000~5000	7.52	-62.66	≤-12.48	PASS
BLE_2M	Ant1	2480	5000~7000	7.52	-64.92	≤-12.48	PASS
BLE_2M	Ant1	2480	7000~9000	7.52	-57.68	≤-12.48	PASS
BLE_2M	Ant1	2480	9000~11000	7.52	-64.48	≤-12.48	PASS
BLE_2M	Ant1	2480	11000~13000	7.52	-44.35	≤-12.48	PASS
BLE_2M	Ant1	2480	13000~15000	7.52	-64.84	≤-12.48	PASS
BLE_2M	Ant1	2480	15000~17000	7.52	-65.11	≤-12.48	PASS
BLE_2M	Ant1	2480	17000~19000	7.52	-57.33	≤-12.48	PASS
BLE_2M	Ant1	2480	19000~21000	7.52	-57.84	≤-12.48	PASS
BLE_2M	Ant1	2480	21000~23000	7.52	-62.12	≤-12.48	PASS
BLE_2M	Ant1	2480	23000~25000	7.52	-61.58	≤-12.48	PASS
BLE_125K	Ant1	2402	30~1000	7.99	-66.49	≤-12.01	PASS
BLE_125K	Ant1	2402	1000~3000	7.99	-64.22	≤-12.01	PASS
BLE_125K	Ant1	2402	3000~5000	7.99	-51.59	≤-12.01	PASS
BLE_125K	Ant1	2402	5000~7000	7.99	-59.42	≤-12.01	PASS
BLE_125K	Ant1	2402	7000~9000	7.99	-62.27	≤-12.01	PASS
BLE_125K	Ant1	2402	9000~11000	7.99	-64.1	≤-12.01	PASS
BLE_125K	Ant1	2402	11000~13000	7.99	-47.23	≤-12.01	PASS
BLE_125K	Ant1	2402	13000~15000	7.99	-64.74	≤-12.01	PASS
BLE_125K	Ant1	2402	15000~17000	7.99	-59.23	≤-12.01	PASS
BLE_125K	Ant1	2402	17000~19000	7.99	-63.77	≤-12.01	PASS
BLE_125K	Ant1	2402	19000~21000	7.99	-56.59	≤-12.01	PASS
BLE_125K	Ant1	2402	21000~23000	7.99	-61.97	≤-12.01	PASS
BLE_125K	Ant1	2402	23000~25000	7.99	-61.69	≤-12.01	PASS
BLE_125K	Ant1	2440	30~1000	7.90	-66.48	≤-12.1	PASS
BLE_125K	Ant1	2440	1000~3000	7.90	-64.54	≤-12.1	PASS
BLE_125K	Ant1	2440	3000~5000	7.90	-57.66	≤-12.1	PASS
BLE_125K	Ant1	2440	5000~7000	7.90	-65.32	≤-12.1	PASS
BLE_125K	Ant1	2440	7000~9000	7.90	-60.04	≤-12.1	PASS
BLE_125K	Ant1	2440	9000~11000	7.90	-64.74	≤-12.1	PASS
BLE_125K	Ant1	2440	11000~13000	7.90	-42.24	≤-12.1	PASS

BLE_125K	Ant1	2440	13000~15000	7.90	-64.12	≤-12.1	PASS
BLE_125K	Ant1	2440	15000~17000	7.90	-65.4	≤-12.1	PASS
BLE_125K	Ant1	2440	17000~19000	7.90	-62.89	≤-12.1	PASS
BLE_125K	Ant1	2440	19000~21000	7.90	-58.08	≤-12.1	PASS
BLE_125K	Ant1	2440	21000~23000	7.90	-62.34	≤-12.1	PASS
BLE_125K	Ant1	2440	23000~25000	7.90	-61.15	≤-12.1	PASS
BLE_125K	Ant1	2480	30~1000	7.24	-66.35	≤-12.76	PASS
BLE_125K	Ant1	2480	1000~3000	7.24	-64.71	≤-12.76	PASS
BLE_125K	Ant1	2480	3000~5000	7.24	-63.35	≤-12.76	PASS
BLE_125K	Ant1	2480	5000~7000	7.24	-65.4	≤-12.76	PASS
BLE_125K	Ant1	2480	7000~9000	7.24	-57.79	≤-12.76	PASS
BLE_125K	Ant1	2480	9000~11000	7.24	-64.11	≤-12.76	PASS
BLE_125K	Ant1	2480	11000~13000	7.24	-45.48	≤-12.76	PASS
BLE_125K	Ant1	2480	13000~15000	7.24	-65.28	≤-12.76	PASS
BLE_125K	Ant1	2480	15000~17000	7.24	-65.37	≤-12.76	PASS
BLE_125K	Ant1	2480	17000~19000	7.24	-58.04	≤-12.76	PASS
BLE_125K	Ant1	2480	19000~21000	7.24	-58.23	≤-12.76	PASS
BLE_125K	Ant1	2480	21000~23000	7.24	-62.67	≤-12.76	PASS
BLE_125K	Ant1	2480	23000~25000	7.24	-61.76	≤-12.76	PASS
BLE_500K	Ant1	2402	30~1000	10.59	-67.15	≤-9.41	PASS
BLE_500K	Ant1	2402	1000~3000	10.59	-64.45	≤-9.41	PASS
BLE_500K	Ant1	2402	3000~5000	10.59	-48.27	≤-9.41	PASS
BLE_500K	Ant1	2402	5000~7000	10.59	-65.63	≤-9.41	PASS
BLE_500K	Ant1	2402	7000~9000	10.59	-60.18	≤-9.41	PASS
BLE_500K	Ant1	2402	9000~11000	10.59	-62.76	≤-9.41	PASS
BLE_500K	Ant1	2402	11000~13000	10.59	-44.71	≤-9.41	PASS
BLE_500K	Ant1	2402	13000~15000	10.59	-64.99	≤-9.41	PASS
BLE_500K	Ant1	2402	15000~17000	10.59	-58.36	≤-9.41	PASS
BLE_500K	Ant1	2402	17000~19000	10.59	-63.53	≤-9.41	PASS
BLE_500K	Ant1	2402	19000~21000	10.59	-54.76	≤-9.41	PASS
BLE_500K	Ant1	2402	21000~23000	10.59	-61.94	≤-9.41	PASS
BLE_500K	Ant1	2402	23000~25000	10.59	-61.83	≤-9.41	PASS
BLE_500K	Ant1	2440	30~1000	10.43	-66.68	≤-9.57	PASS
BLE_500K	Ant1	2440	1000~3000	10.43	-63.98	≤-9.57	PASS
BLE_500K	Ant1	2440	3000~5000	10.43	-55.37	≤-9.57	PASS
BLE_500K	Ant1	2440	5000~7000	10.43	-63.28	≤-9.57	PASS
BLE_500K	Ant1	2440	7000~9000	10.43	-58.05	≤-9.57	PASS
BLE_500K	Ant1	2440	9000~11000	10.43	-64.35	≤-9.57	PASS
BLE_500K	Ant1	2440	11000~13000	10.43	-40.14	≤-9.57	PASS
BLE_500K	Ant1	2440	13000~15000	10.43	-64.47	≤-9.57	PASS
BLE_500K	Ant1	2440	15000~17000	10.43	-64.88	≤-9.57	PASS
BLE_500K	Ant1	2440	17000~19000	10.43	-63.98	≤-9.57	PASS
BLE_500K	Ant1	2440	19000~21000	10.43	-55.59	≤-9.57	PASS
BLE_500K	Ant1	2440	21000~23000	10.43	-61.58	≤-9.57	PASS
BLE_500K	Ant1	2440	23000~25000	10.43	-61.83	≤-9.57	PASS
BLE_500K	Ant1	2480	30~1000	9.61	-67.35	≤-10.39	PASS
BLE_500K	Ant1	2480	1000~3000	9.61	-63.46	≤-10.39	PASS
BLE_500K	Ant1	2480	3000~5000	9.61	-60.8	≤-10.39	PASS
BLE_500K	Ant1	2480	5000~7000	9.61	-65.49	≤-10.39	PASS
BLE_500K	Ant1	2480	7000~9000	9.61	-55.85	≤-10.39	PASS
BLE_500K	Ant1	2480	9000~11000	9.61	-65.24	≤-10.39	PASS


BLE_500K	Ant1	2480	11000~13000	9.61	-43.44	≤ -10.39	PASS
BLE_500K	Ant1	2480	13000~15000	9.61	-65.08	≤ -10.39	PASS
BLE_500K	Ant1	2480	15000~17000	9.61	-65.32	≤ -10.39	PASS
BLE_500K	Ant1	2480	17000~19000	9.61	-54.72	≤ -10.39	PASS
BLE_500K	Ant1	2480	19000~21000	9.61	-56.03	≤ -10.39	PASS
BLE_500K	Ant1	2480	21000~23000	9.61	-62.39	≤ -10.39	PASS
BLE_500K	Ant1	2480	23000~25000	9.61	-61.35	≤ -10.39	PASS



BLE_1M-Ant1-2402-30~1000-PASS




BLE_1M-Ant1-2402-1000~3000-PASS




BLE_1M-Ant1-2402-3000~5000-PASS




BLE_1M-Ant1-2402-5000~7000-PASS




BLE_1M-Ant1-2402-7000~9000-PASS




BLE_1M-Ant1-2402-9000~11000-PASS




BLE_1M-Ant1-2402-11000~13000-PASS




BLE_1M-Ant1-2402-13000~15000-PASS




BLE_1M-Ant1-2402-15000~17000-PASS




BLE_1M-Ant1-2402-17000~19000-PASS




BLE_1M-Ant1-2402-19000~21000-PASS




BLE_1M-Ant1-2402-21000~23000-PASS




BLE_1M-Ant1-2402-23000~25000-PASS




BLE_1M-Ant1-2440-30~1000-PASS




BLE_1M-Ant1-2440-1000~3000-PASS




BLE_1M-Ant1-2440-3000~5000-PASS




BLE_1M-Ant1-2440-5000~7000-PASS




BLE_1M-Ant1-2440-7000~9000-PASS




BLE_1M-Ant1-2440-9000~11000-PASS




BLE_1M-Ant1-2440-11000~13000-PASS




BLE_1M-Ant1-2440-13000~15000-PASS




BLE_1M-Ant1-2440-15000~17000-PASS




BLE_1M-Ant1-2440-17000~19000-PASS




BLE_1M-Ant1-2440-19000~21000-PASS




BLE_1M-Ant1-2440-21000~23000-PASS




BLE_1M-Ant1-2440-23000~25000-PASS




BLE_1M-Ant1-2480-30~1000-PASS




BLE_1M-Ant1-2480-1000~3000-PASS




BLE_1M-Ant1-2480-3000~5000-PASS




BLE_1M-Ant1-2480-5000~7000-PASS




BLE_1M-Ant1-2480-7000~9000-PASS




BLE_1M-Ant1-2480-9000~11000-PASS



BLE_1M-Ant1-2480-11000~13000-PASS




BLE_1M-Ant1-2480-13000~15000-PASS




BLE_1M-Ant1-2480-15000~17000-PASS




BLE_1M-Ant1-2480-17000~19000-PASS




BLE_1M-Ant1-2480-19000~21000-PASS




BLE_1M-Ant1-2480-21000~23000-PASS




BLE_1M-Ant1-2480-23000~25000-PASS




BLE_2M-Ant1-2402-30~1000-PASS




BLE_2M-Ant1-2402-1000~3000-PASS




BLE_2M-Ant1-2402-3000~5000-PASS




BLE_2M-Ant1-2402-5000~7000-PASS



BLE_2M-Ant1-2402-7000~9000-PASS



BLE_2M-Ant1-2402-9000~11000-PASS



BLE_2M-Ant1-2402-11000~13000-PASS