


## Product Instruction

Voyant 360 dash cam is a smart hardware device which can save videos and snapshots when you go out driving, hiking, skateboarding, etc., whenever you feel like making some awesome videos or pictures. Most importantly, all these can be done through an APP on your mobile phone.



Scan the code to download App



Please read and understand all instructions before you use your device. If you do not use the device properly and follow all instructions, the warranty for this device may be voided.

### Using SD card


- (1) Insert the included 64GB SD card into the SD card slot until it clicks into place.
- (2) To remove the SD card, press the top of the SD card lightly and the SD card will eject partially, allowing you remove it.
- (3) If the device does not have an SD card in the SD slot, the screen will display a notification for SD card insertion.

### Please Note:


- (1) If the SD Card is inserted incorrectly, it will damage the device and/or SD card.
- (2) The device will recognize the SD Card automatically after it is inserted.

## Packing List

1 ) Dash Cam x1	2 ) Car Charge Power Line x1	3 ) Suction Mount x1
4 ) Car Power Adapter x1	5 ) Product Instruction x1	6 ) Glass Cleaning Wipes x1
7 ) 32 GB micro SD card		



## Driving Video



Operating temperature: "-20°~65°"

 : Power mode

 : Battery mode

 : WiFi created


 : Audio off

- 1 Auto Start to record after startup
- 2 When recording, press the REC Button [  ] to stop recording, and press it again to resume recording
- 3 When recording, press the Triad Button [  ] to turn on/off Audio Record function
- 4 When the SD card is full, the device will begin to record over previously recorded segments, looping from the first recorded segment in the storage sequence within the SD card.

 : Recording    : Video recording


## Recording Emergency Video

Emergency recording function can be triggered either by pressing the [  ] button or when accidental collision happens. When triggered, emergency recording function can help you save emergency video(s) that covers previous 10 and following 50 seconds of the trigger event permanently in an independent directory of the SD card, which won't be erased by the loop recording process unless you choose to delete them in the firmware's Menu Setup interface or through your mobile's APP.




- 1 During the recording process, press the emergency recording button [  ] to make an emergency video, press the REC button [  ] to terminate.
- 2 This indicator [  ] implies that emergency recording function is triggered and shows the saved percentage of the emergency video.

## Menu Setup



- 1 In the normal loop-recording process, press the REC Button [ REC ] to terminate recording
- 2 Then press the Triad Button [ Triad ] to enter the Menu Setup interface

## 1. Video Playback



Press the Emergency Recording Button [ ! ], which links to the action of "select", to conduct the playback of the videos'

## 2. REC



In the mode of Mute, all videos recorded will have no sound of ambient atmosphere.  
In the mode of Unmute, all videos will return to having sound.

### 3. Auto-shut of LCD



LCD ON



LCD OFF

After turning on the Auto-shut function, the screen will be automatically closed if no operation is conducted within 60 seconds, and the recording of videos will continue without stopping.

### 4. System Setup

System setup can be done in the Setting menu. Enter the Setting menu by pressing [  ] at the Setting Icon 



Format SD Card



Date / Time



Security Verification

Please make sure that you've saved copies of recorded videos before reformatting the SD card.

Select the item you would like to change by pressing [  ], and set the item by pressing [  ].

Please note that factory reset won't change the preset date and time.

After you choose to conduct security verification, this device's first connection to a mobile phone will require manual confirmation.



WiFi Network

You need to keep the WiFi network of this device turned on to realize all the operations you make through the APP on your mobile.



Factory Reset

Factory reset will not delete any recorded videos saved in the SD card.



About

About this Dash Cam "XXXX" — Firmware Version  
SN:360JXXXXXXXXXXXX — Device Serial Number

## Troubleshooting

Scene	Troubles	Reasons/Resolutions
Installment	Suction mount frequently falls off	Remove dust-proof membrane before installing, and keep the glass clean at the adsorption position. <a href="#">(use the glass cleaning wipes in the package to clean the glass)</a>
	Image blurring	Car windscreen has a reflective effect, please adjust inclination angle of the Dash Cam according to its installation position.
	Great difference between recording in daytime and night	Light transmittance of common front glass's heat-insulating film is 68%~80%, resulting in different recording effect between day and night.
	Frequent power failure of the device	Because different cars have different designs for the lighter adapter, please adjust the insertion status of the charger cable, and try to reinforce the loose structures around the lighter or the car charger to avoid dangers of short circuit.
Start-up process	Unable to launch	Please check whether the indicator light of the car charger is on. If it has no light, please plug in the charger again. The battery may be in low power. Please connect the USB power line. Press power button for 10 seconds to shut down device, and press the power button again to reopen.
	Boot screen stops or is black, with no effect by pressing button	Press power button for 10 seconds to shut down device, and press the power button again to reopen. Change SD card. <a href="#">(Changing into Class 10 SD card is recommended)</a>
Recording process	Fail to auto-start video recording after engine's start-up	Check whether SD card is inserted. Plug in SD card again after cutting off power. Format SD card or change card.
	Video recording abnormally stops	Press  to start recording manually. Format SD card. Change SD card. <a href="#">(Changing into Class 10 SD card is recommended)</a>
	Black screen	During recording, if no operation is conducted within 60 seconds, the screen will automatically shut down and switch to power-saving mode. Press any button and the screen will be back on. This setting can be changed in Menu Setup interface.
	Videos have no sound	Check if video are set to the silent mode by pressing the Triad Button during recording process or by a setting in the Menu Setup.

Scene	Troubles	Reasons/Resolutions
Recording process	Fail to auto-start video recording after engine's start-up	Check whether SD card is inserted. Plug in SD card again after cutting off power. Format SD card or change card.
	Video recording abnormally stops	Press  to start recording manually. Format SD card. Change SD card. <a href="#">(Changing into Class 10 SD card is recommended)</a>
	Black screen	During recording, if no operation is conducted within 60 seconds, the screen will automatically shut down and switch to power-saving mode. Press any button and the screen will be back on. This setting can be changed in Menu Setup Interface.
	Videos have no sound	Check if video are set to the silent mode by pressing the Triad Button during recording process or by a setting in the Menu Setup.
	Video fuzzy	Check whether the lens protection tags are removed. Check whether the windshield or lens is dirty.
	Time error of videos	Connect to the device with your mobile APP, and the system will correct the time setting automatically.
Connect to the computer	Cannot find an external storage device	Complimentary USB power line can only be used to charge, and cannot be used to connect to the computer; please use other USB data line
Recording process	Fail to auto-start video recording after engine's start-up	Check whether SD card is inserted. Plug in SD card again after cutting off power. Format SD card or change card.
	Video recording abnormally stops	Press  to start recording manually. Format SD card. Change SD card. <a href="#">(Changing into Class 10 SD card is recommended)</a>
	Black screen	During recording, if no operation is conducted within 60 seconds, the screen will automatically shut down and switch to power-saving mode. Press any button and the screen will be back on. This setting can be changed in Menu Setup Interface.
	Videos have no sound	Check if video are set to the silent mode by pressing the Triad Button during recording process or by a setting in the Menu Setup.

Scene	Troubles	Reasons/Resolutions
Recording process	Video fuzzy	Check whether the lens protection tags are removed. Check whether the windshield or lens is dirty.
	Time error of videos	Connect to the device with your mobile APP, and the system will correct the time setting automatically.
WiFi connect to phone process	Cannot find an external storage device	Complimentary USB power line can only be used to charge, and cannot be used to connect to the computer; please use other USB data line
	Mobile phones cannot connect to device	Check whether the mobile phone's WiFi is turned on ( <a href="#">iOS users must choose the WiFi service in settings of your Apple mobile devices.</a> ) Shut down APP, and reopen APP.
	Video recorded cannot be played on mobile phones	This problem may be related to the video player or system of the mobile phone. Using computer to read the SD card and play the videos is recommended.
	Slow connecting	If there are many sources of signals in the ambient atmosphere, connection may be slow due to signal interference. Hence we suggest using your device in a condition of less signal interference. Another scenario is that your mobile device's system is in a busy condition, hence closing and reopening of the APP is recommended.
	Forget APP access password	In the Setup Menu, choose [Factory Reset] to reset <a href="#">(In the Menu Setup interface, choose [Factory Reset] to reset your device and password.)</a> <a href="#">(Factory Reset will not delete videos already saved in the SD card.)</a>

## Caution

- This product may cause interference with the functions of certain medical equipment without proper protections. Please consult your doctor or medical equipment manufacturer if there is a problem or you are uncertain whether your medical equipment can block any external radio frequency.
- Do not expose this product to severe strike or vibration in order to prevent product damages and malfunctions.
- Please suspend using this product before cleaning and maintenance.
- Do not use chemical solvent or cleaning solvent to clean this product.
- Do not disassemble or modify this product.
- Do not store this product and its accessories in an area under extreme temperature. Otherwise it may cause malfunction, fire or explosion.
- The temperature range for normal function of this product is -20 to 65 degrees Celsius (-4 to 149 degrees Fahrenheit).
- Do not place this product near heat or fire sources, such as electric heater, microwave oven, oven, water heater, stove fire, candle or other places that may generate high temperature.
- Please use this product to the extent permitted by law.

## Special Caution to the Use of Charger

- The electrical outlet shall be installed near this product and easily accessible when charging.
- When this product is fully charged or not charged, please disconnect the charger from this product and unplug the charger from the electrical outlet.
- Do not drop or bump the charger. Please contact our Service Center for exchange if the housing of charger is damaged.
- If the charger plug or power cord is damaged, do not continue using it in order to prevent electric shock or fire.
- The charger is not water-proof, Do not use it in kitchen, bathroom or other places with high temperature or humidity. Otherwise it may cause certain hazards such as electric shock, fire or charger failure.
- Do not short-circuit, disassemble or modify the charger. Otherwise it may cause certain hazards such as personal injury, electric shock, fire or charger failure.
- Do not touch the power cord, product or charger with wet hands in order to prevent short-circuit, product malfunction or electric shock.

## Special Caution to the Use of the Built-in Battery

- Do not disassemble or modify the built-in battery in order to prevent battery failure, heat and fire.
- Do not throw this battery in any fire or leave the battery in places with high temperature. Otherwise it may cause fire or explosion.
- Do not use the battery for any other purpose. Never use any charger or battery that is damaged.
- If unusually high temperature, deformation, discoloration, inflating, leakage of battery fluid or other anomalies is noticed during use, charging or maintenance, please stop using it and contact our Service Center for exchange in order to prevent hazards.

## Limited Warranty:

Noviant, Qihoo 360's authorized distributor in North America, warrants the Product against defects in material or workmanship for the time, periods and as set forth below. Pursuant to this Limited Warranty, Noviant will, at its discretion, (i) repair the product using new or refurbished parts or (ii) replace the product with a new or refurbished product. For purposes of this Limited Warranty, "refurbished" means a product or part that has been returned to its original specifications.

Term: For a period of one (1) year from the original date of purchase of the Product, Noviant will, at its option, repair or replace with new or refurbished product or parts, any product or parts determined to be defective.

This Limited Warranty covers only the hardware components packaged with the Product. It does not cover technical assistance for hardware or software usage and it does not cover any software products whether or not contained in the Product. The battery unit has warranty period of ninety (90) days, and accessories to the main hardware are not covered in this Limited Warranty.

In addition, Limited Warranty does not apply in the following cases:

- (a) Loss or damage to the Product due to abuse, incorrect mounting, improper packaging by the user, alteration, accident, electrical current fluctuations, failure to follow operating, maintenance or environmental instructions prescribed in User Manual or services performed by someone other than Noviant or a Noviant authorized service provider for the Product. Without limiting the foregoing, water damage, corrosion damage, battery leakage, dropping the Product, scratches, abrasions or damage to the body, lenses or LCD display or damage to any of the accessories will be presumed to have resulted from misuse, abuse or failure to operate the Product as set forth in the operating instructions;

Instructions: To obtain warranty service, you must deliver the product, freight prepaid, in either its original packaging or packaging affording an equal degree of protection to the Noviant at the following address:

Noviant  
32 Broadway, 4th Floor  
New York, NY 10004  
Tel: 917-338-8804

It is the user's responsibility to backup any data, software or other materials the user may have stored or preserved in the product. It is likely that such data, software, or other materials will be lost or damaged during service and Noviant will not be responsible for any such damage or loss. Meanwhile, a copy of your dated proof of purchase and a complete explanation are required. Do not include any other item with the defective Product. The Product covered by this Limited Warranty and proven to be defective upon inspection will be repaired and returned to you without charge by Noviant or Noviant's authorized service centers.

Any Product received by Noviant or Noviant's authorized service centers that is not covered by this Limited Warranty will be returned unrepairs.

CUSTOMER SERVICE TEL.: 1 (212) 461-6615  
CUSTOMER SERVICE EMAIL: [voyant360@noviant.com](mailto:voyant360@noviant.com)

### **FCC Warning:**

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radiocommunications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

### **RF exposure statement:**

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

### **IC Warning:**

#### **– English:**

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) This device may not cause interference, and (2) This device must accept any interference, including interference that may cause undesired operation of the device.

#### **– French:**

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions

suivantes:

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.