



Maximum location: X=-48.00, Y=-48.00

SAR 10g (W/Kg)	0.031151
SAR 1g (W/Kg)	0.048188



MEASUREMENT 27

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	WCDMA1900_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1907.600000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	1.653352
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-56.00, Y=-56.00

SAR 10g (W/Kg)	0.133653
SAR 1g (W/Kg)	0.231472



MEASUREMENT 28

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Tilt
Band	WCDMA1900_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1907.600000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	1.532452
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-58.00, Y=-48.00

SAR 10g (W/Kg)	0.028850
SAR 1g (W/Kg)	0.044843



MEASUREMENT 29

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	WCDMA1900_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1907.600000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	1.534242
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-11.00, Y=-2.00

SAR 10g (W/Kg)	0.280794
SAR 1g (W/Kg)	0.470133



MEASUREMENT 30

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	WCDMA1900_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1907.600000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	0.906634
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-17.00, Y=25.00

SAR 10g (W/Kg)	0.340380
SAR 1g (W/Kg)	0.643825



MEASUREMENT 31

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	WCDMA1900_RMC
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1852.400000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	1.847552
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-3.00, Y=16.00

SAR 10g (W/Kg)	0.378820
SAR 1g (W/Kg)	0.721592



MEASUREMENT 32

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	WCDMA1900_RMC
Channels	Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	1.546257
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-2.00, Y=16.00

SAR 10g (W/Kg)	0.410922
SAR 1g (W/Kg)	0.781248



MEASUREMENT 33

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	WCDMA1900_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1907.600000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	1.546235
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-1.00, Y=16.00

SAR 10g (W/Kg)	0.453267
SAR 1g (W/Kg)	0.870970



MEASUREMENT 34

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Left side
Band	WCDMA1900_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1907.600000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	1.583732
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=1.00, Y=-32.00

SAR 10g (W/Kg)	0.170325
SAR 1g (W/Kg)	0.307217



MEASUREMENT 35

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Cheek
Band	WCDMA850_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	846.600000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.342427
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-50.00, Y=-32.00

SAR 10g (W/Kg)	0.150928
SAR 1g (W/Kg)	0.189902



MEASUREMENT 36

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Tilt
Band	WCDMA850_ RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	846.600000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.452324
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-40.00, Y=-17.00

SAR 10g (W/Kg)	0.117984
SAR 1g (W/Kg)	0.155999



MEASUREMENT 37

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	WCDMA850_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	846.600000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.734324
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-50.00, Y=-36.00

SAR 10g (W/Kg)	0.144576
SAR 1g (W/Kg)	0.179437



MEASUREMENT 38

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Tilt
Band	WCDMA850_RMC
Channels	High
Signal	Duty Cycle 1:1


B. SAR Measurement Results


Frequency (MHz)	846.600000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.456843
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-38.00, Y=-23.00

SAR 10g (W/Kg)	0.097313
SAR 1g (W/Kg)	0.126017



3D screen shot	Hot spot position
	

MEASUREMENT 39

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	WCDMA850_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	846.600000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	2.341234
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-6.00, Y=-47.00

SAR 10g (W/Kg)	0.234700
SAR 1g (W/Kg)	0.299091



MEASUREMENT 40

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	WCDMA850_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	846.600000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	2.341221
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=0.00, Y=-47.00

SAR 10g (W/Kg)	0.191837
SAR 1g (W/Kg)	0.244064



MEASUREMENT 41

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	WCDMA850_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	846.600000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	1.452233
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-3.00, Y=7.00

SAR 10g (W/Kg)	0.102307
SAR 1g (W/Kg)	0.157240



MEASUREMENT 42

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Left side
Band	WCDMA850_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	846.600000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	1.634634
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=0.00, Y=17.00

SAR 10g (W/Kg)	0.196634
SAR 1g (W/Kg)	0.274469



MEASUREMENT 43

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Cheek
Band	LTE Band 2_RMC
Channels	QPSK, 1.4MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	1.743564
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-57.00, Y=-63.00

SAR 10g (W/Kg)	0.123178
SAR 1g (W/Kg)	0.204044



MEASUREMENT 44

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Tilt
Band	LTE Band 2_RMC
Channels	QPSK, 1.4MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	1.034524
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-1.00, Y=-3.00

SAR 10g (W/Kg)	0.022826
SAR 1g (W/Kg)	0.040680



MEASUREMENT 45

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	LTE Band 2_RMC
Channels	QPSK, 1.4MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	2.325563
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-56.00, Y=-56.00

SAR 10g (W/Kg)	0.103532
SAR 1g (W/Kg)	0.176291



MEASUREMENT 46

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Tilt
Band	LTE Band 2_RMC
Channels	QPSK, 1.4MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	1.734534
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-8.00, Y=3.00

SAR 10g (W/Kg)	0.018401
SAR 1g (W/Kg)	0.031842



MEASUREMENT 47

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 2_RMC
Channels	QPSK, 1.4MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	1.523573
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-3.00, Y=-1.00

SAR 10g (W/Kg)	0.241351
SAR 1g (W/Kg)	0.397368



MEASUREMENT 48

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	LTE Band 2_RMC
Channels	QPSK, 1.4MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	0.834515
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-12.00, Y=16.00

SAR 10g (W/Kg)	0.359209
SAR 1g (W/Kg)	0.695295



MEASUREMENT 49

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 2_RMC
Channels	QPSK, 1.4MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	1.482632
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-1.00, Y=11.00

SAR 10g (W/Kg)	0.347431
SAR 1g (W/Kg)	0.654677



MEASUREMENT 50

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Left side
Band	LTE Band 2_RMC
Channels	QPSK, 1.4MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	1.443922
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=7.00, Y=-8.00

SAR 10g (W/Kg)	0.100960
SAR 1g (W/Kg)	0.178305



MEASUREMENT 51

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Cheek
Band	LTE Band 4_RMC
Channels	QPSK, 3MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1732.500000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.374628
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-56.00, Y=-57.00

SAR 10g (W/Kg)	0.185738
SAR 1g (W/Kg)	0.313734



MEASUREMENT 52

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Tilt
Band	LTE Band 4_RMC
Channels	QPSK, 3MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1732.500000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.783475
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-8.00, Y=0.00

SAR 10g (W/Kg)	0.018053
SAR 1g (W/Kg)	0.030028



MEASUREMENT 53

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	LTE Band 4_RMC
Channels	QPSK, 3MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1732.500000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.635879
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-56.00, Y=-62.00

SAR 10g (W/Kg)	0.116369
SAR 1g (W/Kg)	0.189182



MEASUREMENT 54

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Tilt
Band	LTE Band 4_RMC
Channels	QPSK, 3MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1732.500000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.582648
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-6.00, Y=0.00

SAR 10g (W/Kg)	0.015023
SAR 1g (W/Kg)	0.024260



MEASUREMENT 55

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 4_RMC
Channels	QPSK, 3MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1732.500000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	0.858383
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-6.00, Y=-14.00

SAR 10g (W/Kg)	0.359092
SAR 1g (W/Kg)	0.576843



MEASUREMENT 56

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	LTE Band 4_RMC
Channels	QPSK, 3MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1732.500000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	0.858690
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-17.00, Y=11.00

SAR 10g (W/Kg)	0.428562
SAR 1g (W/Kg)	0.791782



MEASUREMENT 57

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 4_RMC
Channels	QPSK, 3MHz, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	1711.500000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	0.693830
Ambient Temperature	21.1
Liquid Temperature	21.2





Maximum location: X=16.00, Y=25.00

SAR 10g (W/Kg)	0.448659
SAR 1g (W/Kg)	0.830451

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.0000	0.8451	0.4917	0.2899	0.1790



3D screen shot	Hot spot position
	

MEASUREMENT 58

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 4_RMC
Channels	QPSK, 3MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1732.5000000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	0.654562
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=16.00, Y=25.00

SAR 10g (W/Kg)	0.423561
SAR 1g (W/Kg)	0.783970



MEASUREMENT 59

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 4_RMC
Channels	QPSK, 3MHz, High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1753.500000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	0.696347
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=16.00, Y=25.00

SAR 10g (W/Kg)	0.463943
SAR 1g (W/Kg)	0.860001



MEASUREMENT 60

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Left
Band	LTE Band 4_RMC
Channels	QPSK, 3MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1732.500000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	0.576823
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=2.00, Y=-6.00

SAR 10g (W/Kg)	0.105463
SAR 1g (W/Kg)	0.181291



MEASUREMENT 61

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Cheek
Band	LTE Band 5_RMC
Channels	16QAM, 5MHz,Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	836.500000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.422112
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-51.00, Y=-34.00

SAR 10g (W/Kg)	0.075894
SAR 1g (W/Kg)	0.086632



MEASUREMENT 62

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Tilt
Band	LTE Band 5_RMC
Channels	16QAM, 5MHz,Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	836.500000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.363232
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-39.00, Y=-23.00

SAR 10g (W/Kg)	0.043341
SAR 1g (W/Kg)	0.050003



MEASUREMENT 63

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	LTE Band 5_RMC
Channels	16QAM, 5MHz,Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	836.500000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.945217
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-56.00, Y=-32.00

SAR 10g (W/Kg)	0.069700
SAR 1g (W/Kg)	0.076844



MEASUREMENT 64

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Tilt
Band	LTE Band 5_RMC
Channels	16QAM, 5MHz,Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	836.500000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.355883
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-38.00, Y=-22.00

SAR 10g (W/Kg)	0.042092
SAR 1g (W/Kg)	0.044749



MEASUREMENT 65

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 5_RMC
Channels	16QAM, 5MHz,Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	836.500000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	0.954431
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-1.00, Y=45.00

SAR 10g (W/Kg)	0.128496
SAR 1g (W/Kg)	0.156842



MEASUREMENT 66

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	LTE Band 5_RMC
Channels	16QAM, 5MHz,Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	836.500000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	1.754322
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-7.00, Y=43.00

SAR 10g (W/Kg)	0.105575
SAR 1g (W/Kg)	0.128083



MEASUREMENT 67

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 5_RMC
Channels	16QAM, 5MHz,Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	836.500000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	2.339113
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-2.00, Y=11.00

SAR 10g (W/Kg)	0.026502
SAR 1g (W/Kg)	0.039740



MEASUREMENT 68

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Left side
Band	LTE Band 5_RMC
Channels	16QAM, 5MHz,Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	836.500000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	2.384742
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=1.00, Y=-34.00

SAR 10g (W/Kg)	0.105535
SAR 1g (W/Kg)	0.140508



MEASUREMENT 69

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.99; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Cheek
Band	LTE Band 17_RMC
Channels	QPSK, 10MHz, High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	711.000000
Relative Permittivity (real part)	41.320574
Conductivity (S/m)	0.862373
Power Variation (%)	1.422112
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-51.00, Y=-34.00

SAR 10g (W/Kg)	0.075894
SAR 1g (W/Kg)	0.086632



MEASUREMENT 70

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.99; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Tilt
Band	LTE Band 17_RMC
Channels	QPSK, 10MHz, High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	711.000000
Relative Permittivity (real part)	41.320574
Conductivity (S/m)	0.862373
Power Variation (%)	1.363232
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-39.00, Y=-23.00

SAR 10g (W/Kg)	0.043341
SAR 1g (W/Kg)	0.050003



MEASUREMENT 71

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.99; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	LTE Band 17_RMC
Channels	QPSK, 10MHz, High
Signal	Duty Cycle 1:1


B. SAR Measurement Results



Frequency (MHz)	711.000000
Relative Permittivity (real part)	41.320574
Conductivity (S/m)	0.862373
Power Variation (%)	1.945217
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-56.00, Y=-32.00

SAR 10g (W/Kg)	0.069700
SAR 1g (W/Kg)	0.076844



3D screen shot	Hot spot position
	

MEASUREMENT 72

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.99; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Tilt
Band	LTE Band 17_RMC
Channels	QPSK, 10MHz, High
Signal	Duty Cycle 1:1


B. SAR Measurement Results


Frequency (MHz)	711.000000
Relative Permittivity (real part)	41.320574
Conductivity (S/m)	0.862373
Power Variation (%)	1.355883
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-38.00, Y=-22.00

SAR 10g (W/Kg)	0.042092
SAR 1g (W/Kg)	0.044749



3D screen shot	Hot spot position
	

MEASUREMENT 73

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.28; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 17_RMC
Channels	QPSK, 10MHz, High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	711.000000
Relative Permittivity (real part)	54.964739
Conductivity (S/m)	0.9310484
Power Variation (%)	0.954431
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-1.00, Y=45.00

SAR 10g (W/Kg)	0.128496
SAR 1g (W/Kg)	0.156842



MEASUREMENT 74

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.28; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	LTE Band 17_RMC
Channels	QPSK, 10MHz, High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	711.000000
Relative Permittivity (real part)	54.964739
Conductivity (S/m)	0.9310484
Power Variation (%)	1.754322
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-7.00, Y=43.00

SAR 10g (W/Kg)	0.105575
SAR 1g (W/Kg)	0.128083



MEASUREMENT 75

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.28; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 17_RMC
Channels	QPSK, 10MHz, High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	711.000000
Relative Permittivity (real part)	54.964739
Conductivity (S/m)	0.9310484
Power Variation (%)	2.339113
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-2.00, Y=11.00

SAR 10g (W/Kg)	0.026502
SAR 1g (W/Kg)	0.039740



MEASUREMENT 76

Type: Phone measurement (Complete)

Date of measurement: 12/07/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.28; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Left side
Band	LTE Band 17_RMC
Channels	QPSK, 10MHz, High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	711.000000
Relative Permittivity (real part)	54.964739
Conductivity (S/m)	0.9310484
Power Variation (%)	2.384742
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=1.00, Y=-34.00

SAR 10g (W/Kg)	0.105535
SAR 1g (W/Kg)	0.140508



Annex C. EUT Photos


EUT View Front



EUT View Back




Antenna View



Annex D. Test Setup Photos

Test View 1 (Right Head)

Cheek




Tilt




Test View 2 (Left Head)


Cheek



Tilt



Test View 3**Front Side****Back Side**

Left side**Bottom Side**

Annex E. Calibration Certificate

Please refer to the exhibit for the calibration certificate

***** END OF REPORT *****