



20MHz,QPSK Lowest Channel




ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 8.FEB.2025 10:35:05

20MHz,QPSK Middle Channel



ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 8.FEB.2025 10:37:00

20MHz,QPSK Highest Channel



ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 8.FEB.2025 10:38:16

5.4 99% Occupied Bandwidth

Serial No.:	2WN8-1	Test Date:	2025/1/20~2025/1/22
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jojo Zhou	Test Result:	/

Environmental Conditions:

Temperature: (°C)	23.8~24.6	Relative Humidity: (%)	43~47	ATM Pressure: (kPa)	101~101.2
-----------------------------	-----------	----------------------------------	-------	-------------------------------	-----------

Test Equipment List and Details:


Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101461	2024/9/5	2025/9/4
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM503	2024/6/7	2025/6/6

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).


Test Data:

Operation Bands	Test Modes	Test Frequency (MHz)	99% Occupied Bandwidth (MHz)
900MHz SRD	1.4M QPSK	904	1.094
		916	1.094
		926	1.094
	10M QPSK	909	8.944
		915	8.944
		921	8.944
	20M QPSK	914	17.945
		915	17.945
		916	17.945
2.4GHz SRD	1.4M QPSK	2403.5	1.098
		2439.5	1.098
		2475.5	1.090
	10M QPSK	2407.5	8.944
		2439.5	8.944
		2471.5	8.944
	20M QPSK	2412.5	17.945
		2437.5	17.945
		2462.5	17.945


Note: Test only was performed at Chain 0.

900MHz SRD Band:**1.4MHz,QPSK Lowest Channel**


ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 20.JAN.2025 15:33:24

1.4MHz,QPSK Middle Channel


ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 20.JAN.2025 15:37:06

1.4MHz,QPSK Highest Channel


ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 20.JAN.2025 15:40:14

10MHz,QPSK Lowest Channel

ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 20.JAN.2025 15:45:20


10MHz,QPSK Middle Channel

ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 20.JAN.2025 16:44:55

10MHz,QPSK Highest Channel


ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 20.JAN.2025 16:48:33

20MHz,QPSK Lowest Channel




ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 20.JAN.2025 16:53:18

20MHz,QPSK Middle Channel




ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 20.JAN.2025 16:56:31


20MHz,QPSK Highest Channel




ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 20.JAN.2025 16:59:27

2.4GHz SRD Band:**1.4MHz,QPSK Lowest Channel**


ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 21.JAN.2025 16:04:29

1.4MHz,QPSK Middle Channel


ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 21.JAN.2025 16:16:08

1.4MHz,QPSK Highest Channel


ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 21.JAN.2025 16:20:02

10MHz,QPSK Lowest Channel

ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 21.JAN.2025 16:25:08


10MHz,QPSK Middle Channel

ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 21.JAN.2025 16:30:56

10MHz,QPSK Highest Channel


ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 21.JAN.2025 16:34:47

20MHz,QPSK Lowest Channel




ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 22.JAN.2025 09:20:15

20MHz,QPSK Middle Channel



ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 22.JAN.2025 09:27:53

20MHz,QPSK Highest Channel



ProjectNo.:2402A23350E-RF Tester:Jojo Zhou
Date: 22.JAN.2025 09:32:49

5.5 Maximum Conducted Output Power

Serial No.:	2WN8-1	Test Date:	2025/1/20~2025/1/22
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jojo Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	23.8~24.6	Relative Humidity: (%)	43~47	ATM Pressure: (kPa)	101~101.2
-----------------------------	-----------	----------------------------------	-------	-------------------------------	-----------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Anritsu	Microwave Peak Power Sensor	MA24418A	12618	2024/8/27	2025/8/26
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM503	2024/6/7	2025/6/6

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

Modulation	Test Modes	Test Frequency (MHz)	Maximum Conducted Average Output Power (dBm)			Limit (dBm)
			Chain 0	Chain 1	Total	
900M SRD QPSK	1.4MHz	904	13.45	14.78	17.18	≤30
		916	12.27	13.45	15.91	≤30
		926	12.12	13.57	15.92	≤30
	10MHz	909	15.62	16.43	19.05	≤30
		915	14.25	15.46	17.91	≤30
		921	14.41	15.75	18.14	≤30
	20MHz	914	17.09	18.21	20.70	≤30
		915	17.12	18.28	20.75	≤30
		916	17.18	18.39	20.84	≤30
2.4G SRD QPSK	1.4MHz	2403.5	23.09	23.13	26.12	≤30
		2439.5	22.05	23.41	25.79	≤30
		2475.5	16.68	17.82	20.30	≤30
	10MHz	2407.5	19.73	19.63	22.69	≤30
		2439.5	18.61	19.27	21.96	≤30
		2471.5	17.08	19.22	21.29	≤30
	20MHz	2412.5	16.81	16.84	19.84	≤30
		2437.5	17.53	17.81	20.68	≤30
		2462.5	16.79	17.66	20.26	≤30

5.6 Maximum Power Spectral Density

Serial No.:	2WN8-1	Test Date:	2025/1/20~2025/2/12
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jojo Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	23.8~24.9	Relative Humidity: (%)	43~48	ATM Pressure: (kPa)	101~102.2
----------------------	-----------	---------------------------	-------	------------------------	-----------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101461	2024/09/05	2025/09/04
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM503	2024/06/07	2025/06/06

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

Modulation	Test Modes	Test Frequency (MHz)	Power Spectral Density (dBm/3kHz)			Limit (dBm/3kHz)
			Chain 0	Chain 1	Total	
900M SRD QPSK	1.4M	904	-5.01	-3.64	-1.26	≤8.00
		916	-6.22	-4.89	-2.49	≤8.00
		926	-6.12	-4.92	-2.47	≤8.00
	10M	909	-12.93	-11.64	-9.23	≤8.00
		915	-13.89	-12.90	-10.36	≤8.00
		921	-13.68	-12.40	-9.98	≤8.00
	20M	914	-14.13	-12.72	-10.36	≤8.00
		915	-13.84	-12.76	-10.26	≤8.00
		916	-13.90	-12.67	-10.23	≤8.00
2.4G SRD QPSK	1.4M	2403.5	4.31	4.16	7.25	≤8.00
		2439.5	3.50	4.78	7.20	≤8.00
		2475.5	-1.87	-0.62	1.81	≤8.00
	10M	2407.5	-8.63	-9.37	-5.97	≤8.00
		2439.5	-9.61	-9.40	-6.49	≤8.00
		2471.5	-11.67	-9.22	-7.26	≤8.00
	20M	2412.5	-14.08	-14.40	-11.23	≤8.00
		2437.5	-13.64	-13.05	-10.32	≤8.00
		2462.5	-14.27	-13.45	-10.83	≤8.00