












Mode	45																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.85</td><td>48.65</td><td>74.00</td><td>-25.35</td><td>38.68</td><td>34.17</td><td>8.42</td><td>32.62</td><td>102</td><td>179 PEAK</td></tr><tr><td>2</td><td>5466.70</td><td>47.92</td><td>68.30</td><td>-20.38</td><td>37.95</td><td>34.18</td><td>8.40</td><td>32.61</td><td>102</td><td>179 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.85	48.65	74.00	-25.35	38.68	34.17	8.42	32.62	102	179 PEAK	2	5466.70	47.92	68.30	-20.38	37.95	34.18	8.40	32.61	102	179 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.04</td><td>-----</td><td>-----</td><td>97.09</td><td>34.19</td><td>8.36</td><td>32.60</td><td>102</td><td>179 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.04	-----	-----	97.09	34.19	8.36	32.60	102
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5454.85	48.65	74.00	-25.35	38.68	34.17	8.42	32.62	102	179 PEAK																																																																																										
2	5466.70	47.92	68.30	-20.38	37.95	34.18	8.40	32.61	102	179 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	107.04	-----	-----	97.09	34.19	8.36	32.60	102	179 PEAK																																																																																										
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.80</td><td>39.59</td><td>54.00</td><td>-14.41</td><td>29.62</td><td>34.17</td><td>8.41</td><td>32.61</td><td>102</td><td>179 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.80	39.59	54.00	-14.41	29.62	34.17	8.41	32.61	102	179 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>98.15</td><td>-----</td><td>-----</td><td>88.20</td><td>34.19</td><td>8.36</td><td>32.60</td><td>102</td><td>179 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.15	-----	-----	88.20	34.19	8.36	32.60	102	179 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5459.80	39.59	54.00	-14.41	29.62	34.17	8.41	32.61	102	179 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	98.15	-----	-----	88.20	34.19	8.36	32.60	102	179 AVERAGE																																																																																										








Mode	46																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																			
Peak																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5451.66</td><td>48.08</td><td>74.00</td><td>-25.92</td><td>38.11</td><td>34.17</td><td>8.42</td><td>32.62</td><td>293</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5461.78</td><td>47.17</td><td>68.30</td><td>-21.13</td><td>37.20</td><td>34.17</td><td>8.41</td><td>32.61</td><td>293</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5451.66	48.08	74.00	-25.92	38.11	34.17	8.42	32.62	293	360	PEAK	2	5461.78	47.17	68.30	-21.13	37.20	34.17	8.41	32.61	293	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5580.00</td><td>79.33</td><td>68.30</td><td>11.03</td><td>69.41</td><td>34.32</td><td>8.26</td><td>32.66</td><td>293</td><td>360</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5580.00	79.33	68.30	11.03	69.41	34.32	8.26	32.66	293	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5451.66	48.08	74.00	-25.92	38.11	34.17	8.42	32.62	293	360	PEAK																																																																																															
2	5461.78	47.17	68.30	-21.13	37.20	34.17	8.41	32.61	293	360	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5580.00	79.33	68.30	11.03	69.41	34.32	8.26	32.66	293	360	PEAK																																																																																															
Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5456.72</td><td>38.57</td><td>54.00</td><td>-15.43</td><td>28.60</td><td>34.17</td><td>8.41</td><td>32.61</td><td>293</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5456.72	38.57	54.00	-15.43	28.60	34.17	8.41	32.61	293	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5580.00</td><td>71.07</td><td>-----</td><td>-----</td><td>61.15</td><td>34.32</td><td>8.26</td><td>32.66</td><td>293</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5580.00	71.07	-----	-----	61.15	34.32	8.26	32.66	293	360	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5456.72	38.57	54.00	-15.43	28.60	34.17	8.41	32.61	293	360	AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5580.00	71.07	-----	-----	61.15	34.32	8.26	32.66	293	360	AVERAGE																																																																																															





Mode	46																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																		
ANT	1																																																		
Pol.	Horizontal							Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.50</td><td>48.65</td><td>68.30</td><td>-19.65</td><td>38.03</td><td>34.65</td><td>8.77</td><td>32.80</td><td>293</td><td>360</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5751.50	48.65	68.30	-19.65	38.03	34.65	8.77	32.80	293	360	PEAK	Blank			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5751.50	48.65	68.30	-19.65	38.03	34.65	8.77	32.80	293	360	PEAK																																								







Mode	46																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical					Fundamental																																																																																								
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.18</td><td>47.75</td><td>74.00</td><td>-26.25</td><td>37.78</td><td>34.17</td><td>8.41</td><td>32.61</td><td>102</td><td>195 PEAK</td></tr><tr><td>2</td><td>5463.16</td><td>47.43</td><td>68.30</td><td>-20.87</td><td>37.45</td><td>34.18</td><td>8.41</td><td>32.61</td><td>102</td><td>195 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.18	47.75	74.00	-26.25	37.78	34.17	8.41	32.61	102	195 PEAK	2	5463.16	47.43	68.30	-20.87	37.45	34.18	8.41	32.61	102	195 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>103.46</td><td>-----</td><td>-----</td><td>93.55</td><td>34.34</td><td>8.24</td><td>32.67</td><td>102</td><td>195 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5580.00	103.46	-----	-----	93.55	34.34	8.24	32.67	102
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5457.18	47.75	74.00	-26.25	37.78	34.17	8.41	32.61	102	195 PEAK																																																																																				
2	5463.16	47.43	68.30	-20.87	37.45	34.18	8.41	32.61	102	195 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5580.00	103.46	-----	-----	93.55	34.34	8.24	32.67	102	195 PEAK																																																																																				
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5432.80</td><td>38.75</td><td>54.00</td><td>-15.25</td><td>28.76</td><td>34.16</td><td>8.45</td><td>32.62</td><td>102</td><td>195 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5432.80	38.75	54.00	-15.25	28.76	34.16	8.45	32.62	102	195 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>93.92</td><td>-----</td><td>-----</td><td>84.01</td><td>34.34</td><td>8.24</td><td>32.67</td><td>102</td><td>195 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5580.00	93.92	-----	-----	84.01	34.34	8.24	32.67	102	195 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5432.80	38.75	54.00	-15.25	28.76	34.16	8.45	32.62	102	195 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5580.00	93.92	-----	-----	84.01	34.34	8.24	32.67	102	195 AVERAGE																																																																																				

Mode	46																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5758.34</td><td>49.07</td><td>68.30</td><td>-19.23</td><td>38.41</td><td>34.66</td><td>8.80</td><td>32.80</td><td>102</td><td>195</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5758.34	49.07	68.30	-19.23	38.41	34.66	8.80	32.80	102	195	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5758.34	49.07	68.30	-19.23	38.41	34.66	8.80	32.80	102	195	PEAK																															




Mode	46																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>54.52</td><td>38.05</td><td>11.29</td><td>58.12</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.32</td><td>68.30</td><td>-20.98</td><td>52.30</td><td>40.59</td><td>13.01</td><td>58.58</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	45.74	74.00	-28.26	54.52	38.05	11.29	58.12	--	-- Peak	2	16740.00	47.32	68.30	-20.98	52.30	40.59	13.01	58.58	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>55.87</td><td>38.05</td><td>11.29</td><td>58.12</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.19</td><td>68.30</td><td>-21.11</td><td>52.17</td><td>40.59</td><td>13.01</td><td>58.58</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	47.09	74.00	-26.91	55.87	38.05	11.29	58.12	--	-- Peak	2	16740.00	47.19	68.30	-21.11	52.17	40.59	13.01	58.58	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11160.00	45.74	74.00	-28.26	54.52	38.05	11.29	58.12	--	-- Peak																																																																																																				
2	16740.00	47.32	68.30	-20.98	52.30	40.59	13.01	58.58	--	-- Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11160.00	47.09	74.00	-26.91	55.87	38.05	11.29	58.12	--	-- Peak																																																																																																				
2	16740.00	47.19	68.30	-21.11	52.17	40.59	13.01	58.58	--	-- Peak																																																																																																				







Mode	47																																																																																															
	Band Edge - L																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_RU26/4_5580MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal					Fundamental																																																																																										
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5382.20</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>37.47</td><td>34.13</td><td>8.41</td><td>32.64</td><td>285</td><td>317 PEAK</td></tr><tr><td>2</td><td>5467.07</td><td>47.31</td><td>68.30</td><td>-20.99</td><td>37.34</td><td>34.18</td><td>8.40</td><td>32.61</td><td>285</td><td>317 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5382.20	47.37	74.00	-26.63	37.47	34.13	8.41	32.64	285	317 PEAK	2	5467.07	47.31	68.30	-20.99	37.34	34.18	8.40	32.61	285	317 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5580.00</td><td>101.11</td><td>-----</td><td>-----</td><td>91.20</td><td>34.33</td><td>8.25</td><td>32.67</td><td>285</td><td>317 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5580.00	101.11	-----	-----	91.20	34.33	8.25	32.67	285
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5382.20	47.37	74.00	-26.63	37.47	34.13	8.41	32.64	285	317 PEAK																																																																																						
2	5467.07	47.31	68.30	-20.99	37.34	34.18	8.40	32.61	285	317 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5580.00	101.11	-----	-----	91.20	34.33	8.25	32.67	285	317 PEAK																																																																																						
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5433.72</td><td>38.49</td><td>54.00</td><td>-15.51</td><td>28.51</td><td>34.16</td><td>8.44</td><td>32.62</td><td>285</td><td>317 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5433.72	38.49	54.00	-15.51	28.51	34.16	8.44	32.62	285	317 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5580.00</td><td>91.82</td><td>-----</td><td>-----</td><td>81.91</td><td>34.33</td><td>8.25</td><td>32.67</td><td>285</td><td>317 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5580.00	91.82	-----	-----	81.91	34.33	8.25	32.67	285	317 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5433.72	38.49	54.00	-15.51	28.51	34.16	8.44	32.62	285	317 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5580.00	91.82	-----	-----	81.91	34.33	8.25	32.67	285	317 AVERAGE																																																																																						




Mode	47																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_RU26/4_5580MHz																																									
ANT	1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5752.05</td><td>48.36</td><td>68.30</td><td>-19.94</td><td>37.74</td><td>34.65</td><td>8.77</td><td>32.80</td><td>285</td><td>317</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5752.05	48.36	68.30	-19.94	37.74	34.65	8.77	32.80	285	317	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5752.05	48.36	68.30	-19.94	37.74	34.65	8.77	32.80	285	317	PEAK																															







Mode	47																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_RU26/4_5580MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical					Fundamental																																																																																								
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.26</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>38.49</td><td>34.12</td><td>8.37</td><td>32.65</td><td>100</td><td>80 PEAK</td></tr><tr><td>2</td><td>5464.31</td><td>47.44</td><td>68.30</td><td>-20.86</td><td>37.47</td><td>34.18</td><td>8.40</td><td>32.61</td><td>100</td><td>80 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5364.26	48.33	74.00	-25.67	38.49	34.12	8.37	32.65	100	80 PEAK	2	5464.31	47.44	68.30	-20.86	37.47	34.18	8.40	32.61	100	80 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>106.06</td><td>-----</td><td>-----</td><td>96.15</td><td>34.33</td><td>8.25</td><td>32.67</td><td>100</td><td>80 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5580.00	106.06	-----	-----	96.15	34.33	8.25	32.67	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5364.26	48.33	74.00	-25.67	38.49	34.12	8.37	32.65	100	80 PEAK																																																																																				
2	5464.31	47.44	68.30	-20.86	37.47	34.18	8.40	32.61	100	80 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5580.00	106.06	-----	-----	96.15	34.33	8.25	32.67	100	80 PEAK																																																																																				
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.86</td><td>38.65</td><td>54.00</td><td>-15.35</td><td>28.67</td><td>34.16</td><td>8.44</td><td>32.62</td><td>100</td><td>80 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5437.86	38.65	54.00	-15.35	28.67	34.16	8.44	32.62	100	80 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>97.86</td><td>-----</td><td>-----</td><td>87.95</td><td>34.33</td><td>8.25</td><td>32.67</td><td>100</td><td>80 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5580.00	97.86	-----	-----	87.95	34.33	8.25	32.67	100	80 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5437.86	38.65	54.00	-15.35	28.67	34.16	8.44	32.62	100	80 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5580.00	97.86	-----	-----	87.95	34.33	8.25	32.67	100	80 AVERAGE																																																																																				




Mode	47																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_RU26/4_5580MHz																																										
ANT	1																																										
Pol.	Vertical	Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5761.49</td><td>50.05</td><td>68.30</td><td>-18.25</td><td>39.38</td><td>34.67</td><td>8.81</td><td>32.81</td><td>100</td><td>80</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5761.49	50.05	68.30	-18.25	39.38	34.67	8.81	32.81	100	80	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5761.49	50.05	68.30	-18.25	39.38	34.67	8.81	32.81	100	80	PEAK																																








Mode	48																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_RU52/37_5580MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal					Fundamental																																																																																								
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5401.98</td><td>48.12</td><td>74.00</td><td>-25.88</td><td>38.15</td><td>34.14</td><td>8.47</td><td>32.64</td><td>400</td><td>267 PEAK</td></tr><tr><td>2</td><td>5468.45</td><td>46.98</td><td>68.30</td><td>-21.32</td><td>37.01</td><td>34.18</td><td>8.40</td><td>32.61</td><td>400</td><td>267 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5401.98	48.12	74.00	-25.88	38.15	34.14	8.47	32.64	400	267 PEAK	2	5468.45	46.98	68.30	-21.32	37.01	34.18	8.40	32.61	400	267 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>93.77</td><td>-----</td><td>-----</td><td>83.85</td><td>34.32</td><td>8.26</td><td>32.66</td><td>400</td><td>267 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5580.00	93.77	-----	-----	83.85	34.32	8.26	32.66	400
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5401.98	48.12	74.00	-25.88	38.15	34.14	8.47	32.64	400	267 PEAK																																																																																				
2	5468.45	46.98	68.30	-21.32	37.01	34.18	8.40	32.61	400	267 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5580.00	93.77	-----	-----	83.85	34.32	8.26	32.66	400	267 PEAK																																																																																				
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5437.40</td><td>38.61</td><td>54.00</td><td>-15.39</td><td>28.63</td><td>34.16</td><td>8.44</td><td>32.62</td><td>400</td><td>267 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5437.40	38.61	54.00	-15.39	28.63	34.16	8.44	32.62	400	267 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>85.67</td><td>-----</td><td>-----</td><td>75.75</td><td>34.32</td><td>8.26</td><td>32.66</td><td>400</td><td>267 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5580.00	85.67	-----	-----	75.75	34.32	8.26	32.66	400	267 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5437.40	38.61	54.00	-15.39	28.63	34.16	8.44	32.62	400	267 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5580.00	85.67	-----	-----	75.75	34.32	8.26	32.66	400	267 AVERAGE																																																																																				







Mode	48																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_RU52/37_5580MHz																																										
ANT	1																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.87</td><td>48.63</td><td>68.30</td><td>-19.67</td><td>38.04</td><td>34.64</td><td>8.75</td><td>32.80</td><td>400</td><td>267</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5746.87	48.63	68.30	-19.67	38.04	34.64	8.75	32.80	400	267	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5746.87	48.63	68.30	-19.67	38.04	34.64	8.75	32.80	400	267	PEAK																																




Mode	48																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_RU52/37_5580MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5369.55</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>38.12</td><td>34.12</td><td>8.38</td><td>32.65</td><td>144</td><td>105 PEAK</td></tr><tr><td>2</td><td>5467.30</td><td>47.35</td><td>68.30</td><td>-20.95</td><td>37.38</td><td>34.18</td><td>8.40</td><td>32.61</td><td>144</td><td>105 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5369.55	47.97	74.00	-26.03	38.12	34.12	8.38	32.65	144	105 PEAK	2	5467.30	47.35	68.30	-20.95	37.38	34.18	8.40	32.61	144	105 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>104.63</td><td>-----</td><td>-----</td><td>94.71</td><td>34.32</td><td>8.26</td><td>32.66</td><td>144</td><td>105 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5580.00	104.63	-----	-----	94.71	34.32	8.26	32.66	144
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5369.55	47.97	74.00	-26.03	38.12	34.12	8.38	32.65	144	105 PEAK																																																																																								
2	5467.30	47.35	68.30	-20.95	37.38	34.18	8.40	32.61	144	105 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5580.00	104.63	-----	-----	94.71	34.32	8.26	32.66	144	105 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5428.66</td><td>38.68</td><td>54.00</td><td>-15.32</td><td>28.70</td><td>34.16</td><td>8.45</td><td>32.63</td><td>144</td><td>105 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5428.66	38.68	54.00	-15.32	28.70	34.16	8.45	32.63	144	105 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>96.94</td><td>-----</td><td>-----</td><td>87.02</td><td>34.32</td><td>8.26</td><td>32.66</td><td>144</td><td>105 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5580.00	96.94	-----	-----	87.02	34.32	8.26	32.66	144	105 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5428.66	38.68	54.00	-15.32	28.70	34.16	8.45	32.63	144	105 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5580.00	96.94	-----	-----	87.02	34.32	8.26	32.66	144	105 AVERAGE																																																																																								

Mode	48																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_RU52/37_5580MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5732.26</td><td>48.43</td><td>68.30</td><td>-19.87</td><td>37.90</td><td>34.61</td><td>8.70</td><td>32.78</td><td>144</td><td>105</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5732.26	48.43	68.30	-19.87	37.90	34.61	8.70	32.78	144	105	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5732.26	48.43	68.30	-19.87	37.90	34.61	8.70	32.78	144	105	PEAK																															







Mode	49																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_RU106/53_5580MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal					Fundamental																																																																																								
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.83</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>37.55</td><td>34.17</td><td>8.43</td><td>32.62</td><td>370</td><td>271 PEAK</td></tr><tr><td>2</td><td>5462.47</td><td>46.91</td><td>68.30</td><td>-21.39</td><td>36.94</td><td>34.17</td><td>8.41</td><td>32.61</td><td>370</td><td>271 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5446.83	47.53	74.00	-26.47	37.55	34.17	8.43	32.62	370	271 PEAK	2	5462.47	46.91	68.30	-21.39	36.94	34.17	8.41	32.61	370	271 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>95.34</td><td>-----</td><td>-----</td><td>85.43</td><td>34.33</td><td>8.25</td><td>32.67</td><td>370</td><td>271 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5580.00	95.34	-----	-----	85.43	34.33	8.25	32.67	370
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5446.83	47.53	74.00	-26.47	37.55	34.17	8.43	32.62	370	271 PEAK																																																																																				
2	5462.47	46.91	68.30	-21.39	36.94	34.17	8.41	32.61	370	271 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5580.00	95.34	-----	-----	85.43	34.33	8.25	32.67	370	271 PEAK																																																																																				
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5427.05</td><td>38.60</td><td>54.00</td><td>-15.40</td><td>28.63</td><td>34.15</td><td>8.45</td><td>32.63</td><td>370</td><td>271 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5427.05	38.60	54.00	-15.40	28.63	34.15	8.45	32.63	370	271 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>87.29</td><td>-----</td><td>-----</td><td>77.38</td><td>34.33</td><td>8.25</td><td>32.67</td><td>370</td><td>271 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5580.00	87.29	-----	-----	77.38	34.33	8.25	32.67	370	271 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5427.05	38.60	54.00	-15.40	28.63	34.15	8.45	32.63	370	271 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5580.00	87.29	-----	-----	77.38	34.33	8.25	32.67	370	271 AVERAGE																																																																																				




Mode	49																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_RU106/53_5580MHz																																									
ANT	1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.75</td><td>49.10</td><td>68.30</td><td>-19.20</td><td>38.45</td><td>34.66</td><td>8.79</td><td>32.80</td><td>370</td><td>271</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5755.75	49.10	68.30	-19.20	38.45	34.66	8.79	32.80	370	271	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5755.75	49.10	68.30	-19.20	38.45	34.66	8.79	32.80	370	271	PEAK																															






Mode	49																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_RU106/53_5580MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.38</td><td>47.78</td><td>74.00</td><td>-26.22</td><td>37.81</td><td>34.16</td><td>8.43</td><td>32.62</td><td>100</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5467.76</td><td>47.91</td><td>68.30</td><td>-20.39</td><td>37.94</td><td>34.18</td><td>8.40</td><td>32.61</td><td>100</td><td>109</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5443.38	47.78	74.00	-26.22	37.81	34.16	8.43	32.62	100	109	PEAK	2	5467.76	47.91	68.30	-20.39	37.94	34.18	8.40	32.61	100	109	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>105.15</td><td>-----</td><td>-----</td><td>95.23</td><td>34.32</td><td>8.26</td><td>32.66</td><td>100</td><td>109</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5580.00	105.15	-----	-----	95.23	34.32	8.26	32.66	100	109
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5443.38	47.78	74.00	-26.22	37.81	34.16	8.43	32.62	100	109	PEAK																																																																																											
2	5467.76	47.91	68.30	-20.39	37.94	34.18	8.40	32.61	100	109	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5580.00	105.15	-----	-----	95.23	34.32	8.26	32.66	100	109	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.87</td><td>38.61</td><td>54.00</td><td>-15.39</td><td>28.64</td><td>34.17</td><td>8.41</td><td>32.61</td><td>100</td><td>109</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.87	38.61	54.00	-15.39	28.64	34.17	8.41	32.61	100	109	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>95.62</td><td>-----</td><td>-----</td><td>85.70</td><td>34.32</td><td>8.26</td><td>32.66</td><td>100</td><td>109</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5580.00	95.62	-----	-----	85.70	34.32	8.26	32.66	100	109	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5457.87	38.61	54.00	-15.39	28.64	34.17	8.41	32.61	100	109	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5580.00	95.62	-----	-----	85.70	34.32	8.26	32.66	100	109	AVERAGE																																																																																											






Mode	49																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_RU106/53_5580MHz																																										
ANT	1																																										
Pol.	Vertical	Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.33</td><td>48.57</td><td>68.30</td><td>-19.73</td><td>38.04</td><td>34.61</td><td>8.70</td><td>32.78</td><td>100</td><td>109</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.33	48.57	68.30	-19.73	38.04	34.61	8.70	32.78	100	109	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5731.33	48.57	68.30	-19.73	38.04	34.61	8.70	32.78	100	109	PEAK																																





Mode	50																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1 5725.55</td><td>51.46</td><td>68.30</td><td>-16.84</td><td>40.96</td><td>34.60</td><td>8.68</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>32.78</td><td>338</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>215 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 5725.55	51.46	68.30	-16.84	40.96	34.60	8.68						32.78	338							215 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1 5700.00</td><td>101.96</td><td>-----</td><td>-----</td><td>91.56</td><td>34.56</td><td>8.60</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>32.76</td><td>338</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>215 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 5700.00	101.96	-----	-----	91.56	34.56	8.60						32.76	338							215 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																
1 5725.55	51.46	68.30	-16.84	40.96	34.60	8.68																																																																																
					32.78	338																																																																																
						215 PEAK																																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																
1 5700.00	101.96	-----	-----	91.56	34.56	8.60																																																																																
					32.76	338																																																																																
						215 PEAK																																																																																
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1 5700.00</td><td>91.19</td><td>-----</td><td>-----</td><td>80.79</td><td>34.56</td><td>8.60</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>32.76</td><td>338</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>215 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 5700.00	91.19	-----	-----	80.79	34.56	8.60						32.76	338							215 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																
1 5700.00	91.19	-----	-----	80.79	34.56	8.60																																																																																
					32.76	338																																																																																
						215 AVERAGE																																																																																






Mode	50																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																										
ANT	1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a sharp peak at 5725.55 MHz. A red line indicates the limit at 70.0 dBuV/m. The text 'PART 15.407' is visible.						 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a sharp peak at 5700.00 MHz. A red line indicates the limit at 70.0 dBuV/m. The text 'PART 15.407' is visible.																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.55</td><td>57.60</td><td>68.30</td><td>-10.70</td><td>47.10</td><td>34.60</td><td>8.68</td><td>32.78</td><td>100</td><td>183</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5725.55	57.60	68.30	-10.70	47.10	34.60	8.68	32.78	100	183	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>105.40</td><td>-----</td><td>-----</td><td>95.04</td><td>34.55</td><td>8.57</td><td>32.76</td><td>100</td><td>183</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	105.40	-----	-----	95.04	34.55	8.57	32.76	100	183
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5725.55	57.60	68.30	-10.70	47.10	34.60	8.68	32.78	100	183	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	105.40	-----	-----	95.04	34.55	8.57	32.76	100	183	PEAK																																																																																
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a sharp peak at 5700.00 MHz. A red line indicates the limit at 52.5 dBuV/m. The text 'PART 15.407 AVG' is visible.																																																																																				
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>95.20</td><td>-----</td><td>-----</td><td>84.86</td><td>34.54</td><td>8.55</td><td>32.75</td><td>100</td><td>183</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	95.20	-----	-----	84.86	34.54	8.55	32.75	100	183	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	95.20	-----	-----	84.86	34.54	8.55	32.75	100	183	AVERAGE																																																																																






Mode	50																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11400.00</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>53.62</td><td>37.39</td><td>11.41 57.86</td></tr><tr><td>2</td><td>17100.00</td><td>46.05</td><td>68.30</td><td>-22.25</td><td>50.07</td><td>41.00</td><td>13.14 58.16</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11400.00	44.56	74.00	-29.44	53.62	37.39	11.41 57.86	2	17100.00	46.05	68.30	-22.25	50.07	41.00	13.14 58.16	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11400.00</td><td>47.62</td><td>74.00</td><td>-26.38</td><td>56.68</td><td>37.39</td><td>11.41 57.86</td></tr><tr><td>2</td><td>17100.00</td><td>47.20</td><td>68.30</td><td>-21.10</td><td>51.22</td><td>41.00</td><td>13.14 58.16</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11400.00	47.62	74.00	-26.38	56.68	37.39	11.41 57.86	2	17100.00	47.20	68.30	-21.10	51.22	41.00	13.14 58.16
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11400.00	44.56	74.00	-29.44	53.62	37.39	11.41 57.86																																																																																									
2	17100.00	46.05	68.30	-22.25	50.07	41.00	13.14 58.16																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11400.00	47.62	74.00	-26.38	56.68	37.39	11.41 57.86																																																																																									
2	17100.00	47.20	68.30	-21.10	51.22	41.00	13.14 58.16																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11400.00</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>53.62</td><td>37.39</td><td>11.41 57.86</td></tr><tr><td>2</td><td>17100.00</td><td>46.05</td><td>68.30</td><td>-22.25</td><td>50.07</td><td>41.00</td><td>13.14 58.16</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11400.00	44.56	74.00	-29.44	53.62	37.39	11.41 57.86	2	17100.00	46.05	68.30	-22.25	50.07	41.00	13.14 58.16	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11400.00</td><td>47.62</td><td>74.00</td><td>-26.38</td><td>56.68</td><td>37.39</td><td>11.41 57.86</td></tr><tr><td>2</td><td>17100.00</td><td>47.20</td><td>68.30</td><td>-21.10</td><td>51.22</td><td>41.00</td><td>13.14 58.16</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11400.00	47.62	74.00	-26.38	56.68	37.39	11.41 57.86	2	17100.00	47.20	68.30	-21.10	51.22	41.00	13.14 58.16	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11400.00	44.56	74.00	-29.44	53.62	37.39	11.41 57.86																																																																																									
2	17100.00	46.05	68.30	-22.25	50.07	41.00	13.14 58.16																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11400.00	47.62	74.00	-26.38	56.68	37.39	11.41 57.86																																																																																									
2	17100.00	47.20	68.30	-21.10	51.22	41.00	13.14 58.16																																																																																									






Mode	51																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.97</td><td>49.27</td><td>68.30</td><td>-19.03</td><td>38.75</td><td>34.61</td><td>8.69</td><td>32.78</td><td>308</td><td>221</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5729.97	49.27	68.30	-19.03	38.75	34.61	8.69	32.78	308	221	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>105.14</td><td>-----</td><td>-----</td><td>94.72</td><td>34.57</td><td>8.62</td><td>32.77</td><td>308</td><td>221</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	105.14	-----	-----	94.72	34.57	8.62	32.77	308	221
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5729.97	49.27	68.30	-19.03	38.75	34.61	8.69	32.78	308	221	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5700.00	105.14	-----	-----	94.72	34.57	8.62	32.77	308	221	PEAK																																																																															
Avg	Blank																																																																																									
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>97.18</td><td>-----</td><td>-----</td><td>86.76</td><td>34.57</td><td>8.62</td><td>32.77</td><td>308</td><td>221</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	97.18	-----	-----	86.76	34.57	8.62	32.77	308	221	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5700.00	97.18	-----	-----	86.76	34.57	8.62	32.77	308	221	AVERAGE																																																																															






Mode	51																																																																													
	Band Edge																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																													
ANT	1																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 5727.95 MHz. A red line indicates the limit at 70.0 dBuV/m. A blue line indicates the read level at 49.24 dBuV/m. The plot is labeled PART 15.407. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.95</td><td>49.24</td><td>68.30</td><td>-19.06</td><td>38.72</td><td>34.61</td><td>8.69</td><td>32.78</td><td>102</td><td>177</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5727.95	49.24	68.30	-19.06	38.72	34.61	8.69	32.78	102	177	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 5700.00 MHz. A red line indicates the limit at 70.0 dBuV/m. A blue line indicates the read level at 111.36 dBuV/m. The plot is labeled PART 15.407. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>111.36</td><td>-----</td><td>-----</td><td>100.94</td><td>34.57</td><td>8.62</td><td>32.77</td><td>102</td><td>177</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	111.36	-----	-----	100.94	34.57	8.62	32.77	102	177	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5727.95	49.24	68.30	-19.06	38.72	34.61	8.69	32.78	102	177	PEAK																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5700.00	111.36	-----	-----	100.94	34.57	8.62	32.77	102	177	PEAK																																																																			
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 5700.00 MHz. A red line indicates the limit at 52.5 dBuV/m. A blue line indicates the read level at 102.44 dBuV/m. The plot is labeled PART 15.407 AVG. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.44</td><td>-----</td><td>-----</td><td>92.02</td><td>34.57</td><td>8.62</td><td>32.77</td><td>102</td><td>177</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	102.44	-----	-----	92.02	34.57	8.62	32.77	102	177	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5700.00	102.44	-----	-----	92.02	34.57	8.62	32.77	102	177	AVERAGE																																																																			



Mode	52																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5700 to 5765 MHz. A red limit line is at 70.0 dBuV/m. A blue trace shows a peak at 5734.13 MHz reaching 48.90 dBuV/m. A red label 'PART 15.407' is present.						 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. A red limit line is at 70.0 dBuV/m. A blue trace shows a peak at 5700.00 MHz reaching 103.00 dBuV/m. A red label 'PART 15.407' is present.																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.13</td><td>48.90</td><td>68.30</td><td>-19.40</td><td>38.36</td><td>34.62</td><td>8.71</td><td>32.79</td><td>313</td><td>219</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5734.13	48.90	68.30	-19.40	38.36	34.62	8.71	32.79	313	219	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>103.00</td><td>-----</td><td>-----</td><td>92.58</td><td>34.57</td><td>8.62</td><td>32.77</td><td>313</td><td>219</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	103.00	-----	-----	92.58	34.57	8.62	32.77	313	219
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5734.13	48.90	68.30	-19.40	38.36	34.62	8.71	32.79	313	219	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	103.00	-----	-----	92.58	34.57	8.62	32.77	313	219	PEAK																																																																																
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. A red limit line is at 52.5 dBuV/m. A blue trace shows a peak at 5700.00 MHz reaching 94.97 dBuV/m. A red label 'PART 15.407 AVG' is present.																																																																																				
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>94.97</td><td>-----</td><td>-----</td><td>84.55</td><td>34.57</td><td>8.62</td><td>32.77</td><td>313</td><td>219</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	94.97	-----	-----	84.55	34.57	8.62	32.77	313	219	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	94.97	-----	-----	84.55	34.57	8.62	32.77	313	219	AVERAGE																																																																																






Mode	52																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5735.69</td><td>50.00</td><td>68.30</td><td>-18.30</td><td>39.46</td><td>34.62</td><td>8.71</td><td>32.79</td><td>100</td><td>175</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5735.69	50.00	68.30	-18.30	39.46	34.62	8.71	32.79	100	175	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>108.98</td><td>-----</td><td>-----</td><td>98.56</td><td>34.57</td><td>8.62</td><td>32.77</td><td>100</td><td>175</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	108.98	-----	-----	98.56	34.57	8.62	32.77	100	175
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5735.69	50.00	68.30	-18.30	39.46	34.62	8.71	32.79	100	175	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5700.00	108.98	-----	-----	98.56	34.57	8.62	32.77	100	175	PEAK																																																																															
Avg	Blank																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.89</td><td>-----</td><td>-----</td><td>89.47</td><td>34.57</td><td>8.62</td><td>32.77</td><td>100</td><td>175</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	99.89	-----	-----	89.47	34.57	8.62	32.77	100	175	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5700.00	99.89	-----	-----	89.47	34.57	8.62	32.77	100	175	AVERAGE																																																																															





Mode	53																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5729.45</td><td>50.83</td><td>68.30</td><td>-17.47</td><td>40.31</td><td>34.61</td><td>8.69</td><td>32.78</td><td>231</td><td>203 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5729.45	50.83	68.30	-17.47	40.31	34.61	8.69	32.78	231	203 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.23</td><td>-----</td><td>-----</td><td>93.83</td><td>34.56</td><td>8.60</td><td>32.76</td><td>231</td><td>203 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5700.00	104.23	-----	-----	93.83	34.56	8.60	32.76	231	203 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5729.45	50.83	68.30	-17.47	40.31	34.61	8.69	32.78	231	203 PEAK																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5700.00	104.23	-----	-----	93.83	34.56	8.60	32.76	231	203 PEAK																																																																								
Avg	Blank	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>94.34</td><td>-----</td><td>-----</td><td>83.92</td><td>34.57</td><td>8.62</td><td>32.77</td><td>231</td><td>203 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5700.00	94.34	-----	-----	83.92	34.57	8.62	32.77	231	203 AVERAGE																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5700.00	94.34	-----	-----	83.92	34.57	8.62	32.77	231	203 AVERAGE																																																																								





Mode	53																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5726.52</td><td>54.39</td><td>68.30</td><td>-13.91</td><td>43.89</td><td>34.60</td><td>8.68</td><td>32.78</td><td>101</td><td>190 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5726.52	54.39	68.30	-13.91	43.89	34.60	8.68	32.78	101	190 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.52</td><td>-----</td><td>-----</td><td>97.12</td><td>34.56</td><td>8.60</td><td>32.76</td><td>101</td><td>190 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5700.00	107.52	-----	-----	97.12	34.56	8.60	32.76	101
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5726.52	54.39	68.30	-13.91	43.89	34.60	8.68	32.78	101	190 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5700.00	107.52	-----	-----	97.12	34.56	8.60	32.76	101	190 PEAK																																																																																
Avg	Blank																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.52</td><td>-----</td><td>-----</td><td>88.10</td><td>34.57</td><td>8.62</td><td>32.77</td><td>101</td><td>190 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5700.00	98.52	-----	-----	88.10	34.57	8.62	32.77	101	190 AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5700.00	98.52	-----	-----	88.10	34.57	8.62	32.77	101	190 AVERAGE																																																																																





Mode	54																																																																								
	Band Edge																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																								
ANT	1																																																																								
Pol.	Horizontal					Fundamental																																																																			
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5394.00</td><td>46.76</td><td>74.00</td><td>-27.24</td><td>36.82</td><td>34.13</td><td>8.45</td><td>32.64</td><td>261</td></tr><tr><td>2 5468.25</td><td>44.41</td><td>68.30</td><td>-23.89</td><td>34.44</td><td>34.18</td><td>8.40</td><td>32.61</td><td>261</td></tr><tr><td>3 5720.00</td><td>101.09</td><td>-----</td><td>-----</td><td>90.62</td><td>34.59</td><td>8.66</td><td>32.78</td><td>261</td></tr><tr><td>4 5899.45</td><td>48.66</td><td>68.30</td><td>-19.64</td><td>37.83</td><td>34.92</td><td>8.82</td><td>32.91</td><td>261</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5394.00	46.76	74.00	-27.24	36.82	34.13	8.45	32.64	261	2 5468.25	44.41	68.30	-23.89	34.44	34.18	8.40	32.61	261	3 5720.00	101.09	-----	-----	90.62	34.59	8.66	32.78	261	4 5899.45	48.66	68.30	-19.64	37.83	34.92	8.82	32.91	261
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5394.00	46.76	74.00	-27.24	36.82	34.13	8.45	32.64	261																																																																	
2 5468.25	44.41	68.30	-23.89	34.44	34.18	8.40	32.61	261																																																																	
3 5720.00	101.09	-----	-----	90.62	34.59	8.66	32.78	261																																																																	
4 5899.45	48.66	68.30	-19.64	37.83	34.92	8.82	32.91	261																																																																	
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5460.00</td><td>37.72</td><td>54.00</td><td>-16.28</td><td>27.75</td><td>34.17</td><td>8.41</td><td>32.61</td><td>261</td></tr><tr><td>2 5720.00</td><td>92.77</td><td>68.30</td><td>24.47</td><td>82.30</td><td>34.59</td><td>8.66</td><td>32.78</td><td>261</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5460.00	37.72	54.00	-16.28	27.75	34.17	8.41	32.61	261	2 5720.00	92.77	68.30	24.47	82.30	34.59	8.66	32.78	261																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5460.00	37.72	54.00	-16.28	27.75	34.17	8.41	32.61	261																																																																	
2 5720.00	92.77	68.30	24.47	82.30	34.59	8.66	32.78	261																																																																	





Mode	54																																																																											
	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																											
ANT	1																																																																											
Pol.	Vertical					Fundamental																																																																						
Peak	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.60</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>36.96</td><td>34.16</td><td>8.44</td><td>32.62</td><td>100</td><td>189 Peak</td></tr><tr><td>2</td><td>5464.95</td><td>45.91</td><td>68.30</td><td>-22.39</td><td>35.94</td><td>34.18</td><td>8.40</td><td>32.61</td><td>100</td><td>189 Peak</td></tr><tr><td>3</td><td>5720.00</td><td>103.68</td><td>-----</td><td>-----</td><td>93.21</td><td>34.59</td><td>8.66</td><td>32.78</td><td>100</td><td>189 Peak</td></tr><tr><td>4</td><td>5857.65</td><td>49.07</td><td>68.30</td><td>-19.23</td><td>38.24</td><td>34.84</td><td>8.87</td><td>32.88</td><td>100</td><td>189 Peak</td></tr></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.60	46.94	74.00	-27.06	36.96	34.16	8.44	32.62	100	189 Peak	2	5464.95	45.91	68.30	-22.39	35.94	34.18	8.40	32.61	100	189 Peak	3	5720.00	103.68	-----	-----	93.21	34.59	8.66	32.78	100	189 Peak	4	5857.65	49.07	68.30	-19.23	38.24	34.84	8.87	32.88	100	189 Peak
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5433.60	46.94	74.00	-27.06	36.96	34.16	8.44	32.62	100	189 Peak																																																																		
2	5464.95	45.91	68.30	-22.39	35.94	34.18	8.40	32.61	100	189 Peak																																																																		
3	5720.00	103.68	-----	-----	93.21	34.59	8.66	32.78	100	189 Peak																																																																		
4	5857.65	49.07	68.30	-19.23	38.24	34.84	8.87	32.88	100	189 Peak																																																																		
Avg	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5435.80</td><td>37.79</td><td>54.00</td><td>-16.21</td><td>27.81</td><td>34.16</td><td>8.44</td><td>32.62</td><td>100</td><td>189 Average</td></tr><tr><td>2</td><td>5720.00</td><td>95.00</td><td>-----</td><td>-----</td><td>84.53</td><td>34.59</td><td>8.66</td><td>32.78</td><td>100</td><td>189 Average</td></tr></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.80	37.79	54.00	-16.21	27.81	34.16	8.44	32.62	100	189 Average	2	5720.00	95.00	-----	-----	84.53	34.59	8.66	32.78	100	189 Average																						
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5435.80	37.79	54.00	-16.21	27.81	34.16	8.44	32.62	100	189 Average																																																																		
2	5720.00	95.00	-----	-----	84.53	34.59	8.66	32.78	100	189 Average																																																																		





Mode	54																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal								Vertical																																																																																																	
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 11440.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td>54.68</td><td>37.28</td><td>11.42</td><td>57.81</td><td>157 285 Peak</td></tr><tr><td>2 17160.00</td><td>49.78</td><td>68.30</td><td>-18.52</td><td>53.57</td><td>41.12</td><td>13.16</td><td>58.07</td><td>165 246 Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 11440.00	45.57	74.00	-28.43	54.68	37.28	11.42	57.81	157 285 Peak	2 17160.00	49.78	68.30	-18.52	53.57	41.12	13.16	58.07	165 246 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 11440.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>54.77</td><td>37.28</td><td>11.42</td><td>57.81</td><td>122 291 Peak</td></tr><tr><td>2 17160.00</td><td>47.87</td><td>68.30</td><td>-20.43</td><td>51.66</td><td>41.12</td><td>13.16</td><td>58.07</td><td>153 102 Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 11440.00	45.66	74.00	-28.34	54.77	37.28	11.42	57.81	122 291 Peak	2 17160.00	47.87	68.30	-20.43	51.66	41.12	13.16	58.07	153 102 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1 11440.00	45.57	74.00	-28.43	54.68	37.28	11.42	57.81	157 285 Peak																																																																																																		
2 17160.00	49.78	68.30	-18.52	53.57	41.12	13.16	58.07	165 246 Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1 11440.00	45.66	74.00	-28.34	54.77	37.28	11.42	57.81	122 291 Peak																																																																																																		
2 17160.00	47.87	68.30	-20.43	51.66	41.12	13.16	58.07	153 102 Peak																																																																																																		





Mode	55																																																																								
	Band Edge																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_RU26/8_5720MHz																																																																								
ANT	1																																																																								
Pol.	Horizontal					Fundamental																																																																			
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5432.50</td><td>46.50</td><td>74.00</td><td>-27.50</td><td>36.51</td><td>34.16</td><td>8.45</td><td>32.62</td><td>239</td></tr><tr><td>2 5462.20</td><td>46.31</td><td>68.30</td><td>-21.99</td><td>36.34</td><td>34.17</td><td>8.41</td><td>32.61</td><td>239</td></tr><tr><td>3 5720.00</td><td>107.38</td><td>-----</td><td>-----</td><td>96.91</td><td>34.59</td><td>8.66</td><td>32.78</td><td>239</td></tr><tr><td>4 5866.45</td><td>48.64</td><td>68.30</td><td>-19.66</td><td>37.81</td><td>34.86</td><td>8.86</td><td>32.89</td><td>239</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5432.50	46.50	74.00	-27.50	36.51	34.16	8.45	32.62	239	2 5462.20	46.31	68.30	-21.99	36.34	34.17	8.41	32.61	239	3 5720.00	107.38	-----	-----	96.91	34.59	8.66	32.78	239	4 5866.45	48.64	68.30	-19.66	37.81	34.86	8.86	32.89	239
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5432.50	46.50	74.00	-27.50	36.51	34.16	8.45	32.62	239																																																																	
2 5462.20	46.31	68.30	-21.99	36.34	34.17	8.41	32.61	239																																																																	
3 5720.00	107.38	-----	-----	96.91	34.59	8.66	32.78	239																																																																	
4 5866.45	48.64	68.30	-19.66	37.81	34.86	8.86	32.89	239																																																																	
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5436.35</td><td>37.70</td><td>54.00</td><td>-16.30</td><td>27.72</td><td>34.16</td><td>8.44</td><td>32.62</td><td>239</td></tr><tr><td>2 5720.00</td><td>100.22</td><td>-----</td><td>-----</td><td>89.75</td><td>34.59</td><td>8.66</td><td>32.78</td><td>239</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5436.35	37.70	54.00	-16.30	27.72	34.16	8.44	32.62	239	2 5720.00	100.22	-----	-----	89.75	34.59	8.66	32.78	239																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5436.35	37.70	54.00	-16.30	27.72	34.16	8.44	32.62	239																																																																	
2 5720.00	100.22	-----	-----	89.75	34.59	8.66	32.78	239																																																																	





Mode	55																																																																	
	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_RU26/8_5720MHz																																																																	
ANT	1																																																																	
Pol.	Vertical					Fundamental																																																												
Peak	Blank																																																																	
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5447.90	46.87	74.00	-27.13	36.89	34.17	8.43	32.62	100 190 Peak	2	5467.70	46.64	68.30	-21.66	36.67	34.18	8.40	32.61	100 190 Peak	3	5720.00	106.74	-----	-----	96.27	34.59	8.66	32.78	100 190 Peak	4	5850.50	49.55	68.30	-18.75	38.72	34.83	8.88
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																										
1	5447.90	46.87	74.00	-27.13	36.89	34.17	8.43	32.62	100 190 Peak																																																									
2	5467.70	46.64	68.30	-21.66	36.67	34.18	8.40	32.61	100 190 Peak																																																									
3	5720.00	106.74	-----	-----	96.27	34.59	8.66	32.78	100 190 Peak																																																									
4	5850.50	49.55	68.30	-18.75	38.72	34.83	8.88	32.88	100 190 Peak																																																									
Avg	Blank																																																																	
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5430.30	37.78	54.00	-16.22	27.79	34.16	8.45	32.62	100 190 Average	2	5720.00	102.07	-----	-----	91.60	34.59	8.66	32.78	100 190 Average																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																										
1	5430.30	37.78	54.00	-16.22	27.79	34.16	8.45	32.62	100 190 Average																																																									
2	5720.00	102.07	-----	-----	91.60	34.59	8.66	32.78	100 190 Average																																																									





Mode	56																																																																								
	Band Edge																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_RU52/40_5720MHz																																																																								
ANT	1																																																																								
Pol.	Horizontal					Fundamental																																																																			
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5386.85</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>37.02</td><td>34.13</td><td>8.43</td><td>32.64</td><td>242 213 Peak</td></tr><tr><td>2 5469.90</td><td>45.67</td><td>68.30</td><td>-22.63</td><td>35.70</td><td>34.18</td><td>8.40</td><td>32.61</td><td>242 213 Peak</td></tr><tr><td>3 5720.00</td><td>103.51</td><td>-----</td><td>-----</td><td>93.04</td><td>34.59</td><td>8.66</td><td>32.78</td><td>242 213 Peak</td></tr><tr><td>4 5870.30</td><td>48.47</td><td>68.30</td><td>-19.83</td><td>37.64</td><td>34.87</td><td>8.85</td><td>32.89</td><td>242 213 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5386.85	46.94	74.00	-27.06	37.02	34.13	8.43	32.64	242 213 Peak	2 5469.90	45.67	68.30	-22.63	35.70	34.18	8.40	32.61	242 213 Peak	3 5720.00	103.51	-----	-----	93.04	34.59	8.66	32.78	242 213 Peak	4 5870.30	48.47	68.30	-19.83	37.64	34.87	8.85	32.89	242 213 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5386.85	46.94	74.00	-27.06	37.02	34.13	8.43	32.64	242 213 Peak																																																																	
2 5469.90	45.67	68.30	-22.63	35.70	34.18	8.40	32.61	242 213 Peak																																																																	
3 5720.00	103.51	-----	-----	93.04	34.59	8.66	32.78	242 213 Peak																																																																	
4 5870.30	48.47	68.30	-19.83	37.64	34.87	8.85	32.89	242 213 Peak																																																																	
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5433.05</td><td>37.73</td><td>54.00</td><td>-16.27</td><td>27.74</td><td>34.16</td><td>8.45</td><td>32.62</td><td>242 213 Average</td></tr><tr><td>2 5720.00</td><td>96.83</td><td>-----</td><td>-----</td><td>86.36</td><td>34.59</td><td>8.66</td><td>32.78</td><td>242 213 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5433.05	37.73	54.00	-16.27	27.74	34.16	8.45	32.62	242 213 Average	2 5720.00	96.83	-----	-----	86.36	34.59	8.66	32.78	242 213 Average																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5433.05	37.73	54.00	-16.27	27.74	34.16	8.45	32.62	242 213 Average																																																																	
2 5720.00	96.83	-----	-----	86.36	34.59	8.66	32.78	242 213 Average																																																																	





Mode	56																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_RU52/40_5720MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical					Fundamental																																																																													
Peak	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5451.20</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>37.19</td><td>34.17</td><td>8.42</td><td>32.62</td><td>100</td><td>171</td><td>Peak</td></tr><tr><td>2</td><td>5468.25</td><td>46.58</td><td>68.30</td><td>-21.72</td><td>36.61</td><td>34.18</td><td>8.40</td><td>32.61</td><td>100</td><td>171</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>107.25</td><td>-----</td><td>-----</td><td>96.78</td><td>34.59</td><td>8.66</td><td>32.78</td><td>100</td><td>171</td><td>Peak</td></tr><tr><td>4</td><td>5869.20</td><td>47.53</td><td>68.30</td><td>-20.77</td><td>36.71</td><td>34.86</td><td>8.85</td><td>32.89</td><td>100</td><td>171</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5451.20	47.16	74.00	-26.84	37.19	34.17	8.42	32.62	100	171	Peak	2	5468.25	46.58	68.30	-21.72	36.61	34.18	8.40	32.61	100	171	Peak	3	5720.00	107.25	-----	-----	96.78	34.59	8.66	32.78	100	171	Peak	4	5869.20	47.53	68.30	-20.77	36.71	34.86	8.85	32.89	100	171	Peak
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5451.20	47.16	74.00	-26.84	37.19	34.17	8.42	32.62	100	171	Peak																																																																								
2	5468.25	46.58	68.30	-21.72	36.61	34.18	8.40	32.61	100	171	Peak																																																																								
3	5720.00	107.25	-----	-----	96.78	34.59	8.66	32.78	100	171	Peak																																																																								
4	5869.20	47.53	68.30	-20.77	36.71	34.86	8.85	32.89	100	171	Peak																																																																								
Avg	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.45</td><td>37.76</td><td>54.00</td><td>-16.24</td><td>27.79</td><td>34.17</td><td>8.41</td><td>32.61</td><td>100</td><td>171</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>100.02</td><td>-----</td><td>-----</td><td>89.55</td><td>34.59</td><td>8.66</td><td>32.78</td><td>100</td><td>171</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.45	37.76	54.00	-16.24	27.79	34.17	8.41	32.61	100	171	Average	2	5720.00	100.02	-----	-----	89.55	34.59	8.66	32.78	100	171	Average																								
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5459.45	37.76	54.00	-16.24	27.79	34.17	8.41	32.61	100	171	Average																																																																								
2	5720.00	100.02	-----	-----	89.55	34.59	8.66	32.78	100	171	Average																																																																								







Mode	57																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_RU106/54_5720MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal					Fundamental																																																																													
Peak	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5390.15</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>36.48</td><td>34.13</td><td>8.44</td><td>32.64</td><td>255</td><td>218</td><td>Peak</td></tr><tr><td>2</td><td>5463.30</td><td>47.10</td><td>68.30</td><td>-21.20</td><td>37.13</td><td>34.18</td><td>8.40</td><td>32.61</td><td>255</td><td>218</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>102.30</td><td>-----</td><td>-----</td><td>91.83</td><td>34.59</td><td>8.66</td><td>32.78</td><td>255</td><td>218</td><td>Peak</td></tr><tr><td>4</td><td>5871.95</td><td>47.46</td><td>68.30</td><td>-20.84</td><td>36.63</td><td>34.87</td><td>8.85</td><td>32.89</td><td>255</td><td>218</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5390.15	46.41	74.00	-27.59	36.48	34.13	8.44	32.64	255	218	Peak	2	5463.30	47.10	68.30	-21.20	37.13	34.18	8.40	32.61	255	218	Peak	3	5720.00	102.30	-----	-----	91.83	34.59	8.66	32.78	255	218	Peak	4	5871.95	47.46	68.30	-20.84	36.63	34.87	8.85	32.89	255	218	Peak
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5390.15	46.41	74.00	-27.59	36.48	34.13	8.44	32.64	255	218	Peak																																																																								
2	5463.30	47.10	68.30	-21.20	37.13	34.18	8.40	32.61	255	218	Peak																																																																								
3	5720.00	102.30	-----	-----	91.83	34.59	8.66	32.78	255	218	Peak																																																																								
4	5871.95	47.46	68.30	-20.84	36.63	34.87	8.85	32.89	255	218	Peak																																																																								
Avg	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.45</td><td>37.70</td><td>54.00</td><td>-16.30</td><td>27.73</td><td>34.17</td><td>8.41</td><td>32.61</td><td>255</td><td>218</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>94.94</td><td>-----</td><td>-----</td><td>84.47</td><td>34.59</td><td>8.66</td><td>32.78</td><td>255</td><td>218</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.45	37.70	54.00	-16.30	27.73	34.17	8.41	32.61	255	218	Average	2	5720.00	94.94	-----	-----	84.47	34.59	8.66	32.78	255	218	Average																								
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5459.45	37.70	54.00	-16.30	27.73	34.17	8.41	32.61	255	218	Average																																																																								
2	5720.00	94.94	-----	-----	84.47	34.59	8.66	32.78	255	218	Average																																																																								




Mode	57																																																																																				
	Band Edge																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_RU106/54_5720MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical					Fundamental																																																																															
Peak	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5423.15</td><td>48.53</td><td>74.00</td><td>-25.47</td><td>38.55</td><td>34.15</td><td>8.46</td><td>32.63</td><td>100</td><td>182</td><td>Peak</td></tr><tr><td>2</td><td>5462.75</td><td>43.74</td><td>68.30</td><td>-24.56</td><td>33.76</td><td>34.18</td><td>8.41</td><td>32.61</td><td>100</td><td>182</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>107.66</td><td>-----</td><td>-----</td><td>97.19</td><td>34.59</td><td>8.66</td><td>32.78</td><td>100</td><td>182</td><td>Peak</td></tr><tr><td>4</td><td>5870.85</td><td>49.52</td><td>68.30</td><td>-18.78</td><td>38.69</td><td>34.87</td><td>8.85</td><td>32.89</td><td>100</td><td>182</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5423.15	48.53	74.00	-25.47	38.55	34.15	8.46	32.63	100	182	Peak	2	5462.75	43.74	68.30	-24.56	33.76	34.18	8.41	32.61	100	182	Peak	3	5720.00	107.66	-----	-----	97.19	34.59	8.66	32.78	100	182	Peak	4	5870.85	49.52	68.30	-18.78	38.69	34.87	8.85	32.89	100	182	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																													
1	5423.15	48.53	74.00	-25.47	38.55	34.15	8.46	32.63	100	182	Peak																																																																										
2	5462.75	43.74	68.30	-24.56	33.76	34.18	8.41	32.61	100	182	Peak																																																																										
3	5720.00	107.66	-----	-----	97.19	34.59	8.66	32.78	100	182	Peak																																																																										
4	5870.85	49.52	68.30	-18.78	38.69	34.87	8.85	32.89	100	182	Peak																																																																										
Avg	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5460.00</td><td>37.78</td><td>54.00</td><td>-16.22</td><td>27.81</td><td>34.17</td><td>8.41</td><td>32.61</td><td>100</td><td>182</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>99.48</td><td>-----</td><td>-----</td><td>89.01</td><td>34.59</td><td>8.66</td><td>32.78</td><td>100</td><td>182</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5460.00	37.78	54.00	-16.22	27.81	34.17	8.41	32.61	100	182	Average	2	5720.00	99.48	-----	-----	89.01	34.59	8.66	32.78	100	182	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																													
1	5460.00	37.78	54.00	-16.22	27.81	34.17	8.41	32.61	100	182	Average																																																																										
2	5720.00	99.48	-----	-----	89.01	34.59	8.66	32.78	100	182	Average																																																																										








Mode	58																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue trace with a sharp peak at 5463.44 MHz. A red horizontal line at 70.0 dBuV/m is labeled 'PART 15.407'. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5350 to 5510 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.44</td><td>50.29</td><td>74.00</td><td>-23.71</td><td>40.32</td><td>34.17</td><td>8.41</td><td>32.61</td><td>249</td><td>219 PEAK</td></tr><tr><td>2</td><td>5463.44</td><td>54.69</td><td>68.30</td><td>-13.61</td><td>44.72</td><td>34.18</td><td>8.40</td><td>32.61</td><td>249</td><td>219 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.44	50.29	74.00	-23.71	40.32	34.17	8.41	32.61	249	219 PEAK	2	5463.44	54.69	68.30	-13.61	44.72	34.18	8.40	32.61	249	219 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue trace with a sharp peak at 5510.00 MHz. A red horizontal line at 70.0 dBuV/m is labeled 'PART 15.407'. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>97.99</td><td>-----</td><td>-----</td><td>88.05</td><td>34.20</td><td>8.35</td><td>32.61</td><td>249</td><td>219 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	97.99	-----	-----	88.05	34.20	8.35	32.61	249	219 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5459.44	50.29	74.00	-23.71	40.32	34.17	8.41	32.61	249	219 PEAK																																																																																									
2	5463.44	54.69	68.30	-13.61	44.72	34.18	8.40	32.61	249	219 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5510.00	97.99	-----	-----	88.05	34.20	8.35	32.61	249	219 PEAK																																																																																									
Avg	 Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue trace with a sharp peak at 5459.60 MHz. A red horizontal line at 54.00 dBuV/m is labeled 'PART 15.407 AVG'. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5350 to 5510 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>42.50</td><td>54.00</td><td>-11.50</td><td>32.53</td><td>34.17</td><td>8.41</td><td>32.61</td><td>249</td><td>219 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.60	42.50	54.00	-11.50	32.53	34.17	8.41	32.61	249	219 AVERAGE	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue trace with a sharp peak at 5510.00 MHz. A red horizontal line at 54.00 dBuV/m is labeled 'PART 15.407 AVG'. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>89.51</td><td>-----</td><td>-----</td><td>79.57</td><td>34.20</td><td>8.35</td><td>32.61</td><td>249</td><td>219 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	89.51	-----	-----	79.57	34.20	8.35	32.61	249	219 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5459.60	42.50	54.00	-11.50	32.53	34.17	8.41	32.61	249	219 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5510.00	89.51	-----	-----	79.57	34.20	8.35	32.61	249	219 AVERAGE																																																																																									



Mode	58																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																									
ANT	1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.76</td><td>48.79</td><td>68.30</td><td>-19.51</td><td>38.22</td><td>34.63</td><td>8.73</td><td>32.79</td><td>249</td><td>219</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5739.76	48.79	68.30	-19.51	38.22	34.63	8.73	32.79	249	219	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5739.76	48.79	68.30	-19.51	38.22	34.63	8.73	32.79	249	219	PEAK																															



Mode	58																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>54.94</td><td>74.00</td><td>-19.06</td><td>44.97</td><td>34.17</td><td>8.41</td><td>32.61</td><td>100</td><td>175 PEAK</td></tr><tr><td>2</td><td>5465.84</td><td>55.07</td><td>68.30</td><td>-13.23</td><td>45.10</td><td>34.18</td><td>8.40</td><td>32.61</td><td>100</td><td>175 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.60	54.94	74.00	-19.06	44.97	34.17	8.41	32.61	100	175 PEAK	2	5465.84	55.07	68.30	-13.23	45.10	34.18	8.40	32.61	100	175 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>101.10</td><td>-----</td><td>-----</td><td>91.17</td><td>34.22</td><td>8.33</td><td>32.62</td><td>100</td><td>175 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	101.10	-----	-----	91.17	34.22	8.33	32.62	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5459.60	54.94	74.00	-19.06	44.97	34.17	8.41	32.61	100	175 PEAK																																																																																								
2	5465.84	55.07	68.30	-13.23	45.10	34.18	8.40	32.61	100	175 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5510.00	101.10	-----	-----	91.17	34.22	8.33	32.62	100	175 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>43.82</td><td>54.00</td><td>-10.18</td><td>33.85</td><td>34.17</td><td>8.41</td><td>32.61</td><td>100</td><td>175 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.92	43.82	54.00	-10.18	33.85	34.17	8.41	32.61	100	175 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>91.48</td><td>-----</td><td>-----</td><td>81.55</td><td>34.22</td><td>8.33</td><td>32.62</td><td>100</td><td>175 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	91.48	-----	-----	81.55	34.22	8.33	32.62	100	175 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5459.92	43.82	54.00	-10.18	33.85	34.17	8.41	32.61	100	175 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5510.00	91.48	-----	-----	81.55	34.22	8.33	32.62	100	175 AVERAGE																																																																																								

Mode	58																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5757.35</td><td>48.59</td><td>68.30</td><td>-19.71</td><td>37.94</td><td>34.66</td><td>8.79</td><td>32.80</td><td>100</td><td>175</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5757.35	48.59	68.30	-19.71	37.94	34.66	8.79	32.80	100	175	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5757.35	48.59	68.30	-19.71	37.94	34.66	8.79	32.80	100	175	PEAK																															



Mode	58																																																																																																						
	Harmonic																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg	Data: 1 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>48.93</td><td>-25.07</td><td>74.00</td><td>57.92</td><td>38.45</td><td>11.22</td><td>58.66</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16530.00</td><td>48.13</td><td>-20.17</td><td>68.30</td><td>52.96</td><td>40.43</td><td>12.92</td><td>58.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	48.93	-25.07	74.00	57.92	38.45	11.22	58.66	---	---	Peak	2	16530.00	48.13	-20.17	68.30	52.96	40.43	12.92	58.18	---	---	Peak	Data: 2 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>46.07</td><td>-27.93</td><td>74.00</td><td>55.06</td><td>38.45</td><td>11.22</td><td>58.66</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16530.00</td><td>46.51</td><td>-21.79</td><td>68.30</td><td>51.34</td><td>40.43</td><td>12.92</td><td>58.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	46.07	-27.93	74.00	55.06	38.45	11.22	58.66	---	---	Peak	2	16530.00	46.51	-21.79	68.30	51.34	40.43	12.92	58.18	---	---	Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11020.00	48.93	-25.07	74.00	57.92	38.45	11.22	58.66	---	---	Peak																																																																																												
2	16530.00	48.13	-20.17	68.30	52.96	40.43	12.92	58.18	---	---	Peak																																																																																												
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																													
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11020.00	46.07	-27.93	74.00	55.06	38.45	11.22	58.66	---	---	Peak																																																																																												
2	16530.00	46.51	-21.79	68.30	51.34	40.43	12.92	58.18	---	---	Peak																																																																																												
	Data: 1 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>48.93</td><td>-25.07</td><td>74.00</td><td>57.92</td><td>38.45</td><td>11.22</td><td>58.66</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16530.00</td><td>48.13</td><td>-20.17</td><td>68.30</td><td>52.96</td><td>40.43</td><td>12.92</td><td>58.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	48.93	-25.07	74.00	57.92	38.45	11.22	58.66	---	---	Peak	2	16530.00	48.13	-20.17	68.30	52.96	40.43	12.92	58.18	---	---	Peak	Data: 2 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>46.07</td><td>-27.93</td><td>74.00</td><td>55.06</td><td>38.45</td><td>11.22</td><td>58.66</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16530.00</td><td>46.51</td><td>-21.79</td><td>68.30</td><td>51.34</td><td>40.43</td><td>12.92</td><td>58.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	46.07	-27.93	74.00	55.06	38.45	11.22	58.66	---	---	Peak	2	16530.00	46.51	-21.79	68.30	51.34	40.43	12.92	58.18	---	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																													
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11020.00	48.93	-25.07	74.00	57.92	38.45	11.22	58.66	---	---	Peak																																																																																												
2	16530.00	48.13	-20.17	68.30	52.96	40.43	12.92	58.18	---	---	Peak																																																																																												
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																													
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11020.00	46.07	-27.93	74.00	55.06	38.45	11.22	58.66	---	---	Peak																																																																																												
2	16530.00	46.51	-21.79	68.30	51.34	40.43	12.92	58.18	---	---	Peak																																																																																												








Mode	59																																																																																																										
	Band Edge - L																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5414.20</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>37.86</td><td>34.15</td><td>8.47</td><td>32.63</td><td>200</td><td></td><td>95 PEAK</td></tr><tr><td>2</td><td>5460.60</td><td>47.64</td><td>68.30</td><td>-20.66</td><td>37.67</td><td>34.17</td><td>8.41</td><td>32.61</td><td>200</td><td></td><td>95 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5414.20	47.85	74.00	-26.15	37.86	34.15	8.47	32.63	200		95 PEAK	2	5460.60	47.64	68.30	-20.66	37.67	34.17	8.41	32.61	200		95 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5550.00</td><td>83.58</td><td>-----</td><td>-----</td><td>73.65</td><td>34.30</td><td>8.28</td><td>32.65</td><td>200</td><td></td><td>95 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5550.00	83.58	-----	-----	73.65	34.30	8.28	32.65	200		95 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5414.20	47.85	74.00	-26.15	37.86	34.15	8.47	32.63	200		95 PEAK																																																																																																
2	5460.60	47.64	68.30	-20.66	37.67	34.17	8.41	32.61	200		95 PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5550.00	83.58	-----	-----	73.65	34.30	8.28	32.65	200		95 PEAK																																																																																																





Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5438.60</td><td>38.82</td><td>54.00</td><td>-15.18</td><td>28.84</td><td>34.16</td><td>8.44</td><td>32.62</td><td>200</td><td>95</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5438.60	38.82	54.00	-15.18	28.84	34.16	8.44	32.62	200	95	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>75.41</td><td>-----</td><td>-----</td><td>65.48</td><td>34.30</td><td>8.28</td><td>32.65</td><td>200</td><td>95</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5550.00	75.41	-----	-----	65.48	34.30	8.28	32.65	200	95	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5438.60	38.82	54.00	-15.18	28.84	34.16	8.44	32.62	200	95	AVERAGE																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5550.00	75.41	-----	-----	65.48	34.30	8.28	32.65	200	95	AVERAGE																																																																							
Mode	59																																																																																	
	Band Edge - R																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5737.27</td><td>49.38</td><td>68.30</td><td>-18.92</td><td>38.83</td><td>34.62</td><td>8.72</td><td>32.79</td><td>200</td><td>95</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5737.27	49.38	68.30	-18.92	38.83	34.62	8.72	32.79	200	95	PEAK	Blank																																								
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5737.27	49.38	68.30	-18.92	38.83	34.62	8.72	32.79	200	95	PEAK																																																																							







Mode	59																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical					Fundamental																																																																																								
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5417.80</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>38.16</td><td>34.15</td><td>8.47</td><td>32.63</td><td>109</td><td>166 PEAK</td></tr><tr><td>2</td><td>5466.80</td><td>48.15</td><td>68.30</td><td>-20.15</td><td>38.18</td><td>34.18</td><td>8.40</td><td>32.61</td><td>109</td><td>166 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5417.80	48.15	74.00	-25.85	38.16	34.15	8.47	32.63	109	166 PEAK	2	5466.80	48.15	68.30	-20.15	38.18	34.18	8.40	32.61	109	166 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>100.25</td><td>-----</td><td>-----</td><td>90.32</td><td>34.28</td><td>8.29</td><td>32.64</td><td>109</td><td>166 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5550.00	100.25	-----	-----	90.32	34.28	8.29	32.64	109
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5417.80	48.15	74.00	-25.85	38.16	34.15	8.47	32.63	109	166 PEAK																																																																																				
2	5466.80	48.15	68.30	-20.15	38.18	34.18	8.40	32.61	109	166 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5550.00	100.25	-----	-----	90.32	34.28	8.29	32.64	109	166 PEAK																																																																																				
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5441.60</td><td>39.39</td><td>54.00</td><td>-14.61</td><td>29.42</td><td>34.16</td><td>8.43</td><td>32.62</td><td>109</td><td>166 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5441.60	39.39	54.00	-14.61	29.42	34.16	8.43	32.62	109	166 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>91.20</td><td>-----</td><td>-----</td><td>81.28</td><td>34.29</td><td>8.28</td><td>32.65</td><td>109</td><td>166 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5550.00	91.20	-----	-----	81.28	34.29	8.28	32.65	109	166 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5441.60	39.39	54.00	-14.61	29.42	34.16	8.43	32.62	109	166 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5550.00	91.20	-----	-----	81.28	34.29	8.28	32.65	109	166 AVERAGE																																																																																				

Mode	59																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																							
ANT	1																																							
Pol.	Vertical	Fundamental																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5743.93</td><td>48.99</td><td>68.30</td><td>-19.31</td><td>38.40</td><td>34.64</td><td>8.74</td><td>32.79</td><td>109 166 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5743.93	48.99	68.30	-19.31	38.40	34.64	8.74	32.79	109 166 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5743.93	48.99	68.30	-19.31	38.40	34.64	8.74	32.79	109 166 PEAK																															




Mode	59																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal								Vertical																																																																																																	
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11100.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.84</td><td>38.21</td><td>11.26</td><td>58.19 -- Peak</td></tr><tr><td>2</td><td>16650.00</td><td>47.63</td><td>68.30</td><td>-20.67</td><td>52.82</td><td>40.52</td><td>12.97</td><td>58.68 -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11100.00	47.12	74.00	-26.88	55.84	38.21	11.26	58.19 -- Peak	2	16650.00	47.63	68.30	-20.67	52.82	40.52	12.97	58.68 -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11100.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>56.85</td><td>38.21</td><td>11.26</td><td>58.19 -- Peak</td></tr><tr><td>2</td><td>16650.00</td><td>46.77</td><td>68.30</td><td>-21.53</td><td>51.96</td><td>40.52</td><td>12.97</td><td>58.68 -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11100.00	48.13	74.00	-25.87	56.85	38.21	11.26	58.19 -- Peak	2	16650.00	46.77	68.30	-21.53	51.96	40.52	12.97	58.68 -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	11100.00	47.12	74.00	-26.88	55.84	38.21	11.26	58.19 -- Peak																																																																																																		
2	16650.00	47.63	68.30	-20.67	52.82	40.52	12.97	58.68 -- Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	11100.00	48.13	74.00	-25.87	56.85	38.21	11.26	58.19 -- Peak																																																																																																		
2	16650.00	46.77	68.30	-21.53	51.96	40.52	12.97	58.68 -- Peak																																																																																																		







Mode	60																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5372.40</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>37.69</td><td>34.12</td><td>8.39</td><td>32.65</td><td>197</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>5466.16</td><td>46.74</td><td>68.30</td><td>-21.56</td><td>36.77</td><td>34.18</td><td>8.40</td><td>32.61</td><td>197</td><td>125</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5372.40	47.55	74.00	-26.45	37.69	34.12	8.39	32.65	197	125	PEAK	2	5466.16	46.74	68.30	-21.56	36.77	34.18	8.40	32.61	197	125	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>94.77</td><td>-----</td><td>-----</td><td>84.48</td><td>34.52</td><td>8.51</td><td>32.74</td><td>197</td><td>125</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	94.77	-----	-----	84.48	34.52	8.51	32.74	197	125
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5372.40	47.55	74.00	-26.45	37.69	34.12	8.39	32.65	197	125	PEAK																																																																																											
2	5466.16	46.74	68.30	-21.56	36.77	34.18	8.40	32.61	197	125	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5670.00	94.77	-----	-----	84.48	34.52	8.51	32.74	197	125	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5389.36</td><td>38.46</td><td>54.00</td><td>-15.54</td><td>28.54</td><td>34.13</td><td>8.43</td><td>32.64</td><td>197</td><td>125</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5389.36	38.46	54.00	-15.54	28.54	34.13	8.43	32.64	197	125	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>85.24</td><td>-----</td><td>-----</td><td>75.02</td><td>34.50</td><td>8.46</td><td>32.74</td><td>197</td><td>125</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	85.24	-----	-----	75.02	34.50	8.46	32.74	197	125	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5389.36	38.46	54.00	-15.54	28.54	34.13	8.43	32.64	197	125	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5670.00	85.24	-----	-----	75.02	34.50	8.46	32.74	197	125	AVERAGE																																																																																											




Mode	60																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																										
ANT	1																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.13</td><td>48.81</td><td>68.30</td><td>-19.49</td><td>38.28</td><td>34.61</td><td>8.70</td><td>32.78</td><td>197</td><td>125</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.13	48.81	68.30	-19.49	38.28	34.61	8.70	32.78	197	125	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5732.13	48.81	68.30	-19.49	38.28	34.61	8.70	32.78	197	125	PEAK																																




Mode	60																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5388.40</td><td>48.20</td><td>74.00</td><td>-25.80</td><td>38.28</td><td>34.13</td><td>8.43</td><td>32.64</td><td>108</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5467.12</td><td>47.20</td><td>68.30</td><td>-21.10</td><td>37.23</td><td>34.18</td><td>8.40</td><td>32.61</td><td>108</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5388.40	48.20	74.00	-25.80	38.28	34.13	8.43	32.64	108	173	PEAK	2	5467.12	47.20	68.30	-21.10	37.23	34.18	8.40	32.61	108	173	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>101.58</td><td>-----</td><td>-----</td><td>91.32</td><td>34.51</td><td>8.49</td><td>32.74</td><td>108</td><td>173</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	101.58	-----	-----	91.32	34.51	8.49	32.74	108	173
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5388.40	48.20	74.00	-25.80	38.28	34.13	8.43	32.64	108	173	PEAK																																																																																											
2	5467.12	47.20	68.30	-21.10	37.23	34.18	8.40	32.61	108	173	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5670.00	101.58	-----	-----	91.32	34.51	8.49	32.74	108	173	PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.20</td><td>38.76</td><td>54.00</td><td>-15.24</td><td>28.79</td><td>34.17</td><td>8.41</td><td>32.61</td><td>108</td><td>173</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.20	38.76	54.00	-15.24	28.79	34.17	8.41	32.61	108	173	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>92.20</td><td>-----</td><td>-----</td><td>81.94</td><td>34.51</td><td>8.49</td><td>32.74</td><td>108</td><td>173</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	92.20	-----	-----	81.94	34.51	8.49	32.74	108	173	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5457.20	38.76	54.00	-15.24	28.79	34.17	8.41	32.61	108	173	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5670.00	92.20	-----	-----	81.94	34.51	8.49	32.74	108	173	AVERAGE																																																																																											





Mode	60																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																										
ANT	1																																										
Pol.	Vertical	Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.07</td><td>51.51</td><td>68.30</td><td>-16.79</td><td>40.94</td><td>34.63</td><td>8.73</td><td>32.79</td><td>108</td><td>173</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.07	51.51	68.30	-16.79	40.94	34.63	8.73	32.79	108	173	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5739.07	51.51	68.30	-16.79	40.94	34.63	8.73	32.79	108	173	PEAK																																





Mode	60																																																	
	Harmonic																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																	
ANT	1																																																	
Pol.	Horizontal					Vertical																																												
Peak Avg																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11340.00</td><td>44.61</td><td>74.00</td><td>-29.39</td><td>53.59</td><td>37.56</td><td>11.38</td></tr><tr><td>2</td><td>17010.00</td><td>46.23</td><td>68.30</td><td>-22.07</td><td>50.56</td><td>40.83</td><td>13.12</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11340.00	44.61	74.00	-29.39	53.59	37.56	11.38	2	17010.00	46.23	68.30	-22.07	50.56	40.83	13.12
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																											
1	11340.00	44.61	74.00	-29.39	53.59	37.56	11.38																																											
2	17010.00	46.23	68.30	-22.07	50.56	40.83	13.12																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11340.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>54.41</td><td>37.56</td><td>11.38</td></tr><tr><td>2</td><td>17010.00</td><td>45.21</td><td>68.30</td><td>-23.09</td><td>49.54</td><td>40.83</td><td>13.12</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11340.00	45.43	74.00	-28.57	54.41	37.56	11.38	2	17010.00	45.21	68.30	-23.09	49.54	40.83	13.12	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																											
1	11340.00	45.43	74.00	-28.57	54.41	37.56	11.38																																											
2	17010.00	45.21	68.30	-23.09	49.54	40.83	13.12																																											




Mode	61																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal					Fundamental																																																																																
Peak	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5435.25</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>37.27</td><td>34.16</td><td>8.44</td><td>32.62</td><td>101</td><td>322</td><td>Peak</td></tr><tr><td>2</td><td>5463.85</td><td>46.15</td><td>68.30</td><td>-22.15</td><td>36.18</td><td>34.18</td><td>8.40</td><td>32.61</td><td>101</td><td>322</td><td>Peak</td></tr><tr><td>3</td><td>5710.00</td><td>95.16</td><td>-----</td><td>-----</td><td>84.74</td><td>34.57</td><td>8.62</td><td>32.77</td><td>101</td><td>322</td><td>Peak</td></tr><tr><td>4</td><td>5876.35</td><td>48.66</td><td>68.30</td><td>-19.64</td><td>37.83</td><td>34.88</td><td>8.85</td><td>32.90</td><td>101</td><td>322</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5435.25	47.25	74.00	-26.75	37.27	34.16	8.44	32.62	101	322	Peak	2	5463.85	46.15	68.30	-22.15	36.18	34.18	8.40	32.61	101	322	Peak	3	5710.00	95.16	-----	-----	84.74	34.57	8.62	32.77	101	322	Peak	4	5876.35	48.66	68.30	-19.64	37.83	34.88	8.85	32.90	101	322	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5435.25	47.25	74.00	-26.75	37.27	34.16	8.44	32.62	101	322	Peak																																																																											
2	5463.85	46.15	68.30	-22.15	36.18	34.18	8.40	32.61	101	322	Peak																																																																											
3	5710.00	95.16	-----	-----	84.74	34.57	8.62	32.77	101	322	Peak																																																																											
4	5876.35	48.66	68.30	-19.64	37.83	34.88	8.85	32.90	101	322	Peak																																																																											
Avg	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5458.90</td><td>37.70</td><td>54.00</td><td>-16.30</td><td>27.73</td><td>34.17</td><td>8.41</td><td>32.61</td><td>101</td><td>322</td><td>Average</td></tr><tr><td>2</td><td>5710.00</td><td>86.71</td><td>-----</td><td>-----</td><td>76.29</td><td>34.57</td><td>8.62</td><td>32.77</td><td>101</td><td>322</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5458.90	37.70	54.00	-16.30	27.73	34.17	8.41	32.61	101	322	Average	2	5710.00	86.71	-----	-----	76.29	34.57	8.62	32.77	101	322	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5458.90	37.70	54.00	-16.30	27.73	34.17	8.41	32.61	101	322	Average																																																																											
2	5710.00	86.71	-----	-----	76.29	34.57	8.62	32.77	101	322	Average																																																																											







Mode	61																																																																																
	Band Edge																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																																																
ANT	1																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak	Blank																																																																																
						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.45</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>37.12</td><td>34.17</td><td>8.42</td><td>32.62</td><td>100</td><td>191</td><td>Peak</td></tr><tr><td>2</td><td>5467.70</td><td>46.58</td><td>68.30</td><td>-21.72</td><td>36.61</td><td>34.18</td><td>8.40</td><td>32.61</td><td>100</td><td>191</td><td>Peak</td></tr><tr><td>3</td><td>5710.00</td><td>101.22</td><td>-----</td><td>-----</td><td>90.80</td><td>34.57</td><td>8.62</td><td>32.77</td><td>100</td><td>191</td><td>Peak</td></tr><tr><td>4</td><td>5854.90</td><td>49.65</td><td>68.30</td><td>-18.65</td><td>38.82</td><td>34.84</td><td>8.87</td><td>32.88</td><td>100</td><td>191</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.45	47.09	74.00	-26.91	37.12	34.17	8.42	32.62	100	191	Peak	2	5467.70	46.58	68.30	-21.72	36.61	34.18	8.40	32.61	100	191	Peak	3	5710.00	101.22	-----	-----	90.80	34.57	8.62	32.77	100	191	Peak	4	5854.90	49.65	68.30	-18.65	38.82
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5448.45	47.09	74.00	-26.91	37.12	34.17	8.42	32.62	100	191	Peak																																																																						
2	5467.70	46.58	68.30	-21.72	36.61	34.18	8.40	32.61	100	191	Peak																																																																						
3	5710.00	101.22	-----	-----	90.80	34.57	8.62	32.77	100	191	Peak																																																																						
4	5854.90	49.65	68.30	-18.65	38.82	34.84	8.87	32.88	100	191	Peak																																																																						
Avg	Blank																																																																																
						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>37.84</td><td>54.00</td><td>-16.16</td><td>27.87</td><td>34.17</td><td>8.41</td><td>32.61</td><td>100</td><td>191</td><td>Average</td></tr><tr><td>2</td><td>5710.00</td><td>93.28</td><td>-----</td><td>-----</td><td>82.86</td><td>34.57</td><td>8.62</td><td>32.77</td><td>100</td><td>191</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	37.84	54.00	-16.16	27.87	34.17	8.41	32.61	100	191	Average	2	5710.00	93.28	-----	-----	82.86	34.57	8.62	32.77	100	191	Average																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5460.00	37.84	54.00	-16.16	27.87	34.17	8.41	32.61	100	191	Average																																																																						
2	5710.00	93.28	-----	-----	82.86	34.57	8.62	32.77	100	191	Average																																																																						




Mode	61																																																									
	Harmonic																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																									
ANT	1																																																									
Pol.	Horizontal					Vertical																																																				
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.76</td><td>74.00</td><td>-28.24</td><td>54.84</td><td>37.34</td><td>11.41</td><td>57.83</td><td>157</td><td>285 Peak</td></tr><tr><td>2</td><td>17130.00</td><td>46.86</td><td>68.30</td><td>-21.44</td><td>50.76</td><td>41.06</td><td>13.15</td><td>58.11</td><td>165</td><td>246 Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11420.00	45.76	74.00	-28.24	54.84	37.34	11.41	57.83	157	285 Peak	2	17130.00	46.86	68.30	-21.44	50.76	41.06	13.15	58.11	165	246 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																	
1	11420.00	45.76	74.00	-28.24	54.84	37.34	11.41	57.83	157	285 Peak																																																
2	17130.00	46.86	68.30	-21.44	50.76	41.06	13.15	58.11	165	246 Peak																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>56.20</td><td>37.34</td><td>11.41</td><td>57.83</td><td>122</td><td>291 Peak</td></tr><tr><td>2</td><td>17130.00</td><td>46.55</td><td>68.30</td><td>-21.75</td><td>50.45</td><td>41.06</td><td>13.15</td><td>58.11</td><td>153</td><td>102 Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11420.00	47.12	74.00	-26.88	56.20	37.34	11.41	57.83	122	291 Peak	2	17130.00	46.55	68.30	-21.75	50.45	41.06	13.15	58.11	153	102 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																	
1	11420.00	47.12	74.00	-26.88	56.20	37.34	11.41	57.83	122	291 Peak																																																
2	17130.00	46.55	68.30	-21.75	50.45	41.06	13.15	58.11	153	102 Peak																																																







Mode	62																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.48</td><td>51.72</td><td>74.00</td><td>-22.28</td><td>41.74</td><td>34.17</td><td>8.42</td><td>32.61</td><td>243</td><td>210° PEAK</td></tr><tr><td>2</td><td>5469.70</td><td>51.19</td><td>68.30</td><td>-17.11</td><td>41.22</td><td>34.18</td><td>8.40</td><td>32.61</td><td>243</td><td>210° PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5455.48	51.72	74.00	-22.28	41.74	34.17	8.42	32.61	243	210° PEAK	2	5469.70	51.19	68.30	-17.11	41.22	34.18	8.40	32.61	243	210° PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>94.96</td><td>-----</td><td>-----</td><td>85.03</td><td>34.27</td><td>8.30</td><td>32.64</td><td>243</td><td>210° PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	94.96	-----	-----	85.03	34.27	8.30	32.64	243
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5455.48	51.72	74.00	-22.28	41.74	34.17	8.42	32.61	243	210° PEAK																																																																																									
2	5469.70	51.19	68.30	-17.11	41.22	34.18	8.40	32.61	243	210° PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5530.00	94.96	-----	-----	85.03	34.27	8.30	32.64	243	210° PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.36</td><td>42.43</td><td>54.00</td><td>-11.57</td><td>32.46</td><td>34.17</td><td>8.41</td><td>32.61</td><td>243</td><td>210° AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.36	42.43	54.00	-11.57	32.46	34.17	8.41	32.61	243	210° AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>86.57</td><td>-----</td><td>-----</td><td>76.64</td><td>34.21</td><td>8.34</td><td>32.62</td><td>243</td><td>210° AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	86.57	-----	-----	76.64	34.21	8.34	32.62	243	210° AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5458.36	42.43	54.00	-11.57	32.46	34.17	8.41	32.61	243	210° AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5530.00	86.57	-----	-----	76.64	34.21	8.34	32.62	243	210° AVERAGE																																																																																									




Mode	62																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.37</td><td>49.35</td><td>68.30</td><td>-18.95</td><td>38.70</td><td>34.66</td><td>8.79</td><td>32.80</td><td>243</td><td>210</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5755.37	49.35	68.30	-18.95	38.70	34.66	8.79	32.80	243	210	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5755.37	49.35	68.30	-18.95	38.70	34.66	8.79	32.80	243	210	PEAK																																								





Mode	62																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.82	53.04	74.00	-20.96	43.07	34.17	8.41	32.61	100	168	PEAK	2	5462.86	52.77	68.30	-15.53	42.79	34.18	8.41	32.61	100	168	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>98.71</td><td>-----</td><td>-----</td><td>88.78</td><td>34.27</td><td>8.30</td><td>32.64</td><td>100</td><td>168</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	98.71	-----	-----	88.78	34.27	8.30	32.64	100	168
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5457.82	53.04	74.00	-20.96	43.07	34.17	8.41	32.61	100	168	PEAK																																																																																	
2	5462.86	52.77	68.30	-15.53	42.79	34.18	8.41	32.61	100	168	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5530.00	98.71	-----	-----	88.78	34.27	8.30	32.64	100	168	PEAK																																																																																	
Avg																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.62	44.46	54.00	-9.54	34.49	34.17	8.41	32.61	100	168	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>89.67</td><td>-----</td><td>-----</td><td>79.75</td><td>34.29</td><td>8.28</td><td>32.65</td><td>100</td><td>168</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	89.67	-----	-----	79.75	34.29	8.28	32.65	100	168	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5459.62	44.46	54.00	-9.54	34.49	34.17	8.41	32.61	100	168	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5530.00	89.67	-----	-----	79.75	34.29	8.28	32.65	100	168	AVERAGE																																																																																	







Mode	62																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5753.72</td><td>49.13</td><td>68.30</td><td>-19.17</td><td>38.50</td><td>34.65</td><td>8.78</td><td>32.80</td><td>100</td><td>168</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5753.72	49.13	68.30	-19.17	38.50	34.65	8.78	32.80	100	168	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5753.72	49.13	68.30	-19.17	38.50	34.65	8.78	32.80	100	168	PEAK																															




Mode	62																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal								Vertical																																																																																																	
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>46.38</td><td>74.00</td><td>-27.62</td><td>55.05</td><td>38.32</td><td>11.24</td><td>58.23 -- Peak</td></tr><tr><td>2</td><td>16590.00</td><td>46.06</td><td>68.30</td><td>-22.24</td><td>51.39</td><td>40.47</td><td>12.95</td><td>58.75 -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	11060.00	46.38	74.00	-27.62	55.05	38.32	11.24	58.23 -- Peak	2	16590.00	46.06	68.30	-22.24	51.39	40.47	12.95	58.75 -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>46.04</td><td>74.00</td><td>-27.96</td><td>54.71</td><td>38.32</td><td>11.24</td><td>58.23 -- Peak</td></tr><tr><td>2</td><td>16590.00</td><td>45.89</td><td>68.30</td><td>-22.41</td><td>51.22</td><td>40.47</td><td>12.95</td><td>58.75 -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	11060.00	46.04	74.00	-27.96	54.71	38.32	11.24	58.23 -- Peak	2	16590.00	45.89	68.30	-22.41	51.22	40.47	12.95	58.75 -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																			
1	11060.00	46.38	74.00	-27.62	55.05	38.32	11.24	58.23 -- Peak																																																																																																		
2	16590.00	46.06	68.30	-22.24	51.39	40.47	12.95	58.75 -- Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																			
1	11060.00	46.04	74.00	-27.96	54.71	38.32	11.24	58.23 -- Peak																																																																																																		
2	16590.00	45.89	68.30	-22.41	51.22	40.47	12.95	58.75 -- Peak																																																																																																		







Mode	63																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.40</td><td>48.14</td><td>74.00</td><td>-25.86</td><td>38.17</td><td>34.17</td><td>8.42</td><td>32.62</td><td>250</td><td>214 PEAK</td></tr><tr><td>2</td><td>5469.08</td><td>48.17</td><td>68.30</td><td>-20.13</td><td>38.20</td><td>34.18</td><td>8.40</td><td>32.61</td><td>250</td><td>214 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5451.40	48.14	74.00	-25.86	38.17	34.17	8.42	32.62	250	214 PEAK	2	5469.08	48.17	68.30	-20.13	38.20	34.18	8.40	32.61	250	214 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>95.18</td><td>-----</td><td>-----</td><td>85.07</td><td>34.45</td><td>8.38</td><td>32.72</td><td>250</td><td>214 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	95.18	-----	-----	85.07	34.45	8.38	32.72	250
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5451.40	48.14	74.00	-25.86	38.17	34.17	8.42	32.62	250	214 PEAK																																																																																								
2	5469.08	48.17	68.30	-20.13	38.20	34.18	8.40	32.61	250	214 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5610.00	95.18	-----	-----	85.07	34.45	8.38	32.72	250	214 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.98</td><td>39.30</td><td>54.00</td><td>-14.70</td><td>29.33</td><td>34.17</td><td>8.41</td><td>32.61</td><td>250</td><td>214 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.98	39.30	54.00	-14.70	29.33	34.17	8.41	32.61	250	214 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>85.64</td><td>-----</td><td>-----</td><td>75.53</td><td>34.45</td><td>8.38</td><td>32.72</td><td>250</td><td>214 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	85.64	-----	-----	75.53	34.45	8.38	32.72	250	214 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5459.98	39.30	54.00	-14.70	29.33	34.17	8.41	32.61	250	214 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5610.00	85.64	-----	-----	75.53	34.45	8.38	32.72	250	214 AVERAGE																																																																																								




Mode	63																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																										
ANT	1																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5762.99</td><td>50.50</td><td>68.30</td><td>-17.80</td><td>39.83</td><td>34.67</td><td>8.81</td><td>32.81</td><td>250</td><td>214</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5762.99	50.50	68.30	-17.80	39.83	34.67	8.81	32.81	250	214	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5762.99	50.50	68.30	-17.80	39.83	34.67	8.81	32.81	250	214	PEAK																																



Mode	63																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5378.34</td><td>48.99</td><td>74.00</td><td>-25.01</td><td>39.11</td><td>34.13</td><td>8.40</td><td>32.65</td><td>100</td><td>169 PEAK</td></tr><tr><td>2</td><td>5464.40</td><td>49.01</td><td>68.30</td><td>-19.29</td><td>39.04</td><td>34.18</td><td>8.40</td><td>32.61</td><td>100</td><td>169 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5378.34	48.99	74.00	-25.01	39.11	34.13	8.40	32.65	100	169 PEAK	2	5464.40	49.01	68.30	-19.29	39.04	34.18	8.40	32.61	100	169 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>98.63</td><td>-----</td><td>-----</td><td>88.49</td><td>34.46</td><td>8.40</td><td>32.72</td><td>100</td><td>169 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	98.63	-----	-----	88.49	34.46	8.40	32.72	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5378.34	48.99	74.00	-25.01	39.11	34.13	8.40	32.65	100	169 PEAK																																																																																								
2	5464.40	49.01	68.30	-19.29	39.04	34.18	8.40	32.61	100	169 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5610.00	98.63	-----	-----	88.49	34.46	8.40	32.72	100	169 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.68</td><td>39.59</td><td>54.00</td><td>-14.41</td><td>29.62</td><td>34.17</td><td>8.41</td><td>32.61</td><td>100</td><td>169 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.68	39.59	54.00	-14.41	29.62	34.17	8.41	32.61	100	169 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>89.66</td><td>-----</td><td>-----</td><td>79.52</td><td>34.46</td><td>8.40</td><td>32.72</td><td>100</td><td>169 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	89.66	-----	-----	79.52	34.46	8.40	32.72	100	169 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5458.68	39.59	54.00	-14.41	29.62	34.17	8.41	32.61	100	169 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5610.00	89.66	-----	-----	79.52	34.46	8.40	32.72	100	169 AVERAGE																																																																																								





Mode	63																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																										
ANT	1																																										
Pol.	Vertical	Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.52</td><td>50.85</td><td>68.30</td><td>-17.45</td><td>40.32</td><td>34.61</td><td>8.70</td><td>32.78</td><td>100</td><td>169</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.52	50.85	68.30	-17.45	40.32	34.61	8.70	32.78	100	169	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5731.52	50.85	68.30	-17.45	40.32	34.61	8.70	32.78	100	169	PEAK																																





Mode	63																																																														
	Harmonic																																																														
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																														
ANT	1																																																														
Pol.	Horizontal						Vertical																																																								
Peak Avg																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>45.95</td><td>74.00</td><td>-28.05</td><td>54.79</td><td>37.89</td><td>11.32</td><td>58.05</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>16830.00</td><td>46.53</td><td>68.30</td><td>-21.77</td><td>51.30</td><td>40.66</td><td>13.05</td><td>58.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11220.00	45.95	74.00	-28.05	54.79	37.89	11.32	58.05	--	--	Peak	2	16830.00	46.53	68.30	-21.77	51.30	40.66	13.05	58.48	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	11220.00	45.95	74.00	-28.05	54.79	37.89	11.32	58.05	--	--	Peak																																																				
2	16830.00	46.53	68.30	-21.77	51.30	40.66	13.05	58.48	--	--	Peak																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>44.50</td><td>74.00</td><td>-29.50</td><td>53.34</td><td>37.89</td><td>11.32</td><td>58.05</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>16830.00</td><td>45.11</td><td>68.30</td><td>-23.19</td><td>49.88</td><td>40.66</td><td>13.05</td><td>58.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11220.00	44.50	74.00	-29.50	53.34	37.89	11.32	58.05	--	--	Peak	2	16830.00	45.11	68.30	-23.19	49.88	40.66	13.05	58.48	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	11220.00	44.50	74.00	-29.50	53.34	37.89	11.32	58.05	--	--	Peak																																																				
2	16830.00	45.11	68.30	-23.19	49.88	40.66	13.05	58.48	--	--	Peak																																																				




Mode	64																																																																																						
	Band Edge																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal					Fundamental																																																																																	
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5434.70</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>37.18</td><td>34.16</td><td>8.44</td><td>32.62</td><td>319</td><td>212</td><td>Peak</td></tr><tr><td>2</td><td>5464.95</td><td>47.80</td><td>68.30</td><td>-20.50</td><td>37.83</td><td>34.18</td><td>8.40</td><td>32.61</td><td>319</td><td>212</td><td>Peak</td></tr><tr><td>3</td><td>5690.00</td><td>95.61</td><td>-----</td><td>-----</td><td>85.28</td><td>34.54</td><td>8.54</td><td>32.75</td><td>319</td><td>212</td><td>Peak</td></tr><tr><td>4</td><td>5897.80</td><td>48.71</td><td>68.30</td><td>-19.59</td><td>37.88</td><td>34.92</td><td>8.82</td><td>32.91</td><td>319</td><td>212</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5434.70	47.16	74.00	-26.84	37.18	34.16	8.44	32.62	319	212	Peak	2	5464.95	47.80	68.30	-20.50	37.83	34.18	8.40	32.61	319	212	Peak	3	5690.00	95.61	-----	-----	85.28	34.54	8.54	32.75	319	212	Peak	4	5897.80	48.71	68.30	-19.59	37.88	34.92	8.82	32.91	319	212	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5434.70	47.16	74.00	-26.84	37.18	34.16	8.44	32.62	319	212	Peak																																																																												
2	5464.95	47.80	68.30	-20.50	37.83	34.18	8.40	32.61	319	212	Peak																																																																												
3	5690.00	95.61	-----	-----	85.28	34.54	8.54	32.75	319	212	Peak																																																																												
4	5897.80	48.71	68.30	-19.59	37.88	34.92	8.82	32.91	319	212	Peak																																																																												
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5430.85</td><td>38.07</td><td>54.00</td><td>-15.93</td><td>28.08</td><td>34.16</td><td>8.45</td><td>32.62</td><td>319</td><td>212</td><td>Average</td></tr><tr><td>2</td><td>5690.00</td><td>87.52</td><td>-----</td><td>-----</td><td>77.19</td><td>34.54</td><td>8.54</td><td>32.75</td><td>319</td><td>212</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5430.85	38.07	54.00	-15.93	28.08	34.16	8.45	32.62	319	212	Average	2	5690.00	87.52	-----	-----	77.19	34.54	8.54	32.75	319	212	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5430.85	38.07	54.00	-15.93	28.08	34.16	8.45	32.62	319	212	Average																																																																												
2	5690.00	87.52	-----	-----	77.19	34.54	8.54	32.75	319	212	Average																																																																												








Mode	64																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical					Fundamental																																																																													
Peak	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5390.15</td><td>47.57</td><td>74.00</td><td>-26.43</td><td>37.64</td><td>34.13</td><td>8.44</td><td>32.64</td><td>100</td><td>180</td><td>Peak</td></tr><tr><td>2</td><td>5467.15</td><td>48.81</td><td>68.30</td><td>-19.49</td><td>38.84</td><td>34.18</td><td>8.40</td><td>32.61</td><td>100</td><td>180</td><td>Peak</td></tr><tr><td>3</td><td>5690.00</td><td>99.13</td><td>-----</td><td>-----</td><td>88.80</td><td>34.54</td><td>8.54</td><td>32.75</td><td>100</td><td>180</td><td>Peak</td></tr><tr><td>4</td><td>5862.05</td><td>49.76</td><td>68.30</td><td>-18.54</td><td>38.93</td><td>34.85</td><td>8.86</td><td>32.88</td><td>100</td><td>180</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5390.15	47.57	74.00	-26.43	37.64	34.13	8.44	32.64	100	180	Peak	2	5467.15	48.81	68.30	-19.49	38.84	34.18	8.40	32.61	100	180	Peak	3	5690.00	99.13	-----	-----	88.80	34.54	8.54	32.75	100	180	Peak	4	5862.05	49.76	68.30	-18.54	38.93	34.85	8.86	32.88	100	180	Peak
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5390.15	47.57	74.00	-26.43	37.64	34.13	8.44	32.64	100	180	Peak																																																																								
2	5467.15	48.81	68.30	-19.49	38.84	34.18	8.40	32.61	100	180	Peak																																																																								
3	5690.00	99.13	-----	-----	88.80	34.54	8.54	32.75	100	180	Peak																																																																								
4	5862.05	49.76	68.30	-18.54	38.93	34.85	8.86	32.88	100	180	Peak																																																																								
Avg	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5460.00</td><td>38.40</td><td>54.00</td><td>-15.60</td><td>28.43</td><td>34.17</td><td>8.41</td><td>32.61</td><td>100</td><td>180</td><td>Average</td></tr><tr><td>2</td><td>5690.00</td><td>90.46</td><td>-----</td><td>-----</td><td>80.13</td><td>34.54</td><td>8.54</td><td>32.75</td><td>100</td><td>180</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5460.00	38.40	54.00	-15.60	28.43	34.17	8.41	32.61	100	180	Average	2	5690.00	90.46	-----	-----	80.13	34.54	8.54	32.75	100	180	Average																								
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5460.00	38.40	54.00	-15.60	28.43	34.17	8.41	32.61	100	180	Average																																																																								
2	5690.00	90.46	-----	-----	80.13	34.54	8.54	32.75	100	180	Average																																																																								







Mode	64																																																	
	Harmonic																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																	
ANT	1																																																	
Pol.	Horizontal					Vertical																																												
Peak Avg																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11380.00</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>54.39</td><td>37.45</td><td>11.40 57.88</td></tr><tr><td>2</td><td>17070.00</td><td>47.18</td><td>68.30</td><td>-21.12</td><td>51.30</td><td>40.94</td><td>13.14 58.20</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11380.00	45.36	74.00	-28.64	54.39	37.45	11.40 57.88	2	17070.00	47.18	68.30	-21.12	51.30	40.94	13.14 58.20
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																											
1	11380.00	45.36	74.00	-28.64	54.39	37.45	11.40 57.88																																											
2	17070.00	47.18	68.30	-21.12	51.30	40.94	13.14 58.20																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11380.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>54.00</td><td>37.45</td><td>11.40 57.88</td></tr><tr><td>2</td><td>17070.00</td><td>45.89</td><td>68.30</td><td>-22.41</td><td>50.01</td><td>40.94</td><td>13.14 58.20</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11380.00	44.97	74.00	-29.03	54.00	37.45	11.40 57.88	2	17070.00	45.89	68.30	-22.41	50.01	40.94	13.14 58.20
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																											
1	11380.00	44.97	74.00	-29.03	54.00	37.45	11.40 57.88																																											
2	17070.00	45.89	68.30	-22.41	50.01	40.94	13.14 58.20																																											




Mode	65																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5432.72</td><td>54.58</td><td>74.00</td><td>-19.42</td><td>44.59</td><td>34.16</td><td>8.45</td><td>32.62</td><td>312</td><td>216</td><td>PEAK</td></tr><tr><td>2</td><td>5469.02</td><td>55.47</td><td>68.30</td><td>-12.83</td><td>45.50</td><td>34.18</td><td>8.40</td><td>32.61</td><td>312</td><td>216</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5432.72	54.58	74.00	-19.42	44.59	34.16	8.45	32.62	312	216	PEAK	2	5469.02	55.47	68.30	-12.83	45.50	34.18	8.40	32.61	312	216	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>93.25</td><td>-----</td><td>-----</td><td>83.32</td><td>34.30</td><td>8.28</td><td>32.65</td><td>312</td><td>216</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	93.25	-----	-----	83.32	34.30	8.28	32.65	312	216
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5432.72	54.58	74.00	-19.42	44.59	34.16	8.45	32.62	312	216	PEAK																																																																																											
2	5469.02	55.47	68.30	-12.83	45.50	34.18	8.40	32.61	312	216	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	93.25	-----	-----	83.32	34.30	8.28	32.65	312	216	PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5432.50</td><td>45.75</td><td>54.00</td><td>-8.25</td><td>35.76</td><td>34.16</td><td>8.45</td><td>32.62</td><td>312</td><td>216</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5432.50	45.75	54.00	-8.25	35.76	34.16	8.45	32.62	312	216	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>84.25</td><td>-----</td><td>-----</td><td>74.33</td><td>34.29</td><td>8.28</td><td>32.65</td><td>312</td><td>216</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	84.25	-----	-----	74.33	34.29	8.28	32.65	312	216	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5432.50	45.75	54.00	-8.25	35.76	34.16	8.45	32.62	312	216	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	84.25	-----	-----	74.33	34.29	8.28	32.65	312	216	AVERAGE																																																																																											

Mode	65																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.50</td><td>52.79</td><td>68.30</td><td>-15.51</td><td>42.19</td><td>34.64</td><td>8.75</td><td>32.79</td><td>312</td><td>216</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.50	52.79	68.30	-15.51	42.19	34.64	8.75	32.79	312	216	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5745.50	52.79	68.30	-15.51	42.19	34.64	8.75	32.79	312	216	PEAK																																								





Mode	65																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical					Fundamental																																																																																								
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.34</td><td>55.50</td><td>74.00</td><td>-18.50</td><td>45.53</td><td>34.17</td><td>8.41</td><td>32.61</td><td>100</td><td>187 PEAK</td></tr><tr><td>2</td><td>5464.40</td><td>56.97</td><td>68.30</td><td>-11.33</td><td>47.00</td><td>34.18</td><td>8.40</td><td>32.61</td><td>100</td><td>187 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.34	55.50	74.00	-18.50	45.53	34.17	8.41	32.61	100	187 PEAK	2	5464.40	56.97	68.30	-11.33	47.00	34.18	8.40	32.61	100	187 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>95.34</td><td>-----</td><td>-----</td><td>85.43</td><td>34.33</td><td>8.25</td><td>32.67</td><td>100</td><td>187 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	95.34	-----	-----	85.43	34.33	8.25	32.67	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5459.34	55.50	74.00	-18.50	45.53	34.17	8.41	32.61	100	187 PEAK																																																																																				
2	5464.40	56.97	68.30	-11.33	47.00	34.18	8.40	32.61	100	187 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5570.00	95.34	-----	-----	85.43	34.33	8.25	32.67	100	187 PEAK																																																																																				
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5434.04</td><td>46.81</td><td>54.00</td><td>-7.19</td><td>36.83</td><td>34.16</td><td>8.44</td><td>32.62</td><td>100</td><td>187 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5434.04	46.81	54.00	-7.19	36.83	34.16	8.44	32.62	100	187 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>86.57</td><td>-----</td><td>-----</td><td>76.43</td><td>34.46</td><td>8.40</td><td>32.72</td><td>100</td><td>187 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	86.57	-----	-----	76.43	34.46	8.40	32.72	100	187 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5434.04	46.81	54.00	-7.19	36.83	34.16	8.44	32.62	100	187 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5570.00	86.57	-----	-----	76.43	34.46	8.40	32.72	100	187 AVERAGE																																																																																				






Mode	65																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																			
ANT	1																																																			
Pol.	Vertical					Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5763.44</td><td>54.20</td><td>68.30</td><td>-14.10</td><td>43.52</td><td>34.67</td><td>8.82</td><td>32.81</td><td>100</td><td>187</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5763.44	54.20	68.30	-14.10	43.52	34.67	8.82	32.81	100	187	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5763.44	54.20	68.30	-14.10	43.52	34.67	8.82	32.81	100	187	PEAK																																									






Mode	65																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11140.00</td><td>44.76</td><td>74.00</td><td>-29.24</td><td>53.52</td><td>38.10</td><td>11.28 58.14</td></tr><tr><td>2</td><td>16710.00</td><td>46.27</td><td>68.30</td><td>-22.03</td><td>51.31</td><td>40.57</td><td>13.00 58.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11140.00	44.76	74.00	-29.24	53.52	38.10	11.28 58.14	2	16710.00	46.27	68.30	-22.03	51.31	40.57	13.00 58.61	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11140.00</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>53.94</td><td>38.10</td><td>11.28 58.14</td></tr><tr><td>2</td><td>16710.00</td><td>45.21</td><td>68.30</td><td>-23.09</td><td>50.25</td><td>40.57</td><td>13.00 58.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11140.00	45.18	74.00	-28.82	53.94	38.10	11.28 58.14	2	16710.00	45.21	68.30	-23.09	50.25	40.57	13.00 58.61
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11140.00	44.76	74.00	-29.24	53.52	38.10	11.28 58.14																																																																																									
2	16710.00	46.27	68.30	-22.03	51.31	40.57	13.00 58.61																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11140.00	45.18	74.00	-28.82	53.94	38.10	11.28 58.14																																																																																									
2	16710.00	45.21	68.30	-23.09	50.25	40.57	13.00 58.61																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11140.00</td><td>44.76</td><td>74.00</td><td>-29.24</td><td>53.52</td><td>38.10</td><td>11.28 58.14</td></tr><tr><td>2</td><td>16710.00</td><td>46.27</td><td>68.30</td><td>-22.03</td><td>51.31</td><td>40.57</td><td>13.00 58.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11140.00	44.76	74.00	-29.24	53.52	38.10	11.28 58.14	2	16710.00	46.27	68.30	-22.03	51.31	40.57	13.00 58.61	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11140.00</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>53.94</td><td>38.10</td><td>11.28 58.14</td></tr><tr><td>2</td><td>16710.00</td><td>45.21</td><td>68.30</td><td>-23.09</td><td>50.25</td><td>40.57</td><td>13.00 58.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11140.00	45.18	74.00	-28.82	53.94	38.10	11.28 58.14	2	16710.00	45.21	68.30	-23.09	50.25	40.57	13.00 58.61	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11140.00	44.76	74.00	-29.24	53.52	38.10	11.28 58.14																																																																																									
2	16710.00	46.27	68.30	-22.03	51.31	40.57	13.00 58.61																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11140.00	45.18	74.00	-28.82	53.94	38.10	11.28 58.14																																																																																									
2	16710.00	45.21	68.30	-23.09	50.25	40.57	13.00 58.61																																																																																									





Mode	66																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.30</td><td>48.94</td><td>68.30</td><td>-19.36</td><td>38.81</td><td>34.46</td><td>8.39</td><td>32.72</td><td>312</td><td>217</td><td>PEAK</td></tr><tr><td>2</td><td>5650.46</td><td>47.86</td><td>68.64</td><td>-20.78</td><td>37.71</td><td>34.47</td><td>8.40</td><td>32.72</td><td>312</td><td>217</td><td>PEAK</td></tr><tr><td>3</td><td>5719.92</td><td>55.12</td><td>110.78</td><td>-55.66</td><td>44.65</td><td>34.59</td><td>8.66</td><td>32.78</td><td>312</td><td>217</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>56.37</td><td>110.94</td><td>-54.57</td><td>45.90</td><td>34.59</td><td>8.66</td><td>32.78</td><td>312</td><td>217</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.30	48.94	68.30	-19.36	38.81	34.46	8.39	32.72	312	217	PEAK	2	5650.46	47.86	68.64	-20.78	37.71	34.47	8.40	32.72	312	217	PEAK	3	5719.92	55.12	110.78	-55.66	44.65	34.59	8.66	32.78	312	217	PEAK	4	5720.06	56.37	110.94	-54.57	45.90	34.59	8.66	32.78	312	217	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.87</td><td>-----</td><td>-----</td><td>90.25</td><td>34.65</td><td>8.77</td><td>32.80</td><td>312</td><td>217</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.87	-----	-----	90.25	34.65	8.77	32.80	312	217
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5649.30	48.94	68.30	-19.36	38.81	34.46	8.39	32.72	312	217	PEAK																																																																																																																			
2	5650.46	47.86	68.64	-20.78	37.71	34.47	8.40	32.72	312	217	PEAK																																																																																																																			
3	5719.92	55.12	110.78	-55.66	44.65	34.59	8.66	32.78	312	217	PEAK																																																																																																																			
4	5720.06	56.37	110.94	-54.57	45.90	34.59	8.66	32.78	312	217	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5745.00	100.87	-----	-----	90.25	34.65	8.77	32.80	312	217	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>93.68</td><td>-----</td><td>-----</td><td>83.06</td><td>34.65</td><td>8.77</td><td>32.80</td><td>312</td><td>217</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	93.68	-----	-----	83.06	34.65	8.77	32.80	312	217	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5745.00	93.68	-----	-----	83.06	34.65	8.77	32.80	312	217	AVERAGE																																																																																																																			






Mode	66																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.39</td><td>49.22</td><td>68.30</td><td>-19.08</td><td>39.10</td><td>34.46</td><td>8.38</td><td>32.72</td><td>100</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>46.99</td><td>68.53</td><td>-21.54</td><td>36.84</td><td>34.47</td><td>8.40</td><td>32.72</td><td>100</td><td>180</td><td>PEAK</td></tr><tr><td>3</td><td>5716.44</td><td>56.89</td><td>109.80</td><td>-52.91</td><td>46.43</td><td>34.59</td><td>8.64</td><td>32.77</td><td>100</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5722.24</td><td>64.81</td><td>115.90</td><td>-51.09</td><td>54.33</td><td>34.60</td><td>8.66</td><td>32.78</td><td>100</td><td>180</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5645.39	49.22	68.30	-19.08	39.10	34.46	8.38	32.72	100	180	PEAK	2	5650.32	46.99	68.53	-21.54	36.84	34.47	8.40	32.72	100	180	PEAK	3	5716.44	56.89	109.80	-52.91	46.43	34.59	8.64	32.77	100	180	PEAK	4	5722.24	64.81	115.90	-51.09	54.33	34.60	8.66	32.78	100	180	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.13</td><td>-----</td><td>-----</td><td>93.56</td><td>34.63</td><td>8.73</td><td>32.79</td><td>100</td><td>180</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	104.13	-----	-----	93.56	34.63	8.73	32.79	100	180
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5645.39	49.22	68.30	-19.08	39.10	34.46	8.38	32.72	100	180	PEAK																																																																																																																			
2	5650.32	46.99	68.53	-21.54	36.84	34.47	8.40	32.72	100	180	PEAK																																																																																																																			
3	5716.44	56.89	109.80	-52.91	46.43	34.59	8.64	32.77	100	180	PEAK																																																																																																																			
4	5722.24	64.81	115.90	-51.09	54.33	34.60	8.66	32.78	100	180	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5745.00	104.13	-----	-----	93.56	34.63	8.73	32.79	100	180	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.17</td><td>-----</td><td>-----</td><td>86.60</td><td>34.63</td><td>8.73</td><td>32.79</td><td>100</td><td>180</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	97.17	-----	-----	86.60	34.63	8.73	32.79	100	180	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5745.00	97.17	-----	-----	86.60	34.63	8.73	32.79	100	180	AVERAGE																																																																																																																			




Mode	66																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>55.80</td><td>37.14</td><td>11.45</td><td>57.76</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17235.00</td><td>50.05</td><td>68.30</td><td>-18.25</td><td>53.58</td><td>41.27</td><td>13.17</td><td>57.97</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	46.63	74.00	-27.37	55.80	37.14	11.45	57.76	--	-- Peak	2	17235.00	50.05	68.30	-18.25	53.58	41.27	13.17	57.97	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>54.66</td><td>37.14</td><td>11.45</td><td>57.76</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.25</td><td>68.30</td><td>-20.05</td><td>51.78</td><td>41.27</td><td>13.17</td><td>57.97</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.49	74.00	-28.51	54.66	37.14	11.45	57.76	--	-- Peak	2	17235.00	48.25	68.30	-20.05	51.78	41.27	13.17	57.97	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	11490.00	46.63	74.00	-27.37	55.80	37.14	11.45	57.76	--	-- Peak																																																																																																								
2	17235.00	50.05	68.30	-18.25	53.58	41.27	13.17	57.97	--	-- Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	11490.00	45.49	74.00	-28.51	54.66	37.14	11.45	57.76	--	-- Peak																																																																																																								
2	17235.00	48.25	68.30	-20.05	51.78	41.27	13.17	57.97	--	-- Peak																																																																																																								






Mode	67																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5609.62</td><td>48.65</td><td>68.30</td><td>-19.65</td><td>38.70</td><td>34.39</td><td>8.25</td><td>32.69</td><td>299</td><td>218</td><td>PEAK</td></tr><tr><td>2</td><td>5650.51</td><td>47.15</td><td>68.67</td><td>-21.52</td><td>37.00</td><td>34.47</td><td>8.40</td><td>32.72</td><td>299</td><td>218</td><td>PEAK</td></tr><tr><td>3</td><td>5701.38</td><td>47.43</td><td>105.59</td><td>-58.16</td><td>37.04</td><td>34.56</td><td>8.59</td><td>32.76</td><td>299</td><td>218</td><td>PEAK</td></tr><tr><td>4</td><td>5720.07</td><td>46.93</td><td>110.95</td><td>-64.02</td><td>36.46</td><td>34.59</td><td>8.66</td><td>32.78</td><td>299</td><td>218</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5609.62	48.65	68.30	-19.65	38.70	34.39	8.25	32.69	299	218	PEAK	2	5650.51	47.15	68.67	-21.52	37.00	34.47	8.40	32.72	299	218	PEAK	3	5701.38	47.43	105.59	-58.16	37.04	34.56	8.59	32.76	299	218	PEAK	4	5720.07	46.93	110.95	-64.02	36.46	34.59	8.66	32.78	299	218	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>101.97</td><td>-----</td><td>-----</td><td>91.17</td><td>34.72</td><td>8.91</td><td>32.83</td><td>299</td><td>218</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	101.97	-----	-----	91.17	34.72	8.91	32.83	299	218	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5609.62	48.65	68.30	-19.65	38.70	34.39	8.25	32.69	299	218	PEAK																																																																																																																				
2	5650.51	47.15	68.67	-21.52	37.00	34.47	8.40	32.72	299	218	PEAK																																																																																																																				
3	5701.38	47.43	105.59	-58.16	37.04	34.56	8.59	32.76	299	218	PEAK																																																																																																																				
4	5720.07	46.93	110.95	-64.02	36.46	34.59	8.66	32.78	299	218	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5785.00	101.97	-----	-----	91.17	34.72	8.91	32.83	299	218	PEAK																																																																																																																				
Avg	Blank																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>94.55</td><td>-----</td><td>-----</td><td>83.72</td><td>34.73</td><td>8.93</td><td>32.83</td><td>299</td><td>218</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	94.55	-----	-----	83.72	34.73	8.93	32.83	299	218	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5785.00	94.55	-----	-----	83.72	34.73	8.93	32.83	299	218	AVERAGE																																																																																																																				




Mode	67																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																														
ANT	1																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.47</td><td>49.43</td><td>112.02</td><td>-62.59</td><td>38.60</td><td>34.84</td><td>8.87</td><td>32.88</td><td>299</td><td>218</td><td>PEAK</td></tr><tr><td>2</td><td>5874.43</td><td>48.12</td><td>105.36</td><td>-57.24</td><td>37.29</td><td>34.87</td><td>8.85</td><td>32.89</td><td>299</td><td>218</td><td>PEAK</td></tr><tr><td>3</td><td>5924.10</td><td>48.53</td><td>68.87</td><td>-20.34</td><td>37.70</td><td>34.97</td><td>8.79</td><td>32.93</td><td>299</td><td>218</td><td>PEAK</td></tr><tr><td>4</td><td>5936.47</td><td>48.85</td><td>68.30</td><td>-19.45</td><td>38.02</td><td>34.99</td><td>8.78</td><td>32.94</td><td>299</td><td>218</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.47	49.43	112.02	-62.59	38.60	34.84	8.87	32.88	299	218	PEAK	2	5874.43	48.12	105.36	-57.24	37.29	34.87	8.85	32.89	299	218	PEAK	3	5924.10	48.53	68.87	-20.34	37.70	34.97	8.79	32.93	299	218	PEAK	4	5936.47	48.85	68.30	-19.45	38.02	34.99	8.78	32.94	299	218	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.47	49.43	112.02	-62.59	38.60	34.84	8.87	32.88	299	218	PEAK																																																																				
2	5874.43	48.12	105.36	-57.24	37.29	34.87	8.85	32.89	299	218	PEAK																																																																				
3	5924.10	48.53	68.87	-20.34	37.70	34.97	8.79	32.93	299	218	PEAK																																																																				
4	5936.47	48.85	68.30	-19.45	38.02	34.99	8.78	32.94	299	218	PEAK																																																																				





Mode	67																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Vertical	Fundamental																																																																																																										
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5785 MHz. The plot shows a rising red line and a blue line with peaks. A red label 'PEAK_BE(B4)_16-24' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5606.29</td><td>48.89</td><td>68.30</td><td>-19.41</td><td>38.96</td><td>34.38</td><td>8.24</td><td>32.69</td><td>100</td><td>185 PEAK</td></tr><tr><td>2 5650.14</td><td>47.37</td><td>68.40</td><td>-21.03</td><td>37.23</td><td>34.46</td><td>8.40</td><td>32.72</td><td>100</td><td>185 PEAK</td></tr><tr><td>3 5700.83</td><td>47.60</td><td>105.43</td><td>-57.83</td><td>37.22</td><td>34.56</td><td>8.58</td><td>32.76</td><td>100</td><td>185 PEAK</td></tr><tr><td>4 5720.07</td><td>47.10</td><td>110.95</td><td>-63.85</td><td>36.63</td><td>34.59</td><td>8.66</td><td>32.78</td><td>100</td><td>185 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5606.29	48.89	68.30	-19.41	38.96	34.38	8.24	32.69	100	185 PEAK	2 5650.14	47.37	68.40	-21.03	37.23	34.46	8.40	32.72	100	185 PEAK	3 5700.83	47.60	105.43	-57.83	37.22	34.56	8.58	32.76	100	185 PEAK	4 5720.07	47.10	110.95	-63.85	36.63	34.59	8.66	32.78	100	185 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line with a peak at 5785 MHz labeled 'PART 15.407'. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>104.49</td><td>-----</td><td>-----</td><td>93.69</td><td>34.72</td><td>8.91</td><td>32.83</td><td>100</td><td>185 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5785.00	104.49	-----	-----	93.69	34.72	8.91	32.83	100	185 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1 5606.29	48.89	68.30	-19.41	38.96	34.38	8.24	32.69	100	185 PEAK																																																																																																			
2 5650.14	47.37	68.40	-21.03	37.23	34.46	8.40	32.72	100	185 PEAK																																																																																																			
3 5700.83	47.60	105.43	-57.83	37.22	34.56	8.58	32.76	100	185 PEAK																																																																																																			
4 5720.07	47.10	110.95	-63.85	36.63	34.59	8.66	32.78	100	185 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1 5785.00	104.49	-----	-----	93.69	34.72	8.91	32.83	100	185 PEAK																																																																																																			
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line with a peak at 5785 MHz labeled 'PART 15.407 AVG'. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>97.38</td><td>-----</td><td>-----</td><td>86.55</td><td>34.73</td><td>8.93</td><td>32.83</td><td>100</td><td>185 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5785.00	97.38	-----	-----	86.55	34.73	8.93	32.83	100	185 AVERAGE																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1 5785.00	97.38	-----	-----	86.55	34.73	8.93	32.83	100	185 AVERAGE																																																																																																			






Mode	67																																																																																					
	Band Edge - R																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																					
ANT	1																																																																																					
Pol.	Vertical					Fundamental																																																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>48.45</td><td>111.64</td><td>-63.19</td><td>37.62</td><td>34.84</td><td>8.87</td><td>32.88</td><td>100</td><td>185</td><td>PEAK</td></tr><tr><td>2</td><td>5872.78</td><td>48.05</td><td>105.82</td><td>-57.77</td><td>37.22</td><td>34.87</td><td>8.85</td><td>32.89</td><td>100</td><td>185</td><td>PEAK</td></tr><tr><td>3</td><td>5924.10</td><td>47.75</td><td>68.87</td><td>-21.12</td><td>36.92</td><td>34.97</td><td>8.79</td><td>32.93</td><td>100</td><td>185</td><td>PEAK</td></tr><tr><td>4</td><td>5947.03</td><td>48.55</td><td>68.30</td><td>-19.75</td><td>37.73</td><td>35.01</td><td>8.76</td><td>32.95</td><td>100</td><td>185</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	48.45	111.64	-63.19	37.62	34.84	8.87	32.88	100	185	PEAK	2	5872.78	48.05	105.82	-57.77	37.22	34.87	8.85	32.89	100	185	PEAK	3	5924.10	47.75	68.87	-21.12	36.92	34.97	8.79	32.93	100	185	PEAK	4	5947.03	48.55	68.30	-19.75	37.73	35.01	8.76	32.95	100	185	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.63	48.45	111.64	-63.19	37.62	34.84	8.87	32.88	100	185	PEAK																																																																											
2	5872.78	48.05	105.82	-57.77	37.22	34.87	8.85	32.89	100	185	PEAK																																																																											
3	5924.10	47.75	68.87	-21.12	36.92	34.97	8.79	32.93	100	185	PEAK																																																																											
4	5947.03	48.55	68.30	-19.75	37.73	35.01	8.76	32.95	100	185	PEAK																																																																											






Mode	67																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11570.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>55.94</td><td>37.28</td><td>11.49</td><td>57.67</td></tr><tr><td>2 17355.00</td><td>49.61</td><td>68.30</td><td>-18.69</td><td>52.71</td><td>41.50</td><td>13.20</td><td>57.80</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11570.00	47.04	74.00	-26.96	55.94	37.28	11.49	57.67	2 17355.00	49.61	68.30	-18.69	52.71	41.50	13.20	57.80	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11570.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>56.35</td><td>37.28</td><td>11.49</td><td>57.67</td></tr><tr><td>2 17355.00</td><td>48.82</td><td>68.30</td><td>-19.48</td><td>51.92</td><td>41.50</td><td>13.20</td><td>57.80</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11570.00	47.45	74.00	-26.55	56.35	37.28	11.49	57.67	2 17355.00	48.82	68.30	-19.48	51.92	41.50	13.20	57.80
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11570.00	47.04	74.00	-26.96	55.94	37.28	11.49	57.67																																																																																									
2 17355.00	49.61	68.30	-18.69	52.71	41.50	13.20	57.80																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11570.00	47.45	74.00	-26.55	56.35	37.28	11.49	57.67																																																																																									
2 17355.00	48.82	68.30	-19.48	51.92	41.50	13.20	57.80																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11570.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>55.94</td><td>37.28</td><td>11.49</td><td>57.67</td></tr><tr><td>2 17355.00</td><td>49.61</td><td>68.30</td><td>-18.69</td><td>52.71</td><td>41.50</td><td>13.20</td><td>57.80</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11570.00	47.04	74.00	-26.96	55.94	37.28	11.49	57.67	2 17355.00	49.61	68.30	-18.69	52.71	41.50	13.20	57.80	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11570.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>56.35</td><td>37.28</td><td>11.49</td><td>57.67</td></tr><tr><td>2 17355.00</td><td>48.82</td><td>68.30</td><td>-19.48</td><td>51.92</td><td>41.50</td><td>13.20</td><td>57.80</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11570.00	47.45	74.00	-26.55	56.35	37.28	11.49	57.67	2 17355.00	48.82	68.30	-19.48	51.92	41.50	13.20	57.80	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11570.00	47.04	74.00	-26.96	55.94	37.28	11.49	57.67																																																																																									
2 17355.00	49.61	68.30	-18.69	52.71	41.50	13.20	57.80																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11570.00	47.45	74.00	-26.55	56.35	37.28	11.49	57.67																																																																																									
2 17355.00	48.82	68.30	-19.48	51.92	41.50	13.20	57.80																																																																																									





Mode	68																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.75</td><td>59.41</td><td>111.37</td><td>-51.96</td><td>48.58</td><td>34.84</td><td>8.87</td><td>32.88</td><td>308</td><td>217</td><td>PEAK</td></tr><tr><td>2</td><td>5858.13</td><td>60.24</td><td>109.92</td><td>-49.68</td><td>49.41</td><td>34.84</td><td>8.87</td><td>32.88</td><td>308</td><td>217</td><td>PEAK</td></tr><tr><td>3</td><td>5924.38</td><td>49.39</td><td>68.66</td><td>-19.27</td><td>38.56</td><td>34.97</td><td>8.79</td><td>32.93</td><td>308</td><td>217</td><td>PEAK</td></tr><tr><td>4</td><td>5932.00</td><td>49.63</td><td>68.30</td><td>-18.67</td><td>38.81</td><td>34.98</td><td>8.78</td><td>32.94</td><td>308</td><td>217</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.75	59.41	111.37	-51.96	48.58	34.84	8.87	32.88	308	217	PEAK	2	5858.13	60.24	109.92	-49.68	49.41	34.84	8.87	32.88	308	217	PEAK	3	5924.38	49.39	68.66	-19.27	38.56	34.97	8.79	32.93	308	217	PEAK	4	5932.00	49.63	68.30	-18.67	38.81	34.98	8.78	32.94	308	217	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>101.52</td><td>-----</td><td>-----</td><td>90.69</td><td>34.79</td><td>8.90</td><td>32.86</td><td>308</td><td>217</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	101.52	-----	-----	90.69	34.79	8.90	32.86	308	217	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5854.75	59.41	111.37	-51.96	48.58	34.84	8.87	32.88	308	217	PEAK																																																																																																																				
2	5858.13	60.24	109.92	-49.68	49.41	34.84	8.87	32.88	308	217	PEAK																																																																																																																				
3	5924.38	49.39	68.66	-19.27	38.56	34.97	8.79	32.93	308	217	PEAK																																																																																																																				
4	5932.00	49.63	68.30	-18.67	38.81	34.98	8.78	32.94	308	217	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5825.00	101.52	-----	-----	90.69	34.79	8.90	32.86	308	217	PEAK																																																																																																																				
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>94.84</td><td>-----</td><td>-----</td><td>84.00</td><td>34.77</td><td>8.92</td><td>32.85</td><td>308</td><td>217</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	94.84	-----	-----	84.00	34.77	8.92	32.85	308	217	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5825.00	94.84	-----	-----	84.00	34.77	8.92	32.85	308	217	AVERAGE																																																																																																																				






Mode	68																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>61.87</td><td>110.80</td><td>-48.93</td><td>51.04</td><td>34.84</td><td>8.87</td><td>32.88</td><td>100</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>5857.63</td><td>63.56</td><td>110.06</td><td>-46.50</td><td>52.73</td><td>34.84</td><td>8.87</td><td>32.88</td><td>100</td><td>181</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>47.90</td><td>68.20</td><td>-20.30</td><td>37.07</td><td>34.97</td><td>8.79</td><td>32.93</td><td>100</td><td>181</td><td>PEAK</td></tr><tr><td>4</td><td>5936.88</td><td>49.36</td><td>68.30</td><td>-18.94</td><td>38.53</td><td>34.99</td><td>8.78</td><td>32.94</td><td>100</td><td>181</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5855.00	61.87	110.80	-48.93	51.04	34.84	8.87	32.88	100	181	PEAK	2	5857.63	63.56	110.06	-46.50	52.73	34.84	8.87	32.88	100	181	PEAK	3	5925.00	47.90	68.20	-20.30	37.07	34.97	8.79	32.93	100	181	PEAK	4	5936.88	49.36	68.30	-18.94	38.53	34.99	8.78	32.94	100	181	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>103.98</td><td>-----</td><td>-----</td><td>93.15</td><td>34.79</td><td>8.90</td><td>32.86</td><td>100</td><td>181</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	103.98	-----	-----	93.15	34.79	8.90	32.86	100	181	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																							
1	5855.00	61.87	110.80	-48.93	51.04	34.84	8.87	32.88	100	181	PEAK																																																																																																																					
2	5857.63	63.56	110.06	-46.50	52.73	34.84	8.87	32.88	100	181	PEAK																																																																																																																					
3	5925.00	47.90	68.20	-20.30	37.07	34.97	8.79	32.93	100	181	PEAK																																																																																																																					
4	5936.88	49.36	68.30	-18.94	38.53	34.99	8.78	32.94	100	181	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																							
1	5825.00	103.98	-----	-----	93.15	34.79	8.90	32.86	100	181	PEAK																																																																																																																					
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.64</td><td>-----</td><td>-----</td><td>86.80</td><td>34.77</td><td>8.92</td><td>32.85</td><td>100</td><td>181</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	97.64	-----	-----	86.80	34.77	8.92	32.85	100	181	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																							
1	5825.00	97.64	-----	-----	86.80	34.77	8.92	32.85	100	181	AVERAGE																																																																																																																					






Mode	68																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>56.05</td><td>37.51</td><td>11.53</td></tr><tr><td>2</td><td>17475.00</td><td>48.95</td><td>68.30</td><td>-19.35</td><td>51.61</td><td>41.74</td><td>13.23</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11650.00	47.51	74.00	-26.49	56.05	37.51	11.53	2	17475.00	48.95	68.30	-19.35	51.61	41.74	13.23	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>56.47</td><td>37.51</td><td>11.53</td></tr><tr><td>2</td><td>17475.00</td><td>50.26</td><td>68.30</td><td>-18.04</td><td>52.92</td><td>41.74</td><td>13.23</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11650.00	47.93	74.00	-26.07	56.47	37.51	11.53	2	17475.00	50.26	68.30	-18.04	52.92	41.74	13.23
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11650.00	47.51	74.00	-26.49	56.05	37.51	11.53																																																																																									
2	17475.00	48.95	68.30	-19.35	51.61	41.74	13.23																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11650.00	47.93	74.00	-26.07	56.47	37.51	11.53																																																																																									
2	17475.00	50.26	68.30	-18.04	52.92	41.74	13.23																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>56.05</td><td>37.51</td><td>11.53</td></tr><tr><td>2</td><td>17475.00</td><td>48.95</td><td>68.30</td><td>-19.35</td><td>51.61</td><td>41.74</td><td>13.23</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11650.00	47.51	74.00	-26.49	56.05	37.51	11.53	2	17475.00	48.95	68.30	-19.35	51.61	41.74	13.23	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>56.47</td><td>37.51</td><td>11.53</td></tr><tr><td>2</td><td>17475.00</td><td>50.26</td><td>68.30</td><td>-18.04</td><td>52.92</td><td>41.74</td><td>13.23</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11650.00	47.93	74.00	-26.07	56.47	37.51	11.53	2	17475.00	50.26	68.30	-18.04	52.92	41.74	13.23	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11650.00	47.51	74.00	-26.49	56.05	37.51	11.53																																																																																									
2	17475.00	48.95	68.30	-19.35	51.61	41.74	13.23																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11650.00	47.93	74.00	-26.07	56.47	37.51	11.53																																																																																									
2	17475.00	50.26	68.30	-18.04	52.92	41.74	13.23																																																																																									





Mode	69																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.47-5.725_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.85</td><td>49.00</td><td>68.30</td><td>-19.30</td><td>38.92</td><td>34.44</td><td>8.35</td><td>32.71</td><td>289</td><td>217</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>47.32</td><td>68.32</td><td>-21.00</td><td>37.18</td><td>34.46</td><td>8.40</td><td>32.72</td><td>289</td><td>217</td><td>PEAK</td></tr><tr><td>3</td><td>5701.50</td><td>47.82</td><td>105.62</td><td>-57.80</td><td>37.43</td><td>34.56</td><td>8.59</td><td>32.76</td><td>289</td><td>217</td><td>PEAK</td></tr><tr><td>4</td><td>5720.79</td><td>50.59</td><td>112.59</td><td>-62.00</td><td>40.12</td><td>34.59</td><td>8.66</td><td>32.78</td><td>289</td><td>217</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5637.85	49.00	68.30	-19.30	38.92	34.44	8.35	32.71	289	217	PEAK	2	5650.03	47.32	68.32	-21.00	37.18	34.46	8.40	32.72	289	217	PEAK	3	5701.50	47.82	105.62	-57.80	37.43	34.56	8.59	32.76	289	217	PEAK	4	5720.79	50.59	112.59	-62.00	40.12	34.59	8.66	32.78	289	217	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.52</td><td>-----</td><td>-----</td><td>93.95</td><td>34.63</td><td>8.73</td><td>32.79</td><td>289</td><td>217</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	104.52	-----	-----	93.95	34.63	8.73	32.79	289	217
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5637.85	49.00	68.30	-19.30	38.92	34.44	8.35	32.71	289	217	PEAK																																																																																																																			
2	5650.03	47.32	68.32	-21.00	37.18	34.46	8.40	32.72	289	217	PEAK																																																																																																																			
3	5701.50	47.82	105.62	-57.80	37.43	34.56	8.59	32.76	289	217	PEAK																																																																																																																			
4	5720.79	50.59	112.59	-62.00	40.12	34.59	8.66	32.78	289	217	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5745.00	104.52	-----	-----	93.95	34.63	8.73	32.79	289	217	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.51</td><td>-----</td><td>-----</td><td>83.89</td><td>34.65</td><td>8.77</td><td>32.80</td><td>289</td><td>217</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	94.51	-----	-----	83.89	34.65	8.77	32.80	289	217	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5745.00	94.51	-----	-----	83.89	34.65	8.77	32.80	289	217	AVERAGE																																																																																																																			






Mode	69																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.47-5.725_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5624.22</td><td>48.81</td><td>68.30</td><td>-19.49</td><td>38.79</td><td>34.42</td><td>8.30</td><td>32.70</td><td>100</td><td>185</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>46.28</td><td>68.32</td><td>-22.04</td><td>36.14</td><td>34.46</td><td>8.40</td><td>32.72</td><td>100</td><td>185</td><td>PEAK</td></tr><tr><td>3</td><td>5702.95</td><td>49.86</td><td>106.03</td><td>-56.17</td><td>39.47</td><td>34.56</td><td>8.59</td><td>32.76</td><td>100</td><td>185</td><td>PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>52.58</td><td>111.60</td><td>-59.02</td><td>42.11</td><td>34.59</td><td>8.66</td><td>32.78</td><td>100</td><td>185</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5624.22	48.81	68.30	-19.49	38.79	34.42	8.30	32.70	100	185	PEAK	2	5650.03	46.28	68.32	-22.04	36.14	34.46	8.40	32.72	100	185	PEAK	3	5702.95	49.86	106.03	-56.17	39.47	34.56	8.59	32.76	100	185	PEAK	4	5720.35	52.58	111.60	-59.02	42.11	34.59	8.66	32.78	100	185	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>106.49</td><td>-----</td><td>-----</td><td>95.92</td><td>34.63</td><td>8.73</td><td>32.79</td><td>100</td><td>185</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	106.49	-----	-----	95.92	34.63	8.73	32.79	100	185	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5624.22	48.81	68.30	-19.49	38.79	34.42	8.30	32.70	100	185	PEAK																																																																																																																				
2	5650.03	46.28	68.32	-22.04	36.14	34.46	8.40	32.72	100	185	PEAK																																																																																																																				
3	5702.95	49.86	106.03	-56.17	39.47	34.56	8.59	32.76	100	185	PEAK																																																																																																																				
4	5720.35	52.58	111.60	-59.02	42.11	34.59	8.66	32.78	100	185	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5745.00	106.49	-----	-----	95.92	34.63	8.73	32.79	100	185	PEAK																																																																																																																				
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>97.10</td><td>-----</td><td>-----</td><td>86.48</td><td>34.65</td><td>8.77</td><td>32.80</td><td>100</td><td>185</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	97.10	-----	-----	86.48	34.65	8.77	32.80	100	185	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5745.00	97.10	-----	-----	86.48	34.65	8.77	32.80	100	185	AVERAGE																																																																																																																				






Mode	69																																																																																																																
	Harmonic																																																																																																																
	U-NII-3_5.47-5.725_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>46.44</td><td>74.00</td><td>-27.56</td><td>55.61</td><td>37.14</td><td>11.45</td><td>57.76</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>47.81</td><td>68.30</td><td>-20.49</td><td>51.34</td><td>41.27</td><td>13.17</td><td>57.97</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11490.00	46.44	74.00	-27.56	55.61	37.14	11.45	57.76	--	--	Peak	2	17235.00	47.81	68.30	-20.49	51.34	41.27	13.17	57.97	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>47.22</td><td>74.00</td><td>-26.78</td><td>56.39</td><td>37.14</td><td>11.45</td><td>57.76</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>47.90</td><td>68.30</td><td>-20.40</td><td>51.43</td><td>41.27</td><td>13.17</td><td>57.97</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11490.00	47.22	74.00	-26.78	56.39	37.14	11.45	57.76	--	--	Peak	2	17235.00	47.90	68.30	-20.40	51.43	41.27	13.17	57.97	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																										
1	11490.00	46.44	74.00	-27.56	55.61	37.14	11.45	57.76	--	--	Peak																																																																																																						
2	17235.00	47.81	68.30	-20.49	51.34	41.27	13.17	57.97	--	--	Peak																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																										
1	11490.00	47.22	74.00	-26.78	56.39	37.14	11.45	57.76	--	--	Peak																																																																																																						
2	17235.00	47.90	68.30	-20.40	51.43	41.27	13.17	57.97	--	--	Peak																																																																																																						



Mode	70																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.47-5.725_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5642.49</td><td>49.60</td><td>68.30</td><td>-18.70</td><td>39.50</td><td>34.45</td><td>8.37</td><td>32.72</td><td>268</td><td>211</td><td>PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>48.18</td><td>68.53</td><td>-20.35</td><td>38.03</td><td>34.47</td><td>8.40</td><td>32.72</td><td>268</td><td>211</td><td>PEAK</td></tr><tr><td>3</td><td>5701.50</td><td>48.48</td><td>105.62</td><td>-57.14</td><td>38.09</td><td>34.56</td><td>8.59</td><td>32.76</td><td>268</td><td>211</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>47.80</td><td>110.94</td><td>-63.14</td><td>37.33</td><td>34.59</td><td>8.66</td><td>32.78</td><td>268</td><td>211</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5642.49	49.60	68.30	-18.70	39.50	34.45	8.37	32.72	268	211	PEAK	2	5650.32	48.18	68.53	-20.35	38.03	34.47	8.40	32.72	268	211	PEAK	3	5701.50	48.48	105.62	-57.14	38.09	34.56	8.59	32.76	268	211	PEAK	4	5720.06	47.80	110.94	-63.14	37.33	34.59	8.66	32.78	268	211	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>107.85</td><td>-----</td><td>-----</td><td>97.31</td><td>34.62</td><td>8.71</td><td>32.79</td><td>268</td><td>211</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	107.85	-----	-----	97.31	34.62	8.71	32.79	268	211	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5642.49	49.60	68.30	-18.70	39.50	34.45	8.37	32.72	268	211	PEAK																																																																																																																				
2	5650.32	48.18	68.53	-20.35	38.03	34.47	8.40	32.72	268	211	PEAK																																																																																																																				
3	5701.50	48.48	105.62	-57.14	38.09	34.56	8.59	32.76	268	211	PEAK																																																																																																																				
4	5720.06	47.80	110.94	-63.14	37.33	34.59	8.66	32.78	268	211	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5745.00	107.85	-----	-----	97.31	34.62	8.71	32.79	268	211	PEAK																																																																																																																				
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>99.92</td><td>-----</td><td>-----</td><td>89.38</td><td>34.62</td><td>8.71</td><td>32.79</td><td>268</td><td>211</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	99.92	-----	-----	89.38	34.62	8.71	32.79	268	211	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5745.00	99.92	-----	-----	89.38	34.62	8.71	32.79	268	211	AVERAGE																																																																																																																				



Mode	70																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.47-5.725_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Vertical					Fundamental																																																																																																														
Peak																																																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5631.90	49.29	68.30	-19.01	39.24	34.43	8.33	32.71	100	174	PEAK	2	5650.32	47.57	68.53	-20.96	37.42	34.47	8.40	32.72	100	174	PEAK	3	5701.07	49.82	105.50	-55.68	39.43	34.56	8.59	32.76	100	174	PEAK	4	5723.40	60.22	118.54	-58.32	49.73	34.60	8.67	32.78	100	174	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.48</td><td>-----</td><td>-----</td><td>98.94</td><td>34.62</td><td>8.71</td><td>32.79</td><td>100</td><td>174</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	109.48	-----	-----	98.94	34.62	8.71	32.79	100	174
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	5631.90	49.29	68.30	-19.01	39.24	34.43	8.33	32.71	100	174	PEAK																																																																																																									
2	5650.32	47.57	68.53	-20.96	37.42	34.47	8.40	32.72	100	174	PEAK																																																																																																									
3	5701.07	49.82	105.50	-55.68	39.43	34.56	8.59	32.76	100	174	PEAK																																																																																																									
4	5723.40	60.22	118.54	-58.32	49.73	34.60	8.67	32.78	100	174	PEAK																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	5745.00	109.48	-----	-----	98.94	34.62	8.71	32.79	100	174	PEAK																																																																																																									
Avg	Blank																																																																																																																			
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.30</td><td>-----</td><td>-----</td><td>92.76</td><td>34.62</td><td>8.71</td><td>32.79</td><td>100</td><td>174</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	103.30	-----	-----	92.76	34.62	8.71	32.79	100	174	AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	5745.00	103.30	-----	-----	92.76	34.62	8.71	32.79	100	174	AVERAGE																																																																																																									






Mode	71																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.47-5.725_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.22</td><td>49.35</td><td>68.30</td><td>-18.95</td><td>39.33</td><td>34.42</td><td>8.30</td><td>32.70</td><td>271</td><td>211</td><td>PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>47.32</td><td>68.53</td><td>-21.21</td><td>37.17</td><td>34.47</td><td>8.40</td><td>32.72</td><td>271</td><td>211</td><td>PEAK</td></tr><tr><td>3</td><td>5700.92</td><td>48.00</td><td>105.46</td><td>-57.46</td><td>37.61</td><td>34.56</td><td>8.59</td><td>32.76</td><td>271</td><td>211</td><td>PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>48.10</td><td>111.27</td><td>-63.17</td><td>37.63</td><td>34.59</td><td>8.66</td><td>32.78</td><td>271</td><td>211</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5624.22	49.35	68.30	-18.95	39.33	34.42	8.30	32.70	271	211	PEAK	2	5650.32	47.32	68.53	-21.21	37.17	34.47	8.40	32.72	271	211	PEAK	3	5700.92	48.00	105.46	-57.46	37.61	34.56	8.59	32.76	271	211	PEAK	4	5720.21	48.10	111.27	-63.17	37.63	34.59	8.66	32.78	271	211	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.27</td><td>-----</td><td>-----</td><td>95.70</td><td>34.63</td><td>8.73</td><td>32.79</td><td>271</td><td>211</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	106.27	-----	-----	95.70	34.63	8.73	32.79	271	211	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5624.22	49.35	68.30	-18.95	39.33	34.42	8.30	32.70	271	211	PEAK																																																																																																																				
2	5650.32	47.32	68.53	-21.21	37.17	34.47	8.40	32.72	271	211	PEAK																																																																																																																				
3	5700.92	48.00	105.46	-57.46	37.61	34.56	8.59	32.76	271	211	PEAK																																																																																																																				
4	5720.21	48.10	111.27	-63.17	37.63	34.59	8.66	32.78	271	211	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5745.00	106.27	-----	-----	95.70	34.63	8.73	32.79	271	211	PEAK																																																																																																																				
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.03</td><td>-----</td><td>-----</td><td>87.46</td><td>34.63</td><td>8.73</td><td>32.79</td><td>271</td><td>211</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	98.03	-----	-----	87.46	34.63	8.73	32.79	271	211	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5745.00	98.03	-----	-----	87.46	34.63	8.73	32.79	271	211	AVERAGE																																																																																																																				






Mode	71																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.47-5.725_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5631.90</td><td>49.12</td><td>68.30</td><td>-19.18</td><td>39.07</td><td>34.43</td><td>8.33</td><td>32.71</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5650.17</td><td>49.00</td><td>68.43</td><td>-19.43</td><td>38.85</td><td>34.47</td><td>8.40</td><td>32.72</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5700.20</td><td>49.03</td><td>105.25</td><td>-56.22</td><td>38.65</td><td>34.56</td><td>8.58</td><td>32.76</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5724.85</td><td>59.87</td><td>121.85</td><td>-61.98</td><td>49.38</td><td>34.60</td><td>8.67</td><td>32.78</td><td>100</td><td>177</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.90	49.12	68.30	-19.18	39.07	34.43	8.33	32.71	100	177	PEAK	2	5650.17	49.00	68.43	-19.43	38.85	34.47	8.40	32.72	100	177	PEAK	3	5700.20	49.03	105.25	-56.22	38.65	34.56	8.58	32.76	100	177	PEAK	4	5724.85	59.87	121.85	-61.98	49.38	34.60	8.67	32.78	100	177	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>108.95</td><td>-----</td><td>-----</td><td>98.38</td><td>34.63</td><td>8.73</td><td>32.79</td><td>100</td><td>177</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.95	-----	-----	98.38	34.63	8.73	32.79	100	177	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5631.90	49.12	68.30	-19.18	39.07	34.43	8.33	32.71	100	177	PEAK																																																																																																																			
2	5650.17	49.00	68.43	-19.43	38.85	34.47	8.40	32.72	100	177	PEAK																																																																																																																			
3	5700.20	49.03	105.25	-56.22	38.65	34.56	8.58	32.76	100	177	PEAK																																																																																																																			
4	5724.85	59.87	121.85	-61.98	49.38	34.60	8.67	32.78	100	177	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5745.00	108.95	-----	-----	98.38	34.63	8.73	32.79	100	177	PEAK																																																																																																																			
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>101.15</td><td>-----</td><td>-----</td><td>90.58</td><td>34.63</td><td>8.73</td><td>32.79</td><td>100</td><td>177</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.15	-----	-----	90.58	34.63	8.73	32.79	100	177	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5745.00	101.15	-----	-----	90.58	34.63	8.73	32.79	100	177	AVERAGE																																																																																																																			






Mode	72																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5623.20</td><td>49.22</td><td>68.30</td><td>-19.08</td><td>39.20</td><td>34.42</td><td>8.30</td><td>32.70</td><td>270</td><td>217</td><td>PEAK</td></tr><tr><td>2</td><td>5651.62</td><td>49.20</td><td>69.50</td><td>-20.30</td><td>39.05</td><td>34.47</td><td>8.40</td><td>32.72</td><td>270</td><td>217</td><td>PEAK</td></tr><tr><td>3</td><td>5700.34</td><td>47.98</td><td>105.30</td><td>-57.32</td><td>37.60</td><td>34.56</td><td>8.58</td><td>32.76</td><td>270</td><td>217</td><td>PEAK</td></tr><tr><td>4</td><td>5723.40</td><td>57.70</td><td>118.54</td><td>-60.84</td><td>47.21</td><td>34.60</td><td>8.67</td><td>32.78</td><td>270</td><td>217</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5623.20	49.22	68.30	-19.08	39.20	34.42	8.30	32.70	270	217	PEAK	2	5651.62	49.20	69.50	-20.30	39.05	34.47	8.40	32.72	270	217	PEAK	3	5700.34	47.98	105.30	-57.32	37.60	34.56	8.58	32.76	270	217	PEAK	4	5723.40	57.70	118.54	-60.84	47.21	34.60	8.67	32.78	270	217	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.18</td><td>-----</td><td>-----</td><td>94.61</td><td>34.63</td><td>8.73</td><td>32.79</td><td>270</td><td>217</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	105.18	-----	-----	94.61	34.63	8.73	32.79	270	217
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5623.20	49.22	68.30	-19.08	39.20	34.42	8.30	32.70	270	217	PEAK																																																																																																																			
2	5651.62	49.20	69.50	-20.30	39.05	34.47	8.40	32.72	270	217	PEAK																																																																																																																			
3	5700.34	47.98	105.30	-57.32	37.60	34.56	8.58	32.76	270	217	PEAK																																																																																																																			
4	5723.40	57.70	118.54	-60.84	47.21	34.60	8.67	32.78	270	217	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5745.00	105.18	-----	-----	94.61	34.63	8.73	32.79	270	217	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.76</td><td>-----</td><td>-----</td><td>86.19</td><td>34.63</td><td>8.73</td><td>32.79</td><td>270</td><td>217</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	96.76	-----	-----	86.19	34.63	8.73	32.79	270	217	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5745.00	96.76	-----	-----	86.19	34.63	8.73	32.79	270	217	AVERAGE																																																																																																																			




Mode	72																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5608.12</td><td>49.18</td><td>68.30</td><td>-19.12</td><td>39.24</td><td>34.39</td><td>8.24</td><td>32.69</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>48.26</td><td>68.32</td><td>-20.06</td><td>38.12</td><td>34.46</td><td>8.40</td><td>32.72</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>3</td><td>5700.05</td><td>49.58</td><td>105.21</td><td>-55.63</td><td>39.20</td><td>34.56</td><td>8.58</td><td>32.76</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>50.53</td><td>111.60</td><td>-61.07</td><td>40.06</td><td>34.59</td><td>8.66</td><td>32.78</td><td>100</td><td>178</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5608.12	49.18	68.30	-19.12	39.24	34.39	8.24	32.69	100	178	PEAK	2	5650.03	48.26	68.32	-20.06	38.12	34.46	8.40	32.72	100	178	PEAK	3	5700.05	49.58	105.21	-55.63	39.20	34.56	8.58	32.76	100	178	PEAK	4	5720.35	50.53	111.60	-61.07	40.06	34.59	8.66	32.78	100	178	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.63</td><td>-----</td><td>-----</td><td>97.09</td><td>34.62</td><td>8.71</td><td>32.79</td><td>100</td><td>178</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	107.63	-----	-----	97.09	34.62	8.71	32.79	100	178
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5608.12	49.18	68.30	-19.12	39.24	34.39	8.24	32.69	100	178	PEAK																																																																																																																			
2	5650.03	48.26	68.32	-20.06	38.12	34.46	8.40	32.72	100	178	PEAK																																																																																																																			
3	5700.05	49.58	105.21	-55.63	39.20	34.56	8.58	32.76	100	178	PEAK																																																																																																																			
4	5720.35	50.53	111.60	-61.07	40.06	34.59	8.66	32.78	100	178	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5745.00	107.63	-----	-----	97.09	34.62	8.71	32.79	100	178	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.90</td><td>-----</td><td>-----</td><td>89.36</td><td>34.62</td><td>8.71</td><td>32.79</td><td>100</td><td>178</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	99.90	-----	-----	89.36	34.62	8.71	32.79	100	178	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5745.00	99.90	-----	-----	89.36	34.62	8.71	32.79	100	178	AVERAGE																																																																																																																			






Mode	73																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5636.08</td><td>48.27</td><td>68.30</td><td>-20.03</td><td>38.19</td><td>34.44</td><td>8.35</td><td>32.71</td><td>289</td><td>216</td><td>PEAK</td></tr><tr><td>2</td><td>5651.43</td><td>47.75</td><td>69.36</td><td>-21.61</td><td>37.60</td><td>34.47</td><td>8.40</td><td>32.72</td><td>289</td><td>216</td><td>PEAK</td></tr><tr><td>3</td><td>5702.86</td><td>48.14</td><td>106.00</td><td>-57.86</td><td>37.75</td><td>34.56</td><td>8.59</td><td>32.76</td><td>289</td><td>216</td><td>PEAK</td></tr><tr><td>4</td><td>5720.07</td><td>45.85</td><td>110.95</td><td>-65.10</td><td>35.38</td><td>34.59</td><td>8.66</td><td>32.78</td><td>289</td><td>216</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5636.08	48.27	68.30	-20.03	38.19	34.44	8.35	32.71	289	216	PEAK	2	5651.43	47.75	69.36	-21.61	37.60	34.47	8.40	32.72	289	216	PEAK	3	5702.86	48.14	106.00	-57.86	37.75	34.56	8.59	32.76	289	216	PEAK	4	5720.07	45.85	110.95	-65.10	35.38	34.59	8.66	32.78	289	216	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>104.84</td><td>-----</td><td>-----</td><td>94.04</td><td>34.72</td><td>8.91</td><td>32.83</td><td>289</td><td>216</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5785.00	104.84	-----	-----	94.04	34.72	8.91	32.83	289	216	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5636.08	48.27	68.30	-20.03	38.19	34.44	8.35	32.71	289	216	PEAK																																																																																																																				
2	5651.43	47.75	69.36	-21.61	37.60	34.47	8.40	32.72	289	216	PEAK																																																																																																																				
3	5702.86	48.14	106.00	-57.86	37.75	34.56	8.59	32.76	289	216	PEAK																																																																																																																				
4	5720.07	45.85	110.95	-65.10	35.38	34.59	8.66	32.78	289	216	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5785.00	104.84	-----	-----	94.04	34.72	8.91	32.83	289	216	PEAK																																																																																																																				
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>95.52</td><td>-----</td><td>-----</td><td>84.69</td><td>34.73</td><td>8.93</td><td>32.83</td><td>289</td><td>216</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5785.00	95.52	-----	-----	84.69	34.73	8.93	32.83	289	216	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5785.00	95.52	-----	-----	84.69	34.73	8.93	32.83	289	216	AVERAGE																																																																																																																				




Mode	73																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																														
ANT	1																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.96</td><td>48.28</td><td>110.89</td><td>-62.61</td><td>37.45</td><td>34.84</td><td>8.87</td><td>32.88</td><td>289</td><td>216</td><td>PEAK</td></tr><tr><td>2</td><td>5874.60</td><td>47.67</td><td>105.31</td><td>-57.64</td><td>36.84</td><td>34.87</td><td>8.85</td><td>32.89</td><td>289</td><td>216</td><td>PEAK</td></tr><tr><td>3</td><td>5924.92</td><td>47.41</td><td>68.26</td><td>-20.85</td><td>36.58</td><td>34.97</td><td>8.79</td><td>32.93</td><td>289</td><td>216</td><td>PEAK</td></tr><tr><td>4</td><td>5949.01</td><td>49.03</td><td>68.30</td><td>-19.27</td><td>38.21</td><td>35.01</td><td>8.76</td><td>32.95</td><td>289</td><td>216</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.96	48.28	110.89	-62.61	37.45	34.84	8.87	32.88	289	216	PEAK	2	5874.60	47.67	105.31	-57.64	36.84	34.87	8.85	32.89	289	216	PEAK	3	5924.92	47.41	68.26	-20.85	36.58	34.97	8.79	32.93	289	216	PEAK	4	5949.01	49.03	68.30	-19.27	38.21	35.01	8.76	32.95	289	216	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.96	48.28	110.89	-62.61	37.45	34.84	8.87	32.88	289	216	PEAK																																																																				
2	5874.60	47.67	105.31	-57.64	36.84	34.87	8.85	32.89	289	216	PEAK																																																																				
3	5924.92	47.41	68.26	-20.85	36.58	34.97	8.79	32.93	289	216	PEAK																																																																				
4	5949.01	49.03	68.30	-19.27	38.21	35.01	8.76	32.95	289	216	PEAK																																																																				



Mode	73																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5785 MHz. The plot shows a rising red line and a blue line with peaks. A red label 'PEAK_BE(B4)_Y6-24' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5604.63</td><td>49.72</td><td>68.30</td><td>-18.58</td><td>39.80</td><td>34.38</td><td>8.23</td><td>32.69</td><td>100</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>5651.25</td><td>47.69</td><td>69.22</td><td>-21.53</td><td>37.54</td><td>34.47</td><td>8.40</td><td>32.72</td><td>100</td><td>181</td><td>PEAK</td></tr><tr><td>3</td><td>5700.64</td><td>49.70</td><td>105.38</td><td>-55.68</td><td>39.32</td><td>34.56</td><td>8.58</td><td>32.76</td><td>100</td><td>181</td><td>PEAK</td></tr><tr><td>4</td><td>5720.25</td><td>47.68</td><td>111.37</td><td>-63.69</td><td>37.21</td><td>34.59</td><td>8.66</td><td>32.78</td><td>100</td><td>181</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5604.63	49.72	68.30	-18.58	39.80	34.38	8.23	32.69	100	181	PEAK	2	5651.25	47.69	69.22	-21.53	37.54	34.47	8.40	32.72	100	181	PEAK	3	5700.64	49.70	105.38	-55.68	39.32	34.56	8.58	32.76	100	181	PEAK	4	5720.25	47.68	111.37	-63.69	37.21	34.59	8.66	32.78	100	181	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line with a peak at 5800 MHz labeled 'PART 15.407'. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>107.63</td><td>-----</td><td>-----</td><td>96.86</td><td>34.71</td><td>8.88</td><td>32.82</td><td>100</td><td>181</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	107.63	-----	-----	96.86	34.71	8.88	32.82	100	181	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5604.63	49.72	68.30	-18.58	39.80	34.38	8.23	32.69	100	181	PEAK																																																																																																																				
2	5651.25	47.69	69.22	-21.53	37.54	34.47	8.40	32.72	100	181	PEAK																																																																																																																				
3	5700.64	49.70	105.38	-55.68	39.32	34.56	8.58	32.76	100	181	PEAK																																																																																																																				
4	5720.25	47.68	111.37	-63.69	37.21	34.59	8.66	32.78	100	181	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5785.00	107.63	-----	-----	96.86	34.71	8.88	32.82	100	181	PEAK																																																																																																																				
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line with a peak at 5800 MHz labeled 'PART 15.407 AVG'. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>97.32</td><td>-----</td><td>-----</td><td>86.55</td><td>34.71</td><td>8.88</td><td>32.82</td><td>100</td><td>181</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	97.32	-----	-----	86.55	34.71	8.88	32.82	100	181	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5785.00	97.32	-----	-----	86.55	34.71	8.88	32.82	100	181	AVERAGE																																																																																																																				






Mode	73																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.96</td><td>47.53</td><td>110.89</td><td>-63.36</td><td>36.70</td><td>34.84</td><td>8.87</td><td>32.88</td><td>100</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>5874.10</td><td>48.16</td><td>105.45</td><td>-57.29</td><td>37.33</td><td>34.87</td><td>8.85</td><td>32.89</td><td>100</td><td>181</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>48.52</td><td>68.75</td><td>-20.23</td><td>37.69</td><td>34.97</td><td>8.79</td><td>32.93</td><td>100</td><td>181</td><td>PEAK</td></tr><tr><td>4</td><td>5933.17</td><td>49.25</td><td>68.30</td><td>-19.05</td><td>38.43</td><td>34.98</td><td>8.78</td><td>32.94</td><td>100</td><td>181</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.96	47.53	110.89	-63.36	36.70	34.84	8.87	32.88	100	181	PEAK	2	5874.10	48.16	105.45	-57.29	37.33	34.87	8.85	32.89	100	181	PEAK	3	5924.26	48.52	68.75	-20.23	37.69	34.97	8.79	32.93	100	181	PEAK	4	5933.17	49.25	68.30	-19.05	38.43	34.98	8.78	32.94	100	181	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.96	47.53	110.89	-63.36	36.70	34.84	8.87	32.88	100	181	PEAK																																																																													
2	5874.10	48.16	105.45	-57.29	37.33	34.87	8.85	32.89	100	181	PEAK																																																																													
3	5924.26	48.52	68.75	-20.23	37.69	34.97	8.79	32.93	100	181	PEAK																																																																													
4	5933.17	49.25	68.30	-19.05	38.43	34.98	8.78	32.94	100	181	PEAK																																																																													






Mode	73																																															
	Harmonic																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																															
ANT	1																																															
Pol.	Horizontal					Vertical																																										
Peak Avg																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>46.72</td><td>74.00</td><td>-27.28</td><td>55.62</td><td>37.28</td><td>11.49</td><td>57.67</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>47.85</td><td>68.30</td><td>-20.45</td><td>50.95</td><td>41.50</td><td>13.20</td><td>57.80</td><td>--</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	1	11570.00	46.72	74.00	-27.28	55.62	37.28	11.49	57.67	--	Peak	2	17355.00	47.85	68.30	-20.45	50.95	41.50	13.20	57.80	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																								
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																									
1	11570.00	46.72	74.00	-27.28	55.62	37.28	11.49	57.67	--	Peak																																						
2	17355.00	47.85	68.30	-20.45	50.95	41.50	13.20	57.80	--	Peak																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>55.79</td><td>37.28</td><td>11.49</td><td>57.67</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>48.16</td><td>68.30</td><td>-20.14</td><td>51.26</td><td>41.50</td><td>13.20</td><td>57.80</td><td>--</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	1	11570.00	46.89	74.00	-27.11	55.79	37.28	11.49	57.67	--	Peak	2	17355.00	48.16	68.30	-20.14	51.26	41.50	13.20	57.80	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																									
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																									
1	11570.00	46.89	74.00	-27.11	55.79	37.28	11.49	57.67	--	Peak																																						
2	17355.00	48.16	68.30	-20.14	51.26	41.50	13.20	57.80	--	Peak																																						





Mode	74																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal										Fundamental																																																																																																																					
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.63</td><td>52.98</td><td>111.65</td><td>-58.67</td><td>42.15</td><td>34.84</td><td>8.87</td><td>32.88</td><td>288</td><td>212</td><td>PEAK</td></tr><tr><td>2</td><td>5873.88</td><td>50.28</td><td>105.51</td><td>-55.23</td><td>39.45</td><td>34.87</td><td>8.85</td><td>32.89</td><td>288</td><td>212</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>47.53</td><td>68.20</td><td>-20.67</td><td>36.70</td><td>34.97</td><td>8.79</td><td>32.93</td><td>288</td><td>212</td><td>PEAK</td></tr><tr><td>4</td><td>5938.63</td><td>48.66</td><td>68.30</td><td>-19.64</td><td>37.84</td><td>34.99</td><td>8.77</td><td>32.94</td><td>288</td><td>212</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	52.98	111.65	-58.67	42.15	34.84	8.87	32.88	288	212	PEAK	2	5873.88	50.28	105.51	-55.23	39.45	34.87	8.85	32.89	288	212	PEAK	3	5925.00	47.53	68.20	-20.67	36.70	34.97	8.79	32.93	288	212	PEAK	4	5938.63	48.66	68.30	-19.64	37.84	34.99	8.77	32.94	288	212	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.73</td><td>-----</td><td>-----</td><td>93.90</td><td>34.78</td><td>8.91</td><td>32.86</td><td>288</td><td>212</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	104.73	-----	-----	93.90	34.78	8.91	32.86	288	212
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.63	52.98	111.65	-58.67	42.15	34.84	8.87	32.88	288	212	PEAK																																																																																																																					
2	5873.88	50.28	105.51	-55.23	39.45	34.87	8.85	32.89	288	212	PEAK																																																																																																																					
3	5925.00	47.53	68.20	-20.67	36.70	34.97	8.79	32.93	288	212	PEAK																																																																																																																					
4	5938.63	48.66	68.30	-19.64	37.84	34.99	8.77	32.94	288	212	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	104.73	-----	-----	93.90	34.78	8.91	32.86	288	212	PEAK																																																																																																																					
Avg	Blank																																																																																																																															
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.06</td><td>-----</td><td>-----</td><td>84.23</td><td>34.79</td><td>8.90</td><td>32.86</td><td>288</td><td>212</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	95.06	-----	-----	84.23	34.79	8.90	32.86	288	212	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	95.06	-----	-----	84.23	34.79	8.90	32.86	288	212	AVERAGE																																																																																																																					






Mode	74																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.75</td><td>53.09</td><td>111.37</td><td>-58.28</td><td>42.26</td><td>34.84</td><td>8.87</td><td>32.88</td><td>100</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5874.38</td><td>50.28</td><td>105.37</td><td>-55.09</td><td>39.45</td><td>34.87</td><td>8.85</td><td>32.89</td><td>100</td><td>180</td><td>PEAK</td></tr><tr><td>3</td><td>5924.63</td><td>48.71</td><td>68.48</td><td>-19.77</td><td>37.88</td><td>34.97</td><td>8.79</td><td>32.93</td><td>100</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5931.75</td><td>50.05</td><td>68.30</td><td>-18.25</td><td>39.23</td><td>34.98</td><td>8.78</td><td>32.94</td><td>100</td><td>180</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.75	53.09	111.37	-58.28	42.26	34.84	8.87	32.88	100	180	PEAK	2	5874.38	50.28	105.37	-55.09	39.45	34.87	8.85	32.89	100	180	PEAK	3	5924.63	48.71	68.48	-19.77	37.88	34.97	8.79	32.93	100	180	PEAK	4	5931.75	50.05	68.30	-18.25	39.23	34.98	8.78	32.94	100	180	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.36</td><td>-----</td><td>-----</td><td>95.53</td><td>34.78</td><td>8.91</td><td>32.86</td><td>100</td><td>180</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.36	-----	-----	95.53	34.78	8.91	32.86	100	180	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.75	53.09	111.37	-58.28	42.26	34.84	8.87	32.88	100	180	PEAK																																																																																																																				
2	5874.38	50.28	105.37	-55.09	39.45	34.87	8.85	32.89	100	180	PEAK																																																																																																																				
3	5924.63	48.71	68.48	-19.77	37.88	34.97	8.79	32.93	100	180	PEAK																																																																																																																				
4	5931.75	50.05	68.30	-18.25	39.23	34.98	8.78	32.94	100	180	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	106.36	-----	-----	95.53	34.78	8.91	32.86	100	180	PEAK																																																																																																																				
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.37</td><td>-----</td><td>-----</td><td>86.53</td><td>34.77</td><td>8.92</td><td>32.85</td><td>100</td><td>180</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.37	-----	-----	86.53	34.77	8.92	32.85	100	180	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	97.37	-----	-----	86.53	34.77	8.92	32.85	100	180	AVERAGE																																																																																																																				






Mode	74																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal					Vertical																																																																																																			
Peak Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11650.00</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>56.52</td><td>37.51</td><td>11.53</td><td>57.58</td><td>--</td><td>-- Peak</td></tr><tr><td>2 17475.00</td><td>49.74</td><td>68.30</td><td>-18.56</td><td>52.40</td><td>41.74</td><td>13.23</td><td>57.63</td><td>--</td><td>-- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	47.98	74.00	-26.02	56.52	37.51	11.53	57.58	--	-- Peak	2 17475.00	49.74	68.30	-18.56	52.40	41.74	13.23	57.63	--	-- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11650.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>56.03</td><td>37.51</td><td>11.53</td><td>57.58</td><td>--</td><td>-- Peak</td></tr><tr><td>2 17475.00</td><td>48.50</td><td>68.30</td><td>-19.80</td><td>51.16</td><td>41.74</td><td>13.23</td><td>57.63</td><td>--</td><td>-- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	47.49	74.00	-26.51	56.03	37.51	11.53	57.58	--	-- Peak	2 17475.00	48.50	68.30	-19.80	51.16	41.74	13.23	57.63	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 11650.00	47.98	74.00	-26.02	56.52	37.51	11.53	57.58	--	-- Peak																																																																																																
2 17475.00	49.74	68.30	-18.56	52.40	41.74	13.23	57.63	--	-- Peak																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 11650.00	47.49	74.00	-26.51	56.03	37.51	11.53	57.58	--	-- Peak																																																																																																
2 17475.00	48.50	68.30	-19.80	51.16	41.74	13.23	57.63	--	-- Peak																																																																																																






Mode	75																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>48.25</td><td>110.80</td><td>-62.55</td><td>37.42</td><td>34.84</td><td>8.87</td><td>32.88</td><td>265</td><td>211</td><td>PEAK</td></tr><tr><td>2</td><td>5874.88</td><td>49.43</td><td>105.23</td><td>-55.80</td><td>38.59</td><td>34.88</td><td>8.85</td><td>32.89</td><td>265</td><td>211</td><td>PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>48.39</td><td>68.38</td><td>-19.99</td><td>37.56</td><td>34.97</td><td>8.79</td><td>32.93</td><td>265</td><td>211</td><td>PEAK</td></tr><tr><td>4</td><td>5948.50</td><td>49.24</td><td>68.30</td><td>-19.06</td><td>38.42</td><td>35.01</td><td>8.76</td><td>32.95</td><td>265</td><td>211</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	48.25	110.80	-62.55	37.42	34.84	8.87	32.88	265	211	PEAK	2	5874.88	49.43	105.23	-55.80	38.59	34.88	8.85	32.89	265	211	PEAK	3	5924.75	48.39	68.38	-19.99	37.56	34.97	8.79	32.93	265	211	PEAK	4	5948.50	49.24	68.30	-19.06	38.42	35.01	8.76	32.95	265	211	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.84</td><td>-----</td><td>-----</td><td>96.01</td><td>34.80</td><td>8.89</td><td>32.86</td><td>265</td><td>211</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.84	-----	-----	96.01	34.80	8.89	32.86	265	211	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5855.00	48.25	110.80	-62.55	37.42	34.84	8.87	32.88	265	211	PEAK																																																																																																																				
2	5874.88	49.43	105.23	-55.80	38.59	34.88	8.85	32.89	265	211	PEAK																																																																																																																				
3	5924.75	48.39	68.38	-19.99	37.56	34.97	8.79	32.93	265	211	PEAK																																																																																																																				
4	5948.50	49.24	68.30	-19.06	38.42	35.01	8.76	32.95	265	211	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	106.84	-----	-----	96.01	34.80	8.89	32.86	265	211	PEAK																																																																																																																				
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.64</td><td>-----</td><td>-----</td><td>88.81</td><td>34.80</td><td>8.89</td><td>32.86</td><td>265</td><td>211</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.64	-----	-----	88.81	34.80	8.89	32.86	265	211	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	99.64	-----	-----	88.81	34.80	8.89	32.86	265	211	AVERAGE																																																																																																																				






Mode	75																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Vertical						Fundamental																																																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>47.85</td><td>110.80</td><td>-62.95</td><td>37.02</td><td>34.84</td><td>8.87</td><td>32.88</td><td>100</td><td>170</td><td>PEAK</td></tr><tr><td>2</td><td>5872.13</td><td>50.33</td><td>106.00</td><td>-55.67</td><td>39.50</td><td>34.87</td><td>8.85</td><td>32.89</td><td>100</td><td>170</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>49.24</td><td>68.20</td><td>-18.96</td><td>38.41</td><td>34.97</td><td>8.79</td><td>32.93</td><td>100</td><td>170</td><td>PEAK</td></tr><tr><td>4</td><td>5934.75</td><td>49.60</td><td>68.30</td><td>-18.70</td><td>38.78</td><td>34.98</td><td>8.78</td><td>32.94</td><td>100</td><td>170</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	47.85	110.80	-62.95	37.02	34.84	8.87	32.88	100	170	PEAK	2	5872.13	50.33	106.00	-55.67	39.50	34.87	8.85	32.89	100	170	PEAK	3	5925.00	49.24	68.20	-18.96	38.41	34.97	8.79	32.93	100	170	PEAK	4	5934.75	49.60	68.30	-18.70	38.78	34.98	8.78	32.94	100	170	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>108.92</td><td>-----</td><td>-----</td><td>98.09</td><td>34.80</td><td>8.89</td><td>32.86</td><td>100</td><td>170</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.92	-----	-----	98.09	34.80	8.89	32.86	100	170	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5855.00	47.85	110.80	-62.95	37.02	34.84	8.87	32.88	100	170	PEAK																																																																																																																						
2	5872.13	50.33	106.00	-55.67	39.50	34.87	8.85	32.89	100	170	PEAK																																																																																																																						
3	5925.00	49.24	68.20	-18.96	38.41	34.97	8.79	32.93	100	170	PEAK																																																																																																																						
4	5934.75	49.60	68.30	-18.70	38.78	34.98	8.78	32.94	100	170	PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	108.92	-----	-----	98.09	34.80	8.89	32.86	100	170	PEAK																																																																																																																						
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.16</td><td>-----</td><td>-----</td><td>91.33</td><td>34.80</td><td>8.89</td><td>32.86</td><td>100</td><td>170</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.16	-----	-----	91.33	34.80	8.89	32.86	100	170	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	102.16	-----	-----	91.33	34.80	8.89	32.86	100	170	AVERAGE																																																																																																																						






Mode	76																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>47.91</td><td>110.80</td><td>-62.89</td><td>37.08</td><td>34.84</td><td>8.87</td><td>32.88</td><td>253</td><td>214</td><td>PEAK</td></tr><tr><td>2</td><td>5872.63</td><td>49.20</td><td>105.86</td><td>-56.66</td><td>38.37</td><td>34.87</td><td>8.85</td><td>32.89</td><td>253</td><td>214</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>48.31</td><td>68.20</td><td>-19.89</td><td>37.48</td><td>34.97</td><td>8.79</td><td>32.93</td><td>253</td><td>214</td><td>PEAK</td></tr><tr><td>4</td><td>5930.38</td><td>49.03</td><td>68.30</td><td>-19.27</td><td>38.21</td><td>34.98</td><td>8.78</td><td>32.94</td><td>253</td><td>214</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	47.91	110.80	-62.89	37.08	34.84	8.87	32.88	253	214	PEAK	2	5872.63	49.20	105.86	-56.66	38.37	34.87	8.85	32.89	253	214	PEAK	3	5925.00	48.31	68.20	-19.89	37.48	34.97	8.79	32.93	253	214	PEAK	4	5930.38	49.03	68.30	-19.27	38.21	34.98	8.78	32.94	253	214	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.75</td><td>-----</td><td>-----</td><td>94.92</td><td>34.80</td><td>8.89</td><td>32.86</td><td>253</td><td>214</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.75	-----	-----	94.92	34.80	8.89	32.86	253	214
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5855.00	47.91	110.80	-62.89	37.08	34.84	8.87	32.88	253	214	PEAK																																																																																																																			
2	5872.63	49.20	105.86	-56.66	38.37	34.87	8.85	32.89	253	214	PEAK																																																																																																																			
3	5925.00	48.31	68.20	-19.89	37.48	34.97	8.79	32.93	253	214	PEAK																																																																																																																			
4	5930.38	49.03	68.30	-19.27	38.21	34.98	8.78	32.94	253	214	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5825.00	105.75	-----	-----	94.92	34.80	8.89	32.86	253	214	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>98.28</td><td>-----</td><td>-----</td><td>87.45</td><td>34.79</td><td>8.90</td><td>32.86</td><td>253</td><td>214</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.28	-----	-----	87.45	34.79	8.90	32.86	253	214	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5825.00	98.28	-----	-----	87.45	34.79	8.90	32.86	253	214	AVERAGE																																																																																																																			






Mode	76																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5825 to 5950 MHz. The plot shows a red limit line and a blue measured signal. Peaks are labeled 1, 2, 3, and 4. A red label 'PEAK_BE(B4)_16-24' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>48.78</td><td>111.08</td><td>-62.30</td><td>37.95</td><td>34.84</td><td>8.87</td><td>32.88</td><td>100</td><td>174</td><td>PEAK</td></tr><tr><td>2</td><td>5874.75</td><td>50.69</td><td>105.27</td><td>-54.58</td><td>39.85</td><td>34.88</td><td>8.85</td><td>32.89</td><td>100</td><td>174</td><td>PEAK</td></tr><tr><td>3</td><td>5924.13</td><td>49.28</td><td>68.84</td><td>-19.56</td><td>38.45</td><td>34.97</td><td>8.79</td><td>32.93</td><td>100</td><td>174</td><td>PEAK</td></tr><tr><td>4</td><td>5926.75</td><td>49.60</td><td>68.30</td><td>-18.70</td><td>38.77</td><td>34.97</td><td>8.79</td><td>32.93</td><td>100</td><td>174</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.88	48.78	111.08	-62.30	37.95	34.84	8.87	32.88	100	174	PEAK	2	5874.75	50.69	105.27	-54.58	39.85	34.88	8.85	32.89	100	174	PEAK	3	5924.13	49.28	68.84	-19.56	38.45	34.97	8.79	32.93	100	174	PEAK	4	5926.75	49.60	68.30	-18.70	38.77	34.97	8.79	32.93	100	174	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A peak is labeled 1. A red label 'PART 15.407' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.25</td><td>-----</td><td>-----</td><td>97.42</td><td>34.80</td><td>8.89</td><td>32.86</td><td>100</td><td>174</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.25	-----	-----	97.42	34.80	8.89	32.86	100	174	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.88	48.78	111.08	-62.30	37.95	34.84	8.87	32.88	100	174	PEAK																																																																																																																				
2	5874.75	50.69	105.27	-54.58	39.85	34.88	8.85	32.89	100	174	PEAK																																																																																																																				
3	5924.13	49.28	68.84	-19.56	38.45	34.97	8.79	32.93	100	174	PEAK																																																																																																																				
4	5926.75	49.60	68.30	-18.70	38.77	34.97	8.79	32.93	100	174	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	108.25	-----	-----	97.42	34.80	8.89	32.86	100	174	PEAK																																																																																																																				
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A peak is labeled 1. A red label 'PART 15.407 AVG' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.88</td><td>-----</td><td>-----</td><td>90.05</td><td>34.79</td><td>8.90</td><td>32.86</td><td>100</td><td>174</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.88	-----	-----	90.05	34.79	8.90	32.86	100	174	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	100.88	-----	-----	90.05	34.79	8.90	32.86	100	174	AVERAGE																																																																																																																				







Mode	77																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5825 to 5950 MHz. The plot shows a red limit line and a blue measured signal line. Four peaks are marked with vertical lines and numbered 1 to 4. The peak levels are approximately 52.5 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.75</td><td>48.54</td><td>111.37</td><td>-62.83</td><td>37.71</td><td>34.84</td><td>8.87</td><td>32.88</td><td>269</td><td>210</td><td>PEAK</td></tr><tr><td>2</td><td>5873.88</td><td>49.86</td><td>105.51</td><td>-55.65</td><td>39.03</td><td>34.87</td><td>8.85</td><td>32.89</td><td>269</td><td>210</td><td>PEAK</td></tr><tr><td>3</td><td>5923.75</td><td>48.58</td><td>69.12</td><td>-20.54</td><td>37.76</td><td>34.96</td><td>8.79</td><td>32.93</td><td>269</td><td>210</td><td>PEAK</td></tr><tr><td>4</td><td>5946.13</td><td>49.02</td><td>68.30</td><td>-19.28</td><td>38.20</td><td>35.01</td><td>8.76</td><td>32.95</td><td>269</td><td>210</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.75	48.54	111.37	-62.83	37.71	34.84	8.87	32.88	269	210	PEAK	2	5873.88	49.86	105.51	-55.65	39.03	34.87	8.85	32.89	269	210	PEAK	3	5923.75	48.58	69.12	-20.54	37.76	34.96	8.79	32.93	269	210	PEAK	4	5946.13	49.02	68.30	-19.28	38.20	35.01	8.76	32.95	269	210	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal line. A single peak is marked with a vertical line and numbered 1. The peak level is approximately 105.0 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.85</td><td>-----</td><td>-----</td><td>94.02</td><td>34.79</td><td>8.90</td><td>32.86</td><td>269</td><td>210</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	104.85	-----	-----	94.02	34.79	8.90	32.86	269	210	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.75	48.54	111.37	-62.83	37.71	34.84	8.87	32.88	269	210	PEAK																																																																																																																				
2	5873.88	49.86	105.51	-55.65	39.03	34.87	8.85	32.89	269	210	PEAK																																																																																																																				
3	5923.75	48.58	69.12	-20.54	37.76	34.96	8.79	32.93	269	210	PEAK																																																																																																																				
4	5946.13	49.02	68.30	-19.28	38.20	35.01	8.76	32.95	269	210	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	104.85	-----	-----	94.02	34.79	8.90	32.86	269	210	PEAK																																																																																																																				
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal line. A single peak is marked with a vertical line and numbered 1. The peak level is approximately 105.0 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.78</td><td>-----</td><td>-----</td><td>85.95</td><td>34.79</td><td>8.90</td><td>32.86</td><td>269</td><td>210</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	96.78	-----	-----	85.95	34.79	8.90	32.86	269	210	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	96.78	-----	-----	85.95	34.79	8.90	32.86	269	210	AVERAGE																																																																																																																				






Mode	77																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.75</td><td>49.80</td><td>111.37</td><td>-61.57</td><td>38.97</td><td>34.84</td><td>8.87</td><td>32.88</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5873.50</td><td>50.70</td><td>105.62</td><td>-54.92</td><td>39.87</td><td>34.87</td><td>8.85</td><td>32.89</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>3</td><td>5922.88</td><td>49.64</td><td>69.77</td><td>-20.13</td><td>38.82</td><td>34.96</td><td>8.79</td><td>32.93</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>4</td><td>5927.13</td><td>48.80</td><td>68.30</td><td>-19.50</td><td>37.97</td><td>34.97</td><td>8.79</td><td>32.93</td><td>100</td><td>173</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.75	49.80	111.37	-61.57	38.97	34.84	8.87	32.88	100	173	PEAK	2	5873.50	50.70	105.62	-54.92	39.87	34.87	8.85	32.89	100	173	PEAK	3	5922.88	49.64	69.77	-20.13	38.82	34.96	8.79	32.93	100	173	PEAK	4	5927.13	48.80	68.30	-19.50	37.97	34.97	8.79	32.93	100	173	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.70</td><td>-----</td><td>-----</td><td>96.87</td><td>34.79</td><td>8.90</td><td>32.86</td><td>100</td><td>173</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	107.70	-----	-----	96.87	34.79	8.90	32.86	100	173
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5854.75	49.80	111.37	-61.57	38.97	34.84	8.87	32.88	100	173	PEAK																																																																																																																			
2	5873.50	50.70	105.62	-54.92	39.87	34.87	8.85	32.89	100	173	PEAK																																																																																																																			
3	5922.88	49.64	69.77	-20.13	38.82	34.96	8.79	32.93	100	173	PEAK																																																																																																																			
4	5927.13	48.80	68.30	-19.50	37.97	34.97	8.79	32.93	100	173	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5825.00	107.70	-----	-----	96.87	34.79	8.90	32.86	100	173	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.51</td><td>-----</td><td>-----</td><td>88.68</td><td>34.80</td><td>8.89</td><td>32.86</td><td>100</td><td>173</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	99.51	-----	-----	88.68	34.80	8.89	32.86	100	173	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5825.00	99.51	-----	-----	88.68	34.80	8.89	32.86	100	173	AVERAGE																																																																																																																			




Mode	78																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.40</td><td>48.38</td><td>68.30</td><td>-19.92</td><td>38.33</td><td>34.43</td><td>8.33</td><td>32.71</td><td>285</td><td>217</td><td>PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>48.02</td><td>68.58</td><td>-20.56</td><td>37.87</td><td>34.47</td><td>8.40</td><td>32.72</td><td>285</td><td>217</td><td>PEAK</td></tr><tr><td>3</td><td>5701.99</td><td>50.79</td><td>105.76</td><td>-54.97</td><td>40.40</td><td>34.56</td><td>8.59</td><td>32.76</td><td>285</td><td>217</td><td>PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>52.43</td><td>111.79</td><td>-59.36</td><td>41.96</td><td>34.59</td><td>8.66</td><td>32.78</td><td>285</td><td>217</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5632.40	48.38	68.30	-19.92	38.33	34.43	8.33	32.71	285	217	PEAK	2	5650.38	48.02	68.58	-20.56	37.87	34.47	8.40	32.72	285	217	PEAK	3	5701.99	50.79	105.76	-54.97	40.40	34.56	8.59	32.76	285	217	PEAK	4	5720.44	52.43	111.79	-59.36	41.96	34.59	8.66	32.78	285	217	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.90</td><td>-----</td><td>-----</td><td>89.31</td><td>34.64</td><td>8.75</td><td>32.80</td><td>285</td><td>217</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.90	-----	-----	89.31	34.64	8.75	32.80	285	217
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5632.40	48.38	68.30	-19.92	38.33	34.43	8.33	32.71	285	217	PEAK																																																																																																																		
2	5650.38	48.02	68.58	-20.56	37.87	34.47	8.40	32.72	285	217	PEAK																																																																																																																		
3	5701.99	50.79	105.76	-54.97	40.40	34.56	8.59	32.76	285	217	PEAK																																																																																																																		
4	5720.44	52.43	111.79	-59.36	41.96	34.59	8.66	32.78	285	217	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5755.00	99.90	-----	-----	89.31	34.64	8.75	32.80	285	217	PEAK																																																																																																																		
Avg	Blank																																																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>90.97</td><td>-----</td><td>-----</td><td>80.35</td><td>34.65</td><td>8.77</td><td>32.80</td><td>285</td><td>217</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	90.97	-----	-----	80.35	34.65	8.77	32.80	285	217	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5755.00	90.97	-----	-----	80.35	34.65	8.77	32.80	285	217	AVERAGE																																																																																																																		

Mode	78																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal						Fundamental																																																																																
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.84</td><td>47.96</td><td>111.17</td><td>-63.21</td><td>37.13</td><td>34.84</td><td>8.87</td><td>32.88</td><td>285</td><td>217</td><td>PEAK</td></tr><tr><td>2</td><td>5872.20</td><td>48.39</td><td>105.98</td><td>-57.59</td><td>37.56</td><td>34.87</td><td>8.85</td><td>32.89</td><td>285</td><td>217</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>47.75</td><td>68.60</td><td>-20.85</td><td>36.92</td><td>34.97</td><td>8.79</td><td>32.93</td><td>285</td><td>217</td><td>PEAK</td></tr><tr><td>4</td><td>5943.96</td><td>49.12</td><td>68.30</td><td>-19.18</td><td>38.30</td><td>35.00</td><td>8.77</td><td>32.95</td><td>285</td><td>217</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	47.96	111.17	-63.21	37.13	34.84	8.87	32.88	285	217	PEAK	2	5872.20	48.39	105.98	-57.59	37.56	34.87	8.85	32.89	285	217	PEAK	3	5924.46	47.75	68.60	-20.85	36.92	34.97	8.79	32.93	285	217	PEAK	4	5943.96	49.12	68.30	-19.18	38.30	35.00	8.77	32.95	285	217	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.84	47.96	111.17	-63.21	37.13	34.84	8.87	32.88	285	217	PEAK																																																																												
2	5872.20	48.39	105.98	-57.59	37.56	34.87	8.85	32.89	285	217	PEAK																																																																												
3	5924.46	47.75	68.60	-20.85	36.92	34.97	8.79	32.93	285	217	PEAK																																																																												
4	5943.96	49.12	68.30	-19.18	38.30	35.00	8.77	32.95	285	217	PEAK																																																																												





Mode	78																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5649.14</td><td>48.62</td><td>68.30</td><td>-19.68</td><td>38.49</td><td>34.46</td><td>8.39</td><td>32.72</td><td>102</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>48.68</td><td>68.46</td><td>-19.78</td><td>38.53</td><td>34.47</td><td>8.40</td><td>32.72</td><td>102</td><td>181</td><td>PEAK</td></tr><tr><td>3</td><td>5709.74</td><td>55.31</td><td>107.93</td><td>-52.62</td><td>44.89</td><td>34.57</td><td>8.62</td><td>32.77</td><td>102</td><td>181</td><td>PEAK</td></tr><tr><td>4</td><td>5720.59</td><td>55.24</td><td>112.15</td><td>-56.91</td><td>44.77</td><td>34.59</td><td>8.66</td><td>32.78</td><td>102</td><td>181</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.14	48.62	68.30	-19.68	38.49	34.46	8.39	32.72	102	181	PEAK	2	5650.22	48.68	68.46	-19.78	38.53	34.47	8.40	32.72	102	181	PEAK	3	5709.74	55.31	107.93	-52.62	44.89	34.57	8.62	32.77	102	181	PEAK	4	5720.59	55.24	112.15	-56.91	44.77	34.59	8.66	32.78	102	181	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>102.18</td><td>-----</td><td>-----</td><td>91.59</td><td>34.64</td><td>8.75</td><td>32.80</td><td>102</td><td>181</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	102.18	-----	-----	91.59	34.64	8.75	32.80	102	181	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5649.14	48.62	68.30	-19.68	38.49	34.46	8.39	32.72	102	181	PEAK																																																																																																																				
2	5650.22	48.68	68.46	-19.78	38.53	34.47	8.40	32.72	102	181	PEAK																																																																																																																				
3	5709.74	55.31	107.93	-52.62	44.89	34.57	8.62	32.77	102	181	PEAK																																																																																																																				
4	5720.59	55.24	112.15	-56.91	44.77	34.59	8.66	32.78	102	181	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5755.00	102.18	-----	-----	91.59	34.64	8.75	32.80	102	181	PEAK																																																																																																																				
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>94.02</td><td>-----</td><td>-----</td><td>83.45</td><td>34.63</td><td>8.73</td><td>32.79</td><td>102</td><td>181</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	94.02	-----	-----	83.45	34.63	8.73	32.79	102	181	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5755.00	94.02	-----	-----	83.45	34.63	8.73	32.79	102	181	AVERAGE																																																																																																																				






Mode	78																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>46.62</td><td>111.17</td><td>-64.55</td><td>35.79</td><td>34.84</td><td>8.87</td><td>32.88</td><td>102</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>5874.34</td><td>49.18</td><td>105.38</td><td>-56.20</td><td>38.35</td><td>34.87</td><td>8.85</td><td>32.89</td><td>102</td><td>181</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>47.96</td><td>68.46</td><td>-20.50</td><td>37.13</td><td>34.97</td><td>8.79</td><td>32.93</td><td>102</td><td>181</td><td>PEAK</td></tr><tr><td>4</td><td>5947.66</td><td>49.50</td><td>68.30</td><td>-18.80</td><td>38.68</td><td>35.01</td><td>8.76</td><td>32.95</td><td>102</td><td>181</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	46.62	111.17	-64.55	35.79	34.84	8.87	32.88	102	181	PEAK	2	5874.34	49.18	105.38	-56.20	38.35	34.87	8.85	32.89	102	181	PEAK	3	5924.65	47.96	68.46	-20.50	37.13	34.97	8.79	32.93	102	181	PEAK	4	5947.66	49.50	68.30	-18.80	38.68	35.01	8.76	32.95	102	181	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.84	46.62	111.17	-64.55	35.79	34.84	8.87	32.88	102	181	PEAK																																																																													
2	5874.34	49.18	105.38	-56.20	38.35	34.87	8.85	32.89	102	181	PEAK																																																																													
3	5924.65	47.96	68.46	-20.50	37.13	34.97	8.79	32.93	102	181	PEAK																																																																													
4	5947.66	49.50	68.30	-18.80	38.68	35.01	8.76	32.95	102	181	PEAK																																																																													



Mode	78																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal					Vertical																																																																																														
Peak Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td></tr><tr><td>1 11510.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>56.38</td><td>37.11</td><td>11.46</td><td>57.74</td><td>-- -- Peak</td></tr><tr><td>2 17265.00</td><td>48.11</td><td>68.30</td><td>-20.19</td><td>51.53</td><td>41.33</td><td>13.18</td><td>57.93</td><td>-- -- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 11510.00	47.21	74.00	-26.79	56.38	37.11	11.46	57.74	-- -- Peak	2 17265.00	48.11	68.30	-20.19	51.53	41.33	13.18	57.93	-- -- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td></tr><tr><td>1 11510.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>56.20</td><td>37.11</td><td>11.46</td><td>57.74</td><td>-- -- Peak</td></tr><tr><td>2 17265.00</td><td>47.38</td><td>68.30</td><td>-20.92</td><td>50.80</td><td>41.33</td><td>13.18</td><td>57.93</td><td>-- -- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 11510.00	47.03	74.00	-26.97	56.20	37.11	11.46	57.74	-- -- Peak	2 17265.00	47.38	68.30	-20.92	50.80	41.33	13.18	57.93	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																												
1 11510.00	47.21	74.00	-26.79	56.38	37.11	11.46	57.74	-- -- Peak																																																																																												
2 17265.00	48.11	68.30	-20.19	51.53	41.33	13.18	57.93	-- -- Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																												
1 11510.00	47.03	74.00	-26.97	56.20	37.11	11.46	57.74	-- -- Peak																																																																																												
2 17265.00	47.38	68.30	-20.92	50.80	41.33	13.18	57.93	-- -- Peak																																																																																												






Mode	79																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5614.04</td><td>50.36</td><td>68.30</td><td>-17.94</td><td>40.39</td><td>34.40</td><td>8.26</td><td>32.69</td><td>295</td><td>216</td><td>PEAK</td></tr><tr><td>2</td><td>5650.12</td><td>47.50</td><td>68.39</td><td>-20.89</td><td>37.36</td><td>34.46</td><td>8.40</td><td>32.72</td><td>295</td><td>216</td><td>PEAK</td></tr><tr><td>3</td><td>5700.82</td><td>48.95</td><td>105.43</td><td>-56.48</td><td>38.57</td><td>34.56</td><td>8.58</td><td>32.76</td><td>295</td><td>216</td><td>PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>47.76</td><td>111.07</td><td>-63.31</td><td>37.29</td><td>34.59</td><td>8.66</td><td>32.78</td><td>295</td><td>216</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5614.04	50.36	68.30	-17.94	40.39	34.40	8.26	32.69	295	216	PEAK	2	5650.12	47.50	68.39	-20.89	37.36	34.46	8.40	32.72	295	216	PEAK	3	5700.82	48.95	105.43	-56.48	38.57	34.56	8.58	32.76	295	216	PEAK	4	5720.12	47.76	111.07	-63.31	37.29	34.59	8.66	32.78	295	216	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.86</td><td>-----</td><td>-----</td><td>89.02</td><td>34.74</td><td>8.94</td><td>32.84</td><td>295</td><td>216</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	99.86	-----	-----	89.02	34.74	8.94	32.84	295	216
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5614.04	50.36	68.30	-17.94	40.39	34.40	8.26	32.69	295	216	PEAK																																																																																																																			
2	5650.12	47.50	68.39	-20.89	37.36	34.46	8.40	32.72	295	216	PEAK																																																																																																																			
3	5700.82	48.95	105.43	-56.48	38.57	34.56	8.58	32.76	295	216	PEAK																																																																																																																			
4	5720.12	47.76	111.07	-63.31	37.29	34.59	8.66	32.78	295	216	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5795.00	99.86	-----	-----	89.02	34.74	8.94	32.84	295	216	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>91.12</td><td>-----</td><td>-----</td><td>80.29</td><td>34.73</td><td>8.93</td><td>32.83</td><td>295</td><td>216</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	91.12	-----	-----	80.29	34.73	8.93	32.83	295	216	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5795.00	91.12	-----	-----	80.29	34.73	8.93	32.83	295	216	AVERAGE																																																																																																																			




Mode	79																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal										Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.68</td><td>49.39</td><td>111.54</td><td>-62.15</td><td>38.56</td><td>34.84</td><td>8.87</td><td>32.88</td><td>295</td><td>216</td><td>PEAK</td></tr><tr><td>2</td><td>5874.52</td><td>48.68</td><td>105.34</td><td>-56.66</td><td>37.85</td><td>34.87</td><td>8.85</td><td>32.89</td><td>295</td><td>216</td><td>PEAK</td></tr><tr><td>3</td><td>5924.89</td><td>48.04</td><td>68.28</td><td>-20.24</td><td>37.21</td><td>34.97</td><td>8.79</td><td>32.93</td><td>295</td><td>216</td><td>PEAK</td></tr><tr><td>4</td><td>5940.55</td><td>49.37</td><td>68.30</td><td>-18.93</td><td>38.55</td><td>35.00</td><td>8.77</td><td>32.95</td><td>295</td><td>216</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.68	49.39	111.54	-62.15	38.56	34.84	8.87	32.88	295	216	PEAK	2	5874.52	48.68	105.34	-56.66	37.85	34.87	8.85	32.89	295	216	PEAK	3	5924.89	48.04	68.28	-20.24	37.21	34.97	8.79	32.93	295	216	PEAK	4	5940.55	49.37	68.30	-18.93	38.55	35.00	8.77	32.95	295	216	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.68	49.39	111.54	-62.15	38.56	34.84	8.87	32.88	295	216	PEAK																																																																													
2	5874.52	48.68	105.34	-56.66	37.85	34.87	8.85	32.89	295	216	PEAK																																																																													
3	5924.89	48.04	68.28	-20.24	37.21	34.97	8.79	32.93	295	216	PEAK																																																																													
4	5940.55	49.37	68.30	-18.93	38.55	35.00	8.77	32.95	295	216	PEAK																																																																													





Mode	79																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5795 MHz. The plot shows a rising red limit line and a blue measured signal line with four peaks marked by vertical lines and numbered 1 to 4. The highest peak is labeled 'PEAK_BER(4)_16-24'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5642.71</td><td>48.60</td><td>68.30</td><td>-19.70</td><td>38.50</td><td>34.45</td><td>8.37</td><td>32.72</td><td>103</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5651.09</td><td>47.80</td><td>69.11</td><td>-21.31</td><td>37.65</td><td>34.47</td><td>8.40</td><td>32.72</td><td>103</td><td>180</td><td>PEAK</td></tr><tr><td>3</td><td>5700.43</td><td>48.56</td><td>105.32</td><td>-56.76</td><td>38.18</td><td>34.56</td><td>8.58</td><td>32.76</td><td>103</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5720.32</td><td>51.11</td><td>111.52</td><td>-60.41</td><td>40.64</td><td>34.59</td><td>8.66</td><td>32.78</td><td>103</td><td>180</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5642.71	48.60	68.30	-19.70	38.50	34.45	8.37	32.72	103	180	PEAK	2	5651.09	47.80	69.11	-21.31	37.65	34.47	8.40	32.72	103	180	PEAK	3	5700.43	48.56	105.32	-56.76	38.18	34.56	8.58	32.76	103	180	PEAK	4	5720.32	51.11	111.52	-60.41	40.64	34.59	8.66	32.78	103	180	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line with a step at 5795 MHz and a blue measured signal line with a sharp peak at 5795 MHz labeled 'PART 15.407'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>102.45</td><td>-----</td><td>-----</td><td>91.61</td><td>34.74</td><td>8.94</td><td>32.84</td><td>103</td><td>180</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	102.45	-----	-----	91.61	34.74	8.94	32.84	103	180	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5642.71	48.60	68.30	-19.70	38.50	34.45	8.37	32.72	103	180	PEAK																																																																																																																				
2	5651.09	47.80	69.11	-21.31	37.65	34.47	8.40	32.72	103	180	PEAK																																																																																																																				
3	5700.43	48.56	105.32	-56.76	38.18	34.56	8.58	32.76	103	180	PEAK																																																																																																																				
4	5720.32	51.11	111.52	-60.41	40.64	34.59	8.66	32.78	103	180	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5795.00	102.45	-----	-----	91.61	34.74	8.94	32.84	103	180	PEAK																																																																																																																				
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line with a step at 5795 MHz and a blue measured signal line with a sharp peak at 5795 MHz labeled 'PART 15.407 AVG'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>93.84</td><td>-----</td><td>-----</td><td>83.07</td><td>34.71</td><td>8.88</td><td>32.82</td><td>103</td><td>180</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	93.84	-----	-----	83.07	34.71	8.88	32.82	103	180	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5795.00	93.84	-----	-----	83.07	34.71	8.88	32.82	103	180	AVERAGE																																																																																																																				






Mode	79																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																													
ANT	1																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.83</td><td>50.53</td><td>111.19</td><td>-60.66</td><td>39.70</td><td>34.84</td><td>8.87</td><td>32.88</td><td>103</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5873.43</td><td>49.08</td><td>105.64</td><td>-56.56</td><td>38.25</td><td>34.87</td><td>8.85</td><td>32.89</td><td>103</td><td>180</td><td>PEAK</td></tr><tr><td>3</td><td>5924.89</td><td>48.00</td><td>68.28</td><td>-20.28</td><td>37.17</td><td>34.97</td><td>8.79</td><td>32.93</td><td>103</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5928.77</td><td>49.30</td><td>68.30</td><td>-19.00</td><td>38.49</td><td>34.97</td><td>8.78</td><td>32.94</td><td>103</td><td>180</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.83	50.53	111.19	-60.66	39.70	34.84	8.87	32.88	103	180	PEAK	2	5873.43	49.08	105.64	-56.56	38.25	34.87	8.85	32.89	103	180	PEAK	3	5924.89	48.00	68.28	-20.28	37.17	34.97	8.79	32.93	103	180	PEAK	4	5928.77	49.30	68.30	-19.00	38.49	34.97	8.78	32.94	103	180	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5854.83	50.53	111.19	-60.66	39.70	34.84	8.87	32.88	103	180	PEAK																																																																			
2	5873.43	49.08	105.64	-56.56	38.25	34.87	8.85	32.89	103	180	PEAK																																																																			
3	5924.89	48.00	68.28	-20.28	37.17	34.97	8.79	32.93	103	180	PEAK																																																																			
4	5928.77	49.30	68.30	-19.00	38.49	34.97	8.78	32.94	103	180	PEAK																																																																			




Mode	79																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11590.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>55.34</td><td>37.34</td><td>11.50</td><td>57.65</td></tr><tr><td>2 17385.00</td><td>48.99</td><td>68.30</td><td>-19.31</td><td>51.98</td><td>41.56</td><td>13.21</td><td>57.76</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11590.00	46.53	74.00	-27.47	55.34	37.34	11.50	57.65	2 17385.00	48.99	68.30	-19.31	51.98	41.56	13.21	57.76	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11590.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>55.61</td><td>37.34</td><td>11.50</td><td>57.65</td></tr><tr><td>2 17385.00</td><td>47.66</td><td>68.30</td><td>-20.64</td><td>50.65</td><td>41.56</td><td>13.21</td><td>57.76</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11590.00	46.80	74.00	-27.20	55.61	37.34	11.50	57.65	2 17385.00	47.66	68.30	-20.64	50.65	41.56	13.21	57.76
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11590.00	46.53	74.00	-27.47	55.34	37.34	11.50	57.65																																																																																									
2 17385.00	48.99	68.30	-19.31	51.98	41.56	13.21	57.76																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11590.00	46.80	74.00	-27.20	55.61	37.34	11.50	57.65																																																																																									
2 17385.00	47.66	68.30	-20.64	50.65	41.56	13.21	57.76																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11590.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>55.34</td><td>37.34</td><td>11.50</td><td>57.65</td></tr><tr><td>2 17385.00</td><td>48.99</td><td>68.30</td><td>-19.31</td><td>51.98</td><td>41.56</td><td>13.21</td><td>57.76</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11590.00	46.53	74.00	-27.47	55.34	37.34	11.50	57.65	2 17385.00	48.99	68.30	-19.31	51.98	41.56	13.21	57.76	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11590.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>55.61</td><td>37.34</td><td>11.50</td><td>57.65</td></tr><tr><td>2 17385.00</td><td>47.66</td><td>68.30</td><td>-20.64</td><td>50.65</td><td>41.56</td><td>13.21</td><td>57.76</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11590.00	46.80	74.00	-27.20	55.61	37.34	11.50	57.65	2 17385.00	47.66	68.30	-20.64	50.65	41.56	13.21	57.76	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11590.00	46.53	74.00	-27.47	55.34	37.34	11.50	57.65																																																																																									
2 17385.00	48.99	68.30	-19.31	51.98	41.56	13.21	57.76																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11590.00	46.80	74.00	-27.20	55.61	37.34	11.50	57.65																																																																																									
2 17385.00	47.66	68.30	-20.64	50.65	41.56	13.21	57.76																																																																																									






Mode	80																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak																																																																																																																								
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5643.93	49.94	68.30	-18.36	39.84	34.45	8.37	32.72	259	211	PEAK	2	5650.05	49.08	68.34	-19.26	38.94	34.46	8.40	32.72	259	211	PEAK	3	5705.70	63.32	106.80	-43.48	52.91	34.57	8.60	32.76	259	211	PEAK	4	5720.23	64.45	111.31	-46.86	53.98	34.59	8.66	32.78	259	211	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.41</td><td>-----</td><td>-----</td><td>86.82</td><td>34.64</td><td>8.75</td><td>32.80</td><td>259</td><td>211</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.41	-----	-----	86.82	34.64	8.75	32.80	259	211
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5643.93	49.94	68.30	-18.36	39.84	34.45	8.37	32.72	259	211	PEAK																																																																																																													
2	5650.05	49.08	68.34	-19.26	38.94	34.46	8.40	32.72	259	211	PEAK																																																																																																													
3	5705.70	63.32	106.80	-43.48	52.91	34.57	8.60	32.76	259	211	PEAK																																																																																																													
4	5720.23	64.45	111.31	-46.86	53.98	34.59	8.66	32.78	259	211	PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5775.00	97.41	-----	-----	86.82	34.64	8.75	32.80	259	211	PEAK																																																																																																													
Avg	Blank																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>88.49</td><td>-----</td><td>-----</td><td>77.66</td><td>34.76</td><td>8.92</td><td>32.85</td><td>259</td><td>211</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	88.49	-----	-----	77.66	34.76	8.92	32.85	259	211	AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5775.00	88.49	-----	-----	77.66	34.76	8.92	32.85	259	211	AVERAGE																																																																																																													



Mode	80																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>60.61</td><td>111.26</td><td>-50.65</td><td>49.78</td><td>34.84</td><td>8.87</td><td>32.88</td><td>259</td><td>211</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>59.84</td><td>106.15</td><td>-46.31</td><td>49.01</td><td>34.87</td><td>8.85</td><td>32.89</td><td>259</td><td>211</td><td>PEAK</td></tr><tr><td>3</td><td>5923.93</td><td>50.37</td><td>68.99</td><td>-18.62</td><td>39.55</td><td>34.96</td><td>8.79</td><td>32.93</td><td>259</td><td>211</td><td>PEAK</td></tr><tr><td>4</td><td>5931.10</td><td>49.91</td><td>68.30</td><td>-18.39</td><td>39.09</td><td>34.98</td><td>8.78</td><td>32.94</td><td>259</td><td>211</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	60.61	111.26	-50.65	49.78	34.84	8.87	32.88	259	211	PEAK	2	5871.60	59.84	106.15	-46.31	49.01	34.87	8.85	32.89	259	211	PEAK	3	5923.93	50.37	68.99	-18.62	39.55	34.96	8.79	32.93	259	211	PEAK	4	5931.10	49.91	68.30	-18.39	39.09	34.98	8.78	32.94	259	211	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.80	60.61	111.26	-50.65	49.78	34.84	8.87	32.88	259	211	PEAK																																																																													
2	5871.60	59.84	106.15	-46.31	49.01	34.87	8.85	32.89	259	211	PEAK																																																																													
3	5923.93	50.37	68.99	-18.62	39.55	34.96	8.79	32.93	259	211	PEAK																																																																													
4	5931.10	49.91	68.30	-18.39	39.09	34.98	8.78	32.94	259	211	PEAK																																																																													



Mode	80																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.83</td><td>51.95</td><td>68.30</td><td>-16.35</td><td>41.82</td><td>34.46</td><td>8.39</td><td>32.72</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5650.93</td><td>53.13</td><td>68.99</td><td>-15.86</td><td>42.98</td><td>34.47</td><td>8.40</td><td>32.72</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5706.93</td><td>66.05</td><td>107.14</td><td>-41.09</td><td>55.64</td><td>34.57</td><td>8.61</td><td>32.77</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5720.93</td><td>68.36</td><td>112.91</td><td>-44.55</td><td>57.89</td><td>34.59</td><td>8.66</td><td>32.78</td><td>100</td><td>177</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.83	51.95	68.30	-16.35	41.82	34.46	8.39	32.72	100	177	PEAK	2	5650.93	53.13	68.99	-15.86	42.98	34.47	8.40	32.72	100	177	PEAK	3	5706.93	66.05	107.14	-41.09	55.64	34.57	8.61	32.77	100	177	PEAK	4	5720.93	68.36	112.91	-44.55	57.89	34.59	8.66	32.78	100	177	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>100.93</td><td>-----</td><td>-----</td><td>90.13</td><td>34.72</td><td>8.91</td><td>32.83</td><td>100</td><td>177</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	100.93	-----	-----	90.13	34.72	8.91	32.83	100	177
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5648.83	51.95	68.30	-16.35	41.82	34.46	8.39	32.72	100	177	PEAK																																																																																																																			
2	5650.93	53.13	68.99	-15.86	42.98	34.47	8.40	32.72	100	177	PEAK																																																																																																																			
3	5706.93	66.05	107.14	-41.09	55.64	34.57	8.61	32.77	100	177	PEAK																																																																																																																			
4	5720.93	68.36	112.91	-44.55	57.89	34.59	8.66	32.78	100	177	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5775.00	100.93	-----	-----	90.13	34.72	8.91	32.83	100	177	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>91.34</td><td>-----</td><td>-----</td><td>80.80</td><td>34.62</td><td>8.71</td><td>32.79</td><td>100</td><td>177</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	91.34	-----	-----	80.80	34.62	8.71	32.79	100	177	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5775.00	91.34	-----	-----	80.80	34.62	8.71	32.79	100	177	AVERAGE																																																																																																																			