






Mode	80																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>64.14</td><td>111.26</td><td>-47.12</td><td>53.31</td><td>34.84</td><td>8.87</td><td>32.88</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5866.18</td><td>64.09</td><td>107.67</td><td>-43.58</td><td>53.26</td><td>34.86</td><td>8.86</td><td>32.89</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5924.28</td><td>50.87</td><td>68.73</td><td>-17.86</td><td>40.04</td><td>34.97</td><td>8.79</td><td>32.93</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5949.30</td><td>51.81</td><td>68.30</td><td>-16.49</td><td>40.99</td><td>35.01</td><td>8.76</td><td>32.95</td><td>100</td><td>177</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	64.14	111.26	-47.12	53.31	34.84	8.87	32.88	100	177	PEAK	2	5866.18	64.09	107.67	-43.58	53.26	34.86	8.86	32.89	100	177	PEAK	3	5924.28	50.87	68.73	-17.86	40.04	34.97	8.79	32.93	100	177	PEAK	4	5949.30	51.81	68.30	-16.49	40.99	35.01	8.76	32.95	100	177	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.80	64.14	111.26	-47.12	53.31	34.84	8.87	32.88	100	177	PEAK																																																																													
2	5866.18	64.09	107.67	-43.58	53.26	34.86	8.86	32.89	100	177	PEAK																																																																													
3	5924.28	50.87	68.73	-17.86	40.04	34.97	8.79	32.93	100	177	PEAK																																																																													
4	5949.30	51.81	68.30	-16.49	40.99	35.01	8.76	32.95	100	177	PEAK																																																																													





Mode	80																																																							
	Harmonic																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																							
ANT	1																																																							
Pol.	Horizontal								Vertical																																															
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11550.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>55.89</td><td>37.22</td><td>11.48</td></tr><tr><td>2</td><td>17325.00</td><td>48.43</td><td>68.30</td><td>-19.87</td><td>51.64</td><td>41.44</td><td>13.19</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11550.00	46.90	74.00	-27.10	55.89	37.22	11.48	2	17325.00	48.43	68.30	-19.87	51.64	41.44	13.19
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																	
1	11550.00	46.90	74.00	-27.10	55.89	37.22	11.48																																																	
2	17325.00	48.43	68.30	-19.87	51.64	41.44	13.19																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11550.00</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>56.15</td><td>37.22</td><td>11.48</td></tr><tr><td>2</td><td>17325.00</td><td>48.03</td><td>68.30</td><td>-20.27</td><td>51.24</td><td>41.44</td><td>13.19</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11550.00	47.16	74.00	-26.84	56.15	37.22	11.48	2	17325.00	48.03	68.30	-20.27	51.24	41.44	13.19
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																	
1	11550.00	47.16	74.00	-26.84	56.15	37.22	11.48																																																	
2	17325.00	48.03	68.30	-20.27	51.24	41.44	13.19																																																	







		81																																																																																																																																																																																																																											
Mode		Harmonic																																																																																																																																																																																																																											
		U-NII-1_5.15-5.25_802.11ax HE80_LF_CH42_Full RU_5210MHz																																																																																																																																																																																																																											
ANT		1																																																																																																																																																																																																																											
Pol.		Horizontal						Vertical																																																																																																																																																																																																																					
Peak Avg																																																																																																																																																																																																																													
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>34.85</td><td>22.70</td><td>40.00</td><td>-17.30</td><td>38.34</td><td>18.68</td><td>0.58</td><td>34.90</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>141.55</td><td>27.78</td><td>43.50</td><td>-15.72</td><td>42.98</td><td>18.27</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>196.84</td><td>25.47</td><td>43.50</td><td>-18.03</td><td>42.53</td><td>16.17</td><td>1.47</td><td>34.70</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>351.07</td><td>27.34</td><td>46.00</td><td>-18.66</td><td>39.76</td><td>20.24</td><td>1.94</td><td>34.60</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>694.45</td><td>26.62</td><td>46.00</td><td>-19.38</td><td>31.23</td><td>27.00</td><td>2.80</td><td>34.41</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>815.70</td><td>26.81</td><td>46.00</td><td>-19.19</td><td>29.92</td><td>28.14</td><td>3.05</td><td>34.30</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table> <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>49.40</td><td>26.18</td><td>40.00</td><td>-13.82</td><td>40.84</td><td>19.63</td><td>0.71</td><td>35.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>104.69</td><td>25.99</td><td>43.50</td><td>-17.51</td><td>44.41</td><td>15.29</td><td>1.08</td><td>34.79</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>143.49</td><td>27.78</td><td>43.50</td><td>-15.72</td><td>42.81</td><td>18.43</td><td>1.26</td><td>34.72</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>197.81</td><td>28.50</td><td>43.50</td><td>-15.00</td><td>45.62</td><td>16.11</td><td>1.47</td><td>34.70</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>643.04</td><td>27.71</td><td>46.00</td><td>-18.29</td><td>33.30</td><td>26.23</td><td>2.69</td><td>34.51</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>959.26</td><td>31.67</td><td>46.00</td><td>-14.33</td><td>32.86</td><td>29.81</td><td>3.28</td><td>34.28</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	34.85	22.70	40.00	-17.30	38.34	18.68	0.58	34.90	--	--	--	Peak	2	141.55	27.78	43.50	-15.72	42.98	18.27	1.25	34.72	--	--	--	Peak	3	196.84	25.47	43.50	-18.03	42.53	16.17	1.47	34.70	--	--	--	Peak	4	351.07	27.34	46.00	-18.66	39.76	20.24	1.94	34.60	--	--	--	Peak	5	694.45	26.62	46.00	-19.38	31.23	27.00	2.80	34.41	--	--	--	Peak	6	815.70	26.81	46.00	-19.19	29.92	28.14	3.05	34.30	--	--	--	Peak		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	49.40	26.18	40.00	-13.82	40.84	19.63	0.71	35.00	--	--	--	Peak	2	104.69	25.99	43.50	-17.51	44.41	15.29	1.08	34.79	--	--	--	Peak	3	143.49	27.78	43.50	-15.72	42.81	18.43	1.26	34.72	--	--	--	Peak	4	197.81	28.50	43.50	-15.00	45.62	16.11	1.47	34.70	--	--	--	Peak	5	643.04	27.71	46.00	-18.29	33.30	26.23	2.69	34.51	--	--	--	Peak	6	959.26	31.67	46.00	-14.33	32.86	29.81	3.28	34.28	--	--	--
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																		
1	34.85	22.70	40.00	-17.30	38.34	18.68	0.58	34.90	--	--	--	Peak																																																																																																																																																																																																																	
2	141.55	27.78	43.50	-15.72	42.98	18.27	1.25	34.72	--	--	--	Peak																																																																																																																																																																																																																	
3	196.84	25.47	43.50	-18.03	42.53	16.17	1.47	34.70	--	--	--	Peak																																																																																																																																																																																																																	
4	351.07	27.34	46.00	-18.66	39.76	20.24	1.94	34.60	--	--	--	Peak																																																																																																																																																																																																																	
5	694.45	26.62	46.00	-19.38	31.23	27.00	2.80	34.41	--	--	--	Peak																																																																																																																																																																																																																	
6	815.70	26.81	46.00	-19.19	29.92	28.14	3.05	34.30	--	--	--	Peak																																																																																																																																																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																		
1	49.40	26.18	40.00	-13.82	40.84	19.63	0.71	35.00	--	--	--	Peak																																																																																																																																																																																																																	
2	104.69	25.99	43.50	-17.51	44.41	15.29	1.08	34.79	--	--	--	Peak																																																																																																																																																																																																																	
3	143.49	27.78	43.50	-15.72	42.81	18.43	1.26	34.72	--	--	--	Peak																																																																																																																																																																																																																	
4	197.81	28.50	43.50	-15.00	45.62	16.11	1.47	34.70	--	--	--	Peak																																																																																																																																																																																																																	
5	643.04	27.71	46.00	-18.29	33.30	26.23	2.69	34.51	--	--	--	Peak																																																																																																																																																																																																																	
6	959.26	31.67	46.00	-14.33	32.86	29.81	3.28	34.28	--	--	--	Peak																																																																																																																																																																																																																	







Mode	82																																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_LF_CH155_Full RU_5775MHz																																																																																																																																																																																																																			
ANT	1																																																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																																																													
Peak Avg																																																																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>106.63</td><td>25.28</td><td>43.50</td><td>-18.22</td><td>43.53</td><td>15.45</td><td>1.09</td><td>34.79</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>142.52</td><td>28.81</td><td>43.50</td><td>-14.69</td><td>43.93</td><td>18.35</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>265.71</td><td>28.40</td><td>46.00</td><td>-17.60</td><td>43.32</td><td>18.06</td><td>1.69</td><td>34.67</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>349.13</td><td>29.91</td><td>46.00</td><td>-16.09</td><td>42.37</td><td>20.20</td><td>1.94</td><td>34.60</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>781.75</td><td>28.90</td><td>46.00</td><td>-17.10</td><td>32.49</td><td>27.75</td><td>3.00</td><td>34.34</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>970.90</td><td>31.79</td><td>54.00</td><td>-22.21</td><td>32.87</td><td>29.88</td><td>3.30</td><td>34.26</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	106.63	25.28	43.50	-18.22	43.53	15.45	1.09	34.79	--	--	Peak	2	142.52	28.81	43.50	-14.69	43.93	18.35	1.25	34.72	--	--	Peak	3	265.71	28.40	46.00	-17.60	43.32	18.06	1.69	34.67	--	--	Peak	4	349.13	29.91	46.00	-16.09	42.37	20.20	1.94	34.60	--	--	Peak	5	781.75	28.90	46.00	-17.10	32.49	27.75	3.00	34.34	--	--	Peak	6	970.90	31.79	54.00	-22.21	32.87	29.88	3.30	34.26	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>51.34</td><td>23.63</td><td>40.00</td><td>-16.37</td><td>38.29</td><td>19.58</td><td>0.73</td><td>34.97</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>84.32</td><td>26.12</td><td>40.00</td><td>-13.88</td><td>45.42</td><td>14.47</td><td>0.93</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>98.87</td><td>26.67</td><td>43.50</td><td>-16.83</td><td>45.65</td><td>14.78</td><td>1.04</td><td>34.80</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>232.73</td><td>26.92</td><td>46.00</td><td>-19.08</td><td>43.02</td><td>17.02</td><td>1.58</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>844.80</td><td>30.81</td><td>46.00</td><td>-15.19</td><td>33.31</td><td>28.71</td><td>3.09</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>948.59</td><td>31.69</td><td>46.00</td><td>-14.31</td><td>32.99</td><td>29.74</td><td>3.26</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	51.34	23.63	40.00	-16.37	38.29	19.58	0.73	34.97	--	--	Peak	2	84.32	26.12	40.00	-13.88	45.42	14.47	0.93	34.70	--	--	Peak	3	98.87	26.67	43.50	-16.83	45.65	14.78	1.04	34.80	--	--	Peak	4	232.73	26.92	46.00	-19.08	43.02	17.02	1.58	34.70	--	--	Peak	5	844.80	30.81	46.00	-15.19	33.31	28.71	3.09	34.30	--	--	Peak	6	948.59	31.69	46.00	-14.31	32.99	29.74	3.26	34.30	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																											
1	106.63	25.28	43.50	-18.22	43.53	15.45	1.09	34.79	--	--	Peak																																																																																																																																																																																																									
2	142.52	28.81	43.50	-14.69	43.93	18.35	1.25	34.72	--	--	Peak																																																																																																																																																																																																									
3	265.71	28.40	46.00	-17.60	43.32	18.06	1.69	34.67	--	--	Peak																																																																																																																																																																																																									
4	349.13	29.91	46.00	-16.09	42.37	20.20	1.94	34.60	--	--	Peak																																																																																																																																																																																																									
5	781.75	28.90	46.00	-17.10	32.49	27.75	3.00	34.34	--	--	Peak																																																																																																																																																																																																									
6	970.90	31.79	54.00	-22.21	32.87	29.88	3.30	34.26	--	--	Peak																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																											
1	51.34	23.63	40.00	-16.37	38.29	19.58	0.73	34.97	--	--	Peak																																																																																																																																																																																																									
2	84.32	26.12	40.00	-13.88	45.42	14.47	0.93	34.70	--	--	Peak																																																																																																																																																																																																									
3	98.87	26.67	43.50	-16.83	45.65	14.78	1.04	34.80	--	--	Peak																																																																																																																																																																																																									
4	232.73	26.92	46.00	-19.08	43.02	17.02	1.58	34.70	--	--	Peak																																																																																																																																																																																																									
5	844.80	30.81	46.00	-15.19	33.31	28.71	3.09	34.30	--	--	Peak																																																																																																																																																																																																									
6	948.59	31.69	46.00	-14.31	32.99	29.74	3.26	34.30	--	--	Peak																																																																																																																																																																																																									






		83																																																																																																			
Mode		Band Edge																																																																																																			
		CO-TX																																																																																																			
ANT		1																																																																																																			
Pol.		Horizontal					Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>55.94</td><td>74.00</td><td>-18.06</td><td>54.06</td><td>30.49</td><td>4.92</td><td>33.53</td><td>100</td><td>75 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	55.94	74.00	-18.06	54.06	30.49	4.92	33.53	100	75 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.19</td><td>-----</td><td>-----</td><td>96.32</td><td>30.49</td><td>4.92</td><td>33.54</td><td>100</td><td>75 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.19	-----	-----	96.32	30.49	4.92	33.54	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.56	55.94	74.00	-18.06	54.06	30.49	4.92	33.53	100	75 Peak																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	98.19	-----	-----	96.32	30.49	4.92	33.54	100	75 Peak																																																																																											
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>44.75</td><td>54.00</td><td>-9.25</td><td>42.87</td><td>30.49</td><td>4.92</td><td>33.53</td><td>100</td><td>75 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	44.75	54.00	-9.25	42.87	30.49	4.92	33.53	100	75 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.07</td><td>-----</td><td>-----</td><td>95.20</td><td>30.49</td><td>4.92</td><td>33.54</td><td>100</td><td>75 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.07	-----	-----	95.20	30.49	4.92	33.54	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.52	44.75	54.00	-9.25	42.87	30.49	4.92	33.53	100	75 Average																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	97.07	-----	-----	95.20	30.49	4.92	33.54	100	75 Average																																																																																											



Mode	83																																																																																											
	Band Edge																																																																																											
	CO-TX																																																																																											
ANT	1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.60</td><td>55.33</td><td>74.00</td><td>-18.67</td><td>53.45</td><td>30.49</td><td>4.92</td><td>33.53</td><td>351</td><td>146</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.60	55.33	74.00	-18.67	53.45	30.49	4.92	33.53	351	146	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.88</td><td>-----</td><td>-----</td><td>97.01</td><td>30.49</td><td>4.92</td><td>33.54</td><td>351</td><td>146</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.88	-----	-----	97.01	30.49	4.92	33.54	351	146
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2483.60	55.33	74.00	-18.67	53.45	30.49	4.92	33.53	351	146	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2480.00	98.88	-----	-----	97.01	30.49	4.92	33.54	351	146	Peak																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>44.94</td><td>54.00</td><td>-9.06</td><td>43.06</td><td>30.49</td><td>4.92</td><td>33.53</td><td>351</td><td>146</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	44.94	54.00	-9.06	43.06	30.49	4.92	33.53	351	146	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.83</td><td>-----</td><td>-----</td><td>95.96</td><td>30.49</td><td>4.92</td><td>33.54</td><td>351</td><td>146</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.83	-----	-----	95.96	30.49	4.92	33.54	351	146
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2483.52	44.94	54.00	-9.06	43.06	30.49	4.92	33.53	351	146	Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2480.00	97.83	-----	-----	95.96	30.49	4.92	33.54	351	146	Average																																																																																	





Mode	83																																																																																																									
	Band Edge																																																																																																									
	CO-TX																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																			
Peak																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5124.54</td><td>53.06</td><td>74.00</td><td>-20.94</td><td>43.93</td><td>33.98</td><td>7.90</td><td>32.75</td><td>205</td><td>142</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5124.54	53.06	74.00	-20.94	43.93	33.98	7.90	32.75	205	142	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5210.00</td><td>93.16</td><td>-----</td><td>-----</td><td>83.88</td><td>34.03</td><td>7.96</td><td>32.71</td><td>205</td><td>142</td><td>Peak</td></tr><tr><td>2</td><td>5210.00</td><td>85.83</td><td>-----</td><td>-----</td><td>76.55</td><td>34.03</td><td>7.96</td><td>32.71</td><td>205</td><td>142</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5210.00	93.16	-----	-----	83.88	34.03	7.96	32.71	205	142	Peak	2	5210.00	85.83	-----	-----	76.55	34.03	7.96	32.71	205	142
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5124.54	53.06	74.00	-20.94	43.93	33.98	7.90	32.75	205	142	Peak																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5210.00	93.16	-----	-----	83.88	34.03	7.96	32.71	205	142	Peak																																																																																															
2	5210.00	85.83	-----	-----	76.55	34.03	7.96	32.71	205	142	Average																																																																																															
Avg							Blank																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5127.66</td><td>43.80</td><td>54.00</td><td>-10.20</td><td>34.67</td><td>33.98</td><td>7.90</td><td>32.75</td><td>205</td><td>142</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5127.66	43.80	54.00	-10.20	34.67	33.98	7.90	32.75	205	142	Average																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5127.66	43.80	54.00	-10.20	34.67	33.98	7.90	32.75	205	142	Average																																																																																															

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.







Mode	83																																																																																																				
	Band Edge																																																																																																				
	CO-TX																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical					Fundamental																																																																																															
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5129.22</td><td>58.38</td><td>74.00</td><td>-15.62</td><td>49.25</td><td>33.98</td><td>7.90</td><td>32.75</td><td>129</td><td>197</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5129.22	58.38	74.00	-15.62	49.25	33.98	7.90	32.75	129	197	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>98.50</td><td>-----</td><td>-----</td><td>89.22</td><td>34.03</td><td>7.96</td><td>32.71</td><td>129</td><td>197</td><td>Peak</td></tr><tr><td>2</td><td>5210.00</td><td>91.90</td><td>-----</td><td>-----</td><td>82.62</td><td>34.03</td><td>7.96</td><td>32.71</td><td>129</td><td>197</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	98.50	-----	-----	89.22	34.03	7.96	32.71	129	197	Peak	2	5210.00	91.90	-----	-----	82.62	34.03	7.96	32.71	129	197
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	5129.22	58.38	74.00	-15.62	49.25	33.98	7.90	32.75	129	197	Peak																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	5210.00	98.50	-----	-----	89.22	34.03	7.96	32.71	129	197	Peak																																																																																										
2	5210.00	91.90	-----	-----	82.62	34.03	7.96	32.71	129	197	Average																																																																																										
Avg						Blank																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5132.60</td><td>49.09</td><td>54.00</td><td>-4.91</td><td>39.95</td><td>33.98</td><td>7.91</td><td>32.75</td><td>129</td><td>197</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5132.60	49.09	54.00	-4.91	39.95	33.98	7.91	32.75	129	197	Average																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	5132.60	49.09	54.00	-4.91	39.95	33.98	7.91	32.75	129	197	Average																																																																																										



Mode	83																																																																												
	Harmonic																																																																												
	CO-TX																																																																												
ANT	1																																																																												
Pol.	Horizontal																																																																												
Peak Avg																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	43.77	74.00	-30.23	59.65	33.89	7.81	57.58	--	--	Peak	2	7440.00	45.00	74.00	-29.00	58.49	36.30	9.19	58.98	--	--	Peak	3	10420.00	46.24	68.30	-22.06	57.10	37.30	10.77	58.93	--	--	Peak	4	15630.00	48.53	74.00	-25.47	55.39	39.45	12.72	59.03	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	4960.00	43.77	74.00	-30.23	59.65	33.89	7.81	57.58	--	--	Peak																																																																		
2	7440.00	45.00	74.00	-29.00	58.49	36.30	9.19	58.98	--	--	Peak																																																																		
3	10420.00	46.24	68.30	-22.06	57.10	37.30	10.77	58.93	--	--	Peak																																																																		
4	15630.00	48.53	74.00	-25.47	55.39	39.45	12.72	59.03	--	--	Peak																																																																		
Peak Avg																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	42.19	74.00	-31.81	58.07	33.89	7.81	57.58	--	--	Peak	2	7440.00	43.61	74.00	-30.39	57.10	36.30	9.19	58.98	--	--	Peak	3	10420.00	46.31	68.30	-21.99	57.17	37.30	10.77	58.93	--	--	Peak	4	15630.00	48.61	74.00	-25.39	55.47	39.45	12.72	59.03	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	4960.00	42.19	74.00	-31.81	58.07	33.89	7.81	57.58	--	--	Peak																																																																		
2	7440.00	43.61	74.00	-30.39	57.10	36.30	9.19	58.98	--	--	Peak																																																																		
3	10420.00	46.31	68.30	-21.99	57.17	37.30	10.77	58.93	--	--	Peak																																																																		
4	15630.00	48.61	74.00	-25.39	55.47	39.45	12.72	59.03	--	--	Peak																																																																		

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.



4Mode	84																																																																																										
	Band Edge - L																																																																																										
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.61</td><td>56.64</td><td>74.00</td><td>-17.36</td><td>47.49</td><td>33.98</td><td>7.91</td><td>32.74</td><td>252</td><td>188</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5134.61	56.64	74.00	-17.36	47.49	33.98	7.91	32.74	252	188	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>95.05</td><td>-----</td><td>-----</td><td>85.77</td><td>34.03</td><td>7.96</td><td>32.71</td><td>252</td><td>188</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	95.05	-----	-----	85.77	34.03	7.96	32.71	252	188
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5134.61	56.64	74.00	-17.36	47.49	33.98	7.91	32.74	252	188	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5210.00	95.05	-----	-----	85.77	34.03	7.96	32.71	252	188	Peak																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5128.31</td><td>45.50</td><td>54.00</td><td>-8.50</td><td>36.37</td><td>33.98</td><td>7.90</td><td>32.75</td><td>252</td><td>188</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5128.31	45.50	54.00	-8.50	36.37	33.98	7.90	32.75	252	188	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>86.00</td><td>-----</td><td>-----</td><td>76.72</td><td>34.03</td><td>7.96</td><td>32.71</td><td>252</td><td>188</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	86.00	-----	-----	76.72	34.03	7.96	32.71	252	188
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5128.31	45.50	54.00	-8.50	36.37	33.98	7.90	32.75	252	188	Average																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5210.00	86.00	-----	-----	76.72	34.03	7.96	32.71	252	188	Average																																																																																



Mode	84																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	Date: 2025-03-11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5427.75</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>37.38</td><td>34.15</td><td>8.45</td><td>32.63</td><td>252</td><td>188</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5427.75	47.35	74.00	-26.65	37.38	34.15	8.45	32.63	252	188	Peak	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5427.75	47.35	74.00	-26.65	37.38	34.15	8.45	32.63	252	188	Peak																																								
Avg	Date: 2025-03-11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5425.75</td><td>38.73</td><td>54.00</td><td>-15.27</td><td>28.76</td><td>34.15</td><td>8.45</td><td>32.63</td><td>252</td><td>188</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5425.75	38.73	54.00	-15.27	28.76	34.15	8.45	32.63	252	188	Average	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5425.75	38.73	54.00	-15.27	28.76	34.15	8.45	32.63	252	188	Average																																								





Mode	84																																																																													
	Band Edge - L																																																																													
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																													
ANT	1																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-03-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5123.27</td><td>61.67</td><td>74.00</td><td>-12.33</td><td>52.54</td><td>33.98</td><td>7.90</td><td>32.75</td><td>122</td><td>192 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5123.27	61.67	74.00	-12.33	52.54	33.98	7.90	32.75	122	192 Peak	Level (dBuV/m) Date: 2025-03-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>98.11</td><td>-----</td><td>-----</td><td>88.83</td><td>34.03</td><td>7.96</td><td>32.71</td><td>122</td><td>192 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5210.00	98.11	-----	-----	88.83	34.03	7.96	32.71	122	192 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5123.27	61.67	74.00	-12.33	52.54	33.98	7.90	32.75	122	192 Peak																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5210.00	98.11	-----	-----	88.83	34.03	7.96	32.71	122	192 Peak																																																																					
Avg	Level (dBuV/m) Date: 2025-03-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5136.29</td><td>47.98</td><td>54.00</td><td>-6.02</td><td>38.83</td><td>33.98</td><td>7.91</td><td>32.74</td><td>122</td><td>192 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5136.29	47.98	54.00	-6.02	38.83	33.98	7.91	32.74	122	192 Average	Level (dBuV/m) Date: 2025-03-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>89.06</td><td>-----</td><td>-----</td><td>79.78</td><td>34.03</td><td>7.96</td><td>32.71</td><td>122</td><td>192 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5210.00	89.06	-----	-----	79.78	34.03	7.96	32.71	122	192 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5136.29	47.98	54.00	-6.02	38.83	33.98	7.91	32.74	122	192 Average																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5210.00	89.06	-----	-----	79.78	34.03	7.96	32.71	122	192 Average																																																																					





Mode	84																																							
	Band Edge - R																																							
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																							
ANT	1																																							
Pol.	Vertical	Fundamental																																						
Peak	Date: 2025-03-11 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5405.00</td><td>48.12</td><td>74.00</td><td>-25.88</td><td>38.15</td><td>34.14</td><td>8.47</td><td>32.64</td><td>122</td><td>192 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5405.00	48.12	74.00	-25.88	38.15	34.14	8.47	32.64	122	192 Peak	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5405.00	48.12	74.00	-25.88	38.15	34.14	8.47	32.64	122	192 Peak																															
Avg	Date: 2025-03-11 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5380.75</td><td>39.10</td><td>54.00</td><td>-14.90</td><td>29.21</td><td>34.13</td><td>8.41</td><td>32.65</td><td>122</td><td>192 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5380.75	39.10	54.00	-14.90	29.21	34.13	8.41	32.65	122	192 Average	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5380.75	39.10	54.00	-14.90	29.21	34.13	8.41	32.65	122	192 Average																															



Mode	84																																																																																																																
Mode	Harmonic																																																																																																																
Mode	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>39.81</td><td>68.30</td><td>-28.49</td><td>56.46</td><td>37.30</td><td>10.77</td><td>64.72</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>15630.00</td><td>42.07</td><td>74.00</td><td>-31.93</td><td>53.46</td><td>39.45</td><td>12.72</td><td>63.56</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	39.81	68.30	-28.49	56.46	37.30	10.77	64.72	--	-- Peak	2	15630.00	42.07	74.00	-31.93	53.46	39.45	12.72	63.56	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>42.19</td><td>68.30</td><td>-26.11</td><td>58.84</td><td>37.30</td><td>10.77</td><td>64.72</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>15630.00</td><td>43.37</td><td>74.00</td><td>-30.63</td><td>54.76</td><td>39.45</td><td>12.72</td><td>63.56</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	42.19	68.30	-26.11	58.84	37.30	10.77	64.72	--	-- Peak	2	15630.00	43.37	74.00	-30.63	54.76	39.45	12.72	63.56	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	10420.00	39.81	68.30	-28.49	56.46	37.30	10.77	64.72	--	-- Peak																																																																																																							
2	15630.00	42.07	74.00	-31.93	53.46	39.45	12.72	63.56	--	-- Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	10420.00	42.19	68.30	-26.11	58.84	37.30	10.77	64.72	--	-- Peak																																																																																																							
2	15630.00	43.37	74.00	-30.63	54.76	39.45	12.72	63.56	--	-- Peak																																																																																																							




Mode	84																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																																		
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>46.49</td><td>23.87</td><td>40.00</td><td>-16.13</td><td>38.56</td><td>19.62</td><td>0.69</td><td>35.00 -- -- Peak</td></tr><tr><td>2</td><td>106.63</td><td>24.28</td><td>43.50</td><td>-19.22</td><td>42.53</td><td>15.45</td><td>1.09</td><td>34.79 -- -- Peak</td></tr><tr><td>3</td><td>142.52</td><td>24.81</td><td>43.50</td><td>-18.69</td><td>39.93</td><td>18.35</td><td>1.25</td><td>34.72 -- -- Peak</td></tr><tr><td>4</td><td>287.05</td><td>26.91</td><td>46.00</td><td>-19.09</td><td>41.06</td><td>18.72</td><td>1.76</td><td>34.63 -- -- Peak</td></tr><tr><td>5</td><td>349.13</td><td>26.91</td><td>46.00</td><td>-19.09</td><td>39.37</td><td>20.20</td><td>1.94</td><td>34.60 -- -- Peak</td></tr><tr><td>6</td><td>948.59</td><td>32.41</td><td>46.00</td><td>-13.59</td><td>33.71</td><td>29.74</td><td>3.26</td><td>34.30 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	46.49	23.87	40.00	-16.13	38.56	19.62	0.69	35.00 -- -- Peak	2	106.63	24.28	43.50	-19.22	42.53	15.45	1.09	34.79 -- -- Peak	3	142.52	24.81	43.50	-18.69	39.93	18.35	1.25	34.72 -- -- Peak	4	287.05	26.91	46.00	-19.09	41.06	18.72	1.76	34.63 -- -- Peak	5	349.13	26.91	46.00	-19.09	39.37	20.20	1.94	34.60 -- -- Peak	6	948.59	32.41	46.00	-13.59	33.71	29.74	3.26	34.30 -- -- Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>33.88</td><td>25.98</td><td>40.00</td><td>-14.02</td><td>41.82</td><td>18.46</td><td>0.57</td><td>34.87 -- -- Peak</td></tr><tr><td>2</td><td>48.43</td><td>26.03</td><td>40.00</td><td>-13.97</td><td>40.71</td><td>19.62</td><td>0.70</td><td>35.00 -- -- Peak</td></tr><tr><td>3</td><td>141.55</td><td>27.03</td><td>43.50</td><td>-16.47</td><td>42.23</td><td>18.27</td><td>1.25</td><td>34.72 -- -- Peak</td></tr><tr><td>4</td><td>194.90</td><td>27.45</td><td>43.50</td><td>-16.05</td><td>44.40</td><td>16.28</td><td>1.47</td><td>34.70 -- -- Peak</td></tr><tr><td>5</td><td>598.42</td><td>27.24</td><td>46.00</td><td>-18.76</td><td>33.20</td><td>26.02</td><td>2.61</td><td>34.59 -- -- Peak</td></tr><tr><td>6</td><td>948.59</td><td>31.69</td><td>46.00</td><td>-14.31</td><td>32.99</td><td>29.74</td><td>3.26</td><td>34.30 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	33.88	25.98	40.00	-14.02	41.82	18.46	0.57	34.87 -- -- Peak	2	48.43	26.03	40.00	-13.97	40.71	19.62	0.70	35.00 -- -- Peak	3	141.55	27.03	43.50	-16.47	42.23	18.27	1.25	34.72 -- -- Peak	4	194.90	27.45	43.50	-16.05	44.40	16.28	1.47	34.70 -- -- Peak	5	598.42	27.24	46.00	-18.76	33.20	26.02	2.61	34.59 -- -- Peak	6	948.59	31.69	46.00	-14.31	32.99	29.74	3.26	34.30 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																													
1	46.49	23.87	40.00	-16.13	38.56	19.62	0.69	35.00 -- -- Peak																																																																																																																																																												
2	106.63	24.28	43.50	-19.22	42.53	15.45	1.09	34.79 -- -- Peak																																																																																																																																																												
3	142.52	24.81	43.50	-18.69	39.93	18.35	1.25	34.72 -- -- Peak																																																																																																																																																												
4	287.05	26.91	46.00	-19.09	41.06	18.72	1.76	34.63 -- -- Peak																																																																																																																																																												
5	349.13	26.91	46.00	-19.09	39.37	20.20	1.94	34.60 -- -- Peak																																																																																																																																																												
6	948.59	32.41	46.00	-13.59	33.71	29.74	3.26	34.30 -- -- Peak																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																													
1	33.88	25.98	40.00	-14.02	41.82	18.46	0.57	34.87 -- -- Peak																																																																																																																																																												
2	48.43	26.03	40.00	-13.97	40.71	19.62	0.70	35.00 -- -- Peak																																																																																																																																																												
3	141.55	27.03	43.50	-16.47	42.23	18.27	1.25	34.72 -- -- Peak																																																																																																																																																												
4	194.90	27.45	43.50	-16.05	44.40	16.28	1.47	34.70 -- -- Peak																																																																																																																																																												
5	598.42	27.24	46.00	-18.76	33.20	26.02	2.61	34.59 -- -- Peak																																																																																																																																																												
6	948.59	31.69	46.00	-14.31	32.99	29.74	3.26	34.30 -- -- Peak																																																																																																																																																												


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	100	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz


802.11a




802.11ax HE20



802.11ax HE40



802.11ax HE80





802.11ax HE160

