

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

Test Band: 2 1.4MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.04	23.02	23.06	/	2.00	25.04	25.02	25.06	33.01	PASS
		2	23.17	23.17	23.17	/	2.00	25.17	25.17	25.17	33.01	PASS
		5	23.02	23.02	23.03	/	2.00	25.02	25.02	25.03	33.01	PASS
	3	0	23.10	23.10	23.14	/	2.00	25.1	25.1	25.14	33.01	PASS
		2	23.13	23.12	23.19	/	2.00	25.13	25.12	25.19	33.01	PASS
		3	23.13	23.10	23.14	/	2.00	25.13	25.1	25.14	33.01	PASS
16QAM	1	0	22.12	22.09	22.16	/	2.00	24.12	24.09	24.16	33.01	PASS
			21.90	22.17	22.10	/	2.00	23.9	24.17	24.1	33.01	PASS
		2	22.10	22.37	22.23	/	2.00	24.1	24.37	24.23	33.01	PASS
	3	5	21.91	22.15	22.09	/	2.00	23.91	24.15	24.09	33.01	PASS
		0	21.91	22.01	21.99	/	2.00	23.91	24.01	23.99	33.01	PASS
		2	21.90	21.98	22.03	/	2.00	23.9	23.98	24.03	33.01	PASS
	6	3	21.86	21.98	21.98	/	2.00	23.86	23.98	23.98	33.01	PASS
		0	21.08	21.09	21.00	/	2.00	23.08	23.09	23	33.01	PASS

Note:
 1) dBd = dBi - 2.15
 2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 2 3MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.12	23.02	23.08	/	2.00	25.12	25.02	25.08	33.01	PASS
		7	23.35	23.24	23.35	/	2.00	25.35	25.24	25.35	33.01	PASS
		14	23.06	23.02	23.08	/	2.00	25.06	25.02	25.08	33.01	PASS
	8	0	22.12	22.11	22.15	/	2.00	24.12	24.11	24.15	33.01	PASS
		4	22.15	22.12	22.19	/	2.00	24.15	24.12	24.19	33.01	PASS
		7	22.15	22.09	22.14	/	2.00	24.15	24.09	24.14	33.01	PASS
16QAM	15	0	22.08	22.07	22.09	/	2.00	24.08	24.07	24.09	33.01	PASS
			21.95	22.23	22.22	/	2.00	23.95	24.23	24.22	33.01	PASS
		7	22.23	22.52	22.38	/	2.00	24.23	24.52	24.38	33.01	PASS
	8	14	21.94	22.15	22.15	/	2.00	23.94	24.15	24.15	33.01	PASS
		0	21.13	21.15	21.12	/	2.00	23.13	23.15	23.12	33.01	PASS
		4	21.14	21.19	21.15	/	2.00	23.14	23.19	23.15	33.01	PASS
	15	7	21.11	21.14	21.10	/	2.00	23.11	23.14	23.1	33.01	PASS
		0	20.98	21.08	21.02	/	2.00	22.98	23.08	23.02	33.01	PASS

Note:
 1) dBd = dBi - 2.15
 2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 2 5MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.05	23.01	23.00	/	2.00	25.05	25.01	25	33.01	PASS
		13	23.18	23.12	23.15	/	2.00	25.18	25.12	25.15	33.01	PASS
		24	23.04	23.00	23.02	/	2.00	25.04	25	25.02	33.01	PASS
	12	0	22.03	22.11	22.16	/	2.00	24.03	24.11	24.16	33.01	PASS
		6	22.13	22.12	22.14	/	2.00	24.13	24.12	24.14	33.01	PASS
		13	22.11	22.09	22.08	/	2.00	24.11	24.09	24.08	33.01	PASS
16QAM	25	0	22.06	22.09	22.10	/	2.00	24.06	24.09	24.1	33.01	PASS
			22.16	22.04	22.16	/	2.00	24.16	24.04	24.16	33.01	PASS
		13	22.23	22.11	22.26	/	2.00	24.23	24.11	24.26	33.01	PASS

	12	24	22.07	22.03	22.12	/	2.00	24.07	24.03	24.12	33.01	PASS
		0	21.05	21.11	21.15	/	2.00	23.05	23.11	23.15	33.01	PASS
		6	21.12	21.10	21.17	/	2.00	23.12	23.1	23.17	33.01	PASS
		13	21.09	21.01	21.09	/	2.00	23.09	23.01	23.09	33.01	PASS
	25	0	21.15	21.11	21.06	/	2.00	23.15	23.11	23.06	33.01	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 2 10MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	23.12	23.06	23.07	/	2.00	25.12	25.06	25.07	33.01	PASS	
		25	23.20	23.13	23.21	/	2.00	25.2	25.13	25.21	33.01	PASS	
		49	23.06	23.00	23.05	/	2.00	25.06	25	25.05	33.01	PASS	
	25	0	22.07	22.19	22.21	/	2.00	24.07	24.19	24.21	33.01	PASS	
		13	22.13	22.17	22.16	/	2.00	24.13	24.17	24.16	33.01	PASS	
		25	22.16	22.15	22.12	/	2.00	24.16	24.15	24.12	33.01	PASS	
	50	0	22.08	22.16	22.14	/	2.00	24.08	24.16	24.14	33.01	PASS	
			22.04	22.23	22.22	/	2.00	24.04	24.23	24.22	33.01	PASS	
		1	25	22.10	22.31	22.33	/	2.00	24.1	24.31	24.33	33.01	PASS
16QAM	1	49	21.93	22.17	22.14	/	2.00	23.93	24.17	24.14	33.01	PASS	
		25	0	21.11	21.17	21.23	/	2.00	23.11	23.17	23.23	33.01	PASS
			13	21.15	21.14	21.18	/	2.00	23.15	23.14	23.18	33.01	PASS
	25		21.14	21.15	21.11	/	2.00	23.14	23.15	23.11	33.01	PASS	
	50	0	21.06	21.15	21.12	/	2.00	23.06	23.15	23.12	33.01	PASS	

Note:
1) dBd = dBi - 2.15
2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 2 15MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	23.07	23.00	23.04	/	2.00	25.07	25	25.04	33.01	PASS	
		38	23.12	23.08	23.10	/	2.00	25.12	25.08	25.1	33.01	PASS	
		74	22.92	22.85	22.99	/	2.00	24.92	24.85	24.99	33.01	PASS	
	36	0	22.15	22.21	22.25	/	2.00	24.15	24.21	24.25	33.01	PASS	
		18	22.22	22.20	22.25	/	2.00	24.22	24.2	24.25	33.01	PASS	
		39	22.18	22.16	22.19	/	2.00	24.18	24.16	24.19	33.01	PASS	
	75	0	22.18	22.21	22.25	/	2.00	24.18	24.21	24.25	33.01	PASS	
			21.94	22.15	22.26	/	2.00	23.94	24.15	24.26	33.01	PASS	
		1	38	21.99	22.22	22.32	/	2.00	23.99	24.22	24.32	33.01	PASS
16QAM	1	74	21.80	22.01	22.14	/	2.00	23.8	24.01	24.14	33.01	PASS	
		36	0	21.04	21.13	21.23	/	2.00	23.04	23.13	23.23	33.01	PASS
			18	21.08	21.12	21.22	/	2.00	23.08	23.12	23.22	33.01	PASS
	36		39	21.04	21.08	21.14	/	2.00	23.04	23.08	23.14	33.01	PASS
		75	0	21.09	21.10	21.18	/	2.00	23.09	23.1	23.18	33.01	PASS

Note:
1) dBd = dBi - 2.15
2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 2 20MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.74	22.91	22.89	/	2.00	24.74	24.91	24.89	33.01	PASS
		50	23.13	23.24	23.35	/	2.00	25.13	25.24	25.35	33.01	PASS
		99	22.63	22.77	22.86	/	2.00	24.63	24.77	24.86	33.01	PASS
	50	0	21.99	22.17	22.14	/	2.00	23.99	24.17	24.14	33.01	PASS

		25	22.10	22.13	22.15	/	2.00	24.1	24.13	24.15	33.01	PASS
		50	22.00	22.06	21.96	/	2.00	24	24.06	23.96	33.01	PASS
	100	0	22.01	22.10	22.06	/	2.00	24.01	24.1	24.06	33.01	PASS
16QAM	1		21.88	22.02	21.92	/	2.00	23.88	24.02	23.92	33.01	PASS
		50	22.22	22.37	22.28	/	2.00	24.22	24.37	24.28	33.01	PASS
		99	21.80	21.86	21.84	/	2.00	23.8	23.86	23.84	33.01	PASS
	50	0	21.03	21.15	21.17	/	2.00	23.03	23.15	23.17	33.01	PASS
		25	21.12	21.11	21.16	/	2.00	23.12	23.11	23.16	33.01	PASS
		50	21.06	21.06	21.01	/	2.00	23.06	23.06	23.01	33.01	PASS
	100	0	21.00	21.11	21.03	/	2.00	23	23.11	23.03	33.01	PASS
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)											

Test Band: 4 _ 1.4MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.70	22.79	22.57	/	4.03	26.73	26.82	26.6	30.00	PASS
		2	22.90	22.96	22.76	/	4.03	26.93	26.99	26.79	30.00	PASS
		5	22.68	22.74	22.57	/	4.03	26.71	26.77	26.6	30.00	PASS
	3	0	22.79	22.77	22.63	/	4.03	26.82	26.8	26.66	30.00	PASS
		2	22.82	22.80	22.62	/	4.03	26.85	26.83	26.65	30.00	PASS
		3	22.76	22.76	22.58	/	4.03	26.79	26.79	26.61	30.00	PASS
	6	0	21.81	21.73	21.55	/	4.03	25.84	25.76	25.58	30.00	PASS
	22.05		21.74	21.39	/	4.03	26.08	25.77	25.42	30.00	PASS	
16QAM	1	2	22.00	21.74	21.56	/	4.03	26.03	25.77	25.59	30.00	PASS
		5	21.81	21.57	21.39	/	4.03	25.84	25.6	25.42	30.00	PASS
		0	21.79	21.89	21.60	/	4.03	25.82	25.92	25.63	30.00	PASS
	3	2	21.84	21.94	21.62	/	4.03	25.87	25.97	25.65	30.00	PASS
		3	21.82	21.91	21.58	/	4.03	25.85	25.94	25.61	30.00	PASS
		6	0	20.73	20.75	20.56	/	4.03	24.76	24.78	24.59	30.00

Note:
1) dBd = dBi - 2.15
2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 4 3MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	22.79	22.77	22.58	/	4.03	26.82	26.8	26.61	30.00	PASS	
		7	23.02	23.00	22.85	/	4.03	27.05	27.03	26.88	30.00	PASS	
		14	22.74	22.80	22.54	/	4.03	26.77	26.83	26.57	30.00	PASS	
	8	0	21.78	21.75	21.58	/	4.03	25.81	25.78	25.61	30.00	PASS	
		4	21.81	21.76	21.60	/	4.03	25.84	25.79	25.63	30.00	PASS	
		7	21.78	21.73	21.59	/	4.03	25.81	25.76	25.62	30.00	PASS	
	15	0	21.75	21.72	21.55	/	4.03	25.78	25.75	25.58	30.00	PASS	
			21.91	21.59	21.70	/	4.03	25.94	25.62	25.73	30.00	PASS	
16QAM	1	7	22.22	21.88	21.99	/	4.03	26.25	25.91	26.02	30.00	PASS	
		14	21.88	21.59	21.62	/	4.03	25.91	25.62	25.65	30.00	PASS	
		0	20.80	20.76	20.64	/	4.03	24.83	24.79	24.67	30.00	PASS	
	8	4	20.83	20.81	20.63	/	4.03	24.86	24.84	24.66	30.00	PASS	
		7	20.81	20.77	20.70	/	4.03	24.84	24.8	24.73	30.00	PASS	
		15	0	20.77	20.74	20.54	/	4.03	24.8	24.77	24.57	30.00	PASS
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 4 5MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.68	22.54	22.50	/	4.03	26.71	26.57	26.53	30.00	PASS
		13	22.80	22.67	22.57	/	4.03	26.83	26.7	26.6	30.00	PASS
		24	22.64	22.51	22.45	/	4.03	26.67	26.54	26.48	30.00	PASS
	12	0	21.76	21.72	21.55	/	4.03	25.79	25.75	25.58	30.00	PASS
		6	21.82	21.76	21.63	/	4.03	25.85	25.79	25.66	30.00	PASS
		13	21.76	21.64	21.64	/	4.03	25.79	25.67	25.67	30.00	PASS
16QAM	25	0	21.79	21.68	21.60	/	4.03	25.82	25.71	25.63	30.00	PASS
			22.26	21.91	21.65	/	4.03	26.29	25.94	25.68	30.00	PASS
			22.01	21.90	21.75	/	4.03	26.04	25.93	25.78	30.00	PASS
	1	13	22.01	21.90	21.75	/	4.03	26.04	25.93	25.78	30.00	PASS
		24	21.86	21.78	21.56	/	4.03	25.89	25.81	25.59	30.00	PASS
			20.78	20.77	20.48	/	4.03	24.81	24.8	24.51	30.00	PASS
	12	0	20.78	20.77	20.48	/	4.03	24.81	24.8	24.51	30.00	PASS
		6	20.85	20.87	20.59	/	4.03	24.88	24.9	24.62	30.00	PASS
		13	20.83	20.70	20.58	/	4.03	24.86	24.73	24.61	30.00	PASS
	25	0	20.90	20.77	20.60	/	4.03	24.93	24.8	24.63	30.00	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 4 10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.75	22.71	22.70	/	4.03	26.78	26.74	26.73	30.00	PASS
		25	22.96	22.80	22.71	/	4.03	26.99	26.83	26.74	30.00	PASS
		49	22.71	22.62	22.56	/	4.03	26.74	26.65	26.59	30.00	PASS
	25	0	21.76	21.81	21.60	/	4.03	25.79	25.84	25.63	30.00	PASS
		13	21.76	21.72	21.59	/	4.03	25.79	25.75	25.62	30.00	PASS
		25	21.87	21.67	21.65	/	4.03	25.9	25.7	25.68	30.00	PASS
16QAM	50	0	21.80	21.74	21.60	/	4.03	25.83	25.77	25.63	30.00	PASS
			22.19	22.07	21.50	/	4.03	26.22	26.1	25.53	30.00	PASS
			21.91	22.09	21.57	/	4.03	25.94	26.12	25.6	30.00	PASS
	1	25	21.91	22.09	21.57	/	4.03	25.94	26.12	25.6	30.00	PASS
		49	21.84	21.80	21.37	/	4.03	25.87	25.83	25.4	30.00	PASS
			20.90	20.88	20.59	/	4.03	24.93	24.91	24.62	30.00	PASS
	25	0	20.90	20.88	20.59	/	4.03	24.93	24.91	24.62	30.00	PASS
		13	21.02	20.79	20.59	/	4.03	25.05	24.82	24.62	30.00	PASS
		25	21.15	20.81	20.69	/	4.03	25.18	24.84	24.72	30.00	PASS
	50	0	20.87	20.83	20.62	/	4.03	24.9	24.86	24.65	30.00	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 4 15MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.77	22.65	22.62	/	4.03	26.8	26.68	26.65	30.00	PASS
		38	22.83	22.70	22.62	/	4.03	26.86	26.73	26.65	30.00	PASS
		74	22.61	22.50	22.37	/	4.03	26.64	26.53	26.4	30.00	PASS
	36	0	21.82	21.86	21.74	/	4.03	25.85	25.89	25.77	30.00	PASS
		18	21.87	21.82	21.72	/	4.03	25.9	25.85	25.75	30.00	PASS
		39	21.88	21.72	21.71	/	4.03	25.91	25.75	25.74	30.00	PASS
16QAM	75	0	21.85	21.84	21.76	/	4.03	25.88	25.87	25.79	30.00	PASS
			22.23	22.15	21.77	/	4.03	26.26	26.18	25.8	30.00	PASS
			22.28	22.14	21.83	/	4.03	26.31	26.17	25.86	30.00	PASS
	1	38	22.28	22.14	21.83	/	4.03	26.31	26.17	25.86	30.00	PASS
		74	22.10	21.62	21.63	/	4.03	26.13	25.65	25.66	30.00	PASS
	36	0	21.13	20.89	20.83	/	4.03	25.16	24.92	24.86	30.00	PASS

		18	21.16	21.01	20.75	/	4.03	25.19	25.04	24.78	30.00	PASS
		39	21.30	20.81	20.69	/	4.03	25.33	24.84	24.72	30.00	PASS
	75	0	21.27	20.99	20.76	/	4.03	25.3	25.02	24.79	30.00	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 4 20MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.58	22.44	22.41	/	4.03	26.61	26.47	26.44	30.00	PASS
		50	23.01	22.83	22.79	/	4.03	27.04	26.86	26.82	30.00	PASS
		99	22.44	22.33	22.19	/	4.03	26.47	26.36	26.22	30.00	PASS
	50	0	21.62	21.81	21.71	/	4.03	25.65	25.84	25.74	30.00	PASS
		25	21.75	21.74	21.69	/	4.03	25.78	25.77	25.72	30.00	PASS
		50	21.74	21.61	21.69	/	4.03	25.77	25.64	25.72	30.00	PASS
16QAM	1	0	21.68	21.72	21.74	/	4.03	25.71	25.75	25.77	30.00	PASS
			21.49	21.54	21.18	/	4.03	25.52	25.57	25.21	30.00	PASS
		50	21.89	21.93	21.64	/	4.03	25.92	25.96	25.67	30.00	PASS
	50	0	20.85	20.83	20.74	/	4.03	24.88	24.86	24.77	30.00	PASS
		25	21.06	20.85	20.75	/	4.03	25.09	24.88	24.78	30.00	PASS
		50	20.90	20.66	20.77	/	4.03	24.93	24.69	24.8	30.00	PASS
	100	0	20.98	20.75	20.76	/	4.03	25.01	24.78	24.79	30.00	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 5 1.4MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.47	22.38	22.30	-1.25	0.9	21.22	21.13	21.05	38.45	PASS
		2	22.60	22.53	22.43	-1.25	0.9	21.35	21.28	21.18	38.45	PASS
		5	22.46	22.39	22.24	-1.25	0.9	21.21	21.14	20.99	38.45	PASS
	3	0	22.43	22.45	22.38	-1.25	0.9	21.18	21.20	21.13	38.45	PASS
		2	22.46	22.46	22.40	-1.25	0.9	21.21	21.21	21.15	38.45	PASS
		3	22.42	22.43	22.31	-1.25	0.9	21.17	21.18	21.06	38.45	PASS
16QAM	1	0	21.37	21.35	21.32	-1.25	0.9	20.12	20.10	20.07	38.45	PASS
			21.29	21.24	21.43	-1.25	0.9	20.04	19.99	20.18	38.45	PASS
		2	21.47	21.37	21.53	-1.25	0.9	20.22	20.12	20.28	38.45	PASS
	5	21.32	21.21	21.44	-1.25	0.9	20.07	19.96	20.19	38.45	PASS	
	3	0	21.55	21.40	21.44	-1.25	0.9	20.30	20.15	20.19	38.45	PASS
		2	21.60	21.42	21.45	-1.25	0.9	20.35	20.17	20.20	38.45	PASS
		3	21.55	21.38	21.44	-1.25	0.9	20.30	20.13	20.19	38.45	PASS
	6	0	20.41	20.34	20.30	-1.25	0.9	19.16	19.09	19.05	38.45	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi) 3) ERP = Conducted output power + Antenna gain (dBd)												

Test Band: 5 3MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.46	22.41	22.46	-1.25	0.9	21.21	21.16	21.21	38.45	PASS
		7	22.77	22.59	22.75	-1.25	0.9	21.52	21.34	21.50	38.45	PASS
		14	22.47	22.37	22.32	-1.25	0.9	21.22	21.12	21.07	38.45	PASS
	8	0	21.43	21.42	21.40	-1.25	0.9	20.18	20.17	20.15	38.45	PASS
		4	21.48	21.41	21.42	-1.25	0.9	20.23	20.16	20.17	38.45	PASS

		7	21.42	21.40	21.38	-1.25	0.9	20.17	20.15	20.13	38.45	PASS
	15	0	21.35	21.36	21.39	-1.25	0.9	20.10	20.11	20.14	38.45	PASS
16QAM	1		21.30	21.57	21.63	-1.25	0.9	20.05	20.32	20.38	38.45	PASS
		7	21.57	21.82	21.84	-1.25	0.9	20.32	20.57	20.59	38.45	PASS
		14	21.29	21.47	21.49	-1.25	0.9	20.04	20.22	20.24	38.45	PASS
	8	0	20.43	20.38	20.41	-1.25	0.9	19.18	19.13	19.16	38.45	PASS
		4	20.49	20.41	20.44	-1.25	0.9	19.24	19.16	19.19	38.45	PASS
		7	20.41	20.38	20.38	-1.25	0.9	19.16	19.13	19.13	38.45	PASS
	15	0	20.35	20.28	20.32	-1.25	0.9	19.10	19.03	19.07	38.45	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi) 3) ERP = Conducted output power + Antenna gain (dBd)												

Test Band: 5 5MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	22.27	22.33	22.31	-1.25	0.9	21.02	21.08	21.06	38.45	PASS	
		13	22.34	22.38	22.40	-1.25	0.9	21.09	21.13	21.15	38.45	PASS	
		24	22.24	22.29	22.22	-1.25	0.9	20.99	21.04	20.97	38.45	PASS	
	12	0	21.36	21.44	21.46	-1.25	0.9	20.11	20.19	20.21	38.45	PASS	
		6	21.46	21.47	21.47	-1.25	0.9	20.21	20.22	20.22	38.45	PASS	
		13	21.31	21.39	21.38	-1.25	0.9	20.06	20.14	20.13	38.45	PASS	
	25	0	21.40	21.40	21.47	-1.25	0.9	20.15	20.15	20.22	38.45	PASS	
	21.77		21.50	21.52	-1.25	0.9	20.52	20.25	20.27	38.45	PASS		
16QAM	1	13	21.63	21.54	21.64	-1.25	0.9	20.38	20.29	20.39	38.45	PASS	
		24	21.50	21.41	21.44	-1.25	0.9	20.25	20.16	20.19	38.45	PASS	
		0	20.41	20.32	20.47	-1.25	0.9	19.16	19.07	19.22	38.45	PASS	
	12	6	20.47	20.39	20.45	-1.25	0.9	19.22	19.14	19.20	38.45	PASS	
		13	20.30	20.28	20.33	-1.25	0.9	19.05	19.03	19.08	38.45	PASS	
		25	0	20.42	20.38	20.50	-1.25	0.9	19.17	19.13	19.25	38.45	PASS
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi) 3) ERP = Conducted output power + Antenna gain (dBd)												

Test Band: 5 10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.51	22.45	22.45	-1.25	0.9	21.26	21.20	21.20	38.45	PASS
		25	22.58	22.50	22.58	-1.25	0.9	21.33	21.25	21.33	38.45	PASS
		49	22.41	22.37	22.32	-1.25	0.9	21.16	21.12	21.07	38.45	PASS
	25	0	21.52	21.47	21.58	-1.25	0.9	20.27	20.22	20.33	38.45	PASS
		13	21.42	21.45	21.45	-1.25	0.9	20.17	20.20	20.20	38.45	PASS
		25	21.39	21.43	21.41	-1.25	0.9	20.14	20.18	20.16	38.45	PASS
	50	0	21.45	21.46	21.47	-1.25	0.9	20.20	20.21	20.22	38.45	PASS
	21.81		21.53	21.66	-1.25	0.9	20.56	20.28	20.41	38.45	PASS	
16QAM	1	25	21.70	21.65	21.74	-1.25	0.9	20.45	20.40	20.49	38.45	PASS
		49	21.39	21.50	21.51	-1.25	0.9	20.14	20.25	20.26	38.45	PASS
		0	20.56	20.49	20.63	-1.25	0.9	19.31	19.24	19.38	38.45	PASS
	25	13	20.44	20.48	20.54	-1.25	0.9	19.19	19.23	19.29	38.45	PASS
		25	20.38	20.46	20.45	-1.25	0.9	19.13	19.21	19.20	38.45	PASS
		50	0	20.47	20.41	20.50	-1.25	0.9	19.22	19.16	19.25	38.45
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi) 3) ERP = Conducted output power + Antenna gain (dBd)											

Test Band: 7 5MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.10	22.04	21.96	/	4.00	26.1	26.04	25.96	33.01	PASS
		13	22.23	22.16	22.08	/	4.00	26.23	26.16	26.08	33.01	PASS
		24	22.13	22.03	22.01	/	4.00	26.13	26.03	26.01	33.01	PASS
	12	0	21.12	21.04	21.01	/	4.00	25.12	25.04	25.01	33.01	PASS
		6	21.21	21.08	21.04	/	4.00	25.21	25.08	25.04	33.01	PASS
		13	21.15	21.03	21.03	/	4.00	25.15	25.03	25.03	33.01	PASS
16QAM	25	0	21.15	21.05	21.01	/	4.00	25.15	25.05	25.01	33.01	PASS
		0	21.22	21.40	21.15	/	4.00	25.22	25.4	25.15	33.01	PASS
		13	21.33	21.49	21.27	/	4.00	25.33	25.49	25.27	33.01	PASS
	1	24	21.27	21.38	21.15	/	4.00	25.27	25.38	25.15	33.01	PASS
		0	20.02	20.11	20.13	/	4.00	24.02	24.11	24.13	33.01	PASS
		6	20.08	20.15	20.16	/	4.00	24.08	24.15	24.16	33.01	PASS
	12	13	20.07	20.09	20.16	/	4.00	24.07	24.09	24.16	33.01	PASS
		0	20.13	20.13	20.17	/	4.00	24.13	24.13	24.17	33.01	PASS
		25	0	20.13	20.17	/	4.00	24.13	24.13	24.17	33.01	PASS

Note:
1) dBd = dBi - 2.15
2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 7 10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.20	22.09	22.01	/	4.00	26.2	26.09	26.01	33.01	PASS
		25	22.40	22.23	22.16	/	4.00	26.4	26.23	26.16	33.01	PASS
		49	22.20	22.02	22.03	/	4.00	26.2	26.02	26.03	33.01	PASS
	25	0	21.16	21.10	21.01	/	4.00	25.16	25.1	25.01	33.01	PASS
		13	21.21	21.10	21.07	/	4.00	25.21	25.1	25.07	33.01	PASS
		25	21.25	21.07	21.11	/	4.00	25.25	25.07	25.11	33.01	PASS
	50	0	21.20	21.08	21.06	/	4.00	25.2	25.08	25.06	33.01	PASS
			21.17	21.10	21.14	/	4.00	25.17	25.1	25.14	33.01	PASS
16QAM	1	25	21.39	21.24	21.28	/	4.00	25.39	25.24	25.28	33.01	PASS
		49	21.15	21.04	21.11	/	4.00	25.15	25.04	25.11	33.01	PASS
		0	20.18	20.18	20.01	/	4.00	24.18	24.18	24.01	33.01	PASS
	25	13	20.23	20.20	20.07	/	4.00	24.23	24.2	24.07	33.01	PASS
		25	20.24	20.18	20.10	/	4.00	24.24	24.18	24.1	33.01	PASS
		0	20.16	20.12	20.10	/	4.00	24.16	24.12	24.1	33.01	PASS
	50	0	20.16	20.12	20.10	/	4.00	24.16	24.12	24.1	33.01	PASS
			20.16	20.12	20.10	/	4.00	24.16	24.12	24.1	33.01	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 7 15MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.17	22.04	21.96	/	4.00	26.17	26.04	25.96	33.01	PASS
		38	22.26	22.06	22.04	/	4.00	26.26	26.06	26.04	33.01	PASS
		74	22.08	21.88	21.94	/	4.00	26.08	25.88	25.94	33.01	PASS
	36	0	21.20	21.15	21.10	/	4.00	25.2	25.15	25.1	33.01	PASS
		18	21.24	21.12	21.11	/	4.00	25.24	25.12	25.11	33.01	PASS
		39	21.21	21.09	21.11	/	4.00	25.21	25.09	25.11	33.01	PASS
	75	0	21.23	21.10	21.10	/	4.00	25.23	25.1	25.1	33.01	PASS
16QAM	1	0	21.14	21.16	21.10	/	4.00	25.14	25.16	25.1	33.01	PASS
		38	21.27	21.19	21.19	/	4.00	25.27	25.19	25.19	33.01	PASS
		74	21.09	20.97	21.03	/	4.00	25.09	24.97	25.03	33.01	PASS
	36	0	20.20	20.16	20.16	/	4.00	24.2	24.16	24.16	33.01	PASS

		18	20.25	20.12	20.16	/	4.00	24.25	24.12	24.16	33.01	PASS
		39	20.17	20.10	20.17	/	4.00	24.17	24.1	24.17	33.01	PASS
	75	0	20.24	20.11	20.14	/	4.00	24.24	24.11	24.14	33.01	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 7 20MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	21.87	21.88	21.73	/	4.00	25.87	25.88	25.73	33.01	PASS	
		50	22.31	22.24	22.14	/	4.00	26.31	26.24	26.14	33.01	PASS	
		99	21.83	21.71	21.70	/	4.00	25.83	25.71	25.7	33.01	PASS	
	50	0	21.09	21.06	21.09	/	4.00	25.09	25.06	25.09	33.01	PASS	
		25	21.15	21.08	21.05	/	4.00	25.15	25.08	25.05	33.01	PASS	
		50	21.15	21.02	21.03	/	4.00	25.15	25.02	25.03	33.01	PASS	
	100	0	21.11	21.07	21.06	/	4.00	25.11	25.07	25.06	33.01	PASS	
			21.02	20.76	20.96	/	4.00	25.02	24.76	24.96	33.01	PASS	
		1	50	21.43	21.13	21.32	/	4.00	25.43	25.13	25.32	33.01	PASS
16QAM	1	99	20.97	20.63	20.90	/	4.00	24.97	24.63	24.9	33.01	PASS	
		50	0	20.12	20.14	20.16	/	4.00	24.12	24.14	24.16	33.01	PASS
			25	20.17	20.15	20.11	/	4.00	24.17	24.15	24.11	33.01	PASS
	50		20.10	20.11	20.11	/	4.00	24.1	24.11	24.11	33.01	PASS	
	100	0	20.08	20.11	20.19	/	4.00	24.08	24.11	24.19	33.01	PASS	

Note:
1) dBd = dBi - 2.15
2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 12 1.4MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.15	22.12	22.17	-1.25	0.9	20.90	20.87	20.92	34.77	PASS
		2	22.23	22.21	22.29	-1.25	0.9	20.98	20.96	21.04	34.77	PASS
		5	22.11	22.11	22.17	-1.25	0.9	20.86	20.86	20.92	34.77	PASS
	3	0	22.18	22.20	22.21	-1.25	0.9	20.93	20.95	20.96	34.77	PASS
		2	22.20	22.20	22.23	-1.25	0.9	20.95	20.95	20.98	34.77	PASS
		3	22.15	22.15	22.21	-1.25	0.9	20.90	20.90	20.96	34.77	PASS
16QAM	1	0	21.22	21.21	21.26	-1.25	0.9	19.97	19.96	20.01	34.77	PASS
			21.08	21.14	21.12	-1.25	0.9	19.83	19.89	19.87	34.77	PASS
		2	21.15	21.29	21.21	-1.25	0.9	19.90	20.04	19.96	34.77	PASS
	5	21.05	21.13	21.16	-1.25	0.9	19.80	19.88	19.91	34.77	PASS	
	3	0	21.27	21.26	21.20	-1.25	0.9	20.02	20.01	19.95	34.77	PASS
		2	21.34	21.23	21.21	-1.25	0.9	20.09	19.98	19.96	34.77	PASS
		3	21.30	21.21	21.19	-1.25	0.9	20.05	19.96	19.94	34.77	PASS
	6	0	20.21	20.17	20.16	-1.25	0.9	18.96	18.92	18.91	34.77	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi) 3) ERP = Conducted output power + Antenna gain (dBd)												

Test Band: 12 3MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.28	22.15	22.24	-1.25	0.9	21.03	20.90	20.99	34.77	PASS
		7	22.39	22.33	22.35	-1.25	0.9	21.14	21.08	21.10	34.77	PASS
		14	22.22	22.18	22.19	-1.25	0.9	20.97	20.93	20.94	34.77	PASS
	8	0	21.20	21.16	21.27	-1.25	0.9	19.95	19.91	20.02	34.77	PASS

		4	21.21	21.27	21.27	-1.25	0.9	19.96	20.02	20.02	34.77	PASS
		7	21.17	21.21	21.19	-1.25	0.9	19.92	19.96	19.94	34.77	PASS
	15	0	21.14	21.15	21.21	-1.25	0.9	19.89	19.90	19.96	34.77	PASS
16QAM	1		21.18	21.31	21.66	-1.25	0.9	19.93	20.06	20.41	34.77	PASS
		7	21.31	21.46	21.80	-1.25	0.9	20.06	20.21	20.55	34.77	PASS
		14	21.20	21.28	21.60	-1.25	0.9	19.95	20.03	20.35	34.77	PASS
	8	0	20.25	20.17	20.42	-1.25	0.9	19.00	18.92	19.17	34.77	PASS
		4	20.30	20.23	20.40	-1.25	0.9	19.05	18.98	19.15	34.77	PASS
		7	20.24	20.18	20.38	-1.25	0.9	18.99	18.93	19.13	34.77	PASS
	15	0	20.21	20.14	20.30	-1.25	0.9	18.96	18.89	19.05	34.77	PASS
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi) 3) ERP = Conducted output power + Antenna gain (dBd)											

Test Band: 12 5MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.11	22.09	22.08	-1.25	0.9	20.86	20.84	20.83	34.77	PASS
		13	22.22	22.20	22.21	-1.25	0.9	20.97	20.95	20.96	34.77	PASS
		24	22.09	22.03	22.09	-1.25	0.9	20.84	20.78	20.84	34.77	PASS
	12	0	21.10	21.07	21.27	-1.25	0.9	19.85	19.82	20.02	34.77	PASS
		6	21.19	21.17	21.24	-1.25	0.9	19.94	19.92	19.99	34.77	PASS
		13	21.06	21.17	21.13	-1.25	0.9	19.81	19.92	19.88	34.77	PASS
	25	0	21.10	21.14	21.16	-1.25	0.9	19.85	19.89	19.91	34.77	PASS
	21.12		21.33	20.91	-1.25	0.9	19.87	20.08	19.66	34.77	PASS	
16QAM	1	13	21.30	21.40	21.02	-1.25	0.9	20.05	20.15	19.77	34.77	PASS
		24	21.16	21.24	20.92	-1.25	0.9	19.91	19.99	19.67	34.77	PASS
		0	20.14	20.13	20.23	-1.25	0.9	18.89	18.88	18.98	34.77	PASS
	12	6	20.21	20.20	20.22	-1.25	0.9	18.96	18.95	18.97	34.77	PASS
		13	20.06	20.19	20.09	-1.25	0.9	18.81	18.94	18.84	34.77	PASS
		25	0	20.15	20.15	20.19	-1.25	0.9	18.90	18.90	18.94	34.77

Note:

1) dBd = dBi - 2.15

2) EIRP = Conducted output power + Antenna gain (dBi)

3) ERP = Conducted output power + Antenna gain (dBd)

Test Band: 12 10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.23	22.13	22.15	-1.25	0.9	20.98	20.88	20.90	34.77	PASS
		25	22.31	22.27	22.26	-1.25	0.9	21.06	21.02	21.01	34.77	PASS
		49	22.18	22.11	22.11	-1.25	0.9	20.93	20.86	20.86	34.77	PASS
	25	0	21.25	21.16	21.06	-1.25	0.9	20.00	19.91	19.81	34.77	PASS
		13	21.17	21.16	21.11	-1.25	0.9	19.92	19.91	19.86	34.77	PASS
		25	21.24	21.15	20.97	-1.25	0.9	19.99	19.90	19.72	34.77	PASS
	50	0	21.22	21.18	21.03	-1.25	0.9	19.97	19.93	19.78	34.77	PASS
21.15	21.30		21.63	-1.25	0.9	19.90	20.05	20.38	34.77	PASS		
16QAM	1	25	21.32	21.42	21.70	-1.25	0.9	20.07	20.17	20.45	34.77	PASS
		49	21.10	21.21	21.58	-1.25	0.9	19.85	19.96	20.33	34.77	PASS
		0	20.33	20.22	20.12	-1.25	0.9	19.08	18.97	18.87	34.77	PASS
	25	13	20.28	20.18	20.20	-1.25	0.9	19.03	18.93	18.95	34.77	PASS
		25	20.32	20.21	20.06	-1.25	0.9	19.07	18.96	18.81	34.77	PASS
		50	0	20.29	20.19	20.08	-1.25	0.9	19.04	18.94	18.83	34.77
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi) 3) ERP = Conducted output power + Antenna gain (dBd)											

Test Band: 17 5MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	21.52	21.60	21.51	-1.25	0.9	20.27	20.35	20.26	34.77	PASS
		13	21.62	21.62	21.61	-1.25	0.9	20.37	20.37	20.36	34.77	PASS
		24	21.47	21.45	21.47	-1.25	0.9	20.22	20.20	20.22	34.77	PASS
	12	0	20.60	20.59	20.69	-1.25	0.9	19.35	19.34	19.44	34.77	PASS
		6	20.72	20.81	20.67	-1.25	0.9	19.47	19.56	19.42	34.77	PASS
		13	20.74	20.60	20.54	-1.25	0.9	19.49	19.35	19.29	34.77	PASS
16QAM	25	0	20.73	20.62	20.60	-1.25	0.9	19.48	19.37	19.35	34.77	PASS
			20.82	21.05	20.83	-1.25	0.9	19.57	19.80	19.58	34.77	PASS
			20.92	20.98	21.00	-1.25	0.9	19.67	19.73	19.75	34.77	PASS
	1	13	20.92	20.98	21.00	-1.25	0.9	19.67	19.73	19.75	34.77	PASS
		24	20.79	20.77	20.79	-1.25	0.9	19.54	19.52	19.54	34.77	PASS
			20.06	19.94	19.77	-1.25	0.9	18.81	18.69	18.52	34.77	PASS
	12	0	20.06	19.94	19.77	-1.25	0.9	18.81	18.69	18.52	34.77	PASS
		6	20.09	20.08	19.87	-1.25	0.9	18.84	18.83	18.62	34.77	PASS
		13	20.10	19.97	19.69	-1.25	0.9	18.85	18.72	18.44	34.77	PASS
	25	0	20.12	20.00	19.66	-1.25	0.9	18.87	18.75	18.41	34.77	PASS

Note:
1) dBd = dBi - 2.15
2) EIRP = Conducted output power + Antenna gain (dBi)
3) ERP = Conducted output power + Antenna gain (dBd)

Test Band: 17 10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	21.76	21.76	21.73	-1.25	0.9	20.51	20.51	20.48	34.77	PASS
		25	22.03	21.84	21.77	-1.25	0.9	20.78	20.59	20.52	34.77	PASS
		49	21.68	21.48	21.50	-1.25	0.9	20.43	20.23	20.25	34.77	PASS
	25	0	20.84	20.60	20.64	-1.25	0.9	19.59	19.35	19.39	34.77	PASS
		13	20.97	20.91	20.71	-1.25	0.9	19.72	19.66	19.46	34.77	PASS
		25	20.89	20.81	20.59	-1.25	0.9	19.64	19.56	19.34	34.77	PASS
16QAM	50	0	20.93	20.83	20.82	-1.25	0.9	19.68	19.58	19.57	34.77	PASS
			21.03	21.21	21.57	-1.25	0.9	19.78	19.96	20.32	34.77	PASS
			21.22	21.34	21.65	-1.25	0.9	19.97	20.09	20.40	34.77	PASS
	1	25	21.22	21.34	21.65	-1.25	0.9	19.97	20.09	20.40	34.77	PASS
		49	21.02	21.04	21.03	-1.25	0.9	19.77	19.79	19.78	34.77	PASS
			20.13	20.01	20.08	-1.25	0.9	18.88	18.76	18.83	34.77	PASS
	25	0	20.13	20.01	20.08	-1.25	0.9	18.88	18.76	18.83	34.77	PASS
		13	20.18	20.09	20.13	-1.25	0.9	18.93	18.84	18.88	34.77	PASS
		25	20.06	19.95	19.95	-1.25	0.9	18.81	18.70	18.70	34.77	PASS
	50	0	20.02	19.99	19.99	-1.25	0.9	18.77	18.74	18.74	34.77	PASS

Note:
1) dBd = dBi - 2.15
2) EIRP = Conducted output power + Antenna gain (dBi)
3) ERP = Conducted output power + Antenna gain (dBd)

Test Band: 25 1.4MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	21.81	22.19	21.84	/	2.00	23.81	24.19	23.84	33.01	PASS
		2	21.95	22.31	21.84	/	2.00	23.95	24.31	23.84	33.01	PASS
		5	21.80	22.18	21.73	/	2.00	23.8	24.18	23.73	33.01	PASS
	3	0	21.88	22.29	21.70	/	2.00	23.88	24.29	23.7	33.01	PASS
		2	21.90	22.32	21.71	/	2.00	23.9	24.32	23.71	33.01	PASS
		3	21.89	22.12	21.65	/	2.00	23.89	24.12	23.65	33.01	PASS
16QAM	6	0	20.84	21.27	20.74	/	2.00	22.84	23.27	22.74	33.01	PASS
			21.28	20.90	20.49	/	2.00	23.28	22.9	22.49	33.01	PASS
16QAM	1	2	21.22	20.98	20.60	/	2.00	23.22	22.98	22.6	33.01	PASS

	3	5	20.90	20.82	20.48	/	2.00	22.9	22.82	22.48	33.01	PASS
		0	21.00	20.75	20.74	/	2.00	23	22.75	22.74	33.01	PASS
		2	20.92	20.76	20.80	/	2.00	22.92	22.76	22.8	33.01	PASS
		3	20.90	20.80	20.74	/	2.00	22.9	22.8	22.74	33.01	PASS
	6	0	19.78	19.79	19.64	/	2.00	21.78	21.79	21.64	33.01	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 25 3MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	21.79	21.74	21.58	/	2.00	23.79	23.74	23.58	33.01	PASS	
		7	21.91	21.84	21.75	/	2.00	23.91	23.84	23.75	33.01	PASS	
		14	21.74	21.66	21.68	/	2.00	23.74	23.66	23.68	33.01	PASS	
	8	0	20.75	20.70	20.64	/	2.00	22.75	22.7	22.64	33.01	PASS	
		4	20.80	20.71	20.67	/	2.00	22.8	22.71	22.67	33.01	PASS	
		7	20.79	20.67	20.58	/	2.00	22.79	22.67	22.58	33.01	PASS	
	15	0	20.75	20.67	20.57	/	2.00	22.75	22.67	22.57	33.01	PASS	
	21.78		21.09	20.71	/	2.00	23.78	23.09	22.71	33.01	PASS		
	21.87		21.10	20.85	/	2.00	23.87	23.1	22.85	33.01	PASS		
16QAM	1	14	21.65	20.88	20.69	/	2.00	23.65	22.88	22.69	33.01	PASS	
		8	0	20.41	20.17	19.59	/	2.00	22.41	22.17	21.59	33.01	PASS
			4	20.45	20.24	19.60	/	2.00	22.45	22.24	21.6	33.01	PASS
	7		20.41	20.16	19.52	/	2.00	22.41	22.16	21.52	33.01	PASS	
		15	0	20.31	20.09	19.51	/	2.00	22.31	22.09	21.51	33.01	PASS
		Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)											

Test Band: 25 5MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	21.72	21.64	21.51	/	2.00	23.72	23.64	23.51	33.01	PASS	
		13	21.81	21.70	21.66	/	2.00	23.81	23.7	23.66	33.01	PASS	
		24	21.65	21.62	21.58	/	2.00	23.65	23.62	23.58	33.01	PASS	
	12	0	20.72	20.62	20.62	/	2.00	22.72	22.62	22.62	33.01	PASS	
		6	20.84	20.70	20.74	/	2.00	22.84	22.7	22.74	33.01	PASS	
		13	20.90	20.72	21.19	/	2.00	22.9	22.72	23.19	33.01	PASS	
	25	0	20.84	20.73	21.28	/	2.00	22.84	22.73	23.28	33.01	PASS	
			21.04	21.03	20.73	/	2.00	23.04	23.03	22.73	33.01	PASS	
		1	13	21.10	21.01	20.81	/	2.00	23.1	23.01	22.81	33.01	PASS
16QAM	1	24	20.97	20.73	20.65	/	2.00	22.97	22.73	22.65	33.01	PASS	
		12	0	20.15	19.92	19.65	/	2.00	22.15	21.92	21.65	33.01	PASS
			6	20.24	20.12	19.66	/	2.00	22.24	22.12	21.66	33.01	PASS
	13		20.27	20.12	19.46	/	2.00	22.27	22.12	21.46	33.01	PASS	
	25	0	20.27	20.14	19.53	/	2.00	22.27	22.14	21.53	33.01	PASS	
		Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)											

Test Band: 25 10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.38	22.37	22.30	/	2.00	24.38	24.37	24.3	33.01	PASS
		25	22.49	22.47	22.45	/	2.00	24.49	24.47	24.45	33.01	PASS
		49	22.29	22.36	22.40	/	2.00	24.29	24.36	24.4	33.01	PASS

	25	0	21.28	21.36	21.44	/	2.00	23.28	23.36	23.44	33.01	PASS
		13	21.38	21.35	21.33	/	2.00	23.38	23.35	23.33	33.01	PASS
		25	21.33	21.37	21.20	/	2.00	23.33	23.37	23.2	33.01	PASS
16QAM	1	0	21.36	21.40	21.36	/	2.00	23.36	23.4	23.36	33.01	PASS
			22.33	21.84	21.53	/	2.00	24.33	23.84	23.53	33.01	PASS
		25	22.36	21.65	21.56	/	2.00	24.36	23.65	23.56	33.01	PASS
		49	22.18	21.42	21.37	/	2.00	24.18	23.42	23.37	33.01	PASS
	25	0	20.82	20.87	20.41	/	2.00	22.82	22.87	22.41	33.01	PASS
		13	20.87	20.92	20.33	/	2.00	22.87	22.92	22.33	33.01	PASS
		25	20.85	20.90	20.21	/	2.00	22.85	22.9	22.21	33.01	PASS
	50	0	20.83	20.87	20.33	/	2.00	22.83	22.87	22.33	33.01	PASS
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)											

Test Band: 25 15MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	22.32	22.17	22.03	/	2.00	24.32	24.17	24.03	33.01	PASS	
		38	22.32	22.19	22.07	/	2.00	24.32	24.19	24.07	33.01	PASS	
		74	22.16	22.04	22.12	/	2.00	24.16	24.04	24.12	33.01	PASS	
	36	0	21.25	21.29	21.18	/	2.00	23.25	23.29	23.18	33.01	PASS	
		18	21.39	21.26	21.15	/	2.00	23.39	23.26	23.15	33.01	PASS	
		39	21.37	21.30	21.12	/	2.00	23.37	23.3	23.12	33.01	PASS	
	75	0	21.30	21.33	21.16	/	2.00	23.3	23.33	23.16	33.01	PASS	
	22.24		21.97	21.41	/	2.00	24.24	23.97	23.41	33.01	PASS		
16QAM	1	38	22.22	21.77	21.41	/	2.00	24.22	23.77	23.41	33.01	PASS	
		74	22.01	21.59	21.27	/	2.00	24.01	23.59	23.27	33.01	PASS	
		0	20.78	20.75	20.34	/	2.00	22.78	22.75	22.34	33.01	PASS	
	36	18	20.87	20.74	20.33	/	2.00	22.87	22.74	22.33	33.01	PASS	
		39	20.83	20.76	20.24	/	2.00	22.83	22.76	22.24	33.01	PASS	
		75	0	20.82	20.80	20.31	/	2.00	22.82	22.8	22.31	33.01	PASS
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 25 20MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.09	22.00	21.91	/	2.00	24.09	24	23.91	33.01	PASS
		50	22.42	22.34	22.21	/	2.00	24.42	24.34	24.21	33.01	PASS
		99	21.91	21.87	21.83	/	2.00	23.91	23.87	23.83	33.01	PASS
	50	0	21.09	21.24	21.24	/	2.00	23.09	23.24	23.24	33.01	PASS
		25	21.21	21.25	21.11	/	2.00	23.21	23.25	23.11	33.01	PASS
		50	21.04	21.25	20.94	/	2.00	23.04	23.25	22.94	33.01	PASS
	100	0	21.07	21.28	21.12	/	2.00	23.07	23.28	23.12	33.01	PASS
	21.27		21.28	21.40	/	2.00	23.27	23.28	23.4	33.01	PASS	
16QAM	1	50	21.45	21.62	21.75	/	2.00	23.45	23.62	23.75	33.01	PASS
		99	21.07	21.07	21.21	/	2.00	23.07	23.07	23.21	33.01	PASS
		0	20.10	20.26	20.26	/	2.00	22.1	22.26	22.26	33.01	PASS
	50	25	20.20	20.28	20.14	/	2.00	22.2	22.28	22.14	33.01	PASS
		50	20.06	20.26	19.97	/	2.00	22.06	22.26	21.97	33.01	PASS
	100	0	20.07	20.30	20.15	/	2.00	22.07	22.3	22.15	33.01	PASS
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)											

Test Band: 26a 1.4MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	22.80	22.80	22.79	-1.25	0.9	21.55	21.55	21.54	50.00	PASS	
		2	22.84	22.89	22.85	-1.25	0.9	21.59	21.64	21.60	50.00	PASS	
		5	22.81	22.80	22.76	-1.25	0.9	21.56	21.55	21.51	50.00	PASS	
	3	0	22.93	22.90	22.88	-1.25	0.9	21.68	21.65	21.63	50.00	PASS	
		2	22.92	22.92	22.90	-1.25	0.9	21.67	21.67	21.65	50.00	PASS	
		3	22.90	22.89	22.87	-1.25	0.9	21.65	21.64	21.62	50.00	PASS	
	6	0	21.82	21.87	21.86	-1.25	0.9	20.57	20.62	20.61	50.00	PASS	
			21.79	21.99	21.76	-1.25	0.9	20.54	20.74	20.51	50.00	PASS	
16QAM	1	2	21.90	22.08	21.85	-1.25	0.9	20.65	20.83	20.60	50.00	PASS	
		5	21.84	21.95	21.74	-1.25	0.9	20.59	20.70	20.49	50.00	PASS	
		0	21.92	21.87	22.02	-1.25	0.9	20.67	20.62	20.77	50.00	PASS	
	3	2	21.92	21.90	22.03	-1.25	0.9	20.67	20.65	20.78	50.00	PASS	
		3	21.91	21.86	22.04	-1.25	0.9	20.66	20.61	20.79	50.00	PASS	
		6	0	20.77	20.89	20.84	-1.25	0.9	19.52	19.64	19.59	50.00	PASS
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi) 3) ERP = Conducted output power + Antenna gain (dBd)												

Test Band: 26a 3MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	22.89	22.90	22.82	-1.25	0.9	21.64	21.65	21.57	50.00	PASS	
		7	22.95	23.01	22.95	-1.25	0.9	21.70	21.76	21.70	50.00	PASS	
		14	22.76	22.88	22.79	-1.25	0.9	21.51	21.63	21.54	50.00	PASS	
	8	0	21.83	21.85	21.82	-1.25	0.9	20.58	20.60	20.57	50.00	PASS	
		4	21.86	21.89	21.85	-1.25	0.9	20.61	20.64	20.60	50.00	PASS	
		7	21.84	21.84	21.79	-1.25	0.9	20.59	20.59	20.54	50.00	PASS	
	15	0	21.81	21.86	21.81	-1.25	0.9	20.56	20.61	20.56	50.00	PASS	
			22.38	21.87	22.01	-1.25	0.9	21.13	20.62	20.76	50.00	PASS	
16QAM	1	7	22.50	22.01	22.10	-1.25	0.9	21.25	20.76	20.85	50.00	PASS	
		14	22.36	21.84	21.95	-1.25	0.9	21.11	20.59	20.70	50.00	PASS	
		0	21.00	20.89	20.80	-1.25	0.9	19.75	19.64	19.55	50.00	PASS	
	8	4	21.04	20.95	20.81	-1.25	0.9	19.79	19.70	19.56	50.00	PASS	
		7	20.99	20.89	20.76	-1.25	0.9	19.74	19.64	19.51	50.00	PASS	
		15	0	20.93	20.91	20.78	-1.25	0.9	19.68	19.66	19.53	50.00	PASS
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi) 3) ERP = Conducted output power + Antenna gain (dBd)												

Test Band: 26a 5MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.78	22.76	22.80	-1.25	0.9	21.53	21.51	21.55	50.00	PASS
		13	22.85	22.85	22.85	-1.25	0.9	21.60	21.60	21.60	50.00	PASS
		24	22.79	22.74	22.73	-1.25	0.9	21.54	21.49	21.48	50.00	PASS
	12	0	21.81	21.82	21.84	-1.25	0.9	20.56	20.57	20.59	50.00	PASS
		6	21.88	21.90	21.90	-1.25	0.9	20.63	20.65	20.65	50.00	PASS
		13	21.84	21.85	21.81	-1.25	0.9	20.59	20.60	20.56	50.00	PASS
16QAM	25	0	21.85	21.88	21.81	-1.25	0.9	20.60	20.63	20.56	50.00	PASS
			21.87	22.06	21.66	-1.25	0.9	20.62	20.81	20.41	50.00	PASS
		13	22.00	22.13	21.71	-1.25	0.9	20.75	20.88	20.46	50.00	PASS

	12	24	21.90	22.00	21.58	-1.25	0.9	20.65	20.75	20.33	50.00	PASS
		0	20.80	20.83	20.79	-1.25	0.9	19.55	19.58	19.54	50.00	PASS
		6	20.88	20.95	20.88	-1.25	0.9	19.63	19.70	19.63	50.00	PASS
		13	20.85	20.87	20.77	-1.25	0.9	19.60	19.62	19.52	50.00	PASS
	25	0	20.91	20.86	20.84	-1.25	0.9	19.66	19.61	19.59	50.00	PASS

Note:

1) dBd = dBi - 2.15

2) EIRP = Conducted output power + Antenna gain (dBi)

3) ERP = Conducted output power + Antenna gain (dBd)

Test Band: 26a 10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	/	22.88	/	-1.25	0.9	/	21.63	/	50.00	PASS
		25	/	23.02	/	-1.25	0.9	/	21.77	/	50.00	PASS
		49	/	22.82	/	-1.25	0.9	/	21.57	/	50.00	PASS
	25	0	/	21.81	/	-1.25	0.9	/	20.56	/	50.00	PASS
		13	/	21.88	/	-1.25	0.9	/	20.63	/	50.00	PASS
		25	/	21.88	/	-1.25	0.9	/	20.63	/	50.00	PASS
16QAM	1	0	/	21.84	/	-1.25	0.9	/	20.59	/	50.00	PASS
			/	21.91	/	-1.25	0.9	/	20.66	/	50.00	PASS
		25	/	21.95	/	-1.25	0.9	/	20.70	/	50.00	PASS
	25	49	/	21.83	/	-1.25	0.9	/	20.58	/	50.00	PASS
		0	/	20.91	/	-1.25	0.9	/	19.66	/	50.00	PASS
		13	/	20.98	/	-1.25	0.9	/	19.73	/	50.00	PASS
		25	/	20.97	/	-1.25	0.9	/	19.72	/	50.00	PASS
	50	0	/	20.87	/	-1.25	0.9	/	19.62	/	50.00	PASS

Note:

1) dBd = dBi - 2.15

2) EIRP = Conducted output power + Antenna gain (dBi)

3) ERP = Conducted output power + Antenna gain (dBd)

Test Band: 26b 1.4MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.25	22.24	22.26	-1.25	0.9	21.00	20.99	21.01	38.45	PASS
		2	22.36	22.32	22.29	-1.25	0.9	21.11	21.07	21.04	38.45	PASS
		5	22.28	22.22	22.22	-1.25	0.9	21.03	20.97	20.97	38.45	PASS
	3	0	22.36	22.35	22.40	-1.25	0.9	21.11	21.10	21.15	38.45	PASS
		2	22.35	22.39	22.39	-1.25	0.9	21.10	21.14	21.14	38.45	PASS
		3	22.30	22.33	22.34	-1.25	0.9	21.05	21.08	21.09	38.45	PASS
16QAM	1	0	21.29	21.30	21.30	-1.25	0.9	20.04	20.05	20.05	38.45	PASS
			21.90	21.93	21.62	-1.25	0.9	20.65	20.68	20.37	38.45	PASS
		2	22.03	22.05	21.35	-1.25	0.9	20.78	20.80	20.10	38.45	PASS
	3	5	21.92	21.89	21.22	-1.25	0.9	20.67	20.64	19.97	38.45	PASS
		0	21.77	21.87	21.59	-1.25	0.9	20.52	20.62	20.34	38.45	PASS
		2	21.71	21.89	21.59	-1.25	0.9	20.46	20.64	20.34	38.45	PASS
	6	3	21.57	21.87	21.56	-1.25	0.9	20.32	20.62	20.31	38.45	PASS
		0	20.63	20.78	20.33	-1.25	0.9	19.38	19.53	19.08	38.45	PASS

Note:

1) dBd = dBi - 2.15

2) EIRP = Conducted output power + Antenna gain (dBi)

3) ERP = Conducted output power + Antenna gain (dBd)

Test Band: 26b 3MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.81	22.38	22.30	-1.25	0.9	21.56	21.13	21.05	38.45	PASS
		7	22.69	22.43	22.44	-1.25	0.9	21.44	21.18	21.19	38.45	PASS
		14	22.29	22.32	22.25	-1.25	0.9	21.04	21.07	21.00	38.45	PASS
	8	0	21.40	21.30	21.34	-1.25	0.9	20.15	20.05	20.09	38.45	PASS
		4	21.35	21.30	21.37	-1.25	0.9	20.10	20.05	20.12	38.45	PASS
		7	21.30	21.29	21.30	-1.25	0.9	20.05	20.04	20.05	38.45	PASS
16QAM	15	0	21.29	21.33	21.34	-1.25	0.9	20.04	20.08	20.09	38.45	PASS
			22.29	21.48	21.51	-1.25	0.9	21.04	20.23	20.26	38.45	PASS
			22.31	21.45	21.65	-1.25	0.9	21.06	20.20	20.40	38.45	PASS
	1	7	21.98	21.32	21.45	-1.25	0.9	20.73	20.07	20.20	38.45	PASS
		14	20.48	20.37	20.35	-1.25	0.9	19.23	19.12	19.10	38.45	PASS
		0	20.62	20.40	20.37	-1.25	0.9	19.37	19.15	19.12	38.45	PASS
	8	4	20.49	20.40	20.30	-1.25	0.9	19.24	19.15	19.05	38.45	PASS
		7	20.39	20.39	20.34	-1.25	0.9	19.14	19.14	19.09	38.45	PASS
		0										

Note:

1) dBd = dBi - 2.15

2) EIRP = Conducted output power + Antenna gain (dBi)

3) ERP = Conducted output power + Antenna gain (dBd)

Test Band: 26b 5MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.23	22.23	22.23	-1.25	0.9	20.98	20.98	20.98	38.45	PASS
		13	22.32	22.29	22.34	-1.25	0.9	21.07	21.04	21.09	38.45	PASS
		24	22.20	22.27	22.20	-1.25	0.9	20.95	21.02	20.95	38.45	PASS
	12	0	21.35	21.32	21.41	-1.25	0.9	20.10	20.07	20.16	38.45	PASS
		6	21.32	21.37	21.35	-1.25	0.9	20.07	20.12	20.10	38.45	PASS
		13	21.23	21.27	21.31	-1.25	0.9	19.98	20.02	20.06	38.45	PASS
16QAM	25	0	21.26	21.34	21.38	-1.25	0.9	20.01	20.09	20.13	38.45	PASS
			21.60	21.67	21.58	-1.25	0.9	20.35	20.42	20.33	38.45	PASS
			21.65	21.49	21.63	-1.25	0.9	20.40	20.24	20.38	38.45	PASS
	1	13	21.52	21.34	21.50	-1.25	0.9	20.27	20.09	20.25	38.45	PASS
		24	20.68	20.34	20.48	-1.25	0.9	19.43	19.09	19.23	38.45	PASS
		0	20.70	20.36	20.43	-1.25	0.9	19.45	19.11	19.18	38.45	PASS
	12	6	20.53	20.28	20.38	-1.25	0.9	19.28	19.03	19.13	38.45	PASS
		13	20.62	20.39	20.41	-1.25	0.9	19.37	19.14	19.16	38.45	PASS
		0										

Note:

1) dBd = dBi - 2.15

2) EIRP = Conducted output power + Antenna gain (dBi)

3) ERP = Conducted output power + Antenna gain (dBd)

Test Band: 26b 10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.29	22.36	22.28	-1.25	0.9	21.04	21.11	21.03	38.45	PASS
		25	22.36	22.40	22.40	-1.25	0.9	21.11	21.15	21.15	38.45	PASS
		49	22.23	22.23	22.23	-1.25	0.9	20.98	20.98	20.98	38.45	PASS
	25	0	21.39	21.36	21.46	-1.25	0.9	20.14	20.11	20.21	38.45	PASS
		13	21.27	21.36	21.34	-1.25	0.9	20.02	20.11	20.09	38.45	PASS
		25	21.26	21.30	21.28	-1.25	0.9	20.01	20.05	20.03	38.45	PASS
16QAM	50	0	21.34	21.34	21.37	-1.25	0.9	20.09	20.09	20.12	38.45	PASS
			22.27	21.55	21.48	-1.25	0.9	21.02	20.30	20.23	38.45	PASS
		25	22.16	21.46	21.58	-1.25	0.9	20.91	20.21	20.33	38.45	PASS

	25	49	21.96	21.25	21.48	-1.25	0.9	20.71	20.00	20.23	38.45	PASS
		0	20.65	20.46	20.49	-1.25	0.9	19.40	19.21	19.24	38.45	PASS
		13	20.40	20.47	20.38	-1.25	0.9	19.15	19.22	19.13	38.45	PASS
		25	20.36	20.39	20.32	-1.25	0.9	19.11	19.14	19.07	38.45	PASS
	50	0	20.39	20.38	20.43	-1.25	0.9	19.14	19.13	19.18	38.45	PASS

Note:

1) dBd = dBi - 2.15

2) EIRP = Conducted output power + Antenna gain (dBi)

3) ERP = Conducted output power + Antenna gain (dBd)

Test Band: 26c 15MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.17	22.16	22.13	-1.25	0.9	20.92	20.91	20.88	38.45	PASS
		38	22.25	22.21	22.15	-1.25	0.9	21.00	20.96	20.90	38.45	PASS
		74	22.05	22.03	22.01	-1.25	0.9	20.80	20.78	20.76	38.45	PASS
	36	0	21.25	21.35	21.26	-1.25	0.9	20.00	20.10	20.01	38.45	PASS
		18	21.28	21.29	21.26	-1.25	0.9	20.03	20.04	20.01	38.45	PASS
		39	21.21	21.26	21.12	-1.25	0.9	19.96	20.01	19.87	38.45	PASS
	75	0	21.24	21.28	21.25	-1.25	0.9	19.99	20.03	20.00	38.45	PASS
16QAM	1	0	21.33	21.72	21.56	-1.25	0.9	20.08	20.47	20.31	38.45	PASS
		38	21.43	21.77	21.59	-1.25	0.9	20.18	20.52	20.34	38.45	PASS
		74	21.22	21.61	21.46	-1.25	0.9	19.97	20.36	20.21	38.45	PASS
	36	0	20.26	20.33	20.27	-1.25	0.9	19.01	19.08	19.02	38.45	PASS
		18	20.27	20.25	20.24	-1.25	0.9	19.02	19.00	18.99	38.45	PASS
		39	20.26	20.28	20.13	-1.25	0.9	19.01	19.03	18.88	38.45	PASS
	75	0	20.29	20.24	20.20	-1.25	0.9	19.04	18.99	18.95	38.45	PASS

Note:

1) dBd = dBi - 2.15

2) EIRP = Conducted output power + Antenna gain (dBi)

3) ERP = Conducted output power + Antenna gain (dBd)

Test Band: 38 5MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.03	23.04	22.93	/	4.65	27.68	27.69	27.58	33.01	PASS
		13	23.19	23.09	23.16	/	4.65	27.84	27.74	27.81	33.01	PASS
		24	22.90	23.04	23.00	/	4.65	27.55	27.69	27.65	33.01	PASS
	12	0	22.03	22.09	22.00	/	4.65	26.68	26.74	26.65	33.01	PASS
		6	22.05	22.05	22.03	/	4.65	26.7	26.7	26.68	33.01	PASS
		13	22.05	22.09	21.99	/	4.65	26.7	26.74	26.64	33.01	PASS
	25	0	22.01	22.11	21.98	/	4.65	26.66	26.76	26.63	33.01	PASS
16QAM	1	0	22.21	22.04	22.03	/	4.65	26.86	26.69	26.68	33.01	PASS
		13	22.32	22.21	22.18	/	4.65	26.97	26.86	26.83	33.01	PASS
		24	22.19	22.11	22.00	/	4.65	26.84	26.76	26.65	33.01	PASS
	12	0	21.03	21.05	20.99	/	4.65	25.68	25.7	25.64	33.01	PASS
		6	21.12	20.99	21.05	/	4.65	25.77	25.64	25.7	33.01	PASS
		13	20.99	21.09	20.98	/	4.65	25.64	25.74	25.63	33.01	PASS
	25	0	21.05	21.14	21.00	/	4.65	25.7	25.79	25.65	33.01	PASS

Note:

1) dBd = dBi - 2.15

2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 38 10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.08	23.08	23.12	/	4.65	27.73	27.73	27.77	33.01	PASS

		25	23.44	23.27	23.32	/	4.65	28.09	27.92	27.97	33.01	PASS
		49	23.07	23.08	23.08	/	4.65	27.72	27.73	27.73	33.01	PASS
	25	0	22.07	22.09	22.08	/	4.65	26.72	26.74	26.73	33.01	PASS
		13	22.07	22.12	22.06	/	4.65	26.72	26.77	26.71	33.01	PASS
		25	22.12	22.11	22.03	/	4.65	26.77	26.76	26.68	33.01	PASS
50	0	22.08	22.13	22.09	/	4.65	26.73	26.78	26.74	33.01	PASS	
22.44		22.16	21.95	/	4.65	27.09	26.81	26.6	33.01	PASS		
16QAM	1	25	22.15	22.21	22.45	/	4.65	26.8	26.86	27.1	33.01	PASS
		49	22.16	21.99	22.13	/	4.65	26.81	26.64	26.78	33.01	PASS
		0	21.14	21.09	21.11	/	4.65	25.79	25.74	25.76	33.01	PASS
	25	13	21.08	21.08	21.04	/	4.65	25.73	25.73	25.69	33.01	PASS
		25	21.08	21.08	21.07	/	4.65	25.73	25.73	25.72	33.01	PASS
		50	0	21.13	21.13	21.03	/	4.65	25.78	25.78	25.68	33.01
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)											

Test Band: 38 15MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.00	23.11	23.00	/	4.65	27.65	27.76	27.65	33.01	PASS
		38	23.24	23.17	23.13	/	4.65	27.89	27.82	27.78	33.01	PASS
		74	22.99	23.00	22.95	/	4.65	27.64	27.65	27.6	33.01	PASS
	36	0	22.16	22.20	22.15	/	4.65	26.81	26.85	26.8	33.01	PASS
		18	22.18	22.12	22.25	/	4.65	26.83	26.77	26.9	33.01	PASS
		39	22.17	22.13	22.17	/	4.65	26.82	26.78	26.82	33.01	PASS
	75	0	22.21	22.22	22.24	/	4.65	26.86	26.87	26.89	33.01	PASS
16QAM	1		22.22	21.96	22.10	/	4.65	26.87	26.61	26.75	33.01	PASS
		38	22.20	22.15	22.21	/	4.65	26.85	26.8	26.86	33.01	PASS
		74	22.01	21.85	22.05	/	4.65	26.66	26.5	26.7	33.01	PASS
	36	0	21.13	21.08	21.12	/	4.65	25.78	25.73	25.77	33.01	PASS
		18	21.18	21.05	21.13	/	4.65	25.83	25.7	25.78	33.01	PASS
		39	21.06	21.09	21.09	/	4.65	25.71	25.74	25.74	33.01	PASS
	75	0	21.15	21.15	21.11	/	4.65	25.8	25.8	25.76	33.01	PASS

Note:
1) dBd = dBi - 2.15
2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 38 20MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.97	22.87	22.89	/	4.65	27.62	27.52	27.54	33.01	PASS
		50	23.31	23.28	23.22	/	4.65	27.96	27.93	27.87	33.01	PASS
		99	22.91	22.84	22.89	/	4.65	27.56	27.49	27.54	33.01	PASS
	50	0	22.09	22.12	22.03	/	4.65	26.74	26.77	26.68	33.01	PASS
		25	22.10	22.08	22.05	/	4.65	26.75	26.73	26.7	33.01	PASS
		50	22.07	21.99	21.98	/	4.65	26.72	26.64	26.63	33.01	PASS
	100	0	22.04	22.05	22.02	/	4.65	26.69	26.7	26.67	33.01	PASS
16QAM	1		21.91	21.87	21.96	/	4.65	26.56	26.52	26.61	33.01	PASS
		50	22.33	22.17	22.21	/	4.65	26.98	26.82	26.86	33.01	PASS
		99	21.88	21.76	21.85	/	4.65	26.53	26.41	26.5	33.01	PASS
	50	0	21.10	21.10	21.02	/	4.65	25.75	25.75	25.67	33.01	PASS
		25	21.06	21.09	21.08	/	4.65	25.71	25.74	25.73	33.01	PASS
		50	21.00	21.03	21.00	/	4.65	25.65	25.68	25.65	33.01	PASS
	100	0	21.09	21.03	20.97	/	4.65	25.74	25.68	25.62	33.01	PASS

Note:
1) dBd = dBi - 2.15
2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 41 5MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	23.78	23.73	23.62	/	4.71	28.49	28.44	28.33	33.01	PASS	
		13	23.86	23.88	23.74	/	4.71	28.57	28.59	28.45	33.01	PASS	
		24	23.60	23.68	23.79	/	4.71	28.31	28.39	28.5	33.01	PASS	
	12	0	22.83	22.78	22.88	/	4.71	27.54	27.49	27.59	33.01	PASS	
		6	22.86	22.78	22.79	/	4.71	27.57	27.49	27.5	33.01	PASS	
		13	22.74	22.72	22.82	/	4.71	27.45	27.43	27.53	33.01	PASS	
	25	0	22.84	22.73	22.85	/	4.71	27.55	27.44	27.56	33.01	PASS	
			22.92	22.82	22.77	/	4.71	27.63	27.53	27.48	33.01	PASS	
16QAM	1	13	22.78	22.85	22.94	/	4.71	27.49	27.56	27.65	33.01	PASS	
		24	22.84	22.74	22.85	/	4.71	27.55	27.45	27.56	33.01	PASS	
		0	21.80	21.72	21.78	/	4.71	26.51	26.43	26.49	33.01	PASS	
	12	6	21.79	21.76	21.89	/	4.71	26.5	26.47	26.6	33.01	PASS	
		13	21.81	21.74	21.69	/	4.71	26.52	26.45	26.4	33.01	PASS	
		25	0	21.87	21.72	21.80	/	4.71	26.58	26.43	26.51	33.01	PASS
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 41_10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.90	23.79	23.78	/	4.71	28.61	28.5	28.49	33.01	PASS
		25	24.16	24.11	24.00	/	4.71	28.87	28.82	28.71	33.01	PASS
		49	23.75	23.77	23.82	/	4.71	28.46	28.48	28.53	33.01	PASS
	25	0	22.83	22.86	22.89	/	4.71	27.54	27.57	27.6	33.01	PASS
		13	22.86	22.83	22.87	/	4.71	27.57	27.54	27.58	33.01	PASS
		25	22.88	22.81	22.74	/	4.71	27.59	27.52	27.45	33.01	PASS
	50	0	22.79	22.86	22.90	/	4.71	27.5	27.57	27.61	33.01	PASS
			23.19	22.90	22.95	/	4.71	27.9	27.61	27.66	33.01	PASS
	16QAM	1	25	23.14	22.96	23.21	/	4.71	27.85	27.67	27.92	33.01
49			22.84	22.74	22.97	/	4.71	27.55	27.45	27.68	33.01	PASS
0			21.86	21.85	21.98	/	4.71	26.57	26.56	26.69	33.01	PASS
25		13	21.79	21.82	21.90	/	4.71	26.5	26.53	26.61	33.01	PASS
		25	21.88	21.87	21.84	/	4.71	26.59	26.58	26.55	33.01	PASS
50		0	21.85	21.85	21.84	/	4.71	26.56	26.56	26.55	33.01	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 41 15MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.70	23.83	23.76	/	4.71	28.41	28.54	28.47	33.01	PASS
		38	23.79	23.84	23.86	/	4.71	28.5	28.55	28.57	33.01	PASS
		74	23.65	23.77	23.64	/	4.71	28.36	28.48	28.35	33.01	PASS
	36	0	22.86	22.84	22.98	/	4.71	27.57	27.55	27.69	33.01	PASS
		18	22.87	22.89	22.85	/	4.71	27.58	27.6	27.56	33.01	PASS
		39	22.94	22.83	22.85	/	4.71	27.65	27.54	27.56	33.01	PASS
16QAM	75	0	22.87	22.88	22.89	/	4.71	27.58	27.59	27.6	33.01	PASS
			22.69	22.91	22.85	/	4.71	27.4	27.62	27.56	33.01	PASS
		38	22.95	22.94	22.78	/	4.71	27.66	27.65	27.49	33.01	PASS
	36	74	22.87	22.56	22.63	/	4.71	27.58	27.27	27.34	33.01	PASS
		0	21.77	21.81	21.88	/	4.71	26.48	26.52	26.59	33.01	PASS
		18	21.79	21.76	21.86	/	4.71	26.5	26.47	26.57	33.01	PASS

		39	21.80	21.84	21.77	/	4.71	26.51	26.55	26.48	33.01	PASS
	75	0	21.79	21.77	21.89	/	4.71	26.5	26.48	26.6	33.01	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 41 20MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.58	23.57	20.41	/	4.71	28.29	28.28	25.12	33.01	PASS
		50	23.84	23.36	20.90	/	4.71	28.55	28.07	25.61	33.01	PASS
		99	23.57	20.14	20.40	/	4.71	28.28	24.85	25.11	33.01	PASS
	50	0	22.67	22.79	22.92	/	4.71	27.38	27.5	27.63	33.01	PASS
		25	22.76	22.59	22.89	/	4.71	27.47	27.3	27.6	33.01	PASS
		50	22.83	19.77	22.72	/	4.71	27.54	24.48	27.43	33.01	PASS
16QAM	1	0	22.75	19.90	22.79	/	4.71	27.46	24.61	27.5	33.01	PASS
			22.70	22.27	22.44	/	4.71	27.41	26.98	27.15	33.01	PASS
		50	22.96	23.17	23.25	/	4.71	27.67	27.88	27.96	33.01	PASS
	50	99	22.91	22.65	22.55	/	4.71	27.62	27.36	27.26	33.01	PASS
		0	21.70	21.81	21.86	/	4.71	26.41	26.52	26.57	33.01	PASS
		25	21.79	21.77	21.89	/	4.71	26.5	26.48	26.6	33.01	PASS
		50	21.79	21.72	21.75	/	4.71	26.5	26.43	26.46	33.01	PASS
	100	0	21.74	21.77	21.83	/	4.71	26.45	26.48	26.54	33.01	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 66 1.4MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.27	23.04	22.93	/	4.03	27.3	27.07	26.96	30.00	PASS
		2	23.38	23.14	23.04	/	4.03	27.41	27.17	27.07	30.00	PASS
		5	23.23	23.02	22.93	/	4.03	27.26	27.05	26.96	30.00	PASS
	3	0	23.22	23.13	23.04	/	4.03	27.25	27.16	27.07	30.00	PASS
		2	23.28	23.13	23.05	/	4.03	27.31	27.16	27.08	30.00	PASS
		3	23.25	23.12	23.01	/	4.03	27.28	27.15	27.04	30.00	PASS
	6	0	22.28	22.12	22.04	/	4.03	26.31	26.15	26.07	30.00	PASS
			22.15	22.15	21.89	/	4.03	26.18	26.18	25.92	30.00	PASS
16QAM	1	2	22.23	22.25	22.01	/	4.03	26.26	26.28	26.04	30.00	PASS
		5	22.22	22.15	21.93	/	4.03	26.25	26.18	25.96	30.00	PASS
		3	0	22.24	22.09	22.17	/	4.03	26.27	26.12	26.2	30.00
	2		22.27	22.13	22.22	/	4.03	26.3	26.16	26.25	30.00	PASS
	3		22.19	22.07	22.19	/	4.03	26.22	26.1	26.22	30.00	PASS
	6	0	21.15	21.11	20.96	/	4.03	25.18	25.14	24.99	30.00	PASS
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)											

Test Band: 66 3MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.21	23.07	23.05	/	4.03	27.24	27.1	27.08	30.00	PASS
		7	23.35	23.16	23.06	/	4.03	27.38	27.19	27.09	30.00	PASS
		14	23.17	22.99	22.90	/	4.03	27.2	27.02	26.93	30.00	PASS
	8	0	22.23	22.08	22.00	/	4.03	26.26	26.11	26.03	30.00	PASS
		4	22.27	22.08	22.06	/	4.03	26.3	26.11	26.09	30.00	PASS

		7	22.21	22.06	22.00	/	4.03	26.24	26.09	26.03	30.00	PASS
	15	0	22.17	22.05	21.96	/	4.03	26.2	26.08	25.99	30.00	PASS
16QAM	1		22.33	22.56	21.98	/	4.03	26.36	26.59	26.01	30.00	PASS
		7	22.46	22.69	22.16	/	4.03	26.49	26.72	26.19	30.00	PASS
		14	22.30	22.48	21.95	/	4.03	26.33	26.51	25.98	30.00	PASS
	8	0	21.16	21.19	21.06	/	4.03	25.19	25.22	25.09	30.00	PASS
		4	21.21	21.24	21.08	/	4.03	25.24	25.27	25.11	30.00	PASS
		7	21.17	21.17	21.03	/	4.03	25.2	25.2	25.06	30.00	PASS
		15	0	21.12	21.10	21.02	/	4.03	25.15	25.13	25.05	30.00
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)											

Test Band: 66 5MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.10	22.99	22.87	/	4.03	27.13	27.02	26.9	30.00	PASS
		13	23.25	22.89	22.67	/	4.03	27.28	26.92	26.7	30.00	PASS
		24	23.02	22.62	22.44	/	4.03	27.05	26.65	26.47	30.00	PASS
	12	0	22.04	22.05	21.75	/	4.03	26.07	26.08	25.78	30.00	PASS
		6	22.00	22.10	21.97	/	4.03	26.03	26.13	26	30.00	PASS
		13	21.90	22.10	21.94	/	4.03	25.93	26.13	25.97	30.00	PASS
	25	0	21.76	22.05	21.93	/	4.03	25.79	26.08	25.96	30.00	PASS
1	21.93		22.07	22.11	/	4.03	25.96	26.1	26.14	30.00	PASS	
16QAM	1	13	22.07	22.18	22.22	/	4.03	26.1	26.21	26.25	30.00	PASS
		24	21.95	22.01	22.08	/	4.03	25.98	26.04	26.11	30.00	PASS
		12	0	21.13	21.02	20.94	/	4.03	25.16	25.05	24.97	30.00
	12	6	21.20	21.05	21.03	/	4.03	25.23	25.08	25.06	30.00	PASS
		13	21.15	21.03	20.97	/	4.03	25.18	25.06	25	30.00	PASS
		25	0	21.19	21.07	20.93	/	4.03	25.22	25.1	24.96	30.00
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)											

Test Band: 66 10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.10	22.94	22.64	/	4.03	27.13	26.97	26.67	30.00	PASS
		25	22.94	22.83	22.58	/	4.03	26.97	26.86	26.61	30.00	PASS
		49	22.61	22.47	22.41	/	4.03	26.64	26.5	26.44	30.00	PASS
	25	0	21.77	21.92	21.55	/	4.03	25.8	25.95	25.58	30.00	PASS
		13	21.89	22.01	21.63	/	4.03	25.92	26.04	25.66	30.00	PASS
		25	22.04	22.06	21.82	/	4.03	26.07	26.09	25.85	30.00	PASS
	50	0	22.01	22.02	21.85	/	4.03	26.04	26.05	25.88	30.00	PASS
	22.64		22.07	22.10	/	4.03	26.67	26.1	26.13	30.00	PASS	
16QAM	1	25	22.80	22.10	22.06	/	4.03	26.83	26.13	26.09	30.00	PASS
		49	22.60	21.84	21.82	/	4.03	26.63	25.87	25.85	30.00	PASS
		0	21.25	21.18	21.03	/	4.03	25.28	25.21	25.06	30.00	PASS
	25	13	21.27	21.18	20.97	/	4.03	25.3	25.21	25	30.00	PASS
		25	21.37	21.19	21.04	/	4.03	25.4	25.22	25.07	30.00	PASS
	50	0	21.28	21.12	21.02	/	4.03	25.31	25.15	25.05	30.00	PASS
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)											

Test Band: 66 15MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.02	22.82	22.70	/	4.03	27.05	26.85	26.73	30.00	PASS
		38	22.90	22.59	22.49	/	4.03	26.93	26.62	26.52	30.00	PASS
		74	22.91	22.49	22.33	/	4.03	26.94	26.52	26.36	30.00	PASS
	36	0	22.09	22.11	21.81	/	4.03	26.12	26.14	25.84	30.00	PASS
		18	22.23	21.99	21.92	/	4.03	26.26	26.02	25.95	30.00	PASS
		39	22.31	22.12	21.78	/	4.03	26.34	26.15	25.81	30.00	PASS
	75	0	22.27	22.05	21.89	/	4.03	26.3	26.08	25.92	30.00	PASS
	22.59		22.33	22.00	/	4.03	26.62	26.36	26.03	30.00	PASS	
16QAM	1	38	22.67	22.37	21.97	/	4.03	26.7	26.4	26	30.00	PASS
		74	22.49	22.16	21.71	/	4.03	26.52	26.19	25.74	30.00	PASS
		0	21.22	21.14	21.14	/	4.03	25.25	25.17	25.17	30.00	PASS
	36	18	21.25	21.07	21.03	/	4.03	25.28	25.1	25.06	30.00	PASS
		39	21.29	21.09	21.06	/	4.03	25.32	25.12	25.09	30.00	PASS
		75	0	21.28	21.11	21.12	/	4.03	25.31	25.14	25.15	30.00
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)											

Test Band: 66 20MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.59	22.43	22.40	/	4.03	26.62	26.46	26.43	30.00	PASS
		50	23.07	22.72	22.63	/	4.03	27.1	26.75	26.66	30.00	PASS
		99	22.34	22.11	22.15	/	4.03	26.37	26.14	26.18	30.00	PASS
	50	0	21.70	21.74	21.75	/	4.03	25.73	25.77	25.78	30.00	PASS
		25	22.04	21.75	21.63	/	4.03	26.07	25.78	25.66	30.00	PASS
		50	22.05	21.86	21.59	/	4.03	26.08	25.89	25.62	30.00	PASS
	100	0	21.96	21.86	21.67	/	4.03	25.99	25.89	25.7	30.00	PASS
			22.18	22.34	21.82	/	4.03	26.21	26.37	25.85	30.00	PASS
16QAM	1	50	22.56	22.69	22.23	/	4.03	26.59	26.72	26.26	30.00	PASS
		99	22.04	22.06	21.48	/	4.03	26.07	26.09	25.51	30.00	PASS
		0	21.06	21.06	21.15	/	4.03	25.09	25.09	25.18	30.00	PASS
	50	25	21.19	21.09	20.97	/	4.03	25.22	25.12	25	30.00	PASS
		50	21.20	21.16	20.83	/	4.03	25.23	25.19	24.86	30.00	PASS
	100	0	21.15	21.15	21.06	/	4.03	25.18	25.18	25.09	30.00	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												