

1. Effective (Isotropic) Radiated Power Output Data

1.1 B12_1.4MHz_ERP

1.1.1 Test Result

Band: 12 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	699.7	1	0	24.44	-0.40	21.89	<=34.77	Pass
			2	24.34	-0.40	21.79	<=34.77	Pass
			5	24.40	-0.40	21.85	<=34.77	Pass
		3	0	24.53	-0.40	21.98	<=34.77	Pass
			2	24.49	-0.40	21.94	<=34.77	Pass
			3	24.43	-0.40	21.88	<=34.77	Pass
		6	0	23.70	-0.40	21.15	<=34.77	Pass
	707.5	1	0	24.48	-0.40	21.93	<=34.77	Pass
			2	24.63	-0.40	22.08	<=34.77	Pass
			5	24.68	-0.40	22.13	<=34.77	Pass
		3	0	24.35	-0.40	21.80	<=34.77	Pass
			2	24.59	-0.40	22.04	<=34.77	Pass
			3	24.60	-0.40	22.05	<=34.77	Pass
		6	0	23.59	-0.40	21.04	<=34.77	Pass
	715.3	1	0	24.36	-0.40	21.81	<=34.77	Pass
			2	24.29	-0.40	21.74	<=34.77	Pass
			5	24.28	-0.40	21.73	<=34.77	Pass
		3	0	24.33	-0.40	21.78	<=34.77	Pass
			2	24.43	-0.40	21.88	<=34.77	Pass
			3	24.27	-0.40	21.72	<=34.77	Pass
		6	0	23.41	-0.40	20.86	<=34.77	Pass
16QAM	699.7	1	0	23.71	-0.40	21.16	<=34.77	Pass
			2	23.72	-0.40	21.17	<=34.77	Pass
			5	23.56	-0.40	21.01	<=34.77	Pass
		3	0	23.64	-0.40	21.09	<=34.77	Pass
			2	23.72	-0.40	21.17	<=34.77	Pass
			3	23.65	-0.40	21.10	<=34.77	Pass
		6	0	22.70	-0.40	20.15	<=34.77	Pass
	707.5	1	0	23.43	-0.40	20.88	<=34.77	Pass
			2	23.51	-0.40	20.96	<=34.77	Pass
			5	23.47	-0.40	20.92	<=34.77	Pass
		3	0	23.35	-0.40	20.80	<=34.77	Pass
			2	23.48	-0.40	20.93	<=34.77	Pass
			3	23.43	-0.40	20.88	<=34.77	Pass
		6	0	22.30	-0.40	19.75	<=34.77	Pass
	715.3	1	0	23.90	-0.40	21.35	<=34.77	Pass
			2	24.02	-0.40	21.47	<=34.77	Pass
			5	24.02	-0.40	21.47	<=34.77	Pass
		3	0	23.28	-0.40	20.73	<=34.77	Pass
			2	23.32	-0.40	20.77	<=34.77	Pass
			3	23.31	-0.40	20.76	<=34.77	Pass
		6	0	22.51	-0.40	19.96	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.2 B12_3MHz_ERP

1.2.1 Test Result

Band: 12 / Bandwidth: 3MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	700.5	1	0	24.32	-0.40	21.77	<=34.77	Pass	
			7	24.60	-0.40	22.05	<=34.77	Pass	
			14	24.47	-0.40	21.92	<=34.77	Pass	
		8	0	23.60	-0.40	21.05	<=34.77	Pass	
			4	23.52	-0.40	20.97	<=34.77	Pass	
			7	23.57	-0.40	21.02	<=34.77	Pass	
		15	0	23.58	-0.40	21.03	<=34.77	Pass	
		707.5	1	0	24.35	-0.40	21.80	<=34.77	Pass
				7	24.55	-0.40	22.00	<=34.77	Pass
	14			24.21	-0.40	21.66	<=34.77	Pass	
	8		0	23.60	-0.40	21.05	<=34.77	Pass	
			4	23.54	-0.40	20.99	<=34.77	Pass	
			7	23.53	-0.40	20.98	<=34.77	Pass	
	15	0	23.50	-0.40	20.95	<=34.77	Pass		
	714.5	1	0	24.40	-0.40	21.85	<=34.77	Pass	
			7	24.47	-0.40	21.92	<=34.77	Pass	
			14	24.49	-0.40	21.94	<=34.77	Pass	
		8	0	23.50	-0.40	20.95	<=34.77	Pass	
			4	23.49	-0.40	20.94	<=34.77	Pass	
			7	23.41	-0.40	20.86	<=34.77	Pass	
	15	0	23.38	-0.40	20.83	<=34.77	Pass		
16QAM	700.5	1	0	23.64	-0.40	21.09	<=34.77	Pass	
			7	23.49	-0.40	20.94	<=34.77	Pass	
			14	23.41	-0.40	20.86	<=34.77	Pass	
		8	0	22.87	-0.40	20.32	<=34.77	Pass	
			4	22.67	-0.40	20.12	<=34.77	Pass	
			7	22.54	-0.40	19.99	<=34.77	Pass	
		15	0	22.66	-0.40	20.11	<=34.77	Pass	
		707.5	1	0	23.63	-0.40	21.08	<=34.77	Pass
				7	23.74	-0.40	21.19	<=34.77	Pass
	14			23.52	-0.40	20.97	<=34.77	Pass	
	8		0	22.80	-0.40	20.25	<=34.77	Pass	
			4	22.64	-0.40	20.09	<=34.77	Pass	
			7	22.51	-0.40	19.96	<=34.77	Pass	
	15	0	22.36	-0.40	19.81	<=34.77	Pass		
	714.5	1	0	23.88	-0.40	21.33	<=34.77	Pass	
			7	24.14	-0.40	21.59	<=34.77	Pass	
			14	23.82	-0.40	21.27	<=34.77	Pass	
		8	0	22.49	-0.40	19.94	<=34.77	Pass	
			4	22.70	-0.40	20.15	<=34.77	Pass	
			7	22.81	-0.40	20.26	<=34.77	Pass	
	15	0	22.47	-0.40	19.92	<=34.77	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.3 B12_5MHz_ERP

1.3.1 Test Result

Band: 12 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	701.5	1	0	24.36	-0.40	21.81	<=34.77	Pass
			13	24.48	-0.40	21.93	<=34.77	Pass
			24	24.54	-0.40	21.99	<=34.77	Pass

	707.5	12	0	23.57	-0.40	21.02	<=34.77	Pass			
			6	23.56	-0.40	21.01	<=34.77	Pass			
			13	23.55	-0.40	21.00	<=34.77	Pass			
		25	0	23.55	-0.40	21.00	<=34.77	Pass			
			1	0	24.47	-0.40	21.92	<=34.77	Pass		
				13	24.63	-0.40	22.08	<=34.77	Pass		
		24		24.11	-0.40	21.56	<=34.77	Pass			
		12	0	23.53	-0.40	20.98	<=34.77	Pass			
			6	23.62	-0.40	21.07	<=34.77	Pass			
	13		23.50	-0.40	20.95	<=34.77	Pass				
	25	0	23.49	-0.40	20.94	<=34.77	Pass				
		713.5	1	0	24.29	-0.40	21.74	<=34.77	Pass		
				13	24.46	-0.40	21.91	<=34.77	Pass		
	24			24.43	-0.40	21.88	<=34.77	Pass			
	12		0	23.31	-0.40	20.76	<=34.77	Pass			
			6	23.44	-0.40	20.89	<=34.77	Pass			
			13	23.45	-0.40	20.90	<=34.77	Pass			
	25		0	23.32	-0.40	20.77	<=34.77	Pass			
			16QAM	701.5	1	0	23.09	-0.40	20.54	<=34.77	Pass
						13	23.15	-0.40	20.60	<=34.77	Pass
	24	23.31				-0.40	20.76	<=34.77	Pass		
12	0	22.51			-0.40	19.96	<=34.77	Pass			
	6	22.57			-0.40	20.02	<=34.77	Pass			
	13	22.47			-0.40	19.92	<=34.77	Pass			
25	0	22.59			-0.40	20.04	<=34.77	Pass			
707.5	1	0			23.35	-0.40	20.80	<=34.77	Pass		
		13			23.65	-0.40	21.10	<=34.77	Pass		
		24		23.00	-0.40	20.45	<=34.77	Pass			
	12	0		22.46	-0.40	19.91	<=34.77	Pass			
		6		22.57	-0.40	20.02	<=34.77	Pass			
		13		22.46	-0.40	19.91	<=34.77	Pass			
25	0	22.49		-0.40	19.94	<=34.77	Pass				
713.5	1	0		23.44	-0.40	20.89	<=34.77	Pass			
		13		23.81	-0.40	21.26	<=34.77	Pass			
		24		23.70	-0.40	21.15	<=34.77	Pass			
	12	0		22.04	-0.40	19.49	<=34.77	Pass			
		6	22.36	-0.40	19.81	<=34.77	Pass				
		13	22.26	-0.40	19.71	<=34.77	Pass				
	25	0	22.19	-0.40	19.64	<=34.77	Pass				
	Note1: ERP=Conducted Power+Antenna Gain-2.15										

1.4 B12_10MHz_ERP

1.4.1 Test Result

Band: 12 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	704	1	0	24.42	-0.40	21.87	<=34.77	Pass
			25	24.60	-0.40	22.05	<=34.77	Pass
			49	24.35	-0.40	21.80	<=34.77	Pass
		25	0	23.38	-0.40	20.83	<=34.77	Pass
			13	23.62	-0.40	21.07	<=34.77	Pass
			25	23.57	-0.40	21.02	<=34.77	Pass
		50	0	23.41	-0.40	20.86	<=34.77	Pass
	707.5	1	0	24.41	-0.40	21.86	<=34.77	Pass
			25	24.89	-0.40	22.34	<=34.77	Pass

16QAM	711	25	49	24.11	-0.40	21.56	<=34.77	Pass
			0	23.68	-0.40	21.13	<=34.77	Pass
			13	23.59	-0.40	21.04	<=34.77	Pass
			25	23.39	-0.40	20.84	<=34.77	Pass
		50	0	23.52	-0.40	20.97	<=34.77	Pass
	711	1	0	24.28	-0.40	21.73	<=34.77	Pass
			25	24.40	-0.40	21.85	<=34.77	Pass
			49	24.27	-0.40	21.72	<=34.77	Pass
		25	0	23.59	-0.40	21.04	<=34.77	Pass
			13	23.45	-0.40	20.90	<=34.77	Pass
			25	23.41	-0.40	20.86	<=34.77	Pass
		50	0	23.55	-0.40	21.00	<=34.77	Pass
	704	1	0	23.85	-0.40	21.30	<=34.77	Pass
			25	23.97	-0.40	21.42	<=34.77	Pass
			49	23.69	-0.40	21.14	<=34.77	Pass
		25	0	22.53	-0.40	19.98	<=34.77	Pass
			13	22.69	-0.40	20.14	<=34.77	Pass
			25	22.66	-0.40	20.11	<=34.77	Pass
		50	0	22.49	-0.40	19.94	<=34.77	Pass
	707.5	1	0	23.48	-0.40	20.93	<=34.77	Pass
			25	23.73	-0.40	21.18	<=34.77	Pass
			49	22.89	-0.40	20.34	<=34.77	Pass
		25	0	22.77	-0.40	20.22	<=34.77	Pass
			13	22.77	-0.40	20.22	<=34.77	Pass
			25	22.28	-0.40	19.73	<=34.77	Pass
		50	0	22.50	-0.40	19.95	<=34.77	Pass
	711	1	0	23.72	-0.40	21.17	<=34.77	Pass
			25	24.06	-0.40	21.51	<=34.77	Pass
			49	23.67	-0.40	21.12	<=34.77	Pass
		25	0	22.63	-0.40	20.08	<=34.77	Pass
			13	22.48	-0.40	19.93	<=34.77	Pass
			25	22.58	-0.40	20.03	<=34.77	Pass
		50	0	22.55	-0.40	20.00	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Effective (Isotropic) Radiated Power Output Data

2.1 B17_5MHz_ERP

2.1.1 Test Result

Band: 17 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	706.5	1	0	24.62	-0.50	21.97	<=34.77	Pass
			13	24.76	-0.50	22.11	<=34.77	Pass
			24	24.32	-0.50	21.67	<=34.77	Pass
		12	0	23.63	-0.50	20.98	<=34.77	Pass
			6	23.69	-0.50	21.04	<=34.77	Pass
			13	23.53	-0.50	20.88	<=34.77	Pass
		25	0	23.49	-0.50	20.84	<=34.77	Pass
	710	1	0	24.30	-0.50	21.65	<=34.77	Pass
			13	24.32	-0.50	21.67	<=34.77	Pass
			24	24.12	-0.50	21.47	<=34.77	Pass
		12	0	23.47	-0.50	20.82	<=34.77	Pass
			6	23.41	-0.50	20.76	<=34.77	Pass

			13	23.40	-0.50	20.75	<=34.77	Pass
		25	0	23.52	-0.50	20.87	<=34.77	Pass
	713.5	1	0	24.26	-0.50	21.61	<=34.77	Pass
			13	24.53	-0.50	21.88	<=34.77	Pass
			24	24.81	-0.50	22.16	<=34.77	Pass
		12	0	23.44	-0.50	20.79	<=34.77	Pass
			6	23.68	-0.50	21.03	<=34.77	Pass
			13	23.61	-0.50	20.96	<=34.77	Pass
		25	0	23.46	-0.50	20.81	<=34.77	Pass
	16QAM	706.5	1	0	23.39	-0.50	20.74	<=34.77
13				23.48	-0.50	20.83	<=34.77	Pass
24				23.16	-0.50	20.51	<=34.77	Pass
12			0	22.56	-0.50	19.91	<=34.77	Pass
			6	22.54	-0.50	19.89	<=34.77	Pass
			13	22.45	-0.50	19.80	<=34.77	Pass
25			0	22.44	-0.50	19.79	<=34.77	Pass
710		1	0	23.66	-0.50	21.01	<=34.77	Pass
			13	23.71	-0.50	21.06	<=34.77	Pass
			24	23.60	-0.50	20.95	<=34.77	Pass
		12	0	22.50	-0.50	19.85	<=34.77	Pass
			6	22.24	-0.50	19.59	<=34.77	Pass
			13	22.20	-0.50	19.55	<=34.77	Pass
		25	0	22.42	-0.50	19.77	<=34.77	Pass
713.5		1	0	23.04	-0.50	20.39	<=34.77	Pass
			13	23.21	-0.50	20.56	<=34.77	Pass
			24	23.20	-0.50	20.55	<=34.77	Pass
		12	0	22.23	-0.50	19.58	<=34.77	Pass
			6	22.48	-0.50	19.83	<=34.77	Pass
			13	22.65	-0.50	20.00	<=34.77	Pass
		25	0	22.38	-0.50	19.73	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2.2 B17_10MHz_ERP

2.2.1 Test Result

Band: 17 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	709	1	0	24.73	-0.50	22.08	<=34.77	Pass
			25	24.72	-0.50	22.07	<=34.77	Pass
			49	24.27	-0.50	21.62	<=34.77	Pass
		25	0	23.82	-0.50	21.17	<=34.77	Pass
			13	23.56	-0.50	20.91	<=34.77	Pass
			25	23.50	-0.50	20.85	<=34.77	Pass
		50	0	23.68	-0.50	21.03	<=34.77	Pass
	710	1	0	24.52	-0.50	21.87	<=34.77	Pass
			25	24.51	-0.50	21.86	<=34.77	Pass
			49	24.29	-0.50	21.64	<=34.77	Pass
		25	0	23.71	-0.50	21.06	<=34.77	Pass
			13	23.53	-0.50	20.88	<=34.77	Pass
			25	23.43	-0.50	20.78	<=34.77	Pass
		50	0	23.58	-0.50	20.93	<=34.77	Pass
	711	1	0	24.59	-0.50	21.94	<=34.77	Pass
			25	24.35	-0.50	21.70	<=34.77	Pass
			49	24.46	-0.50	21.81	<=34.77	Pass
		25	0	23.59	-0.50	20.94	<=34.77	Pass

16QAM	709	50	13	23.58	-0.50	20.93	<=34.77	Pass
			25	23.47	-0.50	20.82	<=34.77	Pass
			0	23.61	-0.50	20.96	<=34.77	Pass
		1	0	24.10	-0.50	21.45	<=34.77	Pass
			25	23.96	-0.50	21.31	<=34.77	Pass
			49	23.61	-0.50	20.96	<=34.77	Pass
		25	0	22.79	-0.50	20.14	<=34.77	Pass
			13	22.66	-0.50	20.01	<=34.77	Pass
			25	22.41	-0.50	19.76	<=34.77	Pass
		50	0	22.67	-0.50	20.02	<=34.77	Pass
	710	1	0	23.61	-0.50	20.96	<=34.77	Pass
			25	23.72	-0.50	21.07	<=34.77	Pass
			49	23.17	-0.50	20.52	<=34.77	Pass
		25	0	22.89	-0.50	20.24	<=34.77	Pass
			13	22.74	-0.50	20.09	<=34.77	Pass
			25	22.35	-0.50	19.70	<=34.77	Pass
		50	0	22.69	-0.50	20.04	<=34.77	Pass
	711	1	0	23.82	-0.50	21.17	<=34.77	Pass
			25	23.84	-0.50	21.19	<=34.77	Pass
			49	24.12	-0.50	21.47	<=34.77	Pass
		25	0	22.52	-0.50	19.87	<=34.77	Pass
			13	22.47	-0.50	19.82	<=34.77	Pass
			25	22.40	-0.50	19.75	<=34.77	Pass
		50	0	22.61	-0.50	19.96	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

3. Effective (Isotropic) Radiated Power Output Data

3.1 B2_1.4MHz_EIRP

3.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	24.28	1.50	25.78	<=33.01	Pass
			2	24.60	1.50	26.10	<=33.01	Pass
			5	24.43	1.50	25.93	<=33.01	Pass
		3	0	24.46	1.50	25.96	<=33.01	Pass
			2	24.49	1.50	25.99	<=33.01	Pass
			3	24.50	1.50	26.00	<=33.01	Pass
		6	0	23.38	1.50	24.88	<=33.01	Pass
	1880	1	0	24.43	1.50	25.93	<=33.01	Pass
			2	24.50	1.50	26.00	<=33.01	Pass
			5	24.33	1.50	25.83	<=33.01	Pass
		3	0	24.14	1.50	25.64	<=33.01	Pass
			2	24.15	1.50	25.65	<=33.01	Pass
			3	24.08	1.50	25.58	<=33.01	Pass
		6	0	23.27	1.50	24.77	<=33.01	Pass
	1909.3	1	0	24.06	1.50	25.56	<=33.01	Pass
			2	24.35	1.50	25.85	<=33.01	Pass
			5	24.17	1.50	25.67	<=33.01	Pass
		3	0	24.38	1.50	25.88	<=33.01	Pass
			2	24.35	1.50	25.85	<=33.01	Pass
			3	24.33	1.50	25.83	<=33.01	Pass
		6	0	23.21	1.50	24.71	<=33.01	Pass

16QAM	1850.7	1	0	23.50	1.50	25.00	<=33.01	Pass
			2	23.53	1.50	25.03	<=33.01	Pass
			5	23.50	1.50	25.00	<=33.01	Pass
		3	0	23.65	1.50	25.15	<=33.01	Pass
			2	23.76	1.50	25.26	<=33.01	Pass
			3	23.80	1.50	25.30	<=33.01	Pass
		6	0	22.66	1.50	24.16	<=33.01	Pass
	1880	1	0	24.08	1.50	25.58	<=33.01	Pass
			2	24.20	1.50	25.70	<=33.01	Pass
			5	24.09	1.50	25.59	<=33.01	Pass
		3	0	23.24	1.50	24.74	<=33.01	Pass
			2	23.25	1.50	24.75	<=33.01	Pass
			3	23.20	1.50	24.70	<=33.01	Pass
		6	0	22.37	1.50	23.87	<=33.01	Pass
	1909.3	1	0	23.47	1.50	24.97	<=33.01	Pass
			2	23.78	1.50	25.28	<=33.01	Pass
			5	23.67	1.50	25.17	<=33.01	Pass
		3	0	23.26	1.50	24.76	<=33.01	Pass
			2	23.49	1.50	24.99	<=33.01	Pass
			3	23.41	1.50	24.91	<=33.01	Pass
		6	0	22.33	1.50	23.83	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

3.2 B2_3MHz_EIRP

3.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	24.43	1.50	25.93	<=33.01	Pass
			7	24.57	1.50	26.07	<=33.01	Pass
			14	24.31	1.50	25.81	<=33.01	Pass
		8	0	23.60	1.50	25.10	<=33.01	Pass
			4	23.52	1.50	25.02	<=33.01	Pass
			7	23.48	1.50	24.98	<=33.01	Pass
		15	0	23.50	1.50	25.00	<=33.01	Pass
	1880	1	0	24.34	1.50	25.84	<=33.01	Pass
			7	24.39	1.50	25.89	<=33.01	Pass
			14	24.36	1.50	25.86	<=33.01	Pass
		8	0	23.39	1.50	24.89	<=33.01	Pass
			4	23.38	1.50	24.88	<=33.01	Pass
			7	23.34	1.50	24.84	<=33.01	Pass
		15	0	23.36	1.50	24.86	<=33.01	Pass
	1908.5	1	0	24.27	1.50	25.77	<=33.01	Pass
			7	24.48	1.50	25.98	<=33.01	Pass
			14	24.19	1.50	25.69	<=33.01	Pass
		8	0	23.37	1.50	24.87	<=33.01	Pass
			4	23.26	1.50	24.76	<=33.01	Pass
			7	23.30	1.50	24.80	<=33.01	Pass
		15	0	23.40	1.50	24.90	<=33.01	Pass
16QAM	1851.5	1	0	24.11	1.50	25.61	<=33.01	Pass
			7	23.90	1.50	25.40	<=33.01	Pass
			14	23.68	1.50	25.18	<=33.01	Pass
		8	0	22.79	1.50	24.29	<=33.01	Pass
			4	22.43	1.50	23.93	<=33.01	Pass
			7	22.74	1.50	24.24	<=33.01	Pass

	1880	15	0	22.62	1.50	24.12	<=33.01	Pass
		1	0	23.25	1.50	24.75	<=33.01	Pass
			7	23.22	1.50	24.72	<=33.01	Pass
			14	23.12	1.50	24.62	<=33.01	Pass
		8	0	22.36	1.50	23.86	<=33.01	Pass
			4	22.17	1.50	23.67	<=33.01	Pass
			7	22.43	1.50	23.93	<=33.01	Pass
		15	0	22.44	1.50	23.94	<=33.01	Pass
	1908.5	1	0	23.91	1.50	25.41	<=33.01	Pass
			7	24.04	1.50	25.54	<=33.01	Pass
			14	23.54	1.50	25.04	<=33.01	Pass
			0	22.59	1.50	24.09	<=33.01	Pass
		8	4	22.51	1.50	24.01	<=33.01	Pass
			7	22.27	1.50	23.77	<=33.01	Pass
			0	22.28	1.50	23.78	<=33.01	Pass
		15	0	22.28	1.50	23.78	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

3.3 B2_5MHz_EIRP

3.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	24.49	1.50	25.99	<=33.01	Pass
			13	24.53	1.50	26.03	<=33.01	Pass
			24	24.41	1.50	25.91	<=33.01	Pass
		12	0	23.67	1.50	25.17	<=33.01	Pass
			6	23.60	1.50	25.10	<=33.01	Pass
			13	23.52	1.50	25.02	<=33.01	Pass
		25	0	23.64	1.50	25.14	<=33.01	Pass
	1880	1	0	24.39	1.50	25.89	<=33.01	Pass
			13	24.46	1.50	25.96	<=33.01	Pass
			24	24.32	1.50	25.82	<=33.01	Pass
		12	0	23.45	1.50	24.95	<=33.01	Pass
			6	23.45	1.50	24.95	<=33.01	Pass
			13	23.38	1.50	24.88	<=33.01	Pass
		25	0	23.42	1.50	24.92	<=33.01	Pass
	1907.5	1	0	24.21	1.50	25.71	<=33.01	Pass
			13	24.15	1.50	25.65	<=33.01	Pass
			24	24.22	1.50	25.72	<=33.01	Pass
		12	0	23.30	1.50	24.80	<=33.01	Pass
			6	23.32	1.50	24.82	<=33.01	Pass
			13	23.20	1.50	24.70	<=33.01	Pass
		25	0	23.35	1.50	24.85	<=33.01	Pass
16QAM	1852.5	1	0	23.11	1.50	24.61	<=33.01	Pass
			13	23.15	1.50	24.65	<=33.01	Pass
			24	22.75	1.50	24.25	<=33.01	Pass
		12	0	22.69	1.50	24.19	<=33.01	Pass
			6	22.69	1.50	24.19	<=33.01	Pass
			13	22.49	1.50	23.99	<=33.01	Pass
		25	0	22.67	1.50	24.17	<=33.01	Pass
	1880	1	0	23.24	1.50	24.74	<=33.01	Pass
			13	23.35	1.50	24.85	<=33.01	Pass
			24	23.27	1.50	24.77	<=33.01	Pass
		12	0	22.38	1.50	23.88	<=33.01	Pass
			6	22.38	1.50	23.88	<=33.01	Pass

			13	22.31	1.50	23.81	<=33.01	Pass
		25	0	22.38	1.50	23.88	<=33.01	Pass
	1907.5	1	0	23.45	1.50	24.95	<=33.01	Pass
			13	23.55	1.50	25.05	<=33.01	Pass
			24	23.50	1.50	25.00	<=33.01	Pass
		12	0	22.40	1.50	23.90	<=33.01	Pass
			6	22.23	1.50	23.73	<=33.01	Pass
			13	21.95	1.50	23.45	<=33.01	Pass
		25	0	22.21	1.50	23.71	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

3.4 B2_10MHz_EIRP

3.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	24.65	1.50	26.15	<=33.01	Pass
			25	24.57	1.50	26.07	<=33.01	Pass
			49	24.42	1.50	25.92	<=33.01	Pass
		25	0	23.77	1.50	25.27	<=33.01	Pass
			13	23.56	1.50	25.06	<=33.01	Pass
			25	23.53	1.50	25.03	<=33.01	Pass
		50	0	23.69	1.50	25.19	<=33.01	Pass
	1880	1	0	24.47	1.50	25.97	<=33.01	Pass
			25	24.46	1.50	25.96	<=33.01	Pass
			49	24.25	1.50	25.75	<=33.01	Pass
		25	0	23.55	1.50	25.05	<=33.01	Pass
			13	23.49	1.50	24.99	<=33.01	Pass
			25	23.35	1.50	24.85	<=33.01	Pass
		50	0	23.47	1.50	24.97	<=33.01	Pass
	1905	1	0	24.28	1.50	25.78	<=33.01	Pass
			25	24.57	1.50	26.07	<=33.01	Pass
			49	24.17	1.50	25.67	<=33.01	Pass
		25	0	23.29	1.50	24.79	<=33.01	Pass
			13	23.46	1.50	24.96	<=33.01	Pass
			25	23.35	1.50	24.85	<=33.01	Pass
		50	0	23.33	1.50	24.83	<=33.01	Pass
16QAM	1855	1	0	24.01	1.50	25.51	<=33.01	Pass
			25	23.89	1.50	25.39	<=33.01	Pass
			49	23.79	1.50	25.29	<=33.01	Pass
		25	0	22.70	1.50	24.20	<=33.01	Pass
			13	22.58	1.50	24.08	<=33.01	Pass
			25	22.64	1.50	24.14	<=33.01	Pass
		50	0	22.69	1.50	24.19	<=33.01	Pass
	1880	1	0	23.39	1.50	24.89	<=33.01	Pass
			25	23.50	1.50	25.00	<=33.01	Pass
			49	22.95	1.50	24.45	<=33.01	Pass
		25	0	22.66	1.50	24.16	<=33.01	Pass
			13	22.71	1.50	24.21	<=33.01	Pass
			25	22.40	1.50	23.90	<=33.01	Pass
		50	0	22.44	1.50	23.94	<=33.01	Pass
	1905	1	0	23.85	1.50	25.35	<=33.01	Pass
			25	23.87	1.50	25.37	<=33.01	Pass
			49	23.48	1.50	24.98	<=33.01	Pass
		25	0	22.31	1.50	23.81	<=33.01	Pass
			0	22.31	1.50	23.81	<=33.01	Pass

			13	22.48	1.50	23.98	<=33.01	Pass
			25	22.46	1.50	23.96	<=33.01	Pass
		50	0	22.41	1.50	23.91	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

3.5 B2_15MHz_EIRP

3.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	24.64	1.50	26.14	<=33.01	Pass
			38	24.44	1.50	25.94	<=33.01	Pass
			74	24.37	1.50	25.87	<=33.01	Pass
		36	0	23.74	1.50	25.24	<=33.01	Pass
			18	23.65	1.50	25.15	<=33.01	Pass
			39	23.55	1.50	25.05	<=33.01	Pass
		75	0	23.65	1.50	25.15	<=33.01	Pass
	1880	1	0	24.40	1.50	25.90	<=33.01	Pass
			38	24.32	1.50	25.82	<=33.01	Pass
			74	24.01	1.50	25.51	<=33.01	Pass
		36	0	23.52	1.50	25.02	<=33.01	Pass
			18	23.49	1.50	24.99	<=33.01	Pass
			39	23.30	1.50	24.80	<=33.01	Pass
		75	0	23.49	1.50	24.99	<=33.01	Pass
	1902.5	1	0	24.21	1.50	25.71	<=33.01	Pass
			38	24.40	1.50	25.90	<=33.01	Pass
			74	24.05	1.50	25.55	<=33.01	Pass
		36	0	23.34	1.50	24.84	<=33.01	Pass
			18	23.35	1.50	24.85	<=33.01	Pass
			39	23.27	1.50	24.77	<=33.01	Pass
		75	0	23.26	1.50	24.76	<=33.01	Pass
16QAM	1857.5	1	0	24.06	1.50	25.56	<=33.01	Pass
			38	23.68	1.50	25.18	<=33.01	Pass
			74	23.78	1.50	25.28	<=33.01	Pass
		36	0	22.66	1.50	24.16	<=33.01	Pass
			18	22.67	1.50	24.17	<=33.01	Pass
			39	22.56	1.50	24.06	<=33.01	Pass
		75	0	22.56	1.50	24.06	<=33.01	Pass
	1880	1	0	23.67	1.50	25.17	<=33.01	Pass
			38	23.43	1.50	24.93	<=33.01	Pass
			74	22.96	1.50	24.46	<=33.01	Pass
		36	0	22.47	1.50	23.97	<=33.01	Pass
			18	22.44	1.50	23.94	<=33.01	Pass
			39	22.10	1.50	23.60	<=33.01	Pass
		75	0	22.38	1.50	23.88	<=33.01	Pass
	1902.5	1	0	24.01	1.50	25.51	<=33.01	Pass
			38	23.72	1.50	25.22	<=33.01	Pass
			74	23.48	1.50	24.98	<=33.01	Pass
		36	0	22.37	1.50	23.87	<=33.01	Pass
			18	22.37	1.50	23.87	<=33.01	Pass
			39	22.32	1.50	23.82	<=33.01	Pass
		75	0	22.34	1.50	23.84	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

3.6 B2_20MHz_EIRP

3.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	24.51	1.50	26.01	<=33.01	Pass
			50	24.48	1.50	25.98	<=33.01	Pass
			99	24.25	1.50	25.75	<=33.01	Pass
		50	0	23.60	1.50	25.10	<=33.01	Pass
			25	23.63	1.50	25.13	<=33.01	Pass
			50	23.49	1.50	24.99	<=33.01	Pass
		100	0	23.66	1.50	25.16	<=33.01	Pass
	1880	1	0	24.49	1.50	25.99	<=33.01	Pass
			50	24.74	1.50	26.24	<=33.01	Pass
			99	24.00	1.50	25.50	<=33.01	Pass
		50	0	23.51	1.50	25.01	<=33.01	Pass
			25	23.54	1.50	25.04	<=33.01	Pass
			50	23.32	1.50	24.82	<=33.01	Pass
		100	0	23.50	1.50	25.00	<=33.01	Pass
	1900	1	0	24.45	1.50	25.95	<=33.01	Pass
			50	24.68	1.50	26.18	<=33.01	Pass
			99	24.32	1.50	25.82	<=33.01	Pass
		50	0	23.38	1.50	24.88	<=33.01	Pass
			25	23.42	1.50	24.92	<=33.01	Pass
			50	23.26	1.50	24.76	<=33.01	Pass
		100	0	23.30	1.50	24.80	<=33.01	Pass
16QAM	1860	1	0	23.59	1.50	25.09	<=33.01	Pass
			50	23.82	1.50	25.32	<=33.01	Pass
			99	23.50	1.50	25.00	<=33.01	Pass
		50	0	22.66	1.50	24.16	<=33.01	Pass
			25	22.63	1.50	24.13	<=33.01	Pass
			50	22.56	1.50	24.06	<=33.01	Pass
		100	0	22.66	1.50	24.16	<=33.01	Pass
	1880	1	0	24.12	1.50	25.62	<=33.01	Pass
			50	24.60	1.50	26.10	<=33.01	Pass
			99	23.82	1.50	25.32	<=33.01	Pass
		50	0	22.46	1.50	23.96	<=33.01	Pass
			25	22.46	1.50	23.96	<=33.01	Pass
			50	22.18	1.50	23.68	<=33.01	Pass
		100	0	22.36	1.50	23.86	<=33.01	Pass
	1900	1	0	23.27	1.50	24.77	<=33.01	Pass
			50	23.44	1.50	24.94	<=33.01	Pass
			99	23.12	1.50	24.62	<=33.01	Pass
		50	0	22.35	1.50	23.85	<=33.01	Pass
			25	22.39	1.50	23.89	<=33.01	Pass
			50	22.30	1.50	23.80	<=33.01	Pass
		100	0	22.36	1.50	23.86	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

4. Effective (Isotropic) Radiated Power Output Data

4.1 B25_1.4MHz_EIRP

4.1.1 Test Result

Band: 25 / Bandwidth: 1.4MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1850.7	1	0	21.98	1.40	23.38	<=33.01	Pass	
			2	21.94	1.40	23.34	<=33.01	Pass	
			5	21.95	1.40	23.35	<=33.01	Pass	
		3	0	21.98	1.40	23.38	<=33.01	Pass	
			2	22.04	1.40	23.44	<=33.01	Pass	
			3	22.00	1.40	23.40	<=33.01	Pass	
		6	0	21.12	1.40	22.52	<=33.01	Pass	
		1880	1	0	21.92	1.40	23.32	<=33.01	Pass
				2	21.97	1.40	23.37	<=33.01	Pass
	5			21.96	1.40	23.36	<=33.01	Pass	
	3		0	21.93	1.40	23.33	<=33.01	Pass	
			2	22.10	1.40	23.50	<=33.01	Pass	
			3	22.06	1.40	23.46	<=33.01	Pass	
	6	0	21.06	1.40	22.46	<=33.01	Pass		
	1909.3	1	0	22.10	1.40	23.50	<=33.01	Pass	
			2	22.06	1.40	23.46	<=33.01	Pass	
			5	22.01	1.40	23.41	<=33.01	Pass	
		3	0	21.98	1.40	23.38	<=33.01	Pass	
			2	21.98	1.40	23.38	<=33.01	Pass	
			3	21.95	1.40	23.35	<=33.01	Pass	
		6	0	20.90	1.40	22.30	<=33.01	Pass	
16QAM		1850.7	1	0	21.13	1.40	22.53	<=33.01	Pass
				2	21.11	1.40	22.51	<=33.01	Pass
	5			21.07	1.40	22.47	<=33.01	Pass	
	3		0	21.66	1.40	23.06	<=33.01	Pass	
			2	21.07	1.40	22.47	<=33.01	Pass	
			3	21.14	1.40	22.54	<=33.01	Pass	
	6		0	20.05	1.40	21.45	<=33.01	Pass	
	1880		1	0	21.48	1.40	22.88	<=33.01	Pass
				2	21.73	1.40	23.13	<=33.01	Pass
		5		21.53	1.40	22.93	<=33.01	Pass	
		3	0	20.95	1.40	22.35	<=33.01	Pass	
			2	21.02	1.40	22.42	<=33.01	Pass	
			3	20.99	1.40	22.39	<=33.01	Pass	
		6	0	20.00	1.40	21.40	<=33.01	Pass	
	1909.3	1	0	21.02	1.40	22.42	<=33.01	Pass	
			2	21.13	1.40	22.53	<=33.01	Pass	
			5	21.12	1.40	22.52	<=33.01	Pass	
		3	0	20.77	1.40	22.17	<=33.01	Pass	
			2	21.04	1.40	22.44	<=33.01	Pass	
			3	21.11	1.40	22.51	<=33.01	Pass	
		6	0	19.93	1.40	21.33	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

4.2 B25_3MHz_EIRP

4.2.1 Test Result

Band: 25 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	22.25	1.40	23.65	<=33.01	Pass
			7	22.01	1.40	23.41	<=33.01	Pass
			14	21.94	1.40	23.34	<=33.01	Pass

		8	0	21.14	1.40	22.54	<=33.01	Pass			
			4	20.99	1.40	22.39	<=33.01	Pass			
			7	20.94	1.40	22.34	<=33.01	Pass			
		15	0	21.05	1.40	22.45	<=33.01	Pass			
			1880	1	0	22.01	1.40	23.41	<=33.01	Pass	
					7	22.16	1.40	23.56	<=33.01	Pass	
		14			22.00	1.40	23.40	<=33.01	Pass		
		8		0	21.04	1.40	22.44	<=33.01	Pass		
				4	21.12	1.40	22.52	<=33.01	Pass		
	7			21.11	1.40	22.51	<=33.01	Pass			
	15	0	21.09	1.40	22.49	<=33.01	Pass				
		1908.5	1	0	21.99	1.40	23.39	<=33.01	Pass		
				7	22.12	1.40	23.52	<=33.01	Pass		
	14			22.03	1.40	23.43	<=33.01	Pass			
	8		0	20.98	1.40	22.38	<=33.01	Pass			
			4	21.06	1.40	22.46	<=33.01	Pass			
			7	21.03	1.40	22.43	<=33.01	Pass			
	15		0	21.01	1.40	22.41	<=33.01	Pass			
			16QAM	1851.5	1	0	21.73	1.40	23.13	<=33.01	Pass
						7	21.60	1.40	23.00	<=33.01	Pass
	14	21.25				1.40	22.65	<=33.01	Pass		
8	0	20.31			1.40	21.71	<=33.01	Pass			
	4	20.22			1.40	21.62	<=33.01	Pass			
	7	20.13			1.40	21.53	<=33.01	Pass			
15	0	20.06			1.40	21.46	<=33.01	Pass			
	1880	1			0	21.42	1.40	22.82	<=33.01	Pass	
					7	21.77	1.40	23.17	<=33.01	Pass	
14				21.23	1.40	22.63	<=33.01	Pass			
8		0		20.18	1.40	21.58	<=33.01	Pass			
		4		19.96	1.40	21.36	<=33.01	Pass			
		7		20.25	1.40	21.65	<=33.01	Pass			
15	0	20.23		1.40	21.63	<=33.01	Pass				
	1908.5	1		0	21.10	1.40	22.50	<=33.01	Pass		
				7	21.01	1.40	22.41	<=33.01	Pass		
14				21.11	1.40	22.51	<=33.01	Pass			
8		0		19.99	1.40	21.39	<=33.01	Pass			
		4		20.07	1.40	21.47	<=33.01	Pass			
		7		20.04	1.40	21.44	<=33.01	Pass			
15		0		19.96	1.40	21.36	<=33.01	Pass			
		Note1: EIRP=Conducted Power+Antenna Gain									

4.3 B25_5MHz_EIRP

4.3.1 Test Result

Band: 25 / Bandwidth: 5MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	22.12	1.40	23.52	<=33.01	Pass
			13	21.85	1.40	23.25	<=33.01	Pass
			24	21.75	1.40	23.15	<=33.01	Pass
		12	0	21.03	1.40	22.43	<=33.01	Pass
			6	20.96	1.40	22.36	<=33.01	Pass
			13	20.91	1.40	22.31	<=33.01	Pass
		25	0	21.06	1.40	22.46	<=33.01	Pass
	1880	1	0	21.90	1.40	23.30	<=33.01	Pass
			13	21.92	1.40	23.32	<=33.01	Pass

16QAM		12	24	21.93	1.40	23.33	<=33.01	Pass
			0	21.06	1.40	22.46	<=33.01	Pass
			6	21.18	1.40	22.58	<=33.01	Pass
			13	21.06	1.40	22.46	<=33.01	Pass
		25	0	21.01	1.40	22.41	<=33.01	Pass
	1907.5	1	0	22.04	1.40	23.44	<=33.01	Pass
			13	22.07	1.40	23.47	<=33.01	Pass
			24	22.08	1.40	23.48	<=33.01	Pass
		12	0	20.91	1.40	22.31	<=33.01	Pass
			6	21.09	1.40	22.49	<=33.01	Pass
			13	21.07	1.40	22.47	<=33.01	Pass
		25	0	20.99	1.40	22.39	<=33.01	Pass
	1852.5	1	0	20.60	1.40	22.00	<=33.01	Pass
			13	20.35	1.40	21.75	<=33.01	Pass
			24	20.31	1.40	21.71	<=33.01	Pass
		12	0	20.05	1.40	21.45	<=33.01	Pass
			6	20.01	1.40	21.41	<=33.01	Pass
			13	19.96	1.40	21.36	<=33.01	Pass
		25	0	20.06	1.40	21.46	<=33.01	Pass
	1880	1	0	21.19	1.40	22.59	<=33.01	Pass
			13	21.35	1.40	22.75	<=33.01	Pass
			24	21.46	1.40	22.86	<=33.01	Pass
		12	0	20.02	1.40	21.42	<=33.01	Pass
			6	20.14	1.40	21.54	<=33.01	Pass
			13	20.06	1.40	21.46	<=33.01	Pass
		25	0	19.86	1.40	21.26	<=33.01	Pass
	1907.5	1	0	20.82	1.40	22.22	<=33.01	Pass
			13	20.92	1.40	22.32	<=33.01	Pass
			24	21.13	1.40	22.53	<=33.01	Pass
		12	0	19.99	1.40	21.39	<=33.01	Pass
			6	20.14	1.40	21.54	<=33.01	Pass
			13	20.10	1.40	21.50	<=33.01	Pass
		25	0	19.97	1.40	21.37	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

4.4 B25_10MHz_EIRP

4.4.1 Test Result

Band: 25 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	21.98	1.40	23.38	<=33.01	Pass
			25	22.28	1.40	23.68	<=33.01	Pass
			49	22.30	1.40	23.70	<=33.01	Pass
		25	0	20.94	1.40	22.34	<=33.01	Pass
			13	21.09	1.40	22.49	<=33.01	Pass
			25	21.13	1.40	22.53	<=33.01	Pass
		50	0	21.01	1.40	22.41	<=33.01	Pass
	1880	1	0	21.94	1.40	23.34	<=33.01	Pass
			25	22.20	1.40	23.60	<=33.01	Pass
			49	21.75	1.40	23.15	<=33.01	Pass
		25	0	20.86	1.40	22.26	<=33.01	Pass
			13	21.08	1.40	22.48	<=33.01	Pass
			25	20.92	1.40	22.32	<=33.01	Pass
		50	0	20.82	1.40	22.22	<=33.01	Pass
	1905	1	0	22.09	1.40	23.49	<=33.01	Pass

			25	22.11	1.40	23.51	<=33.01	Pass		
			49	21.95	1.40	23.35	<=33.01	Pass		
		25	0	21.03	1.40	22.43	<=33.01	Pass		
			13	21.10	1.40	22.50	<=33.01	Pass		
			25	21.02	1.40	22.42	<=33.01	Pass		
		50	0	21.02	1.40	22.42	<=33.01	Pass		
16QAM	1855	1	0	21.37	1.40	22.77	<=33.01	Pass		
			25	21.44	1.40	22.84	<=33.01	Pass		
			49	21.42	1.40	22.82	<=33.01	Pass		
		25	0	19.99	1.40	21.39	<=33.01	Pass		
			13	20.02	1.40	21.42	<=33.01	Pass		
			25	20.19	1.40	21.59	<=33.01	Pass		
		50	0	19.99	1.40	21.39	<=33.01	Pass		
		1880	1	0	21.22	1.40	22.62	<=33.01	Pass	
				25	21.51	1.40	22.91	<=33.01	Pass	
	49			21.02	1.40	22.42	<=33.01	Pass		
	25		0	20.04	1.40	21.44	<=33.01	Pass		
			13	20.16	1.40	21.56	<=33.01	Pass		
			25	20.13	1.40	21.53	<=33.01	Pass		
	50		0	20.03	1.40	21.43	<=33.01	Pass		
	1905		1	0	21.05	1.40	22.45	<=33.01	Pass	
				25	21.29	1.40	22.69	<=33.01	Pass	
		49		21.04	1.40	22.44	<=33.01	Pass		
		25	0	20.29	1.40	21.69	<=33.01	Pass		
			13	20.14	1.40	21.54	<=33.01	Pass		
			25	20.05	1.40	21.45	<=33.01	Pass		
		50	0	19.99	1.40	21.39	<=33.01	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

4.5 B25_15MHz_EIRP

4.5.1 Test Result

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.08	1.40	23.48	<=33.01	Pass
			38	22.23	1.40	23.63	<=33.01	Pass
			74	22.03	1.40	23.43	<=33.01	Pass
		36	0	20.98	1.40	22.38	<=33.01	Pass
			18	21.21	1.40	22.61	<=33.01	Pass
			39	21.15	1.40	22.55	<=33.01	Pass
		75	0	20.98	1.40	22.38	<=33.01	Pass
	1880	1	0	21.87	1.40	23.27	<=33.01	Pass
			38	22.25	1.40	23.65	<=33.01	Pass
			74	21.57	1.40	22.97	<=33.01	Pass
		36	0	20.87	1.40	22.27	<=33.01	Pass
			18	21.05	1.40	22.45	<=33.01	Pass
			39	20.84	1.40	22.24	<=33.01	Pass
		75	0	20.86	1.40	22.26	<=33.01	Pass
	1902.5	1	0	21.96	1.40	23.36	<=33.01	Pass
			38	21.81	1.40	23.21	<=33.01	Pass
			74	21.82	1.40	23.22	<=33.01	Pass
		36	0	21.09	1.40	22.49	<=33.01	Pass
			18	20.97	1.40	22.37	<=33.01	Pass
			39	20.97	1.40	22.37	<=33.01	Pass
		75	0	21.07	1.40	22.47	<=33.01	Pass

16QAM	1857.5	1	0	21.36	1.40	22.76	<=33.01	Pass
			38	21.55	1.40	22.95	<=33.01	Pass
			74	21.29	1.40	22.69	<=33.01	Pass
		36	0	19.78	1.40	21.18	<=33.01	Pass
			18	20.18	1.40	21.58	<=33.01	Pass
			39	20.16	1.40	21.56	<=33.01	Pass
		75	0	19.98	1.40	21.38	<=33.01	Pass
	1880	1	0	21.25	1.40	22.65	<=33.01	Pass
			38	21.50	1.40	22.90	<=33.01	Pass
			74	20.99	1.40	22.39	<=33.01	Pass
		36	0	19.91	1.40	21.31	<=33.01	Pass
			18	20.08	1.40	21.48	<=33.01	Pass
			39	19.87	1.40	21.27	<=33.01	Pass
		75	0	19.93	1.40	21.33	<=33.01	Pass
	1902.5	1	0	21.19	1.40	22.59	<=33.01	Pass
			38	20.83	1.40	22.23	<=33.01	Pass
			74	20.50	1.40	21.90	<=33.01	Pass
		36	0	20.09	1.40	21.49	<=33.01	Pass
			18	19.93	1.40	21.33	<=33.01	Pass
			39	19.91	1.40	21.31	<=33.01	Pass
		75	0	20.03	1.40	21.43	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

4.6 B25_20MHz_EIRP

4.6.1 Test Result

Band: 25 / Bandwidth: 20MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	21.83	1.40	23.23	<=33.01	Pass
			50	22.49	1.40	23.89	<=33.01	Pass
			99	21.81	1.40	23.21	<=33.01	Pass
		50	0	20.99	1.40	22.39	<=33.01	Pass
			25	21.26	1.40	22.66	<=33.01	Pass
			50	21.06	1.40	22.46	<=33.01	Pass
		100	0	21.03	1.40	22.43	<=33.01	Pass
	1880	1	0	21.98	1.40	23.38	<=33.01	Pass
			50	22.42	1.40	23.82	<=33.01	Pass
			99	21.76	1.40	23.16	<=33.01	Pass
		50	0	20.86	1.40	22.26	<=33.01	Pass
			25	21.00	1.40	22.40	<=33.01	Pass
			50	20.87	1.40	22.27	<=33.01	Pass
		100	0	20.88	1.40	22.28	<=33.01	Pass
	1900	1	0	21.73	1.40	23.13	<=33.01	Pass
			50	22.00	1.40	23.40	<=33.01	Pass
			99	21.83	1.40	23.23	<=33.01	Pass
		50	0	21.05	1.40	22.45	<=33.01	Pass
			25	20.97	1.40	22.37	<=33.01	Pass
			50	20.83	1.40	22.23	<=33.01	Pass
		100	0	21.05	1.40	22.45	<=33.01	Pass
16QAM	1860	1	0	21.01	1.40	22.41	<=33.01	Pass
			50	21.96	1.40	23.36	<=33.01	Pass
			99	20.93	1.40	22.33	<=33.01	Pass
		50	0	19.95	1.40	21.35	<=33.01	Pass
			25	20.26	1.40	21.66	<=33.01	Pass
			50	20.14	1.40	21.54	<=33.01	Pass

	1880	100	0	20.03	1.40	21.43	<=33.01	Pass
		1	0	20.97	1.40	22.37	<=33.01	Pass
			50	21.39	1.40	22.79	<=33.01	Pass
			99	20.30	1.40	21.70	<=33.01	Pass
		50	0	19.89	1.40	21.29	<=33.01	Pass
			25	20.04	1.40	21.44	<=33.01	Pass
			50	19.90	1.40	21.30	<=33.01	Pass
		100	0	19.86	1.40	21.26	<=33.01	Pass
	1900	1	0	21.43	1.40	22.83	<=33.01	Pass
			50	21.68	1.40	23.08	<=33.01	Pass
			99	21.10	1.40	22.50	<=33.01	Pass
		50	0	20.17	1.40	21.57	<=33.01	Pass
			25	19.97	1.40	21.37	<=33.01	Pass
			50	19.87	1.40	21.27	<=33.01	Pass
		100	0	20.10	1.40	21.50	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

5. Effective (Isotropic) Radiated Power Output Data

5.1 B26a_1.4MHz_ERP

5.1.1 Test Result

Band: 26a / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	814.7	1	0	24.01	-0.70	21.16	<=38.45	Pass
			2	24.02	-0.70	21.17	<=38.45	Pass
			5	23.96	-0.70	21.11	<=38.45	Pass
		3	0	23.97	-0.70	21.12	<=38.45	Pass
			2	23.92	-0.70	21.07	<=38.45	Pass
			3	24.03	-0.70	21.18	<=38.45	Pass
		6	0	23.09	-0.70	20.24	<=38.45	Pass
	819	1	0	24.11	-0.70	21.26	<=38.45	Pass
			2	24.06	-0.70	21.21	<=38.45	Pass
			5	23.97	-0.70	21.12	<=38.45	Pass
		3	0	24.22	-0.70	21.37	<=38.45	Pass
			2	24.18	-0.70	21.33	<=38.45	Pass
			3	23.96	-0.70	21.11	<=38.45	Pass
		6	0	23.21	-0.70	20.36	<=38.45	Pass
	823.3	1	0	24.14	-0.70	21.29	<=38.45	Pass
			2	24.02	-0.70	21.17	<=38.45	Pass
			5	24.20	-0.70	21.35	<=38.45	Pass
		3	0	24.12	-0.70	21.27	<=38.45	Pass
			2	24.21	-0.70	21.36	<=38.45	Pass
			3	24.09	-0.70	21.24	<=38.45	Pass
		6	0	23.22	-0.70	20.37	<=38.45	Pass
16QAM	814.7	1	0	23.21	-0.70	20.36	<=38.45	Pass
			2	23.13	-0.70	20.28	<=38.45	Pass
			5	22.96	-0.70	20.11	<=38.45	Pass
		3	0	23.13	-0.70	20.28	<=38.45	Pass
			2	22.92	-0.70	20.07	<=38.45	Pass
			3	23.12	-0.70	20.27	<=38.45	Pass
		6	0	22.15	-0.70	19.30	<=38.45	Pass
	819	1	0	23.41	-0.70	20.56	<=38.45	Pass
			2	23.60	-0.70	20.75	<=38.45	Pass

		3	5	23.22	-0.70	20.37	<=38.45	Pass
			0	23.18	-0.70	20.33	<=38.45	Pass
			2	23.31	-0.70	20.46	<=38.45	Pass
			3	23.10	-0.70	20.25	<=38.45	Pass
	823.3	6	0	22.18	-0.70	19.33	<=38.45	Pass
		1	0	23.34	-0.70	20.49	<=38.45	Pass
			2	23.59	-0.70	20.74	<=38.45	Pass
			5	23.51	-0.70	20.66	<=38.45	Pass
		3	0	23.15	-0.70	20.30	<=38.45	Pass
			2	23.17	-0.70	20.32	<=38.45	Pass
			3	23.12	-0.70	20.27	<=38.45	Pass
		6	0	22.12	-0.70	19.27	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

5.2 B26a_3MHz_ERP

5.2.1 Test Result

Band: 26a / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	815.5	1	0	24.02	-0.70	21.17	<=38.45	Pass
			7	24.01	-0.70	21.16	<=38.45	Pass
			14	23.99	-0.70	21.14	<=38.45	Pass
		8	0	23.08	-0.70	20.23	<=38.45	Pass
			4	23.00	-0.70	20.15	<=38.45	Pass
			7	22.98	-0.70	20.13	<=38.45	Pass
		15	0	23.18	-0.70	20.33	<=38.45	Pass
	819	1	0	24.08	-0.70	21.23	<=38.45	Pass
			7	24.43	-0.70	21.58	<=38.45	Pass
			14	24.13	-0.70	21.28	<=38.45	Pass
		8	0	23.26	-0.70	20.41	<=38.45	Pass
			4	23.25	-0.70	20.40	<=38.45	Pass
			7	23.15	-0.70	20.30	<=38.45	Pass
		15	0	23.29	-0.70	20.44	<=38.45	Pass
	822.5	1	0	24.10	-0.70	21.25	<=38.45	Pass
			7	24.21	-0.70	21.36	<=38.45	Pass
			14	24.08	-0.70	21.23	<=38.45	Pass
		8	0	23.29	-0.70	20.44	<=38.45	Pass
			4	23.27	-0.70	20.42	<=38.45	Pass
			7	23.21	-0.70	20.36	<=38.45	Pass
		15	0	23.26	-0.70	20.41	<=38.45	Pass
16QAM	815.5	1	0	22.99	-0.70	20.14	<=38.45	Pass
			7	23.11	-0.70	20.26	<=38.45	Pass
			14	23.02	-0.70	20.17	<=38.45	Pass
		8	0	22.07	-0.70	19.22	<=38.45	Pass
			4	21.99	-0.70	19.14	<=38.45	Pass
			7	21.91	-0.70	19.06	<=38.45	Pass
		15	0	22.19	-0.70	19.34	<=38.45	Pass
	819	1	0	23.66	-0.70	20.81	<=38.45	Pass
			7	23.46	-0.70	20.61	<=38.45	Pass
			14	23.32	-0.70	20.47	<=38.45	Pass
		8	0	22.45	-0.70	19.60	<=38.45	Pass
			4	22.36	-0.70	19.51	<=38.45	Pass
			7	22.13	-0.70	19.28	<=38.45	Pass
		15	0	22.10	-0.70	19.25	<=38.45	Pass
	822.5	1	0	23.58	-0.70	20.73	<=38.45	Pass

			7	23.48	-0.70	20.63	<=38.45	Pass
			14	23.35	-0.70	20.50	<=38.45	Pass
		8	0	22.46	-0.70	19.61	<=38.45	Pass
			4	22.39	-0.70	19.54	<=38.45	Pass
			7	22.42	-0.70	19.57	<=38.45	Pass
		15	0	22.37	-0.70	19.52	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

5.3 B26a_5MHz_ERP

5.3.1 Test Result

Band: 26a / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	816.5	1	0	23.94	-0.70	21.09	<=38.45	Pass
			13	24.11	-0.70	21.26	<=38.45	Pass
			24	24.10	-0.70	21.25	<=38.45	Pass
		12	0	23.00	-0.70	20.15	<=38.45	Pass
			6	23.05	-0.70	20.20	<=38.45	Pass
			13	23.19	-0.70	20.34	<=38.45	Pass
		25	0	23.04	-0.70	20.19	<=38.45	Pass
	819	1	0	23.90	-0.70	21.05	<=38.45	Pass
			13	24.14	-0.70	21.29	<=38.45	Pass
			24	24.03	-0.70	21.18	<=38.45	Pass
		12	0	23.24	-0.70	20.39	<=38.45	Pass
			6	23.26	-0.70	20.41	<=38.45	Pass
			13	23.13	-0.70	20.28	<=38.45	Pass
		25	0	23.30	-0.70	20.45	<=38.45	Pass
	821.5	1	0	23.99	-0.70	21.14	<=38.45	Pass
			13	24.22	-0.70	21.37	<=38.45	Pass
			24	23.94	-0.70	21.09	<=38.45	Pass
		12	0	23.24	-0.70	20.39	<=38.45	Pass
			6	23.33	-0.70	20.48	<=38.45	Pass
			13	23.18	-0.70	20.33	<=38.45	Pass
		25	0	23.22	-0.70	20.37	<=38.45	Pass
16QAM	816.5	1	0	22.56	-0.70	19.71	<=38.45	Pass
			13	22.72	-0.70	19.87	<=38.45	Pass
			24	22.73	-0.70	19.88	<=38.45	Pass
		12	0	22.02	-0.70	19.17	<=38.45	Pass
			6	21.99	-0.70	19.14	<=38.45	Pass
			13	22.05	-0.70	19.20	<=38.45	Pass
		25	0	22.06	-0.70	19.21	<=38.45	Pass
	819	1	0	23.01	-0.70	20.16	<=38.45	Pass
			13	22.99	-0.70	20.14	<=38.45	Pass
			24	22.87	-0.70	20.02	<=38.45	Pass
		12	0	22.21	-0.70	19.36	<=38.45	Pass
			6	22.29	-0.70	19.44	<=38.45	Pass
			13	21.92	-0.70	19.07	<=38.45	Pass
		25	0	22.19	-0.70	19.34	<=38.45	Pass
	821.5	1	0	23.10	-0.70	20.25	<=38.45	Pass
			13	23.62	-0.70	20.77	<=38.45	Pass
			24	23.33	-0.70	20.48	<=38.45	Pass
		12	0	22.07	-0.70	19.22	<=38.45	Pass
			6	22.19	-0.70	19.34	<=38.45	Pass
			13	22.01	-0.70	19.16	<=38.45	Pass
		25	0	22.08	-0.70	19.23	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

5.4 B26a_10MHz_ERP

5.4.1 Test Result

Band: 26a / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	819	1	0	24.06	-0.70	21.21	<=38.45	Pass
			25	24.41	-0.70	21.56	<=38.45	Pass
			49	23.99	-0.70	21.14	<=38.45	Pass
		25	0	23.23	-0.70	20.38	<=38.45	Pass
			13	23.28	-0.70	20.43	<=38.45	Pass
			25	23.19	-0.70	20.34	<=38.45	Pass
		50	0	23.25	-0.70	20.40	<=38.45	Pass
16QAM	819	1	0	23.80	-0.70	20.95	<=38.45	Pass
			25	23.66	-0.70	20.81	<=38.45	Pass
			49	23.36	-0.70	20.51	<=38.45	Pass
		25	0	22.21	-0.70	19.36	<=38.45	Pass
			13	22.50	-0.70	19.65	<=38.45	Pass
			25	22.13	-0.70	19.28	<=38.45	Pass
		50	0	22.38	-0.70	19.53	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

6. Effective (Isotropic) Radiated Power Output Data

6.1 B26b_1.4MHz_ERP

6.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.99	-0.70	21.14	<=38.45	Pass
			2	24.18	-0.70	21.33	<=38.45	Pass
			5	24.10	-0.70	21.25	<=38.45	Pass
		3	0	24.19	-0.70	21.34	<=38.45	Pass
			2	24.17	-0.70	21.32	<=38.45	Pass
			3	24.17	-0.70	21.32	<=38.45	Pass
		6	0	23.14	-0.70	20.29	<=38.45	Pass
	836.5	1	0	23.83	-0.70	20.98	<=38.45	Pass
			2	23.94	-0.70	21.09	<=38.45	Pass
			5	23.96	-0.70	21.11	<=38.45	Pass
		3	0	23.94	-0.70	21.09	<=38.45	Pass
			2	23.85	-0.70	21.00	<=38.45	Pass
			3	23.88	-0.70	21.03	<=38.45	Pass
		6	0	22.99	-0.70	20.14	<=38.45	Pass
	848.3	1	0	23.77	-0.70	20.92	<=38.45	Pass
			2	23.76	-0.70	20.91	<=38.45	Pass
			5	23.60	-0.70	20.75	<=38.45	Pass
		3	0	23.71	-0.70	20.86	<=38.45	Pass
			2	23.72	-0.70	20.87	<=38.45	Pass
			3	23.68	-0.70	20.83	<=38.45	Pass

		6	0	22.90	-0.70	20.05	<=38.45	Pass	
16QAM	824.7	1	0	23.29	-0.70	20.44	<=38.45	Pass	
			2	23.71	-0.70	20.86	<=38.45	Pass	
			5	23.43	-0.70	20.58	<=38.45	Pass	
			0	23.26	-0.70	20.41	<=38.45	Pass	
		3	2	23.30	-0.70	20.45	<=38.45	Pass	
			3	23.01	-0.70	20.16	<=38.45	Pass	
			6	0	22.01	-0.70	19.16	<=38.45	Pass
		836.5	1	0	23.40	-0.70	20.55	<=38.45	Pass
	2			23.52	-0.70	20.67	<=38.45	Pass	
	5			23.04	-0.70	20.19	<=38.45	Pass	
	0			23.00	-0.70	20.15	<=38.45	Pass	
	3		2	23.36	-0.70	20.51	<=38.45	Pass	
			3	22.93	-0.70	20.08	<=38.45	Pass	
			6	0	22.12	-0.70	19.27	<=38.45	Pass
	848.3		1	0	22.96	-0.70	20.11	<=38.45	Pass
		2		23.03	-0.70	20.18	<=38.45	Pass	
		5		22.81	-0.70	19.96	<=38.45	Pass	
		0		23.12	-0.70	20.27	<=38.45	Pass	
		3	2	23.08	-0.70	20.23	<=38.45	Pass	
			3	22.99	-0.70	20.14	<=38.45	Pass	
			6	0	22.01	-0.70	19.16	<=38.45	Pass
		Note1: ERP=Conducted Power+Antenna Gain-2.15							

6.2 B26b_3MHz_ERP

6.2.1 Test Result

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	24.14	-0.70	21.29	<=38.45	Pass
			7	24.19	-0.70	21.34	<=38.45	Pass
			14	24.19	-0.70	21.34	<=38.45	Pass
		8	0	23.32	-0.70	20.47	<=38.45	Pass
			4	23.33	-0.70	20.48	<=38.45	Pass
			7	23.23	-0.70	20.38	<=38.45	Pass
		15	0	23.29	-0.70	20.44	<=38.45	Pass
	836.5	1	0	24.04	-0.70	21.19	<=38.45	Pass
			7	24.01	-0.70	21.16	<=38.45	Pass
			14	23.93	-0.70	21.08	<=38.45	Pass
		8	0	23.15	-0.70	20.30	<=38.45	Pass
			4	23.14	-0.70	20.29	<=38.45	Pass
			7	23.04	-0.70	20.19	<=38.45	Pass
		15	0	23.09	-0.70	20.24	<=38.45	Pass
	847.5	1	0	23.81	-0.70	20.96	<=38.45	Pass
			7	23.93	-0.70	21.08	<=38.45	Pass
			14	23.74	-0.70	20.89	<=38.45	Pass
		8	0	23.01	-0.70	20.16	<=38.45	Pass
			4	22.96	-0.70	20.11	<=38.45	Pass
			7	22.91	-0.70	20.06	<=38.45	Pass
		15	0	22.98	-0.70	20.13	<=38.45	Pass
16QAM	825.5	1	0	23.53	-0.70	20.68	<=38.45	Pass
			7	23.55	-0.70	20.70	<=38.45	Pass
			14	23.39	-0.70	20.54	<=38.45	Pass
		8	0	22.44	-0.70	19.59	<=38.45	Pass
			4	22.34	-0.70	19.49	<=38.45	Pass

			7	22.45	-0.70	19.60	<=38.45	Pass
		15	0	22.20	-0.70	19.35	<=38.45	Pass
	836.5	1	0	23.19	-0.70	20.34	<=38.45	Pass
			7	23.20	-0.70	20.35	<=38.45	Pass
			14	23.05	-0.70	20.20	<=38.45	Pass
		8	0	22.34	-0.70	19.49	<=38.45	Pass
			4	22.16	-0.70	19.31	<=38.45	Pass
			7	22.25	-0.70	19.40	<=38.45	Pass
		15	0	22.19	-0.70	19.34	<=38.45	Pass
	847.5	1	0	23.48	-0.70	20.63	<=38.45	Pass
			7	23.18	-0.70	20.33	<=38.45	Pass
			14	23.01	-0.70	20.16	<=38.45	Pass
		8	0	22.20	-0.70	19.35	<=38.45	Pass
			4	22.10	-0.70	19.25	<=38.45	Pass
			7	22.07	-0.70	19.22	<=38.45	Pass
		15	0	21.80	-0.70	18.95	<=38.45	Pass
	Note1: ERP=Conducted Power+Antenna Gain-2.15							

6.3 B26b_5MHz_ERP

6.3.1 Test Result

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	24.10	-0.70	21.25	<=38.45	Pass
			13	24.23	-0.70	21.38	<=38.45	Pass
			24	24.21	-0.70	21.36	<=38.45	Pass
		12	0	23.27	-0.70	20.42	<=38.45	Pass
			6	23.19	-0.70	20.34	<=38.45	Pass
			13	23.22	-0.70	20.37	<=38.45	Pass
		25	0	23.22	-0.70	20.37	<=38.45	Pass
	836.5	1	0	24.08	-0.70	21.23	<=38.45	Pass
			13	24.21	-0.70	21.36	<=38.45	Pass
			24	23.98	-0.70	21.13	<=38.45	Pass
		12	0	23.20	-0.70	20.35	<=38.45	Pass
			6	23.23	-0.70	20.38	<=38.45	Pass
			13	23.01	-0.70	20.16	<=38.45	Pass
		25	0	23.12	-0.70	20.27	<=38.45	Pass
	846.5	1	0	23.56	-0.70	20.71	<=38.45	Pass
			13	23.87	-0.70	21.02	<=38.45	Pass
			24	23.66	-0.70	20.81	<=38.45	Pass
		12	0	22.99	-0.70	20.14	<=38.45	Pass
			6	23.01	-0.70	20.16	<=38.45	Pass
			13	22.93	-0.70	20.08	<=38.45	Pass
		25	0	22.87	-0.70	20.02	<=38.45	Pass
16QAM	826.5	1	0	22.75	-0.70	19.90	<=38.45	Pass
			13	22.89	-0.70	20.04	<=38.45	Pass
			24	22.68	-0.70	19.83	<=38.45	Pass
		12	0	22.23	-0.70	19.38	<=38.45	Pass
			6	22.16	-0.70	19.31	<=38.45	Pass
			13	22.10	-0.70	19.25	<=38.45	Pass
		25	0	22.22	-0.70	19.37	<=38.45	Pass
	836.5	1	0	22.90	-0.70	20.05	<=38.45	Pass
			13	22.95	-0.70	20.10	<=38.45	Pass
			24	22.76	-0.70	19.91	<=38.45	Pass
		12	0	22.17	-0.70	19.32	<=38.45	Pass

			6	22.28	-0.70	19.43	<=38.45	Pass
			13	22.07	-0.70	19.22	<=38.45	Pass
		25	0	22.20	-0.70	19.35	<=38.45	Pass
	846.5	1	0	22.86	-0.70	20.01	<=38.45	Pass
			13	23.25	-0.70	20.40	<=38.45	Pass
			24	22.75	-0.70	19.90	<=38.45	Pass
		12	0	21.59	-0.70	18.74	<=38.45	Pass
			6	21.72	-0.70	18.87	<=38.45	Pass
			13	21.75	-0.70	18.90	<=38.45	Pass
		25	0	21.83	-0.70	18.98	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

6.4 B26b_10MHz_ERP

6.4.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	24.26	-0.70	21.41	<=38.45	Pass
			25	24.62	-0.70	21.77	<=38.45	Pass
			49	24.07	-0.70	21.22	<=38.45	Pass
		25	0	23.28	-0.70	20.43	<=38.45	Pass
			13	23.36	-0.70	20.51	<=38.45	Pass
			25	23.35	-0.70	20.50	<=38.45	Pass
		50	0	23.27	-0.70	20.42	<=38.45	Pass
	836.5	1	0	24.28	-0.70	21.43	<=38.45	Pass
			25	24.46	-0.70	21.61	<=38.45	Pass
			49	23.92	-0.70	21.07	<=38.45	Pass
		25	0	23.36	-0.70	20.51	<=38.45	Pass
			13	23.24	-0.70	20.39	<=38.45	Pass
			25	23.05	-0.70	20.20	<=38.45	Pass
		50	0	23.20	-0.70	20.35	<=38.45	Pass
	844	1	0	23.95	-0.70	21.10	<=38.45	Pass
			25	24.01	-0.70	21.16	<=38.45	Pass
			49	23.73	-0.70	20.88	<=38.45	Pass
		25	0	23.10	-0.70	20.25	<=38.45	Pass
			13	23.05	-0.70	20.20	<=38.45	Pass
			25	23.00	-0.70	20.15	<=38.45	Pass
		50	0	23.04	-0.70	20.19	<=38.45	Pass
16QAM	829	1	0	23.62	-0.70	20.77	<=38.45	Pass
			25	24.03	-0.70	21.18	<=38.45	Pass
			49	23.45	-0.70	20.60	<=38.45	Pass
		25	0	22.19	-0.70	19.34	<=38.45	Pass
			13	22.32	-0.70	19.47	<=38.45	Pass
			25	22.35	-0.70	19.50	<=38.45	Pass
		50	0	22.15	-0.70	19.30	<=38.45	Pass
	836.5	1	0	23.25	-0.70	20.40	<=38.45	Pass
			25	23.29	-0.70	20.44	<=38.45	Pass
			49	22.49	-0.70	19.64	<=38.45	Pass
		25	0	22.45	-0.70	19.60	<=38.45	Pass
			13	22.44	-0.70	19.59	<=38.45	Pass
			25	22.10	-0.70	19.25	<=38.45	Pass
		50	0	22.09	-0.70	19.24	<=38.45	Pass
	844	1	0	23.28	-0.70	20.43	<=38.45	Pass
			25	23.35	-0.70	20.50	<=38.45	Pass
			49	23.40	-0.70	20.55	<=38.45	Pass

		25	0	22.03	-0.70	19.18	<=38.45	Pass
			13	22.02	-0.70	19.17	<=38.45	Pass
			25	21.85	-0.70	19.00	<=38.45	Pass
		50	0	21.99	-0.70	19.14	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

7. Effective (Isotropic) Radiated Power Output Data

7.1 B26c_15MHz_ERP

7.1.1 Test Result

Band: 26c / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	821.5	1	0	24.09	-0.70	21.24	<=38.45	Pass
			38	24.24	-0.70	21.39	<=38.45	Pass
			74	24.12	-0.70	21.27	<=38.45	Pass
		36	0	23.23	-0.70	20.38	<=38.45	Pass
			18	23.36	-0.70	20.51	<=38.45	Pass
			39	23.19	-0.70	20.34	<=38.45	Pass
		75	0	23.27	-0.70	20.42	<=38.45	Pass
	831.5	1	0	24.14	-0.70	21.29	<=38.45	Pass
			38	24.38	-0.70	21.53	<=38.45	Pass
			74	23.69	-0.70	20.84	<=38.45	Pass
		36	0	23.32	-0.70	20.47	<=38.45	Pass
			18	23.42	-0.70	20.57	<=38.45	Pass
			39	23.30	-0.70	20.45	<=38.45	Pass
		75	0	23.25	-0.70	20.40	<=38.45	Pass
	841.5	1	0	24.01	-0.70	21.16	<=38.45	Pass
			38	23.80	-0.70	20.95	<=38.45	Pass
			74	23.61	-0.70	20.76	<=38.45	Pass
		36	0	23.20	-0.70	20.35	<=38.45	Pass
			18	23.04	-0.70	20.19	<=38.45	Pass
			39	22.89	-0.70	20.04	<=38.45	Pass
		75	0	23.12	-0.70	20.27	<=38.45	Pass
16QAM	821.5	1	0	23.49	-0.70	20.64	<=38.45	Pass
			38	23.61	-0.70	20.76	<=38.45	Pass
			74	23.22	-0.70	20.37	<=38.45	Pass
		36	0	22.24	-0.70	19.39	<=38.45	Pass
			18	22.45	-0.70	19.60	<=38.45	Pass
			39	22.20	-0.70	19.35	<=38.45	Pass
		75	0	22.26	-0.70	19.41	<=38.45	Pass
	831.5	1	0	23.27	-0.70	20.42	<=38.45	Pass
			38	23.39	-0.70	20.54	<=38.45	Pass
			74	22.74	-0.70	19.89	<=38.45	Pass
		36	0	22.13	-0.70	19.28	<=38.45	Pass
			18	22.28	-0.70	19.43	<=38.45	Pass
			39	22.25	-0.70	19.40	<=38.45	Pass
		75	0	22.10	-0.70	19.25	<=38.45	Pass
	841.5	1	0	23.75	-0.70	20.90	<=38.45	Pass
			38	23.52	-0.70	20.67	<=38.45	Pass
			74	23.38	-0.70	20.53	<=38.45	Pass
		36	0	22.22	-0.70	19.37	<=38.45	Pass
			18	22.01	-0.70	19.16	<=38.45	Pass
			39	21.79	-0.70	18.94	<=38.45	Pass

8.2 B38_10MHz_EIRP

8.2.1 Test Result

Band: 38 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2575	1	0	24.62	1.50	26.12	<=33.01	Pass
			25	25.26	1.50	26.76	<=33.01	Pass
			49	24.71	1.50	26.21	<=33.01	Pass
		25	0	24.36	1.50	25.86	<=33.01	Pass
			13	24.20	1.50	25.70	<=33.01	Pass
			25	23.57	1.50	25.07	<=33.01	Pass
		50	0	23.81	1.50	25.31	<=33.01	Pass
	2595	1	0	25.18	1.50	26.68	<=33.01	Pass
			25	24.78	1.50	26.28	<=33.01	Pass
			49	24.49	1.50	25.99	<=33.01	Pass
		25	0	24.24	1.50	25.74	<=33.01	Pass
			13	23.97	1.50	25.47	<=33.01	Pass
			25	23.86	1.50	25.36	<=33.01	Pass
		50	0	23.88	1.50	25.38	<=33.01	Pass
	2615	1	0	25.02	1.50	26.52	<=33.01	Pass
			25	25.42	1.50	26.92	<=33.01	Pass
			49	24.80	1.50	26.30	<=33.01	Pass
		25	0	24.01	1.50	25.51	<=33.01	Pass
			13	24.29	1.50	25.79	<=33.01	Pass
			25	23.85	1.50	25.35	<=33.01	Pass
		50	0	24.00	1.50	25.50	<=33.01	Pass
16QAM	2575	1	0	23.67	1.50	25.17	<=33.01	Pass
			25	24.16	1.50	25.66	<=33.01	Pass
			49	23.33	1.50	24.83	<=33.01	Pass
		25	0	22.89	1.50	24.39	<=33.01	Pass
			13	23.13	1.50	24.63	<=33.01	Pass
			25	22.82	1.50	24.32	<=33.01	Pass
		50	0	22.84	1.50	24.34	<=33.01	Pass
	2595	1	0	24.01	1.50	25.51	<=33.01	Pass
			25	23.88	1.50	25.38	<=33.01	Pass
			49	23.64	1.50	25.14	<=33.01	Pass
		25	0	22.83	1.50	24.33	<=33.01	Pass
			13	22.85	1.50	24.35	<=33.01	Pass
			25	22.96	1.50	24.46	<=33.01	Pass
	50	0	22.62	1.50	24.12	<=33.01	Pass	
	2615	1	0	24.30	1.50	25.80	<=33.01	Pass
			25	24.81	1.50	26.31	<=33.01	Pass
			49	24.38	1.50	25.88	<=33.01	Pass
		25	0	23.36	1.50	24.86	<=33.01	Pass
13			23.02	1.50	24.52	<=33.01	Pass	
25			23.04	1.50	24.54	<=33.01	Pass	
50		0	22.89	1.50	24.39	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

8.3 B38_15MHz_EIRP

8.3.1 Test Result

Band: 38 / Bandwidth: 15MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2577.5	1	0	24.77	1.50	26.27	<=33.01	Pass		
			38	25.01	1.50	26.51	<=33.01	Pass		
			74	24.90	1.50	26.40	<=33.01	Pass		
		36	0	24.16	1.50	25.66	<=33.01	Pass		
			18	24.32	1.50	25.82	<=33.01	Pass		
			39	23.96	1.50	25.46	<=33.01	Pass		
		75	0	24.01	1.50	25.51	<=33.01	Pass		
		2595	1	0	24.70	1.50	26.20	<=33.01	Pass	
				38	25.19	1.50	26.69	<=33.01	Pass	
	74			24.66	1.50	26.16	<=33.01	Pass		
	36		0	23.73	1.50	25.23	<=33.01	Pass		
			18	23.83	1.50	25.33	<=33.01	Pass		
			39	23.74	1.50	25.24	<=33.01	Pass		
	75	0	23.55	1.50	25.05	<=33.01	Pass			
	2612.5	1	0	24.78	1.50	26.28	<=33.01	Pass		
			38	25.23	1.50	26.73	<=33.01	Pass		
			74	24.86	1.50	26.36	<=33.01	Pass		
		36	0	24.04	1.50	25.54	<=33.01	Pass		
			18	24.01	1.50	25.51	<=33.01	Pass		
			39	24.09	1.50	25.59	<=33.01	Pass		
		75	0	23.94	1.50	25.44	<=33.01	Pass		
		16QAM	2577.5	1	0	23.80	1.50	25.30	<=33.01	Pass
					38	23.79	1.50	25.29	<=33.01	Pass
	74				23.39	1.50	24.89	<=33.01	Pass	
36	0			22.88	1.50	24.38	<=33.01	Pass		
	18			22.86	1.50	24.36	<=33.01	Pass		
	39			22.70	1.50	24.20	<=33.01	Pass		
75	0			22.80	1.50	24.30	<=33.01	Pass		
2595	1			0	23.60	1.50	25.10	<=33.01	Pass	
				38	24.02	1.50	25.52	<=33.01	Pass	
			74	23.74	1.50	25.24	<=33.01	Pass		
	36		0	22.63	1.50	24.13	<=33.01	Pass		
			18	22.79	1.50	24.29	<=33.01	Pass		
			39	22.91	1.50	24.41	<=33.01	Pass		
75	0		22.85	1.50	24.35	<=33.01	Pass			
2612.5	1		0	24.40	1.50	25.90	<=33.01	Pass		
			38	24.47	1.50	25.97	<=33.01	Pass		
			74	24.18	1.50	25.68	<=33.01	Pass		
	36		0	23.07	1.50	24.57	<=33.01	Pass		
			18	23.00	1.50	24.50	<=33.01	Pass		
			39	23.15	1.50	24.65	<=33.01	Pass		
	75		0	22.92	1.50	24.42	<=33.01	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

8.4 B38 20MHz EIRP

8.4.1 Test Result

Band: 38 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2580	1	0	24.54	1.50	26.04	<=33.01	Pass
			50	24.96	1.50	26.46	<=33.01	Pass
			99	24.78	1.50	26.28	<=33.01	Pass
		50	0	24.37	1.50	25.87	<=33.01	Pass

			25	24.12	1.50	25.62	<=33.01	Pass
			50	24.15	1.50	25.65	<=33.01	Pass
		100	0	24.18	1.50	25.68	<=33.01	Pass
	2595	1	0	24.95	1.50	26.45	<=33.01	Pass
			50	25.11	1.50	26.61	<=33.01	Pass
			99	24.72	1.50	26.22	<=33.01	Pass
		50	0	23.83	1.50	25.33	<=33.01	Pass
			25	23.73	1.50	25.23	<=33.01	Pass
			50	23.65	1.50	25.15	<=33.01	Pass
		100	0	23.59	1.50	25.09	<=33.01	Pass
		2610	1	0	24.63	1.50	26.13	<=33.01
	50			25.29	1.50	26.79	<=33.01	Pass
	99			24.66	1.50	26.16	<=33.01	Pass
	50		0	24.01	1.50	25.51	<=33.01	Pass
			25	23.95	1.50	25.45	<=33.01	Pass
			50	23.79	1.50	25.29	<=33.01	Pass
	100		0	24.00	1.50	25.50	<=33.01	Pass
16QAM	2580	1	0	23.92	1.50	25.42	<=33.01	Pass
			50	24.46	1.50	25.96	<=33.01	Pass
			99	24.07	1.50	25.57	<=33.01	Pass
		50	0	22.84	1.50	24.34	<=33.01	Pass
			25	23.07	1.50	24.57	<=33.01	Pass
			50	23.29	1.50	24.79	<=33.01	Pass
		100	0	22.76	1.50	24.26	<=33.01	Pass
	2595	1	0	24.29	1.50	25.79	<=33.01	Pass
			50	24.13	1.50	25.63	<=33.01	Pass
			99	24.19	1.50	25.69	<=33.01	Pass
		50	0	23.06	1.50	24.56	<=33.01	Pass
			25	22.96	1.50	24.46	<=33.01	Pass
			50	22.89	1.50	24.39	<=33.01	Pass
		100	0	22.82	1.50	24.32	<=33.01	Pass
	2610	1	0	23.65	1.50	25.15	<=33.01	Pass
			50	23.94	1.50	25.44	<=33.01	Pass
			99	23.67	1.50	25.17	<=33.01	Pass
		50	0	23.32	1.50	24.82	<=33.01	Pass
			25	23.08	1.50	24.58	<=33.01	Pass
			50	22.87	1.50	24.37	<=33.01	Pass
		100	0	22.97	1.50	24.47	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

9. Effective (Isotropic) Radiated Power Output Data

9.1 B4_1.4MHz_EIRP

9.1.1 Test Result

Band: 4 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	24.62	1.40	26.02	<=30	Pass
			2	24.60	1.40	26.00	<=30	Pass
			5	24.54	1.40	25.94	<=30	Pass
		3	0	24.53	1.40	25.93	<=30	Pass
			2	24.50	1.40	25.90	<=30	Pass
			3	24.59	1.40	25.99	<=30	Pass
		6	0	23.41	1.40	24.81	<=30	Pass

	1732.5	1	0	24.43	1.40	25.83	<=30	Pass
			2	24.42	1.40	25.82	<=30	Pass
			5	24.33	1.40	25.73	<=30	Pass
		3	0	24.43	1.40	25.83	<=30	Pass
			2	24.32	1.40	25.72	<=30	Pass
			3	24.48	1.40	25.88	<=30	Pass
		6	0	23.37	1.40	24.77	<=30	Pass
	1754.3	1	0	24.76	1.40	26.16	<=30	Pass
			2	24.68	1.40	26.08	<=30	Pass
			5	24.53	1.40	25.93	<=30	Pass
		3	0	24.55	1.40	25.95	<=30	Pass
			2	24.58	1.40	25.98	<=30	Pass
			3	24.61	1.40	26.01	<=30	Pass
		6	0	23.45	1.40	24.85	<=30	Pass
16QAM	1710.7	1	0	23.56	1.40	24.96	<=30	Pass
			2	23.73	1.40	25.13	<=30	Pass
			5	23.63	1.40	25.03	<=30	Pass
		3	0	23.60	1.40	25.00	<=30	Pass
			2	23.65	1.40	25.05	<=30	Pass
			3	23.55	1.40	24.95	<=30	Pass
		6	0	22.21	1.40	23.61	<=30	Pass
	1732.5	1	0	23.68	1.40	25.08	<=30	Pass
			2	23.87	1.40	25.27	<=30	Pass
			5	23.81	1.40	25.21	<=30	Pass
		3	0	23.71	1.40	25.11	<=30	Pass
			2	23.75	1.40	25.15	<=30	Pass
		3	23.71	1.40	25.11	<=30	Pass	
	6	0	22.59	1.40	23.99	<=30	Pass	
	1754.3	1	0	23.78	1.40	25.18	<=30	Pass
			2	23.81	1.40	25.21	<=30	Pass
			5	23.88	1.40	25.28	<=30	Pass
		3	0	23.65	1.40	25.05	<=30	Pass
			2	23.56	1.40	24.96	<=30	Pass
			3	23.79	1.40	25.19	<=30	Pass
		6	0	22.40	1.40	23.80	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

9.2 B4_3MHz_EIRP

9.2.1 Test Result

Band: 4 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	24.57	1.40	25.97	<=30	Pass
			7	24.46	1.40	25.86	<=30	Pass
			14	24.47	1.40	25.87	<=30	Pass
		8	0	23.57	1.40	24.97	<=30	Pass
			4	23.52	1.40	24.92	<=30	Pass
			7	23.50	1.40	24.90	<=30	Pass
		15	0	23.48	1.40	24.88	<=30	Pass
	1732.5	1	0	24.26	1.40	25.66	<=30	Pass
			7	24.32	1.40	25.72	<=30	Pass
			14	24.33	1.40	25.73	<=30	Pass
		8	0	23.29	1.40	24.69	<=30	Pass
			4	23.31	1.40	24.71	<=30	Pass
			7	23.27	1.40	24.67	<=30	Pass

		15	0	23.31	1.40	24.71	<=30	Pass
	1753.5	1	0	24.61	1.40	26.01	<=30	Pass
			7	24.81	1.40	26.21	<=30	Pass
			14	24.72	1.40	26.12	<=30	Pass
			0	23.59	1.40	24.99	<=30	Pass
		8	4	23.50	1.40	24.90	<=30	Pass
			7	23.60	1.40	25.00	<=30	Pass
			15	0	23.61	1.40	25.01	<=30
		16QAM	1711.5	1	0	23.65	1.40	25.05
7	23.68				1.40	25.08	<=30	Pass
14	23.59				1.40	24.99	<=30	Pass
8	0			22.50	1.40	23.90	<=30	Pass
	4			22.66	1.40	24.06	<=30	Pass
	7			22.64	1.40	24.04	<=30	Pass
	15			0	22.51	1.40	23.91	<=30
1732.5	1			0	23.42	1.40	24.82	<=30
			7	23.69	1.40	25.09	<=30	Pass
			14	23.99	1.40	25.39	<=30	Pass
	8		0	22.54	1.40	23.94	<=30	Pass
			4	22.51	1.40	23.91	<=30	Pass
			7	22.46	1.40	23.86	<=30	Pass
	15		0	22.32	1.40	23.72	<=30	Pass
1753.5	1		0	23.93	1.40	25.33	<=30	Pass
			7	23.92	1.40	25.32	<=30	Pass
			14	23.75	1.40	25.15	<=30	Pass
	8		0	22.56	1.40	23.96	<=30	Pass
			4	22.81	1.40	24.21	<=30	Pass
			7	22.78	1.40	24.18	<=30	Pass
	15		0	22.69	1.40	24.09	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

9.3 B4_5MHz_EIRP

9.3.1 Test Result

Band: 4 / Bandwidth: 5MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	24.42	1.40	25.82	<=30	Pass
			13	24.29	1.40	25.69	<=30	Pass
			24	24.18	1.40	25.58	<=30	Pass
		12	0	23.42	1.40	24.82	<=30	Pass
			6	23.40	1.40	24.80	<=30	Pass
			13	23.39	1.40	24.79	<=30	Pass
		25	0	23.36	1.40	24.76	<=30	Pass
	1732.5	1	0	24.28	1.40	25.68	<=30	Pass
			13	24.32	1.40	25.72	<=30	Pass
			24	24.35	1.40	25.75	<=30	Pass
		12	0	23.37	1.40	24.77	<=30	Pass
			6	23.39	1.40	24.79	<=30	Pass
			13	23.34	1.40	24.74	<=30	Pass
		25	0	23.36	1.40	24.76	<=30	Pass
	1752.5	1	0	24.52	1.40	25.92	<=30	Pass
			13	24.78	1.40	26.18	<=30	Pass
			24	24.81	1.40	26.21	<=30	Pass
		12	0	23.84	1.40	25.24	<=30	Pass
			6	23.69	1.40	25.09	<=30	Pass

16QAM		25	13	23.60	1.40	25.00	<=30	Pass
			0	23.89	1.40	25.29	<=30	Pass
	1712.5	1	0	23.09	1.40	24.49	<=30	Pass
			13	23.54	1.40	24.94	<=30	Pass
			24	23.20	1.40	24.60	<=30	Pass
		12	0	22.36	1.40	23.76	<=30	Pass
			6	22.44	1.40	23.84	<=30	Pass
			13	22.43	1.40	23.83	<=30	Pass
		25	0	22.43	1.40	23.83	<=30	Pass
	1732.5	1	0	23.42	1.40	24.82	<=30	Pass
			13	23.47	1.40	24.87	<=30	Pass
			24	23.22	1.40	24.62	<=30	Pass
		12	0	22.24	1.40	23.64	<=30	Pass
			6	22.26	1.40	23.66	<=30	Pass
			13	22.20	1.40	23.60	<=30	Pass
		25	0	22.26	1.40	23.66	<=30	Pass
	1752.5	1	0	23.85	1.40	25.25	<=30	Pass
			13	24.08	1.40	25.48	<=30	Pass
			24	24.02	1.40	25.42	<=30	Pass
		12	0	22.58	1.40	23.98	<=30	Pass
			6	22.51	1.40	23.91	<=30	Pass
			13	22.61	1.40	24.01	<=30	Pass
		25	0	22.86	1.40	24.26	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

9.4 B4_10MHz_EIRP

9.4.1 Test Result

Band: 4 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	24.89	1.40	26.29	<=30	Pass
			25	24.55	1.40	25.95	<=30	Pass
			49	24.13	1.40	25.53	<=30	Pass
		25	0	23.37	1.40	24.77	<=30	Pass
			13	23.51	1.40	24.91	<=30	Pass
			25	23.29	1.40	24.69	<=30	Pass
		50	0	23.36	1.40	24.76	<=30	Pass
	1732.5	1	0	24.29	1.40	25.69	<=30	Pass
			25	24.46	1.40	25.86	<=30	Pass
			49	24.30	1.40	25.70	<=30	Pass
		25	0	23.33	1.40	24.73	<=30	Pass
			13	23.49	1.40	24.89	<=30	Pass
			25	23.34	1.40	24.74	<=30	Pass
		50	0	23.41	1.40	24.81	<=30	Pass
	1750	1	0	24.84	1.40	26.24	<=30	Pass
			25	24.80	1.40	26.20	<=30	Pass
			49	24.67	1.40	26.07	<=30	Pass
		25	0	23.81	1.40	25.21	<=30	Pass
			13	23.61	1.40	25.01	<=30	Pass
			25	23.82	1.40	25.22	<=30	Pass
		50	0	23.82	1.40	25.22	<=30	Pass
16QAM	1715	1	0	23.82	1.40	25.22	<=30	Pass
			25	23.91	1.40	25.31	<=30	Pass
			49	23.43	1.40	24.83	<=30	Pass
		25	0	22.46	1.40	23.86	<=30	Pass

		50	13	22.57	1.40	23.97	<=30	Pass
			25	22.38	1.40	23.78	<=30	Pass
			0	22.31	1.40	23.71	<=30	Pass
	1732.5	1	0	23.32	1.40	24.72	<=30	Pass
			25	23.52	1.40	24.92	<=30	Pass
			49	23.23	1.40	24.63	<=30	Pass
		25	0	22.55	1.40	23.95	<=30	Pass
			13	22.71	1.40	24.11	<=30	Pass
			25	22.49	1.40	23.89	<=30	Pass
		50	0	22.36	1.40	23.76	<=30	Pass
	1750	1	0	24.32	1.40	25.72	<=30	Pass
			25	24.48	1.40	25.88	<=30	Pass
			49	24.28	1.40	25.68	<=30	Pass
		25	0	22.83	1.40	24.23	<=30	Pass
			13	22.83	1.40	24.23	<=30	Pass
			25	22.90	1.40	24.30	<=30	Pass
		50	0	22.94	1.40	24.34	<=30	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

9.5 B4_15MHz_EIRP

9.5.1 Test Result

Band: 4 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	24.67	1.40	26.07	<=30	Pass
			38	24.40	1.40	25.80	<=30	Pass
			74	24.18	1.40	25.58	<=30	Pass
		36	0	23.46	1.40	24.86	<=30	Pass
			18	23.40	1.40	24.80	<=30	Pass
			39	23.31	1.40	24.71	<=30	Pass
		75	0	23.38	1.40	24.78	<=30	Pass
	1732.5	1	0	24.16	1.40	25.56	<=30	Pass
			38	24.38	1.40	25.78	<=30	Pass
			74	24.36	1.40	25.76	<=30	Pass
		36	0	23.31	1.40	24.71	<=30	Pass
			18	23.38	1.40	24.78	<=30	Pass
			39	23.47	1.40	24.87	<=30	Pass
		75	0	23.30	1.40	24.70	<=30	Pass
	1747.5	1	0	24.49	1.40	25.89	<=30	Pass
			38	24.81	1.40	26.21	<=30	Pass
			74	24.56	1.40	25.96	<=30	Pass
		36	0	23.88	1.40	25.28	<=30	Pass
			18	23.80	1.40	25.20	<=30	Pass
			39	23.76	1.40	25.16	<=30	Pass
		75	0	23.77	1.40	25.17	<=30	Pass
16QAM	1717.5	1	0	23.78	1.40	25.18	<=30	Pass
			38	23.76	1.40	25.16	<=30	Pass
			74	23.49	1.40	24.89	<=30	Pass
		36	0	22.41	1.40	23.81	<=30	Pass
			18	22.39	1.40	23.79	<=30	Pass
			39	22.22	1.40	23.62	<=30	Pass
		75	0	22.45	1.40	23.85	<=30	Pass
	1732.5	1	0	23.36	1.40	24.76	<=30	Pass
			38	23.37	1.40	24.77	<=30	Pass
			74	22.79	1.40	24.19	<=30	Pass

	1747.5	36	0	22.34	1.40	23.74	<=30	Pass
			18	22.35	1.40	23.75	<=30	Pass
			39	22.39	1.40	23.79	<=30	Pass
		75	0	22.24	1.40	23.64	<=30	Pass
		1	0	23.93	1.40	25.33	<=30	Pass
			38	24.14	1.40	25.54	<=30	Pass
			74	23.93	1.40	25.33	<=30	Pass
	1747.5	36	0	22.81	1.40	24.21	<=30	Pass
			18	22.79	1.40	24.19	<=30	Pass
			39	22.80	1.40	24.20	<=30	Pass
		75	0	22.83	1.40	24.23	<=30	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

9.6 B4_20MHz_EIRP

9.6.1 Test Result

Band: 4 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	24.48	1.40	25.88	<=30	Pass
			50	24.63	1.40	26.03	<=30	Pass
			99	24.24	1.40	25.64	<=30	Pass
		50	0	23.43	1.40	24.83	<=30	Pass
			25	23.47	1.40	24.87	<=30	Pass
			50	23.30	1.40	24.70	<=30	Pass
		100	0	23.45	1.40	24.85	<=30	Pass
	1732.5	1	0	24.10	1.40	25.50	<=30	Pass
			50	24.28	1.40	25.68	<=30	Pass
			99	24.26	1.40	25.66	<=30	Pass
		50	0	23.38	1.40	24.78	<=30	Pass
			25	23.43	1.40	24.83	<=30	Pass
			50	23.41	1.40	24.81	<=30	Pass
		100	0	23.27	1.40	24.67	<=30	Pass
	1745	1	0	24.72	1.40	26.12	<=30	Pass
			50	24.93	1.40	26.33	<=30	Pass
			99	24.57	1.40	25.97	<=30	Pass
		50	0	23.71	1.40	25.11	<=30	Pass
			25	23.72	1.40	25.12	<=30	Pass
			50	23.67	1.40	25.07	<=30	Pass
		100	0	23.76	1.40	25.16	<=30	Pass
16QAM	1720	1	0	23.82	1.40	25.22	<=30	Pass
			50	24.11	1.40	25.51	<=30	Pass
			99	23.24	1.40	24.64	<=30	Pass
		50	0	22.45	1.40	23.85	<=30	Pass
			25	22.49	1.40	23.89	<=30	Pass
			50	22.35	1.40	23.75	<=30	Pass
		100	0	22.51	1.40	23.91	<=30	Pass
	1732.5	1	0	24.09	1.40	25.49	<=30	Pass
			50	24.05	1.40	25.45	<=30	Pass
			99	24.07	1.40	25.47	<=30	Pass
		50	0	22.29	1.40	23.69	<=30	Pass
			25	22.38	1.40	23.78	<=30	Pass
			50	22.59	1.40	23.99	<=30	Pass
		100	0	22.32	1.40	23.72	<=30	Pass
	1745	1	0	23.50	1.40	24.90	<=30	Pass
			50	23.91	1.40	25.31	<=30	Pass

			99	23.59	1.40	24.99	<=30	Pass
		50	0	22.74	1.40	24.14	<=30	Pass
			25	22.80	1.40	24.20	<=30	Pass
			50	22.70	1.40	24.10	<=30	Pass
		100	0	22.80	1.40	24.20	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

10. Effective (Isotropic) Radiated Power Output Data

10.1 B41_5MHz_EIRP

10.1.1 Test Result

Band: 41 / Bandwidth: 5MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2537.5	1	0	23.75	1.70	25.45	<=33.01	Pass
			13	24.26	1.70	25.96	<=33.01	Pass
			24	23.89	1.70	25.59	<=33.01	Pass
		12	0	23.03	1.70	24.73	<=33.01	Pass
			6	23.13	1.70	24.83	<=33.01	Pass
			13	22.88	1.70	24.58	<=33.01	Pass
		25	0	23.00	1.70	24.70	<=33.01	Pass
	2595	1	0	23.83	1.70	25.53	<=33.01	Pass
			13	23.98	1.70	25.68	<=33.01	Pass
			24	23.95	1.70	25.65	<=33.01	Pass
		12	0	22.83	1.70	24.53	<=33.01	Pass
			6	22.95	1.70	24.65	<=33.01	Pass
			13	22.92	1.70	24.62	<=33.01	Pass
		25	0	23.01	1.70	24.71	<=33.01	Pass
	2652.5	1	0	24.59	1.70	26.29	<=33.01	Pass
			13	24.55	1.70	26.25	<=33.01	Pass
			24	24.48	1.70	26.18	<=33.01	Pass
		12	0	23.71	1.70	25.41	<=33.01	Pass
			6	23.67	1.70	25.37	<=33.01	Pass
			13	23.65	1.70	25.35	<=33.01	Pass
		25	0	23.70	1.70	25.40	<=33.01	Pass
16QAM	2537.5	1	0	23.25	1.70	24.95	<=33.01	Pass
			13	23.44	1.70	25.14	<=33.01	Pass
			24	23.27	1.70	24.97	<=33.01	Pass
		12	0	21.77	1.70	23.47	<=33.01	Pass
			6	21.72	1.70	23.42	<=33.01	Pass
			13	21.80	1.70	23.50	<=33.01	Pass
		25	0	21.98	1.70	23.68	<=33.01	Pass
	2595	1	0	22.82	1.70	24.52	<=33.01	Pass
			13	23.17	1.70	24.87	<=33.01	Pass
			24	22.95	1.70	24.65	<=33.01	Pass
		12	0	21.98	1.70	23.68	<=33.01	Pass
			6	22.20	1.70	23.90	<=33.01	Pass
			13	22.17	1.70	23.87	<=33.01	Pass
		25	0	22.01	1.70	23.71	<=33.01	Pass
	2652.5	1	0	23.38	1.70	25.08	<=33.01	Pass
			13	23.33	1.70	25.03	<=33.01	Pass
			24	23.55	1.70	25.25	<=33.01	Pass
		12	0	22.47	1.70	24.17	<=33.01	Pass
			6	22.51	1.70	24.21	<=33.01	Pass

			13	22.37	1.70	24.07	<=33.01	Pass
		25	0	22.32	1.70	24.02	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

10.2 B41_10MHz_EIRP

10.2.1 Test Result

Band: 41 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2540	1	0	23.98	1.70	25.68	<=33.01	Pass
			25	24.19	1.70	25.89	<=33.01	Pass
			49	23.80	1.70	25.50	<=33.01	Pass
		25	0	23.17	1.70	24.87	<=33.01	Pass
			13	23.02	1.70	24.72	<=33.01	Pass
			25	22.83	1.70	24.53	<=33.01	Pass
		50	0	23.00	1.70	24.70	<=33.01	Pass
	2595	1	0	24.09	1.70	25.79	<=33.01	Pass
			25	24.02	1.70	25.72	<=33.01	Pass
			49	23.97	1.70	25.67	<=33.01	Pass
		25	0	23.33	1.70	25.03	<=33.01	Pass
			13	23.49	1.70	25.19	<=33.01	Pass
			25	23.23	1.70	24.93	<=33.01	Pass
	50	0	23.40	1.70	25.10	<=33.01	Pass	
	2650	1	0	24.67	1.70	26.37	<=33.01	Pass
			25	24.69	1.70	26.39	<=33.01	Pass
			49	24.31	1.70	26.01	<=33.01	Pass
		25	0	23.68	1.70	25.38	<=33.01	Pass
			13	23.74	1.70	25.44	<=33.01	Pass
			25	23.51	1.70	25.21	<=33.01	Pass
		50	0	23.50	1.70	25.20	<=33.01	Pass
16QAM		2540	1	0	23.03	1.70	24.73	<=33.01
	25			23.13	1.70	24.83	<=33.01	Pass
	49			22.53	1.70	24.23	<=33.01	Pass
	25		0	21.87	1.70	23.57	<=33.01	Pass
			13	22.06	1.70	23.76	<=33.01	Pass
			25	21.94	1.70	23.64	<=33.01	Pass
	50		0	21.80	1.70	23.50	<=33.01	Pass
	2595	1	0	23.00	1.70	24.70	<=33.01	Pass
			25	23.72	1.70	25.42	<=33.01	Pass
			49	23.17	1.70	24.87	<=33.01	Pass
		25	0	22.23	1.70	23.93	<=33.01	Pass
			13	22.33	1.70	24.03	<=33.01	Pass
			25	22.24	1.70	23.94	<=33.01	Pass
	50	0	22.16	1.70	23.86	<=33.01	Pass	
	2650	1	0	23.96	1.70	25.66	<=33.01	Pass
			25	24.27	1.70	25.97	<=33.01	Pass
			49	23.37	1.70	25.07	<=33.01	Pass
		25	0	22.66	1.70	24.36	<=33.01	Pass
			13	22.82	1.70	24.52	<=33.01	Pass
			25	22.74	1.70	24.44	<=33.01	Pass
		50	0	22.53	1.70	24.23	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

10.3 B41_15MHz_EIRP

10.3.1 Test Result

Band: 41 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2542.5	1	0	23.87	1.70	25.57	<=33.01	Pass
			38	23.85	1.70	25.55	<=33.01	Pass
			74	23.70	1.70	25.40	<=33.01	Pass
		36	0	23.01	1.70	24.71	<=33.01	Pass
			18	23.20	1.70	24.90	<=33.01	Pass
			39	23.17	1.70	24.87	<=33.01	Pass
		75	0	23.12	1.70	24.82	<=33.01	Pass
	2595	1	0	24.00	1.70	25.70	<=33.01	Pass
			38	24.38	1.70	26.08	<=33.01	Pass
			74	23.93	1.70	25.63	<=33.01	Pass
		36	0	22.92	1.70	24.62	<=33.01	Pass
			18	23.19	1.70	24.89	<=33.01	Pass
			39	23.14	1.70	24.84	<=33.01	Pass
		75	0	23.05	1.70	24.75	<=33.01	Pass
	2647.5	1	0	24.64	1.70	26.34	<=33.01	Pass
			38	24.73	1.70	26.43	<=33.01	Pass
			74	24.37	1.70	26.07	<=33.01	Pass
		36	0	23.62	1.70	25.32	<=33.01	Pass
			18	23.50	1.70	25.20	<=33.01	Pass
			39	23.55	1.70	25.25	<=33.01	Pass
		75	0	23.57	1.70	25.27	<=33.01	Pass
16QAM	2542.5	1	0	22.96	1.70	24.66	<=33.01	Pass
			38	22.85	1.70	24.55	<=33.01	Pass
			74	22.63	1.70	24.33	<=33.01	Pass
		36	0	21.90	1.70	23.60	<=33.01	Pass
			18	22.16	1.70	23.86	<=33.01	Pass
			39	22.03	1.70	23.73	<=33.01	Pass
		75	0	22.09	1.70	23.79	<=33.01	Pass
	2595	1	0	23.26	1.70	24.96	<=33.01	Pass
			38	23.04	1.70	24.74	<=33.01	Pass
			74	23.18	1.70	24.88	<=33.01	Pass
		36	0	22.20	1.70	23.90	<=33.01	Pass
			18	22.28	1.70	23.98	<=33.01	Pass
			39	22.17	1.70	23.87	<=33.01	Pass
		75	0	21.89	1.70	23.59	<=33.01	Pass
	2647.5	1	0	23.95	1.70	25.65	<=33.01	Pass
			38	24.19	1.70	25.89	<=33.01	Pass
			74	23.90	1.70	25.60	<=33.01	Pass
		36	0	22.79	1.70	24.49	<=33.01	Pass
			18	22.67	1.70	24.37	<=33.01	Pass
			39	22.63	1.70	24.33	<=33.01	Pass
		75	0	22.65	1.70	24.35	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

10.4 B41_20MHz_EIRP

10.4.1 Test Result

Band: 41 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2545	1	0	24.07	1.70	25.77	<=33.01	Pass

			50	24.19	1.70	25.89	<=33.01	Pass
			99	23.56	1.70	25.26	<=33.01	Pass
		50	0	23.34	1.70	25.04	<=33.01	Pass
			25	23.37	1.70	25.07	<=33.01	Pass
			50	22.96	1.70	24.66	<=33.01	Pass
		100	0	22.95	1.70	24.65	<=33.01	Pass
	2595	1	0	23.99	1.70	25.69	<=33.01	Pass
			50	24.29	1.70	25.99	<=33.01	Pass
			99	24.02	1.70	25.72	<=33.01	Pass
		50	0	22.92	1.70	24.62	<=33.01	Pass
			25	23.21	1.70	24.91	<=33.01	Pass
			50	23.34	1.70	25.04	<=33.01	Pass
	100	0	23.07	1.70	24.77	<=33.01	Pass	
	2645	1	0	24.19	1.70	25.89	<=33.01	Pass
			50	24.69	1.70	26.39	<=33.01	Pass
			99	24.20	1.70	25.90	<=33.01	Pass
		50	0	23.35	1.70	25.05	<=33.01	Pass
			25	23.55	1.70	25.25	<=33.01	Pass
			50	23.65	1.70	25.35	<=33.01	Pass
	100	0	23.53	1.70	25.23	<=33.01	Pass	
16QAM	2545	1	0	23.38	1.70	25.08	<=33.01	Pass
			50	23.52	1.70	25.22	<=33.01	Pass
			99	23.52	1.70	25.22	<=33.01	Pass
		50	0	22.16	1.70	23.86	<=33.01	Pass
			25	22.14	1.70	23.84	<=33.01	Pass
			50	22.16	1.70	23.86	<=33.01	Pass
	100	0	21.96	1.70	23.66	<=33.01	Pass	
	2595	1	0	23.49	1.70	25.19	<=33.01	Pass
			50	24.02	1.70	25.72	<=33.01	Pass
			99	23.61	1.70	25.31	<=33.01	Pass
		50	0	22.11	1.70	23.81	<=33.01	Pass
			25	22.26	1.70	23.96	<=33.01	Pass
			50	22.28	1.70	23.98	<=33.01	Pass
	100	0	22.17	1.70	23.87	<=33.01	Pass	
	2645	1	0	22.91	1.70	24.61	<=33.01	Pass
			50	23.56	1.70	25.26	<=33.01	Pass
			99	23.09	1.70	24.79	<=33.01	Pass
		50	0	22.35	1.70	24.05	<=33.01	Pass
			25	22.69	1.70	24.39	<=33.01	Pass
			50	22.58	1.70	24.28	<=33.01	Pass
100	0	22.35	1.70	24.05	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain								

11. Effective (Isotropic) Radiated Power Output Data

11.1 B5_1.4MHz_ERP

11.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.86	-0.80	20.91	<=38.45	Pass
			2	23.75	-0.80	20.80	<=38.45	Pass
			5	23.60	-0.80	20.65	<=38.45	Pass
		3	0	23.72	-0.80	20.77	<=38.45	Pass

	836.5		2	23.74	-0.80	20.79	<=38.45	Pass		
			3	23.69	-0.80	20.74	<=38.45	Pass		
			6	0	22.87	-0.80	19.92	<=38.45	Pass	
		1	0	23.92	-0.80	20.97	<=38.45	Pass		
			2	23.92	-0.80	20.97	<=38.45	Pass		
			5	23.89	-0.80	20.94	<=38.45	Pass		
			3	0	23.83	-0.80	20.88	<=38.45	Pass	
				2	23.75	-0.80	20.80	<=38.45	Pass	
				3	23.68	-0.80	20.73	<=38.45	Pass	
	6	0	22.82	-0.80	19.87	<=38.45	Pass			
	848.3	1	0	23.57	-0.80	20.62	<=38.45	Pass		
			2	23.55	-0.80	20.60	<=38.45	Pass		
			5	23.52	-0.80	20.57	<=38.45	Pass		
		3	0	23.74	-0.80	20.79	<=38.45	Pass		
			2	23.74	-0.80	20.79	<=38.45	Pass		
			3	23.63	-0.80	20.68	<=38.45	Pass		
		6	0	22.77	-0.80	19.82	<=38.45	Pass		
		16QAM	824.7	1	0	23.37	-0.80	20.42	<=38.45	Pass
					2	23.31	-0.80	20.36	<=38.45	Pass
5	23.37				-0.80	20.42	<=38.45	Pass		
3	0			22.82	-0.80	19.87	<=38.45	Pass		
	2			22.67	-0.80	19.72	<=38.45	Pass		
	3			22.63	-0.80	19.68	<=38.45	Pass		
6	0			21.68	-0.80	18.73	<=38.45	Pass		
836.5	1			0	23.01	-0.80	20.06	<=38.45	Pass	
				2	23.03	-0.80	20.08	<=38.45	Pass	
			5	22.95	-0.80	20.00	<=38.45	Pass		
	3		0	22.92	-0.80	19.97	<=38.45	Pass		
			2	23.06	-0.80	20.11	<=38.45	Pass		
			3	23.02	-0.80	20.07	<=38.45	Pass		
	6		0	21.74	-0.80	18.79	<=38.45	Pass		
848.3	1		0	22.68	-0.80	19.73	<=38.45	Pass		
			2	22.66	-0.80	19.71	<=38.45	Pass		
			5	22.56	-0.80	19.61	<=38.45	Pass		
	3		0	22.74	-0.80	19.79	<=38.45	Pass		
			2	22.54	-0.80	19.59	<=38.45	Pass		
			3	22.51	-0.80	19.56	<=38.45	Pass		
	6		0	21.58	-0.80	18.63	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15										

11.2 B5_3MHz_ERP

11.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.75	-0.80	20.80	<=38.45	Pass
			7	23.79	-0.80	20.84	<=38.45	Pass
			14	23.92	-0.80	20.97	<=38.45	Pass
		8	0	22.88	-0.80	19.93	<=38.45	Pass
			4	22.68	-0.80	19.73	<=38.45	Pass
			7	22.90	-0.80	19.95	<=38.45	Pass
		15	0	22.86	-0.80	19.91	<=38.45	Pass
			0	23.87	-0.80	20.92	<=38.45	Pass
			7	23.97	-0.80	21.02	<=38.45	Pass
	836.5	1	14	23.71	-0.80	20.76	<=38.45	Pass

		8	0	22.95	-0.80	20.00	<=38.45	Pass
			4	22.85	-0.80	19.90	<=38.45	Pass
			7	22.86	-0.80	19.91	<=38.45	Pass
		15	0	22.91	-0.80	19.96	<=38.45	Pass
	847.5	1	0	23.58	-0.80	20.63	<=38.45	Pass
			7	23.70	-0.80	20.75	<=38.45	Pass
			14	23.55	-0.80	20.60	<=38.45	Pass
		8	0	22.80	-0.80	19.85	<=38.45	Pass
			4	22.75	-0.80	19.80	<=38.45	Pass
			7	22.64	-0.80	19.69	<=38.45	Pass
		15	0	22.69	-0.80	19.74	<=38.45	Pass
16QAM	825.5	1	0	23.08	-0.80	20.13	<=38.45	Pass
			7	22.96	-0.80	20.01	<=38.45	Pass
			14	23.02	-0.80	20.07	<=38.45	Pass
		8	0	21.77	-0.80	18.82	<=38.45	Pass
			4	21.79	-0.80	18.84	<=38.45	Pass
			7	21.86	-0.80	18.91	<=38.45	Pass
		15	0	21.79	-0.80	18.84	<=38.45	Pass
	836.5	1	0	22.86	-0.80	19.91	<=38.45	Pass
			7	22.97	-0.80	20.02	<=38.45	Pass
			14	22.73	-0.80	19.78	<=38.45	Pass
		8	0	21.88	-0.80	18.93	<=38.45	Pass
			4	21.89	-0.80	18.94	<=38.45	Pass
			7	21.99	-0.80	19.04	<=38.45	Pass
		15	0	21.76	-0.80	18.81	<=38.45	Pass
	847.5	1	0	23.27	-0.80	20.32	<=38.45	Pass
			7	23.42	-0.80	20.47	<=38.45	Pass
			14	23.17	-0.80	20.22	<=38.45	Pass
		8	0	22.02	-0.80	19.07	<=38.45	Pass
			4	21.90	-0.80	18.95	<=38.45	Pass
			7	21.88	-0.80	18.93	<=38.45	Pass
		15	0	21.65	-0.80	18.70	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

11.3 B5_5MHz_ERP

11.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.63	-0.80	20.68	<=38.45	Pass
			13	23.79	-0.80	20.84	<=38.45	Pass
			24	23.73	-0.80	20.78	<=38.45	Pass
		12	0	22.89	-0.80	19.94	<=38.45	Pass
			6	22.88	-0.80	19.93	<=38.45	Pass
			13	22.90	-0.80	19.95	<=38.45	Pass
		25	0	22.81	-0.80	19.86	<=38.45	Pass
	836.5	1	0	23.79	-0.80	20.84	<=38.45	Pass
			13	23.93	-0.80	20.98	<=38.45	Pass
			24	23.65	-0.80	20.70	<=38.45	Pass
		12	0	22.83	-0.80	19.88	<=38.45	Pass
			6	22.85	-0.80	19.90	<=38.45	Pass
			13	22.67	-0.80	19.72	<=38.45	Pass
		25	0	22.75	-0.80	19.80	<=38.45	Pass
	846.5	1	0	23.49	-0.80	20.54	<=38.45	Pass
			13	23.74	-0.80	20.79	<=38.45	Pass

16QAM	826.5	12	24	23.49	-0.80	20.54	<=38.45	Pass
			0	22.70	-0.80	19.75	<=38.45	Pass
			6	22.80	-0.80	19.85	<=38.45	Pass
			13	22.73	-0.80	19.78	<=38.45	Pass
		25	0	22.67	-0.80	19.72	<=38.45	Pass
	836.5	1	0	22.40	-0.80	19.45	<=38.45	Pass
			13	22.42	-0.80	19.47	<=38.45	Pass
			24	22.43	-0.80	19.48	<=38.45	Pass
		12	0	21.98	-0.80	19.03	<=38.45	Pass
			6	21.87	-0.80	18.92	<=38.45	Pass
			13	21.90	-0.80	18.95	<=38.45	Pass
		25	0	21.82	-0.80	18.87	<=38.45	Pass
	846.5	1	0	22.65	-0.80	19.70	<=38.45	Pass
			13	22.83	-0.80	19.88	<=38.45	Pass
			24	22.47	-0.80	19.52	<=38.45	Pass
		12	0	21.87	-0.80	18.92	<=38.45	Pass
			6	21.82	-0.80	18.87	<=38.45	Pass
			13	21.84	-0.80	18.89	<=38.45	Pass
		25	0	21.95	-0.80	19.00	<=38.45	Pass
	846.5	1	0	22.84	-0.80	19.89	<=38.45	Pass
			13	23.21	-0.80	20.26	<=38.45	Pass
			24	22.87	-0.80	19.92	<=38.45	Pass
		12	0	21.42	-0.80	18.47	<=38.45	Pass
			6	21.72	-0.80	18.77	<=38.45	Pass
			13	21.69	-0.80	18.74	<=38.45	Pass
		25	0	21.65	-0.80	18.70	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

11.4 B5_10MHz_ERP

11.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.81	-0.80	20.86	<=38.45	Pass
			25	23.99	-0.80	21.04	<=38.45	Pass
			49	23.78	-0.80	20.83	<=38.45	Pass
		25	0	22.87	-0.80	19.92	<=38.45	Pass
			13	22.95	-0.80	20.00	<=38.45	Pass
			25	22.87	-0.80	19.92	<=38.45	Pass
		50	0	22.85	-0.80	19.90	<=38.45	Pass
	836.5	1	0	23.78	-0.80	20.83	<=38.45	Pass
			25	24.09	-0.80	21.14	<=38.45	Pass
			49	23.50	-0.80	20.55	<=38.45	Pass
		25	0	22.92	-0.80	19.97	<=38.45	Pass
			13	22.94	-0.80	19.99	<=38.45	Pass
			25	22.81	-0.80	19.86	<=38.45	Pass
		50	0	22.96	-0.80	20.01	<=38.45	Pass
	844	1	0	23.70	-0.80	20.75	<=38.45	Pass
			25	23.72	-0.80	20.77	<=38.45	Pass
			49	23.51	-0.80	20.56	<=38.45	Pass
		25	0	22.84	-0.80	19.89	<=38.45	Pass
			13	22.78	-0.80	19.83	<=38.45	Pass
			25	22.70	-0.80	19.75	<=38.45	Pass
		50	0	22.77	-0.80	19.82	<=38.45	Pass
16QAM	829	1	0	23.15	-0.80	20.20	<=38.45	Pass

		25	25	23.41	-0.80	20.46	<=38.45	Pass
			49	23.01	-0.80	20.06	<=38.45	Pass
			0	21.90	-0.80	18.95	<=38.45	Pass
			13	21.98	-0.80	19.03	<=38.45	Pass
			25	21.89	-0.80	18.94	<=38.45	Pass
	836.5	50	0	21.84	-0.80	18.89	<=38.45	Pass
			0	22.76	-0.80	19.81	<=38.45	Pass
			25	22.96	-0.80	20.01	<=38.45	Pass
			49	22.21	-0.80	19.26	<=38.45	Pass
			0	22.00	-0.80	19.05	<=38.45	Pass
	844	25	13	22.19	-0.80	19.24	<=38.45	Pass
			25	21.81	-0.80	18.86	<=38.45	Pass
			50	0	21.87	18.92	<=38.45	Pass
		1	0	22.97	-0.80	20.02	<=38.45	Pass
			25	23.16	-0.80	20.21	<=38.45	Pass
			49	22.86	-0.80	19.91	<=38.45	Pass
		25	0	21.84	-0.80	18.89	<=38.45	Pass
			13	21.87	-0.80	18.92	<=38.45	Pass
			25	21.79	-0.80	18.84	<=38.45	Pass
		50	0	21.77	-0.80	18.82	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

12. Effective (Isotropic) Radiated Power Output Data

12.1 B7_5MHz_EIRP

12.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	25.17	1.70	26.87	<=33.01	Pass
			13	25.41	1.70	27.11	<=33.01	Pass
			24	25.49	1.70	27.19	<=33.01	Pass
		12	0	24.38	1.70	26.08	<=33.01	Pass
			6	24.40	1.70	26.10	<=33.01	Pass
			13	24.30	1.70	26.00	<=33.01	Pass
		25	0	24.29	1.70	25.99	<=33.01	Pass
	2535	1	0	25.07	1.70	26.77	<=33.01	Pass
			13	25.06	1.70	26.76	<=33.01	Pass
			24	25.05	1.70	26.75	<=33.01	Pass
		12	0	24.19	1.70	25.89	<=33.01	Pass
			6	24.29	1.70	25.99	<=33.01	Pass
			13	24.23	1.70	25.93	<=33.01	Pass
		25	0	24.21	1.70	25.91	<=33.01	Pass
	2567.5	1	0	25.25	1.70	26.95	<=33.01	Pass
			13	25.09	1.70	26.79	<=33.01	Pass
			24	24.42	1.70	26.12	<=33.01	Pass
		12	0	25.25	1.70	26.95	<=33.01	Pass
			6	24.35	1.70	26.05	<=33.01	Pass
			13	24.32	1.70	26.02	<=33.01	Pass
		25	0	24.21	1.70	25.91	<=33.01	Pass
16QAM	2502.5	1	0	24.22	1.70	25.92	<=33.01	Pass
			13	24.23	1.70	25.93	<=33.01	Pass
			24	24.56	1.70	26.26	<=33.01	Pass
		12	0	23.35	1.70	25.05	<=33.01	Pass

		25	6	23.45	1.70	25.15	<=33.01	Pass
			13	23.35	1.70	25.05	<=33.01	Pass
			0	23.27	1.70	24.97	<=33.01	Pass
	2535	1	0	24.41	1.70	26.11	<=33.01	Pass
			13	24.60	1.70	26.30	<=33.01	Pass
			24	24.43	1.70	26.13	<=33.01	Pass
		12	0	23.35	1.70	25.05	<=33.01	Pass
			6	23.37	1.70	25.07	<=33.01	Pass
			13	23.31	1.70	25.01	<=33.01	Pass
		25	0	23.15	1.70	24.85	<=33.01	Pass
	2567.5	1	0	23.96	1.70	25.66	<=33.01	Pass
			13	24.03	1.70	25.73	<=33.01	Pass
			24	23.56	1.70	25.26	<=33.01	Pass
		12	0	24.39	1.70	26.09	<=33.01	Pass
			6	23.40	1.70	25.10	<=33.01	Pass
			13	23.24	1.70	24.94	<=33.01	Pass
		25	0	23.42	1.70	25.12	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

12.2 B7_10MHz_EIRP

12.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	25.42	1.70	27.12	<=33.01	Pass
			25	25.62	1.70	27.32	<=33.01	Pass
			49	25.74	1.70	27.44	<=33.01	Pass
		25	0	24.20	1.70	25.90	<=33.01	Pass
			13	24.43	1.70	26.13	<=33.01	Pass
			25	24.61	1.70	26.31	<=33.01	Pass
		50	0	24.29	1.70	25.99	<=33.01	Pass
	2535	1	0	25.16	1.70	26.86	<=33.01	Pass
			25	25.50	1.70	27.20	<=33.01	Pass
			49	25.13	1.70	26.83	<=33.01	Pass
		25	0	24.31	1.70	26.01	<=33.01	Pass
			13	24.41	1.70	26.11	<=33.01	Pass
			25	24.28	1.70	25.98	<=33.01	Pass
		50	0	24.25	1.70	25.95	<=33.01	Pass
	2565	1	0	25.44	1.70	27.14	<=33.01	Pass
			25	25.42	1.70	27.12	<=33.01	Pass
			49	23.93	1.70	25.63	<=33.01	Pass
		25	0	25.61	1.70	27.31	<=33.01	Pass
			13	24.42	1.70	26.12	<=33.01	Pass
			25	24.32	1.70	26.02	<=33.01	Pass
		50	0	24.39	1.70	26.09	<=33.01	Pass
16QAM	2505	1	0	24.65	1.70	26.35	<=33.01	Pass
			25	25.24	1.70	26.94	<=33.01	Pass
			49	25.21	1.70	26.91	<=33.01	Pass
		25	0	23.39	1.70	25.09	<=33.01	Pass
			13	23.47	1.70	25.17	<=33.01	Pass
			25	23.67	1.70	25.37	<=33.01	Pass
		50	0	23.27	1.70	24.97	<=33.01	Pass
	2535	1	0	24.32	1.70	26.02	<=33.01	Pass
			25	24.41	1.70	26.11	<=33.01	Pass
			49	23.78	1.70	25.48	<=33.01	Pass

		25	0	23.45	1.70	25.15	<=33.01	Pass
			13	23.61	1.70	25.31	<=33.01	Pass
			25	23.40	1.70	25.10	<=33.01	Pass
		50	0	23.33	1.70	25.03	<=33.01	Pass
	2565	1	0	24.76	1.70	26.46	<=33.01	Pass
			25	24.70	1.70	26.40	<=33.01	Pass
			49	23.31	1.70	25.01	<=33.01	Pass
		25	0	24.63	1.70	26.33	<=33.01	Pass
			13	23.30	1.70	25.00	<=33.01	Pass
			25	23.33	1.70	25.03	<=33.01	Pass
		50	0	23.37	1.70	25.07	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

12.3 B7_15MHz_EIRP

12.3.1 Test Result

Band: 7 / Bandwidth: 15MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	25.42	1.70	27.12	<=33.01	Pass
			38	25.78	1.70	27.48	<=33.01	Pass
			74	24.94	1.70	26.64	<=33.01	Pass
		36	0	24.35	1.70	26.05	<=33.01	Pass
			18	24.65	1.70	26.35	<=33.01	Pass
			39	24.43	1.70	26.13	<=33.01	Pass
		75	0	24.31	1.70	26.01	<=33.01	Pass
	2535	1	0	25.19	1.70	26.89	<=33.01	Pass
			38	25.31	1.70	27.01	<=33.01	Pass
			74	24.89	1.70	26.59	<=33.01	Pass
		36	0	24.29	1.70	25.99	<=33.01	Pass
			18	24.34	1.70	26.04	<=33.01	Pass
			39	24.25	1.70	25.95	<=33.01	Pass
		75	0	24.22	1.70	25.92	<=33.01	Pass
	2562.5	1	0	25.39	1.70	27.09	<=33.01	Pass
			38	25.08	1.70	26.78	<=33.01	Pass
			74	24.07	1.70	25.77	<=33.01	Pass
		36	0	24.90	1.70	26.60	<=33.01	Pass
			18	24.40	1.70	26.10	<=33.01	Pass
			39	24.26	1.70	25.96	<=33.01	Pass
		75	0	24.30	1.70	26.00	<=33.01	Pass
16QAM	2507.5	1	0	24.85	1.70	26.55	<=33.01	Pass
			38	25.16	1.70	26.86	<=33.01	Pass
			74	24.34	1.70	26.04	<=33.01	Pass
		36	0	23.11	1.70	24.81	<=33.01	Pass
			18	23.61	1.70	25.31	<=33.01	Pass
			39	23.31	1.70	25.01	<=33.01	Pass
		75	0	23.37	1.70	25.07	<=33.01	Pass
	2535	1	0	24.40	1.70	26.10	<=33.01	Pass
			38	24.36	1.70	26.06	<=33.01	Pass
			74	23.91	1.70	25.61	<=33.01	Pass
		36	0	23.25	1.70	24.95	<=33.01	Pass
			18	23.28	1.70	24.98	<=33.01	Pass
			39	23.28	1.70	24.98	<=33.01	Pass
		75	0	23.17	1.70	24.87	<=33.01	Pass
	2562.5	1	0	24.61	1.70	26.31	<=33.01	Pass
			38	24.49	1.70	26.19	<=33.01	Pass

			74	23.48	1.70	25.18	<=33.01	Pass
		36	0	24.60	1.70	26.30	<=33.01	Pass
			18	23.37	1.70	25.07	<=33.01	Pass
			39	23.22	1.70	24.92	<=33.01	Pass
		75	0	23.34	1.70	25.04	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

12.4 B7_20MHz_EIRP

12.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2510	1	0	25.12	1.70	26.82	<=33.01	Pass		
			50	26.00	1.70	27.70	<=33.01	Pass		
			99	24.85	1.70	26.55	<=33.01	Pass		
		50	0	24.41	1.70	26.11	<=33.01	Pass		
			25	24.62	1.70	26.32	<=33.01	Pass		
			50	24.12	1.70	25.82	<=33.01	Pass		
		100	0	24.41	1.70	26.11	<=33.01	Pass		
		2535	1	0	25.12	1.70	26.82	<=33.01	Pass	
				50	25.55	1.70	27.25	<=33.01	Pass	
	99			25.00	1.70	26.70	<=33.01	Pass		
	50		0	24.23	1.70	25.93	<=33.01	Pass		
			25	24.41	1.70	26.11	<=33.01	Pass		
			50	24.24	1.70	25.94	<=33.01	Pass		
	100	0	24.24	1.70	25.94	<=33.01	Pass			
	2560	1	0	25.63	1.70	27.33	<=33.01	Pass		
			50	25.55	1.70	27.25	<=33.01	Pass		
			99	23.91	1.70	25.61	<=33.01	Pass		
		50	0	24.90	1.70	26.60	<=33.01	Pass		
			25	24.24	1.70	25.94	<=33.01	Pass		
			50	24.23	1.70	25.93	<=33.01	Pass		
		100	0	24.43	1.70	26.13	<=33.01	Pass		
		16QAM	2510	1	0	24.35	1.70	26.05	<=33.01	Pass
					50	25.45	1.70	27.15	<=33.01	Pass
	99				24.03	1.70	25.73	<=33.01	Pass	
50	0			23.48	1.70	25.18	<=33.01	Pass		
	25			23.56	1.70	25.26	<=33.01	Pass		
	50			23.18	1.70	24.88	<=33.01	Pass		
100	0			23.44	1.70	25.14	<=33.01	Pass		
2535	1		0	24.81	1.70	26.51	<=33.01	Pass		
			50	25.09	1.70	26.79	<=33.01	Pass		
			99	24.62	1.70	26.32	<=33.01	Pass		
	50		0	23.17	1.70	24.87	<=33.01	Pass		
			25	23.35	1.70	25.05	<=33.01	Pass		
			50	23.20	1.70	24.90	<=33.01	Pass		
100	0		23.22	1.70	24.92	<=33.01	Pass			
2560	1		0	24.31	1.70	26.01	<=33.01	Pass		
			50	24.44	1.70	26.14	<=33.01	Pass		
			99	23.29	1.70	24.99	<=33.01	Pass		
	50		0	24.32	1.70	26.02	<=33.01	Pass		
			25	23.28	1.70	24.98	<=33.01	Pass		
			50	23.15	1.70	24.85	<=33.01	Pass		
	100		0	23.29	1.70	24.99	<=33.01	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

