



WT CDU - RGB

Specification Sheet

Product code: 701-0005-0013-0A

Copyright © Wavetec - www.wavetec.com

WT CDU - RGB



Features:



- RGB Full Color LED Display
- Elegant Design
- Displays Ticket Numbers
- Displays Scrolling Messages
- Low Power Consumption
- Display Messages in Multiple Languages

Display	Display Color	Full Color RGB
	Resolution	32(H) x 64(W) = 2048 dots
	Display Languages	Multilingual
	Counter Number Sticker	Counter Number Sticker with Wavetec Logo (Right Side) 128 (H) x 85 (W) mm
	Branding Sticker	Branding Area (Left Side) 128 (H) x 85 (W) mm
	LED Display Area	128 (H) x 256 (W) mm
	Display Type	RGB SMD LED
	LED Pitch	4.0mm
Communication	Cable Type	Cat5e/Cat6, 4 pair twisted cable with pure copper solid wire conductor of 24 AWG
	Data Communication	115k bps Differential RS-485 data signal from ACTIVE HUB
Power Requirement	Power Supply	- Provided 12V through Active HUB on the data cable. - OPTIONAL +5V DC, 4.0 A (Provided through an external Adaptor) only needed when.
Physical	Dimensions (Height x Width x Depth)	Without packaging: 128 (H) x 426(L) x 53.90(D) mm With packaging 245 (H) x 515 (W) x 100 (D) mm
	Material	Plastic and metal
	Weight (Kg)	Without packaging: 0.92 Kg With packaging: 1.5 Kg
	Color	Dull Black
	Mounting Options	Wall Mount / Ceiling Mount
Environment	Operating Temperature	0 - 45 °C
	Humidity	Maximum 60% (relative humidity, non-condensing)

Packaging Items

Item Name	Product Code
WT CDU (R/G/B)	701-0005-0013-0A
CDU Holding Pipes (Black) with Accessories	498-0195-0001-0A

Dimensions and Layout

WT CDU – RGB:**701-0005-0013-0A**

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate

radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not

occur in a particular installation. If this equipment does cause harmful interference to radio or television

reception, which can be determined by turning the equipment off and on, the user is encouraged to try to

correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected

.

- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 20cm between the radiator & your body