

## SPECIFICATION FOR APPROVAL

CUSTOMER: The Gem Group, Inc.

CUST P/N:

DESC: J-FCA11L10

DATE: 20220829

VERSION: A.0

| PREPARED BY | CHECKED BY | APPROVED BY | CUSTOMER APPROVE |
|-------------|------------|-------------|------------------|
| 杨茂新         | 刘惜姜        | 罗杰          |                  |

Manufacturer:DONGGUAN JIOU ELECTRONIC TECHNOLOGY CO,LTD

ADD: Xinfu Industrial Zone, Shijie Town, Dongguan City

TEL:0769-83067050

E-mail: [lybofmana@163.com](mailto:lybofmana@163.com)

---


**Version Change History**

| Rev | Before Change | After Change | Change Date | Approved BY |
|-----|---------------|--------------|-------------|-------------|
| A.0 | 新发行           |              | 20220829    | 罗杰          |
|     |               |              |             |             |
|     |               |              |             |             |
|     |               |              |             |             |
|     |               |              |             |             |
|     |               |              |             |             |
|     |               |              |             |             |
|     |               |              |             |             |
|     |               |              |             |             |
|     |               |              |             |             |
|     |               |              |             |             |
|     |               |              |             |             |
|     |               |              |             |             |
|     |               |              |             |             |
|     |               |              |             |             |
|     |               |              |             |             |

## SPECIFICATION

|      |            |         |          |  |
|------|------------|---------|----------|--|
| DESC | J-FCA11L10 | REV:A.O | CUST     |  |
|      |            |         | CUST P/N |  |

one、 DIMENSION(MM)

|                                                                                    |   |             |
|------------------------------------------------------------------------------------|---|-------------|
|  | A | 43±1mm      |
|                                                                                    | B | 20.5±0.5 mm |
|                                                                                    | C | 5±0.5 mm    |
|                                                                                    | D | 50±1mm      |
|                                                                                    | E | 10±2 mm     |
|                                                                                    | F | 3±2 mm      |
|                                                                                    | G | 1±0.1 mm    |
|                                                                                    | H | 3.0Max      |

two、 Winding Specification:

|                     |       |                   |
|---------------------|-------|-------------------|
| Wire                | Turns | Winding Direction |
| silk wire 0.08*105P | 10TS  | Rewind            |

three、 ELECTRICAL CHARACTERISTICS:

TEMPERATURE:25±10℃,RELATIVE HUMIDITY :65±20%

|      |              |                |                 |
|------|--------------|----------------|-----------------|
| TIEM | PECIFICATION | TEST FREQUENCY | TEST EQUIPMENTS |
| IND  | 6.4UH±10%    | 100 KHZ/1.0V   | LCZ METER 1062B |
| DCR  | 55mΩ Max     |                | LCZ METER 1062B |
| gain | 0DB          |                |                 |

|            |            |          |
|------------|------------|----------|
| PREPAREDBY | CHECKED BY | DATE     |
| 杨茂新        | 刘惜姜        | 20220829 |

