



Test Mode	Mode 2						
Frequency	5550 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
17	5550	1	99.5	19	1563.0	1	1
	5550	2	95.8	15	1344.6	1	
	5550	3	81.2	8	1393.1	2	
	5550	4	67.3	9	1954.8	1	
	5550	5	94.1	14	1606.0	3	
	5550	6	89.7	15	1699.2	3	
	5550	7	86.9	10	1986.1	3	
	5550	8	72.3	8	1508.6	1	
	5550	9	60.6	8	1796.5	1	
	5550	10	54.0	9	1958.9	2	
	5550	11	74.0	13	1473.2	3	
	5550	12	79.9	6	1576.2	2	
	5550	13	90.2	5	1992.7	2	
	5550	14	96.0	18	1787.8	2	
	5550	15	90.6	11	1375.4	1	
	5550	16	69.1	14	1241.4	2	
	5550	17	95.6	13	1452.0	3	
18	5550	1	61.2	10	1700.7	2	1
	5550	2	76.5	14	1246.4	2	
	5550	3	85.5	15	1952.4	2	
	5550	4	88.8	10	1619.2	2	
	5550	5	88.0	18	1210.3	3	
	5550	6	92.1	19	1829.9	2	
	5550	7	86.5	15	1820.2	3	
	5550	8	66.4	7	1877.2	3	
	5550	9	97.9	17	1327.3	1	
	5550	10	79.4	17	1668.4	3	
	5550	11	55.8	7	1828.9	2	
	5550	12	80.2	20	1002.7	2	
	5550	13	94.6	17	1207.5	1	
	5550	14	94.6	19	1497.1	2	
	5550	15	75.8	16	1532.9	2	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
19	5550	1	70.1	14	1789.5	3	1
	5550	2	86.2	11	1519.8	3	
	5550	3	50.6	6	1927.9	1	
	5550	4	56.3	14	1629.6	1	
	5550	5	78.3	12	1549.7	1	
	5550	6	50.2	17	1959.1	2	
	5550	7	95.9	12	1260.4	1	
	5550	8	88.6	13	1468.1	2	
	5550	9	70.1	7	1692.2	1	
	5550	10	54.3	7	1270.5	1	
	5550	11	71.7	13	1728.4	3	
	5550	12	63.1	15	1125.4	1	
	5550	13	55.0	16	1097.4	3	
	5550	14	91.3	16	1700.7	2	
20	5550	1	64.2	16	1367.5	3	1
	5550	2	97.2	7	1005.4	2	
	5550	3	60.2	19	1875.9	2	
	5550	4	98.4	7	1569.1	1	
	5550	5	73.9	7	1522.5	2	
	5550	6	59.3	5	1008.6	2	
	5550	7	92.5	15	1977.6	3	
	5550	8	60.7	8	1523.2	1	
	5550	9	87.9	6	1407.2	1	
	5550	10	86.2	18	1753.5	3	
21	5565.5	1	73.5	8	1364.3	3	1
	5566.5	2	72.0	6	1386.5	1	
	5561.5	3	55.9	18	1498.7	2	
	5562.5	4	58.5	15	1274.7	2	
	5565.5	5	65.6	8	1788.8	1	
	5563.5	6	94.3	12	1359.3	2	
	5562.5	7	51.5	14	1378.1	1	
	5565.5	8	67.3	7	1172.5	1	
	5560.5	9	60.2	19	1252.5	3	
	5566.5	10	83.2	6	1834.2	1	
	5562.5	11	98.0	16	1660.2	2	
	5563.5	12	78.6	13	1279.1	3	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
22	5566.5	1	97.7	6	1447.4	1	0
	5562.5	2	80.2	16	1690.3	3	
	5566.5	3	63.3	6	1944.9	2	
	5565.5	4	87.0	7	1341.4	3	
	5562.5	5	80.0	16	1477.7	3	
	5564.5	6	79.6	10	1053.8	3	
	5563.5	7	71.6	13	1327.3	1	
	5565.5	8	52.2	7	1056.9	2	
	5566.5	9	53.1	6	1958.1	2	
23	5561.5	1	94.9	18	1723.9	2	1
	5565.5	2	51.2	8	1864.6	3	
	5564.5	3	67.6	9	1928.3	1	
	5566.5	4	61.2	5	1125.0	3	
	5563.5	5	60.0	13	1406.3	1	
	5563.5	6	77.6	12	1273.2	2	
	5566.5	7	81.4	6	1223.7	1	
	5561.5	8	69.8	18	1558.3	3	
	5565.5	9	64.1	7	1722.8	3	
	5562.5	10	72.6	15	1839.4	1	
	5561.5	11	54.4	18	1644.9	3	
	5564.5	12	99.2	9	1550.4	1	
	5566.5	13	63.8	5	1105.9	1	
	5562.5	14	71.8	15	1012.7	1	
	5564.5	15	86.5	11	1212.0	3	
24	5564.5	1	62.5	10	1468.7	2	1
	5562.5	2	79.5	16	1137.2	2	
	5561.5	3	95.1	18	1733.4	1	
	5560.5	4	52.7	19	1681.9	2	
	5562.5	5	75.1	16	1822.5	1	
	5560.5	6	72.6	19	1057.2	3	
	5560.5	7	60.2	19	1992.8	2	
	5564.5	8	74.0	11	1279.2	2	
	5560.5	9	89.7	19	1664.2	1	
	5566.5	10	92.3	5	1733.9	1	
	5564.5	11	53.4	10	1437.2	2	
	5561.5	12	55.1	17	1715.5	2	
	5565.5	13	74.1	8	1574.2	3	
	5563.5	14	95.9	12	1147.3	1	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
25	5565.5	1	62.3	8	1882.1	3	1
	5563.5	2	76.6	13	1720.6	1	
	5566.5	3	66.5	6	1332.8	1	
	5563.5	4	74.7	12	1354.7	2	
	5561.5	5	59.5	17	1894.6	2	
	5564.5	6	97.0	11	1460.8	3	
	5561.5	7	67.9	18	1102.8	1	
	5563.5	8	68.6	13	1897.6	1	
	5566.5	9	82.9	5	1832.0	2	
	5561.5	10	54.1	18	1415.9	1	
	5562.5	11	85.1	14	1940.7	2	
	5566.5	12	51.8	5	1713.4	1	
	5561.5	13	60.2	17	1111.4	1	
	5562.5	14	64.7	15	1594.0	3	
	5562.5	15	66.9	16	1760.7	3	
	5563.5	16	52.0	12	1790.7	1	
	5563.5	17	64.1	12	1736.2	2	
	5564.5	18	55.2	11	1018.1	3	
26	5566.5	1	97.4	6	1707.5	1	0
	5565.5	2	72.3	7	1932.8	2	
	5560.5	3	60.2	20	1293.8	2	
	5562.5	4	54.2	14	1644.3	2	
	5564.5	5	74.4	11	1042.3	3	
	5564.5	6	84.0	9	1726.1	3	
	5564.5	7	73.4	9	1540.1	1	
	5563.5	8	51.6	13	1813.1	1	
	5562.5	9	86.9	16	1455.1	1	
	5565.5	10	65.4	7	1784.7	3	
	5563.5	11	84.5	13	1025.7	3	
	5564.5	12	70.5	9	1772.3	3	
	5565.5	13	84.7	7	1640.6	3	
	5561.5	14	75.2	17	1572.2	3	
	5561.5	15	64.3	18	1348.4	3	
	5563.5	16	84.8	13	1014.8	3	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5564.5	1	72.2	9	1834.2	3	1
	5561.5	2	59.7	18	1643.8	1	
	5560.5	3	82.4	19	1318.6	1	
	5563.5	4	96.3	12	1260.3	2	
	5565.5	5	97.9	8	1099.9	3	
	5564.5	6	65.1	10	1842.5	3	
	5560.5	7	82.2	19	1205.5	2	
	5561.5	8	94.4	17	1430.9	3	
	5561.5	9	64.7	18	1039.0	1	
	5563.5	10	70.1	12	1821.4	1	
	5564.5	11	76.7	11	1369.9	2	
	5565.5	12	57.8	8	1693.7	2	
	5561.5	13	89.9	17	1985.7	2	
	5566.5	14	51.5	5	1037.0	2	
	5564.5	15	50.1	10	1260.4	3	
	5564.5	16	75.2	9	1956.0	3	
	5565.5	17	74.5	8	1096.0	2	
	5563.5	18	68.7	13	1832.5	3	
	5560.5	19	71.1	19	1524.7	3	
	5562.5	20	74.4	15	1055.3	1	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
28	5562.5	1	81.3	14	1753.3	1	1
	5566.5	2	77.0	6	1384.4	3	
	5566.5	3	93.8	5	1525.8	1	
	5561.5	4	95.4	18	1273.2	2	
	5564.5	5	53.6	11	1937.8	3	
	5563.5	6	99.0	12	1218.2	1	
	5561.5	7	61.5	17	1315.4	2	
	5564.5	8	69.3	11	1266.5	2	
	5561.5	9	72.8	18	1594.6	2	
	5560.5	10	88.8	20	1483.0	2	
	5560.5	11	56.3	19	1426.3	2	
	5563.5	12	97.1	12	1950.7	2	
	5561.5	13	80.1	18	1156.0	2	
	5563.5	14	81.3	13	1495.8	3	
	5562.5	15	92.4	16	1602.4	3	
	5562.5	16	98.7	14	1724.2	2	
	5563.5	17	60.6	12	1086.4	1	
	5564.5	18	55.6	9	1860.2	1	
	5565.5	19	52.5	8	1992.6	2	
	5563.5	20	55.8	12	1664.5	1	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5563.5	1	98.8	13	1607.8	3	0
	5560.5	2	90.9	20	1920.6	2	
	5561.5	3	89.5	17	1924.5	2	
	5566.5	4	55.9	5	1476.2	1	
	5561.5	5	50.5	17	1821.6	1	
	5561.5	6	70.9	18	1112.8	3	
	5562.5	7	51.1	15	1618.4	2	
	5562.5	8	89.9	16	1978.0	2	
	5562.5	9	88.6	14	1822.5	1	
	5561.5	10	68.0	17	1257.6	2	
	5563.5	11	94.1	13	1128.3	1	
	5560.5	12	59.3	20	1256.7	3	
	5562.5	13	88.2	16	1112.8	3	
	5560.5	14	82.2	20	1539.1	1	
	5565.5	15	94.6	8	1701.5	3	
	5563.5	16	82.6	12	1089.2	2	
	5565.5	17	55.1	7	1421.8	1	
30	5561.5	1	78.5	18	1093.1	1	1
	5561.5	2	73.0	18	1344.0	1	
	5565.5	3	77.1	7	1837.7	3	
	5563.5	4	87.8	12	1685.1	3	
	5565.5	5	85.4	7	1844.2	1	
	5566.5	6	50.4	5	1254.8	1	
	5566.5	7	67.7	5	1124.5	2	
	5564.5	8	54.1	9	1170.8	3	
	5561.5	9	58.5	18	1903.1	2	
	5564.5	10	85.2	10	1282.6	2	
	5563.5	11	54.3	12	1990.6	2	
	5562.5	12	66.9	14	1986.2	3	
	5564.5	13	85.5	10	1842.2	3	
	5564.5	14	60.9	10	1685.2	1	
Detection Percentage (%)							83.33



Test Mode	Mode 2					
Frequency	5550 MHz					
Radar Signal	Type 6					
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	1
2	1	333	9	0.333	300	1
3	1	333	9	0.333	300	1
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	1
6	1	333	9	0.333	300	1
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	1
9	1	333	9	0.333	300	1
10	1	333	9	0.333	300	1
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	1
13	1	333	9	0.333	300	1
14	1	333	9	0.333	300	1
15	1	333	9	0.333	300	1
16	1	333	9	0.333	300	1
17	1	333	9	0.333	300	1
18	1	333	9	0.333	300	1
19	1	333	9	0.333	300	1
20	1	333	9	0.333	300	1
21	1	333	9	0.333	300	1
22	1	333	9	0.333	300	1
23	1	333	9	0.333	300	1
24	1	333	9	0.333	300	1
25	1	333	9	0.333	300	1
26	1	333	9	0.333	300	1
27	1	333	9	0.333	300	1
28	1	333	9	0.333	300	1
29	1	333	9	0.333	300	1
30	1	333	9	0.333	300	1
Detection Percentage (%)						100.00



Test Mode	Mode 3					
Frequency	5530 MHz					
Radar Signal	Type 1					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5530	1	538	99	1859	1
2	5530	1	938	57	1066	1
3	5530	1	798	67	1253	1
4	5530	1	798	67	1253	1
5	5530	1	598	89	1672	1
6	5530	1	518	102	1931	1
7	5530	1	3066	18	326	1
8	5530	1	918	58	1089	1
9	5530	1	618	86	1618	1
10	5530	1	598	89	1672	1
11	5530	1	558	95	1792	1
12	5530	1	538	99	1859	1
13	5530	1	778	68	1285	1
14	5530	1	738	72	1355	1
15	5530	1	758	70	1319	1
16	5530	1	1009	53	991	1
17	5530	1	2799	19	357	1
18	5530	1	1759	31	569	0
19	5530	1	1165	46	858	1
20	5530	1	600	88	1667	1
21	5530	1	644	82	1553	1
22	5530	1	2062	26	485	1
23	5530	1	1123	47	890	1
24	5530	1	1150	46	870	1
25	5530	1	1092	49	916	1
26	5530	1	923	58	1083	0
27	5530	1	2635	21	380	1
28	5530	1	818	65	1222	1
29	5530	1	1106	48	904	1
30	5530	1	2859	19	350	1
Detection Percentage (%)						93.33



Test Mode	Mode 3					
Frequency	5530 MHz					
Radar Signal	Type 2					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5530	1.10	156.90	29	6373	1
2	5530	1.70	219.50	26	4556	1
3	5530	4.90	208.60	27	4794	1
4	5530	1.60	214.80	28	4655	1
5	5530	1.70	212.30	24	4710	1
6	5530	1.70	218.90	24	4568	1
7	5530	1.90	215.30	27	4645	1
8	5530	2.00	207.80	25	4812	1
9	5530	4.00	168.10	24	5949	1
10	5530	2.30	221.20	29	4521	1
11	5530	3.80	206.80	28	4836	1
12	5530	3.30	172.60	25	5794	1
13	5530	2.50	194.00	26	5155	1
14	5530	4.50	158.80	24	6297	1
15	5530	1.40	199.70	27	5008	1
16	5530	2.60	190.90	24	5238	1
17	5530	5.00	176.40	27	5669	1
18	5530	2.90	166.80	23	5995	1
19	5530	3.20	176.20	23	5675	1
20	5530	3.60	196.20	24	5097	1
21	5530	2.00	173.80	27	5754	1
22	5530	4.60	207.50	23	4819	1
23	5530	2.50	206.50	23	4843	1
24	5530	4.60	151.20	24	6614	1
25	5530	3.90	160.40	25	6234	1
26	5530	1.50	150.20	29	6658	1
27	5530	3.20	202.60	24	4936	1
28	5530	1.40	155.60	26	6427	1
29	5530	1.80	166.80	29	5995	1
30	5530	4.20	170.40	26	5869	1
Detection Percentage (%)						100.00



Test Mode	Mode 3					
Frequency	5530 MHz					
Radar Signal	Type 3					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5530	9.80	466.60	18	2143.16	1
2	5530	7.40	373.30	16	2678.81	1
3	5530	9.40	448.70	17	2228.66	1
4	5530	6.70	445.80	16	2243.16	1
5	5530	7.30	316.30	17	3161.56	1
6	5530	6.80	389.50	18	2567.39	1
7	5530	7.30	473.40	17	2112.38	1
8	5530	7.60	331.50	17	3016.59	1
9	5530	7.50	488.60	16	2046.66	1
10	5530	6.90	390.70	17	2559.51	0
11	5530	9.00	201.70	16	4957.86	1
12	5530	6.30	356.30	17	2806.62	1
13	5530	6.40	354.20	16	2823.26	1
14	5530	8.90	334.00	18	2994.01	1
15	5530	9.80	249.40	18	4009.62	1
16	5530	7.50	344.10	16	2906.13	1
17	5530	8.00	444.70	17	2248.71	1
18	5530	9.80	401.50	17	2490.66	1
19	5530	7.50	217.40	16	4599.82	1
20	5530	8.00	465.50	18	2148.23	1
21	5530	9.20	348.90	18	2866.15	1
22	5530	7.20	472.70	17	2115.51	1
23	5530	8.30	364.90	16	2740.48	0
24	5530	6.20	241.10	18	4147.66	1
25	5530	9.20	278.10	17	3595.83	1
26	5530	7.60	478.00	18	2092.05	1
27	5530	9.10	255.40	17	3915.43	1
28	5530	8.20	266.30	18	3755.16	1
29	5530	8.10	422.80	18	2365.18	1
30	5530	9.20	443.90	18	2252.76	1
Detection Percentage (%)						93.33



Test Mode	Mode 3					
Frequency	5530 MHz					
Radar Signal	Type 4					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5530	14.80	235.50	15	4246	1
2	5530	14.20	267.10	16	3744	1
3	5530	14.00	317.40	13	3151	0
4	5530	15.20	397.30	14	2517	1
5	5530	12.60	267.60	16	3737	1
6	5530	14.50	243.40	14	4108	1
7	5530	17.50	361.30	14	2768	1
8	5530	14.20	328.20	14	3047	1
9	5530	17.90	490.20	15	2040	1
10	5530	13.40	358.80	16	2787	1
11	5530	20.00	322.90	12	3097	1
12	5530	16.70	392.60	12	2547	1
13	5530	11.70	349.70	14	2860	1
14	5530	18.90	225.00	15	4444	1
15	5530	11.90	264.10	14	3786	1
16	5530	14.70	290.20	12	3446	1
17	5530	17.90	243.90	16	4100	1
18	5530	19.80	325.70	12	3070	1
19	5530	15.40	360.40	16	2775	1
20	5530	16.40	205.20	13	4873	1
21	5530	17.60	276.50	16	3617	1
22	5530	16.50	488.50	15	2047	1
23	5530	11.10	378.10	15	2645	1
24	5530	18.70	266.60	15	3751	1
25	5530	17.10	389.40	12	2568	1
26	5530	14.50	403.40	15	2479	1
27	5530	15.70	467.10	12	2141	1
28	5530	12.40	276.20	15	3621	1
29	5530	14.60	490.70	12	2038	1
30	5530	12.30	457.80	13	2184	1
Detection Percentage (%)						96.67



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
1	5495.5	1	82.2	8	1819.1	2	1
	5494.5	2	94.6	6	1458.0	2	
	5498.5	3	63.8	15	1118.8	3	
	5496.5	4	94.1	10	1449.2	2	
	5498.5	5	78.7	14	1618.0	1	
	5495.5	6	77.7	7	1157.6	2	
	5499.5	7	97.5	17	1532.4	3	
	5496.5	8	84.7	10	1227.4	3	
	5498.5	9	55.7	16	1553.3	3	
	5500.5	10	58.0	19	1382.3	2	
	5494.5	11	50.3	5	1778.8	2	
2	5494.5	1	68.7	6	1135.4	1	0
	5498.5	2	75.9	14	1597.9	3	
	5496.5	3	69.9	10	1109.3	3	
	5499.5	4	80.9	18	1107.6	1	
	5495.5	5	87.2	8	1722.0	1	
	5494.5	6	54.0	6	1981.4	2	
	5495.5	7	55.8	7	1869.3	1	
	5498.5	8	89.3	14	1826.8	1	
	5498.5	9	53.4	16	1913.9	1	
	5499.5	10	69.7	18	1007.0	3	
	5496.5	11	63.3	9	1943.5	2	
	5498.5	12	61.9	15	1118.4	2	
3	5496.5	1	65.2	9	1743.9	1	0
	5499.5	2	66.1	17	1117.0	1	
	5496.5	3	56.3	10	1145.4	1	
	5500.5	4	68.4	19	1109.6	2	
	5496.5	5	81.3	10	1667.7	3	
	5495.5	6	73.2	8	1904.9	3	
	5496.5	7	92.8	9	1622.5	2	
	5498.5	8	76.1	15	1579.9	3	
	5498.5	9	54.9	16	1275.4	3	
	5494.5	10	56.5	5	1784.4	2	
	5494.5	11	91.6	6	1855.5	1	
	5497.5	12	66.1	12	1974.9	1	
	5498.5	13	85.2	16	1842.4	1	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
4	5496.5	1	94.3	9	1920.9	1	1
	5500.5	2	97.6	20	1235.9	1	
	5496.5	3	88.9	11	1131.9	3	
	5494.5	4	77.6	6	1883.5	1	
	5498.5	5	78.4	14	1322.7	3	
	5496.5	6	65.9	9	1403.1	3	
	5496.5	7	61.4	9	1132.2	2	
	5498.5	8	82.5	15	1816.7	3	
	5494.5	9	96.3	5	1171.5	3	
5	5497.5	1	88.2	13	1000.3	3	1
	5496.5	2	75.5	11	1385.4	3	
	5497.5	3	84.3	12	1741.4	1	
	5496.5	4	69.0	9	1365.3	3	
	5499.5	5	69.9	17	1629.7	1	
	5498.5	6	92.4	16	1213.8	1	
	5498.5	7	70.5	15	1716.4	1	
	5499.5	8	58.5	17	1662.5	3	
	5500.5	9	76.2	19	1121.2	2	
	5494.5	10	59.0	6	1686.4	3	
	5499.5	11	88.2	17	1580.4	2	
	5496.5	12	84.1	10	1020.9	2	
	5496.5	13	79.5	11	1775.0	3	
	5496.5	14	82.4	10	1086.3	1	
	5498.5	15	67.6	16	1563.8	3	
6	5496.5	1	90.5	10	1913.6	3	1
	5500.5	2	83.9	19	1118.3	2	
	5495.5	3	72.3	7	1698.9	3	
	5500.5	4	81.5	19	1503.2	2	
	5497.5	5	65.5	13	1467.0	1	
	5499.5	6	77.9	17	1695.3	2	
	5494.5	7	83.4	6	1120.2	3	
	5496.5	8	67.2	11	1161.5	2	
	5495.5	9	86.0	7	1201.4	3	
	5499.5	10	73.1	17	1550.1	1	
	5496.5	11	52.3	9	1505.6	1	
	5496.5	12	73.5	10	1162.6	3	
	5498.5	13	59.5	16	1683.8	2	
	5496.5	14	84.5	10	1170.0	1	



Test Mode	Mode 3						
Frequency	5530 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
7	5495.5	1	57.5	8	1741.3	1	1
	5498.5	2	98.8	15	1000.0	1	
	5499.5	3	90.9	18	1520.9	1	
	5500.5	4	65.6	19	1030.8	2	
	5497.5	5	67.1	12	1389.5	3	
	5496.5	6	81.7	10	1512.1	2	
	5496.5	7	66.4	9	1676.9	2	
	5498.5	8	99.3	16	1704.8	3	
	5499.5	9	91.4	18	1296.8	1	
	5497.5	10	62.1	13	1081.9	2	
	5497.5	11	75.8	12	1332.5	2	
	5498.5	12	76.1	16	1389.1	2	
	5497.5	13	53.8	12	1764.5	2	
	5496.5	14	52.7	9	1016.2	2	
	5498.5	15	92.5	16	1047.4	1	
	5497.5	16	68.5	13	1439.2	3	
	5496.5	17	56.7	10	1973.4	2	
8	5499.5	1	89.6	18	1738.7	3	1
	5494.5	2	64.9	6	1800.7	3	
	5500.5	3	70.9	20	1378.7	3	
	5497.5	4	92.9	13	1785.8	3	
	5498.5	5	54.2	14	1896.4	3	
	5498.5	6	82.8	16	1772.4	3	
	5496.5	7	74.1	10	1981.5	3	
	5498.5	8	96.2	15	1675.4	1	
	5496.5	9	54.6	11	1624.8	2	
	5499.5	10	88.9	18	1169.1	1	
	5495.5	11	88.4	7	1665.5	2	
	5498.5	12	65.4	15	1965.9	3	
	5495.5	13	56.0	8	1102.0	1	
	5496.5	14	92.3	9	1933.2	1	
	5497.5	15	64.9	12	1547.9	2	
	5496.5	16	87.1	9	1637.5	3	
	5497.5	17	60.8	12	1808.7	3	
	5496.5	18	93.4	10	1073.6	2	



Test Mode	Mode 3						
Frequency	5530 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
9	5499.5	1	56.9	18	1037.4	2	1
	5499.5	2	62.2	18	1289.8	2	
	5497.5	3	98.5	13	1775.2	1	
	5495.5	4	73.5	8	1117.0	1	
	5498.5	5	60.0	15	1258.3	2	
	5496.5	6	56.7	9	1260.0	1	
	5496.5	7	76.4	9	1766.7	2	
	5497.5	8	64.4	13	1235.8	3	
	5496.5	9	64.0	11	1595.2	3	
	5496.5	10	98.9	9	1810.5	2	
	5498.5	11	53.7	16	1450.6	3	
	5497.5	12	58.3	12	1775.8	1	
	5499.5	13	78.4	18	1424.9	3	
	5498.5	14	51.0	15	1359.9	3	
	5498.5	15	84.6	16	1924.7	1	
	5499.5	16	56.9	17	1391.9	3	
	5494.5	17	63.0	6	1962.3	3	
	5496.5	18	81.3	10	1369.4	3	
	5496.5	19	54.3	11	1312.5	3	
10	5499.5	1	69.3	18	1888.1	1	0
	5499.5	2	61.7	18	1934.0	3	
	5496.5	3	89.2	11	1013.0	3	
	5498.5	4	89.3	15	1104.1	1	
	5498.5	5	78.3	16	1204.5	2	
	5496.5	6	95.2	10	1509.3	2	
	5494.5	7	68.8	5	1103.2	1	
	5494.5	8	57.2	6	1306.8	2	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
11	5530	1	91.7	20	1898.8	3	1
	5530	2	97.6	19	1115.2	1	
	5530	3	69.2	18	1742.6	1	
	5530	4	89.8	9	1030.9	2	
	5530	5	89.9	5	1597.2	2	
	5530	6	94.0	18	1160.4	1	
	5530	7	87.6	18	1330.9	2	
	5530	8	99.3	9	1009.7	2	
	5530	9	58.0	7	1553.8	3	
	5530	10	74.8	17	1014.2	2	
	5530	11	64.2	7	1775.6	3	
	5530	12	58.4	18	1564.2	2	
	5530	13	82.0	18	1068.3	2	
	5530	14	80.3	12	1703.6	1	
	5530	15	64.2	9	1003.4	2	
	5530	16	86.8	15	1590.9	3	
12	5530	1	53.6	16	1211.1	3	1
	5530	2	58.3	12	1515.8	3	
	5530	3	78.1	14	1569.3	2	
	5530	4	67.5	16	1834.6	1	
	5530	5	59.1	13	1963.4	2	
	5530	6	66.2	12	1550.9	2	
	5530	7	96.3	9	1732.6	3	
	5530	8	85.3	13	1111.7	1	
	5530	9	61.0	11	1868.4	1	
	5530	10	97.9	15	1121.7	3	
	5530	11	68.0	12	1656.3	3	
	5530	12	56.9	19	1818.3	3	
	5530	13	86.8	12	1008.6	1	
	5530	14	72.1	19	1702.7	3	
	5530	15	77.0	20	1493.4	1	
	5530	16	79.0	5	1981.7	3	
	5530	17	57.1	10	1025.0	1	
	5530	18	62.5	15	1040.5	3	
	5530	19	85.3	8	1773.7	3	
	5530	20	71.7	9	1354.5	1	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
13	5530	1	99.0	15	1403.9	3	1
	5530	2	50.6	15	1146.6	2	
	5530	3	94.5	18	1509.7	1	
	5530	4	84.1	15	1198.0	2	
	5530	5	91.3	14	1907.5	2	
	5530	6	59.7	8	1799.7	3	
	5530	7	59.9	13	1594.2	1	
	5530	8	74.7	13	1980.6	1	
	5530	9	62.9	7	1458.1	1	
	5530	10	77.4	19	1105.2	1	
14	5530	1	87.4	17	1050.6	3	1
	5530	2	53.9	17	1614.5	2	
	5530	3	83.5	13	1666.6	3	
	5530	4	68.0	11	1490.4	2	
	5530	5	82.2	20	1324.9	3	
	5530	6	56.3	15	1669.2	1	
	5530	7	65.6	18	1302.8	2	
	5530	8	99.3	11	1033.9	3	
	5530	9	71.3	15	1604.2	3	
	5530	10	68.3	20	1271.0	1	
	5530	11	71.9	15	1598.2	1	
	5530	12	75.4	13	1331.7	1	
	5530	13	78.0	18	1301.8	1	
	5530	14	57.3	14	1353.9	2	
	5530	15	82.1	19	1660.8	2	
	5530	16	50.8	5	1219.1	1	
	5530	17	58.2	14	1386.7	3	
	5530	18	83.0	13	1983.2	1	
	5530	19	58.0	7	1963.2	3	
	5530	20	78.1	10	1236.8	1	



Test Mode	Mode 3						
Frequency	5530 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
15	5530	1	60.8	18	1249.2	3	1
	5530	2	92.1	6	1890.6	1	
	5530	3	61.7	15	1885.2	1	
	5530	4	52.1	10	1088.8	3	
	5530	5	55.3	13	1391.6	2	
	5530	6	51.1	12	1760.1	1	
	5530	7	54.7	12	1742.5	1	
	5530	8	52.0	15	1226.3	1	
	5530	9	94.5	19	1301.9	3	
	5530	10	93.7	10	1025.0	3	
	5530	11	62.2	15	1766.2	2	
	5530	12	71.6	15	1259.7	3	
	5530	13	94.4	13	1819.6	2	
	5530	14	85.6	18	1763.2	2	
	5530	15	87.3	7	1927.9	3	
	5530	16	70.3	13	1573.7	2	
	5530	17	91.4	16	1134.6	2	
	5530	18	52.0	14	1342.3	3	
	5530	19	90.1	10	1636.8	1	
16	5530	1	81.4	7	1456.0	2	1
	5530	2	89.6	6	1079.2	3	
	5530	3	66.9	9	1203.9	2	
	5530	4	53.4	7	1580.9	1	
	5530	5	65.6	17	1615.1	1	
	5530	6	65.6	14	1807.3	1	
	5530	7	86.1	16	1511.4	2	
	5530	8	69.0	13	1258.8	1	
	5530	9	96.2	6	1600.3	3	
	5530	10	77.6	13	1067.5	2	
	5530	11	84.8	17	1750.9	2	
	5530	12	92.2	8	1667.8	3	
	5530	13	89.1	10	1832.7	1	
	5530	14	82.8	10	1747.5	2	
	5530	15	74.6	20	1799.9	1	
	5530	16	63.2	14	1115.1	1	
	5530	17	71.4	12	1360.5	1	
	5530	18	90.8	16	1694.5	3	



Test Mode	Mode 3						
Frequency	5530 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
17	5530	1	96.4	8	1279.4	1	1
	5530	2	55.1	8	1575.4	3	
	5530	3	55.0	5	1727.3	1	
	5530	4	87.4	20	1283.3	1	
	5530	5	77.4	19	1664.6	1	
	5530	6	96.3	10	1491.9	2	
	5530	7	93.7	15	1178.7	3	
	5530	8	82.1	17	1014.9	1	
	5530	9	62.9	8	1985.7	1	
	5530	10	82.0	10	1325.2	1	
	5530	11	66.1	16	1801.5	3	
	5530	12	54.0	5	1159.6	2	
	5530	13	68.1	18	1023.2	2	
	5530	14	82.0	19	1055.3	2	
	5530	15	89.8	8	1296.2	1	
	5530	16	91.7	11	1666.8	1	
	5530	17	96.8	11	1951.3	1	
18	5530	1	84.8	12	1856.6	1	1
	5530	2	95.1	5	1415.7	2	
	5530	3	94.2	7	1220.8	3	
	5530	4	54.2	16	1325.2	2	
	5530	5	81.5	16	1965.4	1	
	5530	6	83.4	16	1345.8	1	
	5530	7	56.4	5	1425.3	1	
	5530	8	89.1	10	1717.6	2	
	5530	9	55.3	8	1593.1	1	
	5530	10	88.5	17	1371.3	1	
	5530	11	73.6	14	1421.0	1	
	5530	12	74.6	18	1219.5	1	
	5530	13	59.6	7	1718.4	3	
	5530	14	66.4	18	1599.2	1	
	5530	15	52.4	17	1922.2	2	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
19	5530	1	54.6	15	1816.7	2	1
	5530	2	78.6	9	1443.9	3	
	5530	3	75.8	8	1867.9	1	
	5530	4	50.0	12	1506.3	2	
	5530	5	65.5	9	1014.8	1	
	5530	6	87.7	17	1749.3	2	
	5530	7	53.6	14	1311.1	2	
	5530	8	70.6	10	1797.9	2	
	5530	9	89.5	6	1562.7	2	
	5530	10	63.6	16	1348.6	2	
	5530	11	58.5	16	1701.1	3	
	5530	12	59.7	9	1244.8	1	
	5530	13	55.6	10	1380.9	1	
	5530	14	88.0	14	1027.7	2	
20	5530	1	93.6	7	1234.0	3	1
	5530	2	63.0	10	1223.7	1	
	5530	3	85.0	10	1423.2	3	
	5530	4	53.6	6	1741.8	3	
	5530	5	78.7	11	1214.7	2	
	5530	6	84.8	18	1180.2	2	
	5530	7	64.3	15	1494.6	2	
	5530	8	88.6	11	1309.6	1	
	5530	9	64.7	9	1510.9	1	
	5530	10	81.2	17	1763.0	3	
21	5559.5	1	82.3	20	1336.2	2	1
	5561.5	2	92.3	14	1381.8	1	
	5561.5	3	54.1	14	1131.7	3	
	5562.5	4	55.9	13	1404.3	3	
	5561.5	5	63.0	16	1539.1	1	
	5565.5	6	79.3	6	1840.8	3	
	5560.5	7	52.4	18	1839.8	2	
	5561.5	8	74.8	15	1937.0	2	
	5562.5	9	52.4	13	1631.5	2	
	5563.5	10	64.1	9	1447.4	3	
	5562.5	11	69.9	13	1243.6	2	
	5561.5	12	91.2	14	1012.9	2	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
22	5562.5	1	65.4	13	1139.5	1	0
	5561.5	2	74.6	14	1854.7	3	
	5562.5	3	93.9	12	1520.8	2	
	5561.5	4	81.8	14	1289.3	1	
	5563.5	5	80.7	9	1455.6	1	
	5561.5	6	56.1	14	1982.3	1	
	5561.5	7	60.0	16	1890.7	2	
	5561.5	8	66.0	16	1834.8	3	
	5565.5	9	64.5	5	1462.4	1	
23	5559.5	1	76.9	19	1343.3	2	1
	5561.5	2	99.4	15	1200.5	2	
	5560.5	3	58.2	18	1869.5	2	
	5561.5	4	80.5	14	1317.9	2	
	5560.5	5	98.9	18	1706.7	3	
	5563.5	6	82.0	9	1175.2	1	
	5561.5	7	82.0	14	1082.3	3	
	5561.5	8	57.8	15	1370.1	2	
	5561.5	9	82.9	14	1171.7	1	
	5559.5	10	76.8	20	1344.1	3	
	5560.5	11	93.7	17	1159.5	3	
	5561.5	12	92.9	16	1584.8	1	
	5561.5	13	76.7	14	1021.2	1	
	5560.5	14	99.5	18	1812.2	1	
	5562.5	15	83.3	12	1099.5	1	
24	5563.5	1	91.7	11	1972.4	2	1
	5564.5	2	88.3	7	1387.1	3	
	5560.5	3	60.3	18	1481.0	1	
	5559.5	4	57.2	19	1579.9	3	
	5564.5	5	91.6	8	1476.7	1	
	5563.5	6	79.9	9	1778.4	2	
	5565.5	7	95.0	6	1463.1	3	
	5561.5	8	99.5	14	1267.0	1	
	5561.5	9	60.6	16	1944.3	2	
	5564.5	10	96.5	8	1042.5	1	
	5563.5	11	63.9	9	1027.2	2	
	5562.5	12	54.4	12	1302.3	3	
	5565.5	13	65.2	6	1169.2	1	
	5563.5	14	62.9	9	1870.8	1	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
25	5562.5	1	63.7	12	1491.5	2	1
	5561.5	2	98.3	15	1571.5	1	
	5561.5	3	94.3	16	1058.1	3	
	5559.5	4	67.7	20	1584.9	2	
	5561.5	5	51.2	16	1082.1	2	
	5564.5	6	52.4	7	1539.6	1	
	5564.5	7	77.1	7	1024.1	1	
	5563.5	8	93.3	10	1626.0	1	
	5565.5	9	97.1	6	1398.3	3	
	5561.5	10	53.4	16	1936.1	3	
	5564.5	11	62.7	7	1331.2	2	
	5562.5	12	56.9	13	1494.9	1	
	5564.5	13	82.5	8	1205.5	1	
	5562.5	14	79.3	12	1227.8	2	
	5562.5	15	75.7	12	1028.3	1	
	5561.5	16	55.1	14	1894.4	1	
	5560.5	17	66.9	17	1613.0	3	
	5563.5	18	67.1	9	1463.3	2	
26	5565.5	1	65.2	6	1427.9	1	0
	5561.5	2	96.7	16	1348.2	1	
	5560.5	3	76.1	17	1984.5	1	
	5565.5	4	72.7	6	1578.4	3	
	5560.5	5	93.5	18	1493.8	3	
	5560.5	6	86.3	18	1273.4	2	
	5563.5	7	80.7	11	1249.4	2	
	5563.5	8	66.4	10	1276.4	3	
	5565.5	9	61.4	6	1712.1	2	
	5560.5	10	97.3	18	1675.2	1	
	5560.5	11	55.6	17	1360.6	2	
	5562.5	12	59.3	13	1786.2	3	
	5559.5	13	63.2	19	1981.8	3	
	5559.5	14	58.2	19	1165.8	1	
	5559.5	15	53.8	20	1898.6	3	
	5564.5	16	70.7	7	1076.6	2	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5560.5	1	79.4	18	1161.9	1	1
	5563.5	2	52.7	10	1556.0	2	
	5561.5	3	73.7	16	1159.4	1	
	5564.5	4	51.8	7	1948.2	3	
	5561.5	5	67.1	14	1053.5	1	
	5565.5	6	72.1	5	1412.4	3	
	5565.5	7	79.6	6	1522.2	2	
	5561.5	8	82.8	14	1849.2	2	
	5563.5	9	90.6	11	1839.2	1	
	5561.5	10	74.4	15	1192.8	1	
	5561.5	11	54.7	15	1158.7	3	
	5560.5	12	50.8	17	1048.6	3	
	5559.5	13	52.1	20	1484.1	1	
	5563.5	14	69.5	10	1038.9	2	
	5565.5	15	77.4	6	1046.3	2	
	5563.5	16	57.4	9	1950.8	3	
	5562.5	17	84.9	13	1624.1	2	
	5559.5	18	83.5	20	1218.8	3	
	5561.5	19	86.8	16	1838.9	3	
	5562.5	20	64.9	12	1814.6	1	



Test Mode	Mode 3						
Frequency	5530 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
28	5561.5	1	69.0	14	1945.9	1	1
	5560.5	2	56.1	18	1415.0	1	
	5559.5	3	92.1	19	1392.1	1	
	5563.5	4	54.0	10	1338.1	1	
	5561.5	5	68.4	15	1695.4	3	
	5561.5	6	74.6	15	1175.8	1	
	5562.5	7	79.0	13	1245.0	2	
	5561.5	8	77.1	16	1212.9	1	
	5565.5	9	96.6	5	1074.7	1	
	5560.5	10	71.6	18	1089.3	3	
	5561.5	11	58.0	15	1405.6	2	
	5565.5	12	70.1	6	1236.1	1	
	5563.5	13	79.6	11	1919.6	2	
	5561.5	14	87.0	14	1524.8	3	
	5564.5	15	50.7	8	1749.6	2	
	5564.5	16	83.1	8	1651.3	2	
	5559.5	17	98.3	19	1728.0	1	
	5561.5	18	60.4	14	1513.2	1	
	5562.5	19	62.2	13	1693.2	3	
	5560.5	20	51.4	17	1551.8	1	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5564.5	1	99.1	8	1542.1	3	1
	5561.5	2	72.3	16	1923.2	3	
	5561.5	3	79.6	14	1418.1	2	
	5564.5	4	62.7	8	1781.0	2	
	5562.5	5	76.5	12	1099.2	3	
	5561.5	6	55.3	14	1529.3	1	
	5563.5	7	95.4	9	1589.7	3	
	5559.5	8	88.0	19	1991.9	2	
	5565.5	9	93.8	6	1141.2	3	
	5562.5	10	98.3	12	1925.4	2	
	5561.5	11	78.9	14	1278.9	2	
	5564.5	12	94.4	8	1249.9	1	
	5563.5	13	89.1	10	1168.8	3	
	5561.5	14	60.8	16	1181.0	1	
	5563.5	15	97.8	10	1238.3	2	
	5561.5	16	93.2	16	1382.0	1	
	5562.5	17	81.6	12	1156.8	1	
30	5563.5	1	99.4	11	1136.1	3	0
	5560.5	2	70.5	17	1706.7	2	
	5561.5	3	73.5	16	1358.8	2	
	5562.5	4	85.8	12	1252.2	1	
	5561.5	5	95.0	16	1133.8	2	
	5561.5	6	89.5	14	1182.0	1	
	5564.5	7	65.3	7	1028.6	1	
	5564.5	8	53.4	7	1122.0	1	
	5565.5	9	63.4	5	1441.5	1	
	5561.5	10	69.2	16	1802.5	2	
	5565.5	11	85.0	5	1687.2	3	
	5561.5	12	77.1	16	1429.4	2	
	5561.5	13	66.7	16	1287.5	2	
	5562.5	14	77.1	13	1119.4	2	
Detection Percentage (%)							80.00



Test Mode	Mode 3					
Frequency	5530 MHz					
Radar Signal	Type 6					
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	1
2	1	333	9	0.333	300	1
3	1	333	9	0.333	300	1
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	1
6	1	333	9	0.333	300	1
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	1
9	1	333	9	0.333	300	1
10	1	333	9	0.333	300	1
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	1
13	1	333	9	0.333	300	1
14	1	333	9	0.333	300	1
15	1	333	9	0.333	300	1
16	1	333	9	0.333	300	1
17	1	333	9	0.333	300	1
18	1	333	9	0.333	300	1
19	1	333	9	0.333	300	1
20	1	333	9	0.333	300	1
21	1	333	9	0.333	300	1
22	1	333	9	0.333	300	1
23	1	333	9	0.333	300	1
24	1	333	9	0.333	300	1
25	1	333	9	0.333	300	1
26	1	333	9	0.333	300	1
27	1	333	9	0.333	300	1
28	1	333	9	0.333	300	1
29	1	333	9	0.333	300	1
30	1	333	9	0.333	300	1
Detection Percentage (%)						100.00



Module : QCA9984 (EW-7955MAC)
Bride Mode

Model Number	KPWL-0300						
Test Item	In-Service Monitoring						
Test Mode	Mode 1: IEEE 802.11ac 20MHz link mode						
Date of Test	04/05/2017						
Frequency (MHz)	Radar Signal	PRI (Msec)	Pulse width W (μs)	Pass Times	Fail Times	Probability	Limit
5560	Type1	Table 5a	1	28	2	93.33%	≥60%

Model Number	KPWL-0300						
Test Item	In-Service Monitoring						
Test Mode	Mode 2: IEEE 802.11ac 40MHz link mode						
Date of Test	04/05/2017						
Frequency (MHz)	Radar Signal	PRI (Msec)	Pulse width W (μs)	Pass Times	Fail Times	Probability	Limit
5550	Type1	Table 5a	1	29	1	96.67%	≥60%

Model Number	KPWL-0300						
Test Item	In-Service Monitoring						
Test Mode	Mode 3: IEEE 802.11ac 80MHz link mode						
Date of Test	04/05/2017						
Frequency (MHz)	Radar Signal	PRI (Msec)	Pulse width W (μs)	Pass Times	Fail Times	Probability	Limit
5530	Type1	Table 5a	1	29	1	96.67%	≥60%



Test Mode	Mode 1					
Frequency	5560 MHz					
Radar Signal	Type 1					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5560	1	558	95	1792	1
2	5560	1	878	61	1139	1
3	5560	1	658	81	1520	0
4	5560	1	858	62	1166	1
5	5560	1	518	102	1931	1
6	5560	1	818	65	1222	1
7	5560	1	858	62	1166	1
8	5560	1	518	102	1931	1
9	5560	1	898	59	1114	1
10	5560	1	858	62	1166	1
11	5560	1	598	89	1672	1
12	5560	1	718	74	1393	1
13	5560	1	778	68	1285	1
14	5560	1	918	58	1089	1
15	5560	1	658	81	1520	1
16	5560	1	1523	35	657	1
17	5560	1	1599	34	625	1
18	5560	1	1879	29	532	1
19	5560	1	2599	21	385	1
20	5560	1	2302	23	434	1
21	5560	1	1069	50	935	1
22	5560	1	947	56	1056	1
23	5560	1	2781	19	360	1
24	5560	1	947	56	1056	1
25	5560	1	2628	21	381	1
26	5560	1	1202	44	832	1
27	5560	1	1649	33	606	0
28	5560	1	2169	25	461	1
29	5560	1	1922	28	520	1
30	5560	1	1133	47	883	1
Detection Percentage (%)						93.33



Test Mode	Mode 2					
Frequency	5550 MHz					
Radar Signal	Type 1					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5550	1	798	67	1253	1
2	5550	1	898	59	1114	1
3	5550	1	698	76	1433	1
4	5550	1	618	86	1618	1
5	5550	1	678	78	1475	1
6	5550	1	818	65	1222	1
7	5550	1	638	83	1567	0
8	5550	1	578	92	1730	1
9	5550	1	638	83	1567	1
10	5550	1	758	70	1319	1
11	5550	1	698	76	1433	1
12	5550	1	718	74	1393	1
13	5550	1	3066	18	326	1
14	5550	1	738	72	1355	1
15	5550	1	898	59	1114	1
16	5550	1	1266	42	790	1
17	5550	1	1893	28	528	1
18	5550	1	2667	20	375	1
19	5550	1	1474	36	678	1
20	5550	1	2343	23	427	1
21	5550	1	2342	23	427	1
22	5550	1	1612	33	620	1
23	5550	1	2334	23	428	1
24	5550	1	1439	37	695	1
25	5550	1	1697	32	589	1
26	5550	1	655	81	1527	1
27	5550	1	2864	19	349	1
28	5550	1	2461	22	406	1
29	5550	1	2150	25	465	1
30	5550	1	1222	44	818	1
Detection Percentage (%)						96.67



Test Mode	Mode 3					
Frequency	5530 MHz					
Radar Signal	Type 1					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5530	1	598	89	1672	1
2	5530	1	738	72	1355	1
3	5530	1	558	95	1792	1
4	5530	1	738	72	1355	1
5	5530	1	638	83	1567	1
6	5530	1	558	95	1792	1
7	5530	1	658	81	1520	1
8	5530	1	558	95	1792	1
9	5530	1	878	61	1139	0
10	5530	1	658	81	1520	1
11	5530	1	598	89	1672	1
12	5530	1	898	59	1114	1
13	5530	1	778	68	1285	1
14	5530	1	778	68	1285	1
15	5530	1	598	89	1672	1
16	5530	1	1984	27	504	1
17	5530	1	1971	27	507	1
18	5530	1	1758	31	569	1
19	5530	1	1607	33	622	1
20	5530	1	2801	19	357	1
21	5530	1	1846	29	542	1
22	5530	1	2605	21	384	1
23	5530	1	2950	18	339	1
24	5530	1	1937	28	516	1
25	5530	1	771	69	1297	1
26	5530	1	1334	40	750	1
27	5530	1	2739	20	365	1
28	5530	1	1104	48	906	1
29	5530	1	3022	18	331	1
30	5530	1	654	81	1529	1
Detection Percentage (%)						96.67

Module : QCA9990 (EW-7944MAC)_Master

Model Number	KPWL-0300						
Test Item	In-Service Monitoring						
Test Mode	Mode 1: IEEE 802.11ac 20MHz link mode						
Date of Test	03/31/2017						
Frequency (MHz)	Radar Signal	PRI (Msec)	Pulse width W (μs)	Pass Times	Fail Times	Probability	Limit
5560	Type1	Table 5a	1	28	2	93.33%	≥ 60%
	Type2	Random	Random	25	5	83.33%	≥ 60%
	Type3	Random	Random	24	6	80.00%	≥ 60%
	Type4	Random	Random	26	4	86.67%	≥ 60%
	Type1~4					85.83%	≥ 80%
	Type5	Random	Random	28	2	93.33%	≥ 80%
	Type6	Hopping	1	28	2	93.33%	≥ 70%

Model Number	KPWL-0300						
Test Item	In-Service Monitoring						
Test Mode	Mode 2: IEEE 802.11ac 40MHz link mode						
Date of Test	03/31/2017						
Frequency (MHz)	Radar Signal	PRI (Msec)	Pulse width W (μs)	Pass Times	Fail Times	Probability	Limit
5550	Type1	Table 5a	1	29	1	96.67%	≥ 60%
	Type2	Random	Random	26	4	86.67%	≥ 60%
	Type3	Random	Random	28	2	93.33%	≥ 60%
	Type4	Random	Random	27	3	90.00%	≥ 60%
	Type1~4					91.67%	≥ 80%
	Type5	Random	Random	28	2	93.33%	≥ 80%
	Type6	Hopping	1	28	2	93.33%	≥ 70%



Model Number	KPWL-0300						
Test Item	In-Service Monitoring						
Test Mode	Mode 3: IEEE 802.11ac 80MHz link mode						
Date of Test	03/31/2017						
Frequency (MHz)	Radar Signal	PRI (Msec)	Pulse width W (μs)	Pass Times	Fail Times	Probability	Limit
5530	Type1	Table 5a	1	29	1	96.67%	≥ 60%
	Type2	Random	Random	27	3	90.00%	≥ 60%
	Type3	Random	Random	28	2	93.33%	≥ 60%
	Type4	Random	Random	28	2	93.33%	≥ 60%
	Type1~4					93.33%	≥ 80%
	Type5	Random	Random	28	2	93.33%	≥ 80%
	Type6	Hopping	1	27	3	90.00%	≥ 70%



Test Mode	Mode 1					
Frequency	5560 MHz					
Radar Signal	Type 1					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5560	1	758	70	1319	1
2	5560	1	758	70	1319	1
3	5560	1	858	62	1166	0
4	5560	1	898	59	1114	1
5	5560	1	618	86	1618	1
6	5560	1	678	78	1475	1
7	5560	1	618	86	1618	1
8	5560	1	678	78	1475	1
9	5560	1	598	89	1672	1
10	5560	1	838	63	1193	1
11	5560	1	698	76	1433	1
12	5560	1	598	89	1672	1
13	5560	1	598	89	1672	1
14	5560	1	818	65	1222	1
15	5560	1	778	68	1285	1
16	5560	1	2662	20	376	1
17	5560	1	1680	32	595	1
18	5560	1	2381	23	420	1
19	5560	1	906	59	1104	1
20	5560	1	1496	36	668	1
21	5560	1	1513	35	661	1
22	5560	1	1101	48	908	1
23	5560	1	1801	30	555	1
24	5560	1	1457	37	686	1
25	5560	1	1080	49	926	1
26	5560	1	1118	48	894	1
27	5560	1	2490	22	402	0
28	5560	1	1365	39	733	1
29	5560	1	1170	46	855	1
30	5560	1	1690	32	592	1
Detection Percentage (%)						93.33



Test Mode	Mode 1					
Frequency	5560 MHz					
Radar Signal	Type 2					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5560	3.40	203.50	26	4914	0
2	5560	3.50	222.70	26	4490	1
3	5560	2.60	181.40	24	5513	1
4	5560	1.00	204.60	25	4888	1
5	5560	1.10	187.10	29	5345	1
6	5560	3.50	157.50	25	6349	1
7	5560	2.80	192.00	29	5208	1
8	5560	4.80	203.40	29	4916	0
9	5560	4.70	213.80	23	4677	1
10	5560	4.70	190.00	23	5263	1
11	5560	3.20	200.10	27	4998	0
12	5560	1.20	213.70	26	4679	1
13	5560	1.60	197.60	24	5061	0
14	5560	3.80	181.70	27	5504	1
15	5560	3.70	216.90	28	4610	1
16	5560	3.30	154.60	26	6468	1
17	5560	4.90	164.70	28	6072	1
18	5560	3.80	208.10	23	4805	1
19	5560	3.00	165.40	26	6046	1
20	5560	1.60	190.20	25	5258	1
21	5560	1.60	205.70	27	4861	1
22	5560	1.90	220.90	26	4527	1
23	5560	1.90	208.10	28	4805	1
24	5560	2.20	178.30	25	5609	1
25	5560	4.20	227.50	24	4396	1
26	5560	1.80	194.90	25	5131	0
27	5560	2.50	153.80	23	6502	1
28	5560	2.80	217.40	27	4600	1
29	5560	3.90	213.80	29	4677	1
30	5560	3.50	176.90	23	5653	1
Detection Percentage (%)						83.33



Test Mode	Mode 1					
Frequency	5560 MHz					
Radar Signal	Type 3					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5560	9.00	410.50	17	2436.05	1
2	5560	6.80	347.20	18	2880.18	1
3	5560	6.00	236.40	17	4230.12	1
4	5560	9.10	293.90	16	3402.52	0
5	5560	9.30	302.90	17	3301.42	1
6	5560	7.10	295.20	16	3387.53	1
7	5560	7.10	329.80	17	3032.14	1
8	5560	8.50	201.80	18	4955.40	1
9	5560	9.90	258.70	17	3865.48	1
10	5560	9.70	482.40	18	2072.97	1
11	5560	7.30	354.90	18	2817.70	0
12	5560	7.40	407.00	18	2457.00	0
13	5560	7.70	411.40	17	2430.72	1
14	5560	7.30	407.40	16	2454.59	1
15	5560	6.50	244.70	18	4086.64	1
16	5560	8.40	356.70	18	2803.48	1
17	5560	8.70	339.60	17	2944.64	1
18	5560	9.30	309.90	17	3226.85	1
19	5560	9.10	302.00	16	3311.26	0
20	5560	8.00	352.60	18	2836.07	1
21	5560	6.50	368.60	18	2712.97	0
22	5560	7.50	315.60	18	3168.57	0
23	5560	6.90	273.70	17	3653.64	1
24	5560	9.10	396.70	16	2520.80	1
25	5560	6.90	318.10	17	3143.67	1
26	5560	9.50	358.00	17	2793.30	1
27	5560	9.70	332.40	18	3008.42	1
28	5560	7.30	251.40	18	3977.72	1
29	5560	6.80	307.00	17	3257.33	1
30	5560	9.70	214.90	18	4653.33	1
Detection Percentage (%)						80.00



Test Mode	Mode 1					
Frequency	5560 MHz					
Radar Signal	Type 4					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5560	17.00	318.00	14	3145	1
2	5560	20.00	452.60	16	2209	0
3	5560	15.30	443.40	15	2255	0
4	5560	18.60	295.70	15	3382	1
5	5560	16.40	302.90	13	3301	1
6	5560	13.50	437.60	14	2285	1
7	5560	11.60	260.50	13	3839	1
8	5560	12.30	464.70	14	2152	1
9	5560	15.10	478.10	12	2092	1
10	5560	16.90	461.50	12	2167	1
11	5560	16.20	273.10	13	3662	1
12	5560	17.00	330.40	15	3027	1
13	5560	15.00	323.80	13	3088	1
14	5560	16.10	467.90	13	2137	1
15	5560	11.90	218.40	14	4579	1
16	5560	15.00	485.20	13	2061	1
17	5560	12.60	302.30	16	3308	1
18	5560	17.90	441.70	16	2264	0
19	5560	12.90	251.00	13	3984	1
20	5560	19.50	348.30	14	2871	1
21	5560	17.10	390.00	15	2564	0
22	5560	19.50	316.40	12	3161	1
23	5560	14.90	249.00	15	4016	1
24	5560	11.80	319.30	12	3132	1
25	5560	14.30	463.80	15	2156	1
26	5560	19.50	223.80	15	4468	1
27	5560	13.60	247.60	14	4039	1
28	5560	18.70	465.80	13	2147	1
29	5560	12.50	433.30	14	2308	1
30	5560	12.70	446.00	15	2242	1
Detection Percentage (%)						86.67



Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
1	5558.5	1	56.4	19	1791.0	2	1
	5558.5	2	60.6	19	1922.4	2	
	5558.5	3	91.7	19	1805.6	2	
	5554.5	4	65.5	11	1281.8	3	
	5554.5	5	77.7	9	1273.4	1	
	5553.5	6	85.1	8	1315.2	2	
	5556.5	7	66.0	14	1975.2	2	
	5557.5	8	78.0	17	1371.3	2	
	5553.5	9	80.3	7	1402.0	2	
	5558.5	10	51.8	19	1892.9	1	
	5556.5	11	83.3	14	1657.9	3	
2	5557.5	1	75.7	18	1857.5	2	1
	5556.5	2	80.4	15	1141.6	3	
	5552.5	3	93.4	6	1608.5	3	
	5553.5	4	61.0	8	1820.9	2	
	5554.5	5	74.1	11	1916.0	1	
	5553.5	6	97.7	8	1047.4	2	
	5554.5	7	79.3	9	1293.8	2	
	5554.5	8	54.3	9	1503.7	1	
	5552.5	9	50.9	5	1748.6	1	
	5555.5	10	52.1	13	1783.6	1	
	5552.5	11	69.7	6	1532.9	3	
	5556.5	12	86.5	15	1477.0	1	
3	5553.5	1	57.1	8	1917.7	1	1
	5554.5	2	65.7	9	1216.8	2	
	5555.5	3	65.8	13	1181.4	1	
	5556.5	4	72.0	16	1758.3	1	
	5556.5	5	67.9	14	1767.5	2	
	5556.5	6	77.9	15	1258.2	2	
	5552.5	7	85.4	5	1689.3	2	
	5556.5	8	84.6	14	1638.5	1	
	5554.5	9	64.0	9	1193.4	1	
	5556.5	10	55.7	16	1693.6	1	
	5556.5	11	91.5	16	1344.7	1	
	5554.5	12	63.7	9	1110.9	2	
	5554.5	13	78.4	9	1428.7	2	



Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
4	5556.5	1	64.7	14	1331.5	1	1
	5553.5	2	60.8	8	1704.3	3	
	5553.5	3	64.4	8	1919.6	2	
	5554.5	4	70.5	10	1106.7	2	
	5554.5	5	68.5	10	1345.8	2	
	5554.5	6	68.6	10	1066.4	1	
	5555.5	7	82.6	13	1511.4	1	
	5554.5	8	97.5	11	1770.4	3	
	5555.5	9	93.1	12	1875.5	1	
5	5557.5	1	87.2	17	1962.9	3	1
	5555.5	2	64.6	13	1335.0	2	
	5554.5	3	57.9	11	1847.4	3	
	5555.5	4	54.2	13	1299.0	1	
	5554.5	5	83.0	9	1741.1	3	
	5552.5	6	83.7	6	1272.5	3	
	5556.5	7	92.0	15	1329.9	3	
	5556.5	8	64.3	16	1879.0	1	
	5552.5	9	99.2	5	1145.5	1	
	5553.5	10	52.0	8	1485.6	3	
	5558.5	11	60.5	20	1954.3	2	
	5557.5	12	54.7	18	1275.0	1	
	5556.5	13	58.5	14	1954.2	3	
	5558.5	14	94.3	19	1789.9	2	
	5558.5	15	86.7	20	1951.4	3	
6	5557.5	1	82.7	18	1437.9	3	1
	5554.5	2	88.3	9	1491.0	2	
	5556.5	3	99.0	14	1761.9	1	
	5556.5	4	63.9	16	1590.1	1	
	5554.5	5	87.0	10	1423.6	2	
	5556.5	6	98.2	16	1317.6	3	
	5554.5	7	57.3	9	1971.0	3	
	5554.5	8	97.5	10	1351.3	3	
	5558.5	9	75.0	20	1582.1	3	
	5553.5	10	69.2	7	1480.2	2	
	5552.5	11	63.4	6	1160.7	1	
	5556.5	12	80.2	16	1645.2	1	
	5553.5	13	93.8	8	1579.2	2	
	5557.5	14	50.9	17	1562.6	3	



Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
7	5554.5	1	70.0	11	1870.0	2	1
	5552.5	2	57.0	5	1525.6	3	
	5555.5	3	78.7	12	1940.5	3	
	5557.5	4	50.2	17	1537.8	3	
	5554.5	5	62.6	11	1028.5	2	
	5554.5	6	92.8	9	1674.4	1	
	5557.5	7	76.2	18	1330.0	3	
	5556.5	8	83.3	15	1196.3	3	
	5556.5	9	73.9	14	1987.7	3	
	5554.5	10	94.9	9	1022.1	2	
	5554.5	11	74.1	9	1634.5	2	
	5557.5	12	99.3	18	1190.3	2	
	5555.5	13	90.5	13	1266.0	3	
	5553.5	14	78.5	7	1422.8	1	
	5554.5	15	56.0	9	1598.3	2	
	5553.5	16	80.2	7	1374.8	1	
	5556.5	17	63.4	16	1429.5	3	
8	5554.5	1	89.3	9	1645.9	3	1
	5554.5	2	65.3	9	1396.8	2	
	5557.5	3	63.1	17	1652.3	2	
	5555.5	4	96.3	12	1516.4	2	
	5554.5	5	75.9	10	1002.1	2	
	5552.5	6	79.8	6	1421.2	2	
	5558.5	7	88.7	19	1096.5	2	
	5557.5	8	50.2	18	1033.7	2	
	5554.5	9	62.7	11	1299.0	1	
	5552.5	10	72.2	5	1315.8	3	
	5553.5	11	86.5	8	1378.7	1	
	5557.5	12	86.1	17	1589.4	3	
	5558.5	13	88.7	19	1381.3	1	
	5554.5	14	71.6	11	1990.0	3	
	5556.5	15	98.9	15	1305.1	1	
	5556.5	16	73.3	16	1301.1	3	
	5558.5	17	91.3	19	1438.3	2	
	5556.5	18	80.9	16	1539.8	2	



Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
9	5553.5	5553.5	1	95.3	8	1462.6	0
	5554.5	5554.5	2	54.4	10	1454.9	
	5553.5	5553.5	3	51.7	8	1201.5	
	5557.5	5557.5	4	61.4	18	1555.4	
	5554.5	5554.5	5	51.9	9	1575.1	
	5557.5	5557.5	6	58.2	18	1922.2	
	5552.5	5552.5	7	54.5	6	1872.0	
	5558.5	5558.5	8	87.5	19	1097.0	
	5554.5	5554.5	9	97.5	10	1662.1	
	5555.5	5555.5	10	88.2	13	1288.9	
	5553.5	5553.5	11	77.8	8	1506.4	
	5553.5	5553.5	12	89.6	8	1910.1	
	5558.5	5558.5	13	84.4	19	1144.3	
	5553.5	5553.5	14	81.1	8	1675.3	
	5556.5	5556.5	15	78.3	15	1223.4	
	5554.5	5554.5	16	51.5	10	1535.5	
	5555.5	5555.5	17	84.8	12	1143.7	
	5553.5	5553.5	18	73.5	8	1568.8	
	5553.5	5553.5	19	54.7	8	1786.7	
10	5556.5	5556.5	1	60.6	16	1602.1	1
	5554.5	5554.5	2	57.5	10	1825.8	
	5552.5	5552.5	3	84.3	6	1334.5	
	5556.5	5556.5	4	98.3	15	1325.1	
	5555.5	5555.5	5	66.8	12	1428.2	
	5555.5	5555.5	6	99.6	12	1433.3	
	5558.5	5558.5	7	86.6	19	1510.5	
	5553.5	5553.5	8	80.2	7	1245.6	



Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
11	5560	1	78.8	17	1167.3	1	1
	5560	2	96.5	8	1409.5	3	
	5560	3	61.9	6	1228.9	3	
	5560	4	95.5	8	1184.3	1	
	5560	5	65.4	13	1228.9	2	
	5560	6	56.3	13	1468.5	3	
	5560	7	73.3	13	1700.2	3	
	5560	8	82.3	15	1881.3	1	
	5560	9	72.0	9	1666.8	3	
	5560	10	71.8	9	1750.0	1	
	5560	11	64.1	15	1617.1	1	
	5560	12	66.9	20	1680.4	2	
	5560	13	50.9	17	1712.3	2	
	5560	14	90.9	10	1616.5	1	
	5560	15	78.4	6	1210.9	2	
	5560	16	93.9	8	1451.8	1	
12	5560	1	67.8	14	1821.5	2	1
	5560	2	51.3	11	1034.4	1	
	5560	3	67.3	18	1346.2	3	
	5560	4	67.3	9	1029.7	1	
	5560	5	79.7	8	1101.6	3	
	5560	6	71.4	12	1890.3	1	
	5560	7	95.9	17	1969.3	3	
	5560	8	87.0	11	1265.6	2	
	5560	9	90.4	15	1008.0	3	
	5560	10	78.5	10	1615.1	1	
	5560	11	84.4	18	1684.3	1	
	5560	12	75.3	7	1952.8	2	
	5560	13	95.7	13	1748.1	3	
	5560	14	92.1	9	1676.4	1	
	5560	15	64.8	8	1364.1	3	
	5560	16	79.7	8	1229.4	1	
	5560	17	66.4	11	1289.2	2	
	5560	18	53.2	9	1060.4	1	
	5560	19	62.6	18	1667.0	2	
	5560	20	56.0	10	1029.2	3	



Test Mode	Mode 1						
Frequency	5560 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
13	5560	1	76.9	6	1165.9	2	1
	5560	2	96.6	17	1702.9	3	
	5560	3	99.9	7	1691.3	3	
	5560	4	78.6	11	1845.4	2	
	5560	5	85.8	7	1379.3	3	
	5560	6	83.1	15	1788.2	3	
	5560	7	55.0	7	1406.1	3	
	5560	8	89.4	13	1444.3	1	
	5560	9	75.7	6	1238.5	1	
	5560	10	60.1	8	1487.5	1	
14	5560	1	69.2	18	1757.6	3	1
	5560	2	82.5	11	1666.3	1	
	5560	3	73.0	15	1602.2	3	
	5560	4	57.4	15	1370.9	1	
	5560	5	66.7	9	1747.5	1	
	5560	6	50.6	16	1292.4	3	
	5560	7	73.7	9	1878.4	3	
	5560	8	65.2	11	1471.6	3	
	5560	9	98.6	10	1396.2	2	
	5560	10	97.3	16	1784.3	2	
	5560	11	89.3	20	1018.0	2	
	5560	12	83.3	6	1783.9	3	
	5560	13	55.2	7	1903.3	3	
	5560	14	75.2	18	1274.0	3	
	5560	15	53.1	10	1939.8	3	
	5560	16	97.8	20	1779.0	1	
	5560	17	83.1	12	1460.3	1	
	5560	18	66.7	12	1715.3	2	
	5560	19	62.1	7	1071.6	2	
	5560	20	93.6	6	1360.8	3	



Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
15	5560	1	85.2	10	1560.0	2	1
	5560	2	98.3	12	1782.5	3	
	5560	3	60.8	6	1200.7	2	
	5560	4	62.7	11	1923.5	1	
	5560	5	85.9	5	1157.2	1	
	5560	6	88.4	8	1618.6	1	
	5560	7	52.1	15	1760.8	2	
	5560	8	79.8	10	1419.0	2	
	5560	9	51.8	15	1152.4	1	
	5560	10	97.8	14	1015.9	2	
	5560	11	58.3	18	1604.5	2	
	5560	12	52.4	10	1468.1	3	
	5560	13	80.3	6	1226.0	3	
	5560	14	87.2	7	1735.2	2	
	5560	15	70.9	7	1298.8	3	
	5560	16	70.3	10	1864.7	3	
	5560	17	94.3	14	1660.7	2	
	5560	18	82.5	13	1198.9	2	
	5560	19	87.9	15	1837.0	3	
16	5560	1	96.2	17	1319.8	3	1
	5560	2	75.4	16	1477.9	3	
	5560	3	58.8	16	1194.7	1	
	5560	4	97.7	10	1203.9	3	
	5560	5	86.2	8	1899.8	2	
	5560	6	84.3	19	1622.2	2	
	5560	7	64.8	17	1597.4	3	
	5560	8	73.5	6	1004.4	2	
	5560	9	80.0	16	1263.0	3	
	5560	10	71.0	12	1143.9	3	
	5560	11	68.3	19	1534.5	1	
	5560	12	61.8	10	1997.1	2	
	5560	13	98.7	7	1371.5	3	
	5560	14	64.4	9	1885.4	2	
	5560	15	78.9	17	1501.2	3	
	5560	16	72.0	17	1159.0	2	
	5560	17	75.0	14	1237.9	1	
	5560	18	50.3	8	1727.1	3	



Test Mode	Mode 1						
Frequency	5560 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
17	5560	1	88.1	14	1418.4	3	1
	5560	2	90.3	7	1733.5	3	
	5560	3	75.3	8	1145.5	2	
	5560	4	76.8	7	1176.4	3	
	5560	5	91.3	10	1915.4	3	
	5560	6	81.8	16	1056.8	2	
	5560	7	71.6	7	1184.0	2	
	5560	8	78.6	19	1031.4	2	
	5560	9	79.9	11	1715.3	1	
	5560	10	84.0	6	1501.9	3	
	5560	11	70.5	17	1160.0	2	
	5560	12	68.7	8	1807.0	2	
	5560	13	89.3	17	1197.2	1	
	5560	14	77.7	6	1065.2	1	
	5560	15	74.0	8	1210.9	3	
	5560	16	97.8	10	1444.6	1	
	5560	17	57.8	9	1475.9	2	
18	5560	1	55.8	13	1432.1	3	1
	5560	2	74.0	16	1437.7	3	
	5560	3	55.3	11	1377.4	3	
	5560	4	96.5	11	1247.1	1	
	5560	5	66.1	14	1200.5	3	
	5560	6	56.5	7	1549.8	3	
	5560	7	90.0	8	1886.6	3	
	5560	8	61.3	15	1200.2	1	
	5560	9	57.4	17	1398.6	1	
	5560	10	58.8	7	1930.6	2	
	5560	11	84.3	17	1494.7	3	
	5560	12	77.7	11	1596.0	3	
	5560	13	71.6	7	1281.1	2	
	5560	14	73.3	12	1553.4	2	
	5560	15	74.5	18	1069.4	2	
	5560	1	88.1	14	1418.4	3	



Test Mode	Mode 1						
Frequency	5560 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
19	5560	1	69.0	10	1954.0	3	1
	5560	2	88.0	11	1897.4	1	
	5560	3	94.4	8	1203.7	2	
	5560	4	85.0	13	1438.5	1	
	5560	5	77.1	11	1583.4	3	
	5560	6	65.6	12	1528.6	2	
	5560	7	63.2	12	1674.8	3	
	5560	8	91.1	14	1272.6	1	
	5560	9	72.2	11	1153.6	1	
	5560	10	65.2	16	1869.6	3	
	5560	11	73.9	14	1496.7	2	
	5560	12	86.5	13	1953.8	2	
	5560	13	70.8	9	1637.2	1	
	5560	14	73.7	18	1867.7	3	
20	5560	1	54.1	14	1654.4	1	1
	5560	2	77.4	10	1468.7	2	
	5560	3	91.2	18	1118.0	2	
	5560	4	90.6	5	1870.5	3	
	5560	5	91.9	11	1301.2	3	
	5560	6	55.9	14	1330.0	2	
	5560	7	87.3	20	1778.2	1	
	5560	8	64.0	14	1406.5	3	
	5560	9	96.9	14	1707.9	3	
	5560	10	67.9	13	1083.3	3	
21	5563.5	1	70.2	14	1805.6	1	1
	5562.5	2	54.1	18	1200.7	1	
	5561.5	3	76.1	19	1303.0	3	
	5565.5	4	88.5	11	1962.8	1	
	5562.5	5	69.1	18	1529.4	1	
	5562.5	6	79.8	17	1001.9	1	
	5562.5	7	86.5	17	1950.2	2	
	5564.5	8	88.8	12	1518.4	2	
	5567.5	9	82.0	5	1199.2	2	
	5565.5	10	58.8	10	1493.4	2	
	5561.5	11	92.9	20	1990.0	2	
	5565.5	12	71.2	9	1305.6	2	



Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
22	5565.5	1	87.9	11	1032.8	2	1
	5566.5	2	96.2	7	1535.7	3	
	5563.5	3	84.2	14	1291.2	2	
	5564.5	4	59.5	12	1624.8	2	
	5563.5	5	65.1	15	1684.6	2	
	5562.5	6	73.3	18	1397.8	3	
	5563.5	7	99.0	14	1328.7	2	
	5563.5	8	54.8	15	1816.5	1	
	5565.5	9	89.8	9	1165.3	2	
23	5564.5	1	50.8	13	1889.7	3	1
	5563.5	2	67.5	16	1494.7	1	
	5564.5	3	95.8	13	1162.2	1	
	5563.5	4	57.6	14	1689.9	1	
	5563.5	5	73.9	14	1972.0	3	
	5564.5	6	94.6	12	1603.4	3	
	5562.5	7	50.3	17	1638.5	2	
	5563.5	8	67.0	15	1850.6	1	
	5566.5	9	86.9	8	1291.8	1	
	5567.5	10	82.5	6	1708.8	1	
	5563.5	11	73.4	14	1589.6	2	
	5562.5	12	99.0	18	1066.2	3	
	5567.5	13	60.1	5	1826.3	2	
	5565.5	14	51.4	11	1660.0	2	
	5565.5	15	87.7	11	1300.7	3	
24	5562.5	1	86.6	18	1168.4	1	1
	5563.5	2	53.3	15	1396.3	3	
	5561.5	3	62.4	19	1197.0	1	
	5563.5	4	76.2	14	1672.5	3	
	5563.5	5	88.2	15	1575.2	2	
	5563.5	6	53.0	16	1963.6	1	
	5562.5	7	67.2	17	1415.7	1	
	5561.5	8	59.3	19	1329.6	2	
	5566.5	9	65.7	8	1878.8	1	
	5565.5	10	90.5	9	1988.7	3	
	5565.5	11	80.6	9	1559.7	1	
	5565.5	12	50.2	11	1108.8	2	
	5562.5	13	97.3	18	1641.5	1	
	5564.5	14	93.1	12	1547.2	1	



Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
25	5561.5	1	60.0	19	1236.7	2	0
	5565.5	2	63.2	9	1326.9	1	
	5567.5	3	66.5	6	1559.8	3	
	5562.5	4	66.6	17	1898.1	3	
	5563.5	5	95.2	15	1845.6	3	
	5566.5	6	72.6	8	1370.9	1	
	5567.5	7	66.6	6	1591.6	3	
	5565.5	8	60.1	9	1343.6	2	
	5565.5	9	96.3	9	1327.2	3	
	5565.5	10	51.0	11	1050.1	3	
	5567.5	11	82.0	6	1186.5	2	
	5565.5	12	73.7	11	1343.8	2	
	5567.5	13	76.2	5	1313.5	2	
	5563.5	14	55.7	14	1071.9	3	
	5565.5	15	89.0	10	1920.0	1	
	5567.5	16	72.2	6	1630.5	1	
	5566.5	17	98.5	7	1286.0	2	
	5561.5	18	93.8	20	1347.2	1	
26	5567.5	1	58.9	6	1224.2	2	1
	5566.5	2	87.4	8	1460.3	2	
	5561.5	3	96.9	19	1461.0	2	
	5564.5	4	52.4	13	1731.1	2	
	5562.5	5	83.8	18	1460.8	1	
	5565.5	6	94.1	9	1792.2	3	
	5562.5	7	65.3	17	1927.3	1	
	5563.5	8	59.2	14	1567.2	2	
	5562.5	9	97.4	17	1686.3	2	
	5566.5	10	66.0	7	1494.8	3	
	5564.5	11	96.3	12	1534.4	2	
	5566.5	12	59.3	8	1420.5	3	
	5565.5	13	79.2	11	1556.9	1	
	5562.5	14	54.0	17	1031.4	1	
	5563.5	15	93.2	14	1659.0	2	
	5563.5	16	56.4	14	1988.1	2	



Test Mode	Mode 1						
Frequency	5560 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5561.5	1	90.3	20	1010.3	3	1
	5564.5	2	57.3	13	1430.1	1	
	5562.5	3	72.4	18	1905.3	3	
	5565.5	4	87.9	11	1710.4	1	
	5565.5	5	99.5	9	1843.2	3	
	5561.5	6	81.4	20	1421.4	1	
	5567.5	7	76.4	6	1264.9	1	
	5563.5	8	80.1	16	1064.5	2	
	5563.5	9	93.2	16	1891.2	3	
	5562.5	10	78.8	18	1833.3	2	
	5565.5	11	72.7	10	1442.5	3	
	5563.5	12	70.9	16	1006.5	1	
	5563.5	13	68.1	14	1780.7	2	
	5567.5	14	78.3	6	1579.4	3	
	5565.5	15	60.9	11	1568.5	2	
	5565.5	16	69.8	11	1303.9	3	
	5564.5	17	89.7	13	1694.4	3	
	5565.5	18	78.4	9	1187.1	1	
	5564.5	19	93.9	13	1123.7	2	
	5561.5	20	55.9	20	1575.7	3	



Test Mode	Mode 1						
Frequency	5560 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
28	5561.5	1	78.7	20	1878.2	1	1
	5561.5	2	88.1	19	1995.7	1	
	5563.5	3	95.3	15	1158.7	2	
	5565.5	4	73.8	10	1587.1	2	
	5564.5	5	53.6	13	1378.9	3	
	5565.5	6	96.4	10	1509.9	1	
	5561.5	7	61.6	20	1017.5	2	
	5565.5	8	81.6	11	1580.5	3	
	5562.5	9	53.3	17	1077.1	2	
	5561.5	10	55.6	20	1074.3	1	
	5565.5	11	61.8	9	1149.7	2	
	5562.5	12	60.6	18	1517.1	3	
	5567.5	13	63.6	6	1384.7	2	
	5565.5	14	71.0	11	1931.1	1	
	5564.5	15	88.3	12	1907.3	3	
	5567.5	16	53.9	6	1050.7	2	
	5565.5	17	92.4	9	1751.1	1	
	5566.5	18	81.0	7	1110.6	1	
	5562.5	19	99.0	17	1474.2	1	
	5564.5	20	82.5	12	1701.0	3	



Test Mode		Mode 1					
Frequency		5560 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5561.5	1	66.8	19	1264.9	2	1
	5565.5	2	97.0	9	1737.4	2	
	5564.5	3	53.3	12	1430.5	1	
	5562.5	4	59.3	17	1971.9	3	
	5563.5	5	72.9	14	1027.4	1	
	5567.5	6	89.8	6	1400.0	3	
	5565.5	7	95.7	11	1958.3	1	
	5561.5	8	96.5	19	1048.8	3	
	5567.5	9	80.0	6	1376.8	1	
	5563.5	10	86.2	15	1510.9	3	
	5562.5	11	98.1	18	1828.8	2	
	5562.5	12	67.4	17	1611.3	3	
	5562.5	13	76.7	18	1619.0	1	
	5563.5	14	66.7	15	1232.7	1	
	5563.5	15	73.1	16	1239.0	2	
	5566.5	16	75.8	8	1577.9	3	
	5561.5	17	75.5	19	1713.2	2	
30	5564.5	1	72.2	12	1933.8	1	1
	5564.5	2	68.8	13	1469.4	1	
	5566.5	3	76.1	8	1822.1	3	
	5566.5	4	88.9	8	1518.0	1	
	5564.5	5	68.2	13	1977.3	1	
	5561.5	6	55.3	20	1746.3	3	
	5563.5	7	63.0	16	1594.9	2	
	5565.5	8	83.5	11	1757.1	1	
	5561.5	9	60.7	19	1168.3	1	
	5563.5	10	89.6	15	1707.1	1	
	5562.5	11	70.9	18	1549.1	3	
	5561.5	12	67.9	19	1254.6	2	
	5565.5	13	97.7	11	1585.1	3	
	5566.5	14	64.1	8	1103.2	1	
Detection Percentage (%)							93.33



Test Mode	Mode 1					
Frequency	5560 MHz					
Radar Signal	Type 6					
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	1
2	1	333	9	0.333	300	1
3	1	333	9	0.333	300	1
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	1
6	1	333	9	0.333	300	1
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	0
9	1	333	9	0.333	300	1
10	1	333	9	0.333	300	1
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	1
13	1	333	9	0.333	300	1
14	1	333	9	0.333	300	1
15	1	333	9	0.333	300	1
16	1	333	9	0.333	300	1
17	1	333	9	0.333	300	1
18	1	333	9	0.333	300	1
19	1	333	9	0.333	300	1
20	1	333	9	0.333	300	1
21	1	333	9	0.333	300	1
22	1	333	9	0.333	300	1
23	1	333	9	0.333	300	1
24	1	333	9	0.333	300	1
25	1	333	9	0.333	300	1
26	1	333	9	0.333	300	1
27	1	333	9	0.333	300	1
28	1	333	9	0.333	300	0
29	1	333	9	0.333	300	1
30	1	333	9	0.333	300	1
Detection Percentage (%)						93.33



Test Mode	Mode 2					
Frequency	5550 MHz					
Radar Signal	Type 1					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5550	1	638	83	1567	1
2	5550	1	738	72	1355	1
3	5550	1	918	58	1089	1
4	5550	1	638	83	1567	1
5	5550	1	618	86	1618	1
6	5550	1	698	76	1433	1
7	5550	1	598	89	1672	0
8	5550	1	778	68	1285	1
9	5550	1	818	65	1222	1
10	5550	1	898	59	1114	1
11	5550	1	838	63	1193	1
12	5550	1	738	72	1355	1
13	5550	1	738	72	1355	1
14	5550	1	878	61	1139	1
15	5550	1	738	72	1355	1
16	5550	1	2709	20	369	1
17	5550	1	2727	20	367	1
18	5550	1	2629	21	380	1
19	5550	1	2463	22	406	1
20	5550	1	1355	39	738	1
21	5550	1	2672	20	374	1
22	5550	1	3034	18	330	1
23	5550	1	2531	21	395	1
24	5550	1	869	61	1151	1
25	5550	1	2869	19	349	1
26	5550	1	1342	40	745	1
27	5550	1	1860	29	538	1
28	5550	1	2143	25	467	1
29	5550	1	1530	35	654	1
30	5550	1	2813	19	355	1
Detection Percentage (%)						96.67



Test Mode	Mode 2					
Frequency	5550 MHz					
Radar Signal	Type 2					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5550	3.70	160.80	23	6219	1
2	5550	1.30	192.10	26	5206	1
3	5550	2.20	226.50	25	4415	0
4	5550	3.00	176.00	29	5682	1
5	5550	2.80	150.10	28	6662	1
6	5550	3.80	167.70	23	5963	1
7	5550	2.60	185.50	29	5391	1
8	5550	5.00	181.10	26	5522	1
9	5550	4.30	203.20	28	4921	0
10	5550	1.10	151.50	24	6601	1
11	5550	1.60	199.10	26	5023	1
12	5550	2.10	201.30	25	4968	1
13	5550	4.30	166.40	29	6010	1
14	5550	3.20	223.90	25	4466	1
15	5550	3.80	210.60	24	4748	1
16	5550	1.00	155.70	23	6423	1
17	5550	4.30	215.50	24	4640	1
18	5550	4.60	228.10	29	4384	1
19	5550	4.70	204.20	25	4897	1
20	5550	4.80	185.40	29	5394	1
21	5550	4.40	219.80	25	4550	1
22	5550	4.80	155.20	26	6443	1
23	5550	3.80	227.00	23	4405	1
24	5550	4.60	175.40	24	5701	1
25	5550	1.60	189.30	23	5283	0
26	5550	1.20	184.40	25	5423	0
27	5550	3.80	187.70	23	5328	1
28	5550	1.60	207.20	27	4826	1
29	5550	4.50	224.80	25	4448	1
30	5550	3.70	199.00	28	5025	1
Detection Percentage (%)						86.67



Test Mode	Mode 2					
Frequency	5550 MHz					
Radar Signal	Type 3					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5550	9.80	451.10	18	2216.80	0
2	5550	10.00	439.20	16	2276.87	1
3	5550	9.90	483.80	17	2066.97	1
4	5550	7.00	377.80	16	2646.90	1
5	5550	7.20	247.60	16	4038.77	1
6	5550	7.10	305.30	16	3275.47	1
7	5550	8.30	222.80	16	4488.33	1
8	5550	9.90	347.90	18	2874.39	1
9	5550	7.70	206.30	17	4847.31	0
10	5550	8.50	467.00	17	2141.33	1
11	5550	8.40	492.00	17	2032.52	1
12	5550	6.60	252.90	17	3954.13	1
13	5550	8.40	342.70	16	2918.00	1
14	5550	9.40	414.80	17	2410.80	1
15	5550	6.50	428.30	17	2334.81	1
16	5550	9.10	484.60	18	2063.56	1
17	5550	9.60	443.50	16	2254.79	1
18	5550	8.20	346.10	18	2889.34	1
19	5550	7.50	323.80	17	3088.33	1
20	5550	8.60	271.40	17	3684.60	1
21	5550	8.50	373.90	17	2674.51	1
22	5550	6.30	339.80	16	2942.91	1
23	5550	7.80	354.90	16	2817.70	1
24	5550	7.80	487.50	18	2051.28	1
25	5550	7.10	468.10	17	2136.30	1
26	5550	6.60	479.60	17	2085.07	1
27	5550	8.00	267.70	17	3735.52	1
28	5550	8.40	433.00	18	2309.47	1
29	5550	6.90	444.30	16	2250.73	1
30	5550	8.60	263.00	17	3802.28	1
Detection Percentage (%)						93.33



Test Mode	Mode 2					
Frequency	5550 MHz					
Radar Signal	Type 4					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5550	19.20	488.10	14	2049	0
2	5550	16.90	404.50	14	2472	1
3	5550	13.50	260.30	12	3842	1
4	5550	12.20	308.30	15	3244	1
5	5550	19.00	310.70	16	3219	1
6	5550	18.50	275.10	13	3635	1
7	5550	12.40	410.90	13	2434	1
8	5550	19.90	265.70	16	3764	1
9	5550	15.20	331.40	14	3018	1
10	5550	12.90	443.80	13	2253	0
11	5550	19.90	222.90	14	4486	1
12	5550	19.10	437.80	13	2284	1
13	5550	18.30	335.10	15	2984	1
14	5550	15.60	488.40	13	2048	1
15	5550	12.40	388.10	12	2577	1
16	5550	11.40	338.10	12	2958	1
17	5550	17.20	473.00	16	2114	1
18	5550	18.70	472.60	16	2116	0
19	5550	19.40	493.40	16	2027	1
20	5550	11.50	296.10	15	3377	1
21	5550	19.70	482.30	15	2073	1
22	5550	14.40	276.90	13	3611	1
23	5550	12.50	260.00	16	3846	1
24	5550	19.40	478.30	14	2091	1
25	5550	17.90	236.30	13	4232	1
26	5550	15.50	244.20	13	4095	1
27	5550	14.40	388.70	14	2573	1
28	5550	19.20	371.80	12	2690	1
29	5550	13.20	258.30	15	3871	1
30	5550	14.40	433.40	15	2307	1
Detection Percentage (%)						90.00



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
1	5538.5	1	69.6	17	1894.0	1	1
	5537.5	2	95.7	15	1399.3	1	
	5534.5	3	86.8	7	1765.2	3	
	5537.5	4	64.5	15	1184.3	1	
	5535.5	5	54.6	11	1229.5	3	
	5535.5	6	80.6	11	1065.4	1	
	5537.5	7	81.0	15	1393.1	3	
	5538.5	8	64.0	17	1313.3	1	
	5536.5	9	84.3	13	1062.2	2	
	5538.5	10	87.3	17	1318.7	1	
	5538.5	11	60.8	17	1905.9	3	
2	5537.5	1	93.9	16	1794.8	1	1
	5537.5	2	86.9	15	1099.9	1	
	5534.5	3	69.4	7	1950.1	2	
	5537.5	4	82.0	15	1470.2	3	
	5535.5	5	95.0	9	1618.0	1	
	5534.5	6	72.2	8	1498.1	2	
	5534.5	7	92.6	8	1106.5	3	
	5535.5	8	66.4	11	1905.2	3	
	5534.5	9	65.7	8	1354.1	2	
	5536.5	10	67.3	13	1593.7	3	
	5533.5	11	63.6	5	1615.8	2	
	5534.5	12	69.7	8	1607.1	1	
3	5533.5	1	96.3	6	1678.7	3	1
	5538.5	2	81.4	18	1955.5	3	
	5539.5	3	53.4	19	1744.0	1	
	5538.5	4	78.7	17	1380.0	3	
	5537.5	5	52.3	16	1008.8	3	
	5535.5	6	55.2	11	1551.8	1	
	5538.5	7	91.8	17	1292.3	1	
	5537.5	8	64.2	16	1444.9	2	
	5537.5	9	98.6	16	1810.2	3	
	5534.5	10	54.1	7	1088.9	3	
	5538.5	11	81.6	17	1555.6	3	
	5537.5	12	56.5	16	1283.8	3	
	5536.5	13	59.1	13	1749.3	2	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
4	5538.5	1	96.6	17	1859.2	2	1
	5533.5	2	89.9	6	1955.4	2	
	5534.5	3	55.1	8	1566.3	3	
	5537.5	4	63.1	15	1536.1	2	
	5535.5	5	76.2	11	1470.0	3	
	5534.5	6	86.2	7	1105.6	1	
	5533.5	7	60.2	6	1335.9	2	
	5537.5	8	73.1	14	1151.8	1	
	5535.5	9	83.4	9	1904.3	2	
5	5537.5	1	51.7	15	1445.9	3	1
	5534.5	2	95.2	8	1103.5	2	
	5534.5	3	76.9	7	1560.9	3	
	5537.5	4	93.4	16	1118.1	3	
	5535.5	5	97.4	10	1479.1	2	
	5535.5	6	63.9	9	1659.3	3	
	5537.5	7	70.5	14	1245.7	1	
	5535.5	8	97.3	11	1053.9	2	
	5533.5	9	50.8	5	1929.6	3	
	5539.5	10	53.7	20	1826.1	3	
	5537.5	11	92.5	14	1796.8	1	
	5536.5	12	97.6	13	1210.7	3	
	5534.5	13	73.5	7	1738.5	2	
	5537.5	14	81.4	14	1139.1	1	
	5536.5	15	66.5	13	1052.0	1	
6	5535.5	1	78.3	10	1802.1	1	1
	5539.5	2	96.8	19	1711.1	2	
	5538.5	3	85.3	17	1562.0	2	
	5533.5	4	60.9	6	1514.4	3	
	5537.5	5	69.1	14	1070.1	3	
	5533.5	6	55.7	6	1534.1	1	
	5534.5	7	89.1	7	1104.4	3	
	5533.5	8	86.2	6	1606.5	3	
	5538.5	9	86.5	18	1838.4	1	
	5534.5	10	94.3	8	1221.5	3	
	5539.5	11	59.3	19	1788.6	1	
	5537.5	12	99.6	14	1662.6	1	
	5537.5	13	95.2	14	1895.1	3	
	5533.5	14	90.0	5	1627.4	1	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
7	5536.5	1	93.3	13	1160.9	3	1
	5538.5	2	65.4	17	1397.0	2	
	5535.5	3	56.7	10	1794.4	3	
	5537.5	4	59.4	14	1899.0	1	
	5534.5	5	83.1	8	1669.8	2	
	5535.5	6	81.0	11	1220.3	1	
	5534.5	7	99.5	7	1492.2	3	
	5539.5	8	88.6	19	1599.3	1	
	5535.5	9	87.7	10	1317.3	2	
	5537.5	10	70.1	15	1861.6	3	
	5538.5	11	54.0	18	1621.0	1	
	5536.5	12	54.7	12	1996.6	2	
	5536.5	13	90.5	12	1573.7	1	
	5538.5	14	65.6	18	1639.5	2	
	5533.5	15	97.2	6	1544.9	1	
	5534.5	16	82.7	8	1353.2	3	
	5536.5	17	75.7	12	1944.0	1	
8	5536.5	1	96.7	12	1883.1	2	1
	5536.5	2	70.0	13	1731.6	3	
	5536.5	3	54.0	12	1836.9	2	
	5536.5	4	92.0	12	1122.4	2	
	5534.5	5	70.3	7	1176.5	1	
	5535.5	6	92.7	9	1438.5	1	
	5534.5	7	71.5	7	1398.2	2	
	5538.5	8	65.7	17	1496.9	3	
	5533.5	9	64.0	6	1930.4	2	
	5538.5	10	81.7	17	1998.2	1	
	5534.5	11	91.6	7	1501.9	2	
	5535.5	12	53.6	11	1060.7	3	
	5534.5	13	60.4	8	1932.3	3	
	5536.5	14	56.7	13	1497.8	1	
	5538.5	15	67.5	18	1983.4	1	
	5536.5	16	59.5	13	1519.9	2	
	5538.5	17	94.5	17	1172.3	3	
	5533.5	18	99.3	6	1120.0	3	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
9	5539.5	1	86.2	19	1794.8	3	1
	5534.5	2	90.8	8	1669.4	2	
	5537.5	3	63.6	14	1741.4	1	
	5538.5	4	80.4	17	1492.0	2	
	5538.5	5	71.4	18	1277.1	3	
	5533.5	6	58.0	5	1595.3	3	
	5537.5	7	75.7	16	1838.3	1	
	5535.5	8	56.6	9	1646.2	1	
	5537.5	9	57.7	14	1950.4	3	
	5539.5	10	56.7	19	1608.8	3	
	5534.5	11	57.6	8	1275.7	1	
	5534.5	12	99.0	7	1352.4	2	
	5533.5	13	70.7	5	1599.1	3	
	5533.5	14	86.1	6	1760.3	3	
	5535.5	15	93.0	10	1273.6	3	
	5534.5	16	91.8	7	1302.6	1	
	5535.5	17	58.7	11	1525.7	2	
	5536.5	18	73.0	13	1389.6	2	
	5534.5	19	76.7	7	1794.5	3	
10	5534.5	1	65.0	8	1564.4	2	1
	5538.5	2	90.9	17	1084.9	2	
	5539.5	3	65.2	19	1604.0	2	
	5535.5	4	64.1	11	1937.2	2	
	5537.5	5	70.4	16	1679.4	1	
	5535.5	6	70.2	9	1675.7	1	
	5538.5	7	69.6	18	1002.1	3	
	5535.5	8	89.8	11	1312.8	2	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
11	5550	1	96.4	19	1238.7	3	0
	5550	2	68.5	10	1091.8	3	
	5550	3	99.1	9	1359.5	2	
	5550	4	87.5	11	1464.5	2	
	5550	5	84.1	12	1437.8	3	
	5550	6	95.6	11	1498.3	1	
	5550	7	99.6	15	1287.7	1	
	5550	8	75.9	17	1629.1	3	
	5550	9	72.2	13	1022.5	2	
	5550	10	85.7	5	1340.4	1	
	5550	11	81.4	15	1779.5	2	
	5550	12	83.9	19	1714.6	2	
	5550	13	71.1	7	1447.3	2	
	5550	14	98.8	13	1731.7	2	
	5550	15	89.9	13	1907.8	3	
	5550	16	65.1	17	1784.5	1	
12	5550	1	79.6	19	1189.9	2	1
	5550	2	52.0	13	1031.4	3	
	5550	3	57.8	14	1667.5	3	
	5550	4	66.8	9	1235.7	1	
	5550	5	64.5	11	1328.9	1	
	5550	6	53.0	20	1493.1	1	
	5550	7	54.8	18	1703.2	3	
	5550	8	95.5	14	1200.0	3	
	5550	9	89.6	7	1232.2	1	
	5550	10	68.5	18	1191.3	2	
	5550	11	86.4	14	1765.3	3	
	5550	12	93.4	10	1454.5	3	
	5550	13	78.7	10	1261.7	3	
	5550	14	93.7	11	1378.1	1	
	5550	15	83.8	13	1603.7	3	
	5550	16	98.3	20	1768.3	1	
	5550	17	87.7	10	1436.5	2	
	5550	18	67.7	13	1006.9	3	
	5550	19	86.5	13	1811.4	1	
	5550	20	64.9	18	1998.6	2	



Test Mode	Mode 2						
Frequency	5550 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
13	5550	1	92.9	19	1398.2	3	1
	5550	2	78.8	12	1099.1	1	
	5550	3	86.5	16	1408.0	1	
	5550	4	93.8	14	1668.6	3	
	5550	5	99.7	5	1619.4	1	
	5550	6	67.1	18	1881.7	2	
	5550	7	89.2	9	1164.4	3	
	5550	8	82.8	12	1236.6	1	
	5550	9	86.5	13	1523.3	2	
	5550	10	84.7	18	1591.6	3	
14	5550	1	73.4	7	1579.2	1	1
	5550	2	57.1	11	1242.4	3	
	5550	3	55.5	11	1721.6	3	
	5550	4	79.9	8	1375.1	2	
	5550	5	50.5	16	1419.7	2	
	5550	6	87.1	16	1033.2	1	
	5550	7	80.3	10	1517.3	1	
	5550	8	86.1	19	1919.7	2	
	5550	9	93.8	10	1337.8	1	
	5550	10	93.6	12	1695.7	2	
	5550	11	90.2	13	1363.3	1	
	5550	12	86.7	15	1167.6	2	
	5550	13	57.7	9	1396.0	1	
	5550	14	64.6	15	1439.3	2	
	5550	15	68.2	10	1661.7	3	
	5550	16	77.6	7	1848.9	3	
	5550	17	71.4	6	1286.0	1	
	5550	18	88.0	9	1938.3	3	
	5550	19	89.4	6	1089.9	3	
	5550	20	66.6	15	1283.2	3	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
15	5550	1	58.1	11	1993.9	3	0
	5550	2	97.6	13	1730.7	3	
	5550	3	92.4	11	1620.4	1	
	5550	4	58.4	18	1348.5	2	
	5550	5	54.5	19	1672.7	2	
	5550	6	71.2	18	1026.9	2	
	5550	7	63.8	19	1493.3	3	
	5550	8	66.1	14	1188.8	2	
	5550	9	59.0	20	1741.4	3	
	5550	10	87.2	8	1350.5	3	
	5550	11	60.1	9	1680.0	1	
	5550	12	79.2	12	1565.6	1	
	5550	13	75.4	10	1466.1	2	
	5550	14	87.8	12	1343.5	2	
	5550	15	67.1	18	1975.8	1	
	5550	16	64.2	12	1259.9	3	
	5550	17	50.1	6	1009.6	1	
	5550	18	91.4	14	1007.1	1	
	5550	19	69.3	7	1395.6	1	
16	5550	1	96.0	11	1028.4	3	1
	5550	2	89.4	19	1791.8	3	
	5550	3	96.4	8	1343.0	1	
	5550	4	96.7	6	1115.3	2	
	5550	5	84.9	18	1017.2	2	
	5550	6	79.8	13	1864.7	3	
	5550	7	60.0	8	1234.7	3	
	5550	8	55.3	18	1622.5	3	
	5550	9	99.9	11	1625.2	1	
	5550	10	51.9	16	1477.7	3	
	5550	11	64.5	9	1494.3	3	
	5550	12	99.7	16	1779.3	1	
	5550	13	93.8	9	1455.8	1	
	5550	14	66.5	7	1338.9	1	
	5550	15	93.0	7	1692.0	3	
	5550	16	66.1	15	1508.6	2	
	5550	17	64.0	16	1171.9	3	
	5550	18	80.6	20	1988.4	1	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
17	5550	1	77.0	5	1693.5	1	1
	5550	2	55.3	8	1752.4	3	
	5550	3	81.1	10	1632.1	3	
	5550	4	59.5	16	1356.4	3	
	5550	5	59.3	12	1250.6	1	
	5550	6	79.3	13	1135.0	3	
	5550	7	89.0	13	1555.4	1	
	5550	8	93.3	11	1752.6	1	
	5550	9	63.5	10	1632.5	1	
	5550	10	74.3	12	1340.7	1	
	5550	11	77.0	14	1862.1	3	
	5550	12	98.7	18	1691.3	1	
	5550	13	73.5	9	1480.9	3	
	5550	14	85.6	13	1344.0	1	
	5550	15	73.9	8	1215.4	1	
	5550	16	90.5	11	1433.2	1	
	5550	17	81.8	10	1153.6	2	
18	5550	1	52.9	20	1549.1	1	1
	5550	2	61.8	6	1749.5	1	
	5550	3	86.9	13	1731.6	2	
	5550	4	63.8	13	1733.2	1	
	5550	5	75.7	10	1032.2	3	
	5550	6	78.0	13	1576.1	2	
	5550	7	54.8	15	1533.3	3	
	5550	8	53.4	14	1223.2	2	
	5550	9	60.5	8	1051.6	2	
	5550	10	87.0	11	1946.9	3	
	5550	11	64.6	12	1888.4	1	
	5550	12	57.1	16	1561.1	3	
	5550	13	56.5	7	1991.3	1	
	5550	14	90.3	19	1135.0	3	
	5550	15	66.1	18	1330.3	2	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
19	5550	1	88.2	7	1261.5	1	1
	5550	2	97.2	18	1514.6	3	
	5550	3	74.5	5	1586.6	3	
	5550	4	96.5	9	1381.1	1	
	5550	5	94.5	7	1660.5	2	
	5550	6	54.2	11	1073.2	3	
	5550	7	83.8	13	1004.1	1	
	5550	8	68.7	11	1839.6	1	
	5550	9	96.4	9	1317.1	1	
	5550	10	66.3	7	1688.4	2	
	5550	11	96.8	14	1614.6	1	
	5550	12	82.3	19	1563.4	3	
	5550	13	70.2	12	1159.8	1	
	5550	14	52.6	17	1537.1	1	
20	5550	1	73.2	17	1314.7	1	1
	5550	2	99.9	11	1093.4	2	
	5550	3	70.0	15	1766.4	3	
	5550	4	62.0	12	1737.4	3	
	5550	5	53.5	17	1443.7	1	
	5550	6	87.8	19	1646.1	1	
	5550	7	95.3	6	1564.1	1	
	5550	8	80.2	19	1522.8	3	
	5550	9	83.1	9	1976.5	1	
	5550	10	66.5	6	1146.0	1	
21	5564.5	1	70.2	10	1438.6	1	1
	5561.5	2	59.1	18	1024.8	1	
	5560.5	3	70.0	20	1116.7	2	
	5564.5	4	73.5	11	1505.7	3	
	5561.5	5	71.6	17	1425.5	2	
	5561.5	6	90.2	18	1212.7	1	
	5566.5	7	97.5	5	1470.7	2	
	5560.5	8	71.1	19	1273.4	3	
	5561.5	9	52.0	17	1914.3	1	
	5565.5	10	69.1	7	1039.3	3	
	5561.5	11	68.5	17	1147.5	2	
	5563.5	12	99.2	13	1057.6	1	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
22	5560.5	1	94.9	20	1799.0	1	0
	5563.5	2	55.3	13	1126.7	3	
	5566.5	3	64.7	6	1106.6	3	
	5565.5	4	82.3	7	1114.3	1	
	5562.5	5	84.8	14	1585.3	3	
	5562.5	6	60.4	14	1281.8	1	
	5560.5	7	63.1	19	1699.6	1	
	5561.5	8	91.9	18	1365.0	2	
	5565.5	9	50.3	7	1136.9	2	
23	5562.5	1	55.5	14	1409.4	1	1
	5563.5	2	78.3	12	1793.9	1	
	5563.5	3	65.7	13	1233.7	2	
	5562.5	4	63.7	16	1741.6	2	
	5561.5	5	71.3	17	1086.1	1	
	5565.5	6	87.1	7	1789.1	1	
	5565.5	7	82.6	7	1791.8	1	
	5565.5	8	83.0	7	1290.4	2	
	5565.5	9	97.4	7	1627.7	2	
	5563.5	10	82.3	12	1519.6	2	
	5560.5	11	80.7	19	1670.0	2	
	5564.5	12	79.5	9	1821.1	1	
	5562.5	13	98.7	14	1085.3	3	
	5564.5	14	65.8	10	1332.8	1	
	5560.5	15	51.9	20	1304.5	2	
24	5563.5	1	65.1	12	1855.9	3	1
	5566.5	2	88.1	6	1406.1	3	
	5564.5	3	55.5	10	1962.6	1	
	5563.5	4	74.7	13	1646.6	2	
	5565.5	5	80.1	8	1687.6	2	
	5566.5	6	52.7	6	1022.6	3	
	5566.5	7	73.7	6	1189.2	2	
	5564.5	8	56.3	9	1343.8	3	
	5561.5	9	61.2	18	1427.5	2	
	5561.5	10	65.2	17	1958.2	2	
	5565.5	11	66.4	7	1302.7	3	
	5562.5	12	97.7	16	1984.2	2	
	5562.5	13	97.4	14	1172.5	2	
	5562.5	14	83.9	16	1833.3	3	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
25	5564.5	1	63.9	11	1498.2	3	1
	5562.5	2	77.4	16	1721.3	3	
	5562.5	3	63.9	16	1970.4	3	
	5566.5	4	72.7	6	1300.1	3	
	5564.5	5	87.5	10	1004.2	3	
	5565.5	6	91.1	7	1405.7	3	
	5565.5	7	56.3	7	1155.4	3	
	5562.5	8	59.5	15	1939.3	1	
	5565.5	9	62.9	8	1692.0	1	
	5562.5	10	87.9	15	1168.9	3	
	5566.5	11	59.5	5	1115.3	2	
	5566.5	12	76.6	6	1182.2	3	
	5560.5	13	73.8	20	1146.9	1	
	5561.5	14	73.2	17	1457.5	3	
	5562.5	15	78.6	15	1005.1	3	
	5564.5	16	95.8	11	1608.9	3	
	5560.5	17	78.4	20	1260.1	1	
	5565.5	18	52.4	7	1041.0	1	
26	5561.5	1	67.7	17	1532.8	3	0
	5561.5	2	77.0	18	1487.1	3	
	5560.5	3	71.2	19	1595.4	3	
	5562.5	4	73.2	16	1308.7	3	
	5560.5	5	84.1	19	1306.4	3	
	5561.5	6	77.9	18	1093.7	3	
	5562.5	7	83.0	14	1238.1	1	
	5561.5	8	69.7	17	1738.2	3	
	5561.5	9	66.5	18	1415.4	2	
	5561.5	10	58.7	18	1214.2	2	
	5561.5	11	57.3	17	1983.4	1	
	5561.5	12	93.3	18	1010.5	1	
	5560.5	13	90.4	19	1602.2	2	
	5562.5	14	82.9	16	1124.9	1	
	5560.5	15	70.1	19	1719.3	3	
	5562.5	16	86.3	14	1384.6	2	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5561.5	1	80.1	18	1112.8	3	1
	5564.5	2	50.1	10	1293.4	3	
	5565.5	3	86.1	8	1305.1	2	
	5563.5	4	53.4	13	1633.3	1	
	5560.5	5	77.6	19	1927.7	1	
	5562.5	6	77.7	15	1155.3	3	
	5561.5	7	83.9	18	1966.1	1	
	5564.5	8	52.4	9	1332.6	3	
	5562.5	9	70.5	14	1845.8	1	
	5561.5	10	57.4	17	1327.6	3	
	5565.5	11	83.2	8	1304.0	2	
	5564.5	12	58.9	9	1804.2	2	
	5562.5	13	78.8	15	1628.5	3	
	5561.5	14	71.1	17	1022.6	1	
	5565.5	15	74.8	7	1074.5	1	
	5563.5	16	81.1	12	1688.0	3	
	5563.5	17	58.5	12	1998.1	2	
	5565.5	18	62.8	7	1133.9	1	
	5561.5	19	67.2	17	1989.4	2	
	5566.5	20	90.6	6	1165.3	1	



Test Mode	Mode 2						
Frequency	5550 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
28	5566.5	1	80.7	6	1588.6	1	1
	5564.5	2	62.0	10	1473.6	2	
	5563.5	3	57.6	12	1194.8	3	
	5564.5	4	85.4	10	1556.4	2	
	5564.5	5	66.6	11	1355.6	2	
	5561.5	6	65.1	17	1436.1	3	
	5562.5	7	53.9	15	1385.8	2	
	5566.5	8	93.7	6	1536.2	1	
	5561.5	9	65.7	18	1621.4	3	
	5566.5	10	72.5	6	1609.5	2	
	5565.5	11	90.2	7	1864.8	2	
	5564.5	12	55.0	9	1961.4	3	
	5562.5	13	97.3	15	1417.5	1	
	5561.5	14	51.3	17	1440.8	3	
	5565.5	15	90.1	7	1444.6	2	
	5561.5	16	69.8	18	1375.0	2	
	5563.5	17	95.5	12	1195.2	2	
	5561.5	18	86.1	17	1444.3	1	
	5564.5	19	84.9	9	1820.9	3	
	5561.5	20	71.9	17	1143.8	1	



Test Mode		Mode 2					
Frequency		5550 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5561.5	1	64.1	18	1133.9	3	1
	5564.5	2	53.7	11	1103.2	3	
	5561.5	3	78.0	18	1217.1	1	
	5563.5	4	60.1	13	1018.7	3	
	5565.5	5	89.6	7	1004.2	3	
	5564.5	6	57.2	11	1389.2	1	
	5565.5	7	86.1	8	1629.5	2	
	5566.5	8	83.4	6	1471.3	3	
	5563.5	9	56.8	12	1987.7	1	
	5561.5	10	86.9	17	1948.2	1	
	5562.5	11	81.8	15	1498.8	2	
	5562.5	12	94.0	16	1563.2	3	
	5564.5	13	57.3	10	1215.7	2	
	5560.5	14	89.5	19	1170.6	2	
	5566.5	15	98.4	5	1536.3	3	
	5566.5	16	59.7	6	1646.5	3	
	5560.5	17	66.5	19	1240.3	1	
30	5560.5	1	50.0	19	1990.0	1	1
	5563.5	2	91.2	13	1675.4	3	
	5564.5	3	63.2	10	1198.0	2	
	5562.5	4	77.4	14	1054.9	2	
	5561.5	5	79.2	18	1693.2	3	
	5562.5	6	52.3	15	1564.1	2	
	5564.5	7	80.0	11	1129.3	1	
	5566.5	8	58.5	6	1255.2	2	
	5560.5	9	99.9	19	1080.2	2	
	5560.5	10	100.0	19	1980.7	3	
	5563.5	11	88.5	12	1744.0	2	
	5561.5	12	69.6	18	1054.8	3	
	5562.5	13	99.5	14	1555.6	1	
	5564.5	14	89.4	11	1552.1	3	
Detection Percentage (%)							83.33



Test Mode	Mode 2					
Frequency	5550 MHz					
Radar Signal	Type 6					
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	1
2	1	333	9	0.333	300	1
3	1	333	9	0.333	300	0
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	1
6	1	333	9	0.333	300	1
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	1
9	1	333	9	0.333	300	1
10	1	333	9	0.333	300	0
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	1
13	1	333	9	0.333	300	1
14	1	333	9	0.333	300	1
15	1	333	9	0.333	300	1
16	1	333	9	0.333	300	1
17	1	333	9	0.333	300	1
18	1	333	9	0.333	300	1
19	1	333	9	0.333	300	1
20	1	333	9	0.333	300	1
21	1	333	9	0.333	300	1
22	1	333	9	0.333	300	1
23	1	333	9	0.333	300	1
24	1	333	9	0.333	300	1
25	1	333	9	0.333	300	1
26	1	333	9	0.333	300	1
27	1	333	9	0.333	300	1
28	1	333	9	0.333	300	1
29	1	333	9	0.333	300	1
30	1	333	9	0.333	300	1
Detection Percentage (%)						93.33



Test Mode	Mode 3					
Frequency	5530 MHz					
Radar Signal	Type 1					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5530	1	818	65	1222	1
2	5530	1	838	63	1193	1
3	5530	1	778	68	1285	1
4	5530	1	678	78	1475	1
5	5530	1	558	95	1792	1
6	5530	1	3066	18	326	1
7	5530	1	718	74	1393	1
8	5530	1	538	99	1859	1
9	5530	1	938	57	1066	0
10	5530	1	638	83	1567	1
11	5530	1	578	92	1730	1
12	5530	1	658	81	1520	1
13	5530	1	678	78	1475	1
14	5530	1	538	99	1859	1
15	5530	1	658	81	1520	1
16	5530	1	1124	47	890	1
17	5530	1	606	88	1650	1
18	5530	1	1308	41	765	1
19	5530	1	2385	23	419	1
20	5530	1	1207	44	829	1
21	5530	1	1438	37	695	1
22	5530	1	652	81	1534	1
23	5530	1	1758	31	569	1
24	5530	1	2096	26	477	1
25	5530	1	2853	19	351	1
26	5530	1	1699	32	589	1
27	5530	1	1998	27	501	1
28	5530	1	2786	19	359	1
29	5530	1	886	60	1129	1
30	5530	1	2656	20	377	1
Detection Percentage (%)						96.67



Test Mode	Mode 3					
Frequency	5530 MHz					
Radar Signal	Type 2					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5530	1.30	207.00	23	4831	1
2	5530	2.10	182.90	29	5467	1
3	5530	2.40	204.40	24	4892	1
4	5530	4.70	212.40	26	4708	1
5	5530	1.80	182.80	27	5470	0
6	5530	1.10	184.40	29	5423	1
7	5530	1.60	171.20	28	5841	1
8	5530	3.60	206.60	23	4840	1
9	5530	4.90	201.80	23	4955	1
10	5530	2.40	222.90	24	4486	0
11	5530	2.30	164.80	24	6068	1
12	5530	2.80	160.60	28	6227	1
13	5530	3.00	197.90	24	5053	1
14	5530	1.20	192.70	24	5189	1
15	5530	4.90	191.30	23	5227	1
16	5530	1.10	223.00	25	4484	1
17	5530	3.80	222.90	25	4486	1
18	5530	1.30	157.50	28	6349	1
19	5530	1.10	185.10	25	5402	1
20	5530	1.60	172.10	29	5811	1
21	5530	3.70	187.30	23	5339	1
22	5530	3.70	207.50	27	4819	1
23	5530	1.10	200.10	27	4998	0
24	5530	4.60	154.70	27	6464	1
25	5530	4.20	151.20	25	6614	1
26	5530	3.90	157.20	26	6361	1
27	5530	4.00	168.40	28	5938	1
28	5530	3.90	163.90	26	6101	1
29	5530	2.00	213.20	23	4690	1
30	5530	2.20	221.30	26	4519	1
Detection Percentage (%)						90.00



Test Mode	Mode 3					
Frequency	5530 MHz					
Radar Signal	Type 3					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5530	7.80	484.40	17	2064.41	1
2	5530	6.60	264.60	16	3779.29	1
3	5530	7.80	448.30	17	2230.65	1
4	5530	7.10	420.20	18	2379.82	1
5	5530	9.20	313.70	18	3187.76	1
6	5530	9.80	246.50	16	4056.80	1
7	5530	9.10	318.50	18	3139.72	1
8	5530	6.60	425.90	17	2347.97	1
9	5530	9.60	335.00	16	2985.07	1
10	5530	6.60	324.00	16	3086.42	0
11	5530	9.20	330.50	16	3025.72	1
12	5530	7.50	269.00	17	3717.47	1
13	5530	8.50	386.20	18	2589.33	1
14	5530	9.40	465.80	17	2146.84	1
15	5530	7.20	462.50	16	2162.16	1
16	5530	7.70	441.70	17	2263.98	1
17	5530	7.40	482.60	16	2072.11	1
18	5530	7.80	256.60	18	3897.12	1
19	5530	7.80	287.10	17	3483.11	1
20	5530	9.60	422.70	17	2365.74	1
21	5530	6.20	326.60	18	3061.85	1
22	5530	6.70	313.60	17	3188.78	1
23	5530	9.90	443.80	18	2253.27	1
24	5530	7.90	241.30	16	4144.22	1
25	5530	6.80	351.80	16	2842.52	1
26	5530	6.20	322.60	18	3099.81	1
27	5530	8.50	213.70	18	4679.46	1
28	5530	6.80	405.30	18	2467.31	1
29	5530	10.00	440.80	17	2268.60	0
30	5530	8.30	328.20	17	3046.92	1
Detection Percentage (%)						93.33



Test Mode	Mode 3					
Frequency	5530 MHz					
Radar Signal	Type 4					
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5530	16.80	220.00	16	4545	0
2	5530	13.10	258.90	12	3862	0
3	5530	19.80	347.40	14	2879	1
4	5530	13.90	400.70	14	2496	1
5	5530	16.40	411.90	13	2428	1
6	5530	19.70	215.90	12	4632	1
7	5530	18.70	370.60	12	2698	1
8	5530	14.30	227.00	12	4405	1
9	5530	13.50	396.00	12	2525	1
10	5530	15.50	315.20	14	3173	1
11	5530	19.40	229.60	14	4355	1
12	5530	12.40	210.10	15	4760	1
13	5530	18.50	356.50	13	2805	1
14	5530	13.50	453.10	14	2207	1
15	5530	18.70	438.10	13	2283	1
16	5530	14.30	284.20	16	3519	1
17	5530	11.50	310.80	12	3218	1
18	5530	15.60	382.00	16	2618	1
19	5530	11.60	295.50	14	3384	1
20	5530	13.20	499.40	15	2002	1
21	5530	16.00	286.30	13	3493	1
22	5530	12.80	475.80	12	2102	1
23	5530	14.90	445.30	14	2246	1
24	5530	18.10	405.20	16	2468	1
25	5530	17.60	351.40	13	2846	1
26	5530	15.00	358.90	12	2786	1
27	5530	18.60	309.40	14	3232	1
28	5530	13.20	242.10	14	4131	1
29	5530	16.60	329.00	13	3040	1
30	5530	17.00	308.60	12	3240	1
Detection Percentage (%)						93.33



Test Mode	Mode 3						
Frequency	5530 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
1	5498	1	67.3	14	1891.8	1	1
	5498	2	58.4	15	1674.3	3	
	5495	3	61.7	8	1981.5	3	
	5494	4	60.7	6	1349.9	2	
	5498	5	72.4	14	1128.6	1	
	5499	6	67.4	18	1611.5	2	
	5498	7	87.7	16	1287.1	2	
	5496	8	64.2	9	1706.6	2	
	5496	9	64.6	10	1093.8	2	
	5496	10	65.6	10	1755.3	3	
	5494	11	70.5	5	1755.8	2	
2	5499	1	76.8	17	1701.7	2	1
	5499	2	66.2	17	1557.5	2	
	5498	3	74.3	16	1468.8	1	
	5498	4	74.7	16	1425.1	2	
	5498	5	93.4	14	1730.7	3	
	5496	6	78.3	11	1211.8	3	
	5498	7	58.1	14	1989.2	2	
	5499	8	89.0	18	1067.0	2	
	5494	9	84.2	5	1482.3	2	
	5498	10	82.0	16	1132.4	3	
	5495	11	62.0	8	1858.0	2	
	5498	12	61.3	16	1643.8	3	
3	5497	1	95.8	12	1512.4	2	1
	5498	2	62.2	15	1346.0	1	
	5500	3	51.0	19	1841.1	1	
	5494	4	93.4	6	1366.9	2	
	5497	5	89.8	12	1480.7	3	
	5500	6	61.9	20	1845.9	3	
	5497	7	98.6	12	1181.2	3	
	5500	8	66.2	19	1975.0	1	
	5497	9	79.3	12	1522.3	3	
	5498	10	73.7	14	1805.3	2	
	5499	11	93.9	18	1703.4	2	
	5497	12	63.0	12	1937.9	2	
	5498	13	52.6	14	1426.1	1	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
4	5498	1	88.4	15	1899.3	3	1
	5494	2	94.8	6	1271.0	3	
	5495	3	91.3	7	1974.8	3	
	5495	4	91.3	8	1122.1	3	
	5495	5	95.3	7	1325.8	2	
	5500	6	53.1	19	1083.0	1	
	5498	7	99.5	15	1780.2	1	
	5494	8	52.6	6	1692.4	1	
	5497	9	63.7	13	1303.9	1	
5	5496	1	54.0	11	1958.2	2	1
	5498	2	72.4	15	1427.5	2	
	5499	3	68.9	17	1066.6	1	
	5495	4	75.2	8	1590.6	3	
	5496	5	78.1	9	1960.3	2	
	5496	6	54.6	9	1668.4	3	
	5498	7	91.2	16	1967.0	1	
	5499	8	82.9	17	1591.6	1	
	5499	9	96.8	18	1153.6	2	
	5500	10	66.1	19	1382.7	2	
	5498	11	64.3	16	1952.8	1	
	5495	12	54.6	7	1016.8	3	
	5500	13	95.2	19	1274.0	2	
	5497	14	62.6	12	1830.8	3	
	5500	15	76.1	19	1760.7	1	
6	5495	1	53.7	8	1734.6	1	1
	5498	2	56.3	16	1215.4	1	
	5496	3	70.8	10	1486.9	1	
	5495	4	84.7	8	1185.8	1	
	5498	5	53.9	15	1911.0	1	
	5494	6	57.6	6	1234.6	1	
	5499	7	75.3	17	1402.0	2	
	5500	8	96.1	19	1913.5	3	
	5494	9	94.6	5	1029.3	3	
	5497	10	72.7	12	1659.5	1	
	5499	11	97.9	17	1220.7	3	
	5496	12	73.7	11	1703.9	2	
	5496	13	62.0	10	1273.5	2	
	5498	14	57.7	16	1758.5	3	



Test Mode	Mode 3						
Frequency	5530 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
7	5498	1	92.3	14	1569.5	1	1
	5496	2	59.4	11	1091.0	1	
	5495	3	99.1	8	1531.6	3	
	5496	4	56.0	10	1661.5	2	
	5500	5	73.5	19	1726.2	3	
	5495	6	78.5	8	1156.9	1	
	5499	7	56.0	17	1543.8	1	
	5494	8	98.3	5	1834.0	1	
	5498	9	91.3	16	1527.1	3	
	5498	10	99.8	14	1527.8	2	
	5498	11	87.2	14	1518.1	2	
	5496	12	70.5	9	1742.0	2	
	5498	13	84.3	15	1360.4	2	
	5498	14	86.2	15	1357.7	2	
	5498	15	54.6	15	1438.0	2	
	5500	16	77.4	19	1870.7	1	
	5495	17	81.6	8	1469.5	1	
8	5495	1	94.6	7	1630.7	2	1
	5495	2	91.9	7	1125.3	2	
	5498	3	99.4	15	1129.7	2	
	5500	4	50.9	19	1188.6	3	
	5495	5	98.3	7	1859.9	2	
	5499	6	84.7	18	1219.1	2	
	5497	7	91.4	13	1834.5	1	
	5500	8	72.4	19	1249.7	1	
	5495	9	84.0	7	1762.0	2	
	5496	10	57.9	9	1553.0	2	
	5500	11	55.6	19	1948.8	2	
	5499	12	81.3	17	1269.6	1	
	5500	13	99.6	20	1490.6	1	
	5498	14	63.9	15	1411.4	1	
	5497	15	52.3	13	1004.8	2	
	5499	16	74.4	18	1193.7	3	
	5497	17	57.7	13	1891.7	1	
	5495	18	87.8	7	1312.1	1	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
9	5495	1	78.6	7	1365.8	2	1
	5498	2	63.5	16	1422.6	2	
	5498	3	88.5	14	1377.6	2	
	5497	4	57.6	12	1762.1	2	
	5498	5	97.7	14	1838.8	2	
	5496	6	66.8	9	1986.9	1	
	5496	7	59.8	11	1359.4	1	
	5494	8	87.6	6	1804.2	2	
	5498	9	82.2	15	1990.7	3	
	5500	10	86.0	19	1611.8	3	
	5495	11	61.0	8	1319.3	3	
	5499	12	97.3	17	1323.3	1	
	5496	13	74.9	10	1528.0	2	
	5496	14	53.6	11	1737.5	1	
	5497	15	70.8	13	1185.8	2	
	5496	16	77.0	10	1361.0	2	
	5499	17	64.0	18	1791.4	2	
	5498	18	88.7	14	1416.1	1	
	5498	19	54.6	15	1887.8	3	
10	5498	1	74.6	14	1632.6	1	1
	5496	2	82.7	11	1866.6	2	
	5496	3	94.5	11	1949.1	3	
	5500	4	73.6	19	1779.4	3	
	5495	5	90.2	8	1035.8	1	
	5499	6	70.5	17	1122.5	3	
	5495	7	78.9	8	1971.8	1	
	5500	8	86.3	19	1956.6	2	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
11	5530	1	67.9	19	1077.8	3	1
	5530	2	98.3	6	1230.4	3	
	5530	3	64.1	6	1067.2	1	
	5530	4	52.9	7	1487.2	1	
	5530	5	63.1	8	1089.4	1	
	5530	6	74.6	12	1874.9	3	
	5530	7	84.5	10	1464.7	2	
	5530	8	98.5	10	1088.7	3	
	5530	9	87.8	19	1942.5	2	
	5530	10	87.7	18	1760.6	2	
	5530	11	89.7	19	1230.6	3	
	5530	12	69.0	11	1767.8	2	
	5530	13	58.1	13	1186.4	1	
	5530	14	58.5	9	1613.7	2	
	5530	15	70.0	14	1851.2	1	
	5530	16	93.0	18	1650.3	1	
12	5530	1	77.2	8	1693.1	2	1
	5530	2	68.8	20	1552.7	1	
	5530	3	99.7	18	1091.5	2	
	5530	4	80.6	17	1811.3	2	
	5530	5	67.1	6	1786.8	3	
	5530	6	81.4	7	1107.0	3	
	5530	7	74.8	17	1166.5	1	
	5530	8	58.0	20	1415.2	2	
	5530	9	74.8	19	1337.0	2	
	5530	10	79.0	5	1767.2	1	
	5530	11	56.5	19	1421.5	1	
	5530	12	97.7	9	1740.1	1	
	5530	13	81.8	6	1918.8	1	
	5530	14	83.0	7	1050.4	3	
	5530	15	72.2	14	1237.4	1	
	5530	16	67.3	11	1340.0	3	
	5530	17	79.3	9	1471.0	1	
	5530	18	88.6	19	1018.2	2	
	5530	19	76.9	7	1305.6	2	
	5530	20	61.0	10	1737.2	2	



Test Mode	Mode 3						
Frequency	5530 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
13	5530	1	59.5	8	1801.0	3	1
	5530	2	50.2	19	1336.7	1	
	5530	3	55.9	8	1527.2	1	
	5530	4	86.2	19	1004.4	1	
	5530	5	65.0	8	1360.4	3	
	5530	6	88.5	14	1361.3	3	
	5530	7	90.1	13	1511.4	3	
	5530	8	78.8	7	1190.2	3	
	5530	9	95.9	12	1572.4	1	
	5530	10	74.6	11	1963.0	2	
14	5530	1	94.8	9	1573.1	2	1
	5530	2	77.9	15	1839.5	2	
	5530	3	92.5	9	1090.9	2	
	5530	4	75.5	8	1629.8	2	
	5530	5	95.0	17	1492.9	3	
	5530	6	97.3	15	1126.3	3	
	5530	7	79.4	8	1160.5	1	
	5530	8	71.1	8	1183.1	3	
	5530	9	79.5	13	1788.6	3	
	5530	10	53.1	9	1853.4	1	
	5530	11	87.2	16	1859.7	3	
	5530	12	92.6	15	1074.8	2	
	5530	13	92.8	11	1521.2	1	
	5530	14	51.6	17	1845.7	1	
	5530	15	77.9	15	1588.1	1	
	5530	16	79.2	16	1291.1	2	
	5530	17	55.9	6	1857.3	2	
	5530	18	68.5	20	1550.9	1	
	5530	19	86.1	17	1370.9	3	
	5530	20	90.6	6	1081.5	1	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
15	5530	1	76.3	14	1990.3	3	1
	5530	2	67.7	8	1200.0	1	
	5530	3	64.1	17	1984.9	1	
	5530	4	94.4	6	1345.1	1	
	5530	5	86.0	17	1399.6	1	
	5530	6	74.1	9	1778.5	1	
	5530	7	93.8	12	1962.8	1	
	5530	8	60.9	10	1443.7	1	
	5530	9	55.8	18	1546.0	2	
	5530	10	97.7	8	1244.8	2	
	5530	11	67.7	8	1032.6	3	
	5530	12	66.2	18	1121.1	3	
	5530	13	92.3	14	1678.2	2	
	5530	14	91.4	17	1696.4	1	
	5530	15	57.8	5	1753.4	1	
	5530	16	67.2	6	1634.3	2	
	5530	17	69.1	19	1474.0	3	
	5530	18	75.0	10	1553.2	2	
	5530	19	53.1	19	1016.5	2	
16	5530	1	91.0	18	1449.0	3	1
	5530	2	65.6	17	1460.0	3	
	5530	3	83.6	10	1101.9	3	
	5530	4	98.9	10	1705.9	3	
	5530	5	75.2	14	1221.0	3	
	5530	6	51.8	14	1505.5	3	
	5530	7	93.5	19	1383.6	2	
	5530	8	91.5	18	1181.1	3	
	5530	9	73.2	19	1468.2	3	
	5530	10	96.8	10	1798.9	1	
	5530	11	56.7	11	1553.6	3	
	5530	12	97.6	17	1350.8	3	
	5530	13	72.5	16	1832.9	1	
	5530	14	61.2	19	1607.0	3	
	5530	15	65.5	18	1071.8	2	
	5530	16	68.9	18	1823.9	1	
	5530	17	84.2	11	1627.7	2	
	5530	18	90.7	15	1598.4	3	



Test Mode	Mode 3						
Frequency	5530 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
17	5530	1	98.0	7	1502.7	1	1
	5530	2	61.4	6	1210.8	1	
	5530	3	56.0	11	1746.2	3	
	5530	4	50.3	17	1522.9	3	
	5530	5	84.9	18	1596.2	1	
	5530	6	90.9	9	1661.0	2	
	5530	7	67.1	17	1262.0	2	
	5530	8	63.6	10	1668.7	1	
	5530	9	53.5	9	1416.5	2	
	5530	10	72.3	5	1888.9	2	
	5530	11	91.5	19	1655.1	2	
	5530	12	67.4	7	1643.6	1	
	5530	13	72.1	12	1952.6	1	
	5530	14	72.2	6	1587.2	3	
	5530	15	52.6	11	1567.7	2	
	5530	16	52.4	18	1784.7	1	
	5530	17	77.5	17	1678.7	3	
18	5530	1	58.4	6	1976.8	3	1
	5530	2	73.6	19	1168.2	2	
	5530	3	68.3	12	1669.4	1	
	5530	4	84.0	19	1702.0	3	
	5530	5	50.7	9	1144.6	2	
	5530	6	92.0	14	1156.9	2	
	5530	7	90.9	7	1390.1	2	
	5530	8	97.8	11	1349.5	3	
	5530	9	78.0	15	1002.1	1	
	5530	10	90.0	18	1569.1	1	
	5530	11	78.8	7	1425.2	2	
	5530	12	61.4	15	1729.6	1	
	5530	13	74.3	17	1775.5	3	
	5530	14	74.0	8	1112.5	2	
	5530	15	87.8	20	1485.5	1	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
19	5530	1	98.9	13	1813.6	2	0
	5530	2	68.1	8	1169.1	2	
	5530	3	89.7	11	1066.4	2	
	5530	4	62.7	6	1095.1	1	
	5530	5	60.4	9	1984.2	3	
	5530	6	70.5	8	1698.1	3	
	5530	7	55.2	7	1483.5	1	
	5530	8	78.3	8	1726.1	3	
	5530	9	91.1	17	1762.1	1	
	5530	10	94.1	12	1852.0	2	
	5530	11	58.4	15	1081.5	1	
	5530	12	64.6	18	1754.3	3	
	5530	13	63.6	12	1840.0	2	
	5530	14	73.1	16	1699.8	2	
20	5530	1	60.3	6	1952.4	2	0
	5530	2	59.5	5	1207.7	2	
	5530	3	91.0	10	1624.9	3	
	5530	4	79.1	15	1366.5	2	
	5530	5	82.3	19	1418.8	2	
	5530	6	79.3	10	1778.1	2	
	5530	7	96.7	8	1817.4	1	
	5530	8	97.0	17	1112.3	2	
	5530	9	52.0	7	1185.1	2	
	5530	10	91.1	6	1100.9	1	
21	5562	1	90.7	14	1490.4	3	1
	5561	2	90.9	18	1172.7	1	
	5561	3	79.3	17	1096.6	1	
	5566	4	73.4	5	1587.0	2	
	5565	5	83.8	7	1018.7	3	
	5563	6	64.9	13	1088.5	3	
	5560	7	80.0	19	1893.9	2	
	5563	8	72.6	12	1132.7	2	
	5561	9	87.3	17	1867.9	1	
	5562	10	78.3	16	1833.7	1	
	5561	11	86.7	17	1260.8	2	
	5565	12	74.7	7	1919.3	2	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
22	5560	1	80.8	19	1887.7	1	1
	5561	2	68.4	18	1695.5	3	
	5561	3	60.9	17	1542.2	2	
	5564	4	63.2	9	1311.6	1	
	5564	5	85.5	11	1234.6	1	
	5565	6	83.9	8	1298.1	3	
	5561	7	85.6	17	1601.3	3	
	5560	8	90.0	20	1071.0	1	
	5566	9	89.9	6	1147.9	1	
23	5565	1	73.1	7	1930.6	2	1
	5566	2	63.9	6	1980.8	3	
	5562	3	81.7	15	1223.1	2	
	5564	4	54.2	10	1502.5	2	
	5561	5	91.5	18	1441.4	3	
	5560	6	70.6	19	1425.1	2	
	5561	7	53.3	17	1342.1	1	
	5562	8	55.8	15	1683.8	3	
	5563	9	69.2	13	1206.3	1	
	5564	10	95.5	9	1622.9	2	
	5560	11	59.0	20	1382.0	1	
	5563	12	66.1	13	1695.4	1	
	5566	13	70.1	6	1281.7	1	
	5563	14	84.2	13	1509.5	2	
	5562	15	86.4	16	1394.0	3	
24	5561	1	51.4	18	1520.8	2	1
	5565	2	79.2	8	1328.4	3	
	5562	3	90.5	15	1193.1	2	
	5563	4	52.8	12	1977.1	3	
	5560	5	77.9	19	1268.4	3	
	5563	6	85.1	13	1187.6	3	
	5561	7	82.7	18	1034.5	3	
	5564	8	92.6	11	1593.3	2	
	5560	9	60.7	20	1269.2	2	
	5565	10	59.0	8	1666.6	3	
	5563	11	86.5	13	1193.3	2	
	5564	12	96.3	9	1468.5	3	
	5564	13	81.7	11	1596.3	1	
	5563	14	85.7	12	1860.5	3	



Test Mode	Mode 3						
Frequency	5530 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
25	5565	1	72.0	7	1387.1	1	1
	5560	2	69.8	19	1835.3	2	
	5566	3	96.1	6	1413.2	2	
	5565	4	71.8	8	1161.6	3	
	5561	5	50.5	18	1264.2	1	
	5564	6	87.6	10	1931.0	2	
	5561	7	67.5	17	1470.2	2	
	5562	8	68.7	15	1543.2	2	
	5562	9	50.1	16	1518.2	3	
	5562	10	67.8	15	1247.7	3	
	5562	11	51.7	16	1840.7	1	
	5560	12	64.0	19	1578.4	1	
	5563	13	96.4	12	1321.1	1	
	5564	14	91.3	11	1927.3	3	
	5563	15	75.4	13	1507.0	1	
	5564	16	58.0	9	1292.5	2	
	5565	17	78.8	7	1470.8	1	
	5562	18	50.7	15	1539.4	3	
26	5561	1	73.9	17	1730.8	2	1
	5562	2	79.1	14	1217.1	3	
	5560	3	80.4	19	1232.1	1	
	5560	4	81.6	19	1184.0	3	
	5563	5	83.7	13	1363.0	1	
	5560	6	58.1	19	1800.8	3	
	5562	7	91.0	15	1540.4	1	
	5566	8	93.5	6	1997.6	1	
	5562	9	87.8	15	1114.4	2	
	5562	10	75.0	14	1802.8	1	
	5561	11	52.7	17	1150.6	1	
	5566	12	79.1	6	1552.4	3	
	5563	13	94.8	12	1095.0	3	
	5566	14	74.0	6	1239.2	2	
	5565	15	84.4	8	1256.7	1	
	5560	16	64.4	19	1355.0	1	



Test Mode	Mode 3						
Frequency	5530 MHz						
Radar Signal	Type 5						
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5562	1	85.1	15	1950.1	1	1
	5562	2	71.4	15	1628.5	3	
	5565	3	64.6	7	1634.7	1	
	5562	4	97.6	15	1554.9	2	
	5564	5	80.3	10	1579.9	1	
	5565	6	64.8	7	1490.3	2	
	5565	7	71.7	7	1210.5	1	
	5563	8	78.9	13	1839.1	3	
	5563	9	59.5	12	1320.8	1	
	5566	10	62.6	6	1106.1	1	
	5560	11	66.0	19	1974.6	2	
	5563	12	97.8	12	1567.1	1	
	5565	13	89.4	7	1026.4	1	
	5561	14	88.6	17	1605.3	1	
	5565	15	98.2	8	1771.4	2	
	5561	16	87.5	18	1603.3	1	
	5565	17	50.2	8	1948.0	2	
	5561	18	87.3	18	1449.6	1	
	5560	19	97.3	20	1253.0	1	
	5560	20	60.0	19	1154.7	3	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
28	5565	1	56.9	7	1586.2	3	1
	5560	2	50.8	19	1571.9	3	
	5563	3	54.8	12	1458.2	3	
	5565	4	82.0	7	1502.1	3	
	5560	5	95.3	19	1445.9	2	
	5560	6	50.4	19	1578.6	2	
	5560	7	97.8	20	1821.2	3	
	5562	8	53.6	14	1276.9	1	
	5562	9	73.0	15	1726.0	2	
	5562	10	96.4	15	1549.9	3	
	5560	11	80.3	20	1162.0	3	
	5562	12	77.4	16	1818.4	3	
	5565	13	93.4	7	1813.9	2	
	5562	14	66.1	15	1743.7	2	
	5561	15	63.2	17	1498.7	2	
	5563	16	67.6	13	1390.0	3	
	5562	17	85.6	14	1261.4	1	
	5566	18	87.8	6	1142.0	3	
	5561	19	88.5	17	1597.0	2	
	5565	20	56.5	8	1689.5	2	



Test Mode		Mode 3					
Frequency		5530 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5562	1	71.8	14	1584.6	3	1
	5560	2	58.7	19	1595.6	3	
	5562	3	66.8	16	1063.3	2	
	5564	4	99.4	11	1148.6	3	
	5562	5	86.2	15	1703.9	1	
	5565	6	92.8	7	1855.1	3	
	5561	7	90.4	18	1095.3	3	
	5561	8	95.5	17	1161.8	3	
	5563	9	86.7	13	1439.5	3	
	5561	10	50.4	17	1009.0	3	
	5566	11	58.8	6	1559.5	3	
	5562	12	72.3	15	1297.9	2	
	5565	13	83.9	8	1310.3	1	
	5564	14	97.4	10	1822.0	1	
	5564	15	70.7	9	1191.9	1	
	5561	16	88.1	18	1636.1	2	
	5565	17	75.3	7	1039.0	2	
30	5560	1	66.4	19	1105.5	1	1
	5561	2	88.6	17	1933.4	3	
	5561	3	90.1	17	1146.7	3	
	5565	4	88.5	7	1513.2	2	
	5561	5	77.9	18	1570.1	2	
	5564	6	56.0	10	1691.3	1	
	5566	7	99.8	6	1283.3	2	
	5561	8	65.9	18	1929.9	3	
	5563	9	93.6	13	1050.0	2	
	5565	10	75.2	7	1002.7	1	
	5560	11	87.8	19	1724.0	1	
	5563	12	81.7	12	1560.9	3	
	5565	13	50.4	8	1063.2	2	
	5564	14	98.9	10	1255.8	2	
Detection Percentage (%)							80.00



Test Mode	Mode 3					
Frequency	5530 MHz					
Radar Signal	Type 6					
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	1
2	1	333	9	0.333	300	1
3	1	333	9	0.333	300	0
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	1
6	1	333	9	0.333	300	1
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	1
9	1	333	9	0.333	300	1
10	1	333	9	0.333	300	1
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	1
13	1	333	9	0.333	300	1
14	1	333	9	0.333	300	0
15	1	333	9	0.333	300	1
16	1	333	9	0.333	300	1
17	1	333	9	0.333	300	1
18	1	333	9	0.333	300	0
19	1	333	9	0.333	300	1
20	1	333	9	0.333	300	1
21	1	333	9	0.333	300	1
22	1	333	9	0.333	300	1
23	1	333	9	0.333	300	1
24	1	333	9	0.333	300	1
25	1	333	9	0.333	300	1
26	1	333	9	0.333	300	1
27	1	333	9	0.333	300	1
28	1	333	9	0.333	300	1
29	1	333	9	0.333	300	1
30	1	333	9	0.333	300	1
Detection Percentage (%)						90.00