


Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT B		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.91	31.94	1.87	33.81	54.00	20.19	Horizontal	PASS
2	2489.63	31.37	1.92	33.29	54.00	20.71	Horizontal	PASS
3	2494.41	31.54	1.97	33.51	54.00	20.49	Horizontal	PASS
4	2483.55	43.50	1.85	45.35	74.00	28.65	Horizontal	PASS
5	2489.58	42.86	1.92	44.78	74.00	29.22	Horizontal	PASS
6	2493.76	42.88	1.97	44.85	74.00	29.15	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.68	31.72	1.87	33.59	54.00	20.41	Vertical	PASS
2	2488.76	31.16	1.92	33.08	54.00	20.92	Vertical	PASS
3	2492.41	30.91	1.95	32.86	54.00	21.14	Vertical	PASS
4	2484.49	41.94	1.87	43.81	74.00	30.19	Vertical	PASS
5	2488.86	42.11	1.92	44.03	74.00	29.97	Vertical	PASS
6	2493.13	41.19	1.96	43.15	74.00	30.85	Vertical	PASS


Project Information			
Mode:	802.11n-HT20	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2359.33	37.09	1.45	38.54	54.00	15.46	Horizontal	PASS
2	2379.95	37.21	1.43	38.64	54.00	15.36	Horizontal	PASS
3	2389.06	37.75	1.43	39.18	54.00	14.82	Horizontal	PASS
4	2365.12	48.07	1.44	49.51	74.00	24.49	Horizontal	PASS
5	2377.56	47.88	1.44	49.32	74.00	24.68	Horizontal	PASS
6	2389.85	48.22	1.43	49.65	74.00	24.35	Horizontal	PASS


Project Information			
Mode:	802.11n-HT20	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2367.48	37.05	1.43	38.48	54.00	15.52	Vertical	PASS
2	2376.03	37.06	1.43	38.49	54.00	15.51	Vertical	PASS
3	2387.68	37.20	1.43	38.63	54.00	15.37	Vertical	PASS
4	2365.57	47.66	1.44	49.10	74.00	24.90	Vertical	PASS
5	2379.16	48.16	1.43	49.59	74.00	24.41	Vertical	PASS
6	2387.64	47.88	1.43	49.31	74.00	24.69	Vertical	PASS


Project Information			
Mode:	802.11n-HT20	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.96	32.53	1.87	34.40	54.00	19.60	Horizontal	PASS
2	2486.29	31.74	1.89	33.63	54.00	20.37	Horizontal	PASS
3	2488.02	31.61	1.90	33.51	54.00	20.49	Horizontal	PASS
4	2483.94	42.93	1.87	44.80	74.00	29.20	Horizontal	PASS
5	2487.01	43.11	1.90	45.01	74.00	28.99	Horizontal	PASS
6	2488.19	44.33	1.90	46.23	74.00	27.77	Horizontal	PASS


Project Information			
Mode:	802.11n-HT20	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.18	31.85	1.87	33.72	54.00	20.28	Vertical	PASS
2	2485.50	31.95	1.88	33.83	54.00	20.17	Vertical	PASS
3	2489.60	31.02	1.92	32.94	54.00	21.06	Vertical	PASS
4	2483.58	42.31	1.85	44.16	74.00	29.84	Vertical	PASS
5	2485.74	42.32	1.88	44.20	74.00	29.80	Vertical	PASS
6	2489.82	42.74	1.92	44.66	74.00	29.34	Vertical	PASS

Project Information			
Mode:	802.11n-HT40	Band:	/
Bandwidth	40MHz	Channel	3
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2375.45	35.12	1.43	36.55	54.00	17.45	Horizontal	PASS
2	2382.76	36.06	1.43	37.49	54.00	16.51	Horizontal	PASS
3	2388.30	37.56	1.43	38.99	54.00	15.01	Horizontal	PASS
4	2375.80	46.91	1.43	48.34	74.00	25.66	Horizontal	PASS
5	2381.70	47.76	1.43	49.19	74.00	24.81	Horizontal	PASS
6	2388.83	48.94	1.43	50.37	74.00	23.63	Horizontal	PASS

Project Information			
Mode:	802.11n-HT40	Band:	/
Bandwidth	40MHz	Channel	3
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2368.06	34.13	1.44	35.57	54.00	18.43	Vertical	PASS
2	2380.16	34.82	1.43	36.25	54.00	17.75	Vertical	PASS
3	2389.14	35.59	1.43	37.02	54.00	16.98	Vertical	PASS
4	2359.43	44.61	1.45	46.06	74.00	27.94	Vertical	PASS
5	2377.30	44.32	1.43	45.75	74.00	28.25	Vertical	PASS
6	2386.59	45.91	1.42	47.33	74.00	26.67	Vertical	PASS

Project Information			
Mode:	802.11n-HT40	Band:	/
Bandwidth	40MHz	Channel	9
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.39	32.82	1.87	34.69	54.00	19.31	Horizontal	PASS
2	2486.29	32.20	1.89	34.09	54.00	19.91	Horizontal	PASS
3	2491.73	32.43	1.95	34.38	54.00	19.62	Horizontal	PASS
4	2484.01	43.11	1.87	44.98	74.00	29.02	Horizontal	PASS
5	2486.33	45.03	1.89	46.92	74.00	27.08	Horizontal	PASS
6	2491.70	42.59	1.95	44.54	74.00	29.46	Horizontal	PASS

Project Information			
Mode:	802.11n-HT40	Band:	/
Bandwidth	40MHz	Channel	9
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.81	31.50	1.87	33.37	54.00	20.63	Vertical	PASS
2	2488.03	31.39	1.90	33.29	54.00	20.71	Vertical	PASS
3	2492.28	30.90	1.95	32.85	54.00	21.15	Vertical	PASS
4	2483.98	41.85	1.87	43.72	74.00	30.28	Vertical	PASS
5	2488.54	42.02	1.91	43.93	74.00	30.07	Vertical	PASS
6	2492.75	42.44	1.95	44.39	74.00	29.61	Vertical	PASS

Project Information			
Mode:	802.11ax-ax20	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2376.10	33.98	1.43	35.41	54.00	18.59	Horizontal	PASS
2	2382.71	34.34	1.43	35.77	54.00	18.23	Horizontal	PASS
3	2389.99	35.57	1.43	37.00	54.00	17.00	Horizontal	PASS
4	2375.17	45.04	1.43	46.47	74.00	27.53	Horizontal	PASS
5	2383.31	44.72	1.43	46.15	74.00	27.85	Horizontal	PASS
6	2389.70	45.42	1.43	46.85	74.00	27.15	Horizontal	PASS

Project Information			
Mode:	802.11ax-ax20	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2376.70	33.83	1.43	35.26	54.00	18.74	Vertical	PASS
2	2384.21	34.34	1.43	35.77	54.00	18.23	Vertical	PASS
3	2389.77	34.65	1.43	36.08	54.00	17.92	Vertical	PASS
4	2375.88	44.70	1.43	46.13	74.00	27.87	Vertical	PASS
5	2384.32	45.31	1.43	46.74	74.00	27.26	Vertical	PASS
6	2389.43	45.03	1.43	46.46	74.00	27.54	Vertical	PASS


Project Information			
Mode:	802.11ax-ax20	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.65	32.96	1.86	34.82	54.00	19.18	Horizontal	PASS
2	2485.06	32.97	1.87	34.84	54.00	19.16	Horizontal	PASS
3	2486.84	32.08	1.90	33.98	54.00	20.02	Horizontal	PASS
4	2484.20	45.37	1.87	47.24	74.00	26.76	Horizontal	PASS
5	2485.23	43.86	1.88	45.74	74.00	28.26	Horizontal	PASS
6	2486.91	42.69	1.90	44.59	74.00	29.41	Horizontal	PASS

Project Information			
Mode:	802.11ax-ax20	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.08	32.28	1.87	34.15	54.00	19.85	Vertical	PASS
2	2486.65	31.92	1.89	33.81	54.00	20.19	Vertical	PASS
3	2489.94	31.46	1.93	33.39	54.00	20.61	Vertical	PASS
4	2484.68	43.85	1.87	45.72	74.00	28.28	Vertical	PASS
5	2487.95	43.35	1.90	45.25	74.00	28.75	Vertical	PASS
6	2491.02	42.54	1.93	44.47	74.00	29.53	Vertical	PASS

Project Information			
Mode:	802.11ax-ax40	Band:	/
Bandwidth	40MHz	Channel	3
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2379.59	36.52	1.43	37.95	54.00	16.05	Horizontal	PASS
2	2384.52	36.81	1.43	38.24	54.00	15.76	Horizontal	PASS
3	2389.71	37.63	1.43	39.06	54.00	14.94	Horizontal	PASS
4	2376.99	46.42	1.43	47.85	74.00	26.15	Horizontal	PASS
5	2383.28	46.79	1.43	48.22	74.00	25.78	Horizontal	PASS
6	2387.11	48.02	1.42	49.44	74.00	24.56	Horizontal	PASS

Project Information

Mode:	802.11ax-ax40	Band:	/
Bandwidth	40MHz	Channel	3
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2373.95	34.63	1.44	36.07	54.00	17.93	Vertical	PASS
2	2382.89	34.84	1.43	36.27	54.00	17.73	Vertical	PASS
3	2389.93	35.83	1.43	37.26	54.00	16.74	Vertical	PASS
4	2364.01	45.39	1.44	46.83	74.00	27.17	Vertical	PASS
5	2381.66	44.70	1.43	46.13	74.00	27.87	Vertical	PASS
6	2386.94	45.63	1.42	47.05	74.00	26.95	Vertical	PASS


Project Information			
Mode:	802.11ax-ax40	Band:	/
Bandwidth	40MHz	Channel	9
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.91	33.05	1.87	34.92	54.00	19.08	Horizontal	PASS
2	2486.70	32.40	1.89	34.29	54.00	19.71	Horizontal	PASS
3	2490.92	32.29	1.93	34.22	54.00	19.78	Horizontal	PASS
4	2483.74	42.90	1.86	44.76	74.00	29.24	Horizontal	PASS
5	2487.04	42.87	1.90	44.77	74.00	29.23	Horizontal	PASS
6	2490.99	42.33	1.93	44.26	74.00	29.74	Horizontal	PASS

Project Information			
Mode:	802.11ax-ax40	Band:	/
Bandwidth	40MHz	Channel	9
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.39	31.99	1.87	33.86	54.00	20.14	Vertical	PASS
2	2486.80	31.94	1.90	33.84	54.00	20.16	Vertical	PASS
3	2490.07	31.60	1.93	33.53	54.00	20.47	Vertical	PASS
4	2484.22	42.70	1.87	44.57	74.00	29.43	Vertical	PASS
5	2487.38	42.49	1.90	44.39	74.00	29.61	Vertical	PASS
6	2495.44	42.10	1.98	44.08	74.00	29.92	Vertical	PASS

Project Information			
Mode:	802.11ax20 26t-0	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2379.05	34.65	1.43	36.08	54.00	17.92	Horizontal	PASS
2	2385.66	35.12	1.43	36.55	54.00	17.45	Horizontal	PASS
3	2389.96	35.75	1.43	37.18	54.00	16.82	Horizontal	PASS
4	2381.89	46.50	1.43	47.93	74.00	26.07	Horizontal	PASS
5	2388.50	49.91	1.43	51.34	74.00	22.66	Horizontal	PASS
6	2389.92	54.43	1.43	55.86	74.00	18.14	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26t-0	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2378.98	35.03	1.43	36.46	54.00	17.54	Vertical	PASS
2	2384.36	35.97	1.43	37.40	54.00	16.60	Vertical	PASS
3	2388.31	36.21	1.43	37.64	54.00	16.36	Vertical	PASS
4	2376.06	46.40	1.43	47.83	74.00	26.17	Vertical	PASS
5	2379.69	48.00	1.43	49.43	74.00	24.57	Vertical	PASS
6	2389.77	49.34	1.43	50.77	74.00	23.23	Vertical	PASS

Project Information			
Mode:	802.11ax20 52t-37	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.36	34.56	1.43	35.99	54.00	18.01	Horizontal	PASS
2	2385.10	34.90	1.43	36.33	54.00	17.67	Horizontal	PASS
3	2389.96	36.25	1.43	37.68	54.00	16.32	Horizontal	PASS
4	2381.26	46.12	1.43	47.55	74.00	26.45	Horizontal	PASS
5	2387.57	48.70	1.43	50.13	74.00	23.87	Horizontal	PASS
6	2389.92	54.03	1.43	55.46	74.00	18.54	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52t-37	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2361.95	34.66	1.44	36.10	54.00	17.90	Vertical	PASS
2	2379.05	34.80	1.43	36.23	54.00	17.77	Vertical	PASS
3	2389.40	36.40	1.43	37.83	54.00	16.17	Vertical	PASS
4	2360.01	46.26	1.44	47.70	74.00	26.30	Vertical	PASS
5	2375.65	46.13	1.43	47.56	74.00	26.44	Vertical	PASS
6	2387.83	50.17	1.43	51.60	74.00	22.40	Vertical	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2373.53	34.05	1.44	35.49	54.00	18.51	Horizontal	PASS
2	2384.50	34.95	1.43	36.38	54.00	17.62	Horizontal	PASS
3	2389.92	34.91	1.43	36.34	54.00	17.66	Horizontal	PASS
4	2374.76	45.41	1.44	46.85	74.00	27.15	Horizontal	PASS
5	2381.52	46.84	1.43	48.27	74.00	25.73	Horizontal	PASS
6	2389.88	49.07	1.43	50.50	74.00	23.50	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2366.43	34.47	1.44	35.91	54.00	18.09	Vertical	PASS
2	2383.94	35.36	1.43	36.79	54.00	17.21	Vertical	PASS
3	2389.29	36.41	1.43	37.84	54.00	16.16	Vertical	PASS
4	2367.77	45.48	1.44	46.92	74.00	27.08	Vertical	PASS
5	2383.68	48.30	1.43	49.73	74.00	24.27	Vertical	PASS
6	2388.61	49.38	1.43	50.81	74.00	23.19	Vertical	PASS

Project Information

Mode:	802.11ax20 26t-8	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2487.18	34.93	1.90	36.83	54.00	17.17	Horizontal	PASS
2	2490.85	35.18	1.93	37.11	54.00	16.89	Horizontal	PASS
3	2493.78	33.72	1.97	35.69	54.00	18.31	Horizontal	PASS
4	2487.15	55.72	1.90	57.62	74.00	16.38	Horizontal	PASS
5	2491.04	55.39	1.93	57.32	74.00	16.68	Horizontal	PASS
6	2493.76	52.74	1.97	54.71	74.00	19.29	Horizontal	PASS

Project Information

Mode:	802.11ax20 26t-8	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2485.86	32.84	1.88	34.72	54.00	19.28	Vertical	PASS
2	2490.23	32.54	1.93	34.47	54.00	19.53	Vertical	PASS
3	2493.78	31.43	1.97	33.40	54.00	20.60	Vertical	PASS
4	2486.24	50.84	1.88	52.72	74.00	21.28	Vertical	PASS
5	2490.32	51.07	1.93	53.00	74.00	21.00	Vertical	PASS
6	2493.49	48.43	1.96	50.39	74.00	23.61	Vertical	PASS

Project Information			
Mode:	802.11ax20 52t-40	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2488.64	34.96	1.91	36.87	54.00	17.13	Horizontal	PASS
2	2491.36	35.24	1.94	37.18	54.00	16.82	Horizontal	PASS
3	2493.32	33.66	1.96	35.62	54.00	18.38	Horizontal	PASS
4	2488.62	55.80	1.91	57.71	74.00	16.29	Horizontal	PASS
5	2491.33	55.78	1.94	57.72	74.00	16.28	Horizontal	PASS
6	2494.14	52.87	1.97	54.84	74.00	19.16	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52t-40	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2487.13	32.30	1.90	34.20	54.00	19.80	Vertical	PASS
2	2491.04	32.90	1.93	34.83	54.00	19.17	Vertical	PASS
3	2494.43	31.50	1.97	33.47	54.00	20.53	Vertical	PASS
4	2487.03	51.28	1.90	53.18	74.00	20.82	Vertical	PASS
5	2490.32	51.19	1.93	53.12	74.00	20.88	Vertical	PASS
6	2494.31	48.72	1.97	50.69	74.00	23.31	Vertical	PASS

Project Information			
Mode:	802.11ax20 106t-54	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2485.81	35.25	1.88	37.13	54.00	16.87	Horizontal	PASS
2	2487.15	35.06	1.90	36.96	54.00	17.04	Horizontal	PASS
3	2489.27	34.69	1.92	36.61	54.00	17.39	Horizontal	PASS
4	2485.33	50.12	1.88	52.00	74.00	22.00	Horizontal	PASS
5	2489.05	48.96	1.92	50.88	74.00	23.12	Horizontal	PASS
6	2491.91	49.99	1.95	51.94	74.00	22.06	Horizontal	PASS

Project Information

Mode:	802.11ax20 106t-54	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.94	34.99	1.87	36.86	54.00	17.14	Vertical	PASS
2	2488.81	34.34	1.92	36.26	54.00	17.74	Vertical	PASS
3	2491.31	34.35	1.94	36.29	54.00	17.71	Vertical	PASS
4	2483.91	49.35	1.87	51.22	74.00	22.78	Vertical	PASS
5	2488.47	47.29	1.91	49.20	74.00	24.80	Vertical	PASS
6	2491.86	47.09	1.95	49.04	74.00	24.96	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	/
Bandwidth	40MHz	Channel	3
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2361.54	34.37	1.44	35.81	54.00	18.19	Horizontal	PASS
2	2379.85	34.80	1.43	36.23	54.00	17.77	Horizontal	PASS
3	2389.14	35.59	1.43	37.02	54.00	16.98	Horizontal	PASS
4	2345.52	44.69	1.41	46.10	74.00	27.90	Horizontal	PASS
5	2378.18	45.07	1.44	46.51	74.00	27.49	Horizontal	PASS
6	2389.53	46.09	1.43	47.52	74.00	26.48	Horizontal	PASS


Project Information			
Mode:	802.11ax40 242t-61	Band:	/
Bandwidth	40MHz	Channel	3
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2355.82	34.10	1.44	35.54	54.00	18.46	Vertical	PASS
2	2372.85	34.61	1.44	36.05	54.00	17.95	Vertical	PASS
3	2389.58	35.90	1.43	37.33	54.00	16.67	Vertical	PASS
4	2362.42	45.04	1.44	46.48	74.00	27.52	Vertical	PASS
5	2374.04	45.86	1.44	47.30	74.00	26.70	Vertical	PASS
6	2389.75	46.31	1.43	47.74	74.00	26.26	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-62	Band:	/
Bandwidth	40MHz	Channel	9
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.42	48.74	1.87	50.61	54.00	3.39	Horizontal	PASS
2	2485.61	46.65	1.88	48.53	54.00	5.47	Horizontal	PASS
3	2487.69	45.93	1.90	47.83	54.00	6.17	Horizontal	PASS
4	2484.39	70.27	1.87	72.14	74.00	1.86	Horizontal	PASS
5	2486.39	68.07	1.89	69.96	74.00	4.04	Horizontal	PASS
6	2489.59	62.72	1.92	64.64	74.00	9.36	Horizontal	PASS

Project Information

Mode:	802.11ax40 242t-62	Band:	/
Bandwidth	40MHz	Channel	9
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.57	45.81	1.85	47.66	54.00	6.34	Vertical	PASS
2	2486.19	42.41	1.88	44.29	54.00	9.71	Vertical	PASS
3	2490.00	40.25	1.93	42.18	54.00	11.82	Vertical	PASS
4	2483.54	67.98	1.85	69.83	74.00	4.17	Vertical	PASS
5	2486.56	62.92	1.89	64.81	74.00	9.19	Vertical	PASS
6	2489.96	60.98	1.93	62.91	74.00	11.09	Vertical	PASS

~The End~