



Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5820.17	35.65	17.65	53.30	-	-	Horizontal	NA
2	12369.41	42.51	5.63	48.14	74.00	25.86	Horizontal	PASS
3	13688.89	41.49	9.34	50.83	68.20	17.37	Horizontal	PASS
4	17994.63	39.52	13.71	53.23	74.00	20.77	Horizontal	PASS
5	5821.27	29.00	17.65	46.65	-	-	Horizontal	NA
6	12654.62	33.86	6.15	40.01	54.00	13.99	Horizontal	PASS
7	15896.20	33.27	7.97	41.24	54.00	12.76	Horizontal	PASS
8	17991.95	32.19	13.68	45.87	54.00	8.13	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12007.53	43.51	5.26	48.77	74.00	25.23	Vertical	PASS
2	15077.75	41.57	9.11	50.68	68.20	17.52	Vertical	PASS
3	17900.33	39.74	13.34	53.08	74.00	20.92	Vertical	PASS
4	12421.16	34.22	5.83	40.05	54.00	13.95	Vertical	PASS
5	15843.68	33.10	8.10	41.20	54.00	12.80	Vertical	PASS
6	17999.62	31.53	13.79	45.32	54.00	8.68	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	61.63	14.91	76.54	-	-	Horizontal	NA
2	10923.81	35.81	4.95	40.76	54.00	13.24	Horizontal	PASS
3	12404.30	35.25	6.17	41.42	54.00	12.58	Horizontal	PASS
4	17852.80	32.21	13.96	46.17	54.00	7.83	Horizontal	PASS
5	5727.59	66.42	14.91	81.33	-	-	Horizontal	NA
6	10923.43	43.65	4.94	48.59	74.00	25.41	Horizontal	PASS
7	12481.35	42.60	5.39	47.99	74.00	26.01	Horizontal	PASS
8	17998.85	39.35	13.78	53.13	74.00	20.87	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.77	60.01	14.91	74.92	-	-	Vertical	NA
2	11182.96	36.32	4.45	40.77	54.00	13.23	Vertical	PASS
3	12214.92	35.75	5.30	41.05	54.00	12.95	Vertical	PASS
4	17981.22	32.88	13.51	46.39	54.00	7.61	Vertical	PASS
5	5727.77	64.03	14.91	78.94	-	-	Vertical	NA
6	11210.17	43.05	4.66	47.71	74.00	26.29	Vertical	PASS
7	12188.09	43.31	5.15	48.46	74.00	25.54	Vertical	PASS
8	17847.81	38.87	13.90	52.77	74.00	21.23	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.46	39.16	15.40	54.56	-	-	Horizontal	NA
2	12656.16	41.82	6.15	47.97	74.00	26.03	Horizontal	PASS
3	13694.64	40.41	9.38	49.79	68.20	18.41	Horizontal	PASS
4	17982.75	39.18	13.54	52.72	74.00	21.28	Horizontal	PASS
5	5176.63	32.68	15.39	48.07	-	-	Horizontal	NA
6	9034.68	35.71	2.38	38.09	54.00	15.91	Horizontal	PASS
7	12698.71	34.19	5.94	40.13	54.00	13.87	Horizontal	PASS
8	17986.97	31.20	13.60	44.80	54.00	9.20	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5175.53	35.90	15.39	51.29	-	-	Vertical	NA
2	12653.09	41.55	6.16	47.71	74.00	26.29	Vertical	PASS
3	14362.43	41.73	8.86	50.59	68.20	17.61	Vertical	PASS
4	17847.04	38.82	13.86	52.68	74.00	21.32	Vertical	PASS
5	5178.56	28.69	15.39	44.08	-	-	Vertical	NA
6	9032.00	35.66	2.39	38.05	54.00	15.95	Vertical	PASS
7	11470.85	35.38	4.96	40.34	54.00	13.66	Vertical	PASS
8	17984.67	31.81	13.57	45.38	54.00	8.62	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	40
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12692.96	42.04	5.96	48.00	74.00	26.00	Horizontal	PASS
2	14349.39	41.76	9.01	50.77	68.20	17.43	Horizontal	PASS
3	17990.80	38.46	13.65	52.11	74.00	21.89	Horizontal	PASS
4	9130.14	35.66	2.85	38.51	54.00	15.49	Horizontal	PASS
5	11353.16	35.41	5.06	40.47	54.00	13.53	Horizontal	PASS
6	17864.68	31.40	13.80	45.20	54.00	8.80	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	40
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12405.45	41.61	6.15	47.76	74.00	26.24	Vertical	PASS
2	13688.12	41.07	9.34	50.41	68.20	17.79	Vertical	PASS
3	17993.48	39.73	13.69	53.42	74.00	20.58	Vertical	PASS
4	9171.54	35.10	3.15	38.25	54.00	15.75	Vertical	PASS
5	12409.28	33.80	6.07	39.87	54.00	14.13	Vertical	PASS
6	17995.40	31.84	13.72	45.56	54.00	8.44	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	48
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12641.59	42.77	5.99	48.76	74.00	25.24	Horizontal	PASS
2	13695.02	41.56	9.39	50.95	68.20	17.25	Horizontal	PASS
3	17981.22	39.55	13.51	53.06	74.00	20.94	Horizontal	PASS
4	9168.86	35.33	3.18	38.51	54.00	15.49	Horizontal	PASS
5	12242.52	35.02	5.36	40.38	54.00	13.62	Horizontal	PASS
6	17981.60	31.85	13.53	45.38	54.00	8.62	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	48
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12699.09	42.22	5.94	48.16	74.00	25.84	Vertical	PASS
2	15092.70	41.69	9.05	50.74	68.20	17.46	Vertical	PASS
3	17860.85	39.74	13.85	53.59	74.00	20.41	Vertical	PASS
4	9188.41	35.46	2.98	38.44	54.00	15.56	Vertical	PASS
5	12685.67	34.32	6.01	40.33	54.00	13.67	Vertical	PASS
6	17989.27	31.51	13.64	45.15	54.00	8.85	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	52
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12643.50	42.32	6.03	48.35	74.00	25.65	Horizontal	PASS
2	14665.66	41.79	9.51	51.30	68.20	16.90	Horizontal	PASS
3	17849.34	39.07	13.96	53.03	74.00	20.97	Horizontal	PASS
4	9147.00	34.91	3.29	38.20	54.00	15.80	Horizontal	PASS
5	12380.91	34.76	5.86	40.62	54.00	13.38	Horizontal	PASS
6	17848.96	31.41	13.95	45.36	54.00	8.64	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	52
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12408.90	42.25	6.07	48.32	74.00	25.68	Vertical	PASS
2	14670.26	41.79	9.40	51.19	68.20	17.01	Vertical	PASS
3	17978.53	39.35	13.48	52.83	74.00	21.17	Vertical	PASS
4	9040.82	36.88	2.34	39.22	54.00	14.78	Vertical	PASS
5	12672.64	34.29	6.06	40.35	54.00	13.65	Vertical	PASS
6	17995.02	31.69	13.72	45.41	54.00	8.59	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	60
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12377.46	42.75	5.79	48.54	74.00	25.46	Horizontal	PASS
2	13683.91	41.33	9.30	50.63	68.20	17.57	Horizontal	PASS
3	17982.37	39.34	13.54	52.88	74.00	21.12	Horizontal	PASS
4	9176.14	35.70	3.11	38.81	54.00	15.19	Horizontal	PASS
5	12381.68	34.62	5.88	40.50	54.00	13.50	Horizontal	PASS
6	17861.61	31.16	13.84	45.00	54.00	9.00	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	60
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12400.46	42.15	6.25	48.40	74.00	25.60	Vertical	PASS
2	15251.03	40.86	9.92	50.78	68.20	17.42	Vertical	PASS
3	17893.43	39.37	13.43	52.80	74.00	21.20	Vertical	PASS
4	9151.61	35.16	3.36	38.52	54.00	15.48	Vertical	PASS
5	12659.99	34.51	6.13	40.64	54.00	13.36	Vertical	PASS
6	17985.43	31.57	13.58	45.15	54.00	8.85	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.67	36.84	16.18	53.02	-	-	Horizontal	NA
2	12664.21	42.52	6.10	48.62	74.00	25.38	Horizontal	PASS
3	15239.14	41.97	9.58	51.55	68.20	16.65	Horizontal	PASS
4	17986.97	40.22	13.60	53.82	74.00	20.18	Horizontal	PASS
5	5322.39	28.81	16.18	44.99	-	-	Horizontal	NA
6	9141.64	35.11	3.16	38.27	54.00	15.73	Horizontal	PASS
7	12420.01	34.83	5.85	40.68	54.00	13.32	Horizontal	PASS
8	17846.28	31.67	13.83	45.50	54.00	8.50	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12198.82	42.96	5.26	48.22	74.00	25.78	Vertical	PASS
2	13679.31	40.90	9.27	50.17	68.20	18.03	Vertical	PASS
3	17985.82	39.47	13.58	53.05	74.00	20.95	Vertical	PASS
4	9139.34	35.70	3.10	38.80	54.00	15.20	Vertical	PASS
5	12629.70	32.19	5.73	37.92	54.00	13.16	Vertical	PASS
6	17849.34	31.41	13.96	45.37	54.00	8.63	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5499.50	36.72	16.44	53.16	-	-	Horizontal	NA
2	9137.42	43.70	3.04	46.74	74.00	27.26	Horizontal	PASS
3	15252.94	41.16	9.86	51.02	68.20	17.18	Horizontal	PASS
4	17990.80	41.28	13.65	54.93	74.00	19.07	Horizontal	PASS
5	5501.70	29.79	16.44	46.23	-	-	Horizontal	NA
6	9012.07	36.20	2.51	38.71	54.00	15.29	Horizontal	PASS
7	12658.46	34.42	6.14	40.56	54.00	13.44	Horizontal	PASS
8	17840.53	31.92	13.59	45.51	54.00	8.49	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9183.04	43.93	3.03	46.96	74.00	27.04	Vertical	PASS
2	15245.27	41.63	9.79	51.42	68.20	16.78	Vertical	PASS
3	17405.81	41.02	12.06	53.08	68.20	15.12	Vertical	PASS
4	9182.27	35.66	3.05	38.71	54.00	15.29	Vertical	PASS
5	12420.01	35.00	5.85	40.85	54.00	13.15	Vertical	PASS
6	17999.62	31.64	13.79	45.43	54.00	8.57	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	120
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9022.42	44.22	2.45	46.67	74.00	27.33	Horizontal	PASS
2	14329.08	41.72	8.86	50.58	68.20	17.62	Horizontal	PASS
3	17368.25	40.80	12.18	52.98	68.20	15.22	Horizontal	PASS
4	9137.80	35.69	3.05	38.74	54.00	15.26	Horizontal	PASS
5	12395.10	34.73	6.16	40.89	54.00	13.11	Horizontal	PASS
6	17839.38	32.09	13.54	45.63	54.00	8.37	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	120
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9132.05	44.25	2.91	47.16	74.00	26.84	Vertical	PASS
2	15246.81	41.05	9.84	50.89	68.20	17.31	Vertical	PASS
3	17846.66	40.39	13.84	54.23	74.00	19.77	Vertical	PASS
4	9184.19	35.90	3.02	38.92	54.00	15.08	Vertical	PASS
5	12656.92	34.65	6.15	40.80	54.00	13.20	Vertical	PASS
6	17978.92	32.19	13.49	45.68	54.00	8.32	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5704.66	37.03	17.19	54.22	-	-	Horizontal	NA
2	9140.87	43.14	3.13	46.27	74.00	27.73	Horizontal	PASS
3	15251.79	40.78	9.89	50.67	68.20	17.53	Horizontal	PASS
4	17908.00	40.09	13.29	53.38	74.00	20.62	Horizontal	PASS
5	5701.09	29.21	17.18	46.39	-	-	Horizontal	NA
6	9038.52	36.66	2.36	39.02	54.00	14.98	Horizontal	PASS
7	12412.35	35.29	6.01	41.30	54.00	12.70	Horizontal	PASS
8	17893.05	31.80	13.43	45.23	54.00	8.77	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9135.89	43.74	3.00	46.74	74.00	27.26	Vertical	PASS
2	15064.72	41.55	9.17	50.72	68.20	17.48	Vertical	PASS
3	17992.33	39.80	13.68	53.48	74.00	20.52	Vertical	PASS
4	9033.92	36.72	2.38	39.10	54.00	14.90	Vertical	PASS
5	12466.02	35.59	5.31	40.90	54.00	13.10	Vertical	PASS
6	17856.63	31.70	13.90	45.60	54.00	8.40	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9154.29	43.08	3.32	46.40	74.00	27.60	Horizontal	PASS
2	14522.67	42.71	7.72	50.43	68.20	17.77	Horizontal	PASS
3	17965.12	40.50	13.29	53.79	74.00	20.21	Horizontal	PASS
4	9178.82	35.99	3.07	39.06	54.00	14.94	Horizontal	PASS
5	12395.48	34.28	6.17	40.45	54.00	13.55	Horizontal	PASS
6	17988.50	32.40	13.62	46.02	54.00	7.98	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9145.09	43.30	3.24	46.54	74.00	27.46	Vertical	PASS
2	15243.36	40.88	9.73	50.61	68.20	17.59	Vertical	PASS
3	17844.74	39.01	13.77	52.78	74.00	21.22	Vertical	PASS
4	9134.74	35.91	2.97	38.88	54.00	15.12	Vertical	PASS
5	12652.32	34.13	6.17	40.30	54.00	13.70	Vertical	PASS
6	17999.23	31.49	13.78	45.27	54.00	8.73	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	157
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9190.32	43.53	2.96	46.49	74.00	27.51	Horizontal	PASS
2	15070.85	41.58	9.14	50.72	68.20	17.48	Horizontal	PASS
3	17995.40	39.82	13.72	53.54	74.00	20.46	Horizontal	PASS
4	9184.19	35.62	3.02	38.64	54.00	15.36	Horizontal	PASS
5	12656.16	34.17	6.15	40.32	54.00	13.68	Horizontal	PASS
6	17993.87	32.03	13.71	45.74	54.00	8.26	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	157
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9161.96	43.37	3.25	46.62	74.00	27.38	Vertical	PASS
2	15240.29	40.71	9.62	50.33	68.20	17.87	Vertical	PASS
3	17851.26	39.43	13.97	53.40	74.00	20.60	Vertical	PASS
4	9030.47	36.25	2.40	38.65	54.00	15.35	Vertical	PASS
5	11380.00	35.47	5.25	40.72	54.00	13.28	Vertical	PASS
6	17849.34	31.23	13.96	45.19	54.00	8.81	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5821.54	35.23	17.65	52.88	-	-	Horizontal	NA
2	8990.22	43.39	2.36	45.75	68.20	22.45	Horizontal	PASS
3	15232.62	41.43	9.37	50.80	68.20	17.40	Horizontal	PASS
4	17859.70	39.78	13.86	53.64	74.00	20.36	Horizontal	PASS
5	5821.27	28.27	17.65	45.92	-	-	Horizontal	NA
6	9067.27	36.42	2.21	38.63	54.00	15.37	Horizontal	PASS
7	12659.61	33.97	6.13	40.10	54.00	13.90	Horizontal	PASS
8	17849.34	32.20	13.96	46.16	54.00	7.84	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9133.20	43.44	2.93	46.37	74.00	27.63	Vertical	PASS
2	13693.11	40.72	9.37	50.09	68.20	18.11	Vertical	PASS
3	17980.07	39.93	13.50	53.43	74.00	20.57	Vertical	PASS
4	9195.69	35.82	2.91	38.73	54.00	15.27	Vertical	PASS
5	12395.48	34.76	6.17	40.93	54.00	13.07	Vertical	PASS
6	17992.33	31.82	13.68	45.50	54.00	8.50	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.14	62.08	14.91	76.99	-	-	Horizontal	NA
2	11381.15	35.67	5.26	40.93	54.00	13.07	Horizontal	PASS
3	12379.38	35.26	5.84	41.10	54.00	12.90	Horizontal	PASS
4	17848.58	31.87	13.93	45.80	54.00	8.20	Horizontal	PASS
5	5727.41	66.66	14.91	81.57	-	-	Horizontal	NA
6	11424.08	42.55	5.24	47.79	74.00	26.21	Horizontal	PASS
7	12364.43	42.70	5.53	48.23	74.00	25.77	Horizontal	PASS
8	17813.31	40.48	12.43	52.91	74.00	21.09	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	55.63	14.91	70.54	-	-	Vertical	NA
2	11479.28	36.07	4.92	40.99	54.00	13.01	Vertical	PASS
3	12415.80	35.24	5.94	41.18	54.00	12.82	Vertical	PASS
4	17845.51	32.52	13.80	46.32	54.00	7.68	Vertical	PASS
5	5727.59	61.50	14.91	76.41	-	-	Vertical	NA
6	11599.65	42.25	5.74	47.99	74.00	26.01	Vertical	PASS
7	12411.96	42.83	6.02	48.85	74.00	25.15	Vertical	PASS
8	17979.30	40.31	13.49	53.80	74.00	20.20	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5180
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5176.66	38.28	13.91	52.19	-	-	Horizontal	NA
2	11594.29	35.45	5.65	41.10	54.00	12.90	Horizontal	PASS
3	12397.40	35.06	6.20	41.26	54.00	12.74	Horizontal	PASS
4	17990.42	32.47	13.65	46.12	54.00	7.88	Horizontal	PASS
5	5176.66	46.55	13.91	60.46	-	-	Horizontal	NA
6	11462.03	43.52	5.01	48.53	74.00	25.47	Horizontal	PASS
7	12277.79	43.23	5.13	48.36	74.00	25.64	Horizontal	PASS
8	17981.22	39.57	13.51	53.08	74.00	20.92	Horizontal	PASS

Test Graph




All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5200
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11452.07	35.67	5.06	40.73	54.00	13.27	Horizontal	PASS
2	12383.60	35.01	5.92	40.93	54.00	13.07	Horizontal	PASS
3	17985.43	32.75	13.58	46.33	54.00	7.67	Horizontal	PASS
4	11558.25	42.68	5.04	47.72	74.00	26.28	Horizontal	PASS
5	12369.03	42.27	5.62	47.89	74.00	26.11	Horizontal	PASS
6	17859.31	39.48	13.87	53.35	74.00	20.65	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5200
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11244.67	36.03	4.85	40.88	54.00	13.12	Vertical	PASS
2	12083.82	35.42	5.26	40.68	54.00	13.32	Vertical	PASS
3	17980.07	33.13	13.50	46.63	54.00	7.37	Vertical	PASS
4	10983.23	42.81	5.08	47.89	74.00	26.11	Vertical	PASS
5	11944.66	43.27	5.05	48.32	74.00	25.68	Vertical	PASS
6	17870.43	40.39	13.72	54.11	74.00	19.89	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5240
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11441.33	35.41	5.13	40.54	54.00	13.46	Horizontal	PASS
2	12402.00	35.30	6.22	41.52	54.00	12.48	Horizontal	PASS
3	17880.78	32.46	13.59	46.05	54.00	7.95	Horizontal	PASS
4	11414.88	42.56	5.30	47.86	74.00	26.14	Horizontal	PASS
5	12405.06	42.00	6.16	48.16	74.00	25.84	Horizontal	PASS
6	17979.30	39.71	13.49	53.20	74.00	20.80	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5240
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11386.51	35.32	5.29	40.61	54.00	13.39	Vertical	PASS
2	12066.95	36.15	5.35	41.50	54.00	12.50	Vertical	PASS
3	17886.91	32.81	13.51	46.32	54.00	7.68	Vertical	PASS
4	11430.98	42.12	5.19	47.31	74.00	26.69	Vertical	PASS
5	12003.32	42.85	5.24	48.09	74.00	25.91	Vertical	PASS
6	17995.40	39.43	13.72	53.15	74.00	20.85	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5260
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11423.70	35.30	5.24	40.54	54.00	13.46	Horizontal	PASS
2	12402.76	35.53	6.20	41.73	54.00	12.27	Horizontal	PASS
3	17843.21	32.54	13.70	46.24	54.00	7.76	Horizontal	PASS
4	11467.40	42.51	4.98	47.49	74.00	26.51	Horizontal	PASS
5	12255.18	43.05	5.32	48.37	74.00	25.63	Horizontal	PASS
6	17984.28	39.44	13.57	53.01	74.00	20.99	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5260
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11364.28	35.71	5.14	40.85	54.00	13.15	Vertical	PASS
2	12401.23	35.39	6.24	41.63	54.00	12.37	Vertical	PASS
3	17975.85	32.72	13.44	46.16	54.00	7.84	Vertical	PASS
4	11225.89	43.43	4.75	48.18	74.00	25.82	Vertical	PASS
5	12404.30	42.56	6.17	48.73	74.00	25.27	Vertical	PASS
6	17849.73	40.18	13.98	54.16	74.00	19.84	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5300
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11248.89	36.03	4.87	40.90	54.00	13.10	Horizontal	PASS
2	12397.78	35.32	6.22	41.54	54.00	12.46	Horizontal	PASS
3	17838.99	33.43	13.52	46.95	54.00	7.05	Horizontal	PASS
4	11331.69	42.70	4.89	47.59	74.00	26.41	Horizontal	PASS
5	12405.06	42.40	6.16	48.56	74.00	25.44	Horizontal	PASS
6	17838.61	39.49	13.51	53.00	74.00	21.00	Horizontal	PASS