



Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5300
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11369.26	35.65	5.17	40.82	54.00	13.18	Vertical	PASS
2	12655.39	36.10	6.16	42.26	54.00	11.74	Vertical	PASS
3	17993.48	32.54	13.69	46.23	54.00	7.77	Vertical	PASS
4	11481.20	42.67	4.91	47.58	74.00	26.42	Vertical	PASS
5	12657.31	42.34	6.15	48.49	74.00	25.51	Vertical	PASS
6	17873.88	39.49	13.68	53.17	74.00	20.83	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5320
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.31	35.66	14.55	50.21	-	-	Horizontal	NA
2	11468.55	36.04	4.97	41.01	54.00	12.99	Horizontal	PASS
3	12654.24	35.18	6.15	41.33	54.00	12.67	Horizontal	PASS
4	17981.22	33.20	13.51	46.71	54.00	7.29	Horizontal	PASS
5	5321.13	41.81	14.55	56.36	-	-	Horizontal	NA
6	11613.45	42.28	5.31	47.59	74.00	26.41	Horizontal	PASS
7	12666.12	41.93	6.10	48.03	74.00	25.97	Horizontal	PASS
8	17888.83	39.50	13.49	52.99	74.00	21.01	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5320
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.68	33.18	14.55	47.73	-	-	Vertical	NA
2	11592.75	34.93	5.63	40.56	54.00	13.44	Vertical	PASS
3	12409.28	35.28	6.07	41.35	54.00	12.65	Vertical	PASS
4	17831.33	33.28	13.19	46.47	54.00	7.53	Vertical	PASS
5	5321.49	38.62	14.55	53.17	-	-	Vertical	NA
6	11460.88	43.22	5.01	48.23	74.00	25.77	Vertical	PASS
7	12380.15	42.87	5.85	48.72	74.00	25.28	Vertical	PASS
8	17852.03	39.50	13.96	53.46	74.00	20.54	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5500
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.53	33.40	14.68	48.08	-	-	Horizontal	NA
2	11443.25	35.58	5.12	40.70	54.00	13.30	Horizontal	PASS
3	12370.95	35.58	5.66	41.24	54.00	12.76	Horizontal	PASS
4	17992.33	32.60	13.68	46.28	54.00	7.72	Horizontal	PASS
5	5502.45	39.77	14.68	54.45	-	-	Horizontal	NA
6	11212.09	42.85	4.67	47.52	74.00	26.48	Horizontal	PASS
7	12371.71	42.32	5.67	47.99	74.00	26.01	Horizontal	PASS
8	17991.95	39.97	13.68	53.65	74.00	20.35	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5500
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.90	31.84	14.68	46.52	-	-	Vertical	NA
2	11442.86	35.78	5.12	40.90	54.00	13.10	Vertical	PASS
3	11965.37	35.61	5.06	40.67	54.00	13.33	Vertical	PASS
4	17845.89	32.70	13.81	46.51	54.00	7.49	Vertical	PASS
5	5501.72	38.21	14.68	52.89	-	-	Vertical	NA
6	11452.83	42.85	5.06	47.91	74.00	26.09	Vertical	PASS
7	12060.82	42.29	5.38	47.67	74.00	26.33	Vertical	PASS
8	17845.51	40.48	13.80	54.28	74.00	19.72	Vertical	PASS

Project Information

Mode:	802.11ax-HE20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5600
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5595.59	32.40	14.73	47.13	-	-	Horizontal	NA
2	11468.55	36.37	4.97	41.34	54.00	12.66	Horizontal	PASS
3	12045.87	35.78	5.42	41.20	54.00	12.80	Horizontal	PASS
4	17851.65	32.17	13.97	46.14	54.00	7.86	Horizontal	PASS
5	5595.40	38.91	14.72	53.63	-	-	Horizontal	NA
6	11531.80	42.86	4.86	47.72	74.00	26.28	Horizontal	PASS
7	11861.10	43.76	5.06	48.82	74.00	25.18	Horizontal	PASS
8	17968.18	39.51	13.33	52.84	74.00	21.16	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5600
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5595.95	30.76	14.73	45.49	-	-	Vertical	NA
2	11359.68	35.82	5.10	40.92	54.00	13.08	Vertical	PASS
3	12662.29	35.28	6.12	41.40	54.00	12.60	Vertical	PASS
4	17825.96	32.89	12.96	45.85	54.00	8.15	Vertical	PASS
5	5595.22	37.94	14.72	52.66	-	-	Vertical	NA
6	11459.73	42.72	5.02	47.74	74.00	26.26	Vertical	PASS
7	12608.24	42.66	5.25	47.91	74.00	26.09	Vertical	PASS
8	17365.18	41.12	12.19	53.31	68.20	14.89	Vertical	PASS

Project Information

Mode:	802.11ax-HE20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5700
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5701.01	33.50	14.89	48.39	-	-	Horizontal	NA
2	11457.82	35.85	5.03	40.88	54.00	13.12	Horizontal	PASS
3	12651.94	35.17	6.17	41.34	54.00	12.66	Horizontal	PASS
4	17989.27	32.75	13.64	46.39	54.00	7.61	Horizontal	PASS
5	5704.49	40.08	14.89	54.97	-	-	Horizontal	NA
6	11387.66	42.43	5.30	47.73	74.00	26.27	Horizontal	PASS
7	12663.44	41.83	6.11	47.94	74.00	26.06	Horizontal	PASS
8	17971.63	40.90	13.38	54.28	74.00	19.72	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5700
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5700.82	30.43	14.89	45.32	-	-	Vertical	NA
2	11457.05	35.59	5.03	40.62	54.00	13.38	Vertical	PASS
3	12410.81	35.34	6.04	41.38	54.00	12.62	Vertical	PASS
4	17965.12	33.14	13.29	46.43	54.00	7.57	Vertical	PASS
5	5700.64	36.79	14.89	51.68	-	-	Vertical	NA
6	11427.91	43.49	5.21	48.70	74.00	25.30	Vertical	PASS
7	12379.38	42.71	5.84	48.55	74.00	25.45	Vertical	PASS
8	17846.66	39.55	13.84	53.39	74.00	20.61	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5745
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10972.88	35.36	5.09	40.45	54.00	13.55	Horizontal	PASS
2	12018.27	35.67	5.30	40.97	54.00	13.03	Horizontal	PASS
3	17983.13	32.79	13.54	46.33	54.00	7.67	Horizontal	PASS
4	10921.13	43.35	4.93	48.28	74.00	25.72	Horizontal	PASS
5	12221.06	42.86	5.31	48.17	74.00	25.83	Horizontal	PASS
6	17811.78	41.04	12.36	53.40	74.00	20.60	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5745
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10778.14	36.25	4.36	40.61	54.00	13.39	Vertical	PASS
2	12380.91	35.46	5.86	41.32	54.00	12.68	Vertical	PASS
3	17993.10	32.62	13.69	46.31	54.00	7.69	Vertical	PASS
4	10924.58	42.83	4.95	47.78	74.00	26.22	Vertical	PASS
5	12385.90	42.19	5.97	48.16	74.00	25.84	Vertical	PASS
6	17933.68	40.58	13.15	53.73	74.00	20.27	Vertical	PASS

Project Information

Mode:	802.11ax-HE20	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5785
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5788.46	31.84	15.67	47.51	-	-	Horizontal	NA
2	11544.45	35.92	4.88	40.80	54.00	13.20	Horizontal	PASS
3	12377.46	35.75	5.79	41.54	54.00	12.46	Horizontal	PASS
4	17985.43	32.68	13.58	46.26	54.00	7.74	Horizontal	PASS
5	5788.83	38.03	15.68	53.71	-	-	Horizontal	NA
6	11399.93	42.59	5.39	47.98	74.00	26.02	Horizontal	PASS
7	12380.91	42.99	5.86	48.85	74.00	25.15	Horizontal	PASS
8	17835.93	39.80	13.39	53.19	74.00	20.81	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5785
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11482.35	35.87	4.90	40.77	54.00	13.23	Vertical	PASS
2	12365.20	35.56	5.54	41.10	54.00	12.90	Vertical	PASS
3	17985.05	33.07	13.57	46.64	54.00	7.36	Vertical	PASS
4	11391.88	42.49	5.33	47.82	74.00	26.18	Vertical	PASS
5	12346.41	43.42	5.21	48.63	74.00	25.37	Vertical	PASS
6	17968.18	40.46	13.33	53.79	74.00	20.21	Vertical	PASS

Project Information

Mode:	802.11ax-HE20	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5825
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5821.09	33.79	15.66	49.45	-	-	Horizontal	NA
2	11478.52	36.06	4.92	40.98	54.00	13.02	Horizontal	PASS
3	12651.94	35.05	6.17	41.22	54.00	12.78	Horizontal	PASS
4	17854.71	32.34	13.93	46.27	54.00	7.73	Horizontal	PASS
5	5824.03	39.90	15.66	55.56	-	-	Horizontal	NA
6	11478.13	43.07	4.92	47.99	74.00	26.01	Horizontal	PASS
7	12686.06	42.45	6.00	48.45	74.00	25.55	Horizontal	PASS
8	17988.12	40.08	13.62	53.70	74.00	20.30	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5825
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11363.90	35.40	5.13	40.53	54.00	13.47	Vertical	PASS
2	12627.79	35.16	5.68	40.84	54.00	13.16	Vertical	PASS
3	17990.03	32.61	13.65	46.26	54.00	7.74	Vertical	PASS
4	11521.45	42.99	4.84	47.83	74.00	26.17	Vertical	PASS
5	12495.15	42.66	5.46	48.12	74.00	25.88	Vertical	PASS
6	17835.93	39.57	13.39	52.96	74.00	21.04	Vertical	PASS

Project Information

Mode:	802.11ax-HE40	Band:	U-UNII-1
Bandwidth	40MHz	Channel	5190
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5178.86	34.71	13.90	48.61	-	-	Horizontal	NA
2	11361.60	36.33	5.12	41.45	54.00	12.55	Horizontal	PASS
3	12398.93	35.14	6.24	41.38	54.00	12.62	Horizontal	PASS
4	17854.33	32.44	13.94	46.38	54.00	7.62	Horizontal	PASS
5	5178.67	41.28	13.90	55.18	-	-	Horizontal	NA
6	11470.85	43.71	4.96	48.67	74.00	25.33	Horizontal	PASS
7	12431.90	42.54	5.61	48.15	74.00	25.85	Horizontal	PASS
8	17853.95	39.57	13.94	53.51	74.00	20.49	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-1
Bandwidth	40MHz	Channel	5190
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.57	31.58	13.90	45.48	-	-	Vertical	NA
2	10957.55	35.44	5.12	40.56	54.00	13.44	Vertical	PASS
3	12404.68	35.87	6.16	42.03	54.00	11.97	Vertical	PASS
4	17836.69	32.97	13.42	46.39	54.00	7.61	Vertical	PASS
5	5178.12	38.92	13.90	52.82	-	-	Vertical	NA
6	10924.58	43.09	4.95	48.04	74.00	25.96	Vertical	PASS
7	12404.30	42.08	6.17	48.25	74.00	25.75	Vertical	PASS
8	17982.75	39.69	13.54	53.23	74.00	20.77	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-1
Bandwidth	40MHz	Channel	5230
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11437.88	35.51	5.15	40.66	54.00	13.34	Horizontal	PASS
2	12394.71	35.09	6.15	41.24	54.00	12.76	Horizontal	PASS
3	17860.08	33.24	13.86	47.10	54.00	6.90	Horizontal	PASS
4	11425.61	42.49	5.22	47.71	74.00	26.29	Horizontal	PASS
5	12656.16	42.29	6.15	48.44	74.00	25.56	Horizontal	PASS
6	17990.42	40.30	13.65	53.95	74.00	20.05	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-1
Bandwidth	40MHz	Channel	5230
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11373.48	35.72	5.20	40.92	54.00	13.08	Vertical	PASS
2	12387.81	35.68	6.01	41.69	54.00	12.31	Vertical	PASS
3	17980.07	32.46	13.50	45.96	54.00	8.04	Vertical	PASS
4	11479.28	43.02	4.92	47.94	74.00	26.06	Vertical	PASS
5	12397.40	41.79	6.20	47.99	74.00	26.01	Vertical	PASS
6	17834.78	39.87	13.34	53.21	74.00	20.79	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	5270
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10938.00	35.42	5.05	40.47	54.00	13.53	Horizontal	PASS
2	12403.91	35.39	6.18	41.57	54.00	12.43	Horizontal	PASS
3	17992.72	32.86	13.68	46.54	54.00	7.46	Horizontal	PASS
4	10902.73	43.05	4.80	47.85	74.00	26.15	Horizontal	PASS
5	12542.30	43.17	5.23	48.40	74.00	25.60	Horizontal	PASS
6	17832.09	39.83	13.22	53.05	74.00	20.95	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	5270
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10938.00	35.30	5.05	40.35	54.00	13.65	Vertical	PASS
2	12071.94	36.04	5.32	41.36	54.00	12.64	Vertical	PASS
3	17998.47	32.38	13.76	46.14	54.00	7.86	Vertical	PASS
4	10973.65	42.80	5.09	47.89	74.00	26.11	Vertical	PASS
5	12093.02	42.88	5.22	48.10	74.00	25.90	Vertical	PASS
6	17998.08	39.43	13.76	53.19	74.00	20.81	Vertical	PASS

Project Information

Mode:	802.11ax-HE40	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	5310
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.86	32.17	14.55	46.72	-	-	Horizontal	NA
2	11199.82	36.23	4.60	40.83	54.00	13.17	Horizontal	PASS
3	12399.70	35.19	6.25	41.44	54.00	12.56	Horizontal	PASS
4	17993.87	33.43	13.71	47.14	54.00	6.86	Horizontal	PASS
5	5321.68	37.91	14.55	52.46	-	-	Horizontal	NA
6	11199.44	44.01	4.60	48.61	74.00	25.39	Horizontal	PASS
7	12250.96	42.65	5.36	48.01	74.00	25.99	Horizontal	PASS
8	17860.08	40.19	13.86	54.05	74.00	19.95	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	5310
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.23	30.57	14.55	45.12	-	-	Vertical	NA
2	11346.64	35.87	5.00	40.87	54.00	13.13	Vertical	PASS
3	12428.45	35.92	5.67	41.59	54.00	12.41	Vertical	PASS
4	17992.72	33.07	13.68	46.75	54.00	7.25	Vertical	PASS
5	5321.86	37.80	14.55	52.35	-	-	Vertical	NA
6	11376.93	42.53	5.22	47.75	74.00	26.25	Vertical	PASS
7	12360.21	42.91	5.44	48.35	74.00	25.65	Vertical	PASS
8	17979.68	40.03	13.50	53.53	74.00	20.47	Vertical	PASS


Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5510
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5500.80	31.93	14.68	46.61	-	-	Horizontal	NA
2	11588.54	35.26	5.56	40.82	54.00	13.18	Horizontal	PASS
3	12276.64	36.17	5.14	41.31	54.00	12.69	Horizontal	PASS
4	17878.10	32.82	13.63	46.45	54.00	7.55	Horizontal	PASS
5	5500.98	37.81	14.68	52.49	-	-	Horizontal	NA
6	11319.43	43.25	4.79	48.04	74.00	25.96	Horizontal	PASS
7	12404.68	41.93	6.16	48.09	74.00	25.91	Horizontal	PASS
8	17991.57	40.05	13.67	53.72	74.00	20.28	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5510
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.53	30.01	14.68	44.69	-	-	Vertical	NA
2	11602.72	35.28	5.66	40.94	54.00	13.06	Vertical	PASS
3	12693.34	35.48	5.96	41.44	54.00	12.56	Vertical	PASS
4	17849.34	32.54	13.96	46.50	54.00	7.50	Vertical	PASS
5	5503.18	37.31	14.67	51.98	-	-	Vertical	NA
6	11602.34	42.31	5.68	47.99	74.00	26.01	Vertical	PASS
7	12413.11	42.37	5.99	48.36	74.00	25.64	Vertical	PASS
8	18000.00	39.57	13.79	53.36	74.00	20.64	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5590
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11171.84	36.58	4.34	40.92	54.00	13.08	Horizontal	PASS
2	12050.85	36.56	5.43	41.99	54.00	12.01	Horizontal	PASS
3	17885.00	32.94	13.54	46.48	54.00	7.52	Horizontal	PASS
4	11171.46	43.48	4.33	47.81	74.00	26.19	Horizontal	PASS
5	12438.03	42.22	5.47	47.69	74.00	26.31	Horizontal	PASS
6	17920.65	40.07	13.23	53.30	74.00	20.70	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5590
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11434.81	35.44	5.17	40.61	54.00	13.39	Vertical	PASS
2	12657.31	34.90	6.15	41.05	54.00	12.95	Vertical	PASS
3	17997.32	32.63	13.75	46.38	54.00	7.62	Vertical	PASS
4	11433.66	42.34	5.18	47.52	74.00	26.48	Vertical	PASS
5	12056.60	43.60	5.40	49.00	74.00	25.00	Vertical	PASS
6	17858.16	38.93	13.89	52.82	74.00	21.18	Vertical	PASS


Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5670
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5681.39	34.05	14.92	48.97	-	-	Horizontal	NA
2	11419.10	35.17	5.27	40.44	54.00	13.56	Horizontal	PASS
3	12635.07	35.68	5.85	41.53	54.00	12.47	Horizontal	PASS
4	17859.70	33.01	13.86	46.87	54.00	7.13	Horizontal	PASS
5	5676.99	40.27	14.93	55.20	-	-	Horizontal	NA
6	11387.66	42.52	5.30	47.82	74.00	26.18	Horizontal	PASS
7	12674.17	42.56	6.05	48.61	74.00	25.39	Horizontal	PASS
8	17987.35	40.29	13.61	53.90	74.00	20.10	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5670
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5681.57	31.05	14.92	45.97	-	-	Vertical	NA
2	10928.41	36.01	4.98	40.99	54.00	13.01	Vertical	PASS
3	12404.30	34.69	6.17	40.86	54.00	13.14	Vertical	PASS
4	17988.12	32.99	13.62	46.61	54.00	7.39	Vertical	PASS
5	5681.76	37.92	14.92	52.84	-	-	Vertical	NA
6	10929.95	43.22	4.99	48.21	74.00	25.79	Vertical	PASS
7	12424.23	42.55	5.76	48.31	74.00	25.69	Vertical	PASS
8	17821.36	40.91	12.77	53.68	74.00	20.32	Vertical	PASS


Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5755
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11401.85	35.27	5.38	40.65	54.00	13.35	Horizontal	PASS
2	12322.64	35.92	5.08	41.00	54.00	13.00	Horizontal	PASS
3	17859.31	32.30	13.87	46.17	54.00	7.83	Horizontal	PASS
4	11458.58	43.10	5.02	48.12	74.00	25.88	Horizontal	PASS
5	12370.18	42.44	5.65	48.09	74.00	25.91	Horizontal	PASS
6	17990.03	39.71	13.65	53.36	74.00	20.64	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5755
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10770.48	36.25	4.35	40.60	54.00	13.40	Vertical	PASS
2	12045.10	36.83	5.42	42.25	54.00	11.75	Vertical	PASS
3	17992.72	32.87	13.68	46.55	54.00	7.45	Vertical	PASS
4	10892.76	42.94	4.64	47.58	74.00	26.42	Vertical	PASS
5	12048.17	43.13	5.42	48.55	74.00	25.45	Vertical	PASS
6	17978.53	39.40	13.48	52.88	74.00	21.12	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5795
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5803.49	32.07	15.68	47.75	-	-	Horizontal	NA
2	10925.73	35.57	4.96	40.53	54.00	13.47	Horizontal	PASS
3	12428.06	35.72	5.68	41.40	54.00	12.60	Horizontal	PASS
4	17829.41	33.39	13.11	46.50	54.00	7.50	Horizontal	PASS
5	5804.41	38.07	15.68	53.75	-	-	Horizontal	NA
6	10957.93	42.55	5.12	47.67	74.00	26.33	Horizontal	PASS
7	12398.93	41.75	6.24	47.99	74.00	26.01	Horizontal	PASS
8	17984.67	39.82	13.57	53.39	74.00	20.61	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5795
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5806.79	30.32	15.67	45.99	-	-	Vertical	NA
2	11190.62	35.80	4.51	40.31	54.00	13.69	Vertical	PASS
3	12655.39	35.87	6.16	42.03	54.00	11.97	Vertical	PASS
4	17983.90	32.69	13.56	46.25	54.00	7.75	Vertical	PASS
5	5806.61	37.57	15.67	53.24	-	-	Vertical	NA
6	11190.62	43.87	4.51	48.38	74.00	25.62	Vertical	PASS
7	12376.70	42.59	5.78	48.37	74.00	25.63	Vertical	PASS
8	17879.25	39.35	13.61	52.96	74.00	21.04	Vertical	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-1
Bandwidth	80MHz	Channel	5210
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11541.38	36.12	4.87	40.99	54.00	13.01	Horizontal	PASS
2	12375.55	35.99	5.76	41.75	54.00	12.25	Horizontal	PASS
3	17984.28	32.73	13.57	46.30	54.00	7.70	Horizontal	PASS
4	11451.30	43.36	5.06	48.42	74.00	25.58	Horizontal	PASS
5	12410.05	42.30	6.05	48.35	74.00	25.65	Horizontal	PASS
6	17980.07	39.40	13.50	52.90	74.00	21.10	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-1
Bandwidth	80MHz	Channel	5210
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11484.65	35.92	4.89	40.81	54.00	13.19	Vertical	PASS
2	12647.72	35.06	6.13	41.19	54.00	12.81	Vertical	PASS
3	17856.25	33.18	13.91	47.09	54.00	6.91	Vertical	PASS
4	11437.88	42.64	5.15	47.79	74.00	26.21	Vertical	PASS
5	12399.31	41.83	6.25	48.08	74.00	25.92	Vertical	PASS
6	17855.86	39.53	13.91	53.44	74.00	20.56	Vertical	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	5290
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11472.38	35.71	4.96	40.67	54.00	13.33	Horizontal	PASS
2	12399.70	35.47	6.25	41.72	54.00	12.28	Horizontal	PASS
3	17840.53	32.96	13.59	46.55	54.00	7.45	Horizontal	PASS
4	11369.65	42.60	5.17	47.77	74.00	26.23	Horizontal	PASS
5	12329.93	43.06	5.11	48.17	74.00	25.83	Horizontal	PASS
6	17985.43	39.63	13.58	53.21	74.00	20.79	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	5290
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11498.45	35.84	4.82	40.66	54.00	13.34	Vertical	PASS
2	12496.68	35.56	5.47	41.03	54.00	12.97	Vertical	PASS
3	17993.48	32.88	13.69	46.57	54.00	7.43	Vertical	PASS
4	11283.39	43.04	4.72	47.76	74.00	26.24	Vertical	PASS
5	12378.23	42.53	5.82	48.35	74.00	25.65	Vertical	PASS
6	17995.02	39.28	13.72	53.00	74.00	21.00	Vertical	PASS


Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5530
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11353.93	35.91	5.06	40.97	54.00	13.03	Horizontal	PASS
2	12393.56	35.16	6.13	41.29	54.00	12.71	Horizontal	PASS
3	17853.56	32.28	13.95	46.23	54.00	7.77	Horizontal	PASS
4	11521.83	43.09	4.84	47.93	74.00	26.07	Horizontal	PASS
5	12387.05	42.12	5.99	48.11	74.00	25.89	Horizontal	PASS
6	17993.87	39.79	13.71	53.50	74.00	20.50	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5530
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11194.84	36.71	4.55	41.26	54.00	12.74	Vertical	PASS
2	12374.01	35.34	5.73	41.07	54.00	12.93	Vertical	PASS
3	17997.70	32.76	13.76	46.52	54.00	7.48	Vertical	PASS
4	10939.91	42.68	5.06	47.74	74.00	26.26	Vertical	PASS
5	12400.46	42.42	6.25	48.67	74.00	25.33	Vertical	PASS
6	17854.33	38.90	13.94	52.84	74.00	21.16	Vertical	PASS