



Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5610
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10974.80	35.23	5.09	40.32	54.00	13.68	Horizontal	PASS
2	12026.70	35.85	5.34	41.19	54.00	12.81	Horizontal	PASS
3	17991.18	32.58	13.66	46.24	54.00	7.76	Horizontal	PASS
4	10978.25	42.52	5.08	47.60	74.00	26.40	Horizontal	PASS
5	12086.50	43.12	5.26	48.38	74.00	25.62	Horizontal	PASS
6	17860.08	38.97	13.86	52.83	74.00	21.17	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5610
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11429.06	35.53	5.20	40.73	54.00	13.27	Vertical	PASS
2	12641.59	35.43	5.99	41.42	54.00	12.58	Vertical	PASS
3	17995.78	32.75	13.73	46.48	54.00	7.52	Vertical	PASS
4	11411.05	42.24	5.32	47.56	74.00	26.44	Vertical	PASS
5	12646.95	42.46	6.11	48.57	74.00	25.43	Vertical	PASS
6	17998.08	39.21	13.76	52.97	74.00	21.03	Vertical	PASS


Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-3
Bandwidth	80MHz	Channel	5775
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11464.33	36.09	5.00	41.09	54.00	12.91	Horizontal	PASS
2	12234.86	35.99	5.34	41.33	54.00	12.67	Horizontal	PASS
3	17851.26	32.58	13.97	46.55	54.00	7.45	Horizontal	PASS
4	11457.05	43.37	5.03	48.40	74.00	25.60	Horizontal	PASS
5	12410.05	41.96	6.05	48.01	74.00	25.99	Horizontal	PASS
6	17894.20	39.34	13.42	52.76	74.00	21.24	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-3
Bandwidth	80MHz	Channel	5775
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10960.62	35.63	5.11	40.74	54.00	13.26	Vertical	PASS
2	12411.58	35.13	6.02	41.15	54.00	12.85	Vertical	PASS
3	17833.24	32.90	13.28	46.18	54.00	7.82	Vertical	PASS
4	10912.31	43.16	4.87	48.03	74.00	25.97	Vertical	PASS
5	12389.35	42.27	6.04	48.31	74.00	25.69	Vertical	PASS
6	17837.84	39.74	13.48	53.22	74.00	20.78	Vertical	PASS

Project Information			
Mode:	802.11ax-HE160	Band:	U-UNII-1
Bandwidth	160MHz	Channel	5250
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10983.62	35.42	5.08	40.50	54.00	13.50	Horizontal	PASS
2	12398.93	35.33	6.24	41.57	54.00	12.43	Horizontal	PASS
3	17846.66	32.31	13.84	46.15	54.00	7.85	Horizontal	PASS
4	11030.77	43.11	4.54	47.65	74.00	26.35	Horizontal	PASS
5	12414.65	42.08	5.96	48.04	74.00	25.96	Horizontal	PASS
6	17972.40	39.61	13.39	53.00	74.00	21.00	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE160	Band:	U-UNII-1
Bandwidth	160MHz	Channel	5250
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10933.78	35.91	5.02	40.93	54.00	13.07	Vertical	PASS
2	12385.90	35.35	5.97	41.32	54.00	12.68	Vertical	PASS
3	17998.08	32.50	13.76	46.26	54.00	7.74	Vertical	PASS
4	10798.46	43.30	4.37	47.67	74.00	26.33	Vertical	PASS
5	12461.80	42.44	5.29	47.73	74.00	26.27	Vertical	PASS
6	17977.77	39.32	13.47	52.79	74.00	21.21	Vertical	PASS

Project Information			
Mode:	802.11ax-HE160	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	5570
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10960.23	35.40	5.11	40.51	54.00	13.49	Horizontal	PASS
2	12395.86	35.27	6.17	41.44	54.00	12.56	Horizontal	PASS
3	17850.88	32.39	13.98	46.37	54.00	7.63	Horizontal	PASS
4	10958.32	42.23	5.12	47.35	74.00	26.65	Horizontal	PASS
5	12367.88	42.79	5.60	48.39	74.00	25.61	Horizontal	PASS
6	17983.13	39.66	13.54	53.20	74.00	20.80	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE160	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	5570
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11365.43	35.47	5.14	40.61	54.00	13.39	Vertical	PASS
2	12403.15	35.36	6.19	41.55	54.00	12.45	Vertical	PASS
3	17995.02	32.57	13.72	46.29	54.00	7.71	Vertical	PASS
4	11507.27	43.68	4.82	48.50	74.00	25.50	Vertical	PASS
5	12675.71	42.37	6.06	48.43	74.00	25.57	Vertical	PASS
6	17815.61	40.17	12.52	52.69	74.00	21.31	Vertical	PASS

Project Information

Mode:	802.11ax-HE20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5729.24	67.72	14.91	82.63	-	-	Horizontal	NA
2	10958.70	35.65	5.12	40.77	54.00	13.23	Horizontal	PASS
3	12386.66	35.22	5.98	41.20	54.00	12.80	Horizontal	PASS
4	17994.25	32.41	13.71	46.12	54.00	7.88	Horizontal	PASS
5	5729.06	73.60	14.91	88.51	-	-	Horizontal	NA
6	10926.11	43.29	4.96	48.25	74.00	25.75	Horizontal	PASS
7	12128.29	43.25	4.94	48.19	74.00	25.81	Horizontal	PASS
8	17889.60	39.57	13.48	53.05	74.00	20.95	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5729.42	62.91	14.91	77.82	-	-	Vertical	NA
2	10918.06	36.30	4.91	41.21	54.00	12.79	Vertical	PASS
3	12369.03	35.78	5.62	41.40	54.00	12.60	Vertical	PASS
4	17984.28	32.94	13.57	46.51	54.00	7.49	Vertical	PASS
5	5729.24	69.42	14.91	84.33	-	-	Vertical	NA
6	10917.68	42.80	4.90	47.70	74.00	26.30	Vertical	PASS
7	12095.32	43.08	5.22	48.30	74.00	25.70	Vertical	PASS
8	17829.03	40.56	13.10	53.66	74.00	20.34	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5710
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5729.06	63.99	14.91	78.90	-	-	Horizontal	NA
2	11103.60	36.60	4.09	40.69	54.00	13.31	Horizontal	PASS
3	12382.83	35.39	5.91	41.30	54.00	12.70	Horizontal	PASS
4	17852.80	32.32	13.96	46.28	54.00	7.72	Horizontal	PASS
5	5728.87	70.33	14.91	85.24	-	-	Horizontal	NA
6	10922.66	43.19	4.94	48.13	74.00	25.87	Horizontal	PASS
7	12382.06	42.13	5.89	48.02	74.00	25.98	Horizontal	PASS
8	17985.43	39.33	13.58	52.91	74.00	21.09	Horizontal	PASS

Project Information

Mode:	802.11ax-HE40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5710
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.69	60.09	14.91	75.00	-	-	Vertical	NA
2	11362.36	36.26	5.12	41.38	54.00	12.62	Vertical	PASS
3	12389.35	35.64	6.04	41.68	54.00	12.32	Vertical	PASS
4	17983.90	32.51	13.56	46.07	54.00	7.93	Vertical	PASS
5	5728.51	65.98	14.91	80.89	-	-	Vertical	NA
6	11361.98	44.35	5.12	49.47	74.00	24.53	Vertical	PASS
7	12436.88	43.51	5.50	49.01	74.00	24.99	Vertical	PASS
8	17842.44	40.40	13.66	54.06	74.00	19.94	Vertical	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5690
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.87	61.47	14.91	76.38	-	-	Horizontal	NA
2	10773.93	36.64	4.35	40.99	54.00	13.01	Horizontal	PASS
3	12022.87	36.41	5.32	41.73	54.00	12.27	Horizontal	PASS
4	17854.71	32.31	13.93	46.24	54.00	7.76	Horizontal	PASS
5	5728.32	67.41	14.91	82.32	-	-	Horizontal	NA
6	10773.54	43.25	4.35	47.60	74.00	26.40	Horizontal	PASS
7	12078.07	43.26	5.30	48.56	74.00	25.44	Horizontal	PASS
8	17974.70	39.58	13.43	53.01	74.00	20.99	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5690
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.69	56.39	14.91	71.30	-	-	Vertical	NA
2	10918.45	35.48	4.91	40.39	54.00	13.61	Vertical	PASS
3	12379.00	35.77	5.83	41.60	54.00	12.40	Vertical	PASS
4	17983.52	33.34	13.55	46.89	54.00	7.11	Vertical	PASS
5	5728.14	63.81	14.91	78.72	-	-	Vertical	NA
6	10953.33	42.24	5.12	47.36	74.00	26.64	Vertical	PASS
7	12395.86	41.89	6.17	48.06	74.00	25.94	Vertical	PASS
8	17984.67	39.70	13.57	53.27	74.00	20.73	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5180
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5171.71	44.86	13.90	58.76	-	-	Horizontal	NA
2	11468.55	36.78	4.97	41.75	54.00	12.25	Horizontal	PASS
3	12404.30	35.88	6.17	42.05	54.00	11.95	Horizontal	PASS
4	17984.67	33.30	13.57	46.87	54.00	7.13	Horizontal	PASS
5	5171.16	51.55	13.90	65.45	-	-	Horizontal	NA
6	11492.32	43.13	4.85	47.98	74.00	26.02	Horizontal	PASS
7	12388.96	42.18	6.03	48.21	74.00	25.79	Horizontal	PASS
8	17993.48	40.02	13.69	53.71	74.00	20.29	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5180
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5171.71	42.01	13.90	55.91	-	-	Vertical	NA
2	10776.61	36.49	4.35	40.84	54.00	13.16	Vertical	PASS
3	12401.61	35.74	6.23	41.97	54.00	12.03	Vertical	PASS
4	17982.75	33.47	13.54	47.01	54.00	6.99	Vertical	PASS
5	5171.71	47.97	13.90	61.87	-	-	Vertical	NA
6	10776.23	43.84	4.35	48.19	74.00	25.81	Vertical	PASS
7	12401.23	43.04	6.24	49.28	74.00	24.72	Vertical	PASS
8	17842.44	39.79	13.66	53.45	74.00	20.55	Vertical	PASS

Project Information

Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5200
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5191.14	42.16	13.92	56.08	-	-	Horizontal	NA
2	11461.27	35.87	5.01	40.88	54.00	13.12	Horizontal	PASS
3	12240.99	35.88	5.35	41.23	54.00	12.77	Horizontal	PASS
4	17863.53	32.42	13.82	46.24	54.00	7.76	Horizontal	PASS
5	5191.14	48.43	13.92	62.35	-	-	Horizontal	NA
6	11490.78	43.41	4.86	48.27	74.00	25.73	Horizontal	PASS
7	12098.77	43.21	5.20	48.41	74.00	25.59	Horizontal	PASS
8	17857.78	39.74	13.89	53.63	74.00	20.37	Horizontal	PASS

Project Information

Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5200
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5190.96	39.72	13.92	53.64	-	-	Vertical	NA
2	10919.98	35.91	4.92	40.83	54.00	13.17	Vertical	PASS
3	12400.46	35.06	6.25	41.31	54.00	12.69	Vertical	PASS
4	17988.50	33.07	13.62	46.69	54.00	7.31	Vertical	PASS
5	5190.77	46.46	13.92	60.38	-	-	Vertical	NA
6	10919.60	43.01	4.92	47.93	74.00	26.07	Vertical	PASS
7	12408.51	42.31	6.08	48.39	74.00	25.61	Vertical	PASS
8	17976.23	39.50	13.44	52.94	74.00	21.06	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5240
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11389.58	35.71	5.31	41.02	54.00	12.98	Horizontal	PASS
2	12402.76	35.29	6.20	41.49	54.00	12.51	Horizontal	PASS
3	17996.55	32.63	13.74	46.37	54.00	7.63	Horizontal	PASS
4	11489.63	42.80	4.86	47.66	74.00	26.34	Horizontal	PASS
5	12377.85	43.47	5.81	49.28	74.00	24.72	Horizontal	PASS
6	17995.78	39.45	13.73	53.18	74.00	20.82	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5240
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10960.23	35.63	5.11	40.74	54.00	13.26	Vertical	PASS
2	12379.76	35.29	5.84	41.13	54.00	12.87	Vertical	PASS
3	17858.93	32.42	13.88	46.30	54.00	7.70	Vertical	PASS
4	10937.23	42.15	5.04	47.19	74.00	26.81	Vertical	PASS
5	12411.20	43.29	6.03	49.32	74.00	24.68	Vertical	PASS
6	17845.51	39.59	13.80	53.39	74.00	20.61	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5260
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11476.22	36.01	4.93	40.94	54.00	13.06	Horizontal	PASS
2	12656.16	35.48	6.15	41.63	54.00	12.37	Horizontal	PASS
3	17985.82	32.95	13.58	46.53	54.00	7.47	Horizontal	PASS
4	11402.61	42.42	5.38	47.80	74.00	26.20	Horizontal	PASS
5	12655.77	42.56	6.16	48.72	74.00	25.28	Horizontal	PASS
6	17862.38	39.43	13.82	53.25	74.00	20.75	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5260
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11534.87	36.28	4.87	41.15	54.00	12.85	Vertical	PASS
2	12665.74	35.44	6.11	41.55	54.00	12.45	Vertical	PASS
3	17980.83	32.90	13.51	46.41	54.00	7.59	Vertical	PASS
4	11399.16	42.87	5.38	48.25	74.00	25.75	Vertical	PASS
5	12653.86	42.54	6.16	48.70	74.00	25.30	Vertical	PASS
6	17970.10	40.17	13.36	53.53	74.00	20.47	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5300
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11519.92	36.03	4.84	40.87	54.00	13.13	Horizontal	PASS
2	12406.98	35.58	6.12	41.70	54.00	12.30	Horizontal	PASS
3	17978.92	33.19	13.49	46.68	54.00	7.32	Horizontal	PASS
4	11289.53	43.40	4.69	48.09	74.00	25.91	Horizontal	PASS
5	12331.84	43.22	5.12	48.34	74.00	25.66	Horizontal	PASS
6	17991.57	39.23	13.67	52.90	74.00	21.10	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5300
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11370.03	35.79	5.17	40.96	54.00	13.04	Vertical	PASS
2	12320.34	36.61	5.06	41.67	54.00	12.33	Vertical	PASS
3	17907.23	32.85	13.30	46.15	54.00	7.85	Vertical	PASS
4	11379.23	42.68	5.24	47.92	74.00	26.08	Vertical	PASS
5	12397.78	42.75	6.22	48.97	74.00	25.03	Vertical	PASS
6	17989.65	39.58	13.64	53.22	74.00	20.78	Vertical	PASS

Project Information

Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5320
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5323.33	32.47	14.55	47.02	-	-	Horizontal	NA
2	10973.27	36.83	5.09	41.92	54.00	12.08	Horizontal	PASS
3	12406.60	35.08	6.13	41.21	54.00	12.79	Horizontal	PASS
4	17993.87	32.71	13.71	46.42	54.00	7.58	Horizontal	PASS
5	5324.06	38.22	14.55	52.77	-	-	Horizontal	NA
6	10776.61	42.73	4.35	47.08	74.00	26.92	Horizontal	PASS
7	12365.96	42.96	5.56	48.52	74.00	25.48	Horizontal	PASS
8	17996.17	39.38	13.73	53.11	74.00	20.89	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5320
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5323.51	32.38	14.55	46.93	-	-	Vertical	NA
2	10915.00	35.68	4.88	40.56	54.00	13.44	Vertical	PASS
3	12390.11	35.26	6.06	41.32	54.00	12.68	Vertical	PASS
4	17977.38	33.09	13.46	46.55	54.00	7.45	Vertical	PASS
5	5323.33	37.21	14.55	51.76	-	-	Vertical	NA
6	10988.22	42.36	5.07	47.43	74.00	26.57	Vertical	PASS
7	12668.04	43.19	6.09	49.28	74.00	24.72	Vertical	PASS
8	17991.57	40.29	13.67	53.96	74.00	20.04	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5500
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5492.00	35.69	14.63	50.32	-	-	Horizontal	NA
2	11421.40	36.14	5.25	41.39	54.00	12.61	Horizontal	PASS
3	12380.15	35.24	5.85	41.09	54.00	12.91	Horizontal	PASS
4	17999.62	32.13	13.79	45.92	54.00	8.08	Horizontal	PASS
5	5492.00	42.04	14.63	56.67	-	-	Horizontal	NA
6	11372.71	42.64	5.20	47.84	74.00	26.16	Horizontal	PASS
7	12550.35	42.90	5.19	48.09	74.00	25.91	Horizontal	PASS
8	17985.82	38.89	13.58	52.47	74.00	21.53	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5500
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5491.82	33.50	14.63	48.13	-	-	Vertical	NA
2	11378.85	35.28	5.24	40.52	54.00	13.48	Vertical	PASS
3	12194.22	35.33	5.21	40.54	54.00	13.46	Vertical	PASS
4	17991.95	32.04	13.68	45.72	54.00	8.28	Vertical	PASS
5	5491.63	40.39	14.63	55.02	-	-	Vertical	NA
6	11373.10	42.04	5.20	47.24	74.00	26.76	Vertical	PASS
7	12428.45	42.29	5.67	47.96	74.00	26.04	Vertical	PASS
8	17360.58	40.67	12.20	52.87	68.20	15.33	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5600
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5591.19	32.98	14.71	47.69	-	-	Horizontal	NA
2	11520.30	36.11	4.84	40.95	54.00	13.05	Horizontal	PASS
3	12410.81	35.77	6.04	41.81	54.00	12.19	Horizontal	PASS
4	17975.47	32.89	13.43	46.32	54.00	7.68	Horizontal	PASS
5	5591.00	39.81	14.71	54.52	-	-	Horizontal	NA
6	11456.67	42.86	5.03	47.89	74.00	26.11	Horizontal	PASS
7	12396.25	42.20	6.18	48.38	74.00	25.62	Horizontal	PASS
8	17971.63	39.45	13.38	52.83	74.00	21.17	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5600
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5591.37	31.84	14.71	46.55	-	-	Vertical	NA
2	11360.06	36.17	5.10	41.27	54.00	12.73	Vertical	PASS
3	12256.71	35.91	5.31	41.22	54.00	12.78	Vertical	PASS
4	17991.18	32.60	13.66	46.26	54.00	7.74	Vertical	PASS
5	5590.82	38.44	14.71	53.15	-	-	Vertical	NA
6	11359.68	43.69	5.10	48.79	74.00	25.21	Vertical	PASS
7	12392.41	42.01	6.10	48.11	74.00	25.89	Vertical	PASS
8	17976.23	39.26	13.44	52.70	74.00	21.30	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5700
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5690.92	36.70	14.91	51.61	-	-	Horizontal	NA
2	11383.06	37.30	5.27	42.57	54.00	11.43	Horizontal	PASS
3	12655.39	35.43	6.16	41.59	54.00	12.41	Horizontal	PASS
4	17978.92	32.45	13.49	45.94	54.00	8.06	Horizontal	PASS
5	5690.92	43.45	14.91	58.36	-	-	Horizontal	NA
6	11382.68	42.40	5.27	47.67	74.00	26.33	Horizontal	PASS
7	12710.59	42.59	5.84	48.43	68.20	19.77	Horizontal	PASS
8	17977.38	39.32	13.46	52.78	74.00	21.22	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5700
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5690.92	33.75	14.91	48.66	-	-	Vertical	NA
2	11382.68	37.04	5.27	42.31	54.00	11.69	Vertical	PASS
3	12400.08	35.05	6.26	41.31	54.00	12.69	Vertical	PASS
4	17858.93	32.71	13.88	46.59	54.00	7.41	Vertical	PASS
5	5690.92	41.06	14.91	55.97	-	-	Vertical	NA
6	11449.00	42.89	5.08	47.97	74.00	26.03	Vertical	PASS
7	12395.10	42.12	6.16	48.28	74.00	25.72	Vertical	PASS
8	17996.55	39.09	13.74	52.83	74.00	21.17	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5745
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11473.53	38.37	4.95	43.32	54.00	10.68	Horizontal	PASS
2	12395.86	35.93	6.17	42.10	54.00	11.90	Horizontal	PASS
3	17996.17	32.65	13.73	46.38	54.00	7.62	Horizontal	PASS
4	11473.53	45.45	4.95	50.40	74.00	23.60	Horizontal	PASS
5	12395.48	42.39	6.17	48.56	74.00	25.44	Horizontal	PASS
6	17996.55	39.27	13.74	53.01	74.00	20.99	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5745
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11472.77	37.26	4.95	42.21	54.00	11.79	Vertical	PASS
2	12695.64	35.34	5.96	41.30	54.00	12.70	Vertical	PASS
3	17843.59	32.36	13.72	46.08	54.00	7.92	Vertical	PASS
4	11473.15	44.42	4.95	49.37	74.00	24.63	Vertical	PASS
5	12696.79	42.24	5.95	48.19	74.00	25.81	Vertical	PASS
6	17982.37	39.23	13.54	52.77	74.00	21.23	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5785
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5777.28	32.42	15.67	48.09	-	-	Horizontal	NA
2	11553.65	37.15	4.96	42.11	54.00	11.89	Horizontal	PASS
3	12045.48	35.47	5.42	40.89	54.00	13.11	Horizontal	PASS
4	17995.02	32.34	13.72	46.06	54.00	7.94	Horizontal	PASS
5	5777.09	39.42	15.67	55.09	-	-	Horizontal	NA
6	11552.12	43.49	4.92	48.41	74.00	25.59	Horizontal	PASS
7	12056.60	42.97	5.40	48.37	74.00	25.63	Horizontal	PASS
8	17888.83	39.42	13.49	52.91	74.00	21.09	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5785
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11553.27	36.35	4.95	41.30	54.00	12.70	Vertical	PASS
2	12413.88	35.29	5.97	41.26	54.00	12.74	Vertical	PASS
3	17855.86	32.31	13.91	46.22	54.00	7.78	Vertical	PASS
4	11455.13	43.29	5.04	48.33	74.00	25.67	Vertical	PASS
5	12385.51	41.91	5.96	47.87	74.00	26.13	Vertical	PASS
6	17839.76	39.63	13.55	53.18	74.00	20.82	Vertical	PASS

Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5817.06	40.51	15.66	56.17	-	-	Horizontal	NA
2	11632.62	35.94	4.68	40.62	54.00	13.38	Horizontal	PASS
3	12400.85	35.43	6.24	41.67	54.00	12.33	Horizontal	PASS
4	17988.88	32.54	13.63	46.17	54.00	7.83	Horizontal	PASS
5	5816.51	47.23	15.66	62.89	-	-	Horizontal	NA
6	11633.39	43.52	4.66	48.18	74.00	25.82	Horizontal	PASS
7	12387.43	42.63	6.00	48.63	74.00	25.37	Horizontal	PASS
8	17980.83	39.80	13.51	53.31	74.00	20.69	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5825
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5816.51	35.77	15.66	51.43	-	-	Vertical	NA
2	11520.30	36.42	4.84	41.26	54.00	12.74	Vertical	PASS
3	12380.53	34.80	5.86	40.66	54.00	13.34	Vertical	PASS
4	17985.82	32.62	13.58	46.20	54.00	7.80	Vertical	PASS
5	5816.14	42.88	15.66	58.54	-	-	Vertical	NA
6	11530.27	43.52	4.86	48.38	74.00	25.62	Vertical	PASS
7	12403.91	42.24	6.18	48.42	74.00	25.58	Vertical	PASS
8	17994.25	39.14	13.71	52.85	74.00	21.15	Vertical	PASS