


Project Information

Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-1
Bandwidth	40MHz	Channel	5190
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5172.07	44.68	13.90	58.58	-	-	Horizontal	NA
2	11471.62	35.95	4.96	40.91	54.00	13.09	Horizontal	PASS
3	12659.99	35.58	6.13	41.71	54.00	12.29	Horizontal	PASS
4	17891.51	33.52	13.45	46.97	54.00	7.03	Horizontal	PASS
5	5171.71	51.43	13.90	65.33	-	-	Horizontal	NA
6	11463.57	42.72	5.00	47.72	74.00	26.28	Horizontal	PASS
7	12694.49	42.26	5.95	48.21	74.00	25.79	Horizontal	PASS
8	17921.41	39.93	13.23	53.16	74.00	20.84	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-1
Bandwidth	40MHz	Channel	5190
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5172.62	41.50	13.90	55.40	-	-	Vertical	NA
2	11411.05	35.24	5.32	40.56	54.00	13.44	Vertical	PASS
3	12391.26	35.21	6.08	41.29	54.00	12.71	Vertical	PASS
4	17988.12	32.80	13.62	46.42	54.00	7.58	Vertical	PASS
5	5172.26	48.46	13.91	62.37	-	-	Vertical	NA
6	11329.39	43.50	4.87	48.37	74.00	25.63	Vertical	PASS
7	12208.41	42.90	5.29	48.19	74.00	25.81	Vertical	PASS
8	17988.12	39.76	13.62	53.38	74.00	20.62	Vertical	PASS


Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-1
Bandwidth	40MHz	Channel	5230
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5211.86	32.51	13.97	46.48	-	-	Horizontal	NA
2	11467.40	35.98	4.98	40.96	54.00	13.04	Horizontal	PASS
3	12392.80	35.24	6.12	41.36	54.00	12.64	Horizontal	PASS
4	17884.61	32.64	13.54	46.18	54.00	7.82	Horizontal	PASS
5	5211.49	38.73	13.97	52.70	-	-	Horizontal	NA
6	11627.25	42.91	4.87	47.78	74.00	26.22	Horizontal	PASS
7	12379.00	42.89	5.83	48.72	74.00	25.28	Horizontal	PASS
8	17988.88	39.82	13.63	53.45	74.00	20.55	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-1
Bandwidth	40MHz	Channel	5230
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5211.86	31.73	13.97	45.70	-	-	Vertical	NA
2	10940.68	35.89	5.06	40.95	54.00	13.05	Vertical	PASS
3	12360.21	35.62	5.44	41.06	54.00	12.94	Vertical	PASS
4	17868.51	32.43	13.75	46.18	54.00	7.82	Vertical	PASS
5	5212.59	38.35	13.98	52.33	-	-	Vertical	NA
6	10984.00	42.29	5.08	47.37	74.00	26.63	Vertical	PASS
7	12057.37	42.74	5.40	48.14	74.00	25.86	Vertical	PASS
8	17392.78	41.08	12.09	53.17	68.20	15.03	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	5270
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5251.83	32.12	14.17	46.29	-	-	Horizontal	NA
2	11472.00	35.58	4.96	40.54	54.00	13.46	Horizontal	PASS
3	12365.58	36.05	5.55	41.60	54.00	12.40	Horizontal	PASS
4	17860.46	33.03	13.85	46.88	54.00	7.12	Horizontal	PASS
5	5251.64	38.10	14.17	52.27	-	-	Horizontal	NA
6	11368.11	42.70	5.16	47.86	74.00	26.14	Horizontal	PASS
7	12419.63	42.30	5.85	48.15	74.00	25.85	Horizontal	PASS
8	17845.13	39.34	13.78	53.12	74.00	20.88	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	5270
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11568.60	35.73	5.21	40.94	54.00	13.06	Vertical	PASS
2	12379.00	35.52	5.83	41.35	54.00	12.65	Vertical	PASS
3	17979.68	32.33	13.50	45.83	54.00	8.17	Vertical	PASS
4	11485.42	43.41	4.88	48.29	74.00	25.71	Vertical	PASS
5	12410.81	42.06	6.04	48.10	74.00	25.90	Vertical	PASS
6	17996.17	39.45	13.73	53.18	74.00	20.82	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	5310
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5363.30	31.87	14.63	46.50	-	-	Horizontal	NA
2	10919.21	35.95	4.91	40.86	54.00	13.14	Horizontal	PASS
3	12453.75	36.21	5.25	41.46	54.00	12.54	Horizontal	PASS
4	17993.87	32.73	13.71	46.44	54.00	7.56	Horizontal	PASS
5	5363.11	40.03	14.63	54.66	-	-	Horizontal	NA
6	11012.37	42.25	4.84	47.09	74.00	26.91	Horizontal	PASS
7	12653.47	42.40	6.16	48.56	74.00	25.44	Horizontal	PASS
8	17982.75	39.58	13.54	53.12	74.00	20.88	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	5310
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5365.13	34.49	14.64	49.13	-	-	Vertical	NA
2	11373.86	35.72	5.21	40.93	54.00	13.07	Vertical	PASS
3	12400.46	35.04	6.25	41.29	54.00	12.71	Vertical	PASS
4	17973.17	32.84	13.40	46.24	54.00	7.76	Vertical	PASS
5	5364.95	43.58	14.64	58.22	-	-	Vertical	NA
6	11526.82	42.97	4.85	47.82	74.00	26.18	Vertical	PASS
7	12399.70	42.49	6.25	48.74	74.00	25.26	Vertical	PASS
8	17885.00	39.19	13.54	52.73	74.00	21.27	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5510
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5492.73	38.01	14.64	52.65	-	-	Horizontal	NA
2	11409.90	35.88	5.33	41.21	54.00	12.79	Horizontal	PASS
3	12403.15	35.38	6.19	41.57	54.00	12.43	Horizontal	PASS
4	17982.37	32.95	13.54	46.49	54.00	7.51	Horizontal	PASS
5	5492.55	44.82	14.64	59.46	-	-	Horizontal	NA
6	11597.35	42.16	5.70	47.86	74.00	26.14	Horizontal	PASS
7	12389.35	42.75	6.04	48.79	74.00	25.21	Horizontal	PASS
8	17972.78	39.99	13.40	53.39	74.00	20.61	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5510
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5491.82	35.53	14.63	50.16	-	-	Vertical	NA
2	11537.17	36.57	4.87	41.44	54.00	12.56	Vertical	PASS
3	12408.51	35.20	6.08	41.28	54.00	12.72	Vertical	PASS
4	17991.18	33.14	13.66	46.80	54.00	7.20	Vertical	PASS
5	5492.37	42.55	14.63	57.18	-	-	Vertical	NA
6	11383.45	42.86	5.27	48.13	74.00	25.87	Vertical	PASS
7	12408.13	41.79	6.09	47.88	74.00	26.12	Vertical	PASS
8	17988.88	39.49	13.63	53.12	74.00	20.88	Vertical	PASS


Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5590
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5571.94	30.83	14.66	45.49	-	-	Horizontal	NA
2	11437.88	35.89	5.15	41.04	54.00	12.96	Horizontal	PASS
3	12380.53	35.90	5.86	41.76	54.00	12.24	Horizontal	PASS
4	17995.02	32.59	13.72	46.31	54.00	7.69	Horizontal	PASS
5	5572.49	38.00	14.66	52.66	-	-	Horizontal	NA
6	11437.50	42.94	5.15	48.09	74.00	25.91	Horizontal	PASS
7	12380.15	42.69	5.85	48.54	74.00	25.46	Horizontal	PASS
8	17985.05	39.37	13.57	52.94	74.00	21.06	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5590
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11569.75	35.38	5.23	40.61	54.00	13.39	Vertical	PASS
2	12387.81	35.61	6.01	41.62	54.00	12.38	Vertical	PASS
3	17981.22	33.13	13.51	46.64	54.00	7.36	Vertical	PASS
4	11557.10	42.35	5.01	47.36	74.00	26.64	Vertical	PASS
5	12405.83	42.90	6.14	49.04	74.00	24.96	Vertical	PASS
6	17405.05	40.58	12.06	52.64	68.20	15.56	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5670
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5651.32	39.19	14.97	54.16	-	-	Horizontal	NA
2	10937.61	35.44	5.04	40.48	54.00	13.52	Horizontal	PASS
3	12424.23	35.42	5.76	41.18	54.00	12.82	Horizontal	PASS
4	17983.13	32.98	13.54	46.52	54.00	7.48	Horizontal	PASS
5	5651.87	45.90	14.97	60.87	-	-	Horizontal	NA
6	10973.27	42.49	5.09	47.58	74.00	26.42	Horizontal	PASS
7	12420.40	42.24	5.84	48.08	74.00	25.92	Horizontal	PASS
8	17986.97	39.76	13.60	53.36	74.00	20.64	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5670
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5651.51	35.72	14.97	50.69	-	-	Vertical	NA
2	11404.91	35.45	5.36	40.81	54.00	13.19	Vertical	PASS
3	12390.11	35.89	6.06	41.95	54.00	12.05	Vertical	PASS
4	17993.48	32.80	13.69	46.49	54.00	7.51	Vertical	PASS
5	5651.51	42.87	14.97	57.84	-	-	Vertical	NA
6	11450.92	42.73	5.07	47.80	74.00	26.20	Vertical	PASS
7	12394.33	42.52	6.14	48.66	74.00	25.34	Vertical	PASS
8	17844.74	39.32	13.77	53.09	74.00	20.91	Vertical	PASS

Project Information

Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5755
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5701.37	30.49	15.81	46.30	-	-	Horizontal	NA
2	11474.68	38.19	4.95	43.14	54.00	10.86	Horizontal	PASS
3	12661.14	35.20	6.12	41.32	54.00	12.68	Horizontal	PASS
4	17862.76	32.91	13.83	46.74	54.00	7.26	Horizontal	PASS
5	5701.19	40.02	15.81	55.83	-	-	Horizontal	NA
6	11474.68	45.58	4.95	50.53	74.00	23.47	Horizontal	PASS
7	12661.14	42.47	6.12	48.59	74.00	25.41	Horizontal	PASS
8	17849.73	39.11	13.98	53.09	74.00	20.91	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5755
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10975.57	35.60	5.09	40.69	54.00	13.31	Vertical	PASS
2	12407.36	35.04	6.11	41.15	54.00	12.85	Vertical	PASS
3	17849.34	32.44	13.96	46.40	54.00	7.60	Vertical	PASS
4	10795.39	43.77	4.37	48.14	74.00	25.86	Vertical	PASS
5	12402.76	42.41	6.20	48.61	74.00	25.39	Vertical	PASS
6	17969.72	40.15	13.36	53.51	74.00	20.49	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5795
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5777.09	33.96	15.67	49.63	-	-	Horizontal	NA
2	11554.42	36.87	4.97	41.84	54.00	12.16	Horizontal	PASS
3	12408.90	35.52	6.07	41.59	54.00	12.41	Horizontal	PASS
4	17848.96	32.35	13.95	46.30	54.00	7.70	Horizontal	PASS
5	5777.09	40.10	15.67	55.77	-	-	Horizontal	NA
6	11554.04	43.75	4.96	48.71	74.00	25.29	Horizontal	PASS
7	12405.45	42.33	6.15	48.48	74.00	25.52	Horizontal	PASS
8	17934.06	40.60	13.16	53.76	74.00	20.24	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5795
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5777.09	30.68	15.67	46.35	-	-	Vertical	NA
2	11545.22	36.34	4.88	41.22	54.00	12.78	Vertical	PASS
3	12423.85	35.82	5.77	41.59	54.00	12.41	Vertical	PASS
4	17857.01	32.18	13.89	46.07	54.00	7.93	Vertical	PASS
5	5777.46	38.03	15.67	53.70	-	-	Vertical	NA
6	11616.90	43.07	5.20	48.27	74.00	25.73	Vertical	PASS
7	12395.10	42.81	6.16	48.97	74.00	25.03	Vertical	PASS
8	17981.98	39.82	13.53	53.35	74.00	20.65	Vertical	PASS

Project Information

Mode:	802.11ax-HE80 26t-0	Band:	U-UNII-1
Bandwidth	80MHz	Channel	5210
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5172.62	44.57	13.90	58.47	-	-	Horizontal	NA
2	11449.00	35.68	5.08	40.76	54.00	13.24	Horizontal	PASS
3	12357.53	35.89	5.39	41.28	54.00	12.72	Horizontal	PASS
4	17838.61	32.46	13.51	45.97	54.00	8.03	Horizontal	PASS
5	5172.81	51.61	13.90	65.51	-	-	Horizontal	NA
6	11471.23	43.22	4.96	48.18	74.00	25.82	Horizontal	PASS
7	12632.39	42.20	5.78	47.98	74.00	26.02	Horizontal	PASS
8	17967.03	39.66	13.32	52.98	74.00	21.02	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE80 26t-0	Band:	U-UNII-1
Bandwidth	80MHz	Channel	5210
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5172.62	42.14	13.90	56.04	-	-	Vertical	NA
2	10989.75	35.74	5.07	40.81	54.00	13.19	Vertical	PASS
3	12393.18	35.37	6.12	41.49	54.00	12.51	Vertical	PASS
4	17855.86	32.63	13.91	46.54	54.00	7.46	Vertical	PASS
5	5172.07	47.91	13.90	61.81	-	-	Vertical	NA
6	10922.28	43.14	4.94	48.08	74.00	25.92	Vertical	PASS
7	12411.58	42.50	6.02	48.52	74.00	25.48	Vertical	PASS
8	17827.49	40.64	13.03	53.67	74.00	20.33	Vertical	PASS

Project Information			
Mode:	802.11ax-HE80 26t-0	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	5290
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5404.18	35.09	14.65	49.74	-	-	Horizontal	NA
2	11186.41	36.76	4.47	41.23	54.00	12.77	Horizontal	PASS
3	12408.51	35.55	6.08	41.63	54.00	12.37	Horizontal	PASS
4	17981.60	32.57	13.53	46.10	54.00	7.90	Horizontal	PASS
5	5404.00	45.21	14.65	59.86	-	-	Horizontal	NA
6	11018.50	43.00	4.74	47.74	74.00	26.26	Horizontal	PASS
7	12371.33	42.74	5.67	48.41	74.00	25.59	Horizontal	PASS
8	17990.80	39.70	13.65	53.35	74.00	20.65	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80 26t-0	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	5290
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5403.26	33.02	14.66	47.68	-	-	Vertical	NA
2	10974.80	35.10	5.09	40.19	54.00	13.81	Vertical	PASS
3	12416.18	35.49	5.93	41.42	54.00	12.58	Vertical	PASS
4	17844.74	33.28	13.77	47.05	54.00	6.95	Vertical	PASS
5	5403.08	42.71	14.66	57.37	-	-	Vertical	NA
6	10962.92	42.61	5.11	47.72	74.00	26.28	Vertical	PASS
7	12365.20	43.61	5.54	49.15	74.00	24.85	Vertical	PASS
8	17852.80	39.87	13.96	53.83	74.00	20.17	Vertical	PASS

Project Information

Mode:	802.11ax-HE80 26t-0	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5530
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5492.73	39.09	14.64	53.73	-	-	Horizontal	NA
2	11429.45	35.38	5.20	40.58	54.00	13.42	Horizontal	PASS
3	12612.45	36.13	5.34	41.47	54.00	12.53	Horizontal	PASS
4	17856.63	32.07	13.90	45.97	54.00	8.03	Horizontal	PASS
5	5492.55	45.46	14.64	60.10	-	-	Horizontal	NA
6	11463.18	43.04	5.00	48.04	74.00	25.96	Horizontal	PASS
7	12736.66	43.37	5.64	49.01	68.20	19.19	Horizontal	PASS
8	17849.73	38.96	13.98	52.94	74.00	21.06	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80 26t-0	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5530
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5492.55	36.45	14.64	51.09	-	-	Vertical	NA
2	11457.43	35.94	5.03	40.97	54.00	13.03	Vertical	PASS
3	12382.06	36.40	5.89	42.29	54.00	11.71	Vertical	PASS
4	17978.15	32.96	13.47	46.43	54.00	7.57	Vertical	PASS
5	5492.37	42.96	14.63	57.59	-	-	Vertical	NA
6	11280.71	42.78	4.73	47.51	74.00	26.49	Vertical	PASS
7	12390.88	41.88	6.07	47.95	74.00	26.05	Vertical	PASS
8	17889.60	40.02	13.48	53.50	74.00	20.50	Vertical	PASS

Project Information			
Mode:	802.11ax-HE80 26t-0	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5610
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10768.56	36.50	4.35	40.85	54.00	13.15	Horizontal	PASS
2	12418.86	35.32	5.87	41.19	54.00	12.81	Horizontal	PASS
3	17989.27	32.85	13.64	46.49	54.00	7.51	Horizontal	PASS
4	10771.63	43.22	4.34	47.56	74.00	26.44	Horizontal	PASS
5	12395.48	42.28	6.17	48.45	74.00	25.55	Horizontal	PASS
6	17991.57	40.29	13.67	53.96	74.00	20.04	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80 26t-0	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5610
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10968.67	35.58	5.10	40.68	54.00	13.32	Vertical	PASS
2	12656.54	35.05	6.15	41.20	54.00	12.80	Vertical	PASS
3	17992.33	32.83	13.68	46.51	54.00	7.49	Vertical	PASS
4	10910.78	42.44	4.86	47.30	74.00	26.70	Vertical	PASS
5	12417.33	42.39	5.91	48.30	74.00	25.70	Vertical	PASS
6	17858.55	38.86	13.88	52.74	74.00	21.26	Vertical	PASS

Project Information

Mode:	802.11ax-HE80 26t-0	Band:	U-UNII-3
Bandwidth	80MHz	Channel	5775
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11475.07	38.67	4.93	43.60	54.00	10.40	Horizontal	PASS
2	12408.90	35.13	6.07	41.20	54.00	12.80	Horizontal	PASS
3	17837.84	32.66	13.48	46.14	54.00	7.86	Horizontal	PASS
4	11474.68	46.76	4.95	51.71	74.00	22.29	Horizontal	PASS
5	12424.23	42.30	5.76	48.06	74.00	25.94	Horizontal	PASS
6	17867.36	39.88	13.76	53.64	74.00	20.36	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80 26t-0	Band:	U-UNII-3
Bandwidth	80MHz	Channel	5775
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11473.92	37.04	4.95	41.99	54.00	12.01	Vertical	PASS
2	12416.95	35.26	5.91	41.17	54.00	12.83	Vertical	PASS
3	17991.57	32.54	13.67	46.21	54.00	7.79	Vertical	PASS
4	11473.92	44.41	4.95	49.36	74.00	24.64	Vertical	PASS
5	12229.11	42.62	5.33	47.95	74.00	26.05	Vertical	PASS
6	17846.66	39.15	13.84	52.99	74.00	21.01	Vertical	PASS

Project Information

Mode:	802.11ax-HE160 26t-0	Band:	U-UNII-1
Bandwidth	160MHz	Channel	5250
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5171.71	45.00	13.90	58.90	-	-	Horizontal	NA
2	10967.90	35.69	5.10	40.79	54.00	13.21	Horizontal	PASS
3	12388.58	35.39	6.03	41.42	54.00	12.58	Horizontal	PASS
4	17977.77	33.56	13.47	47.03	54.00	6.97	Horizontal	PASS
5	5172.26	51.41	13.91	65.32	-	-	Horizontal	NA
6	10978.63	42.83	5.08	47.91	74.00	26.09	Horizontal	PASS
7	12400.46	42.72	6.25	48.97	74.00	25.03	Horizontal	PASS
8	17804.11	41.23	12.04	53.27	74.00	20.73	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE160 26t-0	Band:	U-UNII-1
Bandwidth	160MHz	Channel	5250
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5172.62	41.54	13.90	55.44	-	-	Vertical	NA
2	10780.44	37.15	4.35	41.50	54.00	12.50	Vertical	PASS
3	12666.12	35.72	6.10	41.82	54.00	12.18	Vertical	PASS
4	17838.23	32.91	13.49	46.40	54.00	7.60	Vertical	PASS
5	5172.44	47.21	13.91	61.12	-	-	Vertical	NA
6	10780.06	43.52	4.35	47.87	74.00	26.13	Vertical	PASS
7	12665.74	42.85	6.11	48.96	74.00	25.04	Vertical	PASS
8	17860.85	39.19	13.85	53.04	74.00	20.96	Vertical	PASS

Project Information			
Mode:	802.11ax-HE160 26t-0	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	5570
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5492.55	38.75	14.64	53.39	-	-	Horizontal	NA
2	11435.96	35.38	5.16	40.54	54.00	13.46	Horizontal	PASS
3	12397.78	35.01	6.22	41.23	54.00	12.77	Horizontal	PASS
4	17839.76	32.40	13.55	45.95	54.00	8.05	Horizontal	PASS
5	5492.18	45.51	14.63	60.14	-	-	Horizontal	NA
6	11387.66	42.36	5.30	47.66	74.00	26.34	Horizontal	PASS
7	12393.56	42.37	6.13	48.50	74.00	25.50	Horizontal	PASS
8	17880.40	39.25	13.59	52.84	74.00	21.16	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE160 26t-0	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	5570
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5492.73	36.05	14.64	50.69	-	-	Vertical	NA
2	11445.55	35.96	5.09	41.05	54.00	12.95	Vertical	PASS
3	12396.63	35.71	6.19	41.90	54.00	12.10	Vertical	PASS
4	17997.70	32.79	13.76	46.55	54.00	7.45	Vertical	PASS
5	5492.73	42.50	14.64	57.14	-	-	Vertical	NA
6	11468.17	42.70	4.97	47.67	74.00	26.33	Vertical	PASS
7	12380.53	42.38	5.86	48.24	74.00	25.76	Vertical	PASS
8	17991.57	39.32	13.67	52.99	74.00	21.01	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.22	64.84	14.91	79.75	-	-	Horizontal	NA
2	11424.08	36.77	5.24	42.01	54.00	11.99	Horizontal	PASS
3	12397.01	35.03	6.19	41.22	54.00	12.78	Horizontal	PASS
4	17844.36	32.30	13.75	46.05	54.00	7.95	Horizontal	PASS
5	5726.86	69.49	14.91	84.40	-	-	Horizontal	NA
6	11422.55	43.66	5.25	48.91	74.00	25.09	Horizontal	PASS
7	12380.91	42.49	5.86	48.35	74.00	25.65	Horizontal	PASS
8	17981.98	39.44	13.53	52.97	74.00	21.03	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.51	63.23	14.91	78.14	-	-	Vertical	NA
2	11423.31	36.15	5.24	41.39	54.00	12.61	Vertical	PASS
3	12458.35	35.78	5.27	41.05	54.00	12.95	Vertical	PASS
4	17993.10	32.80	13.69	46.49	54.00	7.51	Vertical	PASS
5	5728.14	67.58	14.91	82.49	-	-	Vertical	NA
6	11438.65	42.43	5.14	47.57	74.00	26.43	Vertical	PASS
7	12400.08	41.59	6.26	47.85	74.00	26.15	Vertical	PASS
8	17827.11	39.86	13.01	52.87	74.00	21.13	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5710
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5691.47	34.05	14.91	48.96	-	-	Horizontal	NA
2	11384.60	36.20	5.28	41.48	54.00	12.52	Horizontal	PASS
3	12409.66	34.94	6.06	41.00	54.00	13.00	Horizontal	PASS
4	17994.25	32.74	13.71	46.45	54.00	7.55	Horizontal	PASS
5	5763.71	43.96	14.96	58.92	-	-	Horizontal	NA
6	11384.60	42.79	5.28	48.07	74.00	25.93	Horizontal	PASS
7	12374.40	42.61	5.73	48.34	74.00	25.66	Horizontal	PASS
8	17976.23	39.78	13.44	53.22	74.00	20.78	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40 26t-0	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5710
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11578.19	35.79	5.38	41.17	54.00	12.83	Vertical	PASS
2	12415.03	35.82	5.95	41.77	54.00	12.23	Vertical	PASS
3	17879.25	32.57	13.61	46.18	54.00	7.82	Vertical	PASS
4	11601.57	41.77	5.70	47.47	74.00	26.53	Vertical	PASS
5	12654.24	42.73	6.15	48.88	74.00	25.12	Vertical	PASS
6	17839.38	39.89	13.54	53.43	74.00	20.57	Vertical	PASS

Project Information			
Mode:	802.11ax-HE80 26t-0	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5690
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5651.32	39.23	14.97	54.20	-	-	Horizontal	NA
2	11418.71	35.53	5.27	40.80	54.00	13.20	Horizontal	PASS
3	12250.96	35.53	5.36	40.89	54.00	13.11	Horizontal	PASS
4	17994.25	32.78	13.71	46.49	54.00	7.51	Horizontal	PASS
5	5651.51	46.08	14.97	61.05	-	-	Horizontal	NA
6	11369.65	43.16	5.17	48.33	74.00	25.67	Horizontal	PASS
7	12558.79	43.07	5.17	48.24	74.00	25.76	Horizontal	PASS
8	17986.20	39.48	13.59	53.07	74.00	20.93	Horizontal	PASS