


Project Information			
Mode:	802.11ax-HE80 26t-0	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5690
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5651.32	36.21	14.97	51.18	-	-	Vertical	NA
2	11610.77	35.54	5.40	40.94	54.00	13.06	Vertical	PASS
3	12403.91	35.32	6.18	41.50	54.00	12.50	Vertical	PASS
4	17983.52	32.98	13.55	46.53	54.00	7.47	Vertical	PASS
5	5652.06	43.12	14.97	58.09	-	-	Vertical	NA
6	11483.88	43.34	4.90	48.24	74.00	25.76	Vertical	PASS
7	12346.03	43.28	5.20	48.48	74.00	25.52	Vertical	PASS
8	17843.98	39.35	13.74	53.09	74.00	20.91	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5138.66	27.47	13.76	41.23	54.00	12.77	Horizontal	PASS
2	5142.82	27.62	13.83	41.45	54.00	12.55	Horizontal	PASS
3	5149.09	27.48	13.94	41.42	54.00	12.58	Horizontal	PASS
4	5138.17	38.41	13.76	52.17	74.00	21.83	Horizontal	PASS
5	5143.18	38.68	13.84	52.52	74.00	21.48	Horizontal	PASS
6	5149.13	38.50	13.94	52.44	74.00	21.56	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.75	27.47	13.82	41.29	54.00	12.71	Vertical	PASS
2	5145.00	27.42	13.87	41.29	54.00	12.71	Vertical	PASS
3	5149.39	27.24	13.94	41.18	54.00	12.82	Vertical	PASS
4	5141.13	38.60	13.80	52.40	74.00	21.60	Vertical	PASS
5	5145.75	38.45	13.88	52.33	74.00	21.67	Vertical	PASS
6	5149.65	38.21	13.95	52.16	74.00	21.84	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.22	28.04	14.04	42.08	54.00	11.92	Horizontal	PASS
2	5354.25	28.19	14.07	42.26	54.00	11.74	Horizontal	PASS
3	5360.27	28.12	14.12	42.24	54.00	11.76	Horizontal	PASS
4	5350.09	39.90	14.04	53.94	74.00	20.06	Horizontal	PASS
5	5352.99	39.28	14.06	53.34	74.00	20.66	Horizontal	PASS
6	5361.18	38.96	14.13	53.09	74.00	20.91	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.63	28.19	14.06	42.25	54.00	11.75	Vertical	PASS
2	5356.79	28.02	14.10	42.12	54.00	11.88	Vertical	PASS
3	5362.74	28.10	14.14	42.24	54.00	11.76	Vertical	PASS
4	5350.84	39.10	14.05	53.15	74.00	20.85	Vertical	PASS
5	5356.63	39.02	14.10	53.12	74.00	20.88	Vertical	PASS
6	5360.73	39.78	14.13	53.91	74.00	20.09	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5465.31	38.24	14.27	52.51	68.20	15.69	Horizontal	PASS
2	5467.65	38.91	14.29	53.20	68.20	15.00	Horizontal	PASS
3	5469.60	38.06	14.30	52.36	68.20	15.84	Horizontal	PASS
4	5453.51	26.79	14.20	40.99	54.00	13.01	Horizontal	PASS
5	5457.29	26.51	14.22	40.73	54.00	13.27	Horizontal	PASS
6	5459.87	26.31	14.24	40.55	54.00	13.45	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5460.93	37.99	14.25	52.24	68.20	15.96	Vertical	PASS
2	5464.89	38.97	14.27	53.24	68.20	14.96	Vertical	PASS
3	5469.15	37.79	14.29	52.08	68.20	16.12	Vertical	PASS
4	5453.51	26.57	14.20	40.77	54.00	13.23	Vertical	PASS
5	5457.95	26.55	14.23	40.78	54.00	13.22	Vertical	PASS
6	5459.81	26.40	14.24	40.64	54.00	13.36	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5859.50	38.48	15.56	54.04	68.20	14.16	Horizontal	PASS
2	5911.92	38.35	15.81	54.16	68.20	14.04	Horizontal	PASS
3	5978.44	38.85	15.56	54.41	68.20	13.79	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.52	38.71	15.52	54.23	68.20	13.97	Vertical	PASS
2	5886.64	39.22	15.73	54.95	68.20	13.25	Vertical	PASS
3	5908.81	38.36	15.81	54.17	68.20	14.03	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph

Project Information			
Mode:	802.11a	Band:	Band 4
Bandwidth	20MHz	Channel	165
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		


Test Graph

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.32	38.63	13.26	51.89	68.20	16.31	Horizontal	PASS
2	5873.79	39.60	13.47	53.07	68.20	15.13	Horizontal	PASS
3	5927.17	39.45	13.92	53.37	68.20	14.83	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5855.36	39.10	13.29	52.39	68.20	15.81	Vertical	PASS
2	5877.41	39.64	13.51	53.15	68.20	15.05	Vertical	PASS
3	5905.70	39.42	13.77	53.19	68.20	15.01	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT;B		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.38	27.19	13.79	40.98	54.00	13.02	Horizontal	PASS
2	5146.72	27.16	13.90	41.06	54.00	12.94	Horizontal	PASS
3	5149.81	27.00	13.95	40.95	54.00	13.05	Horizontal	PASS
4	5136.74	37.86	13.74	51.60	74.00	22.40	Horizontal	PASS
5	5141.94	38.30	13.82	52.12	74.00	21.88	Horizontal	PASS
6	5149.74	37.37	13.95	51.32	74.00	22.68	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT;B		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.09	27.30	13.86	41.16	54.00	12.84	Vertical	PASS
2	5147.11	27.06	13.91	40.97	54.00	13.03	Vertical	PASS
3	5149.91	26.84	13.95	40.79	54.00	13.21	Vertical	PASS
4	5138.17	38.54	13.76	52.30	74.00	21.70	Vertical	PASS
5	5144.22	38.10	13.86	51.96	74.00	22.04	Vertical	PASS
6	5149.65	37.32	13.95	51.27	74.00	22.73	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT;B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.68	27.79	14.05	41.84	54.00	12.16	Horizontal	PASS
2	5355.20	27.93	14.08	42.01	54.00	11.99	Horizontal	PASS
3	5361.99	28.26	14.14	42.40	54.00	11.60	Horizontal	PASS
4	5350.68	39.74	14.05	53.79	74.00	20.21	Horizontal	PASS
5	5358.64	38.87	14.11	52.98	74.00	21.02	Horizontal	PASS
6	5364.46	38.94	14.16	53.10	74.00	20.90	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT;B		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.91	27.99	14.05	42.04	54.00	11.96	Vertical	PASS
2	5358.06	27.86	14.10	41.96	54.00	12.04	Vertical	PASS
3	5367.68	28.16	14.18	42.34	54.00	11.66	Vertical	PASS
4	5350.32	38.06	14.04	52.10	74.00	21.90	Vertical	PASS
5	5359.03	38.65	14.11	52.76	74.00	21.24	Vertical	PASS
6	5371.33	39.00	14.22	53.22	74.00	20.78	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT;B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5461.20	39.46	14.25	53.71	68.20	14.49	Horizontal	PASS
2	5465.46	38.41	14.27	52.68	68.20	15.52	Horizontal	PASS
3	5469.90	38.56	14.30	52.86	68.20	15.34	Horizontal	PASS
4	5453.36	27.08	14.20	41.28	54.00	12.72	Horizontal	PASS
5	5456.27	26.87	14.22	41.09	54.00	12.91	Horizontal	PASS
6	5459.96	26.59	14.24	40.83	54.00	13.17	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT;B		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5462.34	38.57	14.25	52.82	68.20	15.38	Vertical	PASS
2	5465.22	38.67	14.27	52.94	68.20	15.26	Vertical	PASS
3	5468.19	38.72	14.29	53.01	68.20	15.19	Vertical	PASS
4	5452.58	27.02	14.20	41.22	54.00	12.78	Vertical	PASS
5	5456.27	26.92	14.22	41.14	54.00	12.86	Vertical	PASS
6	5459.90	26.63	14.24	40.87	54.00	13.13	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT;B		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5851.28	38.46	15.51	53.97	68.20	14.23	Horizontal	PASS
2	5885.55	38.64	15.72	54.36	68.20	13.84	Horizontal	PASS
3	5929.44	38.64	15.82	54.46	68.20	13.74	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT;B		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5855.62	39.09	15.53	54.62	68.20	13.58	Vertical	PASS
2	5881.99	39.77	15.70	55.47	68.20	12.73	Vertical	PASS
3	5911.61	39.09	15.81	54.90	68.20	13.30	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT;B		

Test Graph


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT;B		

Test Graph


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT;B		

Test Graph

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT;B		


Test Graph

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.61	40.11	13.27	53.38	68.20	14.82	Horizontal	PASS
2	5883.51	39.49	13.57	53.06	68.20	15.14	Horizontal	PASS
3	5922.10	39.13	13.88	53.01	68.20	15.19	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.90	38.64	13.27	51.91	68.20	16.29	Vertical	PASS
2	5866.53	39.67	13.40	53.07	68.20	15.13	Vertical	PASS
3	5909.62	39.16	13.80	52.96	68.20	15.24	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5180
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5136.87	27.93	12.39	40.32	54.00	13.68	Horizontal	PASS
2	5141.45	28.42	12.42	40.84	54.00	13.16	Horizontal	PASS
3	5148.67	28.30	12.47	40.77	54.00	13.23	Horizontal	PASS
4	5135.86	38.98	12.38	51.36	74.00	22.64	Horizontal	PASS
5	5142.14	40.19	12.43	52.62	74.00	21.38	Horizontal	PASS
6	5149.29	41.35	12.48	53.83	74.00	20.17	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5180
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5142.30	28.09	12.43	40.52	54.00	13.48	Vertical	PASS
2	5145.78	28.26	12.45	40.71	54.00	13.29	Vertical	PASS
3	5149.19	28.08	12.48	40.56	54.00	13.44	Vertical	PASS
4	5140.93	39.17	12.41	51.58	74.00	22.42	Vertical	PASS
5	5144.64	39.52	12.44	51.96	74.00	22.04	Vertical	PASS
6	5149.84	38.25	12.48	50.73	74.00	23.27	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5320
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.52	29.00	12.68	41.68	54.00	12.32	Horizontal	PASS
2	5354.90	28.99	12.71	41.70	54.00	12.30	Horizontal	PASS
3	5357.31	28.98	12.73	41.71	54.00	12.29	Horizontal	PASS
4	5350.22	45.65	12.68	58.33	74.00	15.67	Horizontal	PASS
5	5354.77	43.74	12.71	56.45	74.00	17.55	Horizontal	PASS
6	5357.31	43.10	12.73	55.83	74.00	18.17	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5320
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.68	28.78	12.69	41.47	54.00	12.53	Vertical	PASS
2	5354.03	28.63	12.70	41.33	54.00	12.67	Vertical	PASS
3	5361.47	28.77	12.75	41.52	54.00	12.48	Vertical	PASS
4	5350.45	43.00	12.68	55.68	74.00	18.32	Vertical	PASS
5	5354.74	41.24	12.71	53.95	74.00	20.05	Vertical	PASS
6	5361.41	40.78	12.75	53.53	74.00	20.47	Vertical	PASS

Project Information

Mode:	802.11ax-HE20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5500
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.75	28.39	12.70	41.09	54.00	12.91	Horizontal	PASS
2	5455.67	28.43	12.73	41.16	54.00	12.84	Horizontal	PASS
3	5459.81	28.40	12.80	41.20	54.00	12.80	Horizontal	PASS
4	5460.84	39.58	12.82	52.40	68.20	15.80	Horizontal	PASS
5	5466.69	40.07	12.91	52.98	68.20	15.22	Horizontal	PASS
6	5469.15	41.37	12.95	54.32	68.20	13.88	Horizontal	PASS

Project Information

Mode:	802.11ax-HE20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5500
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.57	28.46	12.70	41.16	54.00	12.84	Vertical	PASS
2	5455.43	28.22	12.73	40.95	54.00	13.05	Vertical	PASS
3	5459.81	28.20	12.80	41.00	54.00	13.00	Vertical	PASS
4	5460.99	39.10	12.82	51.92	68.20	16.28	Vertical	PASS
5	5465.40	39.17	12.89	52.06	68.20	16.14	Vertical	PASS
6	5469.72	38.90	12.96	51.86	68.20	16.34	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5700
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.63	45.78	13.36	59.14	68.20	9.06	Horizontal	PASS
2	5728.03	46.74	13.32	60.06	68.20	8.14	Horizontal	PASS
3	5731.33	44.20	13.27	57.47	68.20	10.73	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5700
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.55	42.50	13.33	55.83	68.20	12.37	Vertical	PASS
2	5730.43	41.19	13.28	54.47	68.20	13.73	Vertical	PASS
3	5737.00	39.81	13.17	52.98	68.20	15.22	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5745
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5745
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5825
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5825
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-1
Bandwidth	40MHz	Channel	5190
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5136.10	28.45	12.38	40.83	54.00	13.17	Horizontal	PASS
2	5143.88	28.79	12.44	41.23	54.00	12.77	Horizontal	PASS
3	5148.81	29.27	12.48	41.75	54.00	12.25	Horizontal	PASS
4	5136.91	39.22	12.39	51.61	74.00	22.39	Horizontal	PASS
5	5143.54	39.81	12.43	52.24	74.00	21.76	Horizontal	PASS
6	5148.98	39.15	12.48	51.63	74.00	22.37	Horizontal	PASS

Project Information

Mode:	802.11ax-HE40	Band:	U-UNII-1
Bandwidth	40MHz	Channel	5190
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.27	28.26	12.36	40.62	54.00	13.38	Vertical	PASS
2	5143.45	28.47	12.43	40.90	54.00	13.10	Vertical	PASS
3	5149.11	28.60	12.48	41.08	54.00	12.92	Vertical	PASS
4	5130.91	38.85	12.34	51.19	74.00	22.81	Vertical	PASS
5	5141.54	39.40	12.42	51.82	74.00	22.18	Vertical	PASS
6	5149.92	38.24	12.48	50.72	74.00	23.28	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	5310
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.38	29.27	12.68	41.95	54.00	12.05	Horizontal	PASS
2	5356.50	28.92	12.72	41.64	54.00	12.36	Horizontal	PASS
3	5363.82	28.76	12.76	41.52	54.00	12.48	Horizontal	PASS
4	5350.93	39.80	12.69	52.49	74.00	21.51	Horizontal	PASS
5	5355.95	39.78	12.72	52.50	74.00	21.50	Horizontal	PASS
6	5364.11	39.94	12.76	52.70	74.00	21.30	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	5310
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.25	28.87	12.68	41.55	54.00	12.45	Vertical	PASS
2	5354.80	28.88	12.71	41.59	54.00	12.41	Vertical	PASS
3	5362.07	28.87	12.75	41.62	54.00	12.38	Vertical	PASS
4	5350.25	39.56	12.68	52.24	74.00	21.76	Vertical	PASS
5	5354.59	39.83	12.71	52.54	74.00	21.46	Vertical	PASS
6	5361.56	39.31	12.75	52.06	74.00	21.94	Vertical	PASS

Project Information

Mode:	802.11ax-HE40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5510
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.60	28.30	12.67	40.97	54.00	13.03	Horizontal	PASS
2	5455.24	28.51	12.72	41.23	54.00	12.77	Horizontal	PASS
3	5458.60	28.53	12.78	41.31	54.00	12.69	Horizontal	PASS
4	5459.36	40.06	12.80	52.86	74.00	21.14	Horizontal	PASS
5	5466.53	39.38	12.91	52.29	68.20	15.91	Horizontal	PASS
6	5469.53	39.49	12.96	52.45	68.20	15.75	Horizontal	PASS

Project Information

Mode:	802.11ax-HE40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5510
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.52	28.56	12.67	41.23	54.00	12.77	Vertical	PASS
2	5456.20	28.50	12.74	41.24	54.00	12.76	Vertical	PASS
3	5459.76	28.53	12.80	41.33	54.00	12.67	Vertical	PASS
4	5461.65	39.09	12.83	51.92	68.20	16.28	Vertical	PASS
5	5467.53	39.10	12.93	52.03	68.20	16.17	Vertical	PASS
6	5469.53	39.19	12.96	52.15	68.20	16.05	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5670
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.59	39.37	13.36	52.73	68.20	15.47	Horizontal	PASS
2	5736.89	39.10	13.17	52.27	68.20	15.93	Horizontal	PASS
3	5743.25	39.76	13.07	52.83	68.20	15.37	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5670
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.99	38.91	13.35	52.26	68.20	15.94	Vertical	PASS
2	5732.39	39.75	13.25	53.00	68.20	15.20	Vertical	PASS
3	5738.59	39.09	13.15	52.24	68.20	15.96	Vertical	PASS


Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5755
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5755
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5795
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5795
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Project Information

Mode:	802.11ax-HE80	Band:	U-UNII-1
Bandwidth	80MHz	Channel	5210
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.38	29.69	12.37	42.06	54.00	11.94	Horizontal	PASS
2	5142.51	29.69	12.43	42.12	54.00	11.88	Horizontal	PASS
3	5149.70	29.60	12.48	42.08	54.00	11.92	Horizontal	PASS
4	5136.32	39.56	12.39	51.95	74.00	22.05	Horizontal	PASS
5	5141.07	40.84	12.41	53.25	74.00	20.75	Horizontal	PASS
6	5148.07	39.64	12.46	52.10	74.00	21.90	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-1
Bandwidth	80MHz	Channel	5210
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5131.19	28.80	12.34	41.14	54.00	12.86	Vertical	PASS
2	5142.13	29.06	12.43	41.49	54.00	12.51	Vertical	PASS
3	5149.89	29.38	12.48	41.86	54.00	12.14	Vertical	PASS
4	5127.94	39.92	12.32	52.24	74.00	21.76	Vertical	PASS
5	5141.20	39.29	12.41	51.70	74.00	22.30	Vertical	PASS
6	5149.64	38.56	12.48	51.04	74.00	22.96	Vertical	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	5290
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.68	29.53	12.69	42.22	54.00	11.78	Horizontal	PASS
2	5358.99	29.04	12.73	41.77	54.00	12.23	Horizontal	PASS
3	5366.18	29.13	12.78	41.91	54.00	12.09	Horizontal	PASS
4	5350.55	39.38	12.68	52.06	74.00	21.94	Horizontal	PASS
5	5359.12	40.11	12.73	52.84	74.00	21.16	Horizontal	PASS
6	5363.56	40.48	12.76	53.24	74.00	20.76	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	5290
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.80	28.86	12.69	41.55	54.00	12.45	Vertical	PASS
2	5356.43	29.12	12.72	41.84	54.00	12.16	Vertical	PASS
3	5369.00	29.24	12.79	42.03	54.00	11.97	Vertical	PASS
4	5350.74	39.59	12.69	52.28	74.00	21.72	Vertical	PASS
5	5356.68	40.07	12.72	52.79	74.00	21.21	Vertical	PASS
6	5366.93	39.78	12.78	52.56	74.00	21.44	Vertical	PASS

Project Information

Mode:	802.11ax-HE80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5530
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.30	28.44	12.69	41.13	54.00	12.87	Horizontal	PASS
2	5456.42	28.55	12.75	41.30	54.00	12.70	Horizontal	PASS
3	5459.90	28.60	12.80	41.40	54.00	12.60	Horizontal	PASS
4	5457.80	39.36	12.77	52.13	74.00	21.87	Horizontal	PASS
5	5464.17	39.88	12.87	52.75	68.20	15.45	Horizontal	PASS
6	5469.15	38.82	12.95	51.77	68.20	16.43	Horizontal	PASS

Project Information

Mode:	802.11ax-HE80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5530
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5452.94	28.40	12.69	41.09	54.00	12.91	Vertical	PASS
2	5456.78	28.46	12.75	41.21	54.00	12.79	Vertical	PASS
3	5459.36	28.25	12.80	41.05	54.00	12.95	Vertical	PASS
4	5464.29	39.18	12.88	52.06	68.20	16.14	Vertical	PASS
5	5467.59	39.67	12.93	52.60	68.20	15.60	Vertical	PASS
6	5469.45	38.57	12.96	51.53	68.20	16.67	Vertical	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5610
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.95	39.06	13.34	52.40	68.20	15.80	Horizontal	PASS
2	5735.68	39.06	13.19	52.25	68.20	15.95	Horizontal	PASS
3	5744.78	39.38	13.05	52.43	68.20	15.77	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5610
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.96	39.61	13.35	52.96	68.20	15.24	Vertical	PASS
2	5732.53	39.82	13.25	53.07	68.20	15.13	Vertical	PASS
3	5739.37	39.56	13.13	52.69	68.20	15.51	Vertical	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-3
Bandwidth	80MHz	Channel	5775
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-3
Bandwidth	80MHz	Channel	5775
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Project Information			
Mode:	802.11ax-HE160	Band:	U-UNII-1
Bandwidth	160MHz	Channel	5250
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.63	28.59	12.34	40.93	54.00	13.07	Horizontal	PASS
2	5138.88	28.86	12.41	41.27	54.00	12.73	Horizontal	PASS
3	5142.38	29.20	12.43	41.63	54.00	12.37	Horizontal	PASS
4	5353.11	29.90	12.69	42.59	54.00	11.41	Horizontal	PASS
5	5366.00	30.14	12.77	42.91	54.00	11.09	Horizontal	PASS
6	5373.12	29.41	12.81	42.22	54.00	11.78	Horizontal	PASS
7	5132.13	39.36	12.36	51.72	74.00	22.28	Horizontal	PASS
8	5136.01	39.33	12.38	51.71	74.00	22.29	Horizontal	PASS
9	5145.64	39.61	12.45	52.06	74.00	21.94	Horizontal	PASS
10	5352.74	40.53	12.69	53.22	74.00	20.78	Horizontal	PASS
11	5361.37	40.89	12.75	53.64	74.00	20.36	Horizontal	PASS
12	5373.75	39.81	12.82	52.63	74.00	21.37	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE160	Band:	U-UNII-1
Bandwidth	160MHz	Channel	5250
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.75	28.25	12.34	40.59	54.00	13.41	Vertical	PASS
2	5137.13	28.31	12.39	40.70	54.00	13.30	Vertical	PASS
3	5144.38	28.61	12.44	41.05	54.00	12.95	Vertical	PASS
4	5350.61	29.22	12.68	41.90	54.00	12.10	Vertical	PASS
5	5355.62	29.35	12.71	42.06	54.00	11.94	Vertical	PASS
6	5365.75	29.44	12.77	42.21	54.00	11.79	Vertical	PASS
7	5128.88	38.88	12.34	51.22	74.00	22.78	Vertical	PASS
8	5139.63	38.92	12.41	51.33	74.00	22.67	Vertical	PASS
9	5148.64	38.71	12.47	51.18	74.00	22.82	Vertical	PASS
10	5350.61	40.25	12.68	52.93	74.00	21.07	Vertical	PASS
11	5357.12	40.16	12.73	52.89	74.00	21.11	Vertical	PASS
12	5366.75	40.10	12.78	52.88	74.00	21.12	Vertical	PASS