


Project Information

Mode:	802.11ax-HE160	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	5570
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.00	28.90	12.67	41.57	54.00	12.43	Horizontal	PASS
2	5455.90	28.89	12.74	41.63	54.00	12.37	Horizontal	PASS
3	5458.40	28.91	12.78	41.69	54.00	12.31	Horizontal	PASS
4	5462.41	39.52	12.84	52.36	68.20	15.84	Horizontal	PASS
5	5465.11	40.42	12.88	53.30	68.20	14.90	Horizontal	PASS
6	5469.41	38.75	12.96	51.71	68.20	16.49	Horizontal	PASS

Project Information

Mode:	802.11ax-HE160	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	5570
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.60	28.58	12.70	41.28	54.00	12.72	Vertical	PASS
2	5455.40	28.71	12.73	41.44	54.00	12.56	Vertical	PASS
3	5457.90	28.57	12.77	41.34	54.00	12.66	Vertical	PASS
4	5460.31	39.90	12.81	52.71	68.20	15.49	Vertical	PASS
5	5464.61	39.52	12.88	52.40	68.20	15.80	Vertical	PASS
6	5467.91	39.52	12.93	52.45	68.20	15.75	Vertical	PASS

Project Information			
Mode:	802.11ax-HE160	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	5570
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5729.45	40.45	13.30	53.75	68.20	14.45	Horizontal	PASS
2	5738.29	39.41	13.15	52.56	68.20	15.64	Horizontal	PASS
3	5744.80	39.56	13.05	52.61	68.20	15.59	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE160	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	5570
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.50	38.83	13.33	52.16	68.20	16.04	Vertical	PASS
2	5734.13	39.11	13.22	52.33	68.20	15.87	Vertical	PASS
3	5744.67	39.29	13.05	52.34	68.20	15.86	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5853.62	38.88	13.28	52.16	68.20	16.04	Horizontal	PASS
2	5894.39	39.37	13.67	53.04	68.20	15.16	Horizontal	PASS
3	5929.35	39.17	13.94	53.11	68.20	15.09	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5852.32	38.98	13.26	52.24	68.20	15.96	Vertical	PASS
2	5892.36	39.56	13.66	53.22	68.20	14.98	Vertical	PASS
3	5918.90	39.09	13.87	52.96	68.20	15.24	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5710
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.37	38.62	13.26	51.88	68.20	16.32	Horizontal	PASS
2	5872.99	39.34	13.47	52.81	68.20	15.39	Horizontal	PASS
3	5915.17	39.86	13.84	53.70	68.20	14.50	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5710
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5851.13	39.91	13.25	53.16	68.20	15.04	Vertical	PASS
2	5877.33	40.08	13.51	53.59	68.20	14.61	Vertical	PASS
3	5914.24	38.96	13.83	52.79	68.20	15.41	Vertical	PASS


Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5690
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5850.65	38.86	13.25	52.11	68.20	16.09	Horizontal	PASS
2	5870.09	39.52	13.44	52.96	68.20	15.24	Horizontal	PASS
3	5914.91	39.28	13.84	53.12	68.20	15.08	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5690
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5855.03	38.69	13.29	51.98	68.20	16.22	Vertical	PASS
2	5878.49	39.95	13.52	53.47	68.20	14.73	Vertical	PASS
3	5916.66	39.11	13.85	52.96	68.20	15.24	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5180
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5137.26	28.31	12.39	40.70	54.00	13.30	Horizontal	PASS
2	5142.85	28.72	12.43	41.15	54.00	12.85	Horizontal	PASS
3	5148.28	28.41	12.46	40.87	54.00	13.13	Horizontal	PASS
4	5136.19	38.99	12.38	51.37	74.00	22.63	Horizontal	PASS
5	5144.05	39.81	12.44	52.25	74.00	21.75	Horizontal	PASS
6	5148.54	40.33	12.47	52.80	74.00	21.20	Horizontal	PASS

Project Information

Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5180
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5139.70	28.61	12.41	41.02	54.00	12.98	Vertical	PASS
2	5145.29	28.35	12.45	40.80	54.00	13.20	Vertical	PASS
3	5148.80	28.19	12.48	40.67	54.00	13.33	Vertical	PASS
4	5136.54	39.68	12.39	52.07	74.00	21.93	Vertical	PASS
5	5144.35	39.47	12.44	51.91	74.00	22.09	Vertical	PASS
6	5149.03	39.16	12.48	51.64	74.00	22.36	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 52t-37	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5180
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5138.27	28.22	12.39	40.61	54.00	13.39	Horizontal	PASS
2	5144.67	28.28	12.44	40.72	54.00	13.28	Horizontal	PASS
3	5147.66	28.61	12.46	41.07	54.00	12.93	Horizontal	PASS
4	5138.56	39.41	12.40	51.81	74.00	22.19	Horizontal	PASS
5	5145.81	39.52	12.45	51.97	74.00	22.03	Horizontal	PASS
6	5148.31	40.17	12.46	52.63	74.00	21.37	Horizontal	PASS

Project Information

Mode:	802.11ax-HE20 52t-37	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5180
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.19	28.25	12.36	40.61	54.00	13.39	Vertical	PASS
2	5142.43	28.24	12.43	40.67	54.00	13.33	Vertical	PASS
3	5148.12	28.11	12.46	40.57	54.00	13.43	Vertical	PASS
4	5132.19	39.29	12.36	51.65	74.00	22.35	Vertical	PASS
5	5142.14	39.65	12.43	52.08	74.00	21.92	Vertical	PASS
6	5148.61	39.05	12.47	51.52	74.00	22.48	Vertical	PASS

Project Information

Mode:	802.11ax-HE20 106t-53	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5180
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.48	28.34	12.41	40.75	54.00	13.25	Horizontal	PASS
2	5145.16	28.31	12.45	40.76	54.00	13.24	Horizontal	PASS
3	5148.70	28.39	12.47	40.86	54.00	13.14	Horizontal	PASS
4	5137.19	39.26	12.39	51.65	74.00	22.35	Horizontal	PASS
5	5144.96	39.72	12.44	52.16	74.00	21.84	Horizontal	PASS
6	5148.44	39.61	12.47	52.08	74.00	21.92	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 106t-53	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5180
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5137.16	28.05	12.39	40.44	54.00	13.56	Vertical	PASS
2	5143.76	28.23	12.44	40.67	54.00	13.33	Vertical	PASS
3	5148.74	28.12	12.47	40.59	54.00	13.41	Vertical	PASS
4	5137.23	39.61	12.39	52.00	74.00	22.00	Vertical	PASS
5	5144.28	39.30	12.44	51.74	74.00	22.26	Vertical	PASS
6	5149.91	39.30	12.48	51.78	74.00	22.22	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 26t-8	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5320
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.16	28.99	12.68	41.67	54.00	12.33	Horizontal	PASS
2	5352.04	28.98	12.70	41.68	54.00	12.32	Horizontal	PASS
3	5354.90	29.13	12.71	41.84	54.00	12.16	Horizontal	PASS
4	5350.13	44.07	12.68	56.75	74.00	17.25	Horizontal	PASS
5	5351.75	43.60	12.69	56.29	74.00	17.71	Horizontal	PASS
6	5354.45	42.97	12.70	55.67	74.00	18.33	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 26t-8	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5320
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.42	28.86	12.68	41.54	54.00	12.46	Vertical	PASS
2	5355.00	29.19	12.71	41.90	54.00	12.10	Vertical	PASS
3	5365.21	28.87	12.77	41.64	54.00	12.36	Vertical	PASS
4	5351.00	41.73	12.69	54.42	74.00	19.58	Vertical	PASS
5	5355.95	39.87	12.72	52.59	74.00	21.41	Vertical	PASS
6	5365.12	39.67	12.77	52.44	74.00	21.56	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20 52t-40	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5320
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	29.05	12.68	41.73	54.00	12.27	Horizontal	PASS
2	5352.73	29.18	12.69	41.87	54.00	12.13	Horizontal	PASS
3	5356.99	28.91	12.72	41.63	54.00	12.37	Horizontal	PASS
4	5351.56	43.54	12.69	56.23	74.00	17.77	Horizontal	PASS
5	5354.81	42.27	12.71	54.98	74.00	19.02	Horizontal	PASS
6	5357.57	40.34	12.72	53.06	74.00	20.94	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 52t-40	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5320
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.78	28.88	12.69	41.57	54.00	12.43	Vertical	PASS
2	5354.58	28.74	12.71	41.45	54.00	12.55	Vertical	PASS
3	5363.75	28.71	12.76	41.47	54.00	12.53	Vertical	PASS
4	5351.69	41.38	12.69	54.07	74.00	19.93	Vertical	PASS
5	5354.68	39.98	12.71	52.69	74.00	21.31	Vertical	PASS
6	5364.33	40.15	12.76	52.91	74.00	21.09	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20 106t-54	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5320
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.00	29.16	12.69	41.85	54.00	12.15	Horizontal	PASS
2	5352.56	29.12	12.69	41.81	54.00	12.19	Horizontal	PASS
3	5357.41	28.89	12.73	41.62	54.00	12.38	Horizontal	PASS
4	5350.68	44.17	12.69	56.86	74.00	17.14	Horizontal	PASS
5	5352.53	44.42	12.69	57.11	74.00	16.89	Horizontal	PASS
6	5358.61	40.84	12.73	53.57	74.00	20.43	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 106t-54	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5320
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.23	28.86	12.69	41.55	54.00	12.45	Vertical	PASS
2	5355.72	28.87	12.71	41.58	54.00	12.42	Vertical	PASS
3	5361.38	28.85	12.75	41.60	54.00	12.40	Vertical	PASS
4	5351.20	42.20	12.69	54.89	74.00	19.11	Vertical	PASS
5	5358.64	40.62	12.73	53.35	74.00	20.65	Vertical	PASS
6	5362.22	39.67	12.76	52.43	74.00	21.57	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5500
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.84	28.32	12.70	41.02	54.00	12.98	Horizontal	PASS
2	5455.82	28.13	12.73	40.86	54.00	13.14	Horizontal	PASS
3	5459.27	28.17	12.79	40.96	54.00	13.04	Horizontal	PASS
4	5461.68	38.60	12.83	51.43	68.20	16.77	Horizontal	PASS
5	5464.65	39.16	12.88	52.04	68.20	16.16	Horizontal	PASS
6	5469.03	39.85	12.94	52.79	68.20	15.41	Horizontal	PASS

Project Information

Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5500
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.48	27.99	12.70	40.69	54.00	13.31	Vertical	PASS
2	5455.70	28.18	12.73	40.91	54.00	13.09	Vertical	PASS
3	5459.15	28.03	12.78	40.81	54.00	13.19	Vertical	PASS
4	5460.96	38.83	12.82	51.65	68.20	16.55	Vertical	PASS
5	5465.49	39.04	12.89	51.93	68.20	16.27	Vertical	PASS
6	5468.55	39.79	12.94	52.73	68.20	15.47	Vertical	PASS

Project Information

Mode:	802.11ax-HE20 52t-37	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5500
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.46	28.34	12.68	41.02	54.00	12.98	Horizontal	PASS
2	5457.05	28.64	12.75	41.39	54.00	12.61	Horizontal	PASS
3	5459.45	28.52	12.80	41.32	54.00	12.68	Horizontal	PASS
4	5461.83	39.47	12.83	52.30	68.20	15.90	Horizontal	PASS
5	5466.18	39.70	12.91	52.61	68.20	15.59	Horizontal	PASS
6	5468.94	39.64	12.94	52.58	68.20	15.62	Horizontal	PASS

Project Information

Mode:	802.11ax-HE20 52t-37	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5500
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.58	28.44	12.69	41.13	54.00	12.87	Vertical	PASS
2	5455.07	28.53	12.72	41.25	54.00	12.75	Vertical	PASS
3	5457.98	28.67	12.77	41.44	54.00	12.56	Vertical	PASS
4	5460.99	39.22	12.82	52.04	68.20	16.16	Vertical	PASS
5	5465.67	39.22	12.89	52.11	68.20	16.09	Vertical	PASS
6	5469.24	38.77	12.96	51.73	68.20	16.47	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 106t-53	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5500
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.16	28.30	12.67	40.97	54.00	13.03	Horizontal	PASS
2	5455.37	28.50	12.72	41.22	54.00	12.78	Horizontal	PASS
3	5459.75	28.23	12.80	41.03	54.00	12.97	Horizontal	PASS
4	5461.50	40.09	12.83	52.92	68.20	15.28	Horizontal	PASS
5	5465.37	39.83	12.89	52.72	68.20	15.48	Horizontal	PASS
6	5469.39	39.76	12.96	52.72	68.20	15.48	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 106t-53	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5500
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.12	28.17	12.64	40.81	54.00	13.19	Vertical	PASS
2	5455.13	28.25	12.72	40.97	54.00	13.03	Vertical	PASS
3	5459.39	28.30	12.80	41.10	54.00	12.90	Vertical	PASS
4	5461.50	38.78	12.83	51.61	68.20	16.59	Vertical	PASS
5	5465.25	38.62	12.89	51.51	68.20	16.69	Vertical	PASS
6	5469.30	39.12	12.96	52.08	68.20	16.12	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20 26t-8	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5700
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.33	45.36	13.36	58.72	68.20	9.48	Horizontal	PASS
2	5728.06	44.81	13.32	58.13	68.20	10.07	Horizontal	PASS
3	5731.33	43.74	13.27	57.01	68.20	11.19	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 26t-8	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5700
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.30	41.57	13.37	54.94	68.20	13.26	Vertical	PASS
2	5728.69	41.08	13.31	54.39	68.20	13.81	Vertical	PASS
3	5730.37	40.40	13.28	53.68	68.20	14.52	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 52t-40	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5700
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.64	44.83	13.33	58.16	68.20	10.04	Horizontal	PASS
2	5730.40	44.54	13.28	57.82	68.20	10.38	Horizontal	PASS
3	5736.82	41.47	13.18	54.65	68.20	13.55	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 52t-40	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5700
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.38	41.28	13.35	54.63	68.20	13.57	Vertical	PASS
2	5730.64	39.93	13.28	53.21	68.20	14.99	Vertical	PASS
3	5745.29	39.42	13.04	52.46	68.20	15.74	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20 106t-54	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5700
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.62	45.10	13.34	58.44	68.20	9.76	Horizontal	PASS
2	5729.02	44.61	13.30	57.91	68.20	10.29	Horizontal	PASS
3	5732.47	42.63	13.25	55.88	68.20	12.32	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE20 106t-54	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5700
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.28	40.69	13.33	54.02	68.20	14.18	Vertical	PASS
2	5730.16	40.50	13.29	53.79	68.20	14.41	Vertical	PASS
3	5739.82	39.71	13.13	52.84	68.20	15.36	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5745
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Project Information			
Mode:	802.11ax-HE20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5745
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Project Information			
Mode:	802.11ax-HE20 52t-37	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5745
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Project Information			
Mode:	802.11ax-HE20 52t-37	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5745
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Project Information			
Mode:	802.11ax-HE20 106t-53	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5745
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Project Information			
Mode:	802.11ax-HE20 106t-53	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5745
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Project Information			
Mode:	802.11ax-HE20 26t-8	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5825
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Project Information			
Mode:	802.11ax-HE20 26t-8	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5825
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph

Project Information			
Mode:	802.11ax-HE20 52t-40	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5825
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph

Project Information			
Mode:	802.11ax-HE20 52t-40	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5825
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Project Information			
Mode:	802.11ax-HE20 106t-54	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5825
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Project Information			
Mode:	802.11ax-HE20 106t-54	Band:	U-UNII-3
Bandwidth	20MHz	Channel	5825
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Project Information

Mode:	802.11ax-HE40 242t-61	Band:	U-UNII-1
Bandwidth	40MHz	Channel	5190
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.73	28.24	12.41	40.65	54.00	13.35	Horizontal	PASS
2	5146.18	28.60	12.45	41.05	54.00	12.95	Horizontal	PASS
3	5149.58	28.86	12.48	41.34	54.00	12.66	Horizontal	PASS
4	5137.80	39.33	12.39	51.72	74.00	22.28	Horizontal	PASS
5	5142.94	39.11	12.43	51.54	74.00	22.46	Horizontal	PASS
6	5147.45	38.96	12.46	51.42	74.00	22.58	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40 242t-61	Band:	U-UNII-1
Bandwidth	40MHz	Channel	5190
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.44	27.95	12.34	40.29	54.00	13.71	Vertical	PASS
2	5141.24	28.00	12.41	40.41	54.00	13.59	Vertical	PASS
3	5147.71	28.14	12.46	40.60	54.00	13.40	Vertical	PASS
4	5130.57	38.75	12.34	51.09	74.00	22.91	Vertical	PASS
5	5141.20	39.27	12.41	51.68	74.00	22.32	Vertical	PASS
6	5147.37	38.91	12.46	51.37	74.00	22.63	Vertical	PASS


Project Information			
Mode:	802.11ax-HE40 242t-62	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	5310
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.64	29.11	12.68	41.79	54.00	12.21	Horizontal	PASS
2	5355.65	28.79	12.71	41.50	54.00	12.50	Horizontal	PASS
3	5365.22	28.96	12.77	41.73	54.00	12.27	Horizontal	PASS
4	5351.66	42.98	12.69	55.67	74.00	18.33	Horizontal	PASS
5	5357.01	40.53	12.72	53.25	74.00	20.75	Horizontal	PASS
6	5365.90	40.05	12.77	52.82	74.00	21.18	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40 242t-62	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	5310
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	29.00	12.68	41.68	54.00	12.32	Vertical	PASS
2	5361.48	28.68	12.75	41.43	54.00	12.57	Vertical	PASS
3	5366.84	28.59	12.78	41.37	54.00	12.63	Vertical	PASS
4	5351.95	40.01	12.70	52.71	74.00	21.29	Vertical	PASS
5	5360.93	39.84	12.75	52.59	74.00	21.41	Vertical	PASS
6	5365.69	39.68	12.77	52.45	74.00	21.55	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40 242t-61	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5510
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.92	28.44	12.70	41.14	54.00	12.86	Horizontal	PASS
2	5457.24	28.27	12.75	41.02	54.00	12.98	Horizontal	PASS
3	5459.72	28.25	12.80	41.05	54.00	12.95	Horizontal	PASS
4	5461.41	39.09	12.83	51.92	68.20	16.28	Horizontal	PASS
5	5466.13	39.81	12.90	52.71	68.20	15.49	Horizontal	PASS
6	5469.21	41.26	12.96	54.22	68.20	13.98	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40 242t-61	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5510
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.92	28.30	12.67	40.97	54.00	13.03	Vertical	PASS
2	5456.20	28.52	12.74	41.26	54.00	12.74	Vertical	PASS
3	5459.40	28.19	12.80	40.99	54.00	13.01	Vertical	PASS
4	5460.41	39.31	12.81	52.12	68.20	16.08	Vertical	PASS
5	5466.81	39.54	12.91	52.45	68.20	15.75	Vertical	PASS
6	5469.77	38.65	12.96	51.61	68.20	16.59	Vertical	PASS


Project Information			
Mode:	802.11ax-HE40 242t-62	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5670
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.24	39.52	13.33	52.85	68.20	15.35	Horizontal	PASS
2	5738.74	39.36	13.14	52.50	68.20	15.70	Horizontal	PASS
3	5745.60	39.58	13.03	52.61	68.20	15.59	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE40 242t-62	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5670
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.79	38.93	13.36	52.29	68.20	15.91	Vertical	PASS
2	5735.64	39.66	13.20	52.86	68.20	15.34	Vertical	PASS
3	5745.85	39.64	13.03	52.67	68.20	15.53	Vertical	PASS


Project Information			
Mode:	802.11ax-HE40 242t-61	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5755
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Project Information			
Mode:	802.11ax-HE40 242t-61	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5755
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Project Information			
Mode:	802.11ax-HE40 242t-62	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5795
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Project Information			
Mode:	802.11ax-HE40 242t-62	Band:	U-UNII-3
Bandwidth	40MHz	Channel	5795
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Project Information

Mode:	802.11ax-HE80 484t-65	Band:	U-UNII-1
Bandwidth	80MHz	Channel	5210
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5136.19	28.38	12.38	40.76	54.00	13.24	Horizontal	PASS
2	5142.63	28.76	12.43	41.19	54.00	12.81	Horizontal	PASS
3	5148.51	29.14	12.47	41.61	54.00	12.39	Horizontal	PASS
4	5130.13	38.82	12.34	51.16	74.00	22.84	Horizontal	PASS
5	5140.38	41.50	12.41	53.91	74.00	20.09	Horizontal	PASS
6	5148.20	42.73	12.46	55.19	74.00	18.81	Horizontal	PASS

Project Information

Mode:	802.11ax-HE80 484t-65	Band:	U-UNII-1
Bandwidth	80MHz	Channel	5210
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5138.38	28.27	12.40	40.67	54.00	13.33	Vertical	PASS
2	5142.70	28.38	12.43	40.81	54.00	13.19	Vertical	PASS
3	5147.64	28.43	12.46	40.89	54.00	13.11	Vertical	PASS
4	5136.76	38.95	12.39	51.34	74.00	22.66	Vertical	PASS
5	5143.51	40.40	12.43	52.83	74.00	21.17	Vertical	PASS
6	5149.89	40.95	12.48	53.43	74.00	20.57	Vertical	PASS

Project Information			
Mode:	802.11ax-HE80 484t-66	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	5290
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.05	29.50	12.70	42.20	54.00	11.80	Horizontal	PASS
2	5361.43	29.15	12.75	41.90	54.00	12.10	Horizontal	PASS
3	5369.87	29.07	12.80	41.87	54.00	12.13	Horizontal	PASS
4	5351.43	42.28	12.69	54.97	74.00	19.03	Horizontal	PASS
5	5355.05	41.45	12.71	54.16	74.00	19.84	Horizontal	PASS
6	5368.31	40.02	12.78	52.80	74.00	21.20	Horizontal	PASS