


Project Information

Mode:	802.11ax-HE80 484t-66	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	5290
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.05	29.19	12.69	41.88	54.00	12.12	Vertical	PASS
2	5357.49	29.07	12.73	41.80	54.00	12.20	Vertical	PASS
3	5368.93	29.10	12.79	41.89	54.00	12.11	Vertical	PASS
4	5354.24	42.33	12.70	55.03	74.00	18.97	Vertical	PASS
5	5359.37	40.41	12.73	53.14	74.00	20.86	Vertical	PASS
6	5371.56	39.70	12.81	52.51	74.00	21.49	Vertical	PASS

Project Information

Mode:	802.11ax-HE80 484t-65	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5530
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.02	28.76	12.70	41.46	54.00	12.54	Horizontal	PASS
2	5457.14	28.57	12.75	41.32	54.00	12.68	Horizontal	PASS
3	5459.90	28.47	12.80	41.27	54.00	12.73	Horizontal	PASS
4	5457.56	39.42	12.77	52.19	74.00	21.81	Horizontal	PASS
5	5463.99	40.02	12.86	52.88	68.20	15.32	Horizontal	PASS
6	5468.31	39.95	12.94	52.89	68.20	15.31	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80 484t-65	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5530
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.12	28.57	12.69	41.26	54.00	12.74	Vertical	PASS
2	5455.28	28.54	12.72	41.26	54.00	12.74	Vertical	PASS
3	5457.62	28.51	12.77	41.28	54.00	12.72	Vertical	PASS
4	5462.49	39.73	12.84	52.57	68.20	15.63	Vertical	PASS
5	5466.39	39.02	12.91	51.93	68.20	16.27	Vertical	PASS
6	5469.27	38.61	12.96	51.57	68.20	16.63	Vertical	PASS

Project Information			
Mode:	802.11ax-HE80 484t-66	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5610
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.33	39.53	13.36	52.89	68.20	15.31	Horizontal	PASS
2	5734.06	39.25	13.22	52.47	68.20	15.73	Horizontal	PASS
3	5742.71	39.41	13.08	52.49	68.20	15.71	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE80 484t-66	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5610
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.60	39.47	13.36	52.83	68.20	15.37	Vertical	PASS
2	5733.07	39.38	13.24	52.62	68.20	15.58	Vertical	PASS
3	5739.28	39.56	13.14	52.70	68.20	15.50	Vertical	PASS


Project Information			
Mode:	802.11ax-HE80 484t-65	Band:	U-UNII-3
Bandwidth	80MHz	Channel	5775
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Project Information			
Mode:	802.11ax-HE80 484t-65	Band:	U-UNII-3
Bandwidth	80MHz	Channel	5775
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Project Information			
Mode:	802.11ax-HE80 484t-66	Band:	U-UNII-3
Bandwidth	80MHz	Channel	5775
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph

Project Information			
Mode:	802.11ax-HE80 484t-66	Band:	U-UNII-3
Bandwidth	80MHz	Channel	5775
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Project Information			
Mode:	802.11ax-HE160 996t-67	Band:	U-UNII-1
Bandwidth	160MHz	Channel	5250
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.13	28.48	12.36	40.84	54.00	13.16	Horizontal	PASS
2	5143.26	28.89	12.43	41.32	54.00	12.68	Horizontal	PASS
3	5147.64	28.68	12.46	41.14	54.00	12.86	Horizontal	PASS
4	5130.00	38.97	12.34	51.31	74.00	22.69	Horizontal	PASS
5	5137.13	39.77	12.39	52.16	74.00	21.84	Horizontal	PASS
6	5146.89	40.23	12.46	52.69	74.00	21.31	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE160 996t-67	Band:	U-UNII-1
Bandwidth	160MHz	Channel	5250
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5131.75	28.01	12.36	40.37	54.00	13.63	Vertical	PASS
2	5139.51	28.33	12.41	40.74	54.00	13.26	Vertical	PASS
3	5144.51	28.42	12.44	40.86	54.00	13.14	Vertical	PASS
4	5133.75	39.18	12.37	51.55	74.00	22.45	Vertical	PASS
5	5141.13	39.27	12.41	51.68	74.00	22.32	Vertical	PASS
6	5148.14	38.82	12.46	51.28	74.00	22.72	Vertical	PASS

Project Information			
Mode:	802.11ax-HE160 996t-s67	Band:	U-UNII-1
Bandwidth	160MHz	Channel	5250
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.24	30.82	12.69	43.51	54.00	10.49	Horizontal	PASS
2	5362.62	30.26	12.75	43.01	54.00	10.99	Horizontal	PASS
3	5372.25	29.74	12.81	42.55	54.00	11.45	Horizontal	PASS
4	5353.49	40.51	12.70	53.21	74.00	20.79	Horizontal	PASS
5	5360.37	41.41	12.74	54.15	74.00	19.85	Horizontal	PASS
6	5371.00	40.17	12.80	52.97	74.00	21.03	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE160 996t-s67	Band:	U-UNII-1
Bandwidth	160MHz	Channel	5250
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.24	29.72	12.69	42.41	54.00	11.59	Vertical	PASS
2	5361.99	29.37	12.75	42.12	54.00	11.88	Vertical	PASS
3	5371.12	29.42	12.80	42.22	54.00	11.78	Vertical	PASS
4	5353.86	39.47	12.70	52.17	74.00	21.83	Vertical	PASS
5	5360.37	40.50	12.74	53.24	74.00	20.76	Vertical	PASS
6	5368.62	40.26	12.79	53.05	74.00	20.95	Vertical	PASS

Project Information			
Mode:	802.11ax-HE160 996t-67	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	5570
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.50	28.96	12.69	41.65	54.00	12.35	Horizontal	PASS
2	5456.70	29.20	12.75	41.95	54.00	12.05	Horizontal	PASS
3	5459.80	28.97	12.80	41.77	54.00	12.23	Horizontal	PASS
4	5464.51	39.79	12.88	52.67	68.20	15.53	Horizontal	PASS
5	5467.01	40.55	12.91	53.46	68.20	14.74	Horizontal	PASS
6	5469.81	40.72	12.96	53.68	68.20	14.52	Horizontal	PASS

Project Information

Mode:	802.11ax-HE160 996t-67	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	5570
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.70	28.93	12.67	41.60	54.00	12.40	Vertical	PASS
2	5456.00	28.90	12.74	41.64	54.00	12.36	Vertical	PASS
3	5459.70	28.69	12.80	41.49	54.00	12.51	Vertical	PASS
4	5461.81	39.75	12.83	52.58	68.20	15.62	Vertical	PASS
5	5465.81	39.69	12.89	52.58	68.20	15.62	Vertical	PASS
6	5469.41	39.62	12.96	52.58	68.20	15.62	Vertical	PASS

Project Information			
Mode:	802.11ax-HE160 996t-s67	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	5570
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.20	38.97	13.35	52.32	68.20	15.88	Horizontal	PASS
2	5735.43	39.85	13.20	53.05	68.20	15.15	Horizontal	PASS
3	5746.88	39.39	13.01	52.40	68.20	15.80	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE160 996t-s67	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	5570
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.89	39.08	13.32	52.40	68.20	15.80	Vertical	PASS
2	5734.78	39.71	13.21	52.92	68.20	15.28	Vertical	PASS
3	5746.10	40.01	13.02	53.03	68.20	15.17	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 26t-8	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5855.90	39.59	13.30	52.89	68.20	15.31	Horizontal	PASS
2	5907.03	39.72	13.78	53.50	68.20	14.70	Horizontal	PASS
3	5946.07	39.53	14.06	53.59	68.20	14.61	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 26t-8	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.88	39.13	13.33	52.46	68.20	15.74	Vertical	PASS
2	5915.78	39.29	13.84	53.13	68.20	15.07	Vertical	PASS
3	5971.11	39.53	13.87	53.40	68.20	14.80	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20 52t-40	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5854.15	39.30	13.28	52.58	68.20	15.62	Horizontal	PASS
2	5907.03	39.47	13.78	53.25	68.20	14.95	Horizontal	PASS
3	5949.57	39.30	14.09	53.39	68.20	14.81	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE20 52t-40	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5851.88	39.24	13.26	52.50	68.20	15.70	Vertical	PASS
2	5877.79	39.30	13.51	52.81	68.20	15.39	Vertical	PASS
3	5917.53	39.16	13.86	53.02	68.20	15.18	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20 106t-54	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5865.53	40.49	13.39	53.88	68.20	14.32	Horizontal	PASS
2	5899.15	39.69	13.72	53.41	68.20	14.79	Horizontal	PASS
3	5950.80	39.63	14.08	53.71	68.20	14.49	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20 106t-54	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.00	39.22	13.32	52.54	68.20	15.66	Vertical	PASS
2	5896.52	39.58	13.70	53.28	68.20	14.92	Vertical	PASS
3	5955.00	39.92	14.04	53.96	68.20	14.24	Vertical	PASS

Project Information			
Mode:	802.11ax-HE40 242t-62	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5710
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5860.74	39.17	13.35	52.52	68.20	15.68	Horizontal	PASS
2	5895.79	39.47	13.69	53.16	68.20	15.04	Horizontal	PASS
3	5946.65	39.05	14.06	53.11	68.20	15.09	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE40 242t-62	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	5710
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.57	39.50	13.32	52.82	68.20	15.38	Vertical	PASS
2	5903.39	39.48	13.76	53.24	68.20	14.96	Vertical	PASS
3	5931.46	38.98	13.95	52.93	68.20	15.27	Vertical	PASS


Project Information			
Mode:	802.11ax-HE80 484t-66	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5690
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5868.33	40.72	13.42	54.14	68.20	14.06	Horizontal	PASS
2	5922.96	39.65	13.90	53.55	68.20	14.65	Horizontal	PASS
3	5957.10	39.09	14.01	53.10	68.20	15.10	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE80 484t-66	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	5690
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5876.21	39.73	13.50	53.23	68.20	14.97	Vertical	PASS
2	5915.08	39.49	13.84	53.33	68.20	14.87	Vertical	PASS
3	5950.10	39.34	14.09	53.43	68.20	14.77	Vertical	PASS

~The End~