




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 151 of 303

802.11n20_Channel 6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	59.08	32.94	-47.71	44.31	74.00	29.69	Vertical
2	7311	57.13	37.06	-44.25	49.94	74.00	24.06	Vertical
3	9748	53.37	38.80	-40.46	51.71	74.00	22.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 152 of 303

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924	57.85	33.15	-47.40	43.60	74.00	30.40	Horizontal
2	7386	56.31	36.83	-43.67	49.47	74.00	24.53	Horizontal
3	9848	52.04	38.80	-40.42	50.42	74.00	23.58	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 153 of 303

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924	58.40	33.15	-47.40	44.15	74.00	29.85	Vertical
2	7386	57.16	36.83	-43.67	50.32	74.00	23.68	Vertical
3	9848	51.90	38.80	-40.42	50.28	74.00	23.72	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 154 of 303

802.11n40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4844	57.89	32.75	-47.75	42.89	74.00	31.11	Horizontal
2	7266	57.13	37.17	-44.31	49.99	74.00	24.01	Horizontal
3	9688	54.01	38.72	-40.18	52.55	74.00	21.45	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 155 of 303

802.11n40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4844	58.15	32.75	-47.75	43.15	74.00	30.85	Vertical
2	7266	55.88	37.17	-44.31	48.74	74.00	25.26	Vertical
3	9688	54.10	38.72	-40.18	52.64	74.00	21.36	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 156 of 303

802.11n40_Channel 6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	58.04	32.94	-47.71	43.27	74.00	30.73	Horizontal
2	7311	56.19	37.06	-44.25	49.00	74.00	25.00	Horizontal
3	9748	52.83	38.80	-40.46	51.17	74.00	22.83	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 157 of 303

802.11n40_Channel 6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	58.13	32.94	-47.71	43.36	74.00	30.64	Vertical
2	7311	56.01	37.06	-44.25	48.82	74.00	25.18	Vertical
3	9748	53.54	38.80	-40.46	51.88	74.00	22.12	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 158 of 303

802.11n40_Channel 9




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4904	58.00	33.11	-47.62	43.49	74.00	30.51	Horizontal
2	7356	56.30	36.89	-43.48	49.71	74.00	24.29	Horizontal
3	9808	52.76	38.88	-40.45	51.19	74.00	22.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 159 of 303

802.11n40_Channel 9




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4904	57.94	33.11	-47.62	43.43	74.00	30.57	Vertical
2	7356	56.48	36.89	-43.48	49.89	74.00	24.11	Vertical
3	9808	51.45	38.88	-40.45	49.88	74.00	24.12	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 160 of 303

802.11ax20_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824	59.23	32.59	-47.73	44.09	74.00	29.91	Horizontal
2	7236	56.60	37.17	-44.23	49.54	74.00	24.46	Horizontal
3	9648	55.17	38.82	-40.13	53.86	74.00	20.14	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 161 of 303

802.11ax20_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824	58.75	32.59	-47.73	43.61	74.00	30.39	Vertical
2	7236	56.72	37.17	-44.23	49.66	74.00	24.34	Vertical
3	9648	55.53	38.82	-40.13	54.22	74.00	19.78	Vertical
4	9648	46.48	38.82	-40.13	45.17	54.00	8.83	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 162 of 303

802.11ax20_Channel 6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	58.97	32.94	-47.71	44.20	74.00	29.80	Horizontal
2	7311	55.29	37.06	-44.25	48.10	74.00	25.90	Horizontal
3	9748	53.18	38.80	-40.46	51.52	74.00	22.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 163 of 303

802.11ax20_Channel 6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	57.75	32.94	-47.71	42.98	74.00	31.02	Vertical
2	7311	55.33	37.06	-44.25	48.14	74.00	25.86	Vertical
3	9748	53.95	38.80	-40.46	52.29	74.00	21.71	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 164 of 303

802.11ax20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924	57.58	33.15	-47.40	43.33	74.00	30.67	Horizontal
2	7386	55.44	36.83	-43.67	48.60	74.00	25.40	Horizontal
3	9848	52.94	38.80	-40.42	51.32	74.00	22.68	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 165 of 303

802.11ax20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924	57.02	33.15	-47.40	42.77	74.00	31.23	Vertical
2	7386	56.96	36.83	-43.67	50.12	74.00	23.88	Vertical
3	9848	52.26	38.80	-40.42	50.64	74.00	23.36	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 166 of 303

802.11ax40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4844	59.04	32.75	-47.75	44.04	74.00	29.96	Horizontal
2	7266	56.35	37.17	-44.31	49.21	74.00	24.79	Horizontal
3	9688	54.57	38.72	-40.18	53.11	74.00	20.89	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 167 of 303

802.11ax40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4844	58.45	32.75	-47.75	43.45	74.00	30.55	Vertical
2	7266	57.35	37.17	-44.31	50.21	74.00	23.79	Vertical
3	9688	54.03	38.72	-40.18	52.57	74.00	21.43	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 168 of 303

802.11ax40_Channel 6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	57.55	32.94	-47.71	42.78	74.00	31.22	Horizontal
2	7311	55.00	37.06	-44.25	47.81	74.00	26.19	Horizontal
3	9748	53.46	38.80	-40.46	51.80	74.00	22.20	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 169 of 303

802.11ax40_Channel 6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	57.50	32.94	-47.71	42.73	74.00	31.27	Vertical
2	7311	56.46	37.06	-44.25	49.27	74.00	24.73	Vertical
3	9748	53.67	38.80	-40.46	52.01	74.00	21.99	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 170 of 303

802.11ax40_Channel 9




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4844	58.04	32.75	-47.75	43.04	74.00	30.96	Horizontal
2	7266	55.63	37.17	-44.31	48.49	74.00	25.51	Horizontal
3	9688	53.15	38.72	-40.18	51.69	74.00	22.31	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 171 of 303

802.11ax40_Channel 9



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4844	58.18	32.75	-47.75	43.18	74.00	30.82	Vertical
2	7266	54.58	37.17	-44.31	47.44	74.00	26.56	Vertical
3	9688	53.19	38.72	-40.18	51.73	74.00	22.27	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017003

Rev.: 01

Page: 172 of 303

F9E1A

802.11b_Channel1



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824	54.02	30.70	-42.66	42.06	74.00	31.94	Horizontal
2	7236	50.56	36.38	-38.44	48.50	74.00	25.50	Horizontal
3	9648	50.22	38.09	-34.71	53.60	74.00	20.40	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 173 of 303

802.11b_Channel1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824	54.73	30.70	-42.66	42.77	74.00	31.23	Vertical
2	7236	50.96	36.38	-38.44	48.90	74.00	25.10	Vertical
3	9648	49.31	38.09	-34.71	52.69	74.00	21.31	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 174 of 303

802.11b_Channel 6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	53.13	30.74	-42.55	41.32	74.00	32.68	Horizontal
2	7311	49.35	36.42	-38.34	47.43	74.00	26.57	Horizontal
3	9748	47.01	38.30	-35.42	49.89	74.00	24.11	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 175 of 303

802.11b_Channel 6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	52.74	30.74	-42.55	40.93	74.00	33.07	Vertical
2	7311	49.80	36.42	-38.34	47.88	74.00	26.12	Vertical
3	9748	47.29	38.30	-35.42	50.17	74.00	23.83	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 176 of 303

802.11b_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	4924	53.43	30.95	-42.42	41.96	74.00	32.04	Horizontal
2	7386	50.53	36.64	-38.07	49.10	74.00	24.90	Horizontal
3	9848	49.45	38.21	-34.84	52.82	74.00	21.18	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 177 of 303

802.11b_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	4924	53.79	30.95	-42.42	42.32	74.00	31.68	Vertical
2	7386	51.57	36.64	-38.07	50.14	74.00	23.86	Vertical
3	9848	48.21	38.21	-34.84	51.58	74.00	22.42	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 178 of 303

802.11g_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824	51.54	30.70	-42.66	39.58	74.00	34.42	Horizontal
2	7236	47.36	36.38	-38.44	45.30	74.00	28.70	Horizontal
3	9648	48.04	38.09	-34.71	51.42	74.00	22.58	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 179 of 303

802.11g_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	4824	51.43	30.70	-42.66	39.47	74.00	34.53	Vertical
2	7236	48.56	36.38	-38.44	46.50	74.00	27.50	Vertical
3	9648	46.76	38.09	-34.71	50.14	74.00	23.86	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 180 of 303

802.11g_Channel 6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	51.84	30.74	-42.55	40.03	74.00	33.97	Horizontal
2	7311	48.96	36.42	-38.34	47.04	74.00	26.96	Horizontal
3	9748	46.98	38.30	-35.42	49.86	74.00	24.14	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 181 of 303

802.11g_Channel 6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	52.31	30.74	-42.55	40.50	74.00	33.50	Vertical
2	7311	49.44	36.42	-38.34	47.52	74.00	26.48	Vertical
3	9748	46.57	38.30	-35.42	49.45	74.00	24.55	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 182 of 303

802.11g_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924	51.74	30.95	-42.42	40.27	74.00	33.73	Horizontal
2	7386	49.44	36.64	-38.07	48.01	74.00	25.99	Horizontal
3	9848	46.90	38.21	-34.84	50.27	74.00	23.73	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.: 01

Page: 183 of 303

802.11g_Channel 11



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	1000	40.92	24.50	-19.44	45.98	74.00	28.02	Vertical
2	4924	51.40	30.95	-42.42	39.93	74.00	34.07	Vertical
3	7386	50.00	36.64	-38.07	48.57	74.00	25.43	Vertical
4	9848	48.01	38.21	-34.84	51.38	74.00	22.62	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 184 of 303

802.11n20_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824	53.01	30.70	-42.66	41.05	74.00	32.95	Horizontal
2	7236	47.79	36.38	-38.44	45.73	74.00	28.27	Horizontal
3	9648	47.14	38.09	-34.71	50.52	74.00	23.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 185 of 303

802.11n20_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824	53.64	30.70	-42.66	41.68	74.00	32.32	Vertical
2	7236	49.14	36.38	-38.44	47.08	74.00	26.92	Vertical
3	9648	47.05	38.09	-34.71	50.43	74.00	23.57	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 186 of 303

802.11n20_Channel 6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	52.48	30.74	-42.55	40.67	74.00	33.33	Horizontal
2	7311	48.48	36.42	-38.34	46.56	74.00	27.44	Horizontal
3	9748	46.44	38.30	-35.42	49.32	74.00	24.68	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 187 of 303

802.11n20_Channel 6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	51.65	30.74	-42.55	39.84	74.00	34.16	Vertical
2	7311	48.64	36.42	-38.34	46.72	74.00	27.28	Vertical
3	9748	46.34	38.30	-35.42	49.22	74.00	24.78	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 188 of 303

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924	53.40	30.95	-42.42	41.93	74.00	32.07	Horizontal
2	7386	50.81	36.64	-38.07	49.38	74.00	24.62	Horizontal
3	9848	47.77	38.21	-34.84	51.14	74.00	22.86	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 189 of 303

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924	52.41	30.95	-42.42	40.94	74.00	33.06	Vertical
2	7386	50.67	36.64	-38.07	49.24	74.00	24.76	Vertical
3	9848	47.95	38.21	-34.84	51.32	74.00	22.68	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 190 of 303

802.11n40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	4844	51.66	30.62	-42.68	39.60	74.00	34.40	Horizontal
2	7266	48.82	36.33	-38.48	46.67	74.00	27.33	Horizontal
3	9688	46.91	38.18	-35.19	49.90	74.00	24.10	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 191 of 303

802.11n40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4844	53.13	30.62	-42.68	41.07	74.00	32.93	Vertical
2	7266	48.74	36.33	-38.48	46.59	74.00	27.41	Vertical
3	9688	45.98	38.18	-35.19	48.97	74.00	25.03	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 192 of 303

802.11n40_Channel6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	54.98	30.74	-42.55	43.17	74.00	30.83	Horizontal
2	7311	51.08	36.42	-38.34	49.16	74.00	24.84	Horizontal
3	9748	49.43	38.30	-35.42	52.31	74.00	21.69	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 193 of 303

802.11n40_Channel6




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	4874	53.70	30.74	-42.55	41.89	74.00	32.11	Vertical
2	7311	51.55	36.42	-38.34	49.63	74.00	24.37	Vertical
3	9748	49.17	38.30	-35.42	52.05	74.00	21.95	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 194 of 303

802.11n40_Channel9




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4904	53.86	30.91	-42.41	42.36	74.00	31.64	Horizontal
2	7356	50.53	36.52	-38.19	48.86	74.00	25.14	Horizontal
3	9808	48.52	38.45	-34.94	52.03	74.00	21.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 195 of 303

802.11n40_Channel9




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	4904	53.60	30.91	-42.41	42.10	74.00	31.90	Vertical
2	7356	50.52	36.52	-38.19	48.85	74.00	25.15	Vertical
3	9808	49.66	38.45	-34.94	53.17	74.00	20.83	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 196 of 303

802.11ax20_Channel1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824	52.81	30.70	-42.66	40.85	74.00	33.15	Horizontal
2	7236	49.14	36.38	-38.44	47.08	74.00	26.92	Horizontal
3	9648	47.45	38.09	-34.71	50.83	74.00	23.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 197 of 303

802.11ax20_Channel1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824	53.24	30.70	-42.66	41.28	74.00	32.72	Vertical
2	7236	50.31	36.38	-38.44	48.25	74.00	25.75	Vertical
3	9648	48.41	38.09	-34.71	51.79	74.00	22.21	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 198 of 303

802.11ax20_Channel6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	53.22	30.74	-42.55	41.41	74.00	32.59	Horizontal
2	7311	49.93	36.42	-38.34	48.01	74.00	25.99	Horizontal
3	9748	47.93	38.30	-35.42	50.81	74.00	23.19	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 199 of 303

802.11ax20_Channel6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	54.08	30.74	-42.55	42.27	74.00	31.73	Vertical
2	7311	50.30	36.42	-38.34	48.38	74.00	25.62	Vertical
3	9748	48.79	38.30	-35.42	51.67	74.00	22.33	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 200 of 303

802.11ax20_Channel11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924	53.16	30.95	-42.42	41.69	74.00	32.31	Horizontal
2	7386	50.46	36.64	-38.07	49.03	74.00	24.97	Horizontal
3	9848	48.28	38.21	-34.84	51.65	74.00	22.35	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 201 of 303

802.11ax20_Channel11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924	52.20	30.95	-42.42	40.73	74.00	33.27	Vertical
2	7386	50.61	36.64	-38.07	49.18	74.00	24.82	Vertical
3	9848	47.64	38.21	-34.84	51.01	74.00	22.99	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 202 of 303

802.11ax40_Channel3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4844	51.81	30.62	-42.68	39.75	74.00	34.25	Horizontal
2	7266	49.03	36.33	-38.48	46.88	74.00	27.12	Horizontal
3	9688	46.48	38.18	-35.19	49.47	74.00	24.53	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 203 of 303

802.11ax40_Channel3




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	4844	52.03	30.62	-42.68	39.97	74.00	34.03	Vertical
2	7266	48.77	36.33	-38.48	46.62	74.00	27.38	Vertical
3	9688	47.02	38.18	-35.19	50.01	74.00	23.99	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 204 of 303

802.11ax40_Channel6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	53.84	30.74	-42.55	42.03	74.00	31.97	Horizontal
2	7311	51.25	36.42	-38.34	49.33	74.00	24.67	Horizontal
3	9748	48.45	38.30	-35.42	51.33	74.00	22.67	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 205 of 303

802.11ax40_Channel6




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	53.38	30.74	-42.55	41.57	74.00	32.43	Vertical
2	7311	50.12	36.42	-38.34	48.20	74.00	25.80	Vertical
3	9748	48.92	38.30	-35.42	51.80	74.00	22.20	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 206 of 303

802.11ax40_Channel9




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4904	53.15	30.91	-42.41	41.65	74.00	32.35	Horizontal
2	7356	50.64	36.52	-38.19	48.97	74.00	25.03	Horizontal
3	9808	48.45	38.45	-34.94	51.96	74.00	22.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.: 01
Page: 207 of 303

802.11ax40_Channel9



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	4904	54.15	30.91	-42.41	42.65	74.00	31.35	Vertical
2	7356	51.99	36.52	-38.19	50.32	74.00	23.68	Vertical
3	9808	48.79	38.45	-34.94	52.30	74.00	21.70	Vertical

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dBµV) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit(dBµV/m) – Level(dBµV/m)

All channels have been tested, but only the worst case data displayed in this report.

Both peak and average measured complies with the limit line, so test result is "PASS"




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 208 of 303

Restricted bands around fundamental frequency

F961A
802.11b_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.4127	38.84	27.83	-17.26	49.41	74.00	24.59	Horizontal
2	2389.8399	37.89	27.82	-17.20	48.51	74.00	25.49	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 209 of 303

802.11b_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2384.8874	26.06	27.83	-17.27	36.62	54.00	17.38	Horizontal
2	2389.1646	26.09	27.82	-17.21	36.70	54.00	17.30	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 210 of 303

802.11b_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.0375	40.01	27.83	-17.27	50.57	74.00	23.43	Vertical
2	2389.915	40.21	27.82	-17.20	50.83	74.00	23.17	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 211 of 303

802.11b_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.6378	27.89	27.83	-17.26	38.46	54.00	15.54	Vertical
2	2389.0145	28.30	27.82	-17.21	38.91	54.00	15.09	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 212 of 303

802.11b_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5918	46.41	27.97	-19.09	55.29	74.00	18.71	Horizontal
2	2488.4442	48.99	27.98	-19.01	57.96	74.00	16.04	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 213 of 303

802.11b_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5418	29.14	27.97	-19.09	38.02	54.00	15.98	Horizontal
2	2485.4427	26.33	27.97	-19.06	35.24	54.00	18.76	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 214 of 303

802.11b_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5418	47.51	27.97	-19.09	56.39	74.00	17.61	Vertical
2	2488.1441	47.88	27.98	-19.02	56.84	74.00	17.16	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 215 of 303

802.11b_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5418	33.49	27.97	-19.09	42.37	54.00	11.63	Vertical
2	2485.1426	29.09	27.97	-19.07	37.99	54.00	16.01	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 216 of 303

802.11g_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.7144	50.66	27.82	-17.22	61.26	74.00	12.74	Horizontal
2	2389.6148	52.30	27.82	-17.21	62.91	74.00	11.09	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 217 of 303

802.11g_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.0145	33.78	27.82	-17.21	44.39	54.00	9.61	Horizontal
2	2389.3897	34.11	27.82	-17.21	44.72	54.00	9.28	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 218 of 303

802.11g_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.9395	58.70	27.82	-17.21	69.31	74.00	4.69	Vertical
2	2389.6898	59.76	27.82	-17.20	70.38	74.00	3.62	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 219 of 303

802.11g_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2386.088	34.56	27.83	-17.25	45.14	54.00	8.86	Vertical
2	2389.99	39.79	27.82	-17.20	50.41	54.00	3.59	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 220 of 303

802.11g_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.6418	50.19	27.97	-19.09	59.07	74.00	14.93	Horizontal
2	2485.6428	48.04	27.97	-19.06	56.95	74.00	17.05	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 221 of 303

802.11g_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.1421	32.27	27.97	-19.08	41.16	54.00	12.84	Horizontal
2	2485.5428	29.94	27.97	-19.06	38.85	54.00	15.15	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 222 of 303

802.11g_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.7919	58.41	27.97	-19.09	67.29	74.00	6.71	Vertical
2	2485.8429	57.25	27.97	-19.06	66.16	74.00	7.84	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 223 of 303

802.11g_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.6918	40.82	27.97	-19.09	49.70	54.00	4.30	Vertical
2	2484.2421	41.01	27.97	-19.08	49.90	54.00	4.10	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 224 of 303

802.11n20_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.9395	57.52	27.82	-17.21	68.13	74.00	5.87	Horizontal
2	2389.8399	56.60	27.82	-17.20	67.22	74.00	6.78	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 225 of 303

802.11n20_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.8889	39.34	27.82	-17.23	49.93	54.00	4.07	Horizontal
2	2389.7649	38.46	27.82	-17.20	49.08	54.00	4.92	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 226 of 303

802.11n20_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.5643	55.71	27.82	-17.22	66.31	74.00	7.69	Vertical
2	2389.7649	55.53	27.82	-17.20	66.15	74.00	7.85	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 227 of 303

802.11n20_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.6393	37.31	27.82	-17.22	47.91	54.00	6.09	Vertical
2	2389.915	38.14	27.82	-17.20	48.76	54.00	5.24	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 228 of 303

802.11n20_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5418	58.70	27.97	-19.09	67.58	74.00	6.42	Horizontal
2	2484.5423	56.10	27.97	-19.08	64.99	74.00	9.01	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 229 of 303

802.11n20_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.6418	38.90	27.97	-19.09	47.78	54.00	6.22	Horizontal
2	2484.7424	38.22	27.97	-19.07	47.12	54.00	6.88	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 230 of 303

802.11n20_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.6418	60.40	27.97	-19.09	69.28	74.00	4.72	Vertical
2	2484.5423	55.91	27.97	-19.08	64.80	74.00	9.20	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 231 of 303

802.11n20_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5418	40.67	27.97	-19.09	49.55	54.00	4.45	Vertical
2	2484.2921	38.37	27.97	-19.08	47.26	54.00	6.74	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 232 of 303

802.11n40_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.4597	58.85	27.82	-19.06	67.61	74.00	6.39	Horizontal
2	2486.7884	47.23	27.97	-19.04	56.16	74.00	17.84	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 233 of 303

802.11n40_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.939	40.20	27.82	-19.10	48.92	54.00	5.08	Horizontal
2	2483.8419	26.98	27.97	-19.09	35.86	54.00	18.14	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 234 of 303

802.11n40_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.7529	57.04	27.83	-19.17	65.70	74.00	8.30	Vertical
2	2483.937	47.62	27.97	-19.09	56.50	74.00	17.50	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 235 of 303

802.11n40_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.3192	41.19	27.82	-19.09	49.92	54.00	4.08	Vertical
2	2483.937	27.94	27.97	-19.09	36.82	54.00	17.18	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 236 of 303

802.11n40_Channel 9



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.2696	46.99	27.82	-19.06	55.75	74.00	18.25	Horizontal
2	2484.5073	50.54	27.97	-19.08	59.43	74.00	14.57	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 237 of 303

802.11n40_Channel 9



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.8399	26.12	27.82	-19.04	34.90	54.00	19.10	Horizontal
2	2483.7469	33.89	27.97	-19.09	42.77	54.00	11.23	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 238 of 303

802.11n40_Channel 9



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.1746	47.36	27.82	-19.07	56.11	74.00	17.89	Vertical
2	2484.6023	59.16	27.97	-19.08	68.05	74.00	5.95	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 239 of 303

802.11n40_Channel 9



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.935	29.37	27.82	-19.04	38.15	54.00	15.85	Vertical
2	2486.9785	40.66	27.97	-19.04	49.59	54.00	4.41	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 240 of 303

802.11ax20_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.7144	53.22	27.82	-17.22	63.82	74.00	10.18	Horizontal
2	2389.99	54.15	27.82	-17.20	64.77	74.00	9.23	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 241 of 303

802.11ax20_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.4142	31.52	27.82	-17.22	42.12	54.00	11.88	Horizontal
2	2389.3147	32.28	27.82	-17.21	42.89	54.00	11.11	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 242 of 303

802.11ax20_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.3637	57.79	27.83	-17.24	68.38	74.00	5.62	Vertical
2	2389.99	58.86	27.82	-17.20	69.48	74.00	4.52	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 243 of 303

802.11ax20_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2386.2381	37.15	27.83	-17.25	47.73	54.00	6.27	Vertical
2	2389.99	40.36	27.82	-17.20	50.98	54.00	3.02	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 244 of 303

802.11ax20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.8419	52.82	27.97	-19.09	61.70	74.00	12.30	Horizontal
2	2484.9425	51.51	27.97	-19.07	60.41	74.00	13.59	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 245 of 303

802.11ax20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5418	30.53	27.97	-19.09	39.41	54.00	14.59	Horizontal
2	2483.942	29.14	27.97	-19.09	38.02	54.00	15.98	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 246 of 303

802.11ax20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.2921	58.19	27.97	-19.08	67.08	74.00	6.92	Vertical
2	2484.6423	58.07	27.97	-19.08	66.96	74.00	7.04	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 247 of 303

802.11ax20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5418	38.65	27.97	-19.09	47.53	54.00	6.47	Vertical
2	2484.5423	35.94	27.97	-19.08	44.83	54.00	9.17	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 248 of 303

802.11ax40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.7449	56.26	27.82	-19.05	65.03	74.00	8.97	Horizontal
2	2483.6518	47.64	27.97	-19.09	56.52	74.00	17.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 249 of 303

802.11ax40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.0835	36.82	27.83	-19.13	45.52	54.00	8.48	Horizontal
2	2483.937	25.71	27.97	-19.09	34.59	54.00	19.41	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 250 of 303

802.11ax40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.2241	57.89	27.82	-19.10	66.61	74.00	7.39	Vertical
2	2486.2181	47.45	27.97	-19.05	56.37	74.00	17.63	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 251 of 303

802.11ax40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.6043	40.61	27.82	-19.08	49.35	54.00	4.65	Vertical
2	2483.937	27.95	27.97	-19.09	36.83	54.00	17.17	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 252 of 303

802.11ax40_Channel 9




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.4142	46.93	27.82	-19.09	55.66	74.00	18.34	Horizontal
2	2485.5528	49.07	27.97	-19.06	57.98	74.00	16.02	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 253 of 303

802.11ax40_Channel 9




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.8894	25.53	27.82	-19.07	34.28	54.00	19.72	Horizontal
2	2484.032	31.50	27.97	-19.09	40.38	54.00	13.62	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 254 of 303

802.11ax40_Channel 9



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.9845	48.09	27.82	-19.07	56.84	74.00	17.16	Vertical
2	2485.6478	60.29	27.97	-19.06	69.20	74.00	4.80	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 255 of 303

802.11ax40_Channel 9




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.4597	29.69	27.82	-19.06	38.45	54.00	15.55	Vertical
2	2486.8834	41.48	27.97	-19.04	50.41	54.00	3.59	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 256 of 303

F9E1A
802.11b_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2359.8249	48.43	27.56	-17.38	58.61	74.00	15.39	Horizontal
2	2384.062	47.99	27.46	-17.28	58.17	74.00	15.83	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 257 of 303

802.11b_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2370.03	26.63	27.52	-17.34	36.81	54.00	17.19	Horizontal
2	2387.5138	26.71	27.45	-17.26	36.90	54.00	17.10	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 258 of 303

802.11b_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2364.2521	48.28	27.54	-17.36	58.46	74.00	15.54	Vertical
2	2384.062	47.63	27.46	-17.28	57.81	74.00	16.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 259 of 303

802.11b_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2377.3837	26.99	27.49	-17.30	37.18	54.00	16.82	Vertical
2	2389.0895	29.07	27.44	-17.26	39.25	54.00	14.75	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 260 of 303

802.11b_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.7924	47.55	27.74	-17.15	58.14	74.00	15.86	Horizontal
2	2490.2951	48.03	27.76	-17.19	58.60	74.00	15.40	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 261 of 303

802.11b_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.8419	26.65	27.74	-17.15	37.24	54.00	16.76	Horizontal
2	2490.1451	26.51	27.76	-17.19	37.08	54.00	16.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 262 of 303

802.11b_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485.7429	47.53	27.74	-17.16	58.11	74.00	15.89	Vertical
2	2492.4462	47.71	27.77	-17.20	58.28	74.00	15.72	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 263 of 303

802.11b_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.3422	27.72	27.74	-17.15	38.31	54.00	15.69	Vertical
2	2492.2461	26.57	27.77	-17.20	37.14	54.00	16.86	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 264 of 303

802.11g_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2352.3212	48.42	27.59	-17.41	58.60	74.00	15.40	Horizontal
2	2389.8399	51.75	27.44	-17.25	61.94	74.00	12.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 265 of 303

802.11g_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2384.4372	27.86	27.46	-17.28	38.04	54.00	15.96	Horizontal
2	2389.6148	33.92	27.44	-17.25	44.11	54.00	9.89	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 266 of 303

802.11g_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2386.088	53.26	27.46	-17.27	63.45	74.00	10.55	Vertical
2	2389.915	55.42	27.44	-17.25	65.61	74.00	8.39	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 267 of 303

802.11g_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.2136	36.49	27.45	-17.26	46.68	54.00	7.32	Vertical
2	2389.99	40.77	27.44	-17.25	50.96	54.00	3.04	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 268 of 303

802.11g_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5918	48.49	27.73	-17.14	59.08	74.00	14.92	Horizontal
2	2487.1436	47.14	27.75	-17.17	57.72	74.00	16.28	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 269 of 303

802.11g_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5418	30.64	27.73	-17.14	41.23	54.00	12.77	Horizontal
2	2486.9935	27.81	27.75	-17.17	38.39	54.00	15.61	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 270 of 303

802.11g_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.092	55.29	27.74	-17.15	65.88	74.00	8.12	Vertical
2	2484.9925	54.31	27.74	-17.15	64.90	74.00	9.10	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 271 of 303

802.11g_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.7419	38.70	27.73	-17.15	49.28	54.00	4.72	Vertical
2	2485.1426	36.15	27.74	-17.15	46.74	54.00	7.26	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 272 of 303

802.11n20_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2377.1586	47.68	27.49	-17.31	57.86	74.00	16.14	Horizontal
2	2386.9135	53.74	27.45	-17.26	63.93	74.00	10.07	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 273 of 303

802.11n20_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2384.3622	30.89	27.46	-17.28	41.07	54.00	12.93	Horizontal
2	2387.6638	34.91	27.45	-17.26	45.10	54.00	8.90	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 274 of 303

802.11n20_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2384.062	48.93	27.46	-17.28	59.11	74.00	14.89	Vertical
2	2389.915	55.12	27.44	-17.25	65.31	74.00	8.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 275 of 303

802.11n20_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.4142	34.71	27.45	-17.26	44.90	54.00	9.10	Vertical
2	2389.99	39.25	27.44	-17.25	49.44	54.00	4.56	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 276 of 303

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.6423	52.04	27.74	-17.15	62.63	74.00	11.37	Horizontal
2	2487.4937	47.02	27.75	-17.17	57.60	74.00	16.40	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 277 of 303

802.11n20_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.6418	34.21	27.73	-17.15	44.79	54.00	9.21	Horizontal
2	2486.1931	28.41	27.74	-17.16	38.99	54.00	15.01	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 278 of 303

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.8924	55.41	27.74	-17.15	66.00	74.00	8.00	Vertical
2	2486.3432	53.62	27.75	-17.16	64.21	74.00	9.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 279 of 303

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.992	37.93	27.74	-17.15	48.52	54.00	5.48	Vertical
2	2486.093	36.10	27.74	-17.16	46.68	54.00	7.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 280 of 303

802.11n40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.6043	43.53	27.45	-17.26	53.72	74.00	20.28	Horizontal
2	2486.6933	38.95	27.75	-17.16	49.54	74.00	24.46	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 281 of 303

802.11n40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2386.8934	28.81	27.45	-17.27	38.99	54.00	15.01	Horizontal
2	2483.8419	25.70	27.74	-17.15	36.29	54.00	17.71	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 282 of 303

802.11n40_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.7449	55.33	27.44	-17.25	65.52	74.00	8.48	Vertical
2	2484.3172	40.70	27.74	-17.15	51.29	74.00	22.71	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 283 of 303

802.11n40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.8399	40.49	27.44	-17.25	50.68	54.00	3.32	Vertical
2	2484.3172	27.49	27.74	-17.15	38.08	54.00	15.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 284 of 303

802.11n40_Channel 9




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.2696	38.92	27.44	-17.26	49.10	74.00	24.90	Horizontal
2	2483.7469	47.69	27.73	-17.15	58.27	74.00	15.73	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 285 of 303

802.11n40_Channel 9




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.3647	25.88	27.44	-17.25	36.07	54.00	17.93	Horizontal
2	2483.7469	32.85	27.73	-17.15	43.43	54.00	10.57	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 286 of 303

802.11n40_Channel 9




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.0835	41.00	27.45	-17.26	51.19	74.00	22.81	Vertical
2	2485.4577	53.54	27.74	-17.16	64.12	74.00	9.88	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 287 of 303

802.11n40_Channel 9




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.3647	28.53	27.44	-17.25	38.72	54.00	15.28	Vertical
2	2483.5	38.34	27.73	-17.14	48.93	54.00	5.07	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 288 of 303

802.11ax20_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.1891	48.79	27.45	-17.26	58.98	74.00	15.02	Horizontal
2	2389.6898	51.70	27.44	-17.25	61.89	74.00	12.11	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 289 of 303

802.11ax20_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2386.013	29.31	27.46	-17.27	39.50	54.00	14.50	Horizontal
2	2389.915	35.27	27.44	-17.25	45.46	54.00	8.54	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 290 of 303

802.11ax20_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2386.1631	57.45	27.46	-17.27	67.64	74.00	6.36	Vertical
2	2388.7894	60.11	27.44	-17.26	70.29	74.00	3.71	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 291 of 303

802.11ax20_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.8629	35.98	27.46	-17.27	46.17	54.00	7.83	Vertical
2	2388.4142	40.77	27.45	-17.26	50.96	54.00	3.04	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 292 of 303

802.11ax20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5918	54.88	27.73	-17.14	65.47	74.00	8.53	Horizontal
2	2484.9425	52.32	27.74	-17.15	62.91	74.00	11.09	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 293 of 303

802.11ax20_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5918	34.27	27.73	-17.14	44.86	54.00	9.14	Horizontal
2	2485.2926	31.15	27.74	-17.16	41.73	54.00	12.27	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 294 of 303

802.11ax20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.8419	59.29	27.74	-17.15	69.88	74.00	4.12	Vertical
2	2485.0425	59.06	27.74	-17.15	69.65	74.00	4.35	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 295 of 303

802.11ax20_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5418	37.24	27.73	-17.14	47.83	54.00	6.17	Vertical
2	2486.1431	32.93	27.74	-17.16	43.51	54.00	10.49	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 296 of 303

802.11ax40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.9845	48.25	27.44	-17.26	58.43	74.00	15.57	Horizontal
2	2486.5033	38.81	27.75	-17.16	49.40	74.00	24.60	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 297 of 303

802.11ax40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.7449	34.49	27.44	-17.25	44.68	54.00	9.32	Horizontal
2	2484.1271	25.95	27.74	-17.15	36.54	54.00	17.46	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 298 of 303

802.11ax40_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.5548	57.88	27.44	-17.25	68.07	74.00	5.93	Vertical
2	2483.937	40.05	27.74	-17.15	50.64	74.00	23.36	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 299 of 303

802.11ax40_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.2241	39.65	27.45	-17.26	49.84	54.00	4.16	Vertical
2	2484.4122	27.62	27.74	-17.15	38.21	54.00	15.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 300 of 303

802.11ax40_Channel 9




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2382.2361	39.58	27.47	-17.28	49.77	74.00	24.23	Horizontal
2	2484.2221	53.60	27.74	-17.15	64.19	74.00	9.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 301 of 303

802.11ax40_Channel 9



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.4597	25.91	27.44	-17.25	36.10	54.00	17.90	Horizontal
2	2483.7469	35.08	27.73	-17.15	45.66	54.00	8.34	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003

Rev.:

Page: 302 of 303

802.11ax40_Channel 9




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.3192	42.45	27.45	-17.26	52.64	74.00	21.36	Vertical
2	2486.028	58.79	27.74	-17.16	69.37	74.00	4.63	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017003
Rev.:
Page: 303 of 303

802.11ax40_Channel 9



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.6498	28.88	27.44	-17.25	39.07	54.00	14.93	Vertical
2	2483.6518	37.55	27.73	-17.15	48.13	54.00	5.87	Vertical

Remark:
The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---