




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 436 of 1085






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 437 of 1085



802.11n(HT20)_MCH_5785MHz_MIMO_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 439 of 1085






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 440 of 1085



802.11n(HT40)_LCH_5755MHz_MIMO_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 442 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 443 of 1085







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 444 of 1085

802.11ac(VHT20)_LCH_5745MHz_MIMO_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 445 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 446 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 447 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 448 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 449 of 1085







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 450 of 1085

802.11ac(VHT40)_HCH_5795MHz_MIMO_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 451 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 452 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 453 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 454 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 455 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 456 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 457 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 458 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 459 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 460 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 461 of 1085

5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	MIMO	5180	/	/	20	102	5180.000	5150 to 5250	Pass
						120	5179.980	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5179.980	5150 to 5250	Pass
					-20	120	5180.000	5150 to 5250	Pass
					-10	120	5179.980	5150 to 5250	Pass
					0	120	5180.000	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5180.000	5150 to 5250	Pass
					40	120	5179.980	5150 to 5250	Pass
					50	120	5179.980	5150 to 5250	Pass
		5200	/	/	20	102	5200.000	5150 to 5250	Pass
						120	5199.980	5150 to 5250	Pass
						138	5200.000	5150 to 5250	Pass
					-30	120	5200.000	5150 to 5250	Pass
					-20	120	5200.000	5150 to 5250	Pass
					-10	120	5200.000	5150 to 5250	Pass
					0	120	5200.000	5150 to 5250	Pass
					10	120	5200.000	5150 to 5250	Pass
					30	120	5200.000	5150 to 5250	Pass
					40	120	5200.020	5150 to 5250	Pass
					50	120	5200.000	5150 to 5250	Pass
		5240	/	/	20	102	5239.980	5150 to 5250	Pass
						120	5240.000	5150 to 5250	Pass
						138	5240.000	5150 to 5250	Pass
					-30	120	5240.000	5150 to 5250	Pass
					-20	120	5240.000	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5240.020	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
					30	120	5240.020	5150 to 5250	Pass
					40	120	5240.000	5150 to 5250	Pass
					50	120	5240.000	5150 to 5250	Pass
		5260	/	/	20	102	5260.020	5250 to 5350	Pass
						120	5260.000	5250 to 5350	Pass
						138	5260.000	5250 to 5350	Pass
					-30	120	5259.980	5250 to 5350	Pass
					-20	120	5260.000	5250 to 5350	Pass
					-10	120	5260.000	5250 to 5350	Pass
					0	120	5260.000	5250 to 5350	Pass
					10	120	5260.000	5250 to 5350	Pass
					30	120	5260.000	5250 to 5350	Pass
					40	120	5259.980	5250 to 5350	Pass
					50	120	5260.020	5250 to 5350	Pass
		5300	/	/	20	102	5300.020	5250 to 5350	Pass
						120	5300.000	5250 to 5350	Pass
						138	5300.000	5250 to 5350	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 462 of 1085

					-30	120	5300.020	5250 to 5350	Pass
					-20	120	5299.980	5250 to 5350	Pass
					-10	120	5300.000	5250 to 5350	Pass
					0	120	5299.980	5250 to 5350	Pass
					10	120	5300.000	5250 to 5350	Pass
					30	120	5299.980	5250 to 5350	Pass
					40	120	5300.000	5250 to 5350	Pass
					50	120	5300.000	5250 to 5350	Pass
		5320	/	/	20	102	5320.000	5250 to 5350	Pass
						120	5319.980	5250 to 5350	Pass
						138	5320.020	5250 to 5350	Pass
					-30	120	5320.000	5250 to 5350	Pass
					-20	120	5320.020	5250 to 5350	Pass
					-10	120	5320.000	5250 to 5350	Pass
					0	120	5319.980	5250 to 5350	Pass
					10	120	5319.980	5250 to 5350	Pass
					30	120	5320.000	5250 to 5350	Pass
					40	120	5320.000	5250 to 5350	Pass
					50	120	5320.020	5250 to 5350	Pass
		5500	/	/	20	102	5499.980	5470 to 5725	Pass
						120	5499.980	5470 to 5725	Pass
						138	5499.980	5470 to 5725	Pass
					-30	120	5500.000	5470 to 5725	Pass
					-20	120	5499.980	5470 to 5725	Pass
					-10	120	5499.980	5470 to 5725	Pass
					0	120	5500.000	5470 to 5725	Pass
					10	120	5500.000	5470 to 5725	Pass
					30	120	5499.980	5470 to 5725	Pass
					40	120	5500.000	5470 to 5725	Pass
					50	120	5500.000	5470 to 5725	Pass
		5580	/	/	20	102	5579.980	5470 to 5725	Pass
						120	5580.000	5470 to 5725	Pass
						138	5580.000	5470 to 5725	Pass
					-30	120	5580.000	5470 to 5725	Pass
					-20	120	5579.980	5470 to 5725	Pass
					-10	120	5580.000	5470 to 5725	Pass
					0	120	5580.000	5470 to 5725	Pass
					10	120	5579.980	5470 to 5725	Pass
					30	120	5579.980	5470 to 5725	Pass
					40	120	5579.980	5470 to 5725	Pass
					50	120	5580.000	5470 to 5725	Pass
		5700	/	/	20	102	5699.980	5470 to 5725	Pass
						120	5699.980	5470 to 5725	Pass
						138	5699.980	5470 to 5725	Pass
					-30	120	5699.980	5470 to 5725	Pass
					-20	120	5699.980	5470 to 5725	Pass
					-10	120	5700.000	5470 to 5725	Pass
					0	120	5699.980	5470 to 5725	Pass
					10	120	5700.000	5470 to 5725	Pass
					30	120	5699.980	5470 to 5725	Pass
					40	120	5700.000	5470 to 5725	Pass
					50	120	5700.000	5470 to 5725	Pass
		5745	/	/	20	102	5745.000	5725 to 5850	Pass
						120	5744.980	5725 to 5850	Pass
						138	5744.980	5725 to 5850	Pass
					-30	120	5744.960	5725 to 5850	Pass
					-20	120	5744.980	5725 to 5850	Pass
					-10	120	5744.980	5725 to 5850	Pass
					0	120	5744.980	5725 to 5850	Pass
					10	120	5744.960	5725 to 5850	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 463 of 1085

					30	120	5744.960	5725 to 5850	Pass
					40	120	5744.960	5725 to 5850	Pass
					50	120	5744.980	5725 to 5850	Pass
		5785	/	/	20	102	5784.980	5725 to 5850	Pass
						120	5784.980	5725 to 5850	Pass
						138	5784.980	5725 to 5850	Pass
					-30	120	5784.980	5725 to 5850	Pass
					-20	120	5784.980	5725 to 5850	Pass
					-10	120	5785.000	5725 to 5850	Pass
					0	120	5785.000	5725 to 5850	Pass
					10	120	5784.980	5725 to 5850	Pass
					30	120	5784.980	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5784.980	5725 to 5850	Pass
		5825	/	/	20	102	5824.960	5725 to 5850	Pass
						120	5824.960	5725 to 5850	Pass
						138	5824.980	5725 to 5850	Pass
					-30	120	5824.980	5725 to 5850	Pass
					-20	120	5824.980	5725 to 5850	Pass
					-10	120	5824.980	5725 to 5850	Pass
					0	120	5825.000	5725 to 5850	Pass
					10	120	5825.000	5725 to 5850	Pass
					30	120	5824.980	5725 to 5850	Pass
					40	120	5824.980	5725 to 5850	Pass
					50	120	5824.980	5725 to 5850	Pass
802.11n (HT20)	MIMO	5180	/	/	20	102	5180.000	5150 to 5250	Pass
						120	5179.980	5150 to 5250	Pass
						138	5179.980	5150 to 5250	Pass
					-30	120	5179.980	5150 to 5250	Pass
					-20	120	5179.980	5150 to 5250	Pass
					-10	120	5179.980	5150 to 5250	Pass
					0	120	5180.000	5150 to 5250	Pass
					10	120	5179.980	5150 to 5250	Pass
					30	120	5179.980	5150 to 5250	Pass
					40	120	5179.980	5150 to 5250	Pass
					50	120	5179.980	5150 to 5250	Pass
		5200	/	/	20	102	5199.980	5150 to 5250	Pass
						120	5199.980	5150 to 5250	Pass
						138	5199.980	5150 to 5250	Pass
					-30	120	5200.000	5150 to 5250	Pass
					-20	120	5200.020	5150 to 5250	Pass
					-10	120	5199.980	5150 to 5250	Pass
					0	120	5199.980	5150 to 5250	Pass
					10	120	5200.000	5150 to 5250	Pass
					30	120	5199.980	5150 to 5250	Pass
					40	120	5199.980	5150 to 5250	Pass
					50	120	5200.020	5150 to 5250	Pass
		5240	/	/	20	102	5239.980	5150 to 5250	Pass
						120	5240.000	5150 to 5250	Pass
						138	5240.000	5150 to 5250	Pass
					-30	120	5240.020	5150 to 5250	Pass
					-20	120	5239.980	5150 to 5250	Pass
					-10	120	5239.980	5150 to 5250	Pass
					0	120	5240.000	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
					30	120	5239.980	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5240.020	5150 to 5250	Pass
		5260	/	/	20	102	5260.000	5250 to 5350	Pass
						120	5260.000	5250 to 5350	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 464 of 1085

						138	5260.000	5250 to 5350	Pass
					-30	120	5260.020	5250 to 5350	Pass
					-20	120	5260.000	5250 to 5350	Pass
					-10	120	5259.980	5250 to 5350	Pass
					0	120	5260.020	5250 to 5350	Pass
					10	120	5260.020	5250 to 5350	Pass
					30	120	5260.000	5250 to 5350	Pass
					40	120	5260.000	5250 to 5350	Pass
					50	120	5260.000	5250 to 5350	Pass
		5300	/	/	20	102	5299.960	5250 to 5350	Pass
						120	5299.980	5250 to 5350	Pass
						138	5299.940	5250 to 5350	Pass
					-30	120	5300.000	5250 to 5350	Pass
					-20	120	5299.960	5250 to 5350	Pass
					-10	120	5300.000	5250 to 5350	Pass
					0	120	5299.980	5250 to 5350	Pass
					10	120	5300.000	5250 to 5350	Pass
					30	120	5299.980	5250 to 5350	Pass
					40	120	5299.980	5250 to 5350	Pass
					50	120	5299.980	5250 to 5350	Pass
		5320	/	/	20	102	5319.980	5250 to 5350	Pass
						120	5320.000	5250 to 5350	Pass
						138	5319.980	5250 to 5350	Pass
					-30	120	5319.980	5250 to 5350	Pass
					-20	120	5319.960	5250 to 5350	Pass
					-10	120	5319.980	5250 to 5350	Pass
					0	120	5320.000	5250 to 5350	Pass
					10	120	5319.980	5250 to 5350	Pass
					30	120	5320.020	5250 to 5350	Pass
					40	120	5320.000	5250 to 5350	Pass
					50	120	5319.980	5250 to 5350	Pass
		5500	/	/	20	102	5500.000	5470 to 5725	Pass
						120	5500.000	5470 to 5725	Pass
						138	5499.960	5470 to 5725	Pass
					-30	120	5500.000	5470 to 5725	Pass
					-20	120	5499.940	5470 to 5725	Pass
					-10	120	5499.960	5470 to 5725	Pass
					0	120	5499.980	5470 to 5725	Pass
					10	120	5499.960	5470 to 5725	Pass
					30	120	5500.000	5470 to 5725	Pass
					40	120	5499.940	5470 to 5725	Pass
					50	120	5499.980	5470 to 5725	Pass
		5580	/	/	20	102	5580.000	5470 to 5725	Pass
						120	5579.980	5470 to 5725	Pass
						138	5580.000	5470 to 5725	Pass
					-30	120	5580.000	5470 to 5725	Pass
					-20	120	5580.020	5470 to 5725	Pass
					-10	120	5580.000	5470 to 5725	Pass
					0	120	5580.000	5470 to 5725	Pass
					10	120	5580.000	5470 to 5725	Pass
					30	120	5579.980	5470 to 5725	Pass
					40	120	5579.960	5470 to 5725	Pass
					50	120	5579.960	5470 to 5725	Pass
		5700	/	/	20	102	5699.980	5470 to 5725	Pass
						120	5699.980	5470 to 5725	Pass
						138	5699.980	5470 to 5725	Pass
					-30	120	5700.000	5470 to 5725	Pass
					-20	120	5699.960	5470 to 5725	Pass
					-10	120	5699.960	5470 to 5725	Pass
					0	120	5699.980	5470 to 5725	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 465 of 1085

					10	120	5700.000	5470 to 5725	Pass
					30	120	5699.980	5470 to 5725	Pass
					40	120	5699.960	5470 to 5725	Pass
					50	120	5699.980	5470 to 5725	Pass
		5745	/	/	20	102	5744.960	5725 to 5850	Pass
						120	5744.980	5725 to 5850	Pass
						138	5744.980	5725 to 5850	Pass
					-30	120	5744.920	5725 to 5850	Pass
					-20	120	5744.960	5725 to 5850	Pass
					-10	120	5744.980	5725 to 5850	Pass
					0	120	5744.960	5725 to 5850	Pass
					10	120	5744.960	5725 to 5850	Pass
					30	120	5744.960	5725 to 5850	Pass
					40	120	5744.960	5725 to 5850	Pass
					50	120	5745.020	5725 to 5850	Pass
		5785	/	/	20	102	5784.980	5725 to 5850	Pass
						120	5784.980	5725 to 5850	Pass
						138	5784.940	5725 to 5850	Pass
					-30	120	5784.980	5725 to 5850	Pass
					-20	120	5784.980	5725 to 5850	Pass
					-10	120	5784.980	5725 to 5850	Pass
					0	120	5784.980	5725 to 5850	Pass
					10	120	5785.000	5725 to 5850	Pass
					30	120	5784.980	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5784.980	5725 to 5850	Pass
		5825	/	/	20	102	5824.960	5725 to 5850	Pass
						120	5824.940	5725 to 5850	Pass
						138	5824.980	5725 to 5850	Pass
					-30	120	5824.960	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5824.960	5725 to 5850	Pass
					0	120	5824.980	5725 to 5850	Pass
					10	120	5824.960	5725 to 5850	Pass
					30	120	5824.940	5725 to 5850	Pass
					40	120	5824.980	5725 to 5850	Pass
					50	120	5824.960	5725 to 5850	Pass
802.11n (HT40)	MIMO	5190	/	/	20	102	5190.000	5150 to 5250	Pass
						120	5190.040	5150 to 5250	Pass
						138	5190.000	5150 to 5250	Pass
					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5190.000	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5190.000	5150 to 5250	Pass
					10	120	5190.040	5150 to 5250	Pass
					30	120	5190.000	5150 to 5250	Pass
					40	120	5190.000	5150 to 5250	Pass
					50	120	5190.040	5150 to 5250	Pass
		5230	/	/	20	102	5230.000	5150 to 5250	Pass
						120	5230.040	5150 to 5250	Pass
						138	5230.000	5150 to 5250	Pass
					-30	120	5230.000	5150 to 5250	Pass
					-20	120	5230.000	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.040	5150 to 5250	Pass
					10	120	5230.000	5150 to 5250	Pass
					30	120	5230.000	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
					50	120	5230.040	5150 to 5250	Pass
		5270	/	/	20	102	5270.000	5250 to 5350	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 466 of 1085

						120	5270.040	5250 to 5350	Pass
						138	5270.000	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.000	5250 to 5350	Pass
					-10	120	5270.040	5250 to 5350	Pass
					0	120	5270.000	5250 to 5350	Pass
					10	120	5270.000	5250 to 5350	Pass
					30	120	5270.000	5250 to 5350	Pass
					40	120	5270.000	5250 to 5350	Pass
					50	120	5270.000	5250 to 5350	Pass
		5310	/	/	20	102	5310.000	5250 to 5350	Pass
						120	5310.000	5250 to 5350	Pass
						138	5310.000	5250 to 5350	Pass
					-30	120	5310.000	5250 to 5350	Pass
					-20	120	5310.000	5250 to 5350	Pass
					-10	120	5310.000	5250 to 5350	Pass
					0	120	5310.040	5250 to 5350	Pass
					10	120	5310.000	5250 to 5350	Pass
					30	120	5310.000	5250 to 5350	Pass
					40	120	5310.040	5250 to 5350	Pass
					50	120	5310.000	5250 to 5350	Pass
		5510	/	/	20	102	5509.960	5470 to 5725	Pass
						120	5510.000	5470 to 5725	Pass
						138	5509.960	5470 to 5725	Pass
					-30	120	5510.000	5470 to 5725	Pass
					-20	120	5510.040	5470 to 5725	Pass
					-10	120	5510.000	5470 to 5725	Pass
					0	120	5509.960	5470 to 5725	Pass
					10	120	5510.000	5470 to 5725	Pass
					30	120	5510.000	5470 to 5725	Pass
					40	120	5510.000	5470 to 5725	Pass
					50	120	5510.000	5470 to 5725	Pass
		5550	/	/	20	102	5550.000	5470 to 5725	Pass
						120	5549.960	5470 to 5725	Pass
						138	5549.960	5470 to 5725	Pass
					-30	120	5549.960	5470 to 5725	Pass
					-20	120	5550.000	5470 to 5725	Pass
					-10	120	5550.000	5470 to 5725	Pass
					0	120	5550.000	5470 to 5725	Pass
					10	120	5549.960	5470 to 5725	Pass
					30	120	5549.960	5470 to 5725	Pass
					40	120	5549.960	5470 to 5725	Pass
					50	120	5550.000	5470 to 5725	Pass
		5670	/	/	20	102	5669.960	5470 to 5725	Pass
						120	5669.960	5470 to 5725	Pass
						138	5669.960	5470 to 5725	Pass
					-30	120	5669.960	5470 to 5725	Pass
					-20	120	5670.040	5470 to 5725	Pass
					-10	120	5670.040	5470 to 5725	Pass
					0	120	5670.040	5470 to 5725	Pass
					10	120	5670.000	5470 to 5725	Pass
					30	120	5669.960	5470 to 5725	Pass
					40	120	5670.000	5470 to 5725	Pass
					50	120	5670.000	5470 to 5725	Pass
		5755	/	/	20	102	5754.960	5725 to 5850	Pass
						120	5754.960	5725 to 5850	Pass
						138	5754.960	5725 to 5850	Pass
					-30	120	5755.000	5725 to 5850	Pass
					-20	120	5754.960	5725 to 5850	Pass
					-10	120	5754.960	5725 to 5850	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 467 of 1085

					0	120	5754.960	5725 to 5850	Pass
					10	120	5754.960	5725 to 5850	Pass
					30	120	5754.960	5725 to 5850	Pass
					40	120	5755.000	5725 to 5850	Pass
					50	120	5754.960	5725 to 5850	Pass
		5795	/	/	20	102	5794.960	5725 to 5850	Pass
						120	5794.960	5725 to 5850	Pass
						138	5794.960	5725 to 5850	Pass
					-30	120	5794.960	5725 to 5850	Pass
					-20	120	5794.960	5725 to 5850	Pass
					-10	120	5794.960	5725 to 5850	Pass
					0	120	5794.960	5725 to 5850	Pass
					10	120	5794.960	5725 to 5850	Pass
					30	120	5795.000	5725 to 5850	Pass
					40	120	5795.000	5725 to 5850	Pass
					50	120	5795.000	5725 to 5850	Pass
802.11ac (VHT20)	MIMO	5180	/	/	20	102	5179.980	5150 to 5250	Pass
						120	5179.960	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5179.980	5150 to 5250	Pass
					-20	120	5180.000	5150 to 5250	Pass
					-10	120	5180.000	5150 to 5250	Pass
					0	120	5180.000	5150 to 5250	Pass
					10	120	5179.960	5150 to 5250	Pass
					30	120	5179.980	5150 to 5250	Pass
					40	120	5180.000	5150 to 5250	Pass
					50	120	5179.960	5150 to 5250	Pass
		5200	/	/	20	102	5200.020	5150 to 5250	Pass
						120	5199.980	5150 to 5250	Pass
						138	5200.000	5150 to 5250	Pass
					-30	120	5200.000	5150 to 5250	Pass
					-20	120	5199.980	5150 to 5250	Pass
					-10	120	5200.000	5150 to 5250	Pass
					0	120	5200.000	5150 to 5250	Pass
					10	120	5200.000	5150 to 5250	Pass
					30	120	5199.960	5150 to 5250	Pass
					40	120	5200.020	5150 to 5250	Pass
					50	120	5200.040	5150 to 5250	Pass
		5240	/	/	20	102	5239.960	5150 to 5250	Pass
						120	5240.000	5150 to 5250	Pass
						138	5240.020	5150 to 5250	Pass
					-30	120	5239.980	5150 to 5250	Pass
					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5240.000	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
					30	120	5240.000	5150 to 5250	Pass
					40	120	5240.000	5150 to 5250	Pass
					50	120	5239.980	5150 to 5250	Pass
		5260	/	/	20	102	5260.000	5250 to 5350	Pass
						120	5259.980	5250 to 5350	Pass
						138	5259.960	5250 to 5350	Pass
					-30	120	5260.000	5250 to 5350	Pass
					-20	120	5260.020	5250 to 5350	Pass
					-10	120	5259.980	5250 to 5350	Pass
					0	120	5260.000	5250 to 5350	Pass
					10	120	5259.980	5250 to 5350	Pass
					30	120	5260.000	5250 to 5350	Pass
					40	120	5260.000	5250 to 5350	Pass
					50	120	5260.020	5250 to 5350	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 468 of 1085

		5300	/	/	20	102	5299.980	5250 to 5350	Pass
						120	5299.980	5250 to 5350	Pass
						138	5299.980	5250 to 5350	Pass
					-30	120	5300.000	5250 to 5350	Pass
					-20	120	5300.000	5250 to 5350	Pass
					-10	120	5300.020	5250 to 5350	Pass
					0	120	5299.980	5250 to 5350	Pass
					10	120	5300.000	5250 to 5350	Pass
					30	120	5299.980	5250 to 5350	Pass
					40	120	5300.000	5250 to 5350	Pass
					50	120	5299.980	5250 to 5350	Pass
		5320	/	/	20	102	5320.000	5250 to 5350	Pass
						120	5320.000	5250 to 5350	Pass
						138	5320.000	5250 to 5350	Pass
					-30	120	5319.980	5250 to 5350	Pass
					-20	120	5320.000	5250 to 5350	Pass
					-10	120	5319.980	5250 to 5350	Pass
					0	120	5320.000	5250 to 5350	Pass
					10	120	5319.980	5250 to 5350	Pass
					30	120	5320.000	5250 to 5350	Pass
					40	120	5320.020	5250 to 5350	Pass
					50	120	5320.000	5250 to 5350	Pass
		5500	/	/	20	102	5500.000	5470 to 5725	Pass
						120	5499.980	5470 to 5725	Pass
						138	5499.980	5470 to 5725	Pass
					-30	120	5500.000	5470 to 5725	Pass
					-20	120	5500.000	5470 to 5725	Pass
					-10	120	5499.980	5470 to 5725	Pass
					0	120	5499.960	5470 to 5725	Pass
					10	120	5499.980	5470 to 5725	Pass
					30	120	5499.980	5470 to 5725	Pass
					40	120	5499.940	5470 to 5725	Pass
					50	120	5500.000	5470 to 5725	Pass
		5580	/	/	20	102	5579.980	5470 to 5725	Pass
						120	5579.980	5470 to 5725	Pass
						138	5580.000	5470 to 5725	Pass
					-30	120	5579.940	5470 to 5725	Pass
					-20	120	5580.000	5470 to 5725	Pass
					-10	120	5579.960	5470 to 5725	Pass
					0	120	5580.000	5470 to 5725	Pass
					10	120	5580.000	5470 to 5725	Pass
					30	120	5579.980	5470 to 5725	Pass
					40	120	5580.020	5470 to 5725	Pass
					50	120	5580.000	5470 to 5725	Pass
		5700	/	/	20	102	5699.980	5470 to 5725	Pass
						120	5700.000	5470 to 5725	Pass
						138	5699.960	5470 to 5725	Pass
					-30	120	5699.980	5470 to 5725	Pass
					-20	120	5700.000	5470 to 5725	Pass
					-10	120	5699.960	5470 to 5725	Pass
					0	120	5699.960	5470 to 5725	Pass
					10	120	5699.980	5470 to 5725	Pass
					30	120	5699.960	5470 to 5725	Pass
					40	120	5700.000	5470 to 5725	Pass
					50	120	5700.020	5470 to 5725	Pass
		5745	/	/	20	102	5744.980	5725 to 5850	Pass
						120	5744.980	5725 to 5850	Pass
						138	5744.980	5725 to 5850	Pass
					-30	120	5744.980	5725 to 5850	Pass
					-20	120	5744.960	5725 to 5850	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 469 of 1085

802.11ac (VHT40)	MIMO				-10	120	5744.980	5725 to 5850	Pass
					0	120	5744.980	5725 to 5850	Pass
					10	120	5745.000	5725 to 5850	Pass
					30	120	5744.940	5725 to 5850	Pass
					40	120	5745.000	5725 to 5850	Pass
					50	120	5744.980	5725 to 5850	Pass
		5785	/	/	20	102	5784.980	5725 to 5850	Pass
						120	5784.980	5725 to 5850	Pass
						138	5784.980	5725 to 5850	Pass
					-30	120	5784.980	5725 to 5850	Pass
					-20	120	5784.960	5725 to 5850	Pass
					-10	120	5784.980	5725 to 5850	Pass
					0	120	5784.940	5725 to 5850	Pass
					10	120	5784.960	5725 to 5850	Pass
					30	120	5784.980	5725 to 5850	Pass
					40	120	5784.960	5725 to 5850	Pass
					50	120	5784.980	5725 to 5850	Pass
		5825	/	/	20	102	5825.000	5725 to 5850	Pass
						120	5824.960	5725 to 5850	Pass
						138	5824.980	5725 to 5850	Pass
					-30	120	5824.960	5725 to 5850	Pass
					-20	120	5825.020	5725 to 5850	Pass
					-10	120	5824.960	5725 to 5850	Pass
					0	120	5824.980	5725 to 5850	Pass
					10	120	5824.960	5725 to 5850	Pass
					30	120	5824.960	5725 to 5850	Pass
					40	120	5824.980	5725 to 5850	Pass
					50	120	5825.000	5725 to 5850	Pass
		5190	/	/	20	102	5190.000	5150 to 5250	Pass
						120	5190.040	5150 to 5250	Pass
						138	5190.000	5150 to 5250	Pass
					-30	120	5190.000	5150 to 5250	Pass
					-20	120	5190.000	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5190.000	5150 to 5250	Pass
					10	120	5190.000	5150 to 5250	Pass
					30	120	5189.960	5150 to 5250	Pass
					40	120	5190.040	5150 to 5250	Pass
					50	120	5190.000	5150 to 5250	Pass
		5230	/	/	20	102	5230.000	5150 to 5250	Pass
						120	5230.040	5150 to 5250	Pass
						138	5230.000	5150 to 5250	Pass
					-30	120	5230.040	5150 to 5250	Pass
					-20	120	5230.040	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.000	5150 to 5250	Pass
					10	120	5230.000	5150 to 5250	Pass
					30	120	5230.000	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
					50	120	5230.040	5150 to 5250	Pass
		5270	/	/	20	102	5270.000	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.000	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.040	5250 to 5350	Pass
					-10	120	5270.000	5250 to 5350	Pass
					0	120	5270.040	5250 to 5350	Pass
					10	120	5270.000	5250 to 5350	Pass
					30	120	5269.960	5250 to 5350	Pass
					40	120	5269.960	5250 to 5350	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 470 of 1085

				50	120	5270.000	5250 to 5350	Pass
				20	102	5310.000	5250 to 5350	Pass
					120	5310.040	5250 to 5350	Pass
					138	5310.000	5250 to 5350	Pass
				-30	120	5310.000	5250 to 5350	Pass
				-20	120	5310.000	5250 to 5350	Pass
				-10	120	5310.040	5250 to 5350	Pass
				0	120	5310.040	5250 to 5350	Pass
				10	120	5310.000	5250 to 5350	Pass
				30	120	5310.040	5250 to 5350	Pass
				40	120	5310.000	5250 to 5350	Pass
				50	120	5310.000	5250 to 5350	Pass
				20	102	5510.000	5470 to 5725	Pass
					120	5510.000	5470 to 5725	Pass
					138	5510.000	5470 to 5725	Pass
				-30	120	5509.960	5470 to 5725	Pass
				-20	120	5509.960	5470 to 5725	Pass
				-10	120	5510.000	5470 to 5725	Pass
				0	120	5510.000	5470 to 5725	Pass
				10	120	5510.000	5470 to 5725	Pass
				30	120	5510.000	5470 to 5725	Pass
				40	120	5509.960	5470 to 5725	Pass
				50	120	5510.000	5470 to 5725	Pass
				20	102	5549.920	5470 to 5725	Pass
					120	5549.960	5470 to 5725	Pass
					138	5549.960	5470 to 5725	Pass
				-30	120	5549.960	5470 to 5725	Pass
				-20	120	5549.960	5470 to 5725	Pass
				-10	120	5549.960	5470 to 5725	Pass
				0	120	5549.960	5470 to 5725	Pass
				10	120	5550.000	5470 to 5725	Pass
				30	120	5550.000	5470 to 5725	Pass
				40	120	5549.960	5470 to 5725	Pass
				50	120	5549.960	5470 to 5725	Pass
				20	102	5669.960	5470 to 5725	Pass
					120	5670.000	5470 to 5725	Pass
					138	5670.000	5470 to 5725	Pass
				-30	120	5669.960	5470 to 5725	Pass
				-20	120	5670.000	5470 to 5725	Pass
				-10	120	5670.000	5470 to 5725	Pass
				0	120	5669.960	5470 to 5725	Pass
				10	120	5670.000	5470 to 5725	Pass
				30	120	5670.000	5470 to 5725	Pass
				40	120	5670.000	5470 to 5725	Pass
				50	120	5670.000	5470 to 5725	Pass
				20	102	5755.000	5725 to 5850	Pass
					120	5755.000	5725 to 5850	Pass
					138	5755.000	5725 to 5850	Pass
				-30	120	5755.000	5725 to 5850	Pass
				-20	120	5754.960	5725 to 5850	Pass
				-10	120	5755.000	5725 to 5850	Pass
				0	120	5755.040	5725 to 5850	Pass
				10	120	5754.960	5725 to 5850	Pass
				30	120	5755.000	5725 to 5850	Pass
				40	120	5754.960	5725 to 5850	Pass
				50	120	5754.960	5725 to 5850	Pass
				20	102	5794.920	5725 to 5850	Pass
					120	5794.960	5725 to 5850	Pass
					138	5795.000	5725 to 5850	Pass
				-30	120	5795.000	5725 to 5850	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 471 of 1085

802.11ac (VHT80)	MIMO				-20	120	5795.000	5725 to 5850	Pass
					-10	120	5794.960	5725 to 5850	Pass
					0	120	5795.000	5725 to 5850	Pass
					10	120	5795.000	5725 to 5850	Pass
					30	120	5795.000	5725 to 5850	Pass
					40	120	5795.000	5725 to 5850	Pass
					50	120	5795.000	5725 to 5850	Pass
		5210	/	/	20	102	5210.075	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.075	5150 to 5250	Pass
					-30	120	5210.075	5150 to 5250	Pass
					-20	120	5210.075	5150 to 5250	Pass
					-10	120	5210.000	5150 to 5250	Pass
					0	120	5210.000	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
		5290	/	/	20	102	5290.075	5250 to 5350	Pass
						120	5290.075	5250 to 5350	Pass
						138	5290.075	5250 to 5350	Pass
					-30	120	5290.075	5250 to 5350	Pass
					-20	120	5290.075	5250 to 5350	Pass
					-10	120	5290.075	5250 to 5350	Pass
					0	120	5290.000	5250 to 5350	Pass
					10	120	5290.000	5250 to 5350	Pass
					30	120	5290.075	5250 to 5350	Pass
					40	120	5290.075	5250 to 5350	Pass
					50	120	5290.075	5250 to 5350	Pass
		5530	/	/	20	102	5530.000	5470 to 5725	Pass
						120	5530.075	5470 to 5725	Pass
						138	5530.000	5470 to 5725	Pass
					-30	120	5530.000	5470 to 5725	Pass
					-20	120	5529.925	5470 to 5725	Pass
					-10	120	5530.000	5470 to 5725	Pass
					0	120	5530.075	5470 to 5725	Pass
					10	120	5530.000	5470 to 5725	Pass
					30	120	5530.000	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.000	5470 to 5725	Pass
		5610	/	/	20	102	5610.075	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass
						138	5610.075	5470 to 5725	Pass
					-30	120	5610.075	5470 to 5725	Pass
					-20	120	5610.000	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.075	5470 to 5725	Pass
					10	120	5610.000	5470 to 5725	Pass
					30	120	5610.075	5470 to 5725	Pass
					40	120	5610.000	5470 to 5725	Pass
					50	120	5610.075	5470 to 5725	Pass
		5775	/	/	20	102	5775.000	5725 to 5850	Pass
						120	5775.000	5725 to 5850	Pass
						138	5775.000	5725 to 5850	Pass
					-30	120	5775.000	5725 to 5850	Pass
					-20	120	5775.000	5725 to 5850	Pass
					-10	120	5775.000	5725 to 5850	Pass
					0	120	5775.000	5725 to 5850	Pass
					10	120	5774.925	5725 to 5850	Pass
					30	120	5774.925	5725 to 5850	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 472 of 1085

					40	120	5775.000	5725 to 5850	Pass
					50	120	5775.000	5725 to 5850	Pass
802.11ac (VHT160)	MIMO	5570	/	/	20	102	5570.000	5470 to 5725	Pass
						120	5569.925	5470 to 5725	Pass
						138	5570.000	5470 to 5725	Pass
					-30	120	5570.075	5470 to 5725	Pass
					-20	120	5570.000	5470 to 5725	Pass
					-10	120	5569.925	5470 to 5725	Pass
					0	120	5570.000	5470 to 5725	Pass
					10	120	5570.000	5470 to 5725	Pass
					30	120	5570.000	5470 to 5725	Pass
					40	120	5569.925	5470 to 5725	Pass
		5250	/	/	50	120	5570.000	5470 to 5725	Pass
					20	102	5250.000	5150 to 5350	Pass
						120	5250.000	5150 to 5350	Pass
						138	5250.075	5150 to 5350	Pass
					-30	120	5249.925	5150 to 5350	Pass
					-20	120	5250.000	5150 to 5350	Pass
					-10	120	5250.075	5150 to 5350	Pass
					0	120	5249.925	5150 to 5350	Pass
					10	120	5250.000	5150 to 5350	Pass
					30	120	5249.925	5150 to 5350	Pass
802.11ax (HEW20)	MIMO	5180	SU	/	20	102	5180.000	5150 to 5250	Pass
						120	5180.020	5150 to 5250	Pass
						138	5180.020	5150 to 5250	Pass
					-30	120	5179.940	5150 to 5250	Pass
					-20	120	5180.000	5150 to 5250	Pass
					-10	120	5179.980	5150 to 5250	Pass
					0	120	5179.980	5150 to 5250	Pass
					10	120	5180.020	5150 to 5250	Pass
					30	120	5180.040	5150 to 5250	Pass
					40	120	5179.980	5150 to 5250	Pass
		5200	SU	/	50	120	5180.000	5150 to 5250	Pass
					20	102	5200.020	5150 to 5250	Pass
						120	5200.000	5150 to 5250	Pass
						138	5200.020	5150 to 5250	Pass
					-30	120	5199.980	5150 to 5250	Pass
					-20	120	5200.020	5150 to 5250	Pass
					-10	120	5200.020	5150 to 5250	Pass
					0	120	5200.000	5150 to 5250	Pass
					10	120	5199.980	5150 to 5250	Pass
					30	120	5200.020	5150 to 5250	Pass
		5240	SU	/	40	120	5200.040	5150 to 5250	Pass
					50	120	5200.020	5150 to 5250	Pass
					20	102	5239.940	5150 to 5250	Pass
						120	5240.020	5150 to 5250	Pass
						138	5240.000	5150 to 5250	Pass
					-30	120	5240.000	5150 to 5250	Pass
					-20	120	5239.980	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5240.040	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
		5260	SU	/	20	30	5240.000	5150 to 5250	Pass
						40	5239.980	5150 to 5250	Pass
						50	5240.000	5150 to 5250	Pass
					20	102	5260.020	5250 to 5350	Pass
						120	5260.020	5250 to 5350	Pass
						138	5260.000	5250 to 5350	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 473 of 1085

					-30	120	5259.980	5250 to 5350	Pass
					-20	120	5260.020	5250 to 5350	Pass
					-10	120	5259.980	5250 to 5350	Pass
					0	120	5260.000	5250 to 5350	Pass
					10	120	5259.980	5250 to 5350	Pass
					30	120	5260.020	5250 to 5350	Pass
					40	120	5260.040	5250 to 5350	Pass
					50	120	5260.000	5250 to 5350	Pass
		5300	SU	/	20	102	5299.960	5250 to 5350	Pass
						120	5299.960	5250 to 5350	Pass
						138	5300.000	5250 to 5350	Pass
					-30	120	5300.000	5250 to 5350	Pass
					-20	120	5300.000	5250 to 5350	Pass
					-10	120	5300.020	5250 to 5350	Pass
					0	120	5300.000	5250 to 5350	Pass
					10	120	5299.980	5250 to 5350	Pass
					30	120	5300.000	5250 to 5350	Pass
					40	120	5299.980	5250 to 5350	Pass
					50	120	5299.960	5250 to 5350	Pass
		5320	SU	/	20	102	5320.000	5250 to 5350	Pass
						120	5320.000	5250 to 5350	Pass
						138	5320.000	5250 to 5350	Pass
					-30	120	5320.020	5250 to 5350	Pass
					-20	120	5320.020	5250 to 5350	Pass
					-10	120	5319.980	5250 to 5350	Pass
					0	120	5320.000	5250 to 5350	Pass
					10	120	5320.040	5250 to 5350	Pass
					30	120	5320.040	5250 to 5350	Pass
					40	120	5320.000	5250 to 5350	Pass
					50	120	5320.000	5250 to 5350	Pass
		5500	SU	/	20	102	5500.040	5470 to 5725	Pass
						120	5499.980	5470 to 5725	Pass
						138	5500.000	5470 to 5725	Pass
					-30	120	5500.020	5470 to 5725	Pass
					-20	120	5499.980	5470 to 5725	Pass
					-10	120	5500.000	5470 to 5725	Pass
					0	120	5500.000	5470 to 5725	Pass
					10	120	5499.980	5470 to 5725	Pass
					30	120	5499.980	5470 to 5725	Pass
					40	120	5500.000	5470 to 5725	Pass
					50	120	5500.020	5470 to 5725	Pass
		5580	SU	/	20	102	5580.060	5470 to 5725	Pass
						120	5580.000	5470 to 5725	Pass
						138	5580.020	5470 to 5725	Pass
					-30	120	5580.040	5470 to 5725	Pass
					-20	120	5580.020	5470 to 5725	Pass
					-10	120	5580.040	5470 to 5725	Pass
					0	120	5579.980	5470 to 5725	Pass
					10	120	5579.980	5470 to 5725	Pass
					30	120	5580.000	5470 to 5725	Pass
					40	120	5579.960	5470 to 5725	Pass
					50	120	5579.980	5470 to 5725	Pass
		5700	SU	/	20	102	5700.000	5470 to 5725	Pass
						120	5700.020	5470 to 5725	Pass
						138	5699.940	5470 to 5725	Pass
					-30	120	5700.000	5470 to 5725	Pass
					-20	120	5699.980	5470 to 5725	Pass
					-10	120	5700.060	5470 to 5725	Pass
					0	120	5699.980	5470 to 5725	Pass
					10	120	5699.980	5470 to 5725	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 474 of 1085

802.11ax (HEW40)	MIMO	5745	SU	/	30	120	5699.980	5470 to 5725	Pass
					40	120	5700.040	5470 to 5725	Pass
					50	120	5700.000	5470 to 5725	Pass
					20	102	5744.960	5725 to 5850	Pass
						120	5745.000	5725 to 5850	Pass
						138	5744.980	5725 to 5850	Pass
					-30	120	5745.000	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5744.960	5725 to 5850	Pass
					0	120	5744.960	5725 to 5850	Pass
					10	120	5744.960	5725 to 5850	Pass
					30	120	5744.980	5725 to 5850	Pass
					40	120	5744.960	5725 to 5850	Pass
					50	120	5745.040	5725 to 5850	Pass
		5785	SU	/	20	102	5785.000	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5784.900	5725 to 5850	Pass
					-30	120	5785.000	5725 to 5850	Pass
					-20	120	5784.920	5725 to 5850	Pass
					-10	120	5785.000	5725 to 5850	Pass
					0	120	5785.020	5725 to 5850	Pass
					10	120	5784.960	5725 to 5850	Pass
					30	120	5784.980	5725 to 5850	Pass
					40	120	5784.960	5725 to 5850	Pass
					50	120	5785.020	5725 to 5850	Pass
		5825	SU	/	20	102	5824.980	5725 to 5850	Pass
						120	5825.020	5725 to 5850	Pass
						138	5824.980	5725 to 5850	Pass
					-30	120	5825.020	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5824.960	5725 to 5850	Pass
					0	120	5825.020	5725 to 5850	Pass
					10	120	5824.960	5725 to 5850	Pass
					30	120	5824.980	5725 to 5850	Pass
					40	120	5825.000	5725 to 5850	Pass
					50	120	5825.000	5725 to 5850	Pass
		5190	SU	/	20	102	5190.040	5150 to 5250	Pass
						120	5189.960	5150 to 5250	Pass
						138	5190.000	5150 to 5250	Pass
					-30	120	5190.000	5150 to 5250	Pass
					-20	120	5190.000	5150 to 5250	Pass
					-10	120	5190.080	5150 to 5250	Pass
					0	120	5190.000	5150 to 5250	Pass
					10	120	5190.000	5150 to 5250	Pass
					30	120	5190.000	5150 to 5250	Pass
					40	120	5190.000	5150 to 5250	Pass
					50	120	5190.000	5150 to 5250	Pass
		5230	SU	/	20	102	5230.040	5150 to 5250	Pass
						120	5230.000	5150 to 5250	Pass
						138	5229.960	5150 to 5250	Pass
					-30	120	5230.000	5150 to 5250	Pass
					-20	120	5230.000	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.040	5150 to 5250	Pass
					10	120	5230.000	5150 to 5250	Pass
					30	120	5230.000	5150 to 5250	Pass
					40	120	5230.000	5150 to 5250	Pass
					50	120	5230.040	5150 to 5250	Pass
		5270	SU	/	20	102	5269.960	5250 to 5350	Pass
						120	5270.000	5250 to 5350	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 475 of 1085

						138	5270.000	5250 to 5350	Pass
					-30	120	5270.000	5250 to 5350	Pass
					-20	120	5270.040	5250 to 5350	Pass
					-10	120	5270.040	5250 to 5350	Pass
					0	120	5270.040	5250 to 5350	Pass
					10	120	5270.000	5250 to 5350	Pass
					30	120	5270.080	5250 to 5350	Pass
					40	120	5270.040	5250 to 5350	Pass
					50	120	5269.960	5250 to 5350	Pass
		5310	SU	/	20	102	5310.040	5250 to 5350	Pass
						120	5310.040	5250 to 5350	Pass
						138	5310.040	5250 to 5350	Pass
					-30	120	5309.960	5250 to 5350	Pass
					-20	120	5310.000	5250 to 5350	Pass
					-10	120	5310.000	5250 to 5350	Pass
					0	120	5310.040	5250 to 5350	Pass
					10	120	5310.000	5250 to 5350	Pass
					30	120	5310.000	5250 to 5350	Pass
					40	120	5310.000	5250 to 5350	Pass
					50	120	5310.000	5250 to 5350	Pass
		5510	SU	/	20	102	5509.960	5470 to 5725	Pass
						120	5510.040	5470 to 5725	Pass
						138	5509.960	5470 to 5725	Pass
					-30	120	5510.000	5470 to 5725	Pass
					-20	120	5510.000	5470 to 5725	Pass
					-10	120	5510.040	5470 to 5725	Pass
					0	120	5510.040	5470 to 5725	Pass
					10	120	5509.960	5470 to 5725	Pass
					30	120	5510.040	5470 to 5725	Pass
					40	120	5509.960	5470 to 5725	Pass
					50	120	5509.960	5470 to 5725	Pass
		5550	SU	/	20	102	5549.960	5470 to 5725	Pass
						120	5550.040	5470 to 5725	Pass
						138	5550.000	5470 to 5725	Pass
					-30	120	5550.000	5470 to 5725	Pass
					-20	120	5550.000	5470 to 5725	Pass
					-10	120	5550.040	5470 to 5725	Pass
					0	120	5550.040	5470 to 5725	Pass
					10	120	5550.000	5470 to 5725	Pass
					30	120	5549.960	5470 to 5725	Pass
					40	120	5550.000	5470 to 5725	Pass
					50	120	5549.960	5470 to 5725	Pass
		5670	SU	/	20	102	5669.960	5470 to 5725	Pass
						120	5670.000	5470 to 5725	Pass
						138	5670.000	5470 to 5725	Pass
					-30	120	5670.040	5470 to 5725	Pass
					-20	120	5669.960	5470 to 5725	Pass
					-10	120	5670.000	5470 to 5725	Pass
					0	120	5670.040	5470 to 5725	Pass
					10	120	5670.000	5470 to 5725	Pass
					30	120	5670.040	5470 to 5725	Pass
					40	120	5670.040	5470 to 5725	Pass
					50	120	5670.000	5470 to 5725	Pass
		5755	SU	/	20	102	5754.960	5725 to 5850	Pass
						120	5754.960	5725 to 5850	Pass
						138	5755.000	5725 to 5850	Pass
					-30	120	5755.000	5725 to 5850	Pass
					-20	120	5755.000	5725 to 5850	Pass
					-10	120	5754.960	5725 to 5850	Pass
					0	120	5755.040	5725 to 5850	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 476 of 1085

					10	120	5755.000	5725 to 5850	Pass
					30	120	5755.040	5725 to 5850	Pass
					40	120	5755.000	5725 to 5850	Pass
					50	120	5754.960	5725 to 5850	Pass
		5795	SU	/	20	102	5794.960	5725 to 5850	Pass
						120	5795.000	5725 to 5850	Pass
						138	5795.000	5725 to 5850	Pass
					-30	120	5795.040	5725 to 5850	Pass
					-20	120	5795.000	5725 to 5850	Pass
					-10	120	5795.040	5725 to 5850	Pass
					0	120	5795.040	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.000	5725 to 5850	Pass
					40	120	5795.000	5725 to 5850	Pass
					50	120	5794.960	5725 to 5850	Pass
		5210	SU	/	20	102	5210.000	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.000	5150 to 5250	Pass
					-30	120	5210.150	5150 to 5250	Pass
					-20	120	5210.000	5150 to 5250	Pass
					-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.075	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
					50	120	5210.000	5150 to 5250	Pass
		5290	SU	/	20	102	5290.000	5250 to 5350	Pass
						120	5290.075	5250 to 5350	Pass
						138	5290.075	5250 to 5350	Pass
					-30	120	5290.075	5250 to 5350	Pass
					-20	120	5290.000	5250 to 5350	Pass
					-10	120	5290.000	5250 to 5350	Pass
					0	120	5290.000	5250 to 5350	Pass
					10	120	5290.000	5250 to 5350	Pass
					30	120	5290.075	5250 to 5350	Pass
					40	120	5290.000	5250 to 5350	Pass
					50	120	5290.000	5250 to 5350	Pass
		5530	SU	/	20	102	5530.000	5470 to 5725	Pass
						120	5530.000	5470 to 5725	Pass
						138	5530.075	5470 to 5725	Pass
					-30	120	5530.000	5470 to 5725	Pass
					-20	120	5530.000	5470 to 5725	Pass
					-10	120	5530.000	5470 to 5725	Pass
					0	120	5530.075	5470 to 5725	Pass
					10	120	5530.000	5470 to 5725	Pass
					30	120	5530.000	5470 to 5725	Pass
					40	120	5530.000	5470 to 5725	Pass
					50	120	5530.075	5470 to 5725	Pass
		5610	SU	/	20	102	5610.000	5470 to 5725	Pass
						120	5610.000	5470 to 5725	Pass
						138	5610.000	5470 to 5725	Pass
					-30	120	5610.000	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.000	5470 to 5725	Pass
					10	120	5610.000	5470 to 5725	Pass
					30	120	5610.000	5470 to 5725	Pass
					40	120	5610.000	5470 to 5725	Pass
					50	120	5610.075	5470 to 5725	Pass
		5775	SU	/	20	102	5775.075	5725 to 5850	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 477 of 1085

						120	5775.000	5725 to 5850	Pass
						138	5775.000	5725 to 5850	Pass
					-30	120	5775.000	5725 to 5850	Pass
					-20	120	5774.925	5725 to 5850	Pass
					-10	120	5775.000	5725 to 5850	Pass
					0	120	5775.000	5725 to 5850	Pass
					10	120	5775.000	5725 to 5850	Pass
					30	120	5775.000	5725 to 5850	Pass
					40	120	5775.000	5725 to 5850	Pass
					50	120	5775.000	5725 to 5850	Pass
802.11ax (HEW160)	MIMO	5570	SU	/	20	102	5570.000	5470 to 5725	Pass
						120	5570.000	5470 to 5725	Pass
						138	5570.000	5470 to 5725	Pass
					-30	120	5570.000	5470 to 5725	Pass
					-20	120	5569.925	5470 to 5725	Pass
					-10	120	5570.000	5470 to 5725	Pass
					0	120	5570.000	5470 to 5725	Pass
					10	120	5569.925	5470 to 5725	Pass
					30	120	5570.000	5470 to 5725	Pass
					40	120	5570.000	5470 to 5725	Pass
					50	120	5570.000	5470 to 5725	Pass
		5250	SU	/	20	102	5250.000	5150 to 5350	Pass
						120	5250.000	5150 to 5350	Pass
						138	5250.000	5150 to 5350	Pass
					-30	120	5250.000	5150 to 5350	Pass
					-20	120	5250.000	5150 to 5350	Pass
					-10	120	5250.000	5150 to 5350	Pass
					0	120	5250.000	5150 to 5350	Pass
					10	120	5250.000	5150 to 5350	Pass
					30	120	5250.150	5150 to 5350	Pass
					40	120	5250.000	5150 to 5350	Pass
					50	120	5250.000	5150 to 5350	Pass

5.1.2 Ant2

Ant2									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	MIMO	5180	/	/	20	102	5180.000	5150 to 5250	Pass
						120	5179.980	5150 to 5250	Pass
						138	5179.960	5150 to 5250	Pass
					-30	120	5179.980	5150 to 5250	Pass
					-20	120	5179.980	5150 to 5250	Pass
					-10	120	5179.960	5150 to 5250	Pass
					0	120	5180.000	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5179.980	5150 to 5250	Pass
					40	120	5179.980	5150 to 5250	Pass
					50	120	5179.980	5150 to 5250	Pass
		5200	/	/	20	102	5199.960	5150 to 5250	Pass
						120	5199.960	5150 to 5250	Pass
						138	5199.980	5150 to 5250	Pass
					-30	120	5199.940	5150 to 5250	Pass
					-20	120	5199.960	5150 to 5250	Pass
					-10	120	5200.000	5150 to 5250	Pass
					0	120	5199.940	5150 to 5250	Pass
					10	120	5199.960	5150 to 5250	Pass
					30	120	5199.980	5150 to 5250	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 478 of 1085

					40	120	5199.960	5150 to 5250	Pass
					50	120	5199.980	5150 to 5250	Pass
		5240	/	/	20	102	5239.980	5150 to 5250	Pass
						120	5239.960	5150 to 5250	Pass
						138	5239.960	5150 to 5250	Pass
					-30	120	5239.940	5150 to 5250	Pass
					-20	120	5239.960	5150 to 5250	Pass
					-10	120	5239.940	5150 to 5250	Pass
					0	120	5239.980	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
					30	120	5239.960	5150 to 5250	Pass
					40	120	5239.980	5150 to 5250	Pass
					50	120	5239.960	5150 to 5250	Pass
		5260	/	/	20	102	5260.020	5250 to 5350	Pass
						120	5259.980	5250 to 5350	Pass
						138	5259.960	5250 to 5350	Pass
					-30	120	5259.960	5250 to 5350	Pass
					-20	120	5259.960	5250 to 5350	Pass
					-10	120	5259.940	5250 to 5350	Pass
					0	120	5259.940	5250 to 5350	Pass
					10	120	5259.960	5250 to 5350	Pass
					30	120	5259.980	5250 to 5350	Pass
					40	120	5259.960	5250 to 5350	Pass
					50	120	5259.960	5250 to 5350	Pass
		5300	/	/	20	102	5299.940	5250 to 5350	Pass
						120	5299.960	5250 to 5350	Pass
						138	5299.960	5250 to 5350	Pass
					-30	120	5299.940	5250 to 5350	Pass
					-20	120	5299.960	5250 to 5350	Pass
					-10	120	5299.940	5250 to 5350	Pass
					0	120	5299.940	5250 to 5350	Pass
					10	120	5299.940	5250 to 5350	Pass
					30	120	5299.940	5250 to 5350	Pass
					40	120	5299.940	5250 to 5350	Pass
					50	120	5299.940	5250 to 5350	Pass
		5320	/	/	20	102	5319.940	5250 to 5350	Pass
						120	5319.940	5250 to 5350	Pass
						138	5319.960	5250 to 5350	Pass
					-30	120	5319.960	5250 to 5350	Pass
					-20	120	5319.940	5250 to 5350	Pass
					-10	120	5319.960	5250 to 5350	Pass
					0	120	5319.940	5250 to 5350	Pass
					10	120	5319.960	5250 to 5350	Pass
					30	120	5319.940	5250 to 5350	Pass
					40	120	5319.960	5250 to 5350	Pass
					50	120	5319.960	5250 to 5350	Pass
		5500	/	/	20	102	5499.980	5470 to 5725	Pass
						120	5499.980	5470 to 5725	Pass
						138	5499.960	5470 to 5725	Pass
					-30	120	5499.940	5470 to 5725	Pass
					-20	120	5499.960	5470 to 5725	Pass
					-10	120	5499.940	5470 to 5725	Pass
					0	120	5499.960	5470 to 5725	Pass
					10	120	5499.960	5470 to 5725	Pass
					30	120	5499.980	5470 to 5725	Pass
					40	120	5499.960	5470 to 5725	Pass
					50	120	5499.960	5470 to 5725	Pass
		5580	/	/	20	102	5579.960	5470 to 5725	Pass
						120	5580.020	5470 to 5725	Pass
						138	5579.940	5470 to 5725	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 479 of 1085

					-30	120	5579.980	5470 to 5725	Pass
					-20	120	5579.960	5470 to 5725	Pass
					-10	120	5579.980	5470 to 5725	Pass
					0	120	5579.960	5470 to 5725	Pass
					10	120	5579.960	5470 to 5725	Pass
					30	120	5580.000	5470 to 5725	Pass
					40	120	5579.960	5470 to 5725	Pass
					50	120	5579.960	5470 to 5725	Pass
		5700	/	/	20	102	5699.960	5470 to 5725	Pass
						120	5699.940	5470 to 5725	Pass
						138	5699.960	5470 to 5725	Pass
					-30	120	5699.960	5470 to 5725	Pass
					-20	120	5699.940	5470 to 5725	Pass
					-10	120	5699.940	5470 to 5725	Pass
					0	120	5699.920	5470 to 5725	Pass
					10	120	5699.940	5470 to 5725	Pass
					30	120	5699.960	5470 to 5725	Pass
					40	120	5699.940	5470 to 5725	Pass
					50	120	5699.940	5470 to 5725	Pass
		5745	/	/	20	102	5744.960	5725 to 5850	Pass
						120	5744.960	5725 to 5850	Pass
						138	5744.920	5725 to 5850	Pass
					-30	120	5744.960	5725 to 5850	Pass
					-20	120	5744.940	5725 to 5850	Pass
					-10	120	5744.940	5725 to 5850	Pass
					0	120	5744.940	5725 to 5850	Pass
					10	120	5744.960	5725 to 5850	Pass
					30	120	5744.940	5725 to 5850	Pass
					40	120	5744.960	5725 to 5850	Pass
					50	120	5744.940	5725 to 5850	Pass
		5785	/	/	20	102	5784.980	5725 to 5850	Pass
						120	5784.960	5725 to 5850	Pass
						138	5784.940	5725 to 5850	Pass
					-30	120	5784.960	5725 to 5850	Pass
					-20	120	5784.940	5725 to 5850	Pass
					-10	120	5784.940	5725 to 5850	Pass
					0	120	5784.940	5725 to 5850	Pass
					10	120	5784.960	5725 to 5850	Pass
					30	120	5784.960	5725 to 5850	Pass
					40	120	5784.960	5725 to 5850	Pass
					50	120	5784.940	5725 to 5850	Pass
		5825	/	/	20	102	5824.960	5725 to 5850	Pass
						120	5824.940	5725 to 5850	Pass
						138	5824.960	5725 to 5850	Pass
					-30	120	5824.940	5725 to 5850	Pass
					-20	120	5824.960	5725 to 5850	Pass
					-10	120	5824.960	5725 to 5850	Pass
					0	120	5824.940	5725 to 5850	Pass
					10	120	5824.940	5725 to 5850	Pass
					30	120	5824.960	5725 to 5850	Pass
					40	120	5824.960	5725 to 5850	Pass
					50	120	5824.940	5725 to 5850	Pass
802.11n (HT20)	MIMO	5180	/	/	20	102	5180.060	5150 to 5250	Pass
						120	5180.040	5150 to 5250	Pass
						138	5180.040	5150 to 5250	Pass
					-30	120	5180.040	5150 to 5250	Pass
					-20	120	5180.060	5150 to 5250	Pass
					-10	120	5180.020	5150 to 5250	Pass
					0	120	5180.040	5150 to 5250	Pass
					10	120	5180.040	5150 to 5250	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 480 of 1085

					30	120	5180.020	5150 to 5250	Pass
					40	120	5180.020	5150 to 5250	Pass
					50	120	5180.000	5150 to 5250	Pass
		5200	/	/	20	102	5200.020	5150 to 5250	Pass
						120	5200.040	5150 to 5250	Pass
						138	5200.020	5150 to 5250	Pass
					-30	120	5200.020	5150 to 5250	Pass
					-20	120	5200.020	5150 to 5250	Pass
					-10	120	5200.020	5150 to 5250	Pass
					0	120	5200.020	5150 to 5250	Pass
					10	120	5200.020	5150 to 5250	Pass
					30	120	5200.000	5150 to 5250	Pass
					40	120	5200.020	5150 to 5250	Pass
					50	120	5200.000	5150 to 5250	Pass
		5240	/	/	20	102	5240.000	5150 to 5250	Pass
						120	5239.960	5150 to 5250	Pass
						138	5240.000	5150 to 5250	Pass
					-30	120	5240.000	5150 to 5250	Pass
					-20	120	5240.040	5150 to 5250	Pass
					-10	120	5239.980	5150 to 5250	Pass
					0	120	5240.040	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
					30	120	5240.020	5150 to 5250	Pass
					40	120	5240.040	5150 to 5250	Pass
					50	120	5239.980	5150 to 5250	Pass
		5260	/	/	20	102	5260.000	5250 to 5350	Pass
						120	5260.060	5250 to 5350	Pass
						138	5259.980	5250 to 5350	Pass
					-30	120	5259.980	5250 to 5350	Pass
					-20	120	5260.060	5250 to 5350	Pass
					-10	120	5260.040	5250 to 5350	Pass
					0	120	5260.000	5250 to 5350	Pass
					10	120	5260.040	5250 to 5350	Pass
					30	120	5260.020	5250 to 5350	Pass
					40	120	5260.020	5250 to 5350	Pass
					50	120	5259.980	5250 to 5350	Pass
		5300	/	/	20	102	5299.980	5250 to 5350	Pass
						120	5300.000	5250 to 5350	Pass
						138	5299.960	5250 to 5350	Pass
					-30	120	5300.000	5250 to 5350	Pass
					-20	120	5300.020	5250 to 5350	Pass
					-10	120	5300.000	5250 to 5350	Pass
					0	120	5300.020	5250 to 5350	Pass
					10	120	5300.000	5250 to 5350	Pass
					30	120	5299.980	5250 to 5350	Pass
					40	120	5299.980	5250 to 5350	Pass
					50	120	5299.980	5250 to 5350	Pass
		5320	/	/	20	102	5320.040	5250 to 5350	Pass
						120	5320.020	5250 to 5350	Pass
						138	5320.000	5250 to 5350	Pass
					-30	120	5320.000	5250 to 5350	Pass
					-20	120	5319.980	5250 to 5350	Pass
					-10	120	5319.980	5250 to 5350	Pass
					0	120	5320.020	5250 to 5350	Pass
					10	120	5320.040	5250 to 5350	Pass
					30	120	5320.000	5250 to 5350	Pass
					40	120	5320.000	5250 to 5350	Pass
					50	120	5320.000	5250 to 5350	Pass
		5500	/	/	20	102	5500.000	5470 to 5725	Pass
						120	5500.000	5470 to 5725	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 481 of 1085

						138	5500.000	5470 to 5725	Pass
					-30	120	5500.020	5470 to 5725	Pass
					-20	120	5500.000	5470 to 5725	Pass
					-10	120	5500.020	5470 to 5725	Pass
					0	120	5499.980	5470 to 5725	Pass
					10	120	5500.020	5470 to 5725	Pass
					30	120	5500.040	5470 to 5725	Pass
					40	120	5500.020	5470 to 5725	Pass
					50	120	5499.980	5470 to 5725	Pass
		5580	/	/	20	102	5580.000	5470 to 5725	Pass
						120	5580.020	5470 to 5725	Pass
						138	5579.980	5470 to 5725	Pass
					-30	120	5580.020	5470 to 5725	Pass
					-20	120	5580.020	5470 to 5725	Pass
					-10	120	5580.040	5470 to 5725	Pass
					0	120	5579.980	5470 to 5725	Pass
					10	120	5580.020	5470 to 5725	Pass
					30	120	5580.020	5470 to 5725	Pass
					40	120	5580.020	5470 to 5725	Pass
					50	120	5580.040	5470 to 5725	Pass
		5700	/	/	20	102	5699.960	5470 to 5725	Pass
						120	5699.980	5470 to 5725	Pass
						138	5700.020	5470 to 5725	Pass
					-30	120	5700.000	5470 to 5725	Pass
					-20	120	5700.000	5470 to 5725	Pass
					-10	120	5699.980	5470 to 5725	Pass
					0	120	5700.000	5470 to 5725	Pass
					10	120	5699.980	5470 to 5725	Pass
					30	120	5700.000	5470 to 5725	Pass
					40	120	5700.020	5470 to 5725	Pass
					50	120	5700.020	5470 to 5725	Pass
		5745	/	/	20	102	5744.980	5725 to 5850	Pass
						120	5745.000	5725 to 5850	Pass
						138	5744.960	5725 to 5850	Pass
					-30	120	5745.000	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5745.000	5725 to 5850	Pass
					0	120	5745.000	5725 to 5850	Pass
					10	120	5744.980	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5745.000	5725 to 5850	Pass
					50	120	5744.980	5725 to 5850	Pass
		5785	/	/	20	102	5785.000	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5785.020	5725 to 5850	Pass
					-30	120	5784.940	5725 to 5850	Pass
					-20	120	5785.020	5725 to 5850	Pass
					-10	120	5785.000	5725 to 5850	Pass
					0	120	5785.000	5725 to 5850	Pass
					10	120	5785.000	5725 to 5850	Pass
					30	120	5784.980	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5785.000	5725 to 5850	Pass
		5825	/	/	20	102	5825.020	5725 to 5850	Pass
						120	5824.980	5725 to 5850	Pass
						138	5824.960	5725 to 5850	Pass
					-30	120	5824.960	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5824.980	5725 to 5850	Pass
					0	120	5825.000	5725 to 5850	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 482 of 1085

					10	120	5825.000	5725 to 5850	Pass
					30	120	5825.020	5725 to 5850	Pass
					40	120	5825.000	5725 to 5850	Pass
					50	120	5825.000	5725 to 5850	Pass
802.11n (HT40)	MIMO	5190	/	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.080	5150 to 5250	Pass
						138	5190.000	5150 to 5250	Pass
					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5190.080	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5190.080	5150 to 5250	Pass
					10	120	5190.080	5150 to 5250	Pass
					30	120	5190.080	5150 to 5250	Pass
					40	120	5190.040	5150 to 5250	Pass
					50	120	5190.040	5150 to 5250	Pass
		5230	/	/	20	102	5230.000	5150 to 5250	Pass
						120	5230.040	5150 to 5250	Pass
						138	5230.000	5150 to 5250	Pass
					-30	120	5230.040	5150 to 5250	Pass
					-20	120	5230.080	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.000	5150 to 5250	Pass
					10	120	5230.040	5150 to 5250	Pass
					30	120	5230.040	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
					50	120	5230.040	5150 to 5250	Pass
		5270	/	/	20	102	5270.040	5250 to 5350	Pass
						120	5270.000	5250 to 5350	Pass
						138	5270.040	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.000	5250 to 5350	Pass
					-10	120	5270.000	5250 to 5350	Pass
					0	120	5270.000	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.000	5250 to 5350	Pass
					40	120	5270.040	5250 to 5350	Pass
					50	120	5270.040	5250 to 5350	Pass
		5310	/	/	20	102	5310.000	5250 to 5350	Pass
						120	5310.040	5250 to 5350	Pass
						138	5310.000	5250 to 5350	Pass
					-30	120	5310.000	5250 to 5350	Pass
					-20	120	5310.040	5250 to 5350	Pass
					-10	120	5310.040	5250 to 5350	Pass
					0	120	5310.000	5250 to 5350	Pass
					10	120	5310.040	5250 to 5350	Pass
					30	120	5310.000	5250 to 5350	Pass
					40	120	5310.040	5250 to 5350	Pass
					50	120	5309.960	5250 to 5350	Pass
		5510	/	/	20	102	5510.000	5470 to 5725	Pass
						120	5510.040	5470 to 5725	Pass
						138	5509.960	5470 to 5725	Pass
					-30	120	5510.000	5470 to 5725	Pass
					-20	120	5510.000	5470 to 5725	Pass
					-10	120	5510.040	5470 to 5725	Pass
					0	120	5510.040	5470 to 5725	Pass
					10	120	5509.960	5470 to 5725	Pass
					30	120	5510.040	5470 to 5725	Pass
					40	120	5510.000	5470 to 5725	Pass
					50	120	5510.040	5470 to 5725	Pass
		5550	/	/	20	102	5549.960	5470 to 5725	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 483 of 1085

						120	5550.040	5470 to 5725	Pass	
						138	5550.000	5470 to 5725	Pass	
						-30	120	5550.040	5470 to 5725	Pass
						-20	120	5550.000	5470 to 5725	Pass
						-10	120	5550.040	5470 to 5725	Pass
						0	120	5550.000	5470 to 5725	Pass
						10	120	5550.000	5470 to 5725	Pass
						30	120	5550.000	5470 to 5725	Pass
						40	120	5549.960	5470 to 5725	Pass
					50	120	5550.000	5470 to 5725	Pass	
		5670	/	/	20	102	5670.040	5470 to 5725	Pass	
						120	5670.040	5470 to 5725	Pass	
						138	5670.040	5470 to 5725	Pass	
					-30	120	5670.040	5470 to 5725	Pass	
					-20	120	5670.000	5470 to 5725	Pass	
					-10	120	5670.040	5470 to 5725	Pass	
					0	120	5670.000	5470 to 5725	Pass	
					10	120	5670.040	5470 to 5725	Pass	
					30	120	5670.040	5470 to 5725	Pass	
					40	120	5670.000	5470 to 5725	Pass	
					50	120	5670.040	5470 to 5725	Pass	
		5755	/	/	20	102	5755.000	5725 to 5850	Pass	
						120	5755.000	5725 to 5850	Pass	
						138	5755.000	5725 to 5850	Pass	
					-30	120	5755.040	5725 to 5850	Pass	
					-20	120	5755.000	5725 to 5850	Pass	
					-10	120	5755.000	5725 to 5850	Pass	
					0	120	5755.000	5725 to 5850	Pass	
					10	120	5755.000	5725 to 5850	Pass	
					30	120	5755.040	5725 to 5850	Pass	
					40	120	5755.000	5725 to 5850	Pass	
					50	120	5755.040	5725 to 5850	Pass	
		5795	/	/	20	102	5795.000	5725 to 5850	Pass	
						120	5795.000	5725 to 5850	Pass	
						138	5794.960	5725 to 5850	Pass	
					-30	120	5795.000	5725 to 5850	Pass	
					-20	120	5794.960	5725 to 5850	Pass	
					-10	120	5795.000	5725 to 5850	Pass	
					0	120	5794.960	5725 to 5850	Pass	
					10	120	5795.000	5725 to 5850	Pass	
					30	120	5795.000	5725 to 5850	Pass	
					40	120	5795.000	5725 to 5850	Pass	
					50	120	5795.000	5725 to 5850	Pass	
802.11ac (VHT20)	MIMO	5180	/	/	20	102	5180.080	5150 to 5250	Pass	
						120	5180.060	5150 to 5250	Pass	
						138	5180.040	5150 to 5250	Pass	
					-30	120	5180.040	5150 to 5250	Pass	
					-20	120	5180.020	5150 to 5250	Pass	
					-10	120	5180.040	5150 to 5250	Pass	
					0	120	5180.040	5150 to 5250	Pass	
					10	120	5180.060	5150 to 5250	Pass	
					30	120	5180.040	5150 to 5250	Pass	
					40	120	5180.000	5150 to 5250	Pass	
					50	120	5180.020	5150 to 5250	Pass	
		5200	/	/	20	102	5199.980	5150 to 5250	Pass	
						120	5200.040	5150 to 5250	Pass	
						138	5200.020	5150 to 5250	Pass	
					-30	120	5200.020	5150 to 5250	Pass	
					-20	120	5200.020	5150 to 5250	Pass	
					-10	120	5200.020	5150 to 5250	Pass	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 484 of 1085

					0	120	5200.020	5150 to 5250	Pass
					10	120	5200.020	5150 to 5250	Pass
					30	120	5200.000	5150 to 5250	Pass
					40	120	5200.000	5150 to 5250	Pass
					50	120	5200.000	5150 to 5250	Pass
		5240	/	/	20	102	5240.020	5150 to 5250	Pass
						120	5239.960	5150 to 5250	Pass
						138	5240.020	5150 to 5250	Pass
					-30	120	5240.000	5150 to 5250	Pass
					-20	120	5240.040	5150 to 5250	Pass
					-10	120	5240.040	5150 to 5250	Pass
					0	120	5240.020	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
					30	120	5240.020	5150 to 5250	Pass
					40	120	5240.000	5150 to 5250	Pass
					50	120	5240.020	5150 to 5250	Pass
		5260	/	/	20	102	5260.020	5250 to 5350	Pass
						120	5260.000	5250 to 5350	Pass
						138	5260.040	5250 to 5350	Pass
					-30	120	5260.040	5250 to 5350	Pass
					-20	120	5260.000	5250 to 5350	Pass
					-10	120	5260.020	5250 to 5350	Pass
					0	120	5260.000	5250 to 5350	Pass
					10	120	5260.000	5250 to 5350	Pass
					30	120	5260.020	5250 to 5350	Pass
					40	120	5260.020	5250 to 5350	Pass
					50	120	5259.980	5250 to 5350	Pass
		5300	/	/	20	102	5300.020	5250 to 5350	Pass
						120	5300.060	5250 to 5350	Pass
						138	5299.980	5250 to 5350	Pass
					-30	120	5300.020	5250 to 5350	Pass
					-20	120	5299.980	5250 to 5350	Pass
					-10	120	5300.000	5250 to 5350	Pass
					0	120	5299.980	5250 to 5350	Pass
					10	120	5299.980	5250 to 5350	Pass
					30	120	5300.020	5250 to 5350	Pass
					40	120	5300.000	5250 to 5350	Pass
		5320	/	/	20	102	5320.000	5250 to 5350	Pass
						120	5319.980	5250 to 5350	Pass
						138	5319.980	5250 to 5350	Pass
					-30	120	5319.960	5250 to 5350	Pass
					-20	120	5320.020	5250 to 5350	Pass
					-10	120	5319.960	5250 to 5350	Pass
					0	120	5319.980	5250 to 5350	Pass
					10	120	5320.040	5250 to 5350	Pass
					30	120	5320.000	5250 to 5350	Pass
					40	120	5320.020	5250 to 5350	Pass
		5500	/	/	20	102	5499.980	5470 to 5725	Pass
						120	5500.040	5470 to 5725	Pass
						138	5500.040	5470 to 5725	Pass
					-30	120	5500.020	5470 to 5725	Pass
					-20	120	5500.020	5470 to 5725	Pass
					-10	120	5500.020	5470 to 5725	Pass
					0	120	5499.980	5470 to 5725	Pass
					10	120	5500.040	5470 to 5725	Pass
					30	120	5499.960	5470 to 5725	Pass
					40	120	5500.000	5470 to 5725	Pass
					50	120	5500.020	5470 to 5725	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 485 of 1085

		5580	/	/	20	102	5580.040	5470 to 5725	Pass
						120	5580.000	5470 to 5725	Pass
						138	5580.040	5470 to 5725	Pass
					-30	120	5580.000	5470 to 5725	Pass
					-20	120	5580.040	5470 to 5725	Pass
					-10	120	5580.040	5470 to 5725	Pass
					0	120	5580.020	5470 to 5725	Pass
					10	120	5579.980	5470 to 5725	Pass
					30	120	5580.000	5470 to 5725	Pass
					40	120	5580.000	5470 to 5725	Pass
					50	120	5580.040	5470 to 5725	Pass
		5700	/	/	20	102	5700.020	5470 to 5725	Pass
						120	5700.000	5470 to 5725	Pass
						138	5699.980	5470 to 5725	Pass
					-30	120	5699.960	5470 to 5725	Pass
					-20	120	5700.000	5470 to 5725	Pass
					-10	120	5699.980	5470 to 5725	Pass
					0	120	5700.020	5470 to 5725	Pass
					10	120	5700.000	5470 to 5725	Pass
					30	120	5700.000	5470 to 5725	Pass
					40	120	5699.960	5470 to 5725	Pass
					50	120	5700.040	5470 to 5725	Pass
		5745	/	/	20	102	5745.020	5725 to 5850	Pass
						120	5745.040	5725 to 5850	Pass
						138	5744.980	5725 to 5850	Pass
					-30	120	5744.980	5725 to 5850	Pass
					-20	120	5745.020	5725 to 5850	Pass
					-10	120	5745.000	5725 to 5850	Pass
					0	120	5745.000	5725 to 5850	Pass
					10	120	5744.980	5725 to 5850	Pass
					30	120	5744.980	5725 to 5850	Pass
					40	120	5744.960	5725 to 5850	Pass
					50	120	5744.980	5725 to 5850	Pass
		5785	/	/	20	102	5785.040	5725 to 5850	Pass
						120	5785.020	5725 to 5850	Pass
						138	5785.000	5725 to 5850	Pass
					-30	120	5784.980	5725 to 5850	Pass
					-20	120	5785.020	5725 to 5850	Pass
					-10	120	5785.000	5725 to 5850	Pass
					0	120	5785.020	5725 to 5850	Pass
					10	120	5784.960	5725 to 5850	Pass
					30	120	5785.040	5725 to 5850	Pass
					40	120	5784.980	5725 to 5850	Pass
					50	120	5784.980	5725 to 5850	Pass
		5825	/	/	20	102	5824.980	5725 to 5850	Pass
						120	5824.960	5725 to 5850	Pass
						138	5824.980	5725 to 5850	Pass
					-30	120	5825.000	5725 to 5850	Pass
					-20	120	5825.020	5725 to 5850	Pass
					-10	120	5824.980	5725 to 5850	Pass
					0	120	5825.000	5725 to 5850	Pass
					10	120	5825.000	5725 to 5850	Pass
					30	120	5824.980	5725 to 5850	Pass
					40	120	5825.000	5725 to 5850	Pass
					50	120	5825.020	5725 to 5850	Pass
802.11ac (VHT40)	MIMO	5190	/	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.040	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
					-30	120	5190.080	5150 to 5250	Pass
					-20	120	5190.040	5150 to 5250	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 486 of 1085

					-10	120	5190.080	5150 to 5250	Pass
					0	120	5190.040	5150 to 5250	Pass
					10	120	5190.040	5150 to 5250	Pass
					30	120	5190.040	5150 to 5250	Pass
					40	120	5190.080	5150 to 5250	Pass
					50	120	5190.040	5150 to 5250	Pass
		5230	/	/	20	102	5230.040	5150 to 5250	Pass
						120	5230.000	5150 to 5250	Pass
						138	5230.040	5150 to 5250	Pass
					-30	120	5230.040	5150 to 5250	Pass
					-20	120	5230.040	5150 to 5250	Pass
					-10	120	5230.000	5150 to 5250	Pass
					0	120	5230.000	5150 to 5250	Pass
					10	120	5230.040	5150 to 5250	Pass
					30	120	5230.040	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
					50	120	5230.000	5150 to 5250	Pass
		5270	/	/	20	102	5270.000	5250 to 5350	Pass
						120	5270.000	5250 to 5350	Pass
						138	5270.000	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.040	5250 to 5350	Pass
					-10	120	5270.000	5250 to 5350	Pass
					0	120	5270.000	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.000	5250 to 5350	Pass
					40	120	5270.040	5250 to 5350	Pass
					50	120	5270.040	5250 to 5350	Pass
		5310	/	/	20	102	5310.000	5250 to 5350	Pass
						120	5310.000	5250 to 5350	Pass
						138	5310.040	5250 to 5350	Pass
					-30	120	5310.000	5250 to 5350	Pass
					-20	120	5310.040	5250 to 5350	Pass
					-10	120	5310.040	5250 to 5350	Pass
					0	120	5310.000	5250 to 5350	Pass
					10	120	5310.000	5250 to 5350	Pass
					30	120	5310.000	5250 to 5350	Pass
					40	120	5310.000	5250 to 5350	Pass
					50	120	5310.000	5250 to 5350	Pass
		5510	/	/	20	102	5510.040	5470 to 5725	Pass
						120	5510.040	5470 to 5725	Pass
						138	5510.000	5470 to 5725	Pass
					-30	120	5510.040	5470 to 5725	Pass
					-20	120	5510.040	5470 to 5725	Pass
					-10	120	5510.000	5470 to 5725	Pass
					0	120	5510.000	5470 to 5725	Pass
					10	120	5510.000	5470 to 5725	Pass
					30	120	5510.040	5470 to 5725	Pass
					40	120	5510.000	5470 to 5725	Pass
					50	120	5509.960	5470 to 5725	Pass
		5550	/	/	20	102	5549.960	5470 to 5725	Pass
						120	5550.000	5470 to 5725	Pass
						138	5550.000	5470 to 5725	Pass
					-30	120	5550.040	5470 to 5725	Pass
					-20	120	5549.960	5470 to 5725	Pass
					-10	120	5550.000	5470 to 5725	Pass
					0	120	5550.040	5470 to 5725	Pass
					10	120	5550.000	5470 to 5725	Pass
					30	120	5549.960	5470 to 5725	Pass
					40	120	5550.040	5470 to 5725	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 487 of 1085

		5670	/	/	50	120	5549.960	5470 to 5725	Pass
					20	102	5670.040	5470 to 5725	Pass
						120	5670.040	5470 to 5725	Pass
						138	5670.040	5470 to 5725	Pass
					-30	120	5670.040	5470 to 5725	Pass
					-20	120	5670.040	5470 to 5725	Pass
					-10	120	5670.040	5470 to 5725	Pass
					0	120	5670.040	5470 to 5725	Pass
					10	120	5670.080	5470 to 5725	Pass
					30	120	5670.040	5470 to 5725	Pass
					40	120	5670.040	5470 to 5725	Pass
					50	120	5670.040	5470 to 5725	Pass
		5755	/	/	20	102	5755.000	5725 to 5850	Pass
						120	5755.000	5725 to 5850	Pass
						138	5755.000	5725 to 5850	Pass
					-30	120	5755.000	5725 to 5850	Pass
					-20	120	5755.000	5725 to 5850	Pass
					-10	120	5754.960	5725 to 5850	Pass
					0	120	5755.000	5725 to 5850	Pass
					10	120	5755.000	5725 to 5850	Pass
					30	120	5754.960	5725 to 5850	Pass
					40	120	5755.000	5725 to 5850	Pass
					50	120	5755.000	5725 to 5850	Pass
		5795	/	/	20	102	5794.960	5725 to 5850	Pass
						120	5795.000	5725 to 5850	Pass
						138	5794.960	5725 to 5850	Pass
					-30	120	5794.960	5725 to 5850	Pass
					-20	120	5794.960	5725 to 5850	Pass
					-10	120	5794.960	5725 to 5850	Pass
					0	120	5794.960	5725 to 5850	Pass
					10	120	5794.960	5725 to 5850	Pass
					30	120	5795.000	5725 to 5850	Pass
					40	120	5794.960	5725 to 5850	Pass
					50	120	5794.920	5725 to 5850	Pass
802.11ac (VHT80)	MIMO	5210	/	/	20	102	5210.075	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.075	5150 to 5250	Pass
					-30	120	5210.075	5150 to 5250	Pass
					-20	120	5210.075	5150 to 5250	Pass
					-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.075	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.150	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
		5290	/	/	20	102	5290.000	5250 to 5350	Pass
						120	5289.925	5250 to 5350	Pass
						138	5290.000	5250 to 5350	Pass
					-30	120	5290.075	5250 to 5350	Pass
					-20	120	5290.000	5250 to 5350	Pass
					-10	120	5290.075	5250 to 5350	Pass
					0	120	5289.925	5250 to 5350	Pass
					10	120	5290.000	5250 to 5350	Pass
					30	120	5290.075	5250 to 5350	Pass
					40	120	5290.000	5250 to 5350	Pass
					50	120	5290.075	5250 to 5350	Pass
		5530	/	/	20	102	5530.075	5470 to 5725	Pass
						120	5530.000	5470 to 5725	Pass
						138	5530.000	5470 to 5725	Pass
					-30	120	5530.075	5470 to 5725	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 488 of 1085

					-20	120	5530.075	5470 to 5725	Pass
					-10	120	5530.000	5470 to 5725	Pass
					0	120	5530.075	5470 to 5725	Pass
					10	120	5530.000	5470 to 5725	Pass
					30	120	5529.925	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.075	5470 to 5725	Pass
		5610	/	/	20	102	5610.075	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass
						138	5610.150	5470 to 5725	Pass
					-30	120	5610.075	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.075	5470 to 5725	Pass
					10	120	5610.075	5470 to 5725	Pass
					30	120	5610.075	5470 to 5725	Pass
					40	120	5610.075	5470 to 5725	Pass
					50	120	5610.150	5470 to 5725	Pass
		5775	/	/	20	102	5774.925	5725 to 5850	Pass
						120	5775.075	5725 to 5850	Pass
						138	5775.000	5725 to 5850	Pass
					-30	120	5775.000	5725 to 5850	Pass
					-20	120	5775.075	5725 to 5850	Pass
					-10	120	5775.000	5725 to 5850	Pass
					0	120	5775.075	5725 to 5850	Pass
					10	120	5775.075	5725 to 5850	Pass
					30	120	5775.000	5725 to 5850	Pass
					40	120	5775.075	5725 to 5850	Pass
					50	120	5775.000	5725 to 5850	Pass
802.11ac (VHT160)	MIMO	5570	/	/	20	102	5570.000	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
						138	5570.075	5470 to 5725	Pass
					-30	120	5570.075	5470 to 5725	Pass
					-20	120	5570.075	5470 to 5725	Pass
					-10	120	5570.075	5470 to 5725	Pass
					0	120	5570.150	5470 to 5725	Pass
					10	120	5570.075	5470 to 5725	Pass
					30	120	5570.000	5470 to 5725	Pass
					40	120	5570.075	5470 to 5725	Pass
					50	120	5570.150	5470 to 5725	Pass
		5250	/	/	20	102	5250.000	5150 to 5350	Pass
						120	5250.075	5150 to 5350	Pass
						138	5250.000	5150 to 5350	Pass
					-30	120	5249.925	5150 to 5350	Pass
					-20	120	5249.925	5150 to 5350	Pass
					-10	120	5250.000	5150 to 5350	Pass
					0	120	5250.000	5150 to 5350	Pass
					10	120	5250.000	5150 to 5350	Pass
					30	120	5250.000	5150 to 5350	Pass
					40	120	5249.925	5150 to 5350	Pass
					50	120	5249.925	5150 to 5350	Pass
802.11ax (HEW20)	MIMO	5180	SU	/	20	102	5180.020	5150 to 5250	Pass
						120	5180.020	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5180.040	5150 to 5250	Pass
					-20	120	5180.040	5150 to 5250	Pass
					-10	120	5180.040	5150 to 5250	Pass
					0	120	5180.060	5150 to 5250	Pass
					10	120	5180.020	5150 to 5250	Pass
					30	120	5179.980	5150 to 5250	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 489 of 1085

					40	120	5180.020	5150 to 5250	Pass
					50	120	5180.020	5150 to 5250	Pass
		5200	SU	/	20	102	5200.020	5150 to 5250	Pass
						120	5200.020	5150 to 5250	Pass
					138	5200.000	5150 to 5250	Pass	Pass
						5200.000	5150 to 5250	Pass	Pass
					-30	120	5200.000	5150 to 5250	Pass
					-20	120	5200.020	5150 to 5250	Pass
					-10	120	5199.980	5150 to 5250	Pass
					0	120	5200.000	5150 to 5250	Pass
					10	120	5200.000	5150 to 5250	Pass
					30	120	5199.980	5150 to 5250	Pass
					40	120	5200.040	5150 to 5250	Pass
					50	120	5200.000	5150 to 5250	Pass
		5240	SU	/	20	102	5239.980	5150 to 5250	Pass
						120	5240.000	5150 to 5250	Pass
					138	5240.000	5150 to 5250	Pass	Pass
						5240.000	5150 to 5250	Pass	Pass
					-30	120	5240.020	5150 to 5250	Pass
					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5240.020	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
					30	120	5240.000	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5240.040	5150 to 5250	Pass
		5260	SU	/	20	102	5259.980	5250 to 5350	Pass
						120	5260.020	5250 to 5350	Pass
					138	5259.980	5250 to 5350	Pass	Pass
						5259.980	5250 to 5350	Pass	Pass
					-30	120	5260.020	5250 to 5350	Pass
					-20	120	5260.040	5250 to 5350	Pass
					-10	120	5259.980	5250 to 5350	Pass
					0	120	5260.000	5250 to 5350	Pass
					10	120	5260.000	5250 to 5350	Pass
					30	120	5259.980	5250 to 5350	Pass
					40	120	5260.000	5250 to 5350	Pass
					50	120	5260.020	5250 to 5350	Pass
		5300	SU	/	20	102	5299.980	5250 to 5350	Pass
						120	5300.000	5250 to 5350	Pass
					138	5299.960	5250 to 5350	Pass	Pass
						5299.960	5250 to 5350	Pass	Pass
					-30	120	5299.960	5250 to 5350	Pass
					-20	120	5300.000	5250 to 5350	Pass
					-10	120	5299.980	5250 to 5350	Pass
					0	120	5300.020	5250 to 5350	Pass
					10	120	5300.000	5250 to 5350	Pass
					30	120	5299.960	5250 to 5350	Pass
					40	120	5299.980	5250 to 5350	Pass
					50	120	5299.980	5250 to 5350	Pass
		5320	SU	/	20	102	5320.000	5250 to 5350	Pass
						120	5320.000	5250 to 5350	Pass
					138	5319.980	5250 to 5350	Pass	Pass
						5319.980	5250 to 5350	Pass	Pass
					-30	120	5320.020	5250 to 5350	Pass
					-20	120	5320.000	5250 to 5350	Pass
					-10	120	5319.980	5250 to 5350	Pass
					0	120	5319.980	5250 to 5350	Pass
					10	120	5320.000	5250 to 5350	Pass
					30	120	5320.000	5250 to 5350	Pass
					40	120	5320.020	5250 to 5350	Pass
					50	120	5320.000	5250 to 5350	Pass
		5500	SU	/	20	102	5499.960	5470 to 5725	Pass
						120	5499.980	5470 to 5725	Pass
						138	5500.000	5470 to 5725	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 490 of 1085

					-30	120	5500.020	5470 to 5725	Pass
					-20	120	5499.980	5470 to 5725	Pass
					-10	120	5499.980	5470 to 5725	Pass
					0	120	5500.020	5470 to 5725	Pass
					10	120	5500.000	5470 to 5725	Pass
					30	120	5499.980	5470 to 5725	Pass
					40	120	5500.000	5470 to 5725	Pass
					50	120	5499.980	5470 to 5725	Pass
		5580	SU	/	20	102	5580.000	5470 to 5725	Pass
						120	5580.000	5470 to 5725	Pass
						138	5580.000	5470 to 5725	Pass
					-30	120	5579.980	5470 to 5725	Pass
					-20	120	5580.000	5470 to 5725	Pass
					-10	120	5579.960	5470 to 5725	Pass
					0	120	5580.040	5470 to 5725	Pass
					10	120	5580.020	5470 to 5725	Pass
					30	120	5580.020	5470 to 5725	Pass
					40	120	5580.020	5470 to 5725	Pass
					50	120	5579.980	5470 to 5725	Pass
		5700	SU	/	20	102	5700.000	5470 to 5725	Pass
						120	5700.020	5470 to 5725	Pass
						138	5699.980	5470 to 5725	Pass
					-30	120	5700.020	5470 to 5725	Pass
					-20	120	5700.020	5470 to 5725	Pass
					-10	120	5700.000	5470 to 5725	Pass
					0	120	5700.000	5470 to 5725	Pass
					10	120	5700.000	5470 to 5725	Pass
					30	120	5699.980	5470 to 5725	Pass
					40	120	5700.000	5470 to 5725	Pass
					50	120	5700.000	5470 to 5725	Pass
		5745	SU	/	20	102	5745.020	5725 to 5850	Pass
						120	5745.000	5725 to 5850	Pass
						138	5744.960	5725 to 5850	Pass
					-30	120	5745.040	5725 to 5850	Pass
					-20	120	5744.980	5725 to 5850	Pass
					-10	120	5744.980	5725 to 5850	Pass
					0	120	5745.040	5725 to 5850	Pass
					10	120	5745.040	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5744.980	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
		5785	SU	/	20	102	5784.980	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5784.980	5725 to 5850	Pass
					-30	120	5785.000	5725 to 5850	Pass
					-20	120	5785.000	5725 to 5850	Pass
					-10	120	5785.000	5725 to 5850	Pass
					0	120	5785.020	5725 to 5850	Pass
					10	120	5785.020	5725 to 5850	Pass
					30	120	5785.040	5725 to 5850	Pass
					40	120	5785.020	5725 to 5850	Pass
					50	120	5785.020	5725 to 5850	Pass
		5825	SU	/	20	102	5824.980	5725 to 5850	Pass
						120	5825.000	5725 to 5850	Pass
						138	5824.960	5725 to 5850	Pass
					-30	120	5824.960	5725 to 5850	Pass
					-20	120	5824.980	5725 to 5850	Pass
					-10	120	5825.020	5725 to 5850	Pass
					0	120	5825.020	5725 to 5850	Pass
					10	120	5824.980	5725 to 5850	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 491 of 1085

802.11ax (HEW40)	MIMO				30	120	5825.000	5725 to 5850	Pass
					40	120	5825.000	5725 to 5850	Pass
					50	120	5825.000	5725 to 5850	Pass
		5190	SU	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.040	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
					-30	120	5190.000	5150 to 5250	Pass
					-20	120	5190.040	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5190.040	5150 to 5250	Pass
					10	120	5190.000	5150 to 5250	Pass
					30	120	5190.040	5150 to 5250	Pass
					40	120	5190.040	5150 to 5250	Pass
					50	120	5190.000	5150 to 5250	Pass
		5230	SU	/	20	102	5230.040	5150 to 5250	Pass
						120	5229.960	5150 to 5250	Pass
						138	5230.000	5150 to 5250	Pass
					-30	120	5230.000	5150 to 5250	Pass
					-20	120	5229.960	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.040	5150 to 5250	Pass
					10	120	5230.000	5150 to 5250	Pass
					30	120	5230.000	5150 to 5250	Pass
					40	120	5230.000	5150 to 5250	Pass
					50	120	5229.960	5150 to 5250	Pass
		5270	SU	/	20	102	5270.040	5250 to 5350	Pass
						120	5270.000	5250 to 5350	Pass
						138	5270.000	5250 to 5350	Pass
					-30	120	5269.960	5250 to 5350	Pass
					-20	120	5270.000	5250 to 5350	Pass
					-10	120	5270.040	5250 to 5350	Pass
					0	120	5269.960	5250 to 5350	Pass
					10	120	5270.000	5250 to 5350	Pass
					30	120	5269.960	5250 to 5350	Pass
					40	120	5269.960	5250 to 5350	Pass
					50	120	5269.960	5250 to 5350	Pass
		5310	SU	/	20	102	5310.000	5250 to 5350	Pass
						120	5310.000	5250 to 5350	Pass
						138	5309.960	5250 to 5350	Pass
					-30	120	5310.000	5250 to 5350	Pass
					-20	120	5310.040	5250 to 5350	Pass
					-10	120	5309.960	5250 to 5350	Pass
					0	120	5310.000	5250 to 5350	Pass
					10	120	5309.960	5250 to 5350	Pass
					30	120	5310.000	5250 to 5350	Pass
					40	120	5310.000	5250 to 5350	Pass
					50	120	5310.000	5250 to 5350	Pass
		5510	SU	/	20	102	5509.960	5470 to 5725	Pass
						120	5510.000	5470 to 5725	Pass
						138	5510.000	5470 to 5725	Pass
					-30	120	5509.960	5470 to 5725	Pass
					-20	120	5510.000	5470 to 5725	Pass
					-10	120	5510.040	5470 to 5725	Pass
					0	120	5510.000	5470 to 5725	Pass
					10	120	5510.000	5470 to 5725	Pass
					30	120	5509.960	5470 to 5725	Pass
					40	120	5510.000	5470 to 5725	Pass
					50	120	5510.000	5470 to 5725	Pass
		5550	SU	/	20	102	5550.000	5470 to 5725	Pass
						120	5549.960	5470 to 5725	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 492 of 1085

						138	5550.000	5470 to 5725	Pass
					-30	120	5550.000	5470 to 5725	Pass
					-20	120	5550.040	5470 to 5725	Pass
					-10	120	5549.960	5470 to 5725	Pass
					0	120	5549.960	5470 to 5725	Pass
					10	120	5550.000	5470 to 5725	Pass
					30	120	5550.000	5470 to 5725	Pass
					40	120	5549.960	5470 to 5725	Pass
					50	120	5550.040	5470 to 5725	Pass
		5670	SU	/	20	102	5670.000	5470 to 5725	Pass
						120	5670.040	5470 to 5725	Pass
						138	5670.000	5470 to 5725	Pass
					-30	120	5670.000	5470 to 5725	Pass
					-20	120	5670.000	5470 to 5725	Pass
					-10	120	5670.000	5470 to 5725	Pass
					0	120	5670.040	5470 to 5725	Pass
					10	120	5670.040	5470 to 5725	Pass
					30	120	5670.000	5470 to 5725	Pass
					40	120	5670.000	5470 to 5725	Pass
					50	120	5670.000	5470 to 5725	Pass
		5755	SU	/	20	102	5755.040	5725 to 5850	Pass
						120	5754.960	5725 to 5850	Pass
						138	5754.960	5725 to 5850	Pass
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.000	5725 to 5850	Pass
					-10	120	5755.000	5725 to 5850	Pass
					0	120	5754.960	5725 to 5850	Pass
					10	120	5755.000	5725 to 5850	Pass
					30	120	5755.040	5725 to 5850	Pass
					40	120	5755.000	5725 to 5850	Pass
					50	120	5755.000	5725 to 5850	Pass
		5795	SU	/	20	102	5795.000	5725 to 5850	Pass
						120	5794.960	5725 to 5850	Pass
						138	5795.000	5725 to 5850	Pass
					-30	120	5795.000	5725 to 5850	Pass
					-20	120	5795.000	5725 to 5850	Pass
					-10	120	5795.040	5725 to 5850	Pass
					0	120	5795.000	5725 to 5850	Pass
					10	120	5794.920	5725 to 5850	Pass
					30	120	5795.000	5725 to 5850	Pass
					40	120	5795.000	5725 to 5850	Pass
					50	120	5794.920	5725 to 5850	Pass
802.11ax (HEW80)	MIMO	5210	SU	/	20	102	5210.075	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.075	5150 to 5250	Pass
					-30	120	5210.000	5150 to 5250	Pass
					-20	120	5210.150	5150 to 5250	Pass
					-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.150	5150 to 5250	Pass
					10	120	5210.150	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
		5290	SU	/	20	102	5290.000	5250 to 5350	Pass
						120	5290.150	5250 to 5350	Pass
						138	5290.000	5250 to 5350	Pass
					-30	120	5290.000	5250 to 5350	Pass
					-20	120	5290.000	5250 to 5350	Pass
					-10	120	5290.000	5250 to 5350	Pass
					0	120	5290.075	5250 to 5350	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 493 of 1085

					10	120	5290.000	5250 to 5350	Pass
					30	120	5290.000	5250 to 5350	Pass
					40	120	5290.000	5250 to 5350	Pass
					50	120	5290.000	5250 to 5350	Pass
		5530	SU	/	20	102	5530.075	5470 to 5725	Pass
						120	5530.075	5470 to 5725	Pass
						138	5530.000	5470 to 5725	Pass
					-30	120	5530.000	5470 to 5725	Pass
					-20	120	5530.075	5470 to 5725	Pass
					-10	120	5530.000	5470 to 5725	Pass
					0	120	5530.075	5470 to 5725	Pass
					10	120	5530.000	5470 to 5725	Pass
					30	120	5530.075	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.000	5470 to 5725	Pass
		5610	SU	/	20	102	5610.075	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass
						138	5610.150	5470 to 5725	Pass
					-30	120	5610.000	5470 to 5725	Pass
					-20	120	5610.150	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.000	5470 to 5725	Pass
					10	120	5610.075	5470 to 5725	Pass
					30	120	5610.075	5470 to 5725	Pass
					40	120	5610.000	5470 to 5725	Pass
					50	120	5610.000	5470 to 5725	Pass
		5775	SU	/	20	102	5775.000	5725 to 5850	Pass
						120	5775.000	5725 to 5850	Pass
						138	5775.000	5725 to 5850	Pass
					-30	120	5775.000	5725 to 5850	Pass
					-20	120	5775.075	5725 to 5850	Pass
					-10	120	5775.075	5725 to 5850	Pass
					0	120	5775.075	5725 to 5850	Pass
					10	120	5775.000	5725 to 5850	Pass
					30	120	5775.000	5725 to 5850	Pass
					40	120	5775.000	5725 to 5850	Pass
					50	120	5775.000	5725 to 5850	Pass
802.11ax (HEW160)	MIMO	5570	SU	/	20	102	5570.000	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
						138	5570.075	5470 to 5725	Pass
					-30	120	5570.150	5470 to 5725	Pass
					-20	120	5570.000	5470 to 5725	Pass
					-10	120	5570.075	5470 to 5725	Pass
					0	120	5570.150	5470 to 5725	Pass
					10	120	5570.150	5470 to 5725	Pass
					30	120	5570.075	5470 to 5725	Pass
					40	120	5570.000	5470 to 5725	Pass
					50	120	5570.150	5470 to 5725	Pass
		5250	SU	/	20	102	5250.000	5150 to 5350	Pass
						120	5249.925	5150 to 5350	Pass
						138	5249.925	5150 to 5350	Pass
					-30	120	5250.075	5150 to 5350	Pass
					-20	120	5250.075	5150 to 5350	Pass
					-10	120	5249.925	5150 to 5350	Pass
					0	120	5250.000	5150 to 5350	Pass
					10	120	5250.000	5150 to 5350	Pass
					30	120	5250.075	5150 to 5350	Pass
					40	120	5250.000	5150 to 5350	Pass
					50	120	5249.925	5150 to 5350	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 494 of 1085

1. Signal Calibration

1.1 Test Result

1.1.1 SC

Band: 2A							
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration		Verdict
			Type	Trial Id	Result	Limit	
802.11a	20	5320	0	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
			2	0	Refer To Test Graph		Pass
			3	0	Refer To Test Graph		Pass
			4	0	Refer To Test Graph		Pass
			5	0	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass

1.1.2 SC

Band: 2C							
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration		Verdict
			Type	Trial Id	Result	Limit	
802.11ax (HEW160)	160	5570	0	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
			2	0	Refer To Test Graph		Pass
			3	0	Refer To Test Graph		Pass
			4	0	Refer To Test Graph		Pass
			5	0	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 495 of 1085

1.2 Test Graph


1.2.1 SC





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 496 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004
Rev.: 01
Page: 497 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 498 of 1085






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 499 of 1085

1.2.2 SC







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 500 of 1085

Signal Calibration_802.11ax(HEW160)_2C_5570MHz_RadarType2_Trial0



Signal Calibration_802.11ax(HEW160)_2C_5570MHz_RadarType3_Trial0







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 501 of 1085

Signal Calibration_802.11ax(HEW160)_2C_5570MHz_RadarType4_Trial0




Signal Calibration_802.11ax(HEW160)_2C_5570MHz_RadarType5_Trial0





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 502 of 1085





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 503 of 1085

2. Channel Loading (Payload)

2.1 Test Result

2.1.1 Payload

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11a	20	5320	47.64	>=17	Pass

2.1.2 Payload

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ax (HEW160)	160	5570	18.68	>=17	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 504 of 1085

2.2 Test Graph

2.2.1 Payload






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 505 of 1085

2.2.2 Payload





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 506 of 1085

3. Channel Move Time and Closing Transmission Time

3.1 Test Result

3.1.1 CMT_CTT

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11a	20	5320	Refer To Test Graph		Pass

3.1.2 CMT_CTT

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11ax (HEW160)	160	5570	Refer To Test Graph		Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 507 of 1085

3.2 Test Graph

3.2.1 CMT_CTT






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 508 of 1085

3.2.2 CMT_CTT





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 509 of 1085

4. Non-Occupancy Period

4.1 Test Result

4.1.1 Period

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11a	20	5320	Refer To Test Graph		Pass

4.1.2 Period

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ax (HEW160)	160	5570	Refer To Test Graph		Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 510 of 1085

4.2 Test Graph

4.2.1 Period






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 511 of 1085

4.2.2 Period





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 512 of 1085


Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: 11ax80 MIMO_Channel 155

F961A

802.11ax40_Channel 102



Data List								
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dB μV]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	59.7	12.43	-27.63	36.65	21.45	40.00	18.55	Horizontal
2	108.55	11.75	-27.54	42.79	27.00	43.50	16.50	Horizontal
3	160	8.40	-27.06	49.71	31.05	43.50	12.45	Horizontal
4	248.35	12.43	-26.24	41.53	27.72	46.00	18.28	Horizontal
5	400	15.80	-25.48	36.57	26.89	46.00	19.11	Horizontal
6	719.65	19.71	-23.49	33.08	29.30	46.00	16.70	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 513 of 1085



Data List								
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dB μV]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	30	11.20	-28.45	48.18	30.93	40.00	9.07	Vertical
2	60.2	12.38	-27.62	47.2	31.96	40.00	8.04	Vertical
3	67.2	10.66	-27.43	46.25	29.48	40.00	10.52	Vertical
4	107.35	11.74	-27.56	52.46	36.64	43.50	6.86	Vertical
5	160.05	8.41	-27.06	49.43	30.78	43.50	12.72	Vertical
6	320	13.50	-25.57	36.96	24.89	46.00	21.11	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017004

Rev.: 01

Page: 514 of 1085

F9E1A

802.11a_Channel 36



Data List								
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dB μV]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	49.8	14.12	-27.73	37.08	23.47	40.00	16.53	Horizontal
2	99.7	11.64	-27.70	45.57	29.51	43.50	13.99	Horizontal
3	108.45	11.76	-27.54	46.5	30.72	43.50	12.78	Horizontal
4	152.1	7.86	-26.68	45.7	26.88	43.50	16.62	Horizontal
5	320	13.50	-25.57	41.31	29.24	46.00	16.76	Horizontal
6	466.05	16.48	-25.08	31.32	22.72	46.00	23.28	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 515 of 1085



Data List								
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dB μV]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	30.25	11.15	-28.44	46.64	29.35	40.00	10.65	Vertical
2	49.7	14.13	-27.73	45.09	31.49	40.00	8.51	Vertical
3	67.85	10.53	-27.41	46.57	29.69	40.00	10.31	Vertical
4	108.45	11.76	-27.54	48.4	32.62	43.50	10.88	Vertical
5	155	8.20	-26.82	43.59	24.97	43.50	18.53	Vertical
6	414	15.82	-25.32	34.91	25.41	46.00	20.59	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Value = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Value(dBμV/m)
- All channels have been tested, but only the worst case data displayed in this report.



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004


Rev.: 01

Page: 516 of 1085

Transmitter emission Above 1GHz

F961A:

802.11a_Channel 36



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7390	60.17	36.82	-43.48	53.51	74.00	20.49	Horizontal
2	10360	57.15	38.64	-39.51	56.28	68.20	11.92	Horizontal
3	15540	54.64	39.14	-35.73	58.05	74.00	15.95	Horizontal
4	15540	44.89	39.14	-35.73	48.30	54.00	5.70	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 517 of 1085

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7580	59.91	36.74	-43.51	53.14	74.00	20.86	Vertical
2	10360	55.15	38.64	-39.51	54.28	68.20	13.92	Vertical
3	15540	53.97	39.14	-35.73	57.38	74.00	16.62	Vertical
4	15540	43.87	39.14	-35.73	47.28	54.00	6.72	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 518 of 1085

802.11a_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7601.5	59.42	36.70	-43.35	52.77	74.00	21.23	Horizontal
2	10440	54.74	38.84	-39.50	54.08	68.20	14.12	Horizontal
3	15660	55.17	39.14	-35.71	58.60	74.00	15.40	Horizontal
4	15660	44.74	39.14	-35.71	48.17	54.00	5.83	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 519 of 1085

802.11a_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7361	60.16	36.88	-43.86	53.18	74.00	20.82	Vertical
2	10440	55.18	38.84	-39.50	54.52	68.20	13.68	Vertical
3	15660	52.94	39.14	-35.71	56.37	74.00	17.63	Vertical
4	15660	44.40	39.14	-35.71	47.83	54.00	6.17	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 520 of 1085

802.11a_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7359	60.16	36.88	-43.89	53.15	74.00	20.85	Horizontal
2	10480	55.35	39.08	-39.50	54.93	68.20	13.27	Horizontal
3	15720	53.97	39.16	-35.90	57.23	74.00	16.77	Horizontal
4	15720	43.97	39.16	-35.90	47.23	54.00	6.77	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 521 of 1085

802.11a_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7273.5	59.86	37.15	-44.03	52.98	74.00	21.02	Vertical
2	10480	54.35	39.08	-39.50	53.93	68.20	14.27	Vertical
3	15720	53.95	39.16	-35.90	57.21	74.00	16.79	Vertical
4	15720	44.28	39.16	-35.90	47.54	54.00	6.46	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 522 of 1085

802.11a_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7385.5	59.56	36.83	-43.54	52.85	74.00	21.15	Horizontal
2	10520	54.08	39.22	-39.50	53.80	68.20	14.40	Horizontal
3	15780	53.83	39.34	-36.01	57.16	74.00	16.84	Horizontal
4	15780	44.15	39.34	-36.01	47.48	54.00	6.52	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 523 of 1085

802.11a_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7366.5	59.73	36.87	-43.79	52.81	74.00	21.19	Vertical
2	10520	55.08	39.22	-39.50	54.80	68.20	13.40	Vertical
3	15780	53.62	39.34	-36.01	56.95	74.00	17.05	Vertical
4	15780	44.19	39.34	-36.01	47.52	54.00	6.48	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 524 of 1085

802.11a_Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7369	59.72	36.86	-43.76	52.82	74.00	21.18	Horizontal
2	10600	54.67	39.30	-39.59	54.38	68.20	13.82	Horizontal
3	15900	53.62	38.50	-35.66	56.46	74.00	17.54	Horizontal
4	10600	45.43	39.30	-39.59	45.14	54.00	8.86	Horizontal
5	15900	44.00	38.50	-35.66	46.84	54.00	7.16	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 525 of 1085

802.11a_Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7354.5	60.38	36.89	-43.95	53.32	74.00	20.68	Vertical
2	10600	55.39	39.30	-39.59	55.10	68.20	13.10	Vertical
3	15900	54.14	38.50	-35.66	56.98	74.00	17.02	Vertical
4	10600	45.54	39.30	-39.59	45.25	54.00	8.75	Vertical
5	15900	44.25	38.50	-35.66	47.09	54.00	6.91	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 526 of 1085

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7456.5	59.82	36.69	-43.81	52.70	74.00	21.30	Horizontal
2	10640	55.45	39.38	-39.71	55.12	74.00	18.88	Horizontal
3	15960	54.22	38.32	-36.03	56.51	74.00	17.49	Horizontal
4	10640	45.69	39.38	-39.71	45.36	54.00	8.64	Horizontal
5	15960	43.91	38.32	-36.03	46.20	54.00	7.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 527 of 1085

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7093.5	61.38	36.82	-44.37	53.83	68.20	14.37	Vertical
2	10640	55.14	39.38	-39.71	54.81	74.00	19.19	Vertical
3	15960	53.86	38.32	-36.03	56.15	74.00	17.85	Vertical
4	10640	45.07	39.38	-39.71	44.74	54.00	9.26	Vertical
5	15960	44.27	38.32	-36.03	46.56	54.00	7.44	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 528 of 1085

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7483	60.67	36.63	-43.99	53.31	74.00	20.69	Horizontal
2	11000	54.56	39.50	-39.27	54.79	74.00	19.21	Horizontal
3	16500	55.08	38.40	-37.21	56.27	68.20	11.93	Horizontal
4	11000	44.83	39.50	-39.27	45.06	54.00	8.94	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 529 of 1085

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7579.5	60.75	36.74	-43.51	53.98	74.00	20.02	Vertical
2	11000	56.08	39.50	-39.27	56.31	74.00	17.69	Vertical
3	16500	55.06	38.40	-37.21	56.25	68.20	11.95	Vertical
4	11000	45.87	39.50	-39.27	46.10	54.00	7.90	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 530 of 1085

802.11a_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7569	59.92	36.76	-43.60	53.08	74.00	20.92	Horizontal
2	11160	54.29	39.58	-39.20	54.67	74.00	19.33	Horizontal
3	16740	54.77	38.58	-36.75	56.60	68.20	11.60	Horizontal
4	11160	45.07	39.58	-39.20	45.45	54.00	8.55	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 531 of 1085

802.11a_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7402.5	59.18	36.80	-43.37	52.61	74.00	21.39	Vertical
2	11160	54.61	39.58	-39.20	54.99	74.00	19.01	Vertical
3	16740	55.37	38.58	-36.75	57.20	68.20	11.00	Vertical
4	11160	45.01	39.58	-39.20	45.39	54.00	8.61	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 532 of 1085

802.11a_Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7572.5	59.71	36.76	-43.57	52.90	74.00	21.10	Horizontal
2	11400	55.39	39.70	-38.61	56.48	74.00	17.52	Horizontal
3	17100	55.24	38.30	-37.31	56.23	68.20	11.97	Horizontal
4	11400	44.87	39.70	-38.61	45.96	54.00	8.04	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 533 of 1085

802.11a_Channel 140



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7374.5	59.82	36.85	-43.69	52.98	74.00	21.02	Vertical
2	11400	54.83	39.70	-38.61	55.92	74.00	18.08	Vertical
3	17100	55.74	38.30	-37.31	56.73	68.20	11.47	Vertical
4	11400	45.27	39.70	-38.61	46.36	54.00	7.64	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 534 of 1085

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7427.5	59.54	36.75	-43.58	52.71	74.00	21.29	Horizontal
2	11490	55.02	39.52	-38.54	56.00	74.00	18.00	Horizontal
3	17235	55.73	38.17	-36.30	57.60	68.20	10.60	Horizontal
4	11490	44.65	39.52	-38.54	45.63	54.00	8.37	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 535 of 1085

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7377	59.21	36.85	-43.65	52.41	74.00	21.59	Vertical
2	11490	54.15	39.52	-38.54	55.13	74.00	18.87	Vertical
3	17235	54.34	38.17	-36.30	56.21	68.20	11.99	Vertical
4	11490	45.17	39.52	-38.54	46.15	54.00	7.85	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 536 of 1085

802.11a_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7592	59.39	36.72	-43.41	52.70	74.00	21.30	Horizontal
2	11570	53.84	39.64	-38.55	54.93	74.00	19.07	Horizontal
3	17355	54.00	38.49	-36.56	55.93	68.20	12.27	Horizontal
4	11570	44.50	39.64	-38.55	45.59	54.00	8.41	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 537 of 1085

802.11a_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7372	60.19	36.86	-43.72	53.33	74.00	20.67	Vertical
2	11570	53.98	39.64	-38.55	55.07	74.00	18.93	Vertical
3	17355	53.99	38.49	-36.56	55.92	68.20	12.28	Vertical
4	11570	44.70	39.64	-38.55	45.79	54.00	8.21	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 538 of 1085

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7436	60.50	36.73	-43.65	53.58	74.00	20.42	Horizontal
2	11650	54.46	39.60	-38.16	55.90	74.00	18.10	Horizontal
3	17475	55.50	40.60	-37.14	58.96	68.20	9.24	Horizontal
4	11650	44.25	39.60	-38.16	45.69	54.00	8.31	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 539 of 1085

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7445	60.61	36.71	-43.72	53.60	74.00	20.40	Vertical
2	11650	53.39	39.60	-38.16	54.83	74.00	19.17	Vertical
3	17475	54.77	40.60	-37.14	58.23	68.20	9.97	Vertical
4	11650	44.37	39.60	-38.16	45.81	54.00	8.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 540 of 1085

802.11AC20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7367.5	60.41	36.87	-43.78	53.50	74.00	20.50	Horizontal
2	10360	55.04	38.64	-39.51	54.17	68.20	14.03	Horizontal
3	15540	55.12	39.14	-35.73	58.53	74.00	15.47	Horizontal
4	15540	44.35	39.14	-35.73	47.76	54.00	6.24	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 541 of 1085

802.11AC20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7369	60.29	36.86	-43.76	53.39	74.00	20.61	Vertical
2	10360	55.05	38.64	-39.51	54.18	68.20	14.02	Vertical
3	15540	53.33	39.14	-35.73	56.74	74.00	17.26	Vertical
4	15540	44.20	39.14	-35.73	47.61	54.00	6.39	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 542 of 1085

802.11AC20_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7583.5	59.27	36.73	-43.48	52.52	74.00	21.48	Horizontal
2	10440	52.75	38.84	-39.50	52.09	68.20	16.11	Horizontal
3	15660	52.82	39.14	-35.71	56.25	74.00	17.75	Horizontal
4	15660	43.65	39.14	-35.71	47.08	54.00	6.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 543 of 1085

802.11AC20_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7333.5	59.50	36.97	-44.01	52.46	74.00	21.54	Vertical
2	10440	52.69	38.84	-39.50	52.03	68.20	16.17	Vertical
3	15660	53.64	39.14	-35.71	57.07	74.00	16.93	Vertical
4	15660	43.75	39.14	-35.71	47.18	54.00	6.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 544 of 1085

802.11AC20_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7361.5	60.03	36.88	-43.86	53.05	74.00	20.95	Horizontal
2	10480	53.05	39.08	-39.50	52.63	68.20	15.57	Horizontal
3	15720	53.44	39.16	-35.90	56.70	74.00	17.30	Horizontal
4	15720	43.50	39.16	-35.90	46.76	54.00	7.24	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 545 of 1085

802.11AC20_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7378.5	59.91	36.84	-43.63	53.12	74.00	20.88	Vertical
2	10480	52.89	39.08	-39.50	52.47	68.20	15.73	Vertical
3	15720	53.11	39.16	-35.90	56.37	74.00	17.63	Vertical
4	15720	43.78	39.16	-35.90	47.04	54.00	6.96	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 546 of 1085

802.11AC20_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7617.5	59.91	36.74	-43.42	53.23	74.00	20.77	Horizontal
2	10520	53.17	39.22	-39.50	52.89	68.20	15.31	Horizontal
3	15780	53.68	39.34	-36.01	57.01	74.00	16.99	Horizontal
4	15780	43.99	39.34	-36.01	47.32	54.00	6.68	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 547 of 1085

802.11AC20_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7359	58.67	36.88	-43.89	51.66	74.00	22.34	Vertical
2	10520	53.28	39.22	-39.50	53.00	68.20	15.20	Vertical
3	15780	53.85	39.34	-36.01	57.18	74.00	16.82	Vertical
4	15780	43.70	39.34	-36.01	47.03	54.00	6.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 548 of 1085

802.11AC20_Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7371	59.29	36.86	-43.73	52.42	74.00	21.58	Horizontal
2	10600	54.11	39.30	-39.59	53.82	68.20	14.38	Horizontal
3	15900	52.76	38.50	-35.66	55.60	74.00	18.40	Horizontal
4	15900	43.23	38.50	-35.66	46.07	54.00	7.93	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 549 of 1085

802.11AC20_Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7395.5	58.73	36.81	-43.41	52.13	74.00	21.87	Vertical
2	10600	54.13	39.30	-39.59	53.84	68.20	14.36	Vertical
3	15900	53.14	38.50	-35.66	55.98	74.00	18.02	Vertical
4	15900	43.42	38.50	-35.66	46.26	54.00	7.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 550 of 1085

802.11AC20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7384	59.02	36.83	-43.56	52.29	74.00	21.71	Horizontal
2	10640	53.33	39.38	-39.71	53.00	74.00	21.00	Horizontal
3	15960	52.85	38.32	-36.03	55.14	74.00	18.86	Horizontal
4	15960	43.20	38.32	-36.03	45.49	54.00	8.51	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 551 of 1085

802.11AC20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7516.5	59.62	36.67	-43.99	52.30	74.00	21.70	Vertical
2	10640	54.05	39.38	-39.71	53.72	74.00	20.28	Vertical
3	15960	52.65	38.32	-36.03	54.94	74.00	19.06	Vertical
4	15960	43.52	38.32	-36.03	45.81	54.00	8.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 552 of 1085

802.11AC20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7408.5	58.91	36.78	-43.42	52.27	74.00	21.73	Horizontal
2	11000	53.48	39.50	-39.27	53.71	74.00	20.29	Horizontal
3	16500	54.87	38.40	-37.21	56.06	68.20	12.14	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 553 of 1085

802.11AC20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7364	60.23	36.87	-43.83	53.27	74.00	20.73	Vertical
2	11000	54.65	39.50	-39.27	54.88	74.00	19.12	Vertical
3	16500	54.26	38.40	-37.21	55.45	68.20	12.75	Vertical
4	11000	44.34	39.50	-39.27	44.57	54.00	9.43	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 554 of 1085

802.11AC20_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7565.5	59.16	36.77	-43.63	52.30	74.00	21.70	Horizontal
2	11160	54.39	39.58	-39.20	54.77	74.00	19.23	Horizontal
3	16740	54.53	38.58	-36.75	56.36	68.20	11.84	Horizontal
4	11160	44.98	39.58	-39.20	45.36	54.00	8.64	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 555 of 1085

802.11AC20_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7651.5	59.25	36.80	-43.57	52.48	74.00	21.52	Vertical
2	11160	53.85	39.58	-39.20	54.23	74.00	19.77	Vertical
3	16740	54.73	38.58	-36.75	56.56	68.20	11.64	Vertical
4	11160	45.11	39.58	-39.20	45.49	54.00	8.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 556 of 1085

802.11AC20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7413.5	58.99	36.77	-43.46	52.30	74.00	21.70	Horizontal
2	11400	54.23	39.70	-38.61	55.32	74.00	18.68	Horizontal
3	17100	54.27	38.30	-37.31	55.26	68.20	12.94	Horizontal
4	11400	44.78	39.70	-38.61	45.87	54.00	8.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 557 of 1085

802.11AC20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7574.5	59.63	36.75	-43.55	52.83	74.00	21.17	Vertical
2	11400	53.63	39.70	-38.61	54.72	74.00	19.28	Vertical
3	17100	54.28	38.30	-37.31	55.27	68.20	12.93	Vertical
4	11400	44.50	39.70	-38.61	45.59	54.00	8.41	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 558 of 1085

802.11AC20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7446.5	59.05	36.71	-43.73	52.03	74.00	21.97	Horizontal
2	11490	53.54	39.52	-38.54	54.52	74.00	19.48	Horizontal
3	17235	53.19	38.17	-36.30	55.06	68.20	13.14	Horizontal
4	11490	43.98	39.52	-38.54	44.96	54.00	9.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 559 of 1085

802.11AC20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7361.5	59.68	36.88	-43.86	52.70	74.00	21.30	Vertical
2	11490	52.97	39.52	-38.54	53.95	74.00	20.05	Vertical
3	17235	54.23	38.17	-36.30	56.10	68.20	12.10	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 560 of 1085

802.11AC20_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7365.5	58.83	36.87	-43.81	51.89	74.00	22.11	Horizontal
2	11570	52.57	39.64	-38.55	53.66	74.00	20.34	Horizontal
3	17355	54.15	38.49	-36.56	56.08	68.20	12.12	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 561 of 1085

802.11AC20_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7567	59.10	36.77	-43.62	52.25	74.00	21.75	Vertical
2	11570	52.63	39.64	-38.55	53.72	74.00	20.28	Vertical
3	17355	54.15	38.49	-36.56	56.08	68.20	12.12	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 562 of 1085

802.11AC20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7563	59.42	36.77	-43.65	52.54	74.00	21.46	Horizontal
2	11650	52.86	39.60	-38.16	54.30	74.00	19.70	Horizontal
3	17475	54.34	40.60	-37.14	57.80	68.20	10.40	Horizontal
4	11650	43.39	39.60	-38.16	44.83	54.00	9.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 563 of 1085

802.11AC20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7557	58.50	36.79	-43.70	51.59	74.00	22.41	Vertical
2	11650	53.04	39.60	-38.16	54.48	74.00	19.52	Vertical
3	17475	53.72	40.60	-37.14	57.18	68.20	11.02	Vertical
4	11650	42.94	39.60	-38.16	44.38	54.00	9.62	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 564 of 1085

802.11AC40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7564.5	59.54	36.77	-43.64	52.67	74.00	21.33	Horizontal
2	10380	53.53	38.62	-39.36	52.79	68.20	15.41	Horizontal
3	15570	52.81	39.17	-35.88	56.10	74.00	17.90	Horizontal
4	15570	43.76	39.17	-35.88	47.05	54.00	6.95	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 565 of 1085

802.11AC40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7430	59.64	36.74	-43.60	52.78	74.00	21.22	Vertical
2	10380	52.66	38.62	-39.36	51.92	68.20	16.28	Vertical
3	15570	52.82	39.17	-35.88	56.11	74.00	17.89	Vertical
4	15570	43.43	39.17	-35.88	46.72	54.00	7.28	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 566 of 1085

802.11AC40_Channel 46




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7377	58.86	36.85	-43.65	52.06	74.00	21.94	Horizontal
2	10460	52.31	38.96	-39.55	51.72	68.20	16.48	Horizontal
3	15690	55.12	39.11	-35.72	58.51	74.00	15.49	Horizontal
4	15690	43.29	39.11	-35.72	46.68	54.00	7.32	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 567 of 1085

802.11AC40_Channel 46




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7585.5	59.21	36.73	-43.46	52.48	74.00	21.52	Vertical
2	10460	53.02	38.96	-39.55	52.43	68.20	15.77	Vertical
3	15690	54.03	39.11	-35.72	57.42	74.00	16.58	Vertical
4	15690	43.11	39.11	-35.72	46.50	54.00	7.50	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 568 of 1085

802.11AC40_Channel 54




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7435.5	59.15	36.73	-43.64	52.24	74.00	21.76	Horizontal
2	10540	53.96	39.24	-39.55	53.65	68.20	14.55	Horizontal
3	15810	52.82	39.31	-36.05	56.08	74.00	17.92	Horizontal
4	15810	43.63	39.31	-36.05	46.89	54.00	7.11	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 569 of 1085

802.11AC40_Channel 54




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7371	58.97	36.86	-43.73	52.10	74.00	21.90	Vertical
2	10540	53.54	39.24	-39.55	53.23	68.20	14.97	Vertical
3	15810	52.58	39.31	-36.05	55.84	74.00	18.16	Vertical
4	15810	44.06	39.31	-36.05	47.32	54.00	6.68	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 570 of 1085

802.11AC40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7387	58.83	36.83	-43.52	52.14	74.00	21.86	Horizontal
2	10620	54.16	39.34	-39.65	53.85	74.00	20.15	Horizontal
3	15930	52.64	38.41	-35.89	55.16	74.00	18.84	Horizontal
4	15930	43.57	38.41	-35.89	46.09	54.00	7.91	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 571 of 1085

802.11AC40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7367	58.99	36.87	-43.79	52.07	74.00	21.93	Vertical
2	10620	55.07	39.34	-39.65	54.76	74.00	19.24	Vertical
3	15930	52.41	38.41	-35.89	54.93	74.00	19.07	Vertical
4	10620	43.67	39.34	-39.65	43.36	54.00	10.64	Vertical
5	15930	43.05	38.41	-35.89	45.57	54.00	8.43	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 572 of 1085

802.11AC40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7579.5	58.80	36.74	-43.51	52.03	74.00	21.97	Horizontal
2	11020	52.59	39.48	-39.29	52.78	74.00	21.22	Horizontal
3	16530	53.60	38.46	-37.07	54.99	68.20	13.21	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 573 of 1085

802.11AC40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7385	58.43	36.83	-43.55	51.71	74.00	22.29	Vertical
2	11020	52.83	39.48	-39.29	53.02	74.00	20.98	Vertical
3	16530	53.75	38.46	-37.07	55.14	68.20	13.06	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 574 of 1085

802.11AC40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7456.5	59.91	36.69	-43.81	52.79	74.00	21.21	Horizontal
2	11100	53.99	39.40	-38.85	54.54	74.00	19.46	Horizontal
3	16650	54.34	38.55	-36.96	55.93	68.20	12.27	Horizontal
4	11100	45.13	39.40	-38.85	45.68	54.00	8.32	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 575 of 1085

802.11AC40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7570.5	59.01	36.76	-43.59	52.18	74.00	21.82	Vertical
2	11100	54.88	39.40	-38.85	55.43	74.00	18.57	Vertical
3	16650	54.12	38.55	-36.96	55.71	68.20	12.49	Vertical
4	11100	44.75	39.40	-38.85	45.30	54.00	8.70	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 576 of 1085

802.11AC40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7580	58.76	36.74	-43.51	51.99	74.00	22.01	Horizontal
2	11340	54.25	39.64	-38.95	54.94	74.00	19.06	Horizontal
3	17010	54.64	38.48	-36.57	56.55	68.20	11.65	Horizontal
4	11340	45.30	39.64	-38.95	45.99	54.00	8.01	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 577 of 1085

802.11AC40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7354.5	59.27	36.89	-43.95	52.21	74.00	21.79	Vertical
2	11340	54.36	39.64	-38.95	55.05	74.00	18.95	Vertical
3	17010	54.72	38.48	-36.57	56.63	68.20	11.57	Vertical
4	11340	45.53	39.64	-38.95	46.22	54.00	7.78	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 578 of 1085

802.11AC40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7642.5	59.04	36.79	-43.53	52.30	74.00	21.70	Horizontal
2	11510	53.41	39.52	-38.52	54.41	74.00	19.59	Horizontal
3	17265	53.71	38.14	-36.32	55.53	68.20	12.67	Horizontal
4	11510	43.56	39.52	-38.52	44.56	54.00	9.44	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 579 of 1085

802.11AC40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7402	58.88	36.80	-43.37	52.31	74.00	21.69	Vertical
2	11510	53.21	39.52	-38.52	54.21	74.00	19.79	Vertical
3	17265	53.04	38.14	-36.32	54.86	68.20	13.34	Vertical
4	11510	43.98	39.52	-38.52	44.98	54.00	9.02	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 580 of 1085

802.11AC40_Channel 159



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7462	59.10	36.68	-43.84	51.94	74.00	22.06	Horizontal
2	11590	52.89	39.68	-38.68	53.89	74.00	20.11	Horizontal
3	17385	54.87	38.70	-36.31	57.26	68.20	10.94	Horizontal