




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 581 of 1085

802.11AC40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7364.5	58.86	36.87	-43.82	51.91	74.00	22.09	Vertical
2	11590	52.40	39.68	-38.68	53.40	74.00	20.60	Vertical
3	17385	53.07	38.70	-36.31	55.46	68.20	12.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 582 of 1085

802.11AC80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7392.5	58.90	36.82	-43.45	52.27	74.00	21.73	Horizontal
2	10420	53.14	38.72	-39.35	52.51	68.20	15.69	Horizontal
3	15630	52.79	39.17	-35.91	56.05	74.00	17.95	Horizontal
4	15630	43.77	39.17	-35.91	47.03	54.00	6.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 583 of 1085

802.11AC80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7395.5	58.96	36.81	-43.41	52.36	74.00	21.64	Vertical
2	10420	52.33	38.72	-39.35	51.70	68.20	16.50	Vertical
3	15630	53.43	39.17	-35.91	56.69	74.00	17.31	Vertical
4	15630	43.88	39.17	-35.91	47.14	54.00	6.86	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 584 of 1085

802.11AC80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7366	59.67	36.87	-43.80	52.74	74.00	21.26	Horizontal
2	10580	54.40	39.28	-39.59	54.09	68.20	14.11	Horizontal
3	15870	54.00	38.77	-36.22	56.55	74.00	17.45	Horizontal
4	15870	44.53	38.77	-36.22	47.08	54.00	6.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 585 of 1085

802.11AC80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7253.5	59.44	37.19	-44.04	52.59	74.00	21.41	Vertical
2	10580	54.80	39.28	-39.59	54.49	68.20	13.71	Vertical
3	15870	54.35	38.77	-36.22	56.90	74.00	17.10	Vertical
4	15870	45.00	38.77	-36.22	47.55	54.00	6.45	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 586 of 1085

802.11AC80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7560.5	59.18	36.78	-43.67	52.29	74.00	21.71	Horizontal
2	11060	54.18	39.44	-39.22	54.40	74.00	19.60	Horizontal
3	16590	53.60	38.58	-36.52	55.66	68.20	12.54	Horizontal
4	11060	44.57	39.44	-39.22	44.79	54.00	9.21	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 587 of 1085

802.11AC80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7593	58.69	36.71	-43.40	52.00	74.00	22.00	Vertical
2	11060	53.92	39.44	-39.22	54.14	74.00	19.86	Vertical
3	16590	53.26	38.58	-36.52	55.32	68.20	12.88	Vertical
4	11060	44.40	39.44	-39.22	44.62	54.00	9.38	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 588 of 1085

802.11AC80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7434.5	59.24	36.73	-43.63	52.34	74.00	21.66	Horizontal
2	11220	54.78	39.68	-39.04	55.42	74.00	18.58	Horizontal
3	16830	54.37	38.73	-36.41	56.69	68.20	11.51	Horizontal
4	11220	45.39	39.68	-39.04	46.03	54.00	7.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 589 of 1085

802.11AC80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7287	59.33	37.13	-44.03	52.43	74.00	21.57	Vertical
2	11220	55.88	39.68	-39.04	56.52	74.00	17.48	Vertical
3	16830	55.66	38.73	-36.41	57.98	68.20	10.22	Vertical
4	11220	45.05	39.68	-39.04	45.69	54.00	8.31	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 590 of 1085

802.11AC80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7376.5	59.28	36.85	-43.66	52.47	74.00	21.53	Horizontal
2	11550	52.83	39.60	-38.42	54.01	74.00	19.99	Horizontal
3	17325	53.81	38.28	-36.36	55.73	68.20	12.47	Horizontal
4	11550	43.44	39.60	-38.42	44.62	54.00	9.38	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 591 of 1085

802.11AC80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7368.5	59.62	36.86	-43.77	52.71	74.00	21.29	Vertical
2	11550	52.58	39.60	-38.42	53.76	74.00	20.24	Vertical
3	17325	53.14	38.28	-36.36	55.06	68.20	13.14	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 592 of 1085

802.11AC160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7549	59.68	36.80	-43.77	52.71	74.00	21.29	Horizontal
2	10500	53.80	39.20	-39.45	53.55	68.20	14.65	Horizontal
3	15750	54.62	39.25	-36.15	57.72	74.00	16.28	Horizontal
4	15750	44.93	39.25	-36.15	48.03	54.00	5.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 593 of 1085

802.11AC160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7398.5	59.04	36.80	-43.37	52.47	74.00	21.53	Vertical
2	10500	54.11	39.20	-39.45	53.86	68.20	14.34	Vertical
3	15750	54.96	39.25	-36.15	58.06	74.00	15.94	Vertical
4	15750	44.66	39.25	-36.15	47.76	54.00	6.24	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 594 of 1085

802.11AC160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7606.5	59.66	36.71	-43.37	53.00	74.00	21.00	Horizontal
2	11140	53.76	39.52	-39.15	54.13	74.00	19.87	Horizontal
3	16710	54.67	38.52	-37.01	56.18	68.20	12.02	Horizontal
4	11140	44.80	39.52	-39.15	45.17	54.00	8.83	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 595 of 1085

802.11AC160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7416	59.70	36.77	-43.48	52.99	74.00	21.01	Vertical
2	11140	55.18	39.52	-39.15	55.55	74.00	18.45	Vertical
3	16710	55.30	38.52	-37.01	56.81	68.20	11.39	Vertical
4	11140	45.01	39.52	-39.15	45.38	54.00	8.62	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 596 of 1085

802.11AX20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7608	59.62	36.72	-43.38	52.96	74.00	21.04	Horizontal
2	10360	54.24	38.64	-39.51	53.37	68.20	14.83	Horizontal
3	15540	53.64	39.14	-35.73	57.05	74.00	16.95	Horizontal
4	15540	44.07	39.14	-35.73	47.48	54.00	6.52	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 597 of 1085

802.11AX20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7369.5	59.54	36.86	-43.75	52.65	74.00	21.35	Vertical
2	10360	54.67	38.64	-39.51	53.80	68.20	14.40	Vertical
3	15540	53.78	39.14	-35.73	57.19	74.00	16.81	Vertical
4	15540	43.89	39.14	-35.73	47.30	54.00	6.70	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 598 of 1085

802.11AX20_Channel 44



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7394.5	58.76	36.81	-43.42	52.15	74.00	21.85	Horizontal
2	10440	53.69	38.84	-39.50	53.03	68.20	15.17	Horizontal
3	15660	53.71	39.14	-35.71	57.14	74.00	16.86	Horizontal
4	15660	44.17	39.14	-35.71	47.60	54.00	6.40	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 599 of 1085

802.11AX20_Channel 44



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7431.5	59.09	36.74	-43.61	52.22	74.00	21.78	Vertical
2	10440	54.20	38.84	-39.50	53.54	68.20	14.66	Vertical
3	15660	54.10	39.14	-35.71	57.53	74.00	16.47	Vertical
4	15660	43.94	39.14	-35.71	47.37	54.00	6.63	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 600 of 1085

802.11AX20_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7434.5	59.53	36.73	-43.63	52.63	74.00	21.37	Horizontal
2	10480	53.18	39.08	-39.50	52.76	68.20	15.44	Horizontal
3	15720	54.24	39.16	-35.90	57.50	74.00	16.50	Horizontal
4	15720	44.14	39.16	-35.90	47.40	54.00	6.60	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 601 of 1085

802.11AX20_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7359.5	58.99	36.88	-43.88	51.99	74.00	22.01	Vertical
2	10480	53.17	39.08	-39.50	52.75	68.20	15.45	Vertical
3	15720	53.64	39.16	-35.90	56.90	74.00	17.10	Vertical
4	15720	43.90	39.16	-35.90	47.16	54.00	6.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 602 of 1085

802.11AX20_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7567	60.15	36.77	-43.62	53.30	74.00	20.70	Horizontal
2	10520	53.99	39.22	-39.50	53.71	68.20	14.49	Horizontal
3	15780	53.81	39.34	-36.01	57.14	74.00	16.86	Horizontal
4	15780	44.69	39.34	-36.01	48.02	54.00	5.98	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 603 of 1085

802.11AX20_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7395.5	58.68	36.81	-43.41	52.08	74.00	21.92	Vertical
2	10520	53.79	39.22	-39.50	53.51	68.20	14.69	Vertical
3	15780	53.71	39.34	-36.01	57.04	74.00	16.96	Vertical
4	15780	44.57	39.34	-36.01	47.90	54.00	6.10	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 604 of 1085

802.11AX20_Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7461.5	59.64	36.68	-43.84	52.48	74.00	21.52	Horizontal
2	10600	54.76	39.30	-39.59	54.47	68.20	13.73	Horizontal
3	15900	53.88	38.50	-35.66	56.72	74.00	17.28	Horizontal
4	10600	44.67	39.30	-39.59	44.38	54.00	9.62	Horizontal
5	15900	44.01	38.50	-35.66	46.85	54.00	7.15	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 605 of 1085

802.11AX20_Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7574.5	59.02	36.75	-43.55	52.22	74.00	21.78	Vertical
2	10600	53.44	39.30	-39.59	53.15	68.20	15.05	Vertical
3	15900	54.74	38.50	-35.66	57.58	74.00	16.42	Vertical
4	15900	43.94	38.50	-35.66	46.78	54.00	7.22	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 606 of 1085

802.11AX20_Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7423.5	59.80	36.75	-43.54	53.01	74.00	20.99	Horizontal
2	10640	54.71	39.38	-39.71	54.38	74.00	19.62	Horizontal
3	15960	52.43	38.32	-36.03	54.72	74.00	19.28	Horizontal
4	10640	44.92	39.38	-39.71	44.59	54.00	9.41	Horizontal
5	15960	43.52	38.32	-36.03	45.81	54.00	8.19	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 607 of 1085

802.11AX20_Channel 64



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7410	59.06	36.78	-43.43	52.41	74.00	21.59	Vertical
2	10640	54.78	39.38	-39.71	54.45	74.00	19.55	Vertical
3	15960	53.67	38.32	-36.03	55.96	74.00	18.04	Vertical
4	10640	45.25	39.38	-39.71	44.92	54.00	9.08	Vertical
5	15960	43.77	38.32	-36.03	46.06	54.00	7.94	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 608 of 1085

802.11AX20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7340.5	59.32	36.94	-44.01	52.25	74.00	21.75	Horizontal
2	11000	54.73	39.50	-39.27	54.96	74.00	19.04	Horizontal
3	16500	55.32	38.40	-37.21	56.51	68.20	11.69	Horizontal
4	11000	44.61	39.50	-39.27	44.84	54.00	9.16	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 609 of 1085

802.11AX20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7406	59.07	36.79	-43.40	52.46	74.00	21.54	Vertical
2	11000	54.05	39.50	-39.27	54.28	74.00	19.72	Vertical
3	16500	55.95	38.40	-37.21	57.14	68.20	11.06	Vertical
4	11000	44.97	39.50	-39.27	45.20	54.00	8.80	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 610 of 1085

802.11AX20_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7590.5	58.99	36.72	-43.42	52.29	74.00	21.71	Horizontal
2	11160	54.38	39.58	-39.20	54.76	74.00	19.24	Horizontal
3	16740	55.45	38.58	-36.75	57.28	68.20	10.92	Horizontal
4	11160	45.16	39.58	-39.20	45.54	54.00	8.46	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 611 of 1085

802.11AX20_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7581	58.86	36.74	-43.50	52.10	74.00	21.90	Vertical
2	11160	54.22	39.58	-39.20	54.60	74.00	19.40	Vertical
3	16740	54.82	38.58	-36.75	56.65	68.20	11.55	Vertical
4	11160	45.16	39.58	-39.20	45.54	54.00	8.46	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 612 of 1085

802.11AX20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7462.5	59.55	36.68	-43.85	52.38	74.00	21.62	Horizontal
2	11400	54.63	39.70	-38.61	55.72	74.00	18.28	Horizontal
3	17100	54.27	38.30	-37.31	55.26	68.20	12.94	Horizontal
4	11400	44.85	39.70	-38.61	45.94	54.00	8.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 613 of 1085

802.11AX20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7396	58.80	36.81	-43.40	52.21	74.00	21.79	Vertical
2	11400	53.48	39.70	-38.61	54.57	74.00	19.43	Vertical
3	17100	54.82	38.30	-37.31	55.81	68.20	12.39	Vertical
4	11400	45.17	39.70	-38.61	46.26	54.00	7.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 614 of 1085

802.11AX20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7444.5	59.29	36.71	-43.71	52.29	74.00	21.71	Horizontal
2	11490	53.95	39.52	-38.54	54.93	74.00	19.07	Horizontal
3	17235	55.01	38.17	-36.30	56.88	68.20	11.32	Horizontal
4	11490	44.90	39.52	-38.54	45.88	54.00	8.12	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 615 of 1085

802.11AX20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7396	58.73	36.81	-43.40	52.14	74.00	21.86	Vertical
2	11490	53.50	39.52	-38.54	54.48	74.00	19.52	Vertical
3	17235	52.92	38.17	-36.30	54.79	68.20	13.41	Vertical
4	11490	44.14	39.52	-38.54	45.12	54.00	8.88	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 616 of 1085

802.11AX20_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7458	59.41	36.68	-43.82	52.27	74.00	21.73	Horizontal
2	11570	54.69	39.64	-38.55	55.78	74.00	18.22	Horizontal
3	17355	53.43	38.49	-36.56	55.36	68.20	12.84	Horizontal
4	11570	44.19	39.64	-38.55	45.28	54.00	8.72	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 617 of 1085

802.11AX20_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7447	59.26	36.71	-43.74	52.23	74.00	21.77	Vertical
2	11570	54.20	39.64	-38.55	55.29	74.00	18.71	Vertical
3	17355	54.68	38.49	-36.56	56.61	68.20	11.59	Vertical
4	11570	43.91	39.64	-38.55	45.00	54.00	9.00	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 618 of 1085

802.11AX20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7392	59.87	36.82	-43.46	53.23	74.00	20.77	Horizontal
2	11650	52.81	39.60	-38.16	54.25	74.00	19.75	Horizontal
3	17475	54.87	40.60	-37.14	58.33	68.20	9.87	Horizontal
4	11650	43.75	39.60	-38.16	45.19	54.00	8.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 619 of 1085

802.11AX20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7362	59.63	36.88	-43.85	52.66	74.00	21.34	Vertical
2	11650	53.49	39.60	-38.16	54.93	74.00	19.07	Vertical
3	17475	54.81	40.60	-37.14	58.27	68.20	9.93	Vertical
4	11650	43.85	39.60	-38.16	45.29	54.00	8.71	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 620 of 1085

802.11AX40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7344	59.65	36.92	-44.01	52.56	74.00	21.44	Horizontal
2	10380	53.90	38.62	-39.36	53.16	68.20	15.04	Horizontal
3	15570	53.62	39.17	-35.88	56.91	74.00	17.09	Horizontal
4	15570	43.97	39.17	-35.88	47.26	54.00	6.74	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 621 of 1085

802.11AX40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7552.5	59.74	36.80	-43.74	52.80	74.00	21.20	Vertical
2	10380	53.29	38.62	-39.36	52.55	68.20	15.65	Vertical
3	15570	53.63	39.17	-35.88	56.92	74.00	17.08	Vertical
4	15570	43.80	39.17	-35.88	47.09	54.00	6.91	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 622 of 1085

802.11AX40_Channel 46




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7447.5	59.55	36.71	-43.74	52.52	74.00	21.48	Horizontal
2	10460	52.08	38.96	-39.55	51.49	68.20	16.71	Horizontal
3	15690	53.79	39.11	-35.72	57.18	74.00	16.82	Horizontal
4	15690	43.55	39.11	-35.72	46.94	54.00	7.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 623 of 1085

802.11AX40_Channel 46




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7417.5	59.52	36.77	-43.49	52.80	74.00	21.20	Vertical
2	10460	52.80	38.96	-39.55	52.21	68.20	15.99	Vertical
3	15690	53.12	39.11	-35.72	56.51	74.00	17.49	Vertical
4	15690	43.36	39.11	-35.72	46.75	54.00	7.25	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 624 of 1085

802.11AX40_Channel 54




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7380	58.31	36.84	-43.61	51.54	74.00	22.46	Horizontal
2	10540	53.76	39.24	-39.55	53.45	68.20	14.75	Horizontal
3	15810	54.57	39.31	-36.05	57.83	74.00	16.17	Horizontal
4	15810	43.92	39.31	-36.05	47.18	54.00	6.82	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 625 of 1085

802.11AX40_Channel 54




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7579.5	58.89	36.74	-43.51	52.12	74.00	21.88	Vertical
2	10540	52.91	39.24	-39.55	52.60	68.20	15.60	Vertical
3	15810	53.31	39.31	-36.05	56.57	74.00	17.43	Vertical
4	15810	44.12	39.31	-36.05	47.38	54.00	6.62	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 626 of 1085

802.11AX40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7328	59.47	36.99	-44.01	52.45	74.00	21.55	Horizontal
2	10620	52.74	39.34	-39.65	52.43	74.00	21.57	Horizontal
3	15930	53.40	38.41	-35.89	55.92	74.00	18.08	Horizontal
4	15930	43.48	38.41	-35.89	46.00	54.00	8.00	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 627 of 1085

802.11AX40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7396.5	59.11	36.81	-43.40	52.52	74.00	21.48	Vertical
2	10620	53.98	39.34	-39.65	53.67	74.00	20.33	Vertical
3	15930	54.29	38.41	-35.89	56.81	74.00	17.19	Vertical
4	15930	43.76	38.41	-35.89	46.28	54.00	7.72	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 628 of 1085

802.11AX40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7558.5	59.15	36.78	-43.69	52.24	74.00	21.76	Horizontal
2	11020	53.19	39.48	-39.29	53.38	74.00	20.62	Horizontal
3	16530	53.00	38.46	-37.07	54.39	68.20	13.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 629 of 1085

802.11AX40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7418	58.72	36.76	-43.50	51.98	74.00	22.02	Vertical
2	11020	53.60	39.48	-39.29	53.79	74.00	20.21	Vertical
3	16530	53.77	38.46	-37.07	55.16	68.20	13.04	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 630 of 1085

802.11AX40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7419	58.88	36.76	-43.51	52.13	74.00	21.87	Horizontal
2	11100	54.14	39.40	-38.85	54.69	74.00	19.31	Horizontal
3	16650	55.80	38.55	-36.96	57.39	68.20	10.81	Horizontal
4	11100	44.63	39.40	-38.85	45.18	54.00	8.82	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 631 of 1085

802.11AX40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7363.5	59.67	36.87	-43.83	52.71	74.00	21.29	Vertical
2	11100	54.15	39.40	-38.85	54.70	74.00	19.30	Vertical
3	16650	55.86	38.55	-36.96	57.45	68.20	10.75	Vertical
4	11100	44.70	39.40	-38.85	45.25	54.00	8.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 632 of 1085

802.11AX40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7362	58.80	36.88	-43.85	51.83	74.00	22.17	Horizontal
2	11340	54.22	39.64	-38.95	54.91	74.00	19.09	Horizontal
3	17010	54.92	38.48	-36.57	56.83	68.20	11.37	Horizontal
4	11340	45.54	39.64	-38.95	46.23	54.00	7.77	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 633 of 1085

802.11AX40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7425	58.52	36.75	-43.56	51.71	74.00	22.29	Vertical
2	11340	55.48	39.64	-38.95	56.17	74.00	17.83	Vertical
3	17010	54.14	38.48	-36.57	56.05	68.20	12.15	Vertical
4	11340	45.27	39.64	-38.95	45.96	54.00	8.04	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 634 of 1085

802.11AX40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7406.5	59.15	36.79	-43.40	52.54	74.00	21.46	Horizontal
2	11510	52.76	39.52	-38.52	53.76	74.00	20.24	Horizontal
3	17265	53.80	38.14	-36.32	55.62	68.20	12.58	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 635 of 1085

802.11AX40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7397	58.20	36.81	-43.39	51.62	74.00	22.38	Vertical
2	11510	54.57	39.52	-38.52	55.57	74.00	18.43	Vertical
3	17265	53.35	38.14	-36.32	55.17	68.20	13.03	Vertical
4	11510	43.87	39.52	-38.52	44.87	54.00	9.13	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 636 of 1085

802.11AX40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7591	58.67	36.72	-43.42	51.97	74.00	22.03	Horizontal
2	11590	52.56	39.68	-38.68	53.56	74.00	20.44	Horizontal
3	17385	53.51	38.70	-36.31	55.90	68.20	12.30	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 637 of 1085

802.11AX40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7367	59.34	36.87	-43.79	52.42	74.00	21.58	Vertical
2	11590	52.78	39.68	-38.68	53.78	74.00	20.22	Vertical
3	17385	53.49	38.70	-36.31	55.88	68.20	12.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 638 of 1085

802.11AX80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7450	59.39	36.70	-43.76	52.33	74.00	21.67	Horizontal
2	10420	52.76	38.72	-39.35	52.13	68.20	16.07	Horizontal
3	15630	53.47	39.17	-35.91	56.73	74.00	17.27	Horizontal
4	15630	43.84	39.17	-35.91	47.10	54.00	6.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 639 of 1085

802.11AX80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7399.5	59.22	36.80	-43.36	52.66	74.00	21.34	Vertical
2	10420	52.81	38.72	-39.35	52.18	68.20	16.02	Vertical
3	15630	53.33	39.17	-35.91	56.59	74.00	17.41	Vertical
4	15630	43.44	39.17	-35.91	46.70	54.00	7.30	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 640 of 1085

802.11AX80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7426.5	58.75	36.75	-43.57	51.93	74.00	22.07	Horizontal
2	10580	53.87	39.28	-39.59	53.56	68.20	14.64	Horizontal
3	15870	53.18	38.77	-36.22	55.73	74.00	18.27	Horizontal
4	15870	43.86	38.77	-36.22	46.41	54.00	7.59	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 641 of 1085

802.11AX80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7428.5	58.63	36.74	-43.58	51.79	74.00	22.21	Vertical
2	10580	52.49	39.28	-39.59	52.18	68.20	16.02	Vertical
3	15870	53.88	38.77	-36.22	56.43	74.00	17.57	Vertical
4	15870	43.60	38.77	-36.22	46.15	54.00	7.85	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 642 of 1085

802.11AX80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7329.5	58.42	36.98	-44.01	51.39	74.00	22.61	Horizontal
2	11060	53.94	39.44	-39.22	54.16	74.00	19.84	Horizontal
3	16590	53.83	38.58	-36.52	55.89	68.20	12.31	Horizontal
4	11060	44.81	39.44	-39.22	45.03	54.00	8.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 643 of 1085

802.11AX80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7379.5	59.73	36.84	-43.62	52.95	74.00	21.05	Vertical
2	11060	54.76	39.44	-39.22	54.98	74.00	19.02	Vertical
3	16590	54.11	38.58	-36.52	56.17	68.20	12.03	Vertical
4	11060	44.44	39.44	-39.22	44.66	54.00	9.34	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 644 of 1085

802.11AX80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7442	59.32	36.72	-43.69	52.35	74.00	21.65	Horizontal
2	11220	53.66	39.68	-39.04	54.30	74.00	19.70	Horizontal
3	16830	54.83	38.73	-36.41	57.15	68.20	11.05	Horizontal
4	11220	44.93	39.68	-39.04	45.57	54.00	8.43	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 645 of 1085

802.11AX80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7449	59.61	36.70	-43.75	52.56	74.00	21.44	Vertical
2	11220	54.69	39.68	-39.04	55.33	74.00	18.67	Vertical
3	16830	55.20	38.73	-36.41	57.52	68.20	10.68	Vertical
4	11220	44.46	39.68	-39.04	45.10	54.00	8.90	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 646 of 1085

802.11AX80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7460.5	59.79	36.68	-43.83	52.64	74.00	21.36	Horizontal
2	11550	53.42	39.60	-38.42	54.60	74.00	19.40	Horizontal
3	17325	54.11	38.28	-36.36	56.03	68.20	12.17	Horizontal
4	11550	44.03	39.60	-38.42	45.21	54.00	8.79	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 647 of 1085

802.11AX80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7342.5	60.20	36.93	-44.01	53.12	74.00	20.88	Vertical
2	11550	52.95	39.60	-38.42	54.13	74.00	19.87	Vertical
3	17325	54.49	38.28	-36.36	56.41	68.20	11.79	Vertical
4	11550	44.41	39.60	-38.42	45.59	54.00	8.41	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 648 of 1085

802.11AX160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7367	59.13	36.87	-43.79	52.21	74.00	21.79	Horizontal
2	10500	53.12	39.20	-39.45	52.87	68.20	15.33	Horizontal
3	15750	53.13	39.25	-36.15	56.23	74.00	17.77	Horizontal
4	15750	43.86	39.25	-36.15	46.96	54.00	7.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 649 of 1085

802.11AX160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7353.5	59.53	36.89	-43.96	52.46	74.00	21.54	Vertical
2	10500	53.27	39.20	-39.45	53.02	68.20	15.18	Vertical
3	15750	54.35	39.25	-36.15	57.45	74.00	16.55	Vertical
4	15750	43.75	39.25	-36.15	46.85	54.00	7.15	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 650 of 1085

802.11AX160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7379	59.22	36.84	-43.63	52.43	74.00	21.57	Horizontal
2	11140	54.23	39.52	-39.15	54.60	74.00	19.40	Horizontal
3	16710	54.35	38.52	-37.01	55.86	68.20	12.34	Horizontal
4	11140	44.96	39.52	-39.15	45.33	54.00	8.67	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 651 of 1085

802.11AX160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7420	59.08	36.76	-43.51	52.33	74.00	21.67	Vertical
2	11140	54.26	39.52	-39.15	54.63	74.00	19.37	Vertical
3	16710	53.98	38.52	-37.01	55.49	68.20	12.71	Vertical
4	11140	44.81	39.52	-39.15	45.18	54.00	8.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 652 of 1085

F9E1A:
802.11a_Channel36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7419.5	52.62	36.74	-38.41	50.95	74.00	23.05	Horizontal
2	10360	48.31	39.16	-35.53	51.94	68.20	16.26	Horizontal
3	15540	45.64	38.74	-28.80	55.58	74.00	18.42	Horizontal
4	15540	36.14	38.74	-28.80	46.08	54.00	7.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 653 of 1085

802.11a_Channel36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6906.5	55.77	35.39	-39.73	51.43	68.20	16.77	Vertical
2	10360	49.84	39.16	-35.53	53.47	68.20	14.73	Vertical
3	15540	44.67	38.74	-28.80	54.61	74.00	19.39	Vertical
4	15540	36.12	38.74	-28.80	46.06	54.00	7.94	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 654 of 1085

802.11a_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6960	55.03	35.36	-39.46	50.93	68.20	17.27	Horizontal
2	10440	47.76	39.08	-35.56	51.28	68.20	16.92	Horizontal
3	15660	45.39	38.50	-29.29	54.60	74.00	19.40	Horizontal
4	15660	36.97	38.50	-29.29	46.18	54.00	7.82	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 655 of 1085

802.11a_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6960	56.05	35.36	-39.46	51.95	68.20	16.25	Vertical
2	10440	48.05	39.08	-35.56	51.57	68.20	16.63	Vertical
3	15660	47.23	38.50	-29.29	56.44	74.00	17.56	Vertical
4	15660	37.22	38.50	-29.29	46.43	54.00	7.57	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 656 of 1085

802.11a_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7426.5	52.35	36.75	-38.38	50.72	74.00	23.28	Horizontal
2	10480	48.07	38.96	-35.50	51.53	68.20	16.67	Horizontal
3	15720	45.26	38.42	-28.86	54.82	74.00	19.18	Horizontal
4	15720	36.19	38.42	-28.86	45.75	54.00	8.25	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 657 of 1085

802.11a_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6986.5	55.67	35.52	-39.21	51.98	68.20	16.22	Vertical
2	10480	48.49	38.96	-35.50	51.95	68.20	16.25	Vertical
3	15720	45.40	38.42	-28.86	54.96	74.00	19.04	Vertical
4	15720	36.68	38.42	-28.86	46.24	54.00	7.76	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 658 of 1085

802.11a_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7013.5	53.64	35.76	-39.12	50.28	68.20	17.92	Horizontal
2	10520	48.29	38.98	-35.46	51.81	68.20	16.39	Horizontal
3	15780	45.07	38.18	-30.16	53.09	74.00	20.91	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 659 of 1085

802.11a_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7013.5	54.37	35.76	-39.12	51.01	68.20	17.19	Vertical
2	10520	49.16	38.98	-35.46	52.68	68.20	15.52	Vertical
3	15780	44.70	38.18	-30.16	52.72	74.00	21.28	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 660 of 1085

802.11a_Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7386.5	51.95	36.65	-38.56	50.04	74.00	23.96	Horizontal
2	10600	48.17	39.30	-35.40	52.07	68.20	16.13	Horizontal
3	15900	45.29	37.70	-29.19	53.80	74.00	20.20	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 661 of 1085

802.11a_Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7423.5	51.83	36.75	-38.39	50.19	74.00	23.81	Vertical
2	10600	48.47	39.30	-35.40	52.37	68.20	15.83	Vertical
3	15900	45.45	37.70	-29.19	53.96	74.00	20.04	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 662 of 1085

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7425	52.27	36.75	-38.39	50.63	74.00	23.37	Horizontal
2	10640	49.37	39.38	-35.44	53.31	74.00	20.69	Horizontal
3	15960	46.66	37.82	-29.41	55.07	74.00	18.93	Horizontal
4	15960	36.85	37.82	-29.41	45.26	54.00	8.74	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 663 of 1085

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7093.5	53.36	35.94	-39.28	50.02	68.20	18.18	Vertical
2	10640	49.24	39.38	-35.44	53.18	74.00	20.82	Vertical
3	15960	46.25	37.82	-29.41	54.66	74.00	19.34	Vertical
4	15960	36.32	37.82	-29.41	44.73	54.00	9.27	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 664 of 1085

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7364	53.19	36.56	-38.63	51.12	74.00	22.88	Horizontal
2	11000	48.32	40.10	-34.91	53.51	74.00	20.49	Horizontal
3	16500	47.52	39.30	-29.41	57.41	68.20	10.79	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 665 of 1085

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7459.5	52.53	36.82	-38.30	51.05	74.00	22.95	Vertical
2	11000	47.90	40.10	-34.91	53.09	74.00	20.91	Vertical
3	16500	47.19	39.30	-29.41	57.08	68.20	11.12	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 666 of 1085

802.11a_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7899.5	52.70	36.50	-37.75	51.45	68.20	16.75	Horizontal
2	11160	49.37	40.20	-35.61	53.96	74.00	20.04	Horizontal
3	16740	44.84	39.48	-32.04	52.28	68.20	15.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 667 of 1085

802.11a_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7422	51.97	36.74	-38.40	50.31	74.00	23.69	Vertical
2	11160	48.53	40.20	-35.61	53.12	74.00	20.88	Vertical
3	16740	46.09	39.48	-32.04	53.53	68.20	14.67	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 668 of 1085

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7424	51.64	36.75	-38.39	50.00	74.00	24.00	Horizontal
2	11400	47.99	40.30	-35.16	53.13	74.00	20.87	Horizontal
3	17100	46.22	42.10	-34.87	53.45	68.20	14.75	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 669 of 1085

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7410	52.00	36.72	-38.47	50.25	74.00	23.75	Vertical
2	11400	47.86	40.30	-35.16	53.00	74.00	21.00	Vertical
3	17100	45.85	42.10	-34.87	53.08	68.20	15.12	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 670 of 1085

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7486	51.86	36.87	-38.45	50.28	74.00	23.72	Horizontal
2	11490	49.59	40.21	-35.41	54.39	74.00	19.61	Horizontal
3	17235	45.24	42.78	-36.19	51.83	68.20	16.37	Horizontal
4	11490	38.83	40.21	-35.41	43.63	54.00	10.37	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 671 of 1085

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7521	52.27	36.69	-38.50	50.46	74.00	23.54	Vertical
2	11490	47.21	40.21	-35.41	52.01	74.00	21.99	Vertical
3	17235	44.87	42.78	-36.19	51.46	68.20	16.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 672 of 1085

802.11a_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7419.5	51.91	36.74	-38.41	50.24	74.00	23.76	Horizontal
2	11570	46.79	40.27	-35.25	51.81	74.00	22.19	Horizontal
3	17355	46.24	43.96	-37.34	52.86	68.20	15.34	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 673 of 1085

802.11a_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7386	52.11	36.64	-38.56	50.19	74.00	23.81	Vertical
2	11570	47.82	40.27	-35.25	52.84	74.00	21.16	Vertical
3	17355	45.74	43.96	-37.34	52.36	68.20	15.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 674 of 1085

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7444	52.05	36.79	-38.28	50.56	74.00	23.44	Horizontal
2	11650	49.01	40.10	-35.79	53.32	74.00	20.68	Horizontal
3	17475	44.51	44.73	-37.12	52.12	68.20	16.08	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 675 of 1085

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7476	52.27	36.85	-38.40	50.72	74.00	23.28	Vertical
2	11650	48.89	40.10	-35.79	53.20	74.00	20.80	Vertical
3	17475	44.21	44.73	-37.12	51.82	68.20	16.38	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 676 of 1085

802.11AC20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7499.5	52.45	36.90	-38.53	50.82	74.00	23.18	Horizontal
2	10360	48.50	39.16	-35.53	52.13	68.20	16.07	Horizontal
3	15540	46.15	38.74	-28.80	56.09	74.00	17.91	Horizontal
4	15540	36.09	38.74	-28.80	46.03	54.00	7.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 677 of 1085

802.11AC20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6907	55.86	35.39	-39.73	51.52	68.20	16.68	Vertical
2	10360	48.67	39.16	-35.53	52.30	68.20	15.90	Vertical
3	15540	45.46	38.74	-28.80	55.40	74.00	18.60	Vertical
4	15540	36.01	38.74	-28.80	45.95	54.00	8.05	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 678 of 1085

802.11AC20_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6960	54.99	35.36	-39.46	50.89	68.20	17.31	Horizontal
2	10440	47.87	39.08	-35.56	51.39	68.20	16.81	Horizontal
3	15660	47.05	38.50	-29.29	56.26	74.00	17.74	Horizontal
4	15660	36.94	38.50	-29.29	46.15	54.00	7.85	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 679 of 1085

802.11AC20_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6960	56.67	35.36	-39.46	52.57	68.20	15.63	Vertical
2	10440	49.22	39.08	-35.56	52.74	68.20	15.46	Vertical
3	15660	46.08	38.50	-29.29	55.29	74.00	18.71	Vertical
4	15660	36.37	38.50	-29.29	45.58	54.00	8.42	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 680 of 1085

802.11AC20_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8441	52.01	36.42	-36.83	51.60	74.00	22.40	Horizontal
2	10480	47.86	38.96	-35.50	51.32	68.20	16.88	Horizontal
3	15720	44.40	38.42	-28.86	53.96	74.00	20.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 681 of 1085

802.11AC20_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6987	55.83	35.52	-39.20	52.15	68.20	16.05	Vertical
2	10480	48.38	38.96	-35.50	51.84	68.20	16.36	Vertical
3	15720	45.40	38.42	-28.86	54.96	74.00	19.04	Vertical
4	15720	36.52	38.42	-28.86	46.08	54.00	7.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 682 of 1085

802.11AC20_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7431	52.24	36.76	-38.35	50.65	74.00	23.35	Horizontal
2	10520	48.01	38.98	-35.46	51.53	68.20	16.67	Horizontal
3	15780	44.85	38.18	-30.16	52.87	74.00	21.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 683 of 1085

802.11AC20_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7013.5	57.33	35.76	-39.12	53.97	68.20	14.23	Vertical
2	10520	48.59	38.98	-35.46	52.11	68.20	16.09	Vertical
3	15780	45.52	38.18	-30.16	53.54	74.00	20.46	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 684 of 1085

802.11AC20_Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7444.5	51.46	36.79	-38.28	49.97	74.00	24.03	Horizontal
2	10600	47.78	39.30	-35.40	51.68	68.20	16.52	Horizontal
3	15900	45.84	37.70	-29.19	54.35	74.00	19.65	Horizontal
4	15900	36.54	37.70	-29.19	45.05	54.00	8.95	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 685 of 1085

802.11AC20_Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7363	52.26	36.55	-38.63	50.18	74.00	23.82	Vertical
2	10600	48.53	39.30	-35.40	52.43	68.20	15.77	Vertical
3	15900	45.72	37.70	-29.19	54.23	74.00	19.77	Vertical
4	15900	36.77	37.70	-29.19	45.28	54.00	8.72	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 686 of 1085

802.11AC20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7382.5	51.92	36.63	-38.57	49.98	74.00	24.02	Horizontal
2	10640	49.31	39.38	-35.44	53.25	74.00	20.75	Horizontal
3	15960	45.44	37.82	-29.41	53.85	74.00	20.15	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 687 of 1085

802.11AC20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7393.5	52.08	36.67	-38.54	50.21	74.00	23.79	Vertical
2	10640	49.13	39.38	-35.44	53.07	74.00	20.93	Vertical
3	15960	46.21	37.82	-29.41	54.62	74.00	19.38	Vertical
4	15960	36.30	37.82	-29.41	44.71	54.00	9.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 688 of 1085

802.11AC20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7519.5	53.42	36.71	-38.51	51.62	74.00	22.38	Horizontal
2	11000	48.88	40.10	-34.91	54.07	74.00	19.93	Horizontal
3	16500	47.76	39.30	-29.41	57.65	68.20	10.55	Horizontal
4	11000	39.97	40.10	-34.91	45.16	54.00	8.84	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 689 of 1085

802.11AC20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7463	52.98	36.83	-38.32	51.49	74.00	22.51	Vertical
2	11000	48.81	40.10	-34.91	54.00	74.00	20.00	Vertical
3	16500	47.40	39.30	-29.41	57.29	68.20	10.91	Vertical
4	11000	39.63	40.10	-34.91	44.82	54.00	9.18	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 690 of 1085

802.11AC20_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7428	52.37	36.76	-38.37	50.76	74.00	23.24	Horizontal
2	11160	48.57	40.20	-35.61	53.16	74.00	20.84	Horizontal
3	16740	45.50	39.48	-32.04	52.94	68.20	15.26	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 691 of 1085

802.11AC20_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7469.5	52.41	36.84	-38.36	50.89	74.00	23.11	Vertical
2	11160	50.64	40.20	-35.61	55.23	74.00	18.77	Vertical
3	16740	45.97	39.48	-32.04	53.41	68.20	14.79	Vertical
4	11160	40.11	40.20	-35.61	44.70	54.00	9.30	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 692 of 1085

802.11AC20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7376.5	52.79	36.61	-38.59	50.81	74.00	23.19	Horizontal
2	11400	49.61	40.30	-35.16	54.75	74.00	19.25	Horizontal
3	17100	46.42	42.10	-34.87	53.65	68.20	14.55	Horizontal
4	11400	39.52	40.30	-35.16	44.66	54.00	9.34	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 693 of 1085

802.11AC20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7355.5	52.69	36.52	-38.65	50.56	74.00	23.44	Vertical
2	11400	48.57	40.30	-35.16	53.71	74.00	20.29	Vertical
3	17100	48.15	42.10	-34.87	55.38	68.20	12.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 694 of 1085

802.11AC20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7423	52.22	36.75	-38.40	50.57	74.00	23.43	Horizontal
2	11490	48.95	40.21	-35.41	53.75	74.00	20.25	Horizontal
3	17235	46.75	42.78	-36.19	53.34	68.20	14.86	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 695 of 1085

802.11AC20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7412	53.25	36.72	-38.46	51.51	74.00	22.49	Vertical
2	11490	46.59	40.21	-35.41	51.39	74.00	22.61	Vertical
3	17235	45.50	42.78	-36.19	52.09	68.20	16.11	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 696 of 1085

802.11AC20_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7428	51.89	36.76	-38.37	50.28	74.00	23.72	Horizontal
2	11570	48.15	40.27	-35.25	53.17	74.00	20.83	Horizontal
3	17355	45.79	43.96	-37.34	52.41	68.20	15.79	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 697 of 1085

802.11AC20_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7366	52.69	36.56	-38.62	50.63	74.00	23.37	Vertical
2	11570	48.37	40.27	-35.25	53.39	74.00	20.61	Vertical
3	17355	45.53	43.96	-37.34	52.15	68.20	16.05	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 698 of 1085

802.11AC20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7378	52.09	36.61	-38.59	50.11	74.00	23.89	Horizontal
2	11650	48.07	40.10	-35.79	52.38	74.00	21.62	Horizontal
3	17475	45.82	44.73	-37.12	53.43	68.20	14.77	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 699 of 1085

802.11AC20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7443	51.56	36.79	-38.29	50.06	74.00	23.94	Vertical
2	11650	48.40	40.10	-35.79	52.71	74.00	21.29	Vertical
3	17475	44.23	44.73	-37.12	51.84	68.20	16.36	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 700 of 1085

802.11AC40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7512.5	53.25	36.78	-38.52	51.51	74.00	22.49	Horizontal
2	10380	49.08	39.18	-35.44	52.82	68.20	15.38	Horizontal
3	15570	46.59	38.62	-29.33	55.88	74.00	18.12	Horizontal
4	15570	35.80	38.62	-29.33	45.09	54.00	8.91	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 701 of 1085

802.11AC40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6920	55.65	35.36	-39.68	51.33	68.20	16.87	Vertical
2	10380	49.12	39.18	-35.44	52.86	68.20	15.34	Vertical
3	15570	45.68	38.62	-29.33	54.97	74.00	19.03	Vertical
4	15570	45.68	38.62	-29.33	54.97	74.00	19.03	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 702 of 1085

802.11AC40_Channel 46




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6973.5	54.29	35.44	-39.33	50.40	68.20	17.80	Horizontal
2	10460	48.57	39.02	-35.57	52.02	68.20	16.18	Horizontal
3	15690	45.64	38.50	-28.66	55.48	74.00	18.52	Horizontal
4	15690	36.06	38.50	-28.66	45.90	54.00	8.10	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 703 of 1085

802.11AC40_Channel 46




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6973.5	54.53	35.44	-39.33	50.64	68.20	17.56	Vertical
2	10460	48.14	39.02	-35.57	51.59	68.20	16.61	Vertical
3	15690	45.75	38.50	-28.66	55.59	74.00	18.41	Vertical
4	15690	35.89	38.50	-28.66	45.73	54.00	8.27	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 704 of 1085

802.11AC40_Channel 54




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7402.5	51.95	36.71	-38.51	50.15	74.00	23.85	Horizontal
2	10540	47.79	39.06	-35.49	51.36	68.20	16.84	Horizontal
3	15810	45.58	38.06	-30.40	53.24	74.00	20.76	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 705 of 1085

802.11AC40_Channel 54




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7404	51.43	36.71	-38.50	49.64	74.00	24.36	Vertical
2	10540	48.15	39.06	-35.49	51.72	68.20	16.48	Vertical
3	15810	45.56	38.06	-30.40	53.22	74.00	20.78	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 706 of 1085

802.11AC40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7414	53.31	36.73	-38.44	51.60	74.00	22.40	Horizontal
2	10620	49.37	39.34	-35.42	53.29	74.00	20.71	Horizontal
3	15930	46.13	37.76	-29.35	54.54	74.00	19.46	Horizontal
4	15930	36.46	37.76	-29.35	44.87	54.00	9.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 707 of 1085

802.11AC40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7474.5	51.92	36.85	-38.39	50.38	74.00	23.62	Vertical
2	10620	48.48	39.34	-35.42	52.40	74.00	21.60	Vertical
3	15930	46.64	37.76	-29.35	55.05	74.00	18.95	Vertical
4	15930	36.30	37.76	-29.35	44.71	54.00	9.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 708 of 1085

802.11AC40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7433.5	51.84	36.77	-38.34	50.27	74.00	23.73	Horizontal
2	11020	48.42	40.12	-35.13	53.41	74.00	20.59	Horizontal
3	16530	46.39	39.36	-29.72	56.03	68.20	12.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 709 of 1085

802.11AC40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7986	52.41	36.40	-37.43	51.38	68.20	16.82	Vertical
2	11020	48.18	40.12	-35.13	53.17	74.00	20.83	Vertical
3	16530	45.53	39.36	-29.72	55.17	68.20	13.03	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 710 of 1085

802.11AC40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7422	52.34	36.74	-38.40	50.68	74.00	23.32	Horizontal
2	11100	49.44	40.20	-35.55	54.09	74.00	19.91	Horizontal
3	16650	45.98	39.45	-31.98	53.45	68.20	14.75	Horizontal
4	11100	39.31	40.20	-35.55	43.96	54.00	10.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 711 of 1085

802.11AC40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7419	51.60	36.74	-38.42	49.92	74.00	24.08	Vertical
2	11100	48.66	40.20	-35.55	53.31	74.00	20.69	Vertical
3	16650	45.67	39.45	-31.98	53.14	68.20	15.06	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 712 of 1085

802.11AC40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7426	52.25	36.75	-38.38	50.62	74.00	23.38	Horizontal
2	11340	49.34	40.18	-35.58	53.94	74.00	20.06	Horizontal
3	17010	44.97	41.38	-33.72	52.63	68.20	15.57	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 713 of 1085

802.11AC40_Channel 134



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7508.5	52.84	36.82	-38.52	51.14	74.00	22.86	Vertical
2	11340	48.93	40.18	-35.58	53.53	74.00	20.47	Vertical
3	17010	46.20	41.38	-33.72	53.86	68.20	14.34	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 714 of 1085

802.11AC40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7399.5	51.93	36.70	-38.52	50.11	74.00	23.89	Horizontal
2	11510	50.00	40.21	-35.42	54.79	74.00	19.21	Horizontal
3	17265	46.53	43.02	-36.91	52.64	68.20	15.56	Horizontal
4	11510	39.13	40.21	-35.42	43.92	54.00	10.08	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 715 of 1085

802.11AC40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7383	52.52	36.63	-38.57	50.58	74.00	23.42	Vertical
2	11510	48.10	40.21	-35.42	52.89	74.00	21.11	Vertical
3	17265	46.66	43.02	-36.91	52.77	68.20	15.43	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 716 of 1085

802.11AC40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7392	52.42	36.67	-38.54	50.55	74.00	23.45	Horizontal
2	11590	47.59	40.29	-35.04	52.84	74.00	21.16	Horizontal
3	17385	47.22	44.32	-37.39	54.15	68.20	14.05	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 717 of 1085

802.11AC40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7503	52.12	36.87	-38.53	50.46	74.00	23.54	Vertical
2	11590	49.50	40.29	-35.04	54.75	74.00	19.25	Vertical
3	17385	45.90	44.32	-37.39	52.83	68.20	15.37	Vertical
4	11590	38.39	40.29	-35.04	43.64	54.00	10.36	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 718 of 1085

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7480	51.84	36.86	-38.42	50.28	74.00	23.72	Horizontal
2	10420	47.69	39.14	-35.46	51.37	68.20	16.83	Horizontal
3	15630	45.89	38.50	-29.88	54.51	74.00	19.49	Horizontal
4	15630	36.04	38.50	-29.88	44.66	54.00	9.34	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 719 of 1085

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6947	55.17	35.31	-39.57	50.91	68.20	17.29	Vertical
2	10420	48.53	39.14	-35.46	52.21	68.20	15.99	Vertical
3	15630	44.80	38.50	-29.88	53.42	74.00	20.58	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 720 of 1085

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7433.5	52.11	36.77	-38.34	50.54	74.00	23.46	Horizontal
2	10580	49.22	39.22	-35.44	53.00	68.20	15.20	Horizontal
3	15870	45.81	37.82	-29.39	54.24	74.00	19.76	Horizontal
4	15870	37.10	37.82	-29.39	45.53	54.00	8.47	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 721 of 1085

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7446	51.97	36.79	-38.27	50.49	74.00	23.51	Vertical
2	10580	49.43	39.22	-35.44	53.21	68.20	14.99	Vertical
3	15870	45.56	37.82	-29.39	53.99	74.00	20.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 722 of 1085

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7441	52.36	36.78	-38.30	50.84	74.00	23.16	Horizontal
2	11060	48.77	40.16	-35.49	53.44	74.00	20.56	Horizontal
3	16590	45.93	39.48	-30.71	54.70	68.20	13.50	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 723 of 1085

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7437.5	51.99	36.78	-38.32	50.45	74.00	23.55	Vertical
2	11060	48.34	40.16	-35.49	53.01	74.00	20.99	Vertical
3	16590	48.03	39.48	-30.71	56.80	68.20	11.40	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 724 of 1085

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7464	52.83	36.83	-38.33	51.33	74.00	22.67	Horizontal
2	11220	49.83	40.18	-35.76	54.25	74.00	19.75	Horizontal
3	16830	47.95	39.78	-32.40	55.33	68.20	12.87	Horizontal
4	11220	41.12	40.18	-35.76	45.54	54.00	8.46	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 725 of 1085

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7512	52.41	36.78	-38.52	50.67	74.00	23.33	Vertical
2	11220	50.38	40.18	-35.76	54.80	74.00	19.20	Vertical
3	16830	47.00	39.78	-32.40	54.38	68.20	13.82	Vertical
4	11220	40.86	40.18	-35.76	45.28	54.00	8.72	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 726 of 1085

802.11ac80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7505	53.27	36.85	-38.52	51.60	74.00	22.40	Horizontal
2	11550	48.37	40.25	-35.45	53.17	74.00	20.83	Horizontal
3	17325	45.95	43.60	-37.62	51.93	68.20	16.27	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 727 of 1085

802.11ac80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7413	52.42	36.73	-38.45	50.70	74.00	23.30	Vertical
2	11550	47.75	40.25	-35.45	52.55	74.00	21.45	Vertical
3	17325	47.41	43.60	-37.62	53.39	68.20	14.81	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 728 of 1085

802.11ac160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7000	54.16	35.60	-39.08	50.68	68.20	17.52	Horizontal
2	10500	48.92	38.90	-35.43	52.39	68.20	15.81	Horizontal
3	15750	47.08	38.30	-29.48	55.90	74.00	18.10	Horizontal
4	15750	37.29	38.30	-29.48	46.11	54.00	7.89	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 729 of 1085

802.11ac160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7000	57.04	35.60	-39.08	53.56	68.20	14.64	Vertical
2	10500	48.09	38.90	-35.43	51.56	68.20	16.64	Vertical
3	15750	45.85	38.30	-29.48	54.67	74.00	19.33	Vertical
4	15750	36.87	38.30	-29.48	45.69	54.00	8.31	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 730 of 1085

802.11ac160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7537.5	51.92	36.53	-38.49	49.96	74.00	24.04	Horizontal
2	11140	49.77	40.20	-35.58	54.39	74.00	19.61	Horizontal
3	16710	44.08	39.42	-31.60	51.90	68.20	16.30	Horizontal
4	11140	39.59	40.20	-35.58	44.21	54.00	9.79	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 731 of 1085

802.11ac160_Channel 114



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7468	52.01	36.84	-38.35	50.50	74.00	23.50	Vertical
2	11140	48.93	40.20	-35.58	53.55	74.00	20.45	Vertical
3	16710	45.09	39.42	-31.60	52.91	68.20	15.29	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 732 of 1085

802.11ax20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7417	53.91	36.73	-38.43	52.21	74.00	21.79	Horizontal
2	10360	50.76	39.16	-35.53	54.39	68.20	13.81	Horizontal
3	15540	48.14	38.74	-28.80	58.08	74.00	15.92	Horizontal
4	15540	38.28	38.74	-28.80	48.22	54.00	5.78	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 733 of 1085

802.11ax20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6906.5	57.75	35.39	-39.73	53.41	68.20	14.79	Vertical
2	10360	50.10	39.16	-35.53	53.73	68.20	14.47	Vertical
3	15540	48.76	38.74	-28.80	58.70	74.00	15.30	Vertical
4	15540	38.76	38.74	-28.80	48.70	54.00	5.30	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 734 of 1085

802.11ax20_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6960	56.26	35.36	-39.46	52.16	68.20	16.04	Horizontal
2	10440	49.86	39.08	-35.56	53.38	68.20	14.82	Horizontal
3	15660	47.82	38.50	-29.29	57.03	74.00	16.97	Horizontal
4	15660	38.82	38.50	-29.29	48.03	54.00	5.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 735 of 1085

802.11ax20_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6960	56.25	35.36	-39.46	52.15	68.20	16.05	Vertical
2	10440	50.35	39.08	-35.56	53.87	68.20	14.33	Vertical
3	15660	48.13	38.50	-29.29	57.34	74.00	16.66	Vertical
4	15660	38.79	38.50	-29.29	48.00	54.00	6.00	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 736 of 1085

802.11ax20_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7374	53.87	36.60	-38.60	51.87	74.00	22.13	Horizontal
2	10480	51.10	38.96	-35.50	54.56	68.20	13.64	Horizontal
3	15720	47.61	38.42	-28.86	57.17	74.00	16.83	Horizontal
4	15720	38.25	38.42	-28.86	47.81	54.00	6.19	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 737 of 1085

802.11ax20_Channel 48



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6987	55.22	35.52	-39.20	51.54	68.20	16.66	Vertical
2	10480	50.10	38.96	-35.50	53.56	68.20	14.64	Vertical
3	15720	48.10	38.42	-28.86	57.66	74.00	16.34	Vertical
4	15720	38.87	38.42	-28.86	48.43	54.00	5.57	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 738 of 1085

802.11ax20_Channel 52



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7515	53.60	36.75	-38.51	51.84	74.00	22.16	Horizontal
2	10520	48.99	38.98	-35.46	52.51	68.20	15.69	Horizontal
3	15780	47.47	38.18	-30.16	55.49	74.00	18.51	Horizontal
4	15780	38.10	38.18	-30.16	46.12	54.00	7.88	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 739 of 1085

802.11ax20_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7426	53.86	36.75	-38.38	52.23	74.00	21.77	Vertical
2	10520	50.09	38.98	-35.46	53.61	68.20	14.59	Vertical
3	15780	46.94	38.18	-30.16	54.96	74.00	19.04	Vertical
4	15780	38.41	38.18	-30.16	46.43	54.00	7.57	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 740 of 1085

802.11ax20_Channel 60



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7511	53.99	36.79	-38.52	52.26	74.00	21.74	Horizontal
2	10600	49.87	39.30	-35.40	53.77	68.20	14.43	Horizontal
3	15900	47.23	37.70	-29.19	55.74	74.00	18.26	Horizontal
4	15900	38.04	37.70	-29.19	46.55	54.00	7.45	Horizontal