




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 911 of 1085

802.11ax40_Channel 151



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5678.3267	46.05	33.41	-14.57	64.89	89.26	24.37	Vertical
2	5710.8429	57.17	33.59	-14.98	75.78	108.34	32.56	Vertical
3	5714.2571	61.12	33.61	-14.96	79.77	109.29	29.52	Vertical
4	5720.923	65.19	33.67	-14.93	83.93	113.00	29.07	Vertical
5	5853.1016	35.03	34.11	-14.48	54.66	115.23	60.57	Vertical
6	5868.3842	36.12	34.17	-14.54	55.75	107.15	51.40	Vertical
7	5884.4797	34.19	34.24	-14.67	53.76	98.28	44.52	Vertical
8	5892.1211	34.59	34.27	-14.63	54.23	92.63	38.40	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 912 of 1085

802.11ax40_Channel 159



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5708.8919	41.92	33.57	-14.92	60.57	107.79	47.22	Horizontal
2	5714.2571	43.61	33.61	-14.96	62.26	109.29	47.03	Horizontal
3	5719.9475	50.00	33.66	-14.94	68.72	110.89	42.17	Horizontal
4	5723.3617	44.91	33.69	-14.90	63.70	118.56	54.86	Horizontal
5	5851.6383	46.93	34.11	-14.39	66.65	118.56	51.91	Horizontal
6	5864.97	44.85	34.16	-14.70	64.31	108.11	43.80	Horizontal
7	5870.4977	40.84	34.18	-14.47	60.55	106.56	46.01	Horizontal
8	5880.4152	38.59	34.22	-14.70	58.11	101.29	43.18	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 913 of 1085

802.11ax40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5703.5268	41.94	33.53	-14.64	60.83	106.29	45.46	Vertical
2	5709.3797	43.93	33.58	-14.95	62.56	107.93	45.37	Vertical
3	5715.07	45.60	33.62	-14.96	64.26	109.52	45.26	Vertical
4	5722.5488	52.08	33.68	-14.91	70.85	116.71	45.86	Vertical
5	5852.7764	47.53	34.11	-14.46	67.18	115.97	48.79	Vertical
6	5857.6538	48.87	34.13	-14.78	68.22	110.16	41.94	Vertical
7	5865.9455	46.39	34.16	-14.65	65.90	107.84	41.94	Vertical
8	5875.05	44.03	34.20	-14.58	63.65	105.26	41.61	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 914 of 1085

802.11ax80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2231	45.28	33.59	-15.54	63.33	74.00	10.67	Horizontal
2	5355.8779	37.03	33.19	-15.21	55.01	74.00	18.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 915 of 1085

802.11ax80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.975	31.08	33.60	-15.57	49.11	54.00	4.89	Horizontal
2	5350.6253	18.88	33.20	-15.14	36.94	54.00	17.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 916 of 1085

802.11ax80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.975	47.43	33.60	-15.57	65.46	74.00	8.54	Vertical
2	5352.8764	38.84	33.19	-15.17	56.86	74.00	17.14	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 917 of 1085

802.11ax80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8249	32.18	33.60	-15.57	50.21	54.00	3.79	Vertical
2	5351.3757	19.43	33.20	-15.15	37.48	54.00	16.52	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 918 of 1085

802.11ax80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.7729	37.27	33.59	-15.53	55.33	74.00	18.67	Horizontal
2	5354.2271	41.51	33.19	-15.18	59.52	74.00	14.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 919 of 1085

802.11ax80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.3732	19.25	33.59	-15.54	37.30	54.00	16.70	Horizontal
2	5354.6773	28.05	33.19	-15.19	46.05	54.00	7.95	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 920 of 1085

802.11ax80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.7714	38.81	33.59	-15.50	56.90	74.00	17.10	Vertical
2	5350.6253	46.42	33.20	-15.14	64.48	74.00	9.52	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 921 of 1085

802.11ax80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.4727	19.37	33.59	-15.53	37.43	54.00	16.57	Vertical
2	5357.2286	31.92	33.19	-15.22	49.89	54.00	4.11	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 922 of 1085

802.11ax80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.7434	40.37	33.38	-14.83	58.92	74.00	15.08	Horizontal
2	5463.3517	40.30	33.32	-14.82	58.80	68.30	9.50	Horizontal
3	5732.6138	38.15	33.76	-14.87	57.04	68.30	11.26	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 923 of 1085

802.11ax80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.2141	24.54	33.36	-14.85	43.05	54.00	10.95	Horizontal
2	5453.3867	25.20	33.38	-14.81	43.77	54.00	10.23	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 924 of 1085

802.11ax80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.5388	44.04	33.35	-14.82	62.57	74.00	11.43	Vertical
2	5460.6528	45.60	33.34	-14.82	64.12	68.30	4.18	Vertical
3	5730.7454	39.49	33.75	-14.84	58.40	68.30	9.90	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 925 of 1085

802.11ax80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.989	30.96	33.39	-14.82	49.53	54.00	4.47	Vertical
2	5458.1616	31.16	33.35	-14.82	49.69	54.00	4.31	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 926 of 1085

802.11ax80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.1411	39.94	33.39	-14.81	58.52	74.00	15.48	Horizontal
2	5460.6528	41.44	33.34	-14.82	59.96	68.30	8.34	Horizontal
3	5726.5933	44.32	33.71	-14.87	63.16	68.30	5.14	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 927 of 1085

802.11ax80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.9335	21.87	33.39	-14.81	40.45	54.00	13.55	Horizontal
2	5459.6148	23.32	33.34	-14.82	41.84	54.00	12.16	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 928 of 1085

802.11ax80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.7259	41.26	33.39	-14.81	59.84	74.00	14.16	Vertical
2	5469.1646	44.18	33.29	-14.82	62.65	68.30	5.65	Vertical
3	5729.2921	44.59	33.73	-14.84	63.48	68.30	4.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 929 of 1085

802.11ax80_Channel 122



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.4802	28.03	33.40	-14.81	46.62	54.00	7.38	Vertical
2	5459.8224	29.57	33.34	-14.82	48.09	54.00	5.91	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 930 of 1085

802.11ax80_Channel 155



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5653.6143	42.39	33.31	-14.55	61.15	70.97	9.82	Horizontal
2	5665.8079	42.18	33.36	-14.58	60.96	80.00	19.04	Horizontal
3	5673.2866	43.46	33.39	-14.56	62.29	85.53	23.24	Horizontal
4	5724.6623	49.56	33.70	-14.89	68.37	121.53	53.16	Horizontal
5	5852.4512	42.56	34.11	-14.44	62.23	116.71	54.48	Horizontal
6	5862.8564	42.72	34.15	-14.80	62.07	108.70	46.63	Horizontal
7	5874.5623	40.52	34.20	-14.57	60.15	105.42	45.27	Horizontal
8	5890.4952	37.25	34.26	-14.63	56.88	93.83	36.95	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 931 of 1085

802.11ax80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5651.5008	46.36	33.31	-14.53	65.14	69.41	4.27	Vertical
2	5658.6543	49.98	33.33	-14.60	68.71	74.70	5.99	Vertical
3	5690.6828	52.11	33.46	-14.64	70.93	98.41	27.48	Vertical
4	5720.1101	53.81	33.66	-14.94	72.53	111.15	38.62	Vertical
5	5854.7274	47.89	34.12	-14.59	67.42	111.52	44.10	Vertical
6	5866.1081	44.50	34.16	-14.64	64.02	107.79	43.77	Vertical
7	5874.7249	41.81	34.20	-14.57	61.44	105.38	43.94	Vertical
8	5887.4062	39.70	34.25	-14.65	59.30	96.12	36.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 932 of 1085

802.11ax160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.6733	40.56	33.59	-15.54	58.61	74.00	15.39	Horizontal
2	5356.028	40.54	33.19	-15.21	58.52	74.00	15.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 933 of 1085

802.11ax160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.4222	28.86	33.59	-15.52	46.93	54.00	7.07	Horizontal
2	5355.7279	30.30	33.19	-15.20	48.29	54.00	5.71	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 934 of 1085

802.11ax160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.972	47.29	33.59	-15.52	65.36	74.00	8.64	Vertical
2	5355.5778	46.30	33.19	-15.20	64.29	74.00	9.71	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 935 of 1085

802.11ax160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.3227	30.04	33.59	-15.53	48.10	54.00	5.90	Vertical
2	5356.7784	30.45	33.19	-15.22	48.42	54.00	5.58	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 936 of 1085

802.11ax160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.3867	38.97	33.38	-14.81	57.54	74.00	16.46	Horizontal
2	5465.8429	38.38	33.30	-14.82	56.86	68.30	11.44	Horizontal
3	5728.2541	40.20	33.73	-14.85	59.08	68.30	9.22	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 937 of 1085

802.11ax160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.4977	27.39	33.37	-14.84	45.92	54.00	8.08	Horizontal
2	5455.6703	27.23	33.37	-14.82	45.78	54.00	8.22	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 938 of 1085

802.11ax160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.992	42.69	33.35	-14.82	61.22	74.00	12.78	Vertical
2	5467.919	42.95	33.29	-14.82	61.42	68.30	6.88	Vertical
3	5726.3857	43.64	33.71	-14.87	62.48	68.30	5.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 939 of 1085

802.11ax160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.0065	31.28	33.36	-14.85	49.79	54.00	4.21	Vertical
2	5452.9715	31.21	33.38	-14.81	49.78	54.00	4.22	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 940 of 1085

F9E1A:
802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.6433	41.37	31.78	-13.08	60.07	74.00	13.93	Horizontal
2	5148.4642	42.52	31.79	-13.07	61.24	74.00	12.76	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 941 of 1085

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.6318	24.80	31.76	-13.09	43.47	54.00	10.53	Horizontal
2	5147.974	26.03	31.79	-13.08	44.74	54.00	9.26	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 942 of 1085

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.7134	45.07	31.78	-13.08	63.77	74.00	10.23	Vertical
2	5149.2346	48.39	31.80	-13.07	67.12	74.00	6.88	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 943 of 1085

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.4527	29.21	31.77	-13.08	47.90	54.00	6.10	Vertical
2	5149.6548	32.21	31.80	-13.07	50.94	54.00	3.06	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 944 of 1085

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.025	42.11	32.20	-12.68	61.63	74.00	12.37	Horizontal
2	5352.9515	43.28	32.22	-12.68	62.82	74.00	11.18	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 945 of 1085

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.025	28.53	32.20	-12.68	48.05	54.00	5.95	Horizontal
2	5353.4017	28.03	32.22	-12.69	47.56	54.00	6.44	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 946 of 1085

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.5258	47.66	32.21	-12.68	67.19	74.00	6.81	Vertical
2	5353.2516	44.58	32.22	-12.69	64.11	74.00	9.89	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 947 of 1085

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.6253	29.09	32.20	-12.68	48.61	54.00	5.39	Vertical
2	5354.4522	26.58	32.23	-12.69	46.12	54.00	7.88	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 948 of 1085

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.989	37.96	32.23	-12.60	57.59	74.00	16.41	Horizontal
2	5469.4247	44.04	32.28	-12.58	63.74	68.30	4.56	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 949 of 1085

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.8849	22.39	32.20	-12.62	41.97	54.00	12.03	Horizontal
2	5459.8799	23.83	32.24	-12.60	43.47	54.00	10.53	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 950 of 1085

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.7379	35.01	32.22	-12.61	54.62	74.00	19.38	Vertical
2	5466.9035	44.93	32.27	-12.59	64.61	68.30	3.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 951 of 1085

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.4347	22.65	32.20	-12.62	42.23	54.00	11.77	Vertical
2	5459.6998	23.05	32.24	-12.60	42.69	54.00	11.31	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 952 of 1085

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.8229	42.39	32.50	-12.49	62.40	68.30	5.90	Horizontal
2	5727.7739	41.30	32.50	-12.49	61.31	68.30	6.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 953 of 1085

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.0725	43.64	32.50	-12.49	63.65	68.30	4.65	Vertical
2	5727.8489	42.27	32.50	-12.49	62.28	68.30	6.02	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 954 of 1085

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.9625	35.33	32.51	-12.55	55.29	68.30	13.01	Horizontal
2	5663.3717	35.61	32.50	-12.54	55.57	78.20	22.63	Horizontal
3	5714.2771	43.66	32.50	-12.49	63.67	109.30	45.63	Horizontal
4	5724.1221	56.31	32.50	-12.49	76.32	120.30	43.98	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 955 of 1085

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.6423	34.91	32.51	-12.55	54.87	68.30	13.43	Vertical
2	5655.4477	35.00	32.50	-12.55	54.95	72.33	17.38	Vertical
3	5704.6723	39.78	32.50	-12.48	59.80	106.61	46.81	Vertical
4	5724.6023	56.58	32.50	-12.49	76.59	121.39	44.80	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 956 of 1085

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.8839	42.55	32.61	-12.30	62.86	115.72	52.86	Horizontal
2	5862.5413	37.90	32.65	-12.26	58.29	108.79	50.50	Horizontal
3	5913.2216	34.92	32.83	-12.10	55.65	77.02	21.37	Horizontal
4	5940.7079	35.77	32.88	-12.10	56.55	68.30	11.75	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 957 of 1085

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.6363	41.36	32.61	-12.30	61.67	116.29	54.62	Vertical
2	5857.919	40.95	32.63	-12.28	61.30	110.08	48.78	Vertical
3	5897.1261	34.94	32.79	-12.11	55.62	88.93	33.31	Vertical
4	5937.984	34.38	32.88	-12.10	55.16	68.30	13.14	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 958 of 1085

802.11AC20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.912	44.71	31.76	-13.09	63.38	74.00	10.62	Horizontal
2	5149.935	46.19	31.80	-13.07	64.92	74.00	9.08	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 959 of 1085

802.11AC20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.0715	27.72	31.76	-13.09	46.39	54.00	7.61	Horizontal
2	5149.935	32.20	31.80	-13.07	50.93	54.00	3.07	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 960 of 1085

802.11AC20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.1026	43.89	31.77	-13.08	62.58	74.00	11.42	Vertical
2	5147.3437	47.03	31.78	-13.08	65.73	74.00	8.27	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 961 of 1085

802.11AC20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.4332	29.13	31.78	-13.08	47.83	54.00	6.17	Vertical
2	5149.6548	31.84	31.80	-13.07	50.57	54.00	3.43	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 962 of 1085

802.11AC20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5353.0265	48.73	32.22	-12.68	68.27	74.00	5.73	Horizontal
2	5356.028	48.81	32.24	-12.69	68.36	74.00	5.64	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 963 of 1085

802.11AC20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.1751	28.68	32.20	-12.68	48.20	54.00	5.80	Horizontal
2	5354.3772	27.48	32.23	-12.69	47.02	54.00	6.98	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 964 of 1085

802.11AC20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.9255	47.75	32.21	-12.68	67.28	74.00	6.72	Vertical
2	5355.4277	46.83	32.23	-12.69	66.37	74.00	7.63	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 965 of 1085

802.11AC20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.1	29.26	32.20	-12.68	48.78	54.00	5.22	Vertical
2	5354.9025	27.67	32.23	-12.69	47.21	54.00	6.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 966 of 1085

802.11AC20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.6573	34.70	32.22	-12.61	54.31	74.00	19.69	Horizontal
2	5469.965	41.47	32.28	-12.58	61.17	68.30	7.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 967 of 1085

802.11AC20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5432.2361	22.39	32.31	-12.67	42.03	54.00	11.97	Horizontal
2	5458.6193	22.61	32.23	-12.60	42.24	54.00	11.76	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 968 of 1085

802.11AC20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.6763	35.55	32.21	-12.61	55.15	74.00	18.85	Vertical
2	5466.9935	44.77	32.27	-12.59	64.45	68.30	3.85	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 969 of 1085

802.11AC20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5448.1741	22.80	32.21	-12.63	42.38	54.00	11.62	Vertical
2	5459.6098	22.98	32.24	-12.60	42.62	54.00	11.38	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 970 of 1085

802.11AC20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.7479	43.03	32.50	-12.49	63.04	68.30	5.26	Horizontal
2	5727.1736	43.00	32.50	-12.49	63.01	68.30	5.29	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 971 of 1085

802.11AC20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.973	44.07	32.50	-12.49	64.08	68.30	4.22	Vertical
2	5727.4737	41.43	32.50	-12.49	61.44	68.30	6.86	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 972 of 1085

802.11AC20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5643.0415	34.73	32.51	-12.55	54.69	68.30	13.61	Horizontal
2	5653.8469	34.88	32.50	-12.55	54.83	71.15	16.32	Horizontal
3	5713.8769	41.89	32.50	-12.49	61.90	109.19	47.29	Horizontal
4	5721.4807	52.94	32.50	-12.49	72.95	114.28	41.33	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 973 of 1085

802.11AC20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5648.9645	34.58	32.50	-12.56	54.52	68.30	13.78	Vertical
2	5680.6603	36.51	32.50	-12.51	56.50	90.99	34.49	Vertical
3	5710.1951	43.40	32.50	-12.48	63.42	108.15	44.73	Vertical
4	5722.6013	53.25	32.50	-12.49	73.26	116.83	43.57	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 974 of 1085

802.11AC20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.3157	37.69	32.61	-12.30	58.00	119.30	61.30	Horizontal
2	5868.3192	36.28	32.67	-12.23	56.72	107.17	50.45	Horizontal
3	5910.7454	36.32	32.82	-12.10	57.04	78.85	21.81	Horizontal
4	5932.6188	35.77	32.87	-12.10	56.54	68.30	11.76	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 975 of 1085

802.11AC20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.3982	44.56	32.61	-12.30	64.87	119.11	54.24	Vertical
2	5863.8619	38.94	32.66	-12.25	59.35	108.42	49.07	Vertical
3	5919.9075	34.96	32.84	-12.10	55.70	72.07	16.37	Vertical
4	5941.2031	34.58	32.88	-12.10	55.36	68.30	12.94	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 976 of 1085

802.11AC40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.6748	38.99	31.80	-13.07	57.72	74.00	16.28	Horizontal
2	5355.8779	34.94	32.24	-12.69	54.49	74.00	19.51	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 977 of 1085

802.11AC40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.6748	27.43	31.80	-13.07	46.16	54.00	7.84	Horizontal
2	5354.5273	22.50	32.23	-12.69	42.04	54.00	11.96	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 978 of 1085

802.11AC40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.6748	44.83	31.80	-13.07	63.56	74.00	10.44	Vertical
2	5361.5808	35.42	32.27	-12.70	54.99	74.00	19.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 979 of 1085

802.11AC40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.975	31.41	31.80	-13.07	50.14	54.00	3.86	Vertical
2	5358.1291	22.46	32.25	-12.69	42.02	54.00	11.98	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 980 of 1085

802.11AC40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.0715	35.73	31.76	-13.09	54.40	74.00	19.60	Horizontal
2	5351.3757	38.35	32.21	-12.68	57.88	74.00	16.12	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 981 of 1085

802.11AC40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.6718	22.78	31.76	-13.09	41.45	54.00	12.55	Horizontal
2	5350.025	25.50	32.20	-12.68	45.02	54.00	8.98	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 982 of 1085

802.11AC40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5125.6628	36.28	31.65	-13.14	54.79	74.00	19.21	Vertical
2	5350	43.52	32.20	-12.68	63.04	74.00	10.96	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 983 of 1085

802.11AC40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.2721	22.81	31.77	-13.09	41.49	54.00	12.51	Vertical
2	5350.025	30.50	32.20	-12.68	50.02	54.00	3.98	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 984 of 1085

802.11AC40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.7989	35.28	32.24	-12.64	54.88	74.00	19.12	Horizontal
2	5469.7874	44.61	32.28	-12.58	64.31	68.30	3.99	Horizontal
3	5733.4442	35.88	32.50	-12.49	55.89	68.30	12.41	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 985 of 1085

802.11AC40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5418.094	22.37	32.39	-12.71	42.05	54.00	11.95	Horizontal
2	5459.4072	25.39	32.24	-12.60	45.03	54.00	8.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 986 of 1085

802.11AC40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.065	38.42	32.20	-12.62	58.00	74.00	16.00	Vertical
2	5469.995	41.46	32.28	-12.58	61.16	68.30	7.14	Vertical
3	5728.2541	37.47	32.50	-12.49	57.48	68.30	10.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 987 of 1085

802.11AC40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.3487	24.56	32.21	-12.62	44.15	54.00	9.85	Vertical
2	5459.8224	25.39	32.24	-12.60	45.03	54.00	8.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 988 of 1085

802.11AC40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5420.1701	35.72	32.38	-12.70	55.40	74.00	18.60	Horizontal
2	5467.0885	35.89	32.27	-12.59	55.57	68.30	12.73	Horizontal
3	5727.6313	41.68	32.50	-12.49	61.69	68.30	6.61	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 989 of 1085

802.11AC40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5407.7139	22.37	32.45	-12.74	42.08	54.00	11.92	Horizontal
2	5441.9685	22.37	32.25	-12.64	41.98	54.00	12.02	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 990 of 1085

802.11AC40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.1761	35.13	32.25	-12.64	54.74	74.00	19.26	Vertical
2	5466.0505	35.82	32.26	-12.59	55.49	68.30	12.81	Vertical
3	5725.3477	42.80	32.50	-12.49	62.81	68.30	5.49	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 991 of 1085

802.11AC40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5405.8454	22.42	32.46	-12.74	42.14	54.00	11.86	Vertical
2	5447.3662	22.48	32.22	-12.63	42.07	54.00	11.93	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 992 of 1085

802.11AC40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5629.3897	32.82	32.54	-12.52	52.84	68.30	15.46	Horizontal
2	5679.4647	37.12	32.50	-12.51	57.11	90.10	32.99	Horizontal
3	5716.0455	55.11	32.50	-12.49	75.12	109.79	34.67	Horizontal
4	5724.3372	59.09	32.50	-12.49	79.10	120.79	41.69	Horizontal
5	5851.4757	32.18	32.61	-12.30	52.49	118.94	66.45	Horizontal
6	5872.7739	32.64	32.69	-12.21	53.12	105.92	52.80	Horizontal
7	5917.3212	32.05	32.83	-12.10	52.78	73.98	21.20	Horizontal
8	5939.2696	32.41	32.88	-12.10	53.19	68.30	15.11	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 993 of 1085

802.11AC40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.3962	32.35	32.52	-12.55	52.32	68.30	15.98	Vertical
2	5662.0685	33.48	32.50	-12.54	53.44	77.23	23.79	Vertical
3	5712.7939	55.38	32.50	-12.49	75.39	108.88	33.49	Vertical
4	5721.8984	58.59	32.50	-12.49	78.60	115.23	36.63	Vertical
5	5852.7764	31.71	32.61	-12.30	52.02	115.97	63.95	Vertical
6	5862.6938	31.96	32.65	-12.26	52.35	108.75	56.40	Vertical
7	5915.2076	31.55	32.83	-12.10	52.28	75.55	23.27	Vertical
8	5945.7729	31.32	32.89	-12.10	52.11	68.30	16.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 994 of 1085

802.11AC40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5631.1781	32.75	32.54	-12.53	52.76	68.30	15.54	Horizontal
2	5671.1731	33.25	32.50	-12.53	53.22	83.97	30.75	Horizontal
3	5709.8674	33.03	32.50	-12.48	53.05	108.06	55.01	Horizontal
4	5724.012	32.82	32.50	-12.49	52.83	120.05	67.22	Horizontal
5	5853.4267	33.34	32.61	-12.30	53.65	114.49	60.84	Horizontal
6	5870.01	32.42	32.68	-12.23	52.87	106.70	53.83	Horizontal
7	5906.5908	32.29	32.81	-12.10	53.00	81.92	28.92	Horizontal
8	5947.5613	32.77	32.90	-12.10	53.57	68.30	14.73	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 995 of 1085

802.11AC40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.7949	32.97	32.52	-12.54	52.95	68.30	15.35	Vertical
2	5655.8904	32.99	32.50	-12.55	52.94	72.66	19.72	Vertical
3	5706.7784	32.33	32.50	-12.48	52.35	107.20	54.85	Vertical
4	5723.8494	36.08	32.50	-12.49	56.09	119.68	63.59	Vertical
5	5850.8254	35.59	32.60	-12.31	55.88	120.42	64.54	Vertical
6	5870.4977	33.44	32.68	-12.22	53.90	106.56	52.66	Vertical
7	5914.2321	31.66	32.83	-12.10	52.39	76.27	23.88	Vertical
8	5932.929	32.29	32.87	-12.10	53.06	68.30	15.24	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 996 of 1085

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.8724	42.82	31.77	-13.09	61.50	74.00	12.50	Horizontal
2	5351.976	36.76	32.21	-12.68	56.29	74.00	17.71	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 997 of 1085

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.8219	29.75	31.76	-13.09	48.42	54.00	5.58	Horizontal
2	5360.5303	23.03	32.26	-12.70	42.59	54.00	11.41	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 998 of 1085

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.7729	44.77	31.77	-13.08	63.46	74.00	10.54	Vertical
2	5372.9865	35.20	32.34	-12.72	54.82	74.00	19.18	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 999 of 1085

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.5218	31.95	31.76	-13.09	50.62	54.00	3.38	Vertical
2	5362.7814	22.81	32.28	-12.70	42.39	54.00	11.61	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1000 of 1085

802.11ac80_Channel 58



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.021	36.86	31.75	-13.09	55.52	74.00	18.48	Horizontal
2	5350.025	37.94	32.20	-12.68	57.46	74.00	16.54	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1001 of 1085

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.1221	23.71	31.76	-13.09	42.38	54.00	11.62	Horizontal
2	5356.9285	25.83	32.24	-12.69	45.38	54.00	8.62	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1002 of 1085

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.5708	36.69	31.75	-13.10	55.34	74.00	18.66	Vertical
2	5351.976	42.83	32.21	-12.68	62.36	74.00	11.64	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1003 of 1085

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.1741	23.82	31.79	-13.08	42.53	54.00	11.47	Vertical
2	5350.025	29.98	32.20	-12.68	49.50	54.00	4.50	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1004 of 1085

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.989	40.64	32.21	-12.63	60.22	74.00	13.78	Horizontal
2	5468.957	41.46	32.28	-12.58	61.16	68.30	7.14	Horizontal
3	5731.1606	36.29	32.50	-12.49	56.30	68.30	12.00	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1005 of 1085

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5434.91	24.33	32.29	-12.66	43.96	54.00	10.04	Horizontal
2	5457.7464	27.33	32.23	-12.60	46.96	54.00	7.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1006 of 1085

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.3312	44.60	32.23	-12.61	64.22	74.00	9.78	Vertical
2	5468.7494	43.64	32.27	-12.58	63.33	68.30	4.97	Vertical
3	5739.6723	36.12	32.50	-12.50	56.12	68.30	12.18	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1007 of 1085

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.951	29.60	32.22	-12.63	49.19	54.00	4.81	Vertical
2	5457.3312	31.03	32.23	-12.61	50.65	54.00	3.35	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1008 of 1085

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5422.0385	35.94	32.37	-12.70	55.61	74.00	18.39	Horizontal
2	5461.4832	38.74	32.25	-12.60	58.39	68.30	9.91	Horizontal
3	5740.918	38.76	32.50	-12.50	58.76	68.30	9.54	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1009 of 1085

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5416.8484	22.43	32.40	-12.71	42.12	54.00	11.88	Horizontal
2	5451.1031	22.51	32.20	-12.62	42.09	54.00	11.91	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1010 of 1085

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.7639	36.91	32.21	-12.61	56.51	74.00	17.49	Vertical
2	5469.7874	38.48	32.28	-12.58	58.18	68.30	10.12	Vertical
3	5735.9355	37.69	32.50	-12.49	57.70	68.30	10.60	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1011 of 1085

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.0065	23.44	32.24	-12.64	43.04	54.00	10.96	Vertical
2	5451.9335	24.40	32.21	-12.62	43.99	54.00	10.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1012 of 1085

802.11ac80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.5188	36.97	32.52	-12.54	56.95	68.30	11.35	Horizontal
2	5682.5538	46.69	32.50	-12.51	66.68	92.39	25.71	Horizontal
3	5711.3307	57.84	32.50	-12.48	77.86	108.47	30.61	Horizontal
4	5721.2481	57.85	32.50	-12.49	77.86	113.75	35.89	Horizontal
5	5851.4757	52.60	32.61	-12.30	72.91	118.94	46.03	Horizontal
6	5868.8719	49.27	32.68	-12.23	69.72	107.02	37.30	Horizontal
7	5914.3947	34.80	32.83	-12.10	55.53	76.15	20.62	Horizontal
8	5943.8219	36.39	32.89	-12.10	57.18	68.30	11.12	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1013 of 1085

802.11ac80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.9975	39.16	32.51	-12.55	59.12	68.30	9.18	Vertical
2	5687.4312	53.19	32.50	-12.50	73.19	96.00	22.81	Vertical
3	5706.7784	56.05	32.50	-12.48	76.07	107.20	31.13	Vertical
4	5722.5488	56.82	32.50	-12.49	76.83	116.71	39.88	Vertical
5	5850.6628	53.35	32.60	-12.31	73.64	120.79	47.15	Vertical
6	5861.5558	49.87	32.65	-12.26	70.26	109.06	38.80	Vertical
7	5905.9405	36.04	32.81	-12.10	56.75	82.40	25.65	Vertical
8	5942.0335	35.45	32.88	-12.10	56.23	68.30	12.07	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1014 of 1085

802.11ac160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5116.5083	45.54	31.60	-13.17	63.97	74.00	10.03	Horizontal
2	5392.6463	43.20	32.46	-12.75	62.91	74.00	11.09	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1015 of 1085

802.11ac160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5124.7624	31.24	31.65	-13.15	49.74	54.00	4.26	Horizontal
2	5392.1961	30.63	32.45	-12.75	50.33	54.00	3.67	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1016 of 1085

802.11ac160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.8739	46.16	31.79	-13.08	64.87	74.00	9.13	Vertical
2	5394.4472	43.19	32.47	-12.75	62.91	74.00	11.09	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1017 of 1085

802.11ac160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.4742	31.70	31.79	-13.07	50.42	54.00	3.58	Vertical
2	5367.7339	30.16	32.31	-12.71	49.76	54.00	4.24	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1018 of 1085

802.11ac160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5413.7344	40.49	32.42	-12.72	60.19	74.00	13.81	Horizontal
2	5461.6908	37.74	32.25	-12.60	57.39	68.30	10.91	Horizontal
3	5725.5553	40.49	32.50	-12.49	60.50	68.30	7.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1019 of 1085

802.11ac160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5413.7344	27.21	32.42	-12.72	46.91	54.00	7.09	Horizontal
2	5424.1146	27.48	32.36	-12.69	47.15	54.00	6.85	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1020 of 1085

802.11ac160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.1791	43.84	32.21	-12.61	63.44	74.00	10.56	Vertical
2	5465.2201	43.23	32.26	-12.59	62.90	68.30	5.40	Vertical
3	5725.1401	40.50	32.50	-12.49	60.51	68.30	7.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1021 of 1085

802.11ac160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.2901	29.85	32.23	-12.63	49.45	54.00	4.55	Vertical
2	5454.4247	30.12	32.22	-12.61	49.73	54.00	4.27	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1022 of 1085

802.11ax20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.5538	47.51	31.79	-13.08	66.22	74.00	7.78	Horizontal
2	5149.7249	49.81	31.80	-13.07	68.54	74.00	5.46	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1023 of 1085

802.11ax20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.1221	26.99	31.76	-13.09	45.66	54.00	8.34	Horizontal
2	5149.7249	29.48	31.80	-13.07	48.21	54.00	5.79	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1024 of 1085

802.11ax20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2231	50.01	31.78	-13.08	68.71	74.00	5.29	Vertical
2	5149.7949	51.13	31.80	-13.07	69.86	74.00	4.14	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1025 of 1085

802.11ax20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139.0095	26.01	31.73	-13.10	44.64	54.00	9.36	Vertical
2	5147.6938	29.29	31.79	-13.08	48.00	54.00	6.00	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1026 of 1085

802.11ax20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.6553	48.55	32.20	-12.68	68.07	74.00	5.93	Horizontal
2	5352.006	47.30	32.21	-12.68	66.83	74.00	7.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1027 of 1085

802.11ax20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5353.2468	25.94	32.22	-12.69	45.47	54.00	8.53	Horizontal
2	5362.4176	24.42	32.27	-12.70	43.99	54.00	10.01	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1028 of 1085

802.11ax20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5353.1766	49.79	32.22	-12.69	69.32	74.00	4.68	Vertical
2	5355.5178	47.46	32.23	-12.69	67.00	74.00	7.00	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1029 of 1085

802.11ax20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.2687	26.17	32.21	-12.68	45.70	54.00	8.30	Vertical
2	5356.6633	25.91	32.24	-12.69	45.46	54.00	8.54	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1030 of 1085

802.11ax20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.079	36.14	32.23	-12.60	55.77	74.00	18.23	Horizontal
2	5469.965	40.27	32.28	-12.58	59.97	68.30	8.33	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1031 of 1085

802.11ax20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5432.7764	22.81	32.30	-12.67	42.44	54.00	11.56	Horizontal
2	5459.2496	22.89	32.24	-12.60	42.53	54.00	11.47	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1032 of 1085

802.11ax20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.1596	39.45	32.24	-12.60	59.09	74.00	14.91	Vertical
2	5465.5528	45.25	32.26	-12.59	64.92	68.30	3.38	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1033 of 1085

802.11ax20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5440.3402	23.29	32.26	-12.65	42.90	54.00	11.10	Vertical
2	5454.5673	23.56	32.22	-12.61	43.17	54.00	10.83	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1034 of 1085

802.11ax20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.5733	45.19	32.50	-12.49	65.20	68.30	3.10	Horizontal
2	5727.999	41.81	32.50	-12.49	61.82	68.30	6.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1035 of 1085

802.11ax20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.2226	43.65	32.50	-12.49	63.66	68.30	4.64	Vertical
2	5728.7494	42.05	32.50	-12.49	62.06	68.30	6.24	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1036 of 1085

802.11ax20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.6413	37.23	32.51	-12.55	57.19	68.30	11.11	Horizontal
2	5664.4122	35.82	32.50	-12.54	55.78	78.97	23.19	Horizontal
3	5712.8364	47.37	32.50	-12.49	67.38	108.89	41.51	Horizontal
4	5722.9215	58.26	32.50	-12.49	78.27	117.56	39.29	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1037 of 1085

802.11ax20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5645.6028	36.48	32.51	-12.55	56.44	68.30	11.86	Vertical
2	5652.6463	35.77	32.50	-12.56	55.71	70.26	14.55	Vertical
3	5704.1121	43.52	32.50	-12.48	63.54	106.45	42.91	Vertical
4	5723.4817	60.54	32.50	-12.49	80.55	118.84	38.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1038 of 1085

802.11ax20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.9855	53.17	32.60	-12.31	73.46	120.05	46.59	Horizontal
2	5859.7349	42.66	32.64	-12.27	63.03	109.57	46.54	Horizontal
3	5916.4407	35.92	32.83	-12.10	56.65	74.63	17.98	Horizontal
4	5931.3807	36.10	32.86	-12.10	56.86	68.30	11.44	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1039 of 1085

802.11ax20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.976	48.23	32.61	-12.30	68.54	117.79	49.25	Vertical
2	5867.5763	40.70	32.67	-12.24	61.13	107.38	46.25	Vertical
3	5912.8089	35.75	32.83	-12.10	56.48	77.32	20.84	Vertical
4	5932.3712	36.08	32.86	-12.10	56.84	68.30	11.46	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1040 of 1085

802.11ax40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8249	43.53	31.80	-13.07	62.26	74.00	11.74	Horizontal
2	5389.6448	36.96	32.44	-12.74	56.66	74.00	17.34	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1041 of 1085

802.11ax40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.5233	28.95	31.78	-13.08	47.65	54.00	6.35	Horizontal
2	5355.7279	23.47	32.23	-12.69	43.01	54.00	10.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1042 of 1085

802.11ax40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.024	43.78	31.79	-13.08	62.49	74.00	11.51	Vertical
2	5378.9895	36.13	32.37	-12.73	55.77	74.00	18.23	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1043 of 1085

802.11ax40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.024	30.84	31.79	-13.08	49.55	54.00	4.45	Vertical
2	5355.7279	23.53	32.23	-12.69	43.07	54.00	10.93	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1044 of 1085

802.11ax40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5134.9675	35.98	31.71	-13.12	54.57	74.00	19.43	Horizontal
2	5352.7264	46.50	32.22	-12.68	66.04	74.00	7.96	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1045 of 1085

802.11ax40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.9245	22.67	31.79	-13.07	41.39	54.00	12.61	Horizontal
2	5353.6268	28.59	32.22	-12.69	48.12	54.00	5.88	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1046 of 1085

802.11ax40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.6703	35.67	31.74	-13.10	54.31	74.00	19.69	Vertical
2	5358.7294	43.53	32.25	-12.69	63.09	74.00	10.91	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1047 of 1085

802.11ax40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.2721	22.79	31.77	-13.09	41.47	54.00	12.53	Vertical
2	5350.1751	29.26	32.20	-12.68	48.78	54.00	5.22	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1048 of 1085

802.11ax40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5414.5648	35.26	32.41	-12.72	54.95	74.00	19.05	Horizontal
2	5469.7874	38.44	32.28	-12.58	58.14	68.30	10.16	Horizontal
3	5734.4822	36.19	32.50	-12.49	56.20	68.30	12.10	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1049 of 1085

802.11ax40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5411.8659	22.19	32.43	-12.73	41.89	54.00	12.11	Horizontal
2	5456.7084	22.72	32.23	-12.61	42.34	54.00	11.66	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1050 of 1085

802.11ax40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.6323	39.09	32.22	-12.61	58.70	74.00	15.30	Vertical
2	5469.7874	42.26	32.28	-12.58	61.96	68.30	6.34	Vertical
3	5725.9705	36.83	32.50	-12.49	56.84	68.30	11.46	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1051 of 1085

802.11ax40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5441.9685	23.48	32.25	-12.64	43.09	54.00	10.91	Vertical
2	5459.6148	24.99	32.24	-12.60	44.63	54.00	9.37	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1052 of 1085

802.11ax40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.0065	35.74	32.24	-12.64	55.34	74.00	18.66	Horizontal
2	5467.919	36.62	32.27	-12.58	56.31	68.30	11.99	Horizontal
3	5729.7074	43.80	32.50	-12.49	63.81	68.30	4.49	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1053 of 1085

802.11ax40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5424.945	22.21	32.35	-12.69	41.87	54.00	12.13	Horizontal
2	5457.3312	22.23	32.23	-12.61	41.85	54.00	12.15	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1054 of 1085

802.11ax40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5432.8339	35.14	32.30	-12.67	54.77	74.00	19.23	Vertical
2	5469.995	35.04	32.28	-12.58	54.74	68.30	13.56	Vertical
3	5725.5553	45.04	32.50	-12.49	65.05	68.30	3.25	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1055 of 1085

802.11ax40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5422.2461	22.35	32.37	-12.70	42.02	54.00	11.98	Vertical
2	5455.8779	22.33	32.22	-12.61	41.94	54.00	12.06	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1056 of 1085

802.11ax40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.7459	32.39	32.52	-12.55	52.36	68.30	15.94	Horizontal
2	5662.5563	33.96	32.50	-12.54	53.92	77.59	23.67	Horizontal
3	5714.7449	55.37	32.50	-12.49	75.38	109.43	34.05	Horizontal
4	5724.1746	60.58	32.50	-12.49	80.59	120.42	39.83	Horizontal
5	5850.5002	31.48	32.60	-12.31	51.77	121.16	69.39	Horizontal
6	5868.7094	31.61	32.67	-12.23	52.05	107.06	55.01	Horizontal
7	5920.8979	32.22	32.84	-12.10	52.96	71.34	18.38	Horizontal
8	5945.2851	32.11	32.89	-12.10	52.90	68.30	15.40	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1057 of 1085

802.11ax40_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5649.3872	33.54	32.50	-12.56	53.48	68.30	14.82	Vertical
2	5663.2066	34.67	32.50	-12.54	54.63	78.07	23.44	Vertical
3	5714.7449	58.08	32.50	-12.49	78.09	109.43	31.34	Vertical
4	5724.3372	59.36	32.50	-12.49	79.37	120.79	41.42	Vertical
5	5850.6628	31.88	32.60	-12.31	52.17	120.79	68.62	Vertical
6	5861.3932	32.32	32.65	-12.26	52.71	109.11	56.40	Vertical
7	5914.3947	31.95	32.83	-12.10	52.68	76.15	23.47	Vertical
8	5927.4012	32.77	32.85	-12.10	53.52	68.30	14.78	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 1058 of 1085

802.11ax40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.5588	31.98	32.51	-12.55	51.94	68.30	16.36	Horizontal
2	5684.3422	34.58	32.50	-12.51	54.57	93.71	39.14	Horizontal
3	5705.4777	34.28	32.50	-12.48	54.30	106.83	52.53	Horizontal
4	5724.012	36.84	32.50	-12.49	56.85	120.05	63.20	Horizontal
5	5850.988	39.34	32.60	-12.31	59.63	120.05	60.42	Horizontal
6	5866.921	35.81	32.67	-12.24	56.24	107.56	51.32	Horizontal
7	5909.0295	32.61	32.82	-12.10	53.33	80.12	26.79	Horizontal
8	5936.5058	32.05	32.87	-12.10	52.82	68.30	15.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1059 of 1085

802.11ax40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.8349	33.67	32.51	-12.55	53.63	68.30	14.67	Vertical
2	5659.3047	33.21	32.50	-12.55	53.16	75.19	22.03	Vertical
3	5710.1926	34.47	32.50	-12.48	54.49	108.15	53.66	Vertical
4	5723.3617	36.41	32.50	-12.49	56.42	118.56	62.14	Vertical
5	5853.7519	38.44	32.62	-12.29	58.77	113.75	54.98	Vertical
6	5865.6203	36.22	32.66	-12.24	56.64	107.93	51.29	Vertical
7	5907.7289	33.63	32.82	-12.10	54.35	81.08	26.73	Vertical
8	5941.7084	31.73	32.88	-12.10	52.51	68.30	15.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1060 of 1085

802.11ax80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139.3197	41.44	31.74	-13.10	60.08	74.00	13.92	Horizontal
2	5376.4382	35.89	32.36	-12.72	55.53	74.00	18.47	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1061 of 1085

802.11ax80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5248	29.00	31.80	-13.07	47.73	54.00	6.27	Horizontal
2	5356.9285	22.90	32.24	-12.69	42.45	54.00	11.55	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1062 of 1085

802.11ax80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.4742	44.04	31.79	-13.07	62.76	74.00	11.24	Vertical
2	5351.6758	35.90	32.21	-12.68	55.43	74.00	18.57	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1063 of 1085

802.11ax80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.8739	30.54	31.79	-13.08	49.25	54.00	4.75	Vertical
2	5374.7874	22.75	32.35	-12.72	42.38	54.00	11.62	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1064 of 1085

802.11ax80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5127.1636	35.27	31.66	-13.14	53.79	74.00	20.21	Horizontal
2	5377.1886	37.33	32.36	-12.72	56.97	74.00	17.03	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1065 of 1085

802.11ax80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.8219	22.81	31.76	-13.09	41.48	54.00	12.52	Horizontal
2	5357.3787	25.66	32.24	-12.69	45.21	54.00	8.79	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1066 of 1085

802.11ax80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5138.2691	36.76	31.73	-13.11	55.38	74.00	18.62	Vertical
2	5357.6788	41.38	32.25	-12.69	60.94	74.00	13.06	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1067 of 1085

802.11ax80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.024	23.61	31.79	-13.08	42.32	54.00	11.68	Vertical
2	5357.0785	28.67	32.24	-12.69	48.22	54.00	5.78	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1068 of 1085

802.11ax80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.0095	41.11	32.22	-12.61	60.72	74.00	13.28	Horizontal
2	5464.5973	41.42	32.26	-12.59	61.09	68.30	7.21	Horizontal
3	5727.8389	36.13	32.50	-12.49	56.14	68.30	12.16	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1069 of 1085

802.11ax80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.3837	27.61	32.25	-12.64	47.22	54.00	6.78	Horizontal
2	5453.8019	28.96	32.22	-12.61	48.57	54.00	5.43	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1070 of 1085

802.11ax80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.7434	41.89	32.22	-12.63	61.48	74.00	12.52	Vertical
2	5469.5798	44.70	32.28	-12.58	64.40	68.30	3.90	Vertical
3	5747.3537	36.67	32.50	-12.50	56.67	68.30	11.63	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1071 of 1085

802.11ax80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.1411	29.14	32.21	-12.62	48.73	54.00	5.27	Vertical
2	5459.8224	28.39	32.24	-12.60	48.03	54.00	5.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1072 of 1085

802.11ax80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.8369	37.80	32.24	-12.64	57.40	74.00	16.60	Horizontal
2	5469.5798	39.93	32.28	-12.58	59.63	68.30	8.67	Horizontal
3	5730.1226	40.94	32.50	-12.49	60.95	68.30	7.35	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1073 of 1085

802.11ax80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5437.1936	23.53	32.28	-12.66	43.15	54.00	10.85	Horizontal
2	5456.916	24.29	32.23	-12.61	43.91	54.00	10.09	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1074 of 1085

802.11ax80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.5943	41.10	32.21	-12.61	60.70	74.00	13.30	Vertical
2	5464.1821	41.65	32.26	-12.59	61.32	68.30	6.98	Vertical
3	5729.4998	40.22	32.50	-12.49	60.23	68.30	8.07	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1075 of 1085

802.11ax80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.8019	27.00	32.22	-12.61	46.61	54.00	7.39	Vertical
2	5459.6148	27.07	32.24	-12.60	46.71	54.00	7.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1076 of 1085

802.11ax80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5647.1111	39.66	32.51	-12.55	59.62	68.30	8.68	Horizontal
2	5659.7924	40.95	32.50	-12.54	60.91	75.55	14.64	Horizontal
3	5712.9565	57.51	32.50	-12.49	77.52	108.93	31.41	Horizontal
4	5721.8984	59.15	32.50	-12.49	79.16	115.23	36.07	Horizontal
5	5850.8254	52.50	32.60	-12.31	72.79	120.42	47.63	Horizontal
6	5872.1236	46.60	32.69	-12.22	67.07	106.11	39.04	Horizontal
7	5881.5533	46.04	32.73	-12.18	66.59	100.45	33.86	Horizontal
8	5942.3587	34.38	32.88	-12.10	55.16	68.30	13.14	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1077 of 1085

802.11ax80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.9175	39.19	32.53	-12.53	59.19	68.30	9.11	Vertical
2	5667.2711	43.97	32.50	-12.53	63.94	81.08	17.14	Vertical
3	5716.0455	58.96	32.50	-12.49	78.97	109.79	30.82	Vertical
4	5724.012	57.60	32.50	-12.49	77.61	120.05	42.44	Vertical
5	5853.4267	54.33	32.61	-12.30	74.64	114.49	39.85	Vertical
6	5862.5313	51.83	32.65	-12.26	72.22	108.79	36.57	Vertical
7	5882.041	44.09	32.73	-12.18	64.64	100.09	35.45	Vertical
8	5933.0915	35.84	32.87	-12.10	56.61	68.30	11.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1078 of 1085

802.11ax160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5127.1636	42.03	31.66	-13.14	60.55	74.00	13.45	Horizontal
2	5392.6463	40.73	32.46	-12.75	60.44	74.00	13.56	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1079 of 1085

802.11ax160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5124.7624	29.35	31.65	-13.15	47.85	54.00	6.15	Horizontal
2	5392.9465	27.94	32.46	-12.75	47.65	54.00	6.35	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1080 of 1085

802.11ax160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5124.012	45.10	31.64	-13.15	63.59	74.00	10.41	Vertical
2	5367.5838	42.28	32.31	-12.71	61.88	74.00	12.12	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1081 of 1085

802.11ax160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.5188	32.16	31.73	-13.11	50.78	54.00	3.22	Vertical
2	5357.0785	30.52	32.24	-12.69	50.07	54.00	3.93	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1082 of 1085

802.11ax160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5405.015	38.87	32.47	-12.75	58.59	74.00	15.41	Horizontal
2	5469.3722	37.00	32.28	-12.58	56.70	68.30	11.60	Horizontal
3	5725.3477	40.01	32.50	-12.49	60.02	68.30	8.28	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1083 of 1085

802.11ax160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5413.7344	27.13	32.42	-12.72	46.83	54.00	7.17	Horizontal
2	5424.1146	27.17	32.36	-12.69	46.84	54.00	7.16	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1084 of 1085

802.11ax160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.0825	44.57	32.23	-12.63	64.17	74.00	9.83	Vertical
2	5466.6733	42.95	32.27	-12.59	62.63	68.30	5.67	Vertical
3	5728.0465	39.59	32.50	-12.49	59.60	68.30	8.70	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 1085 of 1085

802.11ax160_Channel 114



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.2346	30.47	32.20	-12.62	50.05	54.00	3.95	Vertical
2	5458.7844	30.62	32.24	-12.60	50.26	54.00	3.74	Vertical

- Remark:
- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
 - Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---