





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 711 of 1292

802.11ac(VHT20) LCH_6535MHz_Ant1_NTNV



802.11ac(VHT20) LCH_6535MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 712 of 1292

802.11ac(VHT20)_MCH_6695MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_6695MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 713 of 1292

802.11ac(VHT20)_HCH_6855MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_6855MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 714 of 1292

802.11ac(VHT40) LCH_6565MHz_Ant1_NTNV



802.11ac(VHT40) LCH_6565MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 715 of 1292


802.11ac(VHT40)_MCH_6685MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_6685MHz_Ant2_NTNV



802.11ac(VHT40)_HCH_6845MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_6845MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 717 of 1292

802.11ac(VHT80) LCH_6625MHz_Ant1_NTNV



802.11ac(VHT80) LCH_6625MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 718 of 1292

802.11ac(VHT80)_MCH_6705MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_6705MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 719 of 1292

802.11ac(VHT80)_HCH_6785MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_6785MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 720 of 1292

802.11ac(VHT160) MCH_6665MHz_Ant1_NTNV



802.11ac(VHT160) MCH_6665MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 721 of 1292

802.11ax(HEW20)_LCH_6535MHz_SU / Ant1_NTNV



802.11ax(HEW20)_LCH_6535MHz_SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 722 of 1292

802.11ax(HEW20)_MCH_6695MHz_SU / Ant1_NTNV



802.11ax(HEW20)_MCH_6695MHz_SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 723 of 1292

802.11ax(HEW20)_HCH_6855MHz_SU / Ant1_NTNV



802.11ax(HEW20)_HCH_6855MHz_SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 724 of 1292

802.11ax(HEW40)_LCH_6565MHz_SU_ / Ant1_NTNV



802.11ax(HEW40)_LCH_6565MHz_SU_ / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 725 of 1292

802.11ax(HEW40) MCH_6685MHz_SU / Ant1_NTNV



802.11ax(HEW40) MCH_6685MHz_SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 726 of 1292

802.11ax(HEW40) HCH 6845MHz SU / Ant1_NTNV



802.11ax(HEW40) HCH 6845MHz SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 727 of 1292

802.11ax(HEW80)_LCH_6625MHz_SU / Ant1_NTNV



802.11ax(HEW80)_LCH_6625MHz_SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 728 of 1292

802.11ax(HEW80) MCH_6705MHz_SU / Ant1_NTNV



802.11ax(HEW80) MCH_6705MHz_SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 729 of 1292

802.11ax(HEW80) HCH_6785MHz_SU / Ant1_NTNV



802.11ax(HEW80) HCH_6785MHz_SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 730 of 1292

802.11ax(HEW160)_MCH_6665MHz_SU / Ant1_NTNV



802.11ax(HEW160)_MCH_6665MHz_SU / Ant2_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 731 of 1292


6.2.4 EMask




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
 Rev.: 01
 Page: 732 of 1292

802.11a_MCH_6995MHz_Ant1_NTNV



802.11a_MCH_6995MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 733 of 1292

802.11a_HCH_7115MHz_Ant1_NTNV



802.11a_HCH_7115MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 734 of 1292

802.11n(HT20) LCH_6895MHz_Ant1_NTNV



802.11n(HT20) LCH_6895MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 735 of 1292

802.11n(HT20)_MCH_6995MHz_Ant1_NTNV



802.11n(HT20)_MCH_6995MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 736 of 1292

802.11n(HT20)_HCH_7115MHz_Ant1_NTNV



802.11n(HT20)_HCH_7115MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 737 of 1292


802.11n(HT40) LCH_6925MHz_Ant1_NTNV




802.11n(HT40) LCH_6925MHz_Ant2_NTNV



802.11n(HT40)_MCH_7005MHz_Ant1_NTNV



802.11n(HT40)_MCH_7005MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 739 of 1292

802.11n(HT40)_HCH_7085MHz_Ant1_NTNV



802.11n(HT40)_HCH_7085MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 740 of 1292


802.11ac(VHT20) LCH_6895MHz_Ant1_NTNV




802.11ac(VHT20) LCH_6895MHz_Ant2_NTNV



802.11ac(VHT20)_MCH_6995MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_6995MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 742 of 1292

802.11ac(VHT20)_HCH_7115MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_7115MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 743 of 1292

802.11ac(VHT40) LCH_6925MHz_Ant1_NTNV



802.11ac(VHT40) LCH_6925MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 744 of 1292

802.11ac(VHT40)_MCH_7005MHz_Ant1_NTNV



802.11ac(VHT40)_MCH_7005MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 745 of 1292

802.11ac(VHT40)_HCH_7085MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_7085MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 746 of 1292

802.11ac(VHT80) LCH_6945MHz_Ant1_NTNV



802.11ac(VHT80) LCH_6945MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 747 of 1292

802.11ac(VHT80)_HCH_7025MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_7025MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 748 of 1292

802.11ac(VHT160)_MCH_6985MHz_Ant1_NTNV



802.11ac(VHT160)_MCH_6985MHz_Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 749 of 1292

802.11ax(HEW20)_LCH_6895MHz_SU / Ant1_NTNV



802.11ax(HEW20)_LCH_6895MHz_SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 750 of 1292

802.11ax(HEW20)_MCH_6995MHz_SU / Ant1_NTNV



802.11ax(HEW20)_MCH_6995MHz_SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 751 of 1292

802.11ax(HEW20) HCH 7115MHz SU / Ant1_NTNV



802.11ax(HEW20) HCH 7115MHz SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 752 of 1292

802.11ax(HEW40)_LCH_6925MHz_SU_ / Ant1_NTNV



802.11ax(HEW40)_LCH_6925MHz_SU_ / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 753 of 1292

802.11ax(HEW40) MCH_7005MHz_SU / Ant1_NTNV



802.11ax(HEW40) MCH_7005MHz_SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 754 of 1292

802.11ax(HEW40) HCH 7085MHz SU / Ant1_NTNV



802.11ax(HEW40) HCH 7085MHz SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 755 of 1292

802.11ax(HEW80)_LCH_6945MHz_SU / Ant1_NTNV



802.11ax(HEW80)_LCH_6945MHz_SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 756 of 1292

802.11ax(HEW80) HCH 7025MHz SU / Ant1_NTNV



802.11ax(HEW80) HCH 7025MHz SU / Ant2_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 757 of 1292

802.11ax(HEW160)_MCH_6985MHz_SU / Ant1_NTNV



802.11ax(HEW160)_MCH_6985MHz_SU / Ant2_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 758 of 1292

Contention Based Protocol Test Result

Band	Channel Freq. (MHz)	Channel BW (MHz)	Incumbent Freq. (MHz)	Injected AWGN Level (dBm)	Detection Rate (%)	Regulated Threshold level (dBm)	Adjusted Power (dBm)	Antenna Gain (dBi)	Margin (dB)
UNII Band 5	6175	20	6175	-69.82	100	-62	-68.12	-1.7	6.12
					Result: Stop Transmission				
				-70.72	<90	-62	-69.02	-1.7	7.02
					Result: Minimal Operation				
				-72.68	0	-62	-70.98	-1.7	8.98
	6185	160	6110		Result: Normal Operation				
				-67.18	100	-62	-65.48	-1.7	3.48
					Result: Stop Transmission				
				-68.07	<90	-62	-66.37	-1.7	4.37
					Result: Minimal Operation				
			6185	-70.77	0	-62	-69.07	-1.7	7.07
					Result: Normal Operation				
				-65.3	100	-62	-63.6	-1.7	1.6
					Result: Stop Transmission				
				-66.25	<90	-62	-64.55	-1.7	2.55
					Result: Minimal Operation				
				-71.7	0	-62	-70	-1.7	8
					Result: Normal Operation				
			6260	-66.74	100	-62	-65.04	-1.7	3.04
					Result: Stop Transmission				
				-66.97	<90	-62	-65.27	-1.7	3.27
					Result: Minimal Operation				
				-68.85	0	-62	-67.15	-1.7	5.15
					Result: Normal Operation				

Note1: Adjusted Power (dBm)= Injected AWGN Level (dBm) — Antenna Gain (dBi)

Note2: Margin (dB)= Regulated Threshold level (dBm) — Adjusted Power (dBm)



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 759 of 1292

Band	Channel Freq. (MHz)	Channel BW (MHz)	Incumbent Freq. (MHz)	Injected AWGN Level (dBm)	Detection Rate (%)	Regulated Threshold level (dBm)	Adjusted Power (dBm)	Antenna Gain (dBi)	Margin (dB)
UNII Band 6	6475	20	6475	-70.37	100	-62	-68.67	-1.7	6.67
				Result: Stop Transmission					
				-70.54	<90	-62	-68.84	-1.7	6.84
				Result: Minimal Operation					
				-73.24	0	-62	-71.54	-1.7	9.54
	6505	160	6430	Result: Normal Operation					
				-66.72	100	-62	-65.02	-1.7	3.02
				Result: Stop Transmission					
				-67.63	<90	-62	-65.93	-1.7	3.93
				Result: Minimal Operation					
			6505	-70.48	0	-62	-68.78	-1.7	6.78
				Result: Normal Operation					
				-65.96	100	-62	-64.26	-1.7	2.26
				Result: Stop Transmission					
				-66.84	<90	-62	-65.14	-1.7	3.14
				Result: Minimal Operation					
			6580	-69.72	0	-62	-68.02	-1.7	6.02
				Result: Normal Operation					
				-66.37	100	-62	-64.67	-1.7	2.67
				Result: Stop Transmission					
				-66.64	<90	-62	-64.94	-1.7	2.94
				Result: Minimal Operation					
				-70.19	0	-62	-68.49	-1.7	6.49
				Result: Normal Operation					

Note1: Adjusted Power (dBm)= Injected AWGN Level (dBm) — Antenna Gain (dBi)

Note2: Margin (dB)= Regulated Threshold level (dBm) — Adjusted Power (dBm)



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 760 of 1292

Band	Channel Freq. (MHz)	Channel BW (MHz)	Incumbent Freq. (MHz)	Injected AWGN Level (dBm)	Detection Rate (%)	Regulated Threshold level (dBm)	Adjusted Power (dBm)	Antenna Gain (dBi)	Margin (dB)
UNII Band 7	6695	20	6695	-69.75	100	-62	-69.15	-0.6	7.15
				Result: Stop Transmission					
				-71.11	<90	-62	-70.51	-0.6	8.51
				Result: Minimal Operation					
				-72.05	0	-62	-71.45	-0.6	9.45
	6665	160	6590	Result: Normal Operation					
				-70.61	100	-62	-70.01	-0.6	8.01
				Result: Stop Transmission					
				-71.71	<90	-62	-71.11	-0.6	9.11
				Result: Minimal Operation					
			6665	-72.4	0	-62	-71.8	-0.6	9.8
				Result: Normal Operation					
				-65.72	100	-62	-65.12	-0.6	3.12
				Result: Stop Transmission					
				-66.7	<90	-62	-66.1	-0.6	4.1
				Result: Minimal Operation					
			6740	-70.47	0	-62	-69.87	-0.6	7.87
				Result: Normal Operation					
				-69.35	100	-62	-68.75	-0.6	6.75
				Result: Stop Transmission					
				-70.87	<90	-62	-70.27	-0.6	8.27
				Result: Minimal Operation					
				-71.24	0	-62	-70.64	-0.6	8.64
				Result: Normal Operation					

Note1: Adjusted Power (dBm)= Injected AWGN Level (dBm) — Antenna Gain (dBi)

Note2: Margin (dB)= Regulated Threshold level (dBm) — Adjusted Power (dBm)



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 761 of 1292

Band	Channel Freq. (MHz)	Channel BW (MHz)	Incumbent Freq. (MHz)	Injected AWGN Level (dBm)	Detection Rate (%)	Regulated Threshold level (dBm)	Adjusted Power (dBm)	Antenna Gain (dBi)	Margin (dB)
UNII Band 8	6995	20	6995	-69.25	100	-62	-67.55	-1.7	5.55
						Result: Stop Transmission			
				-70.21	<90	-62	-68.51	-1.7	6.51
						Result: Minimal Operation			
				-72.93	0	-62	-71.23	-1.7	9.23
	6985	160	6910			Result: Normal Operation			
				-70.09	100	-62	-68.39	-1.7	6.39
						Result: Stop Transmission			
				-71.04	<90	-62	-69.34	-1.7	7.34
						Result: Minimal Operation			
			6985	-72.87	0	-62	-71.17	-1.7	9.17
						Result: Normal Operation			
				-65.97	100	-62	-64.27	-1.7	2.27
						Result: Stop Transmission			
				-66.93	<90	-62	-65.23	-1.7	3.23
						Result: Minimal Operation			
				-71.7	0	-62	-70	-1.7	8
						Result: Normal Operation			
			7060	-67.31	100	-62	-65.61	-1.7	3.61
						Result: Stop Transmission			
				-67.76	<90	-62	-66.06	-1.7	4.06
						Result: Minimal Operation			
				-72.04	0	-62	-70.34	-1.7	8.34
						Result: Normal Operation			

Note1: Adjusted Power (dBm)= Injected AWGN Level (dBm) — Antenna Gain (dBi)



Note2: Margin (dB)= Regulated Threshold level (dBm) — Adjusted Power (dBm)



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 762 of 1292

Test Graphs

Contention Based Protocol Result on U-NII 5 (AWGN Interference)	
802.11 ax (HE20) /6175MHz Threshold Level (TL)	802.11 ax (HE20) /6175MHz Test Result is pass due to no transmission occur.
	
802.11 ax (HE20) /6175MHz Threshold Level (TL)	802.11 ax (HE20) /6175MHz Transmission when the interferer is Minimal Operation
	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.




Report No.: SUCR250300017005
Rev.: 01
Page: 763 of 1292

Contention Based Protocol Result on U-NII 5 (AWGN Interference)	
802.11 ax (HE160) /6110MHz Threshold Level (TL)	802.11 ax (HE160) /6110MHz Test Result is pass due to no transmission occur.
802.11 ax (HE160) /6110MHz Threshold Level (TL)	802.11 ax (HE160) /6110MHz Transmission when the interferer is Minimal Operation



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.




Report No.: SUCR250300017005
Rev.: 01
Page: 764 of 1292

Contention Based Protocol Result on U-NII 5 (AWGN Interference)	
802.11 ax (HE160) /6185MHz Threshold Level (TL)	802.11 ax (HE160) /6185MHz Test Result is pass due to no transmission occur.
	
802.11 ax (HE160) /6185MHz Threshold Level (TL)	802.11 ax (HE160) /6185MHz Transmission when the interferer is Minimal Operation
	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.





Report No.: SUCR250300017005
Rev.: 01
Page: 765 of 1292

Contention Based Protocol Result on U-NII 5 (AWGN Interference)	
802.11 ax (HE160) /6260MHz Threshold Level (TL)	802.11 ax (HE160) /6260MHz Test Result is pass due to no transmission occur.
	
802.11 ax (HE160) /6260MHz Threshold Level (TL)	802.11 ax (HE160) /6260MHz Transmission when the interferer is Minimal Operation
	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.




Report No.: SUCR250300017005
Rev.: 01
Page: 766 of 1292

Contention Based Protocol Result on U-NII 6 (AWGN Interference)	
802.11 ax (HE20) /6475MHz Threshold Level (TL)	802.11 ax (HE20) 6475MHz Test Result is pass due to no transmission occur.
	
802.11 ax (HE20) /6475MHz Threshold Level (TL)	802.11 ax (HE20) /6475MHz Transmission when the interferer is Minimal Operation
	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 767 of 1292

Contention Based Protocol Result on U-NII 6 (AWGN Interference)	
802.11 ax (HE160) /6430MHz Threshold Level (TL)	802.11 ax (HE160) /6430MHz Test Result is pass due to no transmission occur.
	
802.11 ax (HE160) /6430MHz Threshold Level (TL)	802.11 ax (HE160) /6430MHz Transmission when the interferer is Minimal Operation
	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017005

Rev.: 01

Page: 768 of 1292

Contention Based Protocol Result on U-NII 6 (AWGN Interference)


802.11 ax (HE160) /6505MHz
Threshold Level (TL)



802.11 ax (HE160) /6505MHz
Test Result is pass due to no transmission occur.



802.11 ax (HE160) /6505MHz
Threshold Level (TL)



802.11 ax (HE160) /6505MHz
Transmission when the interferer is Minimal Operation





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 769 of 1292

Contention Based Protocol Result on U-NII 6 (AWGN Interference)	
802.11 ax (HE160) /6580MHz Threshold Level (TL)	802.11 ax (HE160) /6580MHz Test Result is pass due to no transmission occur.
802.11 ax (HE160) /6580MHz Threshold Level (TL)	802.11 ax (HE160) /6580MHz Transmission when the interferer is Minimal Operation



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017005

Rev.: 01


Page: 770 of 1292

Contention Based Protocol Result on U-NII 7 (AWGN Interference)


802.11 ax (HE20) /6695MHz
Threshold Level (TL)




802.11 ax (HE20) /6695MHz
Test Result is pass due to no transmission occur.



802.11 ax (HE20) /6695MHz
Threshold Level (TL)






802.11 ax (HE20) /6695MHz
Transmission when the interferer is Minimal Operation





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.





Report No.: SUCR250300017005
Rev.: 01
Page: 771 of 1292

Contention Based Protocol Result on U-NII 7 (AWGN Interference)	
802.11 ax (HE160) /6590MHz Threshold Level (TL)	802.11 ax (HE160) /6590MHz Test Result is pass due to no transmission occur.
	
802.11 ax (HE160) /6590MHz Threshold Level (TL)	802.11 ax (HE160) /6590MHz Transmission when the interferer is Minimal Operation
	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.





Report No.: SUCR250300017005
Rev.: 01
Page: 772 of 1292

Contention Based Protocol Result on U-NII 7 (AWGN Interference)	
802.11 ax (HE160) /6665MHz Threshold Level (TL)	802.11 ax (HE160) /6665MHz Test Result is pass due to no transmission occur.
	
802.11 ax (HE160) /6665MHz Threshold Level (TL)	802.11 ax (HE160) /6665MHz Transmission when the interferer is Minimal Operation
	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.





Report No.: SUCR250300017005
Rev.: 01
Page: 773 of 1292

Contention Based Protocol Result on U-NII 7 (AWGN Interference)	
802.11 ax (HE160) /6740MHz Threshold Level (TL)	802.11 ax (HE160) /6740MHz Test Result is pass due to no transmission occur.
	
802.11 ax (HE160) /6740MHz Threshold Level (TL)	802.11 ax (HE160) /6740MHz Transmission when the interferer is Minimal Operation
	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.




Report No.: SUCR250300017005
Rev.: 01
Page: 774 of 1292

Contention Based Protocol Result on U-NII 8 (AWGN Interference)	
802.11 ax (HE20) /6995MHz Threshold Level (TL)	802.11 ax (HE20) /6995MHz Test Result is pass due to no transmission occur.
	
802.11 ax (HE20) /6995MHz Threshold Level (TL)	802.11 ax (HE20) /6995MHz Transmission when the interferer is Minimal Operation
	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 775 of 1292

Contention Based Protocol Result on U-NII 8 (AWGN Interference)	
802.11 ax (HE160) /6910MHz Threshold Level (TL)	802.11 ax (HE160) /6910MHz Test Result is pass due to no transmission occur.
	
802.11 ax (HE160) /6910MHz Threshold Level (TL)	802.11 ax (HE160) /6910MHz Transmission when the interferer is Minimal Operation
	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 776 of 1292

Contention Based Protocol Result on U-NII 8 (AWGN Interference)	
802.11 ax (HE160) /6985MHz Threshold Level (TL)	802.11 ax (HE160) /6985MHz Test Result is pass due to no transmission occur.
802.11 ax (HE160) /6985MHz Threshold Level (TL)	802.11 ax (HE160) /6985MHz Transmission when the interferer is Minimal Operation




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 777 of 1292

Contention Based Protocol Result on U-NII 8 (AWGN Interference)	
802.11 ax (HE160) /7060MHz Threshold Level (TL)	802.11 ax (HE160) /7060MHz Test Result is pass due to no transmission occur.
802.11 ax (HE160) /7060MHz Threshold Level (TL)	802.11 ax (HE160) /7060MHz Transmission when the interferer is Minimal Operation

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
 Rev.: 01
 Page: 778 of 1292

UNII 5 (6185MHz / BW=160MHz)	
Incumbent Signal @ Lowest Frequency	Incumbent Signal @ Middle Frequency
	
Incumbent Signal @ Highest Frequency	NA
	

Note: The device does not support channel puncturing for CBP mode, the CBP mode empty channel reduction mechanism to protect incumbent operations.



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017005

Rev.: 01

Page: 779 of 1292

Radiated Spurious Emissions

Radiated emission below 1GHz



Data List								
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dB μV]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	59.7	12.43	-27.63	36.65	21.45	40.00	18.55	Horizontal
2	108.55	11.75	-27.54	42.79	27.00	43.50	16.50	Horizontal
3	160	8.40	-27.06	49.71	31.05	43.50	12.45	Horizontal
4	248.35	12.43	-26.24	41.53	27.72	46.00	18.28	Horizontal
5	400	15.80	-25.48	36.57	26.89	46.00	19.11	Horizontal
6	719.65	19.71	-23.49	33.08	29.30	46.00	16.70	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 780 of 1292



Data List								
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dB μV]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	30	11.20	-28.45	48.18	30.93	40.00	9.07	Vertical
2	60.2	12.38	-27.62	47.2	31.96	40.00	8.04	Vertical
3	67.2	10.66	-27.43	46.25	29.48	40.00	10.52	Vertical
4	107.35	11.74	-27.56	52.46	36.64	43.50	6.86	Vertical
5	160.05	8.41	-27.06	49.43	30.78	43.50	12.72	Vertical
6	320	13.50	-25.57	36.96	24.89	46.00	21.11	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
 Value = Reading(dBμV) + AF(dB/m) + Factor(dB):
 AF = Antenna Factor(dB/m)
 Factor = Cable Factor(dB) - Preamplifier gain(dB)
 Margin = Limit(dBμV/m) – Value(dBμV/m)
- All channels have been tested, but only the worst case data displayed in this report.




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 781 of 1292

Transmitter emission Above 1GHz

F961A:

802.11a MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5882.82	41.18	34.40	-14.52	61.07	88.30	27.23	Horizontal
2	5911.1	39.85	34.50	-14.53	59.81	88.30	28.49	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 782 of 1292

802.11a MIMO_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5898.22	27.27	34.45	-14.53	47.20	68.30	21.10	Horizontal
2	5923.56	27.33	34.54	-14.54	47.33	68.30	20.97	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 783 of 1292

802.11a MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5910.12	27.46	34.49	-14.53	47.42	68.30	20.88	Vertical
2	5924.68	27.29	34.54	-14.54	47.30	68.30	21.00	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 784 of 1292

802.11a MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5899.2	40.00	34.46	-14.53	59.93	88.30	28.37	Vertical
2	5914.74	39.93	34.51	-14.53	59.91	88.30	28.39	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 785 of 1292

802.11a MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	57.64	36.15	-14.45	79.34	88.30	8.96	Vertical
2	7154.745	40.69	36.19	-14.32	62.56	88.30	25.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 786 of 1292

802.11a MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	34.32	36.15	-14.45	56.02	68.30	12.28	Vertical
2	7147.98	27.71	36.18	-14.35	49.54	68.30	18.76	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 787 of 1292

802.11a MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	50.02	36.15	-14.45	71.72	88.30	16.58	Horizontal
2	7154.25	40.09	36.19	-14.32	61.95	88.30	26.35	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 788 of 1292

802.11a MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	31.76	36.15	-14.45	53.46	68.30	14.84	Horizontal
2	7162.5	27.82	36.20	-14.29	49.73	68.30	18.57	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 789 of 1292

802.11ac20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5894.58	40.16	34.44	-14.53	60.08	88.30	28.22	Horizontal
2	5924.26	39.39	34.54	-14.54	59.40	88.30	28.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 790 of 1292

802.11ac20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5903.68	27.37	34.47	-14.53	47.31	68.30	20.99	Horizontal
2	5923.7	27.40	34.54	-14.54	47.40	68.30	20.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 791 of 1292

802.11ac20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5901.3	27.30	34.46	-14.53	47.23	68.30	21.07	Vertical
2	5924.12	27.49	34.54	-14.54	47.49	68.30	20.81	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 792 of 1292

802.11ac20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5910.54	40.16	34.50	-14.53	60.12	88.30	28.18	Vertical
2	5923.84	39.06	34.54	-14.54	59.06	88.30	29.24	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 793 of 1292

802.11ac20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	42.96	36.15	-14.45	64.66	68.30	3.64	Vertical
2	7134.12	27.82	36.16	-14.41	49.57	68.30	18.73	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 794 of 1292

802.11ac20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	60.54	36.15	-14.45	82.24	88.30	6.06	Vertical
2	7141.215	40.36	36.17	-14.38	62.15	88.30	26.15	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 795 of 1292

802.11ac20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.21	53.67	36.15	-14.45	75.37	88.30	12.93	Horizontal
2	7132.47	40.96	36.16	-14.42	62.70	88.30	25.60	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 796 of 1292

802.11ac20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	38.54	36.15	-14.45	60.24	68.30	8.06	Horizontal
2	7134.45	27.74	36.16	-14.41	49.49	68.30	18.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 797 of 1292

802.11ac40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5897.6	39.73	34.45	-14.53	59.65	88.30	28.65	Horizontal
2	5924.99	39.93	34.54	-14.54	59.94	88.30	28.36	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 798 of 1292

802.11ac40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5903.375	27.46	34.47	-14.53	47.40	68.30	20.90	Horizontal
2	5924.66	27.49	34.54	-14.54	47.50	68.30	20.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 799 of 1292

802.11ac40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5900.24	27.46	34.46	-14.53	47.39	68.30	20.91	Vertical
2	5924.825	27.76	34.54	-14.54	47.77	68.30	20.53	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 800 of 1292

802.11ac40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5899.91	39.95	34.46	-14.53	59.88	88.30	28.42	Vertical
2	5923.67	39.37	34.54	-14.54	59.37	88.30	28.93	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 801 of 1292

802.11ac40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7137.24	39.76	36.16	-14.40	61.53	88.30	26.77	Horizontal
2	7157.4	40.75	36.19	-14.31	62.63	88.30	25.67	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 802 of 1292

802.11ac40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7135.8	27.71	36.16	-14.40	49.47	68.30	18.83	Horizontal
2	7175.16	27.96	36.21	-14.23	49.94	68.30	18.36	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 803 of 1292

802.11ac40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7137.48	27.70	36.16	-14.40	49.47	68.30	18.83	Vertical
2	7151.16	27.89	36.18	-14.33	49.74	68.30	18.56	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 804 of 1292

802.11ac40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7134.84	39.96	36.16	-14.41	61.72	88.30	26.58	Vertical
2	7170.36	40.80	36.20	-14.25	62.75	88.30	25.55	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 805 of 1292

802.11ac80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5895.4	39.75	34.44	-14.53	59.67	88.30	28.63	Horizontal
2	5924.52	39.13	34.54	-14.54	59.14	88.30	29.16	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 806 of 1292

802.11ac80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5888.04	27.50	34.42	-14.52	47.40	68.30	20.90	Horizontal
2	5916.2	27.72	34.52	-14.53	47.70	68.30	20.60	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 807 of 1292

802.11ac80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5887.4	27.52	34.42	-14.52	47.42	68.30	20.88	Vertical
2	5910.12	28.45	34.49	-14.53	48.41	68.30	19.89	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 808 of 1292

802.11ac80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5901.8	40.06	34.47	-14.53	60.00	88.30	28.30	Vertical
2	5924.52	39.33	34.54	-14.54	59.34	88.30	28.96	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 809 of 1292

802.11ac80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7126	38.72	36.15	-14.45	60.43	88.30	27.87	Horizontal
2	7146.52	38.88	36.18	-14.36	60.70	88.30	27.60	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 810 of 1292

802.11ac80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7128.16	27.26	36.15	-14.44	48.98	68.30	19.32	Horizontal
2	7166.32	27.63	36.20	-14.27	49.56	68.30	18.74	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 811 of 1292

802.11ac80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.44	27.25	36.15	-14.44	48.96	68.30	19.34	Vertical
2	7158.04	27.63	36.19	-14.30	49.52	68.30	18.78	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 812 of 1292

802.11ac80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7126	38.44	36.15	-14.45	60.15	88.30	28.15	Vertical
2	7150.12	39.52	36.18	-14.34	61.36	88.30	26.94	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 813 of 1292

802.11ac160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5859.88	43.02	34.32	-14.50	62.85	88.30	25.45	Horizontal
2	5911.72	43.33	34.50	-14.53	63.30	88.30	25.00	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 814 of 1292

802.11ac160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5870.32	29.49	34.36	-14.51	49.34	68.30	18.96	Horizontal
2	5909.2	29.58	34.49	-14.53	49.54	68.30	18.76	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 815 of 1292

802.11ac160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5860.96	31.15	34.33	-14.50	50.98	68.30	17.32	Vertical
2	5908.84	30.86	34.49	-14.53	50.82	68.30	17.48	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 816 of 1292

802.11ac160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5875	42.57	34.38	-14.51	62.44	88.30	25.86	Vertical
2	5923.24	39.67	34.54	-14.54	59.67	88.30	28.63	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 817 of 1292

802.11ac160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.28	38.61	36.15	-14.45	60.31	88.30	27.99	Horizontal
2	7172.8	39.24	36.21	-14.24	61.21	88.30	27.09	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 818 of 1292

802.11ac160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.28	27.33	36.15	-14.45	49.03	68.30	19.27	Horizontal
2	7148.32	27.55	36.18	-14.35	49.38	68.30	18.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 819 of 1292

802.11ac160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7126	28.27	36.15	-14.45	49.98	68.30	18.32	Vertical
2	7155.88	27.92	36.19	-14.31	49.79	68.30	18.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 820 of 1292

802.11ac160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.44	39.43	36.15	-14.44	61.14	88.30	27.16	Vertical
2	7145.8	39.25	36.17	-14.36	61.07	88.30	27.23	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 821 of 1292

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5899.62	39.81	34.46	-14.53	59.74	88.30	28.56	Horizontal
2	5922.16	39.33	34.54	-14.54	59.33	88.30	28.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 822 of 1292

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5904.8	27.26	34.48	-14.53	47.20	68.30	21.10	Horizontal
2	5922.16	27.24	34.54	-14.54	47.24	68.30	21.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 823 of 1292

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5895.7	27.12	34.45	-14.53	47.04	68.30	21.26	Vertical
2	5924.26	27.37	34.54	-14.54	47.38	68.30	20.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 824 of 1292

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5889.4	39.56	34.42	-14.52	59.46	88.30	28.84	Vertical
2	5922.02	39.93	34.53	-14.54	59.93	88.30	28.37	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 825 of 1292

802.11ax20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	42.89	36.15	-14.45	64.59	68.30	3.71	Vertical
2	7130.82	27.25	36.16	-14.42	48.98	68.30	19.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 826 of 1292

802.11ax20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	53.15	36.15	-14.45	74.85	88.30	13.45	Vertical
2	7142.535	39.81	36.17	-14.37	61.61	88.30	26.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 827 of 1292

802.11ax20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	48.61	36.15	-14.45	70.31	88.30	17.99	Horizontal
2	7148.145	40.74	36.18	-14.35	62.57	88.30	25.73	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 828 of 1292

802.11ax20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	41.10	36.15	-14.45	62.80	68.30	5.50	Horizontal
2	7137.09	27.30	36.16	-14.40	49.07	68.30	19.23	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 829 of 1292

802.11ax40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5890.175	40.22	34.43	-14.52	60.12	88.30	28.18	Horizontal
2	5923.175	40.70	34.54	-14.54	60.70	88.30	27.60	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 830 of 1292

802.11ax40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5883.245	27.26	34.40	-14.52	47.15	68.30	21.15	Horizontal
2	5922.185	27.34	34.54	-14.54	47.34	68.30	20.96	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 831 of 1292

802.11ax40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5898.26	27.24	34.45	-14.53	47.17	68.30	21.13	Vertical
2	5920.535	27.23	34.53	-14.54	47.22	68.30	21.08	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 832 of 1292

802.11ax40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5892.65	40.14	34.44	-14.52	60.05	88.30	28.25	Vertical
2	5908.985	39.82	34.49	-14.53	59.78	88.30	28.52	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 833 of 1292

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7128.84	39.91	36.15	-14.43	61.63	88.30	26.67	Horizontal
2	7151.4	40.41	36.18	-14.33	62.26	88.30	26.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 834 of 1292

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7130.52	27.29	36.16	-14.43	49.02	68.30	19.28	Horizontal
2	7150.2	27.47	36.18	-14.34	49.31	68.30	18.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 835 of 1292

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.4	27.54	36.15	-14.44	49.25	68.30	19.05	Vertical
2	7147.32	27.52	36.18	-14.35	49.34	68.30	18.96	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 836 of 1292

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.48	38.78	36.15	-14.45	60.48	88.30	27.82	Vertical
2	7154.76	40.23	36.19	-14.32	62.10	88.30	26.20	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 837 of 1292

802.11ax80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5891.88	39.09	34.43	-14.52	59.00	88.30	29.30	Horizontal
2	5921.64	38.88	34.53	-14.54	58.88	88.30	29.42	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 838 of 1292

802.11ax80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5890.92	27.03	34.43	-14.52	46.94	68.30	21.36	Horizontal
2	5924.2	27.20	34.54	-14.54	47.21	68.30	21.09	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 839 of 1292

802.11ax80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5885.16	27.18	34.41	-14.52	47.07	68.30	21.23	Vertical
2	5923.56	27.84	34.54	-14.54	47.84	68.30	20.46	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 840 of 1292

802.11ax80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5876.52	38.35	34.38	-14.51	58.22	88.30	30.08	Vertical
2	5922.28	38.95	34.54	-14.54	58.95	88.30	29.35	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 841 of 1292

802.11ax80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7145.96	40.01	36.18	-14.36	61.83	88.30	26.47	Horizontal
2	7161	39.78	36.19	-14.29	61.68	88.30	26.62	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 842 of 1292

802.11ax80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.08	27.25	36.15	-14.44	48.96	68.30	19.34	Horizontal
2	7151.4	27.55	36.18	-14.33	49.40	68.30	18.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 843 of 1292

802.11ax80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.4	27.60	36.15	-14.44	49.31	68.30	18.99	Vertical
2	7155.56	27.71	36.19	-14.32	49.58	68.30	18.72	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 844 of 1292

802.11ax80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7147.56	39.48	36.18	-14.35	61.31	88.30	26.99	Vertical
2	7156.84	40.20	36.19	-14.31	62.08	88.30	26.22	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 845 of 1292

802.11ax160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5887.96	39.63	34.42	-14.52	59.53	88.30	28.77	Horizontal
2	5922.52	39.28	34.54	-14.54	59.28	88.30	29.02	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 846 of 1292

802.11ax160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5868.88	28.00	34.35	-14.51	47.85	68.30	20.45	Horizontal
2	5917.84	28.03	34.52	-14.54	48.02	68.30	20.28	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 847 of 1292

802.11ax160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5888.68	29.73	34.42	-14.52	49.63	68.30	18.67	Vertical
2	5919.64	29.68	34.53	-14.54	49.67	68.30	18.63	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 848 of 1292

802.11ax160 MIMO_Channel 15



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5873.56	38.64	34.37	-14.51	58.50	88.30	29.80	Vertical
2	5922.16	38.74	34.54	-14.54	58.74	88.30	29.56	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 849 of 1292

802.11ax160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7128.88	38.28	36.15	-14.43	60.00	88.30	28.30	Horizontal
2	7168.84	39.91	36.20	-14.26	61.86	88.30	26.44	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 850 of 1292

802.11ax160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.64	27.46	36.15	-14.45	49.16	68.30	19.14	Horizontal
2	7173.52	27.50	36.21	-14.24	49.47	68.30	18.83	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 851 of 1292

802.11ax160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7131.76	28.87	36.16	-14.42	50.61	68.30	17.69	Vertical
2	7171.36	27.67	36.21	-14.25	49.63	68.30	18.67	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 852 of 1292

802.11ax160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.64	39.50	36.15	-14.45	61.20	88.30	27.10	Vertical
2	7175.32	39.05	36.21	-14.23	61.03	88.30	27.27	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 853 of 1292

F9E1A:
802.11a MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5896.4	39.67	34.45	-14.53	59.59	88.30	28.71	Horizontal
2	5923	39.42	34.54	-14.54	59.42	88.30	28.88	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 854 of 1292

802.11a MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5896.54	27.13	34.45	-14.53	47.05	68.30	21.25	Horizontal
2	5924.54	27.11	34.54	-14.54	47.12	68.30	21.18	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 855 of 1292

802.11a MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5905.08	27.19	34.48	-14.53	47.14	68.30	21.16	Vertical
2	5923	27.21	34.54	-14.54	47.21	68.30	21.09	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 856 of 1292

802.11a MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5898.92	39.15	34.46	-14.53	59.08	88.30	29.22	Vertical
2	5922.16	39.78	34.54	-14.54	59.78	88.30	28.52	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 857 of 1292

802.11a MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	62.88	36.15	-14.45	84.58	88.30	3.72	Horizontal
2	7129.005	46.01	36.15	-14.43	67.73	88.30	20.57	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 858 of 1292

802.11a MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	39.83	36.15	-14.45	61.53	68.30	6.77	Horizontal
2	7133.46	30.53	36.16	-14.41	52.28	68.30	16.02	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 859 of 1292

802.11a MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	58.59	36.15	-14.45	80.29	88.30	8.01	Vertical
2	7138.74	39.96	36.17	-14.39	61.74	88.30	26.56	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 860 of 1292

802.11a MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	35.20	36.15	-14.45	56.90	68.30	11.40	Vertical
2	7128.84	28.50	36.15	-14.43	50.22	68.30	18.08	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 861 of 1292

802.11ac20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5901.16	39.83	34.46	-14.53	59.76	88.30	28.54	Horizontal
2	5923.42	39.77	34.54	-14.54	59.77	88.30	28.53	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 862 of 1292

802.11ac20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5893.74	27.07	34.44	-14.52	46.98	68.30	21.32	Horizontal
2	5924.82	27.10	34.54	-14.54	47.11	68.30	21.19	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 863 of 1292

802.11ac20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5899.62	26.96	34.46	-14.53	46.89	68.30	21.41	Vertical
2	5924.26	27.27	34.54	-14.54	47.28	68.30	21.02	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 864 of 1292

802.11ac20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5897.8	40.08	34.45	-14.53	60.00	88.30	28.30	Vertical
2	5923.56	38.76	34.54	-14.54	58.76	88.30	29.54	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 865 of 1292

802.11ac20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	42.94	36.15	-14.45	64.64	68.30	3.66	Horizontal
2	7143.855	27.24	36.17	-14.37	49.05	68.30	19.25	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 866 of 1292

802.11ac20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	59.92	36.15	-14.45	81.62	88.30	6.68	Horizontal
2	7148.145	39.66	36.18	-14.35	61.49	88.30	26.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 867 of 1292

802.11ac20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	56.02	36.15	-14.45	77.72	88.30	10.58	Vertical
2	7144.02	40.22	36.17	-14.37	62.03	88.30	26.27	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 868 of 1292

802.11ac20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	42.68	36.15	-14.45	64.38	68.30	3.92	Vertical
2	7145.175	27.48	36.17	-14.36	49.29	68.30	19.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 869 of 1292

802.11ac40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5898.26	39.36	34.45	-14.53	59.29	88.30	29.01	Horizontal
2	5924.99	39.11	34.54	-14.54	59.12	88.30	29.18	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 870 of 1292

802.11ac40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5908.49	27.03	34.49	-14.53	46.99	68.30	21.31	Horizontal
2	5923.835	27.29	34.54	-14.54	47.29	68.30	21.01	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 871 of 1292

802.11ac40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5906.84	26.92	34.48	-14.53	46.87	68.30	21.43	Vertical
2	5924.495	27.58	34.54	-14.54	47.59	68.30	20.71	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 872 of 1292

802.11ac40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5890.34	39.30	34.43	-14.52	59.20	88.30	29.10	Vertical
2	5924.66	38.91	34.54	-14.54	58.92	88.30	29.38	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 873 of 1292

802.11ac40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7126.68	39.21	36.15	-14.44	60.92	88.30	27.38	Horizontal
2	7145.4	40.51	36.17	-14.36	62.32	88.30	25.98	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 874 of 1292

802.11ac40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7128.6	27.99	36.15	-14.43	49.71	68.30	18.59	Horizontal
2	7156.68	27.54	36.19	-14.31	49.42	68.30	18.88	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 875 of 1292

802.11ac40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7130.04	27.52	36.16	-14.43	49.25	68.30	19.05	Vertical
2	7151.4	27.47	36.18	-14.33	49.32	68.30	18.98	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 876 of 1292

802.11ac40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.96	39.73	36.15	-14.45	61.44	88.30	26.86	Vertical
2	7161	40.84	36.19	-14.29	62.74	88.30	25.56	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 877 of 1292

802.11ac80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5895.08	39.57	34.44	-14.53	59.49	88.30	28.81	Horizontal
2	5921.64	39.81	34.53	-14.54	59.81	88.30	28.49	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 878 of 1292

802.11ac80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5903.08	27.12	34.47	-14.53	47.06	68.30	21.24	Horizontal
2	5924.2	27.34	34.54	-14.54	47.35	68.30	20.95	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 879 of 1292

802.11ac80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5901.8	27.24	34.47	-14.53	47.18	68.30	21.12	Vertical
2	5924.2	27.39	34.54	-14.54	47.40	68.30	20.90	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 880 of 1292

802.11ac80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5882.92	38.27	34.40	-14.52	58.16	88.30	30.14	Vertical
2	5922.28	39.61	34.54	-14.54	59.61	88.30	28.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 881 of 1292

802.11ac80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7135.72	39.04	36.16	-14.40	60.80	88.30	27.50	Horizontal
2	7166.44	39.31	36.20	-14.27	61.24	88.30	27.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 882 of 1292

802.11ac80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.48	27.65	36.15	-14.45	49.35	68.30	18.95	Horizontal
2	7161.64	27.54	36.19	-14.29	49.45	68.30	18.85	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 883 of 1292

802.11ac80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.08	27.55	36.15	-14.44	49.26	68.30	19.04	Vertical
2	7185	27.66	36.22	-14.19	49.70	68.30	18.60	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 884 of 1292

802.11ac80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7133.48	39.26	36.16	-14.41	61.01	88.30	27.29	Vertical
2	7166.12	39.53	36.20	-14.27	61.46	88.30	26.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 885 of 1292

802.11ac160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5882.56	41.80	34.40	-14.52	61.68	88.30	26.62	Horizontal
2	5916.04	40.92	34.51	-14.53	60.90	88.30	27.40	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 886 of 1292

802.11ac160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5886.88	30.10	34.42	-14.52	50.00	68.30	18.30	Horizontal
2	5906.32	30.20	34.48	-14.53	50.15	68.30	18.15	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 887 of 1292

802.11ac160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5893.72	30.68	34.44	-14.52	50.59	68.30	17.71	Vertical
2	5915.32	30.46	34.51	-14.53	50.44	68.30	17.86	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 888 of 1292

802.11ac160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5896.96	41.48	34.45	-14.53	61.40	88.30	26.90	Vertical
2	5924.68	40.54	34.54	-14.54	60.55	88.30	27.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 889 of 1292

802.11ac160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.28	41.82	36.15	-14.45	63.52	88.30	24.78	Horizontal
2	7137.88	41.55	36.17	-14.39	63.32	88.30	24.98	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 890 of 1292

802.11ac160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.8	29.20	36.15	-14.44	50.92	68.30	17.38	Horizontal
2	7151.56	29.27	36.18	-14.33	51.12	68.30	17.18	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 891 of 1292

802.11ac160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.08	28.87	36.15	-14.44	50.58	68.30	17.72	Vertical
2	7141.84	28.65	36.17	-14.38	50.44	68.30	17.86	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 892 of 1292

802.11ac160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.64	39.37	36.15	-14.45	61.07	88.30	27.23	Vertical
2	7154.08	40.44	36.18	-14.32	62.30	88.30	26.00	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 893 of 1292

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5916.98	40.46	34.52	-14.54	60.44	88.30	27.86	Horizontal
2	5924.82	38.92	34.54	-14.54	58.93	88.30	29.37	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 894 of 1292

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5916.84	27.12	34.52	-14.54	47.10	68.30	21.20	Horizontal
2	5924.68	27.17	34.54	-14.54	47.18	68.30	21.12	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 895 of 1292

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5902.28	27.03	34.47	-14.53	46.97	68.30	21.33	Vertical
2	5924.82	27.18	34.54	-14.54	47.19	68.30	21.11	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 896 of 1292

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5915.3	39.48	34.51	-14.53	59.46	88.30	28.84	Vertical
2	5923.98	39.18	34.54	-14.54	59.18	88.30	29.12	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 897 of 1292

802.11ax20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	43.51	36.15	-14.45	65.21	68.30	3.09	Horizontal
2	7137.09	27.25	36.16	-14.40	49.02	68.30	19.28	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 898 of 1292

802.11ax20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	53.11	36.15	-14.45	74.81	88.30	13.49	Horizontal
2	7160.52	40.84	36.19	-14.29	62.74	88.30	25.56	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 899 of 1292

802.11ax20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	50.46	36.15	-14.45	72.16	88.30	16.14	Vertical
2	7162.5	40.08	36.20	-14.29	61.99	88.30	26.31	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 900 of 1292

802.11ax20 MIMO_Channel 233



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	43.13	36.15	-14.45	64.83	68.30	3.47	Vertical
2	7144.68	27.25	36.17	-14.36	49.06	68.30	19.24	Vertical