




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1101 of 1292

802.11ax160 MIMO_Channel 111




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8749.3333	43.08	37.47	-34.27	46.29	88.30	42.01	Horizontal
2	9890.6667	39.68	37.87	-32.16	45.38	88.30	42.92	Horizontal
3	10469	39.20	38.13	-30.85	46.49	88.30	41.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1102 of 1292

802.11ax160 MIMO_Channel 111




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8638.3333	44.15	37.42	-34.36	47.21	88.30	41.09	Vertical
2	9925.3333	40.41	37.88	-32.05	46.24	88.30	42.06	Vertical
3	10414	39.44	38.11	-30.71	46.83	88.30	41.47	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1103 of 1292

802.11ax160 MIMO_Channel 143



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8760.6667	43.48	37.48	-34.18	46.78	88.30	41.52	Horizontal
2	9916	40.48	37.87	-32.07	46.28	88.30	42.02	Horizontal
3	10393	39.21	38.10	-30.73	46.58	88.30	41.72	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1104 of 1292

802.11ax160 MIMO_Channel 143




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8733.3333	43.49	37.47	-34.39	46.57	88.30	41.73	Vertical
2	9633.6667	40.69	37.79	-32.81	45.67	88.30	42.63	Vertical
3	10382.333	39.73	38.09	-30.81	47.01	88.30	41.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1105 of 1292

802.11ax160 MIMO_Channel 175




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8786.6667	43.01	37.49	-33.98	46.52	88.30	41.78	Horizontal
2	9756.3333	40.31	37.83	-32.58	45.56	88.30	42.74	Horizontal
3	10376	39.67	38.09	-30.86	46.90	88.30	41.40	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1106 of 1292

802.11ax160 MIMO_Channel 175



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8636.6667	44.34	37.42	-34.35	47.40	88.30	40.90	Vertical
2	9620.3333	41.26	37.79	-32.86	46.19	88.30	42.11	Vertical
3	10378.333	39.60	38.09	-30.84	46.85	88.30	41.45	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1107 of 1292

802.11ax160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8786.3333	43.78	37.49	-33.98	47.29	88.30	41.01	Horizontal
2	9720.3333	40.45	37.82	-32.57	45.69	88.30	42.61	Horizontal
3	10304.333	40.33	38.05	-31.38	47.00	88.30	41.30	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1108 of 1292

802.11ax160 MIMO_Channel 207



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8729.3333	45.02	37.46	-34.42	48.07	88.30	40.23	Vertical
2	9916.3333	40.52	37.87	-32.07	46.32	88.30	41.98	Vertical
3	10317.666	40.77	38.06	-31.28	47.55	88.30	40.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250300017005

Rev.: 01

Page: 1109 of 1292

F9E1A:

802.11a MIMO_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8804.6667	45.21	37.50	-33.90	48.81	88.30	39.49	Horizontal
2	9419.6667	45.51	37.73	-33.04	50.20	74.00	23.80	Horizontal
3	10409	41.44	38.10	-30.70	48.84	88.30	39.46	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1110 of 1292

802.11a MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8752	45.04	37.48	-34.24	48.27	88.30	40.03	Vertical
2	9869.3333	41.97	37.86	-32.26	47.57	88.30	40.73	Vertical
3	10260.333	41.17	38.03	-31.52	47.68	88.30	40.62	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1111 of 1292

802.11a MIMO_Channel 45




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8770.3333	45.36	37.49	-34.11	48.74	88.30	39.56	Horizontal
2	9437.6667	44.01	37.73	-33.09	48.65	74.00	25.35	Horizontal
3	10085.666	41.32	37.94	-31.62	47.64	88.30	40.66	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1112 of 1292

802.11a MIMO_Channel 45




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8554	45.05	37.38	-34.59	47.84	88.30	40.46	Vertical
2	9427	44.34	37.73	-33.06	49.01	74.00	24.99	Vertical
3	10055.666	41.63	37.93	-31.70	47.86	88.30	40.44	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1113 of 1292

802.11a MIMO_Channel 93




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8794.3333	44.33	37.50	-33.92	47.90	88.30	40.40	Horizontal
2	9675.3333	41.43	37.80	-32.66	46.57	88.30	41.73	Horizontal
3	10098.666	41.54	37.95	-31.59	47.90	88.30	40.40	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1114 of 1292

802.11a MIMO_Channel 93



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8818.6667	44.42	37.51	-33.97	47.96	88.30	40.34	Vertical
2	9976.6667	41.45	37.89	-31.90	47.45	88.30	40.85	Vertical
3	10394.666	40.32	38.10	-30.72	47.70	88.30	40.60	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1115 of 1292

802.11a MIMO_Channel 97



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8869.3333	44.62	37.53	-34.21	47.94	88.30	40.36	Horizontal
2	9814.6667	42.09	37.84	-32.51	47.42	88.30	40.88	Horizontal
3	10297.666	41.74	38.05	-31.42	48.37	88.30	39.93	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1116 of 1292

802.11a MIMO_Channel 97




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8798.3333	44.63	37.50	-33.89	48.24	88.30	40.06	Vertical
2	9887	41.25	37.87	-32.18	46.94	88.30	41.36	Vertical
3	10428.666	40.73	38.11	-30.75	48.10	88.30	40.20	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1117 of 1292

802.11a MIMO_Channel 105




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8806.3333	45.10	37.50	-33.91	48.69	88.30	39.61	Horizontal
2	9795.6667	42.68	37.84	-32.58	47.94	88.30	40.36	Horizontal
3	10158.666	41.95	37.98	-31.65	48.28	88.30	40.02	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1118 of 1292

802.11a MIMO_Channel 105



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8827.6667	45.73	37.51	-34.01	49.23	88.30	39.07	Vertical
2	9544.6667	44.41	37.76	-33.12	49.06	88.30	39.24	Vertical
3	10268.666	41.75	38.03	-31.50	48.29	88.30	40.01	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1119 of 1292

802.11a MIMO_Channel 113




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8643.3333	46.85	37.42	-34.38	49.89	88.30	38.41	Horizontal
2	10079.666	42.12	37.94	-31.64	48.42	88.30	39.88	Horizontal
3	10527.666	41.39	38.16	-30.83	48.73	88.30	39.57	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1120 of 1292

802.11a MIMO_Channel 113



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8811	45.46	37.51	-33.93	49.03	88.30	39.27	Vertical
2	9740.6667	42.55	37.82	-32.57	47.80	88.30	40.50	Vertical
3	10199	41.80	38.00	-31.69	48.11	88.30	40.19	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1121 of 1292

802.11a MIMO_Channel 117




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8827	44.84	37.51	-34.01	48.34	88.30	39.96	Horizontal
2	9988	42.69	37.90	-31.86	48.72	88.30	39.58	Horizontal
3	10396.333	40.71	38.10	-30.71	48.10	88.30	40.20	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1122 of 1292

802.11a MIMO_Channel 117




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8675	45.99	37.44	-34.53	48.90	88.30	39.40	Vertical
2	9695.3333	42.17	37.81	-32.59	47.39	88.30	40.91	Vertical
3	10407	40.82	38.10	-30.70	48.23	88.30	40.07	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1123 of 1292

802.11a MIMO_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8791.6667	45.25	37.50	-33.94	48.80	88.30	39.50	Horizontal
2	9879.6667	41.98	37.86	-32.21	47.63	88.30	40.67	Horizontal
3	10252.333	41.82	38.03	-31.54	48.30	88.30	40.00	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1124 of 1292

802.11a MIMO_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8793	45.25	37.50	-33.93	48.81	88.30	39.49	Vertical
2	9798.6667	42.81	37.84	-32.58	48.07	88.30	40.23	Vertical
3	10360	41.50	38.08	-30.97	48.61	88.30	39.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1125 of 1292

802.11a MIMO_Channel 185



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8789	45.71	37.49	-33.96	49.24	88.30	39.06	Horizontal
2	9699	42.46	37.81	-32.57	47.70	88.30	40.60	Horizontal
3	10265.333	41.37	38.03	-31.51	47.90	88.30	40.40	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1126 of 1292

802.11a MIMO_Channel 185




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8667.6667	45.76	37.43	-34.49	48.70	88.30	39.60	Vertical
2	9563.6667	43.25	37.77	-33.05	47.97	88.30	40.33	Vertical
3	10334.333	41.02	38.07	-31.16	47.93	88.30	40.37	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1127 of 1292

802.11a MIMO_Channel 189




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8792.6667	44.95	37.50	-33.94	48.51	88.30	39.79	Horizontal
2	9811.3333	43.07	37.84	-32.53	48.39	88.30	39.91	Horizontal
3	10411	41.66	38.11	-30.71	49.06	88.30	39.24	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1128 of 1292

802.11a MIMO_Channel 189



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8706.3333	45.79	37.45	-34.59	48.65	88.30	39.65	Vertical
2	10005	42.08	37.90	-31.82	48.16	88.30	40.14	Vertical
3	10377.666	41.06	38.09	-30.84	48.31	88.30	39.99	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1129 of 1292

802.11a MIMO_Channel 209



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8876.3333	45.61	37.54	-34.25	48.90	88.30	39.40	Horizontal
2	9746.6667	42.91	37.82	-32.57	48.16	88.30	40.14	Horizontal
3	10356.333	41.20	38.08	-31.00	48.28	88.30	40.02	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1130 of 1292

802.11a MIMO_Channel 209



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8783.3333	45.49	37.49	-34.01	48.97	88.30	39.33	Vertical
2	9825	42.20	37.85	-32.46	47.58	88.30	40.72	Vertical
3	10306	42.14	38.05	-31.37	48.83	88.30	39.47	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1131 of 1292

802.11a MIMO_Channel 233



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8799.6667	45.39	37.50	-33.88	49.01	88.30	39.29	Horizontal
2	9796.3333	42.01	37.84	-32.58	47.27	88.30	41.03	Horizontal
3	10391.333	41.54	38.10	-30.74	48.89	88.30	39.41	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1132 of 1292

802.11a MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8795.3333	45.50	37.50	-33.92	49.08	88.30	39.22	Vertical
2	9974.6667	42.06	37.89	-31.90	48.05	88.30	40.25	Vertical
3	10386	41.28	38.09	-30.78	48.59	88.30	39.71	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1133 of 1292

802.11ac20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8641.3333	45.52	37.42	-34.38	48.56	88.30	39.74	Horizontal
2	9668.3333	42.13	37.80	-32.68	47.25	88.30	41.05	Horizontal
3	10412.666	39.95	38.11	-30.71	47.35	88.30	40.95	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1134 of 1292

802.11ac20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8783.6667	45.07	37.49	-34.00	48.56	88.30	39.74	Vertical
2	9429.3333	43.84	37.73	-33.07	48.50	74.00	25.50	Vertical
3	10412.666	40.71	38.11	-30.71	48.11	88.30	40.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1135 of 1292

802.11ac20 MIMO_Channel 45




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8723	45.29	37.46	-34.47	48.29	88.30	40.01	Horizontal
2	9983.6667	41.09	37.90	-31.88	47.11	88.30	41.19	Horizontal
3	10416.666	39.99	38.11	-30.72	47.38	88.30	40.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1136 of 1292

802.11ac20 MIMO_Channel 45




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8779.3333	45.11	37.49	-34.04	48.56	88.30	39.74	Vertical
2	10026.333	41.35	37.91	-31.77	47.50	88.30	40.80	Vertical
3	10512	40.41	38.16	-30.88	47.69	88.30	40.61	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1137 of 1292

802.11ac20 MIMO_Channel 93



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8756.6667	44.98	37.48	-34.21	48.25	88.30	40.05	Horizontal
2	9921.6667	41.56	37.88	-32.06	47.38	88.30	40.92	Horizontal
3	10430.666	40.26	38.12	-30.75	47.62	88.30	40.68	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1138 of 1292

802.11ac20 MIMO_Channel 93




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8760	45.37	37.48	-34.18	48.67	88.30	39.63	Vertical
2	10037	41.33	37.92	-31.74	47.51	88.30	40.79	Vertical
3	10262	41.87	38.03	-31.52	48.38	88.30	39.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1139 of 1292

802.11ac20 MIMO_Channel 97




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8631.3333	45.47	37.42	-34.33	48.55	88.30	39.75	Horizontal
2	9946	42.03	37.88	-31.99	47.93	88.30	40.37	Horizontal
3	10383.333	41.00	38.09	-30.80	48.29	88.30	40.01	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1140 of 1292

802.11ac20 MIMO_Channel 97




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8819	44.95	37.51	-33.97	48.49	88.30	39.81	Vertical
2	9995	41.55	37.90	-31.84	47.60	88.30	40.70	Vertical
3	10526.333	40.46	38.16	-30.83	47.79	88.30	40.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1141 of 1292

802.11ac20 MIMO_Channel 105




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8857	45.46	37.53	-34.15	48.83	88.30	39.47	Horizontal
2	9862.6667	41.37	37.86	-32.29	46.94	88.30	41.36	Horizontal
3	10406.666	40.19	38.10	-30.70	47.60	88.30	40.70	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1142 of 1292

802.11ac20 MIMO_Channel 105




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8811.6667	44.55	37.51	-33.94	48.12	88.30	40.18	Vertical
2	9741.3333	42.02	37.82	-32.57	47.27	88.30	41.03	Vertical
3	10366.333	41.14	38.08	-30.93	48.30	88.30	40.00	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1143 of 1292

802.11ac20 MIMO_Channel 113




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8812.6667	44.29	37.51	-33.94	47.86	88.30	40.44	Horizontal
2	10045.666	41.64	37.92	-31.72	47.84	88.30	40.46	Horizontal
3	10369.666	41.44	38.08	-30.90	48.62	88.30	39.68	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1144 of 1292

802.11ac20 MIMO_Channel 113




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8822.6667	45.29	37.51	-33.99	48.81	88.30	39.49	Vertical
2	9894	41.75	37.87	-32.15	47.47	88.30	40.83	Vertical
3	10107.666	42.01	37.95	-31.60	48.37	88.30	39.93	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1145 of 1292

802.11ac20 MIMO_Channel 117



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8760	44.93	37.48	-34.18	48.23	88.30	40.07	Horizontal
2	9616	42.07	37.78	-32.87	46.98	88.30	41.32	Horizontal
3	10370.333	40.59	38.09	-30.90	47.78	88.30	40.52	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1146 of 1292

802.11ac20 MIMO_Channel 117




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8761	45.75	37.48	-34.18	49.05	88.30	39.25	Vertical
2	9931.3333	42.21	37.88	-32.03	48.06	88.30	40.24	Vertical
3	10396	40.89	38.10	-30.71	48.28	88.30	40.02	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1147 of 1292

802.11ac20 MIMO_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8766.3333	45.38	37.48	-34.14	48.73	88.30	39.57	Horizontal
2	9533.3333	43.40	37.76	-33.16	48.00	88.30	40.30	Horizontal
3	10385.333	40.71	38.09	-30.79	48.02	88.30	40.28	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1148 of 1292

802.11ac20 MIMO_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8815.6667	45.32	37.51	-33.96	48.87	88.30	39.43	Vertical
2	9584.6667	42.63	37.78	-32.98	47.42	88.30	40.88	Vertical
3	10392	40.77	38.10	-30.74	48.13	88.30	40.17	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1149 of 1292

802.11ac20 MIMO_Channel 185




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8703.6667	46.61	37.45	-34.61	49.45	88.30	38.85	Horizontal
2	9648	43.11	37.79	-32.76	48.15	88.30	40.15	Horizontal
3	10400	41.36	38.10	-30.68	48.78	88.30	39.52	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1150 of 1292

802.11ac20 MIMO_Channel 185




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8711	46.13	37.46	-34.56	49.03	88.30	39.27	Vertical
2	9619.3333	44.72	37.79	-32.86	49.65	88.30	38.65	Vertical
3	9940	42.83	37.88	-32.00	48.71	88.30	39.59	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1151 of 1292

802.11ac20 MIMO_Channel 189



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8804.6667	45.01	37.50	-33.90	48.61	88.30	39.69	Horizontal
2	9865.3333	43.04	37.86	-32.28	48.62	88.30	39.68	Horizontal
3	10387	40.68	38.09	-30.77	48.00	88.30	40.30	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1152 of 1292

802.11ac20 MIMO_Channel 189



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8797.6667	45.20	37.50	-33.90	48.80	88.30	39.50	Vertical
2	9914	42.58	37.87	-32.08	48.37	88.30	39.93	Vertical
3	10291	41.60	38.05	-31.44	48.21	88.30	40.09	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1153 of 1292

802.11ac20 MIMO_Channel 209




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8792.6667	45.16	37.50	-33.94	48.72	88.30	39.58	Horizontal
2	10027	41.69	37.91	-31.77	47.84	88.30	40.46	Horizontal
3	10265.333	41.97	38.03	-31.51	48.50	88.30	39.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1154 of 1292

802.11ac20 MIMO_Channel 209




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8821	45.42	37.51	-33.98	48.95	88.30	39.35	Vertical
2	9991	41.41	37.90	-31.86	47.45	88.30	40.85	Vertical
3	10391	41.18	38.10	-30.75	48.53	88.30	39.77	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1155 of 1292

802.11ac20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8764.3333	45.69	37.48	-34.15	49.02	88.30	39.28	Horizontal
2	9822	41.92	37.85	-32.48	47.29	88.30	41.01	Horizontal
3	10372.333	40.83	38.09	-30.88	48.03	88.30	40.27	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1156 of 1292

802.11ac20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8820	46.04	37.51	-33.98	49.57	88.30	38.73	Vertical
2	10036.333	42.39	37.92	-31.74	48.57	88.30	39.73	Vertical
3	10389.666	40.99	38.09	-30.76	48.33	88.30	39.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1157 of 1292

802.11ac40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8808.6667	44.74	37.50	-33.92	48.32	88.30	39.98	Horizontal
2	9754.3333	41.35	37.83	-32.58	46.60	88.30	41.70	Horizontal
3	10384.666	40.57	38.09	-30.79	47.87	88.30	40.43	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1158 of 1292

802.11ac40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8676.3333	45.58	37.44	-34.53	48.48	88.30	39.82	Vertical
2	9881.3333	41.16	37.86	-32.21	46.82	88.30	41.48	Vertical
3	10415	40.27	38.11	-30.72	47.66	88.30	40.64	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1159 of 1292

802.11ac40 MIMO_Channel 43




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8787.3333	44.62	37.49	-33.98	48.14	88.30	40.16	Horizontal
2	9721.3333	42.10	37.82	-32.57	47.34	88.30	40.96	Horizontal
3	10420.666	40.91	38.11	-30.73	48.29	88.30	40.01	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1160 of 1292

802.11ac40 MIMO_Channel 43



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8857.6667	44.91	37.53	-34.16	48.28	88.30	40.02	Vertical
2	9745	41.99	37.82	-32.57	47.24	88.30	41.06	Vertical
3	10389.666	40.66	38.09	-30.76	48.00	88.30	40.30	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1161 of 1292

802.11ac40 MIMO_Channel 91




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8860	45.23	37.53	-34.17	48.59	88.30	39.71	Horizontal
2	9806	42.10	37.84	-32.55	47.39	88.30	40.91	Horizontal
3	10475	40.51	38.14	-30.86	47.79	88.30	40.51	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1162 of 1292

802.11ac40 MIMO_Channel 91




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8651.3333	44.50	37.43	-34.42	47.50	88.30	40.80	Vertical
2	9592.6667	42.54	37.78	-32.95	47.36	88.30	40.94	Vertical
3	10368	39.86	38.08	-30.91	47.03	88.30	41.27	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1163 of 1292

802.11ac40 MIMO_Channel 99




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8771.6667	45.22	37.49	-34.10	48.61	88.30	39.69	Horizontal
2	9746	42.50	37.82	-32.57	47.75	88.30	40.55	Horizontal
3	10364.333	40.87	38.08	-30.94	48.01	88.30	40.29	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1164 of 1292

802.11ac40 MIMO_Channel 99




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8780.6667	45.44	37.49	-34.03	48.90	88.30	39.40	Vertical
2	9888.6667	41.98	37.87	-32.17	47.67	88.30	40.63	Vertical
3	10524.666	40.19	38.16	-30.84	47.51	88.30	40.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1165 of 1292

802.11ac40 MIMO_Channel 107



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8767.6667	44.83	37.48	-34.13	48.19	88.30	40.11	Horizontal
2	9673.3333	42.49	37.80	-32.67	47.63	88.30	40.67	Horizontal
3	10280.333	41.07	38.04	-31.47	47.65	88.30	40.65	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1166 of 1292

802.11ac40 MIMO_Channel 107




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8811	44.49	37.51	-33.93	48.06	88.30	40.24	Vertical
2	9725	41.26	37.82	-32.57	46.51	88.30	41.79	Vertical
3	10400.666	40.89	38.10	-30.68	48.31	88.30	39.99	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1167 of 1292

802.11ac40 MIMO_Channel 115



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8765	45.66	37.48	-34.15	49.00	88.30	39.30	Horizontal
2	9694.3333	41.93	37.81	-32.59	47.15	88.30	41.15	Horizontal
3	10347.666	41.11	38.07	-31.06	48.12	88.30	40.18	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1168 of 1292

802.11ac40 MIMO_Channel 115




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8790	44.78	37.50	-33.96	48.32	88.30	39.98	Vertical
2	9704.6667	41.82	37.81	-32.57	47.06	88.30	41.24	Vertical
3	10384.333	40.18	38.09	-30.79	47.48	88.30	40.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1169 of 1292

802.11ac40 MIMO_Channel 123




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8721	45.44	37.46	-34.48	48.42	88.30	39.88	Horizontal
2	9861	41.59	37.86	-32.30	47.15	88.30	41.15	Horizontal
3	10262.666	40.89	38.03	-31.51	47.41	88.30	40.89	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1170 of 1292

802.11ac40 MIMO_Channel 123




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8787.3333	44.29	37.49	-33.98	47.81	88.30	40.49	Vertical
2	9731.3333	41.56	37.82	-32.57	46.81	88.30	41.49	Vertical
3	10321.666	41.19	38.06	-31.25	48.00	88.30	40.30	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1171 of 1292

802.11ac40 MIMO_Channel 147




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8879.6667	45.24	37.54	-34.26	48.52	88.30	39.78	Horizontal
2	9888	41.78	37.87	-32.18	47.47	88.30	40.83	Horizontal
3	10401	40.59	38.10	-30.68	48.01	88.30	40.29	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1172 of 1292

802.11ac40 MIMO_Channel 147




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8776	45.19	37.49	-34.06	48.62	88.30	39.68	Vertical
2	9681	41.55	37.80	-32.64	46.72	88.30	41.58	Vertical
3	10411.666	40.82	38.11	-30.71	48.22	88.30	40.08	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1173 of 1292

802.11ac40 MIMO_Channel 179




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8816.3333	45.38	37.51	-33.96	48.93	88.30	39.37	Horizontal
2	9894	41.56	37.87	-32.15	47.28	88.30	41.02	Horizontal
3	10396.666	40.96	38.10	-30.70	48.35	88.30	39.95	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1174 of 1292

802.11ac40 MIMO_Channel 179



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8744.3333	44.78	37.47	-34.30	47.95	88.30	40.35	Vertical
2	9669.6667	42.65	37.80	-32.68	47.77	88.30	40.53	Vertical
3	10406.333	40.42	38.10	-30.70	47.83	88.30	40.47	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1175 of 1292

802.11ac40 MIMO_Channel 187




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8868.6667	45.33	37.53	-34.21	48.65	88.30	39.65	Horizontal
2	9916.3333	42.15	37.87	-32.07	47.95	88.30	40.35	Horizontal
3	10383.333	40.69	38.09	-30.80	47.98	88.30	40.32	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1176 of 1292

802.11ac40 MIMO_Channel 187



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8817.6667	45.05	37.51	-33.96	48.59	88.30	39.71	Vertical
2	9652.6667	41.48	37.80	-32.74	46.54	88.30	41.76	Vertical
3	10433	39.83	38.12	-30.76	47.19	88.30	41.11	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1177 of 1292

802.11ac40 MIMO_Channel 203




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8765.3333	45.10	37.48	-34.14	48.44	88.30	39.86	Horizontal
2	9879.3333	41.40	37.86	-32.22	47.05	88.30	41.25	Horizontal
3	10420.666	41.15	38.11	-30.73	48.53	88.30	39.77	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1178 of 1292

802.11ac40 MIMO_Channel 203




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8864.6667	45.60	37.53	-34.19	48.94	88.30	39.36	Vertical
2	9584.3333	42.26	37.78	-32.98	47.05	88.30	41.25	Vertical
3	10492	40.57	38.15	-30.90	47.82	88.30	40.48	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1179 of 1292

802.11ac40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8869	45.26	37.53	-34.21	48.58	88.30	39.72	Horizontal
2	9923	41.63	37.88	-32.05	47.45	88.30	40.85	Horizontal
3	10431	40.54	38.12	-30.75	47.90	88.30	40.40	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1180 of 1292

802.11ac40 MIMO_Channel 227



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8831.3333	45.06	37.52	-34.03	48.55	88.30	39.75	Vertical
2	10003.333	41.43	37.90	-31.82	47.51	88.30	40.79	Vertical
3	10269.666	41.21	38.03	-31.49	47.75	88.30	40.55	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1181 of 1292

802.11ac80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8827.6667	45.80	37.51	-34.01	49.30	88.30	39.00	Horizontal
2	9917	42.20	37.88	-32.07	48.00	88.30	40.30	Horizontal
3	10475.666	41.54	38.14	-30.86	48.82	88.30	39.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1182 of 1292

802.11ac80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8785.3333	45.26	37.49	-33.99	48.76	88.30	39.54	Vertical
2	9618.3333	42.28	37.79	-32.86	47.20	88.30	41.10	Vertical
3	10374.333	40.30	38.09	-30.87	47.52	88.30	40.78	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1183 of 1292

802.11ac80 MIMO_Channel 39




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8796.6667	44.98	37.50	-33.91	48.57	88.30	39.73	Horizontal
2	9876	41.52	37.86	-32.23	47.15	88.30	41.15	Horizontal
3	10268.666	41.87	38.03	-31.50	48.41	88.30	39.89	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1184 of 1292

802.11ac80 MIMO_Channel 39



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8828	44.55	37.51	-34.01	48.05	88.30	40.25	Vertical
2	9980.6667	41.39	37.89	-31.89	47.40	88.30	40.90	Vertical
3	10412.666	40.81	38.11	-30.71	48.21	88.30	40.09	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1185 of 1292

802.11ac80 MIMO_Channel 87




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8781	45.14	37.49	-34.02	48.61	88.30	39.69	Horizontal
2	9572	42.72	37.77	-33.03	47.47	88.30	40.83	Horizontal
3	10156.333	41.56	37.98	-31.65	47.89	88.30	40.41	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1186 of 1292

802.11ac80 MIMO_Channel 87



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8763.3333	45.04	37.48	-34.16	48.36	88.30	39.94	Vertical
2	9490.6667	43.65	37.75	-33.24	48.15	74.00	25.85	Vertical
3	10364.333	40.93	38.08	-30.94	48.07	88.30	40.23	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1187 of 1292

802.11ac80 MIMO_Channel 103




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8791	45.41	37.50	-33.95	48.96	88.30	39.34	Horizontal
2	9515.3333	43.09	37.75	-33.22	47.63	88.30	40.67	Horizontal
3	10311.666	40.91	38.06	-31.32	47.64	88.30	40.66	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1188 of 1292

802.11ac80 MIMO_Channel 103




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8746.6667	45.02	37.47	-34.29	48.21	88.30	40.09	Vertical
2	9993.3333	42.01	37.90	-31.85	48.06	88.30	40.24	Vertical
3	10407	40.82	38.10	-30.70	48.23	88.30	40.07	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1189 of 1292

802.11ac80 MIMO_Channel 119



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8799.3333	45.10	37.50	-33.89	48.71	88.30	39.59	Horizontal
2	10006.666	41.28	37.90	-31.81	47.37	88.30	40.93	Horizontal
3	10425.333	40.80	38.11	-30.74	48.17	88.30	40.13	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1190 of 1292

802.11ac80 MIMO_Channel 119




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8776.6667	45.00	37.49	-34.06	48.43	88.30	39.87	Vertical
2	9565.6667	45.49	37.77	-33.05	50.21	88.30	38.09	Vertical
3	10395.666	41.02	38.10	-30.71	48.41	88.30	39.89	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1191 of 1292

802.11ac80 MIMO_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8660	45.77	37.43	-34.46	48.74	88.30	39.56	Horizontal
2	9697.6667	41.70	37.81	-32.58	46.93	88.30	41.37	Horizontal
3	10394.333	40.99	38.10	-30.72	48.37	88.30	39.93	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1192 of 1292

802.11ac80 MIMO_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8834.3333	45.25	37.52	-34.04	48.72	88.30	39.58	Vertical
2	9656	42.11	37.80	-32.73	47.18	88.30	41.12	Vertical
3	10418	40.39	38.11	-30.72	47.78	88.30	40.52	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1193 of 1292

802.11ac80 MIMO_Channel 183




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8820.6667	45.02	37.51	-33.98	48.55	88.30	39.75	Horizontal
2	9895.3333	41.33	37.87	-32.14	47.06	88.30	41.24	Horizontal
3	10396.666	40.59	38.10	-30.70	47.98	88.30	40.32	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1194 of 1292

802.11ac80 MIMO_Channel 183




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8783.3333	45.09	37.49	-34.01	48.57	88.30	39.73	Vertical
2	9788.3333	41.81	37.84	-32.58	47.07	88.30	41.23	Vertical
3	10515.333	41.17	38.16	-30.87	48.46	88.30	39.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1195 of 1292

802.11ac80 MIMO_Channel 199



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8781.6667	44.99	37.49	-34.02	48.46	88.30	39.84	Horizontal
2	9667	42.31	37.80	-32.69	47.42	88.30	40.88	Horizontal
3	10555	40.23	38.18	-30.74	47.67	88.30	40.63	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1196 of 1292

802.11ac80 MIMO_Channel 199




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8833.6667	44.98	37.52	-34.04	48.46	88.30	39.84	Vertical
2	9970	42.11	37.89	-31.92	48.08	88.30	40.22	Vertical
3	10682.666	40.45	38.24	-30.38	48.32	74.00	25.68	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1197 of 1292

802.11ac80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8783.3333	45.07	37.49	-34.01	48.55	88.30	39.75	Horizontal
2	9901	42.12	37.87	-32.12	47.87	88.30	40.43	Horizontal
3	10358.666	40.66	38.08	-30.98	47.76	88.30	40.54	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1198 of 1292

802.11ac80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8793.3333	44.86	37.50	-33.93	48.43	88.30	39.87	Vertical
2	9551.3333	43.07	37.77	-33.10	47.74	88.30	40.56	Vertical
3	10395	41.26	38.10	-30.72	48.64	88.30	39.66	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1199 of 1292

802.11ac160 MIMO_Channel 15



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8789.3333	44.74	37.49	-33.96	48.27	88.30	40.03	Horizontal
2	9907	41.52	37.87	-32.10	47.29	88.30	41.01	Horizontal
3	10386	40.60	38.09	-30.78	47.91	88.30	40.39	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1200 of 1292

802.11ac160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8777.3333	44.00	37.49	-34.05	47.44	88.30	40.86	Vertical
2	9739.3333	41.65	37.82	-32.57	46.90	88.30	41.40	Vertical
3	10522.666	40.74	38.16	-30.85	48.06	88.30	40.24	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1201 of 1292

802.11ac160 MIMO_Channel 47



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8884.3333	45.07	37.54	-34.28	48.33	88.30	39.97	Horizontal
2	9660	41.71	37.80	-32.71	46.79	88.30	41.51	Horizontal
3	10334	41.03	38.07	-31.16	47.94	88.30	40.36	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1202 of 1292

802.11ac160 MIMO_Channel 47




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8724.3333	45.22	37.46	-34.46	48.23	88.30	40.07	Vertical
2	9816.6667	41.68	37.85	-32.50	47.02	88.30	41.28	Vertical
3	10053.333	41.29	37.93	-31.70	47.51	88.30	40.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1203 of 1292

802.11ac160 MIMO_Channel 79




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8777	44.58	37.49	-34.05	48.01	88.30	40.29	Horizontal
2	10049	41.68	37.92	-31.71	47.89	88.30	40.41	Horizontal
3	10535.333	40.14	38.17	-30.80	47.50	88.30	40.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1204 of 1292

802.11ac160 MIMO_Channel 79




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8715	45.58	37.46	-34.53	48.51	88.30	39.79	Vertical
2	9871.6667	41.39	37.86	-32.25	47.00	88.30	41.30	Vertical
3	10411.333	40.00	38.11	-30.71	47.40	88.30	40.90	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1205 of 1292

802.11ac160 MIMO_Channel 111




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8734	44.82	37.47	-34.38	47.91	88.30	40.39	Horizontal
2	9612.3333	41.91	37.78	-32.89	46.81	88.30	41.49	Horizontal
3	10461	40.65	38.13	-30.83	47.95	88.30	40.35	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1206 of 1292

802.11ac160 MIMO_Channel 111



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8821.3333	44.71	37.51	-33.98	48.24	88.30	40.06	Vertical
2	9662.6667	41.77	37.80	-32.70	46.86	88.30	41.44	Vertical
3	10302	40.84	38.05	-31.40	47.50	88.30	40.80	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1207 of 1292

802.11ac160 MIMO_Channel 143




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8875.6667	45.14	37.54	-34.24	48.43	88.30	39.87	Horizontal
2	9998.3333	41.55	37.90	-31.83	47.61	88.30	40.69	Horizontal
3	10466	40.55	38.13	-30.84	47.84	88.30	40.46	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1208 of 1292

802.11ac160 MIMO_Channel 143




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8854.6667	45.87	37.53	-34.14	49.25	88.30	39.05	Vertical
2	9894	42.03	37.87	-32.15	47.75	88.30	40.55	Vertical
3	10433.666	40.65	38.12	-30.76	48.01	88.30	40.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1209 of 1292

802.11ac160 MIMO_Channel 175




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8826	44.37	37.51	-34.00	47.88	88.30	40.42	Horizontal
2	9623.3333	42.01	37.79	-32.85	46.95	88.30	41.35	Horizontal
3	10300	40.93	38.05	-31.41	47.57	88.30	40.73	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1210 of 1292

802.11ac160 MIMO_Channel 175



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8737.6667	45.09	37.47	-34.35	48.21	88.30	40.09	Vertical
2	9547.6667	42.66	37.76	-33.11	47.32	88.30	40.98	Vertical
3	10356.333	40.79	38.08	-31.00	47.87	88.30	40.43	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1211 of 1292

802.11ac160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8778.6667	44.63	37.49	-34.04	48.08	88.30	40.22	Horizontal
2	9569.3333	42.50	37.77	-33.03	47.24	88.30	41.06	Horizontal
3	10286	40.76	38.04	-31.45	47.35	88.30	40.95	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1212 of 1292

802.11ac160 MIMO_Channel 207



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8877	45.05	37.54	-34.25	48.34	88.30	39.96	Vertical
2	9666.6667	42.29	37.80	-32.69	47.40	88.30	40.90	Vertical
3	10344.666	41.05	38.07	-31.08	48.04	88.30	40.26	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1213 of 1292

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8835.3333	45.27	37.52	-34.05	48.74	88.30	39.56	Horizontal
2	9876.6667	41.58	37.86	-32.23	47.22	88.30	41.08	Horizontal
3	10422.333	40.21	38.11	-30.73	47.59	88.30	40.71	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1214 of 1292

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8796	44.71	37.50	-33.91	48.30	88.30	40.00	Vertical
2	9917	41.64	37.88	-32.07	47.44	88.30	40.86	Vertical
3	10394	41.12	38.10	-30.72	48.49	88.30	39.81	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1215 of 1292

802.11ax20 MIMO_Channel 45




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8787.6667	44.35	37.49	-33.97	47.87	88.30	40.43	Horizontal
2	9743.3333	41.65	37.82	-32.57	46.90	88.30	41.40	Horizontal
3	10404.666	40.81	38.10	-30.69	48.22	88.30	40.08	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1216 of 1292

802.11ax20 MIMO_Channel 45




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8798.6667	44.49	37.50	-33.89	48.10	88.30	40.20	Vertical
2	9581.6667	41.64	37.77	-32.99	46.42	88.30	41.88	Vertical
3	10288.666	41.19	38.04	-31.44	47.79	88.30	40.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1217 of 1292

802.11ax20 MIMO_Channel 93




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8839	44.45	37.52	-34.07	47.90	88.30	40.40	Horizontal
2	9881	41.30	37.86	-32.21	46.96	88.30	41.34	Horizontal
3	10418.333	40.43	38.11	-30.72	47.82	88.30	40.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1218 of 1292

802.11ax20 MIMO_Channel 93




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8785.3333	44.17	37.49	-33.99	47.67	88.30	40.63	Vertical
2	9818.3333	41.50	37.85	-32.50	46.85	88.30	41.45	Vertical
3	10300.333	40.97	38.05	-31.41	47.61	88.30	40.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1219 of 1292

802.11ax20 MIMO_Channel 97




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8835.6667	44.61	37.52	-34.05	48.08	88.30	40.22	Horizontal
2	9910.6667	41.57	37.87	-32.09	47.35	88.30	40.95	Horizontal
3	10423	40.73	38.11	-30.74	48.11	88.30	40.19	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1220 of 1292

802.11ax20 MIMO_Channel 97



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8900.6667	44.65	37.55	-34.35	47.85	88.30	40.45	Vertical
2	9624.6667	41.81	37.79	-32.84	46.76	88.30	41.54	Vertical
3	10475	40.72	38.14	-30.86	48.00	88.30	40.30	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1221 of 1292

802.11ax20 MIMO_Channel 105



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8801.3333	45.12	37.50	-33.89	48.73	88.30	39.57	Horizontal
2	9922.6667	41.52	37.88	-32.05	47.34	88.30	40.96	Horizontal
3	10373.333	41.39	38.09	-30.87	48.60	88.30	39.70	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1222 of 1292

802.11ax20 MIMO_Channel 105



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8782	45.91	37.49	-34.02	49.38	88.30	38.92	Vertical
2	9887.6667	43.05	37.87	-32.18	48.74	88.30	39.56	Vertical
3	10477.666	43.48	38.14	-30.87	50.75	88.30	37.55	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1223 of 1292

802.11ax20 MIMO_Channel 113




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8792.3333	44.88	37.50	-33.94	48.44	88.30	39.86	Horizontal
2	9592.6667	42.35	37.78	-32.95	47.17	88.30	41.13	Horizontal
3	10390.333	40.58	38.10	-30.75	47.92	88.30	40.38	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1224 of 1292

802.11ax20 MIMO_Channel 113



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8809	45.05	37.50	-33.92	48.63	88.30	39.67	Vertical
2	9826	42.28	37.85	-32.46	47.67	88.30	40.63	Vertical
3	10288.666	42.33	38.04	-31.44	48.93	88.30	39.37	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1225 of 1292

802.11ax20 MIMO_Channel 117



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8713	45.89	37.46	-34.54	48.81	88.30	39.49	Horizontal
2	9733	41.76	37.82	-32.57	47.01	88.30	41.29	Horizontal
3	10424	41.31	38.11	-30.74	48.68	88.30	39.62	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1226 of 1292

802.11ax20 MIMO_Channel 117



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8830.6667	44.83	37.52	-34.03	48.32	88.30	39.98	Vertical
2	9977.6667	42.07	37.89	-31.89	48.07	88.30	40.23	Vertical
3	10365.666	41.19	38.08	-30.93	48.34	88.30	39.96	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1227 of 1292

802.11ax20 MIMO_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8765	44.63	37.48	-34.15	47.97	88.30	40.33	Horizontal
2	9843.6667	42.05	37.85	-32.38	47.52	88.30	40.78	Horizontal
3	10463	41.10	38.13	-30.83	48.40	88.30	39.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1228 of 1292

802.11ax20 MIMO_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8769	45.26	37.48	-34.12	48.63	88.30	39.67	Vertical
2	9886.3333	41.56	37.87	-32.18	47.24	88.30	41.06	Vertical
3	10262.666	41.82	38.03	-31.51	48.34	88.30	39.96	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1229 of 1292

802.11ax20 MIMO_Channel 185




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8836.3333	44.72	37.52	-34.05	48.18	88.30	40.12	Horizontal
2	9643.3333	42.35	37.79	-32.77	47.37	88.30	40.93	Horizontal
3	10448.666	41.05	38.12	-30.80	48.38	88.30	39.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1230 of 1292

802.11ax20 MIMO_Channel 185



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8776.3333	45.38	37.49	-34.06	48.81	88.30	39.49	Vertical
2	9731.6667	42.42	37.82	-32.57	47.67	88.30	40.63	Vertical
3	10413	40.87	38.11	-30.71	48.27	88.30	40.03	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1231 of 1292

802.11ax20 MIMO_Channel 189



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8803.3333	44.33	37.50	-33.90	47.94	88.30	40.36	Horizontal
2	9925.3333	43.01	37.88	-32.05	48.84	88.30	39.46	Horizontal
3	10379	41.10	38.09	-30.83	48.36	88.30	39.94	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1232 of 1292

802.11ax20 MIMO_Channel 189




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8838	45.17	37.52	-34.06	48.63	88.30	39.67	Vertical
2	9999.3333	41.36	37.90	-31.83	47.43	88.30	40.87	Vertical
3	10678	41.21	38.24	-30.39	49.06	74.00	24.94	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1233 of 1292

802.11ax20 MIMO_Channel 209




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8805	45.37	37.50	-33.90	48.97	88.30	39.33	Horizontal
2	9913	41.38	37.87	-32.08	47.17	88.30	41.13	Horizontal
3	10474.666	41.20	38.14	-30.86	48.48	88.30	39.82	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1234 of 1292

802.11ax20 MIMO_Channel 209




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8851	45.89	37.53	-34.12	49.29	88.30	39.01	Vertical
2	9841.3333	41.96	37.85	-32.39	47.42	88.30	40.88	Vertical
3	10365	41.31	38.08	-30.94	48.46	88.30	39.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1235 of 1292

802.11ax20 MIMO_Channel 233



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8812.3333	45.05	37.51	-33.94	48.62	88.30	39.68	Horizontal
2	9572.6667	42.52	37.77	-33.02	47.27	88.30	41.03	Horizontal
3	10379	41.00	38.09	-30.83	48.26	88.30	40.04	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1236 of 1292

802.11ax20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8808.3333	44.86	37.50	-33.92	48.44	88.30	39.86	Vertical
2	9612.6667	42.34	37.78	-32.88	47.24	88.30	41.06	Vertical
3	10412.666	40.75	38.11	-30.71	48.15	88.30	40.15	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1237 of 1292

802.11ax40 MIMO_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8771	45.72	37.49	-34.10	49.11	88.30	39.19	Horizontal
2	9730.6667	41.83	37.82	-32.57	47.08	88.30	41.22	Horizontal
3	10268.333	41.40	38.03	-31.50	47.94	88.30	40.36	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1238 of 1292

802.11ax40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8795	44.54	37.50	-33.92	48.12	88.30	40.18	Vertical
2	9674	41.58	37.80	-32.66	46.72	88.30	41.58	Vertical
3	10383	40.43	38.09	-30.80	47.72	88.30	40.58	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1239 of 1292

802.11ax40 MIMO_Channel 43



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8846	44.24	37.52	-34.10	47.66	88.30	40.64	Horizontal
2	9606.6667	41.84	37.78	-32.91	46.72	88.30	41.58	Horizontal
3	10155.666	40.94	37.98	-31.65	47.27	88.30	41.03	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1240 of 1292

802.11ax40 MIMO_Channel 43




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8753	45.05	37.48	-34.24	48.29	88.30	40.01	Vertical
2	9747.6667	41.42	37.82	-32.57	46.67	88.30	41.63	Vertical
3	10391.666	40.78	38.10	-30.74	48.14	88.30	40.16	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1241 of 1292

802.11ax40 MIMO_Channel 91




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8816.3333	45.45	37.51	-33.96	49.00	88.30	39.30	Horizontal
2	9888.3333	41.64	37.87	-32.17	47.33	88.30	40.97	Horizontal
3	10420	41.02	38.11	-30.73	48.40	88.30	39.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1242 of 1292

802.11ax40 MIMO_Channel 91




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8822.3333	45.05	37.51	-33.99	48.57	88.30	39.73	Vertical
2	9679.6667	42.07	37.80	-32.64	47.23	88.30	41.07	Vertical
3	10305.666	40.98	38.05	-31.37	47.66	88.30	40.64	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1243 of 1292

802.11ax40 MIMO_Channel 99




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8781.3333	44.87	37.49	-34.02	48.34	88.30	39.96	Horizontal
2	9754.3333	42.32	37.83	-32.58	47.57	88.30	40.73	Horizontal
3	10418.666	40.73	38.11	-30.72	48.11	88.30	40.19	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1244 of 1292

802.11ax40 MIMO_Channel 99



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8607	45.18	37.40	-34.22	48.36	88.30	39.94	Vertical
2	9821.6667	41.64	37.85	-32.48	47.01	88.30	41.29	Vertical
3	10215.666	41.78	38.01	-31.65	48.14	88.30	40.16	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1245 of 1292

802.11ax40 MIMO_Channel 107



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8825.6667	44.85	37.51	-34.00	48.36	88.30	39.94	Horizontal
2	9742.6667	42.06	37.82	-32.57	47.31	88.30	40.99	Horizontal
3	10396	40.59	38.10	-30.71	47.98	88.30	40.32	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1246 of 1292

802.11ax40 MIMO_Channel 107



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8776	44.82	37.49	-34.06	48.25	88.30	40.05	Vertical
2	9620.3333	41.96	37.79	-32.86	46.89	88.30	41.41	Vertical
3	10411	40.85	38.11	-30.71	48.25	88.30	40.05	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1247 of 1292

802.11ax40 MIMO_Channel 115




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8839.3333	44.46	37.52	-34.07	47.91	88.30	40.39	Horizontal
2	9823	41.92	37.85	-32.47	47.29	88.30	41.01	Horizontal
3	10394	40.80	38.10	-30.72	48.17	88.30	40.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1248 of 1292

802.11ax40 MIMO_Channel 115




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8632	44.74	37.42	-34.33	47.82	88.30	40.48	Vertical
2	9914.6667	40.91	37.87	-32.08	46.71	88.30	41.59	Vertical
3	10383.666	40.79	38.09	-30.80	48.08	88.30	40.22	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1249 of 1292

802.11ax40 MIMO_Channel 123




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8796.3333	45.42	37.50	-33.91	49.01	88.30	39.29	Horizontal
2	9828.6667	41.92	37.85	-32.45	47.32	88.30	40.98	Horizontal
3	10392.333	40.31	38.10	-30.74	47.67	88.30	40.63	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1250 of 1292

802.11ax40 MIMO_Channel 123




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8824.3333	44.60	37.51	-34.00	48.12	88.30	40.18	Vertical
2	9864.6667	41.67	37.86	-32.28	47.25	88.30	41.05	Vertical
3	10365.666	40.67	38.08	-30.93	47.82	88.30	40.48	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1251 of 1292

802.11ax40 MIMO_Channel 147




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8817	44.44	37.51	-33.96	47.99	88.30	40.31	Horizontal
2	9925	41.62	37.88	-32.05	47.45	88.30	40.85	Horizontal
3	10365	41.84	38.08	-30.94	48.99	88.30	39.31	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1252 of 1292

802.11ax40 MIMO_Channel 147



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8788.6667	44.87	37.49	-33.97	48.40	88.30	39.90	Vertical
2	9748	41.75	37.82	-32.57	47.00	88.30	41.30	Vertical
3	10421	40.84	38.11	-30.73	48.22	88.30	40.08	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1253 of 1292

802.11ax40 MIMO_Channel 179



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8820	45.04	37.51	-33.98	48.57	88.30	39.73	Horizontal
2	9852.6667	41.78	37.86	-32.34	47.30	88.30	41.00	Horizontal
3	10649.333	40.08	38.22	-30.46	47.84	74.00	26.16	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1254 of 1292

802.11ax40 MIMO_Channel 179



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8772.6667	44.96	37.49	-34.09	48.36	88.30	39.94	Vertical
2	9788	42.25	37.84	-32.58	47.51	88.30	40.79	Vertical
3	10417	41.38	38.11	-30.72	48.77	88.30	39.53	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1255 of 1292

802.11ax40 MIMO_Channel 187



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8734	44.47	37.47	-34.38	47.56	88.30	40.74	Horizontal
2	9737.6667	42.12	37.82	-32.57	47.37	88.30	40.93	Horizontal
3	10379	41.40	38.09	-30.83	48.66	88.30	39.64	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1256 of 1292

802.11ax40 MIMO_Channel 187




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8681	44.96	37.44	-34.55	47.85	88.30	40.45	Vertical
2	9664.6667	41.67	37.80	-32.70	46.77	88.30	41.53	Vertical
3	10405.666	40.66	38.10	-30.69	48.07	88.30	40.23	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1257 of 1292

802.11ax40 MIMO_Channel 203




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8839.6667	44.69	37.52	-34.07	48.14	88.30	40.16	Horizontal
2	9636.6667	42.08	37.79	-32.80	47.07	88.30	41.23	Horizontal
3	10283	41.42	38.04	-31.46	48.00	88.30	40.30	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1258 of 1292

802.11ax40 MIMO_Channel 203



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8823.6667	44.92	37.51	-33.99	48.44	88.30	39.86	Vertical
2	9723	41.78	37.82	-32.57	47.02	88.30	41.28	Vertical
3	10429.333	40.55	38.11	-30.75	47.91	88.30	40.39	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1259 of 1292

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8852.6667	44.88	37.53	-34.13	48.27	88.30	40.03	Horizontal
2	9968.3333	41.44	37.89	-31.92	47.41	88.30	40.89	Horizontal
3	10382.333	41.65	38.09	-30.81	48.93	88.30	39.37	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1260 of 1292

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8777	44.57	37.49	-34.05	48.00	88.30	40.30	Vertical
2	9924	42.17	37.88	-32.05	48.00	88.30	40.30	Vertical
3	10472.333	41.17	38.14	-30.85	48.45	88.30	39.85	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1261 of 1292

802.11ax80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8808.6667	44.86	37.50	-33.92	48.44	88.30	39.86	Horizontal
2	9640.6667	42.09	37.79	-32.78	47.10	88.30	41.20	Horizontal
3	10355.333	40.86	38.08	-31.01	47.93	88.30	40.37	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1262 of 1292

802.11ax80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8731	44.81	37.47	-34.40	47.87	88.30	40.43	Vertical
2	9895.3333	40.72	37.87	-32.14	46.45	88.30	41.85	Vertical
3	10372.333	40.76	38.09	-30.88	47.96	88.30	40.34	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1263 of 1292

802.11ax80 MIMO_Channel 39



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8781.6667	44.74	37.49	-34.02	48.21	88.30	40.09	Horizontal
2	9987.6667	40.92	37.90	-31.87	46.95	88.30	41.35	Horizontal
3	10394.666	40.20	38.10	-30.72	47.58	88.30	40.72	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1264 of 1292

802.11ax80 MIMO_Channel 39



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8797	44.26	37.50	-33.90	47.86	88.30	40.44	Vertical
2	9779	41.31	37.83	-32.58	46.57	88.30	41.73	Vertical
3	10657.333	40.20	38.23	-30.44	47.99	74.00	26.01	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1265 of 1292

802.11ax80 MIMO_Channel 87




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8778.3333	45.01	37.49	-34.04	48.45	88.30	39.85	Horizontal
2	9633.3333	41.45	37.79	-32.81	46.43	88.30	41.87	Horizontal
3	10407.333	40.15	38.10	-30.70	47.56	88.30	40.74	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1266 of 1292

802.11ax80 MIMO_Channel 87



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8799.3333	43.82	37.50	-33.89	47.43	88.30	40.87	Vertical
2	9701.6667	42.12	37.81	-32.57	47.36	88.30	40.94	Vertical
3	10481.333	39.98	38.14	-30.88	47.25	88.30	41.05	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1267 of 1292

802.11ax80 MIMO_Channel 103




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8839	44.91	37.52	-34.07	48.36	88.30	39.94	Horizontal
2	9574.3333	42.31	37.77	-33.02	47.07	88.30	41.23	Horizontal
3	10303.333	40.86	38.05	-31.39	47.53	88.30	40.77	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1268 of 1292

802.11ax80 MIMO_Channel 103



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8828.3333	44.60	37.51	-34.02	48.10	88.30	40.20	Vertical
2	9888.6667	41.17	37.87	-32.17	46.86	88.30	41.44	Vertical
3	10403.333	40.17	38.10	-30.69	47.58	88.30	40.72	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1269 of 1292

802.11ax80 MIMO_Channel 119




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8786.6667	43.87	37.49	-33.98	47.38	88.30	40.92	Horizontal
2	9777.3333	41.31	37.83	-32.58	46.57	88.30	41.73	Horizontal
3	10211.333	40.88	38.01	-31.66	47.23	88.30	41.07	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1270 of 1292

802.11ax80 MIMO_Channel 119




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8823.3333	44.76	37.51	-33.99	48.28	88.30	40.02	Vertical
2	9882.6667	41.25	37.86	-32.20	46.92	88.30	41.38	Vertical
3	10395.666	41.08	38.10	-30.71	48.47	88.30	39.83	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1271 of 1292

802.11ax80 MIMO_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8812.6667	44.39	37.51	-33.94	47.96	88.30	40.34	Horizontal
2	9593.6667	42.26	37.78	-32.95	47.09	88.30	41.21	Horizontal
3	10087	41.23	37.94	-31.62	47.55	88.30	40.75	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1272 of 1292

802.11ax80 MIMO_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8795.6667	44.84	37.50	-33.91	48.42	88.30	39.88	Vertical
2	9709.3333	41.47	37.81	-32.57	46.71	88.30	41.59	Vertical
3	10388.666	40.53	38.09	-30.76	47.86	88.30	40.44	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1273 of 1292

802.11ax80 MIMO_Channel 183




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8795	44.72	37.50	-33.92	48.30	88.30	40.00	Horizontal
2	9887.6667	42.35	37.87	-32.18	48.04	88.30	40.26	Horizontal
3	10409.666	40.48	38.10	-30.70	47.88	88.30	40.42	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1274 of 1292

802.11ax80 MIMO_Channel 183




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8731.3333	45.09	37.47	-34.40	48.15	88.30	40.15	Vertical
2	9646.3333	42.08	37.79	-32.76	47.11	88.30	41.19	Vertical
3	10483.333	40.55	38.14	-30.88	47.81	88.30	40.49	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1275 of 1292

802.11ax80 MIMO_Channel 199



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8764.3333	44.35	37.48	-34.15	47.68	88.30	40.62	Horizontal
2	9889.6667	41.23	37.87	-32.17	46.93	88.30	41.37	Horizontal
3	10392.666	40.42	38.10	-30.73	47.78	88.30	40.52	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1276 of 1292

802.11ax80 MIMO_Channel 199




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8715.6667	44.85	37.46	-34.52	47.79	88.30	40.51	Vertical
2	9891.6667	41.38	37.87	-32.16	47.09	88.30	41.21	Vertical
3	10273.666	41.80	38.04	-31.48	48.35	88.30	39.95	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1277 of 1292

802.11ax80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8637.3333	45.38	37.42	-34.36	48.44	88.30	39.86	Horizontal
2	9663.3333	41.74	37.80	-32.70	46.84	88.30	41.46	Horizontal
3	10409.666	40.45	38.10	-30.70	47.85	88.30	40.45	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1278 of 1292

802.11ax80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8788.6667	44.62	37.49	-33.97	48.15	88.30	40.15	Vertical
2	9699	42.18	37.81	-32.57	47.42	88.30	40.88	Vertical
3	10422.333	40.27	38.11	-30.73	47.65	88.30	40.65	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1279 of 1292

802.11ax160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8792	45.45	37.50	-33.94	49.01	88.30	39.29	Horizontal
2	9566.6667	44.06	37.77	-33.04	48.79	88.30	39.51	Horizontal
3	10286.333	41.39	38.04	-31.45	47.98	88.30	40.32	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1280 of 1292

802.11ax160 MIMO_Channel 15



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8789.3333	45.01	37.49	-33.96	48.54	88.30	39.76	Vertical
2	9902.6667	41.91	37.87	-32.11	47.67	88.30	40.63	Vertical
3	10393	41.79	38.10	-30.73	49.16	88.30	39.14	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1281 of 1292

802.11ax160 MIMO_Channel 47




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8797.3333	44.58	37.50	-33.90	48.18	88.30	40.12	Horizontal
2	9876	40.94	37.86	-32.23	46.57	88.30	41.73	Horizontal
3	10378	40.14	38.09	-30.84	47.39	88.30	40.91	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1282 of 1292

802.11ax160 MIMO_Channel 47




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8782	43.88	37.49	-34.02	47.35	88.30	40.95	Vertical
2	9756	41.23	37.83	-32.58	46.48	88.30	41.82	Vertical
3	10475	40.10	38.14	-30.86	47.38	88.30	40.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1283 of 1292

802.11ax160 MIMO_Channel 79



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8800.3333	44.39	37.50	-33.88	48.01	88.30	40.29	Horizontal
2	9671.3333	42.16	37.80	-32.67	47.29	88.30	41.01	Horizontal
3	10156.333	41.11	37.98	-31.65	47.44	88.30	40.86	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1284 of 1292

802.11ax160 MIMO_Channel 79




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8732.3333	45.11	37.47	-34.39	48.18	88.30	40.12	Vertical
2	9724.3333	41.37	37.82	-32.57	46.61	88.30	41.69	Vertical
3	10344.666	40.55	38.07	-31.08	47.54	88.30	40.76	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1285 of 1292

802.11ax160 MIMO_Channel 111



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8767.6667	44.15	37.48	-34.13	47.51	88.30	40.79	Horizontal
2	9734.3333	41.25	37.82	-32.57	46.50	88.30	41.80	Horizontal
3	10645	40.31	38.22	-30.47	48.06	74.00	25.94	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1286 of 1292

802.11ax160 MIMO_Channel 111




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8727	45.12	37.46	-34.43	48.15	88.30	40.15	Vertical
2	9628	41.76	37.79	-32.83	46.72	88.30	41.58	Vertical
3	10366.333	41.57	38.08	-30.93	48.73	88.30	39.57	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1287 of 1292

802.11ax160 MIMO_Channel 143



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8815.6667	44.12	37.51	-33.96	47.67	88.30	40.63	Horizontal
2	9865.6667	41.39	37.86	-32.28	46.97	88.30	41.33	Horizontal
3	10387	41.16	38.09	-30.77	48.48	88.30	39.82	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1288 of 1292

802.11ax160 MIMO_Channel 143



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8731.3333	44.68	37.47	-34.40	47.74	88.30	40.56	Vertical
2	9675.3333	41.70	37.80	-32.66	46.84	88.30	41.46	Vertical
3	10471	40.17	38.14	-30.85	47.46	88.30	40.84	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1289 of 1292

802.11ax160 MIMO_Channel 175



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8813	44.66	37.51	-33.94	48.22	88.30	40.08	Horizontal
2	9767.3333	41.33	37.83	-32.58	46.58	88.30	41.72	Horizontal
3	10528	40.24	38.16	-30.83	47.58	88.30	40.72	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1290 of 1292

802.11ax160 MIMO_Channel 175



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8814	44.67	37.51	-33.95	48.23	88.30	40.07	Vertical
2	9896	41.39	37.87	-32.14	47.12	88.30	41.18	Vertical
3	10405	40.74	38.10	-30.69	48.15	88.30	40.15	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1291 of 1292

802.11ax160 MIMO_Channel 207



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8794.6667	44.34	37.50	-33.92	47.92	88.30	40.38	Horizontal
2	9925.6667	41.33	37.88	-32.05	47.16	88.30	41.14	Horizontal
3	10646.333	39.62	38.22	-30.47	47.37	74.00	26.63	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1292 of 1292

802.11ax160 MIMO_Channel 207



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8791	44.70	37.50	-33.95	48.25	88.30	40.05	Vertical
2	9878.3333	41.58	37.86	-32.22	47.22	88.30	41.08	Vertical
3	10401.333	40.40	38.10	-30.68	47.82	88.30	40.48	Vertical

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dBμV) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit(dBμV/m) – Level(dBμV/m)

---End of Report---