




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 311 of 471

802.11ac80_Channel 122




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5417.056	23.48	32.40	-12.71	43.17	54.00	10.83	Horizont
2	5450.6878	23.83	32.20	-12.62	43.41	54.00	10.59	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 312 of 471

802.11ac80_Channel 122




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.8749	36.15	32.23	-12.63	55.75	74.00	18.25	Vertical
2	5469.7874	36.62	32.28	-12.58	56.32	68.30	11.98	Vertical
3	5727.4237	38.51	32.50	-12.49	58.52	68.30	9.78	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 313 of 471

802.11ac80_Channel 122



Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5437.6088	24.05	32.27	-12.65	43.67	54.00	10.33	Vertical
2	5456.5008	23.99	32.23	-12.61	43.61	54.00	10.39	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304

Rev.: 01

Page: 314 of 471

802.11ac80_Channel 155




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5633.6168	35.42	32.53	-12.53	55.42	68.30	12.88	Horizont
2	5680.1151	44.08	32.50	-12.51	64.07	90.59	26.52	Horizont
3	5713.932	51.60	32.50	-12.49	71.61	109.20	37.59	Horizont
4	5723.6868	51.92	32.50	-12.49	71.93	119.31	47.38	Horizont
5	5852.4512	52.17	32.61	-12.30	72.48	116.71	44.23	Horizont
6	5868.2216	47.66	32.67	-12.23	68.10	107.20	39.10	Horizont
7	5907.2411	35.16	32.81	-12.10	55.87	81.44	25.57	Horizont
8	5944.1471	35.27	32.89	-12.10	56.06	68.30	12.24	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 315 of 471

802.11ac80_Channel 155



Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5645.1601	36.80	32.51	-12.55	56.76	68.30	11.54	Vertical
2	5668.8969	42.91	32.50	-12.53	62.88	82.28	19.40	Vertical
3	5713.4442	54.96	32.50	-12.49	74.97	109.06	34.09	Vertical
4	5723.8494	54.30	32.50	-12.49	74.31	119.68	45.37	Vertical
5	5852.1261	53.93	32.61	-12.30	74.24	117.45	43.21	Vertical
6	5868.3842	50.13	32.67	-12.23	70.57	107.15	36.58	Vertical
7	5923.3367	34.93	32.85	-12.10	55.68	69.53	13.85	Vertical
8	5948.5368	35.35	32.90	-12.10	56.15	68.30	12.15	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304

Rev.: 01

Page: 316 of 471


F9E2A

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode

802.11ax80_Channel 42



Data List								
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dBμV]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	63.8	12.06	-27.52	37.76	22.30	40.00	17.70	Horizontal
2	110.05	11.57	-27.51	39.69	23.75	43.50	19.75	Horizontal
3	162.9	8.68	-27.04	38.37	20.01	43.50	23.49	Horizontal
4	237.95	12.42	-26.37	39.11	25.16	46.00	20.84	Horizontal
5	304.55	13.47	-25.79	37.01	24.69	46.00	21.31	Horizontal
6	601.15	19.12	-24.27	33.63	28.48	46.00	17.52	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304

Rev.: 01

Page: 317 of 471



Data List								
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dBμV]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	30.75	11.05	-28.42	46.13	28.76	40.00	11.24	Vertical
2	40.65	13.30	-28.02	39.96	25.24	40.00	14.76	Vertical
3	64.1	12.10	-27.52	49.65	34.23	40.00	5.77	Vertical
4	108.9	11.71	-27.53	46.51	30.69	43.50	12.81	Vertical
5	237.95	12.42	-26.37	37.52	23.57	46.00	22.43	Vertical
6	333.25	14.17	-25.59	35.09	23.67	46.00	22.33	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400030304

Rev.: 01

Page: 318 of 471

Transmitter emission above 1GHz

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7895	58.49	37.37	-42.73	53.13	68.20	15.07	Horizontal
2	10360	54.56	38.64	-39.51	53.69	68.20	14.51	Horizontal
3	15540	54.49	39.14	-35.73	57.90	74.00	16.10	Horizontal
4	15540	43.81	39.14	-35.73	47.22	54.00	6.78	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 319 of 471

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7575	59.85	36.75	-43.55	53.05	74.00	20.95	Vertical
2	10360	54.70	38.64	-39.51	53.83	68.20	14.37	Vertical
3	15540	52.68	39.14	-35.73	56.09	74.00	17.91	Vertical
4	15540	43.47	39.14	-35.73	46.88	54.00	7.12	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 320 of 471

802.11a_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7413.5	59.71	36.77	-43.46	53.02	74.00	20.98	Horizontal
2	10440	53.15	38.84	-39.50	52.49	68.20	15.71	Horizontal
3	15660	52.67	39.14	-35.71	56.10	74.00	17.90	Horizontal
4	15660	43.60	39.14	-35.71	47.03	54.00	6.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 321 of 471

802.11a_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7450	60.01	36.70	-43.76	52.95	74.00	21.05	Vertical
2	10440	54.09	38.84	-39.50	53.43	68.20	14.77	Vertical
3	15660	53.15	39.14	-35.71	56.58	74.00	17.42	Vertical
4	15660	43.53	39.14	-35.71	46.96	54.00	7.04	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 322 of 471

802.11a_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7461	59.69	36.68	-43.84	52.53	74.00	21.47	Horizontal
2	10480	52.63	39.08	-39.50	52.21	68.20	15.99	Horizontal
3	15720	52.66	39.16	-35.90	55.92	74.00	18.08	Horizontal
4	15720	43.68	39.16	-35.90	46.94	54.00	7.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 323 of 471

802.11a_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7403	58.80	36.79	-43.37	52.22	74.00	21.78	Vertical
2	10480	54.14	39.08	-39.50	53.72	68.20	14.48	Vertical
3	15720	53.00	39.16	-35.90	56.26	74.00	17.74	Vertical
4	15720	43.70	39.16	-35.90	46.96	54.00	7.04	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 324 of 471

802.11a_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7578.5	59.04	36.74	-43.52	52.26	74.00	21.74	Horizontal
2	10520	53.80	39.22	-39.50	53.52	68.20	14.68	Horizontal
3	15780	53.72	39.34	-36.01	57.05	74.00	16.95	Horizontal
4	15780	44.33	39.34	-36.01	47.66	54.00	6.34	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 325 of 471

802.11a_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7421.5	59.01	36.76	-43.53	52.24	74.00	21.76	Vertical
2	10520	54.23	39.22	-39.50	53.95	68.20	14.25	Vertical
3	15780	53.72	39.34	-36.01	57.05	74.00	16.95	Vertical
4	15780	44.28	39.34	-36.01	47.61	54.00	6.39	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 326 of 471

802.11a_Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7207	59.71	37.11	-44.38	52.44	68.20	15.76	Horizontal
2	10600	54.69	39.30	-39.59	54.40	68.20	13.80	Horizontal
3	15900	52.76	38.50	-35.66	55.60	74.00	18.40	Horizontal
4	15900	43.55	38.50	-35.66	46.39	54.00	7.61	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 327 of 471

802.11a_Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7348	59.46	36.91	-44.01	52.36	74.00	21.64	Vertical
2	10600	54.75	39.30	-39.59	54.46	68.20	13.74	Vertical
3	15900	52.59	38.50	-35.66	55.43	74.00	18.57	Vertical
4	15900	43.67	38.50	-35.66	46.51	54.00	7.49	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 328 of 471

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7379	59.47	36.84	-43.63	52.68	74.00	21.32	Horizontal
2	10640	53.92	39.38	-39.71	53.59	74.00	20.41	Horizontal
3	15960	52.97	38.32	-36.03	55.26	74.00	18.74	Horizontal
4	15960	43.61	38.32	-36.03	45.90	54.00	8.10	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 329 of 471

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7415.5	59.13	36.77	-43.48	52.42	74.00	21.58	Vertical
2	10640	53.97	39.38	-39.71	53.64	74.00	20.36	Vertical
3	15960	53.44	38.32	-36.03	55.73	74.00	18.27	Vertical
4	15960	44.04	38.32	-36.03	46.33	54.00	7.67	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 330 of 471

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7384	59.31	36.83	-43.56	52.58	74.00	21.42	Horizontal
2	11000	54.43	39.50	-39.27	54.66	74.00	19.34	Horizontal
3	16500	54.92	38.40	-37.21	56.11	68.20	12.09	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 331 of 471

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7333	59.54	36.97	-44.01	52.50	74.00	21.50	Vertical
2	11000	54.11	39.50	-39.27	54.34	74.00	19.66	Vertical
3	16500	54.13	38.40	-37.21	55.32	68.20	12.88	Vertical
4	11000	44.74	39.50	-39.27	44.97	54.00	9.03	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 332 of 471

802.11a_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7433	59.92	36.73	-43.62	53.03	74.00	20.97	Horizontal
2	11160	54.93	39.58	-39.20	55.31	74.00	18.69	Horizontal
3	16740	54.85	38.58	-36.75	56.68	68.20	11.52	Horizontal
4	11160	45.14	39.58	-39.20	45.52	54.00	8.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 333 of 471

802.11a_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7397	59.15	36.81	-43.39	52.57	74.00	21.43	Vertical
2	11160	54.76	39.58	-39.20	55.14	74.00	18.86	Vertical
3	16740	54.27	38.58	-36.75	56.10	68.20	12.10	Vertical
4	11160	45.13	39.58	-39.20	45.51	54.00	8.49	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 334 of 471

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7612	58.83	36.72	-43.39	52.16	74.00	21.84	Horizontal
2	11400	54.58	39.70	-38.61	55.67	74.00	18.33	Horizontal
3	17100	55.11	38.30	-37.31	56.10	68.20	12.10	Horizontal
4	11400	44.97	39.70	-38.61	46.06	54.00	7.94	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 335 of 471

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7592.5	58.45	36.72	-43.40	51.77	74.00	22.23	Vertical
2	11400	56.01	39.70	-38.61	57.10	74.00	16.90	Vertical
3	17100	55.36	38.30	-37.31	56.35	68.20	11.85	Vertical
4	11400	44.83	39.70	-38.61	45.92	54.00	8.08	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 336 of 471

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7578.5	59.02	36.74	-43.52	52.24	74.00	21.76	Horizontal
2	11490	54.22	39.52	-38.54	55.20	74.00	18.80	Horizontal
3	17235	53.96	38.17	-36.30	55.83	68.20	12.37	Horizontal
4	11490	44.41	39.52	-38.54	45.39	54.00	8.61	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 337 of 471

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7626.5	59.76	36.75	-43.46	53.05	74.00	20.95	Vertical
2	11490	53.62	39.52	-38.54	54.60	74.00	19.40	Vertical
3	17235	53.49	38.17	-36.30	55.36	68.20	12.84	Vertical
4	11490	44.28	39.52	-38.54	45.26	54.00	8.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 338 of 471

802.11a_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7554	59.41	36.79	-43.73	52.47	74.00	21.53	Horizontal
2	11570	53.18	39.64	-38.55	54.27	74.00	19.73	Horizontal
3	17355	54.46	38.49	-36.56	56.39	68.20	11.81	Horizontal
4	11570	43.79	39.64	-38.55	44.88	54.00	9.12	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 339 of 471

802.11a_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7175	59.01	37.10	-43.82	52.29	68.20	15.91	Vertical
2	11570	54.01	39.64	-38.55	55.10	74.00	18.90	Vertical
3	17355	55.08	38.49	-36.56	57.01	68.20	11.19	Vertical
4	11570	43.42	39.64	-38.55	44.51	54.00	9.49	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 340 of 471

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7384.5	60.01	36.83	-43.55	53.29	74.00	20.71	Horizontal
2	11650	54.58	39.60	-38.16	56.02	74.00	17.98	Horizontal
3	17475	55.77	40.60	-37.14	59.23	68.20	8.97	Horizontal
4	11650	44.34	39.60	-38.16	45.78	54.00	8.22	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 341 of 471

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7369	59.71	36.86	-43.76	52.81	74.00	21.19	Vertical
2	11650	54.64	39.60	-38.16	56.08	74.00	17.92	Vertical
3	17475	55.29	40.60	-37.14	58.75	68.20	9.45	Vertical
4	11650	44.26	39.60	-38.16	45.70	54.00	8.30	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 342 of 471

802.11n20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7245.5	60.21	37.19	-44.08	53.32	68.20	14.88	Horizontal
2	10360	55.88	38.64	-39.51	55.01	68.20	13.19	Horizontal
3	15540	53.66	39.14	-35.73	57.07	74.00	16.93	Horizontal
4	15540	43.64	39.14	-35.73	47.05	54.00	6.95	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 343 of 471

802.11n20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7397.5	59.22	36.81	-43.38	52.65	74.00	21.35	Vertical
2	10360	53.93	38.64	-39.51	53.06	68.20	15.14	Vertical
3	15540	52.88	39.14	-35.73	56.29	74.00	17.71	Vertical
4	15540	43.50	39.14	-35.73	46.91	54.00	7.09	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 344 of 471

802.11n20_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7381.5	59.11	36.84	-43.59	52.36	74.00	21.64	Horizontal
2	10360	53.61	38.64	-39.51	52.74	68.20	15.46	Horizontal
3	15540	53.37	39.14	-35.73	56.78	74.00	17.22	Horizontal
4	15540	43.55	39.14	-35.73	46.96	54.00	7.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 345 of 471

802.11n20_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7297	59.20	37.11	-44.02	52.29	74.00	21.71	Vertical
2	10360	54.24	38.64	-39.51	53.37	68.20	14.83	Vertical
3	15540	53.12	39.14	-35.73	56.53	74.00	17.47	Vertical
4	15540	43.50	39.14	-35.73	46.91	54.00	7.09	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 346 of 471

802.11n20_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7434.5	59.38	36.73	-43.63	52.48	74.00	21.52	Horizontal
2	10480	55.00	39.08	-39.50	54.58	68.20	13.62	Horizontal
3	15720	53.89	39.16	-35.90	57.15	74.00	16.85	Horizontal
4	15720	44.33	39.16	-35.90	47.59	54.00	6.41	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 347 of 471

802.11n20_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7620.5	59.07	36.74	-43.43	52.38	74.00	21.62	Vertical
2	10480	54.34	39.08	-39.50	53.92	68.20	14.28	Vertical
3	15720	53.12	39.16	-35.90	56.38	74.00	17.62	Vertical
4	15720	44.59	39.16	-35.90	47.85	54.00	6.15	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 348 of 471

802.11n20_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7425	59.26	36.75	-43.56	52.45	74.00	21.55	Horizontal
2	10520	54.01	39.22	-39.50	53.73	68.20	14.47	Horizontal
3	15780	54.06	39.34	-36.01	57.39	74.00	16.61	Horizontal
4	15780	44.35	39.34	-36.01	47.68	54.00	6.32	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 349 of 471

802.11n20_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7433	59.99	36.73	-43.62	53.10	74.00	20.90	Vertical
2	10520	54.27	39.22	-39.50	53.99	68.20	14.21	Vertical
3	15780	53.72	39.34	-36.01	57.05	74.00	16.95	Vertical
4	15780	44.37	39.34	-36.01	47.70	54.00	6.30	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 350 of 471

802.11n20_Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7373.5	59.50	36.85	-43.70	52.65	74.00	21.35	Horizontal
2	10600	54.64	39.30	-39.59	54.35	68.20	13.85	Horizontal
3	15900	52.80	38.50	-35.66	55.64	74.00	18.36	Horizontal
4	10600	44.81	39.30	-39.59	44.52	54.00	9.48	Horizontal
5	15900	43.69	38.50	-35.66	46.53	54.00	7.47	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 351 of 471

802.11n20_Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7583	58.88	36.73	-43.48	52.13	74.00	21.87	Vertical
2	10600	54.12	39.30	-39.59	53.83	68.20	14.37	Vertical
3	15900	53.59	38.50	-35.66	56.43	74.00	17.57	Vertical
4	15900	43.40	38.50	-35.66	46.24	54.00	7.76	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 352 of 471

802.11n20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7378	58.99	36.84	-43.64	52.19	74.00	21.81	Horizontal
2	10640	54.04	39.38	-39.71	53.71	74.00	20.29	Horizontal
3	15960	53.93	38.32	-36.03	56.22	74.00	17.78	Horizontal
4	15960	44.00	38.32	-36.03	46.29	54.00	7.71	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 353 of 471

802.11n20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7334.5	59.29	36.96	-44.01	52.24	74.00	21.76	Vertical
2	10640	54.24	39.38	-39.71	53.91	74.00	20.09	Vertical
3	15960	53.92	38.32	-36.03	56.21	74.00	17.79	Vertical
4	15960	44.07	38.32	-36.03	46.36	54.00	7.64	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 354 of 471

802.11n20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7375	58.87	36.85	-43.68	52.04	74.00	21.96	Horizontal
2	11000	53.77	39.50	-39.27	54.00	74.00	20.00	Horizontal
3	16500	53.58	38.40	-37.21	54.77	68.20	13.43	Horizontal
4	11000	44.36	39.50	-39.27	44.59	54.00	9.41	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 355 of 471

802.11n20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7333	59.44	36.97	-44.01	52.40	74.00	21.60	Vertical
2	11000	54.27	39.50	-39.27	54.50	74.00	19.50	Vertical
3	16500	54.51	38.40	-37.21	55.70	68.20	12.50	Vertical
4	11000	44.23	39.50	-39.27	44.46	54.00	9.54	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 356 of 471

802.11n20_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7446	59.75	36.71	-43.73	52.73	74.00	21.27	Horizontal
2	11160	53.90	39.58	-39.20	54.28	74.00	19.72	Horizontal
3	16740	53.94	38.58	-36.75	55.77	68.20	12.43	Horizontal
4	11160	45.03	39.58	-39.20	45.41	54.00	8.59	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 357 of 471

802.11n20_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7444	59.60	36.71	-43.71	52.60	74.00	21.40	Vertical
2	11160	54.87	39.58	-39.20	55.25	74.00	18.75	Vertical
3	16740	54.29	38.58	-36.75	56.12	68.20	12.08	Vertical
4	11160	45.29	39.58	-39.20	45.67	54.00	8.33	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 358 of 471

802.11n20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7424	59.82	36.75	-43.55	53.02	74.00	20.98	Horizontal
2	11400	55.26	39.70	-38.61	56.35	74.00	17.65	Horizontal
3	17100	55.62	38.30	-37.31	56.61	68.20	11.59	Horizontal
4	11400	45.21	39.70	-38.61	46.30	54.00	7.70	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 359 of 471

802.11n20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7373.5	59.86	36.85	-43.70	53.01	74.00	20.99	Vertical
2	11400	55.10	39.70	-38.61	56.19	74.00	17.81	Vertical
3	17100	55.59	38.30	-37.31	56.58	68.20	11.62	Vertical
4	11400	45.88	39.70	-38.61	46.97	54.00	7.03	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 360 of 471

802.11n20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7382	59.44	36.84	-43.59	52.69	74.00	21.31	Horizontal
2	11490	54.93	39.52	-38.54	55.91	74.00	18.09	Horizontal
3	17235	53.56	38.17	-36.30	55.43	68.20	12.77	Horizontal
4	11490	44.50	39.52	-38.54	45.48	54.00	8.52	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 361 of 471

802.11n20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7364.5	59.81	36.87	-43.82	52.86	74.00	21.14	Vertical
2	11490	53.66	39.52	-38.54	54.64	74.00	19.36	Vertical
3	17235	53.94	38.17	-36.30	55.81	68.20	12.39	Vertical
4	11490	44.19	39.52	-38.54	45.17	54.00	8.83	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 362 of 471

802.11n20_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7364	60.36	36.87	-43.83	53.40	74.00	20.60	Horizontal
2	11570	53.09	39.64	-38.55	54.18	74.00	19.82	Horizontal
3	17355	54.45	38.49	-36.56	56.38	68.20	11.82	Horizontal
4	11570	44.00	39.64	-38.55	45.09	54.00	8.91	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 363 of 471

802.11n20_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7850	59.03	37.10	-43.28	52.85	68.20	15.35	Vertical
2	11570	53.14	39.64	-38.55	54.23	74.00	19.77	Vertical
3	17355	54.00	38.49	-36.56	55.93	68.20	12.27	Vertical
4	11570	44.04	39.64	-38.55	45.13	54.00	8.87	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 364 of 471

802.11n20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7379.5	59.92	36.84	-43.62	53.14	74.00	20.86	Horizontal
2	11650	52.69	39.60	-38.16	54.13	74.00	19.87	Horizontal
3	17475	55.39	40.60	-37.14	58.85	68.20	9.35	Horizontal
4	11650	43.84	39.60	-38.16	45.28	54.00	8.72	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 365 of 471

802.11n20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7559	59.78	36.78	-43.68	52.88	74.00	21.12	Vertical
2	11650	52.92	39.60	-38.16	54.36	74.00	19.64	Vertical
3	17475	55.30	40.60	-37.14	58.76	68.20	9.44	Vertical
4	11650	44.00	39.60	-38.16	45.44	54.00	8.56	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 366 of 471

802.11n40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7283	59.09	37.13	-44.03	52.19	74.00	21.81	Horizontal
2	10380	54.01	38.62	-39.36	53.27	68.20	14.93	Horizontal
3	15570	53.09	39.17	-35.88	56.38	74.00	17.62	Horizontal
4	15570	43.73	39.17	-35.88	47.02	54.00	6.98	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 367 of 471

802.11n40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7379.5	59.52	36.84	-43.62	52.74	74.00	21.26	Vertical
2	10380	54.23	38.62	-39.36	53.49	68.20	14.71	Vertical
3	15570	53.73	39.17	-35.88	57.02	74.00	16.98	Vertical
4	15570	43.78	39.17	-35.88	47.07	54.00	6.93	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 368 of 471

802.11n40_Channel 46




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7401	59.12	36.80	-43.36	52.56	74.00	21.44	Horizontal
2	10460	54.49	38.96	-39.55	53.90	68.20	14.30	Horizontal
3	15690	54.80	39.11	-35.72	58.19	74.00	15.81	Horizontal
4	15690	43.94	39.11	-35.72	47.33	54.00	6.67	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 369 of 471

802.11n40_Channel 46




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7426	58.99	36.75	-43.56	52.18	74.00	21.82	Vertical
2	10460	55.05	38.96	-39.55	54.46	68.20	13.74	Vertical
3	15690	53.20	39.11	-35.72	56.59	74.00	17.41	Vertical
4	15690	43.50	39.11	-35.72	46.89	54.00	7.11	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 370 of 471

802.11n40_Channel 54




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7452	60.31	36.70	-43.77	53.24	74.00	20.76	Horizontal
2	10540	55.25	39.24	-39.55	54.94	68.20	13.26	Horizontal
3	15810	55.55	39.31	-36.05	58.81	74.00	15.19	Horizontal
4	15810	44.48	39.31	-36.05	47.74	54.00	6.26	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 371 of 471

802.11n40_Channel 54




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7579	59.20	36.74	-43.52	52.42	74.00	21.58	Vertical
2	10540	53.74	39.24	-39.55	53.43	68.20	14.77	Vertical
3	15810	54.90	39.31	-36.05	58.16	74.00	15.84	Vertical
4	15810	45.01	39.31	-36.05	48.27	54.00	5.73	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 372 of 471

802.11n40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7389.5	59.14	36.82	-43.49	52.47	74.00	21.53	Horizontal
2	10620	54.74	39.34	-39.65	54.43	74.00	19.57	Horizontal
3	15930	53.76	38.41	-35.89	56.28	74.00	17.72	Horizontal
4	10620	45.30	39.34	-39.65	44.99	54.00	9.01	Horizontal
5	15930	43.92	38.41	-35.89	46.44	54.00	7.56	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 373 of 471

802.11n40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7378	58.89	36.84	-43.64	52.09	74.00	21.91	Vertical
2	10620	54.15	39.34	-39.65	53.84	74.00	20.16	Vertical
3	15930	54.84	38.41	-35.89	57.36	74.00	16.64	Vertical
4	15930	43.95	38.41	-35.89	46.47	54.00	7.53	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 374 of 471

802.11n40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7346.5	60.44	36.91	-44.01	53.34	74.00	20.66	Horizontal
2	11020	55.66	39.48	-39.29	55.85	74.00	18.15	Horizontal
3	16530	55.01	38.46	-37.07	56.40	68.20	11.80	Horizontal
4	11020	44.45	39.48	-39.29	44.64	54.00	9.36	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 375 of 471

802.11n40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7400	59.24	36.80	-43.35	52.69	74.00	21.31	Vertical
2	11020	54.19	39.48	-39.29	54.38	74.00	19.62	Vertical
3	16530	54.09	38.46	-37.07	55.48	68.20	12.72	Vertical
4	11020	44.72	39.48	-39.29	44.91	54.00	9.09	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 376 of 471

802.11n40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7438.5	59.23	36.72	-43.67	52.28	74.00	21.72	Horizontal
2	11100	54.79	39.40	-38.85	55.34	74.00	18.66	Horizontal
3	16650	54.42	38.55	-36.96	56.01	68.20	12.19	Horizontal
4	11100	45.07	39.40	-38.85	45.62	54.00	8.38	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 377 of 471

802.11n40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7397	59.11	36.81	-43.39	52.53	74.00	21.47	Vertical
2	11100	54.81	39.40	-38.85	55.36	74.00	18.64	Vertical
3	16650	54.90	38.55	-36.96	56.49	68.20	11.71	Vertical
4	11100	44.60	39.40	-38.85	45.15	54.00	8.85	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 378 of 471

802.11n40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7574	58.52	36.75	-43.56	51.71	74.00	22.29	Horizontal
2	11340	54.85	39.64	-38.95	55.54	74.00	18.46	Horizontal
3	17010	54.50	38.48	-36.57	56.41	68.20	11.79	Horizontal
4	11340	45.00	39.64	-38.95	45.69	54.00	8.31	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 379 of 471

802.11n40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7356	59.71	36.89	-43.93	52.67	74.00	21.33	Vertical
2	11340	54.76	39.64	-38.95	55.45	74.00	18.55	Vertical
3	17010	54.20	38.48	-36.57	56.11	68.20	12.09	Vertical
4	11340	45.21	39.64	-38.95	45.90	54.00	8.10	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 380 of 471

802.11n40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7443.5	59.20	36.71	-43.71	52.20	74.00	21.80	Horizontal
2	11510	53.40	39.52	-38.52	54.40	74.00	19.60	Horizontal
3	17265	54.85	38.14	-36.32	56.67	68.20	11.53	Horizontal
4	11510	43.73	39.52	-38.52	44.73	54.00	9.27	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 381 of 471

802.11n40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7566	58.80	36.77	-43.63	51.94	74.00	22.06	Vertical
2	11510	53.49	39.52	-38.52	54.49	74.00	19.51	Vertical
3	17265	54.16	38.14	-36.32	55.98	68.20	12.22	Vertical
4	11510	43.43	39.52	-38.52	44.43	54.00	9.57	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 382 of 471

802.11n40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7477.5	59.46	36.65	-43.95	52.16	74.00	21.84	Horizontal
2	11590	54.50	39.68	-38.68	55.50	74.00	18.50	Horizontal
3	17385	53.44	38.70	-36.31	55.83	68.20	12.37	Horizontal
4	11590	43.74	39.68	-38.68	44.74	54.00	9.26	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 383 of 471

802.11n40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7633	59.05	36.77	-43.49	52.33	74.00	21.67	Vertical
2	11590	54.06	39.68	-38.68	55.06	74.00	18.94	Vertical
3	17385	53.00	38.70	-36.31	55.39	68.20	12.81	Vertical
4	11590	43.42	39.68	-38.68	44.42	54.00	9.58	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 384 of 471

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7414.5	59.17	36.77	-43.47	52.47	74.00	21.53	Horizontal
2	10420	54.24	38.72	-39.35	53.61	68.20	14.59	Horizontal
3	15630	55.19	39.17	-35.91	58.45	74.00	15.55	Horizontal
4	15630	44.53	39.17	-35.91	47.79	54.00	6.21	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 385 of 471

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7390	59.40	36.82	-43.48	52.74	74.00	21.26	Vertical
2	10420	53.34	38.72	-39.35	52.71	68.20	15.49	Vertical
3	15630	53.92	39.17	-35.91	57.18	74.00	16.82	Vertical
4	15630	44.40	39.17	-35.91	47.66	54.00	6.34	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 386 of 471

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7553.5	59.43	36.79	-43.73	52.49	74.00	21.51	Horizontal
2	10580	54.54	39.28	-39.59	54.23	68.20	13.97	Horizontal
3	15870	53.27	38.77	-36.22	55.82	74.00	18.18	Horizontal
4	15870	44.46	38.77	-36.22	47.01	54.00	6.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 387 of 471

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7345.5	60.24	36.92	-44.01	53.15	74.00	20.85	Vertical
2	10580	53.31	39.28	-39.59	53.00	68.20	15.20	Vertical
3	15870	55.30	38.77	-36.22	57.85	74.00	16.15	Vertical
4	15870	44.40	38.77	-36.22	46.95	54.00	7.05	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 388 of 471

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7567	59.34	36.77	-43.62	52.49	74.00	21.51	Horizontal
2	11060	54.60	39.44	-39.22	54.82	74.00	19.18	Horizontal
3	16590	54.58	38.58	-36.52	56.64	68.20	11.56	Horizontal
4	11060	45.13	39.44	-39.22	45.35	54.00	8.65	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 389 of 471

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7373.5	59.87	36.85	-43.70	53.02	74.00	20.98	Vertical
2	11060	53.68	39.44	-39.22	53.90	74.00	20.10	Vertical
3	16590	53.34	38.58	-36.52	55.40	68.20	12.80	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 390 of 471

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7356.5	59.09	36.89	-43.92	52.06	74.00	21.94	Horizontal
2	11220	55.22	39.68	-39.04	55.86	74.00	18.14	Horizontal
3	16830	55.70	38.73	-36.41	58.02	68.20	10.18	Horizontal
4	11220	45.24	39.68	-39.04	45.88	54.00	8.12	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 391 of 471

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7462.5	59.50	36.68	-43.85	52.33	74.00	21.67	Vertical
2	11220	54.35	39.68	-39.04	54.99	74.00	19.01	Vertical
3	16830	54.92	38.73	-36.41	57.24	68.20	10.96	Vertical
4	11220	44.94	39.68	-39.04	45.58	54.00	8.42	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 392 of 471

802.11ac80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7572.5	59.28	36.76	-43.57	52.47	74.00	21.53	Horizontal
2	11550	53.23	39.60	-38.42	54.41	74.00	19.59	Horizontal
3	17325	53.79	38.28	-36.36	55.71	68.20	12.49	Horizontal
4	11550	43.96	39.60	-38.42	45.14	54.00	8.86	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 393 of 471

802.11ac80_Channel 155



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7632	59.34	36.76	-43.48	52.62	74.00	21.38	Vertical
2	11550	52.48	39.60	-38.42	53.66	74.00	20.34	Vertical
3	17325	53.61	38.28	-36.36	55.53	68.20	12.67	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 394 of 471

Restricted bands around fundamental frequency

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.8224	38.19	33.59	-15.52	56.26	74.00	17.74	Horizontal
2	5148.9545	38.05	33.60	-15.56	56.09	74.00	17.91	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 395 of 471

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.1336	19.08	33.59	-15.54	37.13	54.00	16.87	Horizontal
2	5149.4447	19.34	33.60	-15.57	37.37	54.00	16.63	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 396 of 471

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.7524	39.24	33.59	-15.52	57.31	74.00	16.69	Vertical
2	5148.2541	40.19	33.60	-15.55	58.24	74.00	15.76	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 397 of 471

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.5343	25.04	33.60	-15.56	43.08	54.00	10.92	Vertical
2	5149.7949	25.41	33.60	-15.57	43.44	54.00	10.56	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 398 of 471

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.7509	37.80	33.20	-15.15	55.85	74.00	18.15	Horizontal
2	5358.6543	38.19	33.18	-15.24	56.13	74.00	17.87	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 399 of 471

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.2761	18.39	33.20	-15.16	36.43	54.00	17.57	Horizontal
2	5356.7034	18.51	33.19	-15.22	36.48	54.00	17.52	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 400 of 471

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.1506	39.33	33.20	-15.14	57.39	74.00	16.61	Vertical
2	5357.5288	39.07	33.18	-15.23	57.02	74.00	16.98	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 401 of 471

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.4752	22.11	33.20	-15.14	40.17	54.00	13.83	Vertical
2	5355.0525	21.79	33.19	-15.20	39.78	54.00	14.22	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 402 of 471

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.4297	38.19	33.34	-14.82	56.71	74.00	17.29	Horizontal
2	5469.0645	37.93	33.29	-14.82	56.40	68.30	11.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 403 of 471

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.937	18.06	33.38	-14.81	36.63	54.00	17.37	Horizontal
2	5459.7899	18.16	33.34	-14.82	36.68	54.00	17.32	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 404 of 471

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.7899	38.56	33.34	-14.82	57.08	74.00	16.92	Vertical
2	5469.0645	38.57	33.29	-14.82	57.04	68.30	11.26	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 405 of 471

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.4252	19.87	33.40	-14.81	38.46	54.00	15.54	Vertical
2	5459.0695	19.93	33.35	-14.82	38.46	54.00	15.54	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 406 of 471

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.9485	38.61	33.72	-14.86	57.47	68.30	10.83	Horizontal
2	5731.4507	38.27	33.75	-14.85	57.17	68.30	11.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 407 of 471

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.2226	21.31	33.70	-14.88	40.13	54.00	13.87	Horizontal
2	5727.0985	19.70	33.72	-14.86	38.56	54.00	15.44	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 408 of 471

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.7984	39.41	33.71	-14.87	58.25	68.30	10.05	Vertical
2	5728.6743	38.25	33.73	-14.84	57.14	68.30	11.16	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 409 of 471

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.1476	22.96	33.70	-14.88	41.78	54.00	12.22	Vertical
2	5730.025	19.98	33.74	-14.83	38.89	54.00	15.11	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 410 of 471

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5648.1641	37.69	33.30	-14.61	56.38	68.30	11.92	Horizontal
2	5681.7809	38.98	33.43	-14.58	57.83	91.82	33.99	Horizontal
3	5708.7544	38.25	33.57	-14.91	56.91	107.75	50.84	Horizontal
4	5722.9215	44.01	33.68	-14.91	62.78	117.56	54.78	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 411 of 471

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.1621	38.37	33.31	-14.81	56.87	68.30	11.43	Vertical
2	5695.7879	38.35	33.48	-14.53	57.30	102.18	44.88	Vertical
3	5718.039	39.59	33.64	-14.95	58.28	110.35	52.07	Vertical
4	5723.962	45.94	33.69	-14.90	64.73	119.93	55.20	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 412 of 471

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.2236	38.09	34.11	-12.89	59.31	117.23	57.92	Horizontal
2	5866.916	39.11	34.17	-12.92	60.36	107.56	47.20	Horizontal
3	5895.3102	38.54	34.28	-12.99	59.83	90.27	30.44	Horizontal
4	5935.5903	37.89	34.37	-13.24	59.02	68.30	9.28	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 413 of 471

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.4807	37.84	34.11	-12.88	59.07	118.92	59.85	Vertical
2	5864.027	37.81	34.16	-12.91	59.06	108.37	49.31	Vertical
3	5889.3672	37.47	34.26	-12.97	58.76	94.67	35.91	Vertical
4	5930.5553	39.48	34.36	-13.21	60.63	68.30	7.67	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 414 of 471

802.11n20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.5538	39.73	33.60	-15.55	57.78	74.00	16.22	Horizontal
2	5149.3747	39.99	33.60	-15.56	58.03	74.00	15.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 415 of 471

802.11n20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.9935	22.43	33.59	-15.54	40.48	54.00	13.52	Horizontal
2	5149.7949	23.40	33.60	-15.57	41.43	54.00	12.57	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 416 of 471

802.11n20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.982	42.90	33.59	-15.52	60.97	74.00	13.03	Vertical
2	5149.3747	41.01	33.60	-15.56	59.05	74.00	14.95	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 417 of 471

802.11n20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.5538	25.57	33.60	-15.55	43.62	54.00	10.38	Vertical
2	5149.7249	26.53	33.60	-15.57	44.56	54.00	9.44	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 418 of 471

802.11n20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.0755	39.93	33.20	-15.14	57.99	74.00	16.01	Horizontal
2	5352.8764	42.02	33.19	-15.17	60.04	74.00	13.96	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 419 of 471

802.11n20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.1	23.90	33.20	-15.13	41.97	54.00	12.03	Horizontal
2	5355.2776	23.43	33.19	-15.20	41.42	54.00	12.58	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 420 of 471

802.11n20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.5258	39.81	33.20	-15.15	57.86	74.00	16.14	Vertical
2	5355.5778	39.20	33.19	-15.20	57.19	74.00	16.81	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 421 of 471

802.11n20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.1506	22.92	33.20	-15.14	40.98	54.00	13.02	Vertical
2	5354.7524	22.13	33.19	-15.19	40.13	54.00	13.87	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 422 of 471

802.11n20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.2591	39.55	33.35	-14.82	58.08	74.00	15.92	Horizontal
2	5469.6948	40.36	33.28	-14.82	58.82	68.30	9.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 423 of 471

802.11n20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.0365	21.33	33.38	-14.81	39.90	54.00	14.10	Horizontal
2	5457.989	21.49	33.35	-14.82	40.02	54.00	13.98	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 424 of 471

802.11n20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.6193	38.32	33.35	-14.82	56.85	74.00	17.15	Vertical
2	5467.984	40.87	33.29	-14.82	59.34	68.30	8.96	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 425 of 471

802.11n20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.1266	19.57	33.38	-14.81	38.14	54.00	15.86	Vertical
2	5459.97	19.80	33.34	-14.82	38.32	54.00	15.68	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 426 of 471

802.11n20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.1476	44.90	33.70	-14.88	63.72	68.30	4.58	Horizontal
2	5726.1231	42.84	33.71	-14.87	61.68	68.30	6.62	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 427 of 471

802.11n20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.0725	28.50	33.70	-14.88	47.32	54.00	6.68	Horizontal
2	5725.8229	26.23	33.71	-14.88	45.06	54.00	8.94	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 428 of 471

802.11n20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.2226	45.40	33.70	-14.88	64.22	68.30	4.08	Vertical
2	5725.6728	42.03	33.71	-14.88	60.86	68.30	7.44	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 429 of 471

802.11n20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.1476	28.99	33.70	-14.88	47.81	54.00	6.19	Vertical
2	5725.2976	28.54	33.70	-14.88	47.36	54.00	6.64	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 430 of 471

802.11n20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5648.084	38.50	33.30	-14.61	57.19	68.30	11.11	Horizontal
2	5691.1456	38.05	33.46	-14.63	56.88	98.75	41.87	Horizontal
3	5714.8374	40.17	33.62	-14.96	58.83	109.45	50.62	Horizontal
4	5724.2821	53.14	33.69	-14.89	71.94	120.66	48.72	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 431 of 471

802.11n20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5647.6838	38.20	33.30	-14.63	56.87	68.30	11.43	Vertical
2	5686.3432	38.18	33.45	-14.62	57.01	95.19	38.18	Vertical
3	5712.3562	38.53	33.60	-14.97	57.16	108.76	51.60	Vertical
4	5724.2021	51.69	33.69	-14.89	70.49	120.48	49.99	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 432 of 471

802.11n20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.9855	37.93	34.10	-12.88	59.15	120.05	60.90	Horizontal
2	5864.6873	39.29	34.16	-12.92	60.53	108.19	47.66	Horizontal
3	5890.6053	37.22	34.26	-12.98	58.50	93.75	35.25	Horizontal
4	5934.5998	38.59	34.37	-13.24	59.72	68.30	8.58	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 433 of 471

802.11n20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.6458	37.94	34.11	-12.88	59.17	118.55	59.38	Vertical
2	5861.1381	38.15	34.14	-12.91	59.38	109.18	49.80	Vertical
3	5884.3322	38.29	34.24	-12.96	59.57	98.39	38.82	Vertical
4	5931.8759	38.23	34.36	-13.22	59.37	68.30	8.93	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 434 of 471

802.11n40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.9245	49.96	33.60	-15.56	68.00	74.00	6.00	Horizontal
2	5352.5763	38.01	33.19	-15.16	56.04	74.00	17.96	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 435 of 471

802.11n40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8249	32.34	33.60	-15.57	50.37	54.00	3.63	Horizontal
2	5354.3772	19.20	33.19	-15.19	37.20	54.00	16.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 436 of 471

802.11n40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.8739	44.78	33.60	-15.55	62.83	74.00	11.17	Vertical
2	5352.8764	37.78	33.19	-15.17	55.80	74.00	18.20	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 437 of 471

802.11n40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8249	32.90	33.60	-15.57	50.93	54.00	3.07	Vertical
2	5360.6803	18.80	33.18	-15.27	36.71	54.00	17.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 438 of 471

802.11n40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139.3197	38.00	33.58	-15.49	56.09	74.00	17.91	Horizontal
2	5350.6253	44.24	33.20	-15.14	62.30	74.00	11.70	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 439 of 471

802.11n40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.024	18.74	33.60	-15.55	36.79	54.00	17.21	Horizontal
2	5350.4752	29.20	33.20	-15.14	47.26	54.00	6.74	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 440 of 471

802.11n40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.7209	38.85	33.58	-15.50	56.93	74.00	17.07	Vertical
2	5354.9775	44.69	33.19	-15.19	62.69	74.00	11.31	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 441 of 471

802.11n40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.7744	18.60	33.60	-15.56	36.64	54.00	17.36	Vertical
2	5350.9255	32.29	33.20	-15.14	50.35	54.00	3.65	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 442 of 471

802.11n40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.7844	41.28	33.35	-14.82	59.81	74.00	14.19	Horizontal
2	5468.7494	45.21	33.29	-14.82	63.68	68.30	4.62	Horizontal
3	5731.1606	38.35	33.75	-14.85	57.25	68.30	11.05	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 443 of 471

802.11n40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.6703	23.25	33.37	-14.82	41.80	54.00	12.20	Horizontal
2	5459.6148	25.94	33.34	-14.82	44.46	54.00	9.54	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 444 of 471

802.11n40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.5768	39.15	33.35	-14.82	57.68	74.00	16.32	Vertical
2	5467.0885	44.46	33.30	-14.82	62.94	68.30	5.36	Vertical
3	5734.067	38.84	33.77	-14.90	57.71	68.30	10.59	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 445 of 471

802.11n40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.2171	22.22	33.37	-14.81	40.78	54.00	13.22	Vertical
2	5459.6148	24.84	33.34	-14.82	43.36	54.00	10.64	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 446 of 471

802.11n40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.8954	38.29	33.39	-14.81	56.87	74.00	17.13	Horizontal
2	5469.3722	38.07	33.28	-14.82	56.53	68.30	11.77	Horizontal
3	5726.8009	40.67	33.71	-14.87	59.51	68.30	8.79	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 447 of 471

802.11n40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433.2491	17.79	33.30	-14.86	36.23	54.00	17.77	Horizontal
2	5458.992	17.69	33.35	-14.82	36.22	54.00	17.78	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 448 of 471

802.11n40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.916	37.91	33.36	-14.82	56.45	74.00	17.55	Vertical
2	5464.5973	38.49	33.31	-14.82	56.98	68.30	11.32	Vertical
3	5730.7454	40.51	33.75	-14.84	59.42	68.30	8.88	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 449 of 471

802.11n40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5440.5153	17.77	33.34	-14.87	36.24	54.00	17.76	Vertical
2	5457.5388	17.77	33.35	-14.82	36.30	54.00	17.70	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 450 of 471

802.11n40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.7949	35.39	33.32	-15.00	53.71	68.30	14.59	Horizontal
2	5681.7409	36.40	33.43	-14.58	55.25	91.79	36.54	Horizontal
3	5713.4442	53.46	33.61	-14.97	72.10	109.06	36.96	Horizontal
4	5724.1746	57.78	33.69	-14.89	76.58	120.42	43.84	Horizontal
5	5852.7764	35.50	34.11	-14.46	55.15	115.97	60.82	Horizontal
6	5869.0345	34.83	34.18	-14.51	54.50	106.97	52.47	Horizontal
7	5890.4952	35.42	34.26	-14.63	55.05	93.83	38.78	Horizontal
8	5935.2051	33.92	34.37	-14.51	53.78	68.30	14.52	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 451 of 471

802.11n40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5647.7614	35.43	33.30	-14.63	54.10	68.30	14.20	Vertical
2	5691.1706	38.57	33.46	-14.63	57.40	98.77	41.37	Vertical
3	5712.4687	54.65	33.60	-14.97	73.28	108.79	35.51	Vertical
4	5724.8249	58.89	33.70	-14.89	77.70	121.90	44.20	Vertical
5	5850.988	34.38	34.10	-14.34	54.14	120.05	65.91	Vertical
6	5870.8229	34.39	34.18	-14.48	54.09	106.47	52.38	Vertical
7	5896.9985	34.67	34.29	-14.62	54.34	89.02	34.68	Vertical
8	5937.8064	34.25	34.38	-14.58	54.05	68.30	14.25	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 452 of 471

802.11n40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5645.1601	35.44	33.31	-14.76	53.99	68.30	14.31	Horizontal
2	5684.9925	34.40	33.44	-14.61	53.23	94.19	40.96	Horizontal
3	5706.4532	34.53	33.55	-14.79	53.29	107.11	53.82	Horizontal
4	5724.4998	36.48	33.70	-14.89	55.29	121.16	65.87	Horizontal
5	5851.6383	35.36	34.11	-14.39	55.08	118.56	63.48	Horizontal
6	5863.6693	35.25	34.15	-14.76	54.64	108.47	53.83	Horizontal
7	5895.3727	33.93	34.28	-14.62	53.59	90.22	36.63	Horizontal
8	5935.6928	33.75	34.37	-14.53	53.59	68.30	14.71	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 453 of 471

802.11n40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.3962	34.61	33.32	-14.89	53.04	68.30	15.26	Vertical
2	5687.919	34.66	33.45	-14.63	53.48	96.36	42.88	Vertical
3	5711.6558	35.34	33.59	-14.97	53.96	108.56	54.60	Vertical
4	5723.1991	36.62	33.69	-14.90	55.41	118.19	62.78	Vertical
5	5852.939	35.63	34.11	-14.47	55.27	115.60	60.33	Vertical
6	5863.019	34.95	34.15	-14.79	54.31	108.65	54.34	Vertical
7	5892.1211	34.61	34.27	-14.63	54.25	92.63	38.38	Vertical
8	5933.5793	34.06	34.37	-14.48	53.95	68.30	14.35	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 454 of 471

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.1741	44.04	33.60	-15.55	62.09	74.00	11.91	Horizontal
2	5350.6253	37.51	33.20	-15.14	55.57	74.00	18.43	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 455 of 471

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8249	32.55	33.60	-15.57	50.58	54.00	3.42	Horizontal
2	5352.1261	19.46	33.20	-15.16	37.50	54.00	16.50	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 456 of 471

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2231	45.85	33.59	-15.54	63.90	74.00	10.10	Vertical
2	5350.9255	38.57	33.20	-15.14	56.63	74.00	17.37	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 457 of 471

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.975	32.03	33.60	-15.57	50.06	54.00	3.94	Vertical
2	5351.5258	19.95	33.20	-15.15	38.00	54.00	16.00	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 458 of 471

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.7239	37.39	33.60	-15.55	55.44	74.00	18.56	Horizontal
2	5352.7264	40.20	33.19	-15.17	58.22	74.00	15.78	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 459 of 471

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.6748	19.44	33.60	-15.57	37.47	54.00	16.53	Horizontal
2	5350.3252	31.33	33.20	-15.13	49.40	54.00	4.60	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 460 of 471

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.3242	38.41	33.60	-15.55	56.46	74.00	17.54	Vertical
2	5350.4752	43.71	33.20	-15.14	61.77	74.00	12.23	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 461 of 471

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.2246	19.64	33.60	-15.56	37.68	54.00	16.32	Vertical
2	5350.3252	31.65	33.20	-15.13	49.72	54.00	4.28	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 462 of 471

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.4802	44.89	33.40	-14.81	63.48	74.00	10.52	Horizontal
2	5468.5418	45.27	33.29	-14.82	63.74	68.30	4.56	Horizontal
3	5726.3857	39.97	33.71	-14.87	58.81	68.30	9.49	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 463 of 471

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.3312	30.92	33.36	-14.82	49.46	54.00	4.54	Horizontal
2	5459.8224	31.76	33.34	-14.82	50.28	54.00	3.72	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 464 of 471

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.8399	43.66	33.37	-14.81	62.22	74.00	11.78	Vertical
2	5465.6353	46.20	33.31	-14.82	64.69	68.30	3.61	Vertical
3	5727.6313	38.00	33.72	-14.86	56.86	68.30	11.44	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 465 of 471

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.2551	30.88	33.37	-14.82	49.43	54.00	4.57	Vertical
2	5459.8224	32.32	33.34	-14.82	50.84	54.00	3.16	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 466 of 471

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.1236	38.39	33.36	-14.82	56.93	74.00	17.07	Horizontal
2	5469.7874	38.75	33.28	-14.82	57.21	68.30	11.09	Horizontal
3	5726.8009	38.97	33.71	-14.87	57.81	68.30	10.49	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 467 of 471

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.1206	18.91	33.38	-14.83	37.46	54.00	16.54	Horizontal
2	5457.954	19.07	33.35	-14.82	37.60	54.00	16.40	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 468 of 471

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.5388	38.07	33.35	-14.82	56.60	74.00	17.40	Vertical
2	5469.7874	37.92	33.28	-14.82	56.38	68.30	11.92	Vertical
3	5727.6313	39.19	33.72	-14.86	58.05	68.30	10.25	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 469 of 471

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5436.5708	18.03	33.32	-14.87	36.48	54.00	17.52	Vertical
2	5458.5768	18.00	33.35	-14.82	36.53	54.00	17.47	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 470 of 471

802.11ac80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5645.6478	37.38	33.31	-14.73	55.96	68.30	12.34	Horizontal
2	5678.0015	46.07	33.41	-14.57	64.91	89.02	24.11	Horizontal
3	5705.9655	54.23	33.55	-14.77	73.01	106.97	33.96	Horizontal
4	5724.9875	55.31	33.70	-14.89	74.12	122.27	48.15	Horizontal
5	5851.3132	52.61	34.11	-14.37	72.35	119.31	46.96	Horizontal
6	5863.019	48.33	34.15	-14.79	67.69	108.65	40.96	Horizontal
7	5885.6178	41.67	34.24	-14.66	61.25	97.44	36.19	Horizontal
8	5931.4657	36.68	34.36	-14.43	56.61	68.30	11.69	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 471 of 471

802.11ac80_Channel 155



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5643.5343	37.88	33.31	-14.84	56.35	68.30	11.95	Vertical
2	5682.2286	46.56	33.43	-14.59	65.40	92.15	26.75	Vertical
3	5715.5578	54.65	33.62	-14.96	73.31	109.66	36.35	Vertical
4	5723.8494	55.64	33.69	-14.90	74.43	119.68	45.25	Vertical
5	5851.4757	52.41	34.11	-14.38	72.14	118.94	46.80	Vertical
6	5861.068	50.60	34.14	-14.88	69.86	109.20	39.34	Vertical
7	5884.9675	42.25	34.24	-14.67	61.82	97.92	36.10	Vertical
8	5933.2541	37.23	34.37	-14.47	57.13	68.30	11.17	Vertical

---End of Report---