



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104


Rev.: Amendment 02

Page: 92 of 177

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: 11g ANT2_Channel 01



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	42.61	39.63	-33.82	18.76	24.58	40.00	15.42	Horizontal
2	50.1275	34.26	-33.69	18.59	19.16	40.00	20.84	Horizontal
3	66.375	37.56	-33.47	17.23	21.32	40.00	18.68	Horizontal
4	82.865	44.26	-33.32	14.51	25.46	40.00	14.54	Horizontal
5	95.7175	35.26	-33.18	14.26	16.33	43.50	27.17	Horizontal
6	140.8225	34.29	-32.76	18.44	19.97	43.50	23.53	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 93 of 177

11g ANT2_Channel 01



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	41.155	51.24	-33.84	18.78	36.18	40.00	3.82	Vertical
2	46.2475	46.58	-33.75	19.05	31.88	40.00	8.12	Vertical
3	66.375	40.16	-33.47	17.23	23.92	40.00	16.08	Vertical
4	73.4075	39.68	-33.39	15.86	22.15	40.00	17.85	Vertical
5	80.6825	47.96	-33.33	14.56	29.18	40.00	10.82	Vertical
6	120.4525	42.35	-32.91	16.98	26.42	43.50	17.08	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Value = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Value(dBμV/m)
- All channels have been tested, but only the worst case data displayed in this report.



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 94 of 177

Transmitter emission Above 1GHz

802.11b ANT3_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824	60.92	32.81	-41.43	52.30	74.00	23.20	Horizontal
2	8155.5	45.25	37.18	-36.29	46.14	74.00	27.86	Horizontal
3	10918.5	40.75	38.36	-30.57	48.54	74.00	25.46	Horizontal
4	4824.5	59.24	32.81	-41.43	50.63	54.00	3.37	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 95 of 177

802.11b ANT3_Channel 01



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824	50.39	32.81	-41.43	41.77	74.00	32.23	Vertical
2	6655.5	46.23	35.86	-38.87	43.22	74.00	30.78	Vertical
3	8779	45.18	37.49	-35.01	47.66	74.00	26.34	Vertical
4	4824.5	47.09	32.81	-41.43	38.48	54.00	15.52	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 96 of 177

802.11b ANT3_Channel 06



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	61.53	32.92	-41.28	53.17	74.00	20.83	Horizontal
2	7285	47.58	36.34	-37.47	46.46	74.00	27.54	Horizontal
3	9411.5	43.95	37.72	-33.76	47.91	74.00	26.09	Horizontal
4	4874.5	58.87	32.92	-41.28	50.52	54.00	3.48	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 97 of 177

802.11b ANT3_Channel 06




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	52.25	32.92	-41.28	43.89	74.00	30.11	Vertical
2	7266	46.34	36.32	-37.60	45.06	74.00	28.94	Vertical
3	10427.5	40.70	38.11	-31.37	47.44	74.00	26.56	Vertical
4	4874.5	46.96	32.92	-41.28	38.61	54.00	15.39	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 98 of 177

802.11b ANT3_Channel 11



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924	60.37	33.03	-41.26	52.14	74.00	21.86	Horizontal
2	7707	46.35	36.81	-37.30	45.86	74.00	28.14	Horizontal
3	9491.5	43.99	37.75	-33.87	47.87	74.00	26.13	Horizontal
4	4924.5	58.37	33.03	-41.27	50.14	54.00	3.86	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 99 of 177

802.11b ANT3_Channel 11



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4923.5	52.30	33.03	-41.26	44.07	74.00	29.93	Vertical
2	6812	47.00	35.92	-38.44	44.48	74.00	29.52	Vertical
3	8737	45.59	37.47	-35.23	47.82	74.00	26.18	Vertical
4	4924.5	49.38	33.03	-41.27	41.15	54.00	12.85	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 100 of 177

802.11g ANT3_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824.5	58.18	32.81	-41.43	49.57	74.00	24.43	Horizontal
2	7238	48.79	36.29	-37.79	47.28	74.00	26.72	Horizontal
3	9417	44.52	37.73	-33.77	48.47	74.00	25.53	Horizontal
4	4829	48.84	32.82	-41.41	40.25	54.00	13.75	Horizontal
5	7233	39.94	36.28	-37.83	38.39	54.00	15.61	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 101 of 177

802.11g ANT3_Channel 01



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4818.5	50.24	32.80	-41.44	41.60	74.00	32.40	Vertical
2	6709	47.70	35.88	-38.74	44.84	74.00	29.16	Vertical
3	8829	46.01	37.51	-34.93	48.59	74.00	25.41	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 102 of 177

802.11g ANT3_Channel 06



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4866.5	61.89	32.91	-41.30	53.50	74.00	20.50	Horizontal
2	7309	50.71	36.37	-37.41	49.67	74.00	24.33	Horizontal
3	9424	44.42	37.73	-33.78	48.37	74.00	25.63	Horizontal
4	4875	54.33	32.93	-41.28	45.98	54.00	8.02	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 103 of 177

802.11g ANT3_Channel 06



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4864	52.13	32.90	-41.31	43.72	74.00	30.28	Vertical
2	7904	47.27	37.00	-36.66	47.62	74.00	26.38	Vertical
3	11053	40.38	38.40	-30.20	48.58	74.00	25.42	Vertical
4	4876	43.55	32.93	-41.27	35.21	54.00	18.79	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 104 of 177

802.11g ANT3_Channel 11



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4927	62.23	33.04	-41.27	54.00	74.00	20.00	Horizontal
2	7386	51.92	36.46	-37.82	50.57	74.00	23.43	Horizontal
3	9385.5	45.15	37.72	-33.81	49.06	74.00	24.94	Horizontal
4	4919	53.88	33.02	-41.25	45.65	54.00	8.35	Horizontal
5	7386.5	42.70	36.46	-37.82	41.35	54.00	12.65	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 105 of 177

802.11g ANT3_Channel 11



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4925	52.21	33.04	-41.27	43.98	74.00	30.02	Vertical
2	7393	48.17	36.47	-37.85	46.79	74.00	27.21	Vertical
3	9421.5	44.96	37.73	-33.78	48.91	74.00	25.09	Vertical
4	4924	44.30	33.03	-41.26	36.07	54.00	17.93	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 106 of 177

802.11b ANT 2_Channel 01



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824	59.44	32.81	-41.43	50.82	74.00	23.18	Horizontal
2	7232	55.96	36.28	-37.84	54.40	74.00	19.60	Horizontal
3	9490	44.97	37.75	-33.87	48.85	74.00	25.15	Horizontal
4	4824.5	57.64	32.81	-41.43	49.03	54.00	4.97	Horizontal
5	7235	45.56	36.28	-37.82	44.03	54.00	9.97	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 107 of 177

802.11b ANT 2_Channel 01



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824	56.27	32.81	-41.43	47.65	74.00	26.35	Vertical
2	7235	56.02	36.28	-37.82	54.49	74.00	19.51	Vertical
3	9419	44.23	37.73	-33.77	48.18	74.00	25.82	Vertical
4	4824.5	53.31	32.81	-41.43	44.70	54.00	9.30	Vertical
5	7235	43.21	36.28	-37.82	41.68	54.00	12.32	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 108 of 177

802.11b ANT2_Channel 06



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	61.49	32.92	-41.28	53.13	74.00	20.87	Horizontal
2	7311.5	47.57	36.37	-37.42	46.52	74.00	27.48	Horizontal
3	9403	44.18	37.72	-33.75	48.15	74.00	25.85	Horizontal
4	4874.5	58.97	32.92	-41.28	50.62	54.00	3.38	Horizontal
5	7310.5	40.16	36.37	-37.42	39.12	54.00	14.88	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 109 of 177

802.11b ANT2_Channel 06



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874	56.57	32.92	-41.28	48.21	74.00	25.79	Vertical
2	7310	47.25	36.37	-37.41	46.21	74.00	27.79	Vertical
3	9891	42.74	37.87	-32.63	47.98	74.00	26.02	Vertical
4	4874.5	53.76	32.92	-41.28	45.41	54.00	8.59	Vertical
5	7310	40.05	36.37	-37.41	39.01	54.00	14.99	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 110 of 177

802.11b ANT2_Channel 11



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924	61.48	33.03	-41.26	53.25	74.00	20.75	Horizontal
2	7384.5	51.07	36.46	-37.81	49.72	74.00	24.28	Horizontal
3	9439	44.12	37.73	-33.80	48.05	74.00	25.95	Horizontal
4	4924.5	59.14	33.03	-41.27	50.91	54.00	3.09	Horizontal
5	7385.5	46.11	36.46	-37.81	44.76	54.00	9.24	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 111 of 177

802.11b ANT2_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924	53.66	33.03	-41.26	45.43	74.00	28.57	Vertical
2	7387.5	59.03	36.47	-37.82	57.67	74.00	16.33	Vertical
3	9427	45.07	37.73	-33.79	49.01	74.00	24.99	Vertical
4	4924.5	49.65	33.03	-41.27	41.42	54.00	12.58	Vertical
5	7385	45.44	36.46	-37.81	44.09	54.00	9.91	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 112 of 177

802.11g ANT2_Channel 01



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4820.5	61.96	32.81	-41.44	53.33	74.00	20.67	Horizontal
2	7238.5	55.02	36.29	-37.79	53.52	74.00	20.48	Horizontal
3	9401	45.02	37.72	-33.75	48.99	74.00	25.01	Horizontal
4	4826.5	53.94	32.82	-41.42	45.34	54.00	8.66	Horizontal
5	7239.5	46.00	36.29	-37.78	44.50	54.00	9.50	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 113 of 177

802.11g ANT2_Channel 01



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4830	51.65	32.83	-41.41	43.07	74.00	30.93	Vertical
2	7222.5	55.45	36.27	-37.90	53.81	74.00	20.19	Vertical
3	9423.5	44.06	37.73	-33.78	48.01	74.00	25.99	Vertical
4	4824.5	43.27	32.81	-41.43	34.66	54.00	19.34	Vertical
5	7236.5	40.17	36.28	-37.80	38.65	54.00	15.35	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 114 of 177

802.11g ANT2_Channel 06



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4877	60.88	32.93	-41.27	52.54	74.00	21.46	Horizontal
2	7311	51.69	36.37	-37.42	50.64	74.00	23.36	Horizontal
3	9450	44.06	37.74	-33.82	47.98	74.00	26.02	Horizontal
4	4872.5	53.33	32.92	-41.28	44.97	54.00	9.03	Horizontal
5	7308	41.33	36.37	-37.40	40.30	54.00	13.70	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 115 of 177

802.11g ANT2_Channel 06



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.5	51.92	32.92	-41.28	43.57	74.00	30.43	Vertical
2	7304	47.16	36.36	-37.38	46.14	74.00	27.86	Vertical
3	9378.5	45.23	37.71	-33.84	49.11	74.00	24.89	Vertical
4	4875	43.35	32.93	-41.28	35.00	54.00	19.00	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 116 of 177

802.11g ANT2_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4923	61.53	33.03	-41.26	53.30	74.00	20.70	Horizontal
2	7388.5	51.29	36.47	-37.83	49.93	74.00	24.07	Horizontal
3	9387	44.16	37.72	-33.80	48.07	74.00	25.93	Horizontal
4	4923	53.44	33.03	-41.26	45.21	54.00	8.79	Horizontal
5	7384	41.92	36.46	-37.81	40.58	54.00	13.42	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 117 of 177

802.11g ANT2_Channel 11



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4920.5	52.50	33.03	-41.26	44.27	74.00	29.73	Vertical
2	7389	48.46	36.47	-37.83	47.10	74.00	26.90	Vertical
3	9424.5	45.74	37.73	-33.78	49.69	74.00	24.31	Vertical
4	4926	44.25	33.04	-41.27	36.02	54.00	17.98	Vertical
5	7388	39.42	36.47	-37.83	38.06	54.00	15.94	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 118 of 177

802.11n20 MIMO_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4825	54.60	32.82	-41.43	45.99	74.00	28.01	Horizontal
2	6703.5	47.96	35.88	-38.76	45.08	74.00	28.92	Horizontal
3	9436.5	44.22	37.73	-33.80	48.15	74.00	25.85	Horizontal
4	4821.5	46.41	32.81	-41.44	37.78	54.00	16.22	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 119 of 177

802.11n20 MIMO_Channel 01



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4822	50.14	32.81	-41.43	41.51	74.00	32.49	Vertical
2	7409	46.13	36.49	-37.88	44.74	74.00	29.26	Vertical
3	10705	40.39	38.25	-30.58	48.06	74.00	25.94	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 120 of 177

802.11n20 MIMO_Channel 06



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4882	60.81	32.94	-41.25	52.50	74.00	21.50	Horizontal
2	7301	50.61	36.36	-37.37	49.61	74.00	24.39	Horizontal
3	11025.5	41.64	38.40	-30.16	49.88	74.00	24.12	Horizontal
4	4875.5	50.51	32.93	-41.27	42.16	54.00	11.84	Horizontal
5	7310.5	39.12	36.37	-37.42	38.08	54.00	15.92	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 121 of 177

802.11n20 MIMO_Channel 06




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.5	52.18	32.92	-41.28	43.83	74.00	30.17	Vertical
2	6927.5	47.50	35.97	-38.34	45.13	74.00	28.87	Vertical
3	9416.5	44.70	37.72	-33.77	48.65	74.00	25.35	Vertical
4	4874.5	43.87	32.92	-41.28	35.52	54.00	18.48	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 122 of 177

802.11n20 MIMO_Channel 11



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4922.5	60.87	33.03	-41.26	52.64	74.00	21.36	Horizontal
2	7384.5	50.96	36.46	-37.81	49.61	74.00	24.39	Horizontal
3	10670	41.30	38.24	-30.81	48.73	74.00	25.27	Horizontal
4	4925.5	52.41	33.04	-41.27	44.18	54.00	9.82	Horizontal
5	7388	41.36	36.47	-37.83	40.00	54.00	14.00	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 123 of 177

802.11n20 MIMO_Channel 11



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4927.5	52.07	33.04	-41.27	43.84	74.00	30.16	Vertical
2	7371.5	50.06	36.45	-37.74	48.77	74.00	25.23	Vertical
3	9405.5	44.56	37.72	-33.76	48.52	74.00	25.48	Vertical
4	4924.5	43.53	33.03	-41.27	35.30	54.00	18.70	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 124 of 177

802.11ax20 MIMO_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4829	55.44	32.82	-41.41	46.85	74.00	27.15	Horizontal
2	7105.5	46.62	36.13	-38.12	44.63	74.00	29.37	Horizontal
3	10088.5	41.90	37.94	-32.23	47.61	74.00	26.39	Horizontal
4	4831.5	46.72	32.83	-41.41	38.14	54.00	15.86	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 125 of 177

802.11ax20 MIMO_Channel 01



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4822.5	50.00	32.81	-41.43	41.38	74.00	32.62	Vertical
2	7237.5	47.58	36.29	-37.80	46.07	74.00	27.93	Vertical
3	9364.5	44.10	37.71	-33.90	47.91	74.00	26.09	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 126 of 177

802.11ax20 MIMO_Channel 06



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4876.5	59.06	32.93	-41.27	50.72	74.00	23.28	Horizontal
2	7308	48.91	36.37	-37.40	47.88	74.00	26.12	Horizontal
3	9220.5	44.71	37.67	-34.37	48.00	74.00	26.00	Horizontal
4	4870.5	50.71	32.92	-41.29	42.34	54.00	11.66	Horizontal
5	7318	39.36	36.38	-37.46	38.29	54.00	15.71	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 127 of 177

802.11ax20 MIMO_Channel 06



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4879	53.58	32.93	-41.26	45.25	74.00	28.75	Vertical
2	6746	46.80	35.90	-38.63	44.07	74.00	29.93	Vertical
3	8860	44.42	37.53	-34.97	46.98	74.00	27.02	Vertical
4	4873	44.50	32.92	-41.28	36.14	54.00	17.86	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 128 of 177

802.11ax20 MIMO_Channel 11



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4928.5	59.82	33.04	-41.28	51.59	74.00	22.41	Horizontal
2	7391	48.36	36.47	-37.84	46.99	74.00	27.01	Horizontal
3	10003.5	42.01	37.90	-32.40	47.51	74.00	26.49	Horizontal
4	4920	51.11	33.02	-41.25	42.88	54.00	11.12	Horizontal
5	7381	40.40	36.46	-37.79	39.07	54.00	14.93	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 129 of 177

802.11ax20 MIMO_Channel 11



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.5	53.22	33.03	-41.27	44.99	74.00	29.01	Vertical
2	7380.5	47.52	36.46	-37.79	46.19	74.00	27.81	Vertical
3	9361.5	44.65	37.71	-33.91	48.45	74.00	25.55	Vertical
4	4924	44.55	33.03	-41.26	36.32	54.00	17.68	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
- All channels have been tested, but only the worst case data displayed in this report.
- Both peak and average measured complies with the limit line, so test result is "PASS"




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 130 of 177

Restricted bands around fundamental frequency

802.11b ANT3_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2369.15	49.26	27.11	-23.30	53.07	74.00	20.93	Horizontal
2	2386.31	51.11	27.15	-23.31	54.95	74.00	19.05	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 131 of 177

802.11b ANT3_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2376.43	36.79	27.13	-23.30	40.61	54.00	13.39	Horizontal
2	2389.82	37.68	27.16	-23.31	41.52	54.00	12.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 132 of 177

802.11b ANT3_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2371.23	36.77	27.12	-23.30	40.59	54.00	13.41	Vertical
2	2386.83	36.82	27.15	-23.31	40.66	54.00	13.34	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 133 of 177

802.11b ANT3_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2373.44	49.67	27.12	-23.30	53.49	74.00	20.51	Vertical
2	2387.35	51.18	27.15	-23.31	55.02	74.00	18.98	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 134 of 177

802.11b ANT3_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.58	51.23	27.37	-23.27	55.33	74.00	18.67	Horizontal
2	2489.92	52.47	27.38	-23.27	56.58	74.00	17.42	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 135 of 177

802.11b ANT3_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485.48	51.29	27.37	-23.27	55.39	74.00	18.61	Vertical
2	2490.4	50.16	27.38	-23.27	54.27	74.00	19.73	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 136 of 177

802.11b ANT3_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	38.43	27.36	-23.27	42.52	54.00	11.48	Horizontal
2	2488.24	37.45	27.37	-23.27	41.56	54.00	12.44	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 137 of 177

802.11b ANT3_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.34	37.19	27.37	-23.27	41.29	54.00	12.71	Vertical
2	2493.64	37.19	27.39	-23.26	41.31	54.00	12.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 138 of 177

802.11g ANT3_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2372.14	50.33	27.12	-23.30	54.15	74.00	19.85	Horizontal
2	2389.95	66.72	27.16	-23.31	70.56	74.00	3.44	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 139 of 177

802.11g ANT3_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2381.37	37.39	27.14	-23.31	41.22	54.00	12.78	Horizontal
2	2389.95	44.90	27.16	-23.31	48.74	54.00	5.26	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 140 of 177

802.11g ANT3_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2376.04	50.24	27.13	-23.30	54.06	74.00	19.94	Vertical
2	2389.95	58.65	27.16	-23.31	62.49	74.00	11.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 141 of 177

802.11g ANT3_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2365.9	36.79	27.10	-23.30	40.60	54.00	13.40	Vertical
2	2389.95	40.10	27.16	-23.31	43.94	54.00	10.06	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 142 of 177

802.11g ANT3_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.04	60.60	27.36	-23.27	64.70	74.00	9.30	Horizontal
2	2490.52	57.11	27.38	-23.27	61.22	74.00	12.78	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 143 of 177

802.11g ANT3_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.8	46.45	27.36	-23.27	50.54	54.00	3.46	Horizontal
2	2488.06	43.59	27.37	-23.27	47.70	54.00	6.30	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 144 of 177

802.11g ANT3_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.8	63.47	27.36	-23.27	67.56	74.00	6.44	Vertical
2	2486.62	59.83	27.37	-23.27	63.93	74.00	10.07	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 145 of 177

802.11g ANT3_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.68	40.38	27.36	-23.27	44.47	54.00	9.53	Vertical
2	2489.74	38.44	27.38	-23.27	42.55	54.00	11.45	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 146 of 177

802.11b ANT2_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2366.16	49.77	27.11	-23.30	53.58	74.00	20.42	Horizontal
2	2387.35	51.01	27.15	-23.31	54.85	74.00	19.15	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 147 of 177

802.11b ANT2_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2371.75	36.91	27.12	-23.30	40.73	54.00	13.27	Horizontal
2	2389.43	37.56	27.16	-23.31	41.40	54.00	12.60	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 148 of 177

802.11b ANT2_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2377.47	50.21	27.13	-23.30	54.04	74.00	19.96	Vertical
2	2386.96	50.30	27.15	-23.31	54.14	74.00	19.86	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 149 of 177

802.11b ANT2_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2364.6	36.82	27.10	-23.30	40.63	54.00	13.37	Vertical
2	2388.26	36.87	27.15	-23.31	40.71	54.00	13.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 150 of 177

802.11b ANT2_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.92	51.58	27.36	-23.27	55.67	74.00	18.33	Horizontal
2	2486.74	53.60	27.37	-23.27	57.70	74.00	16.30	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 151 of 177

802.11b ANT2_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	39.13	27.36	-23.27	43.22	54.00	10.78	Horizontal
2	2487.58	37.72	27.37	-23.27	41.83	54.00	12.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 152 of 177

802.11b ANT2_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	37.51	27.36	-23.27	41.60	54.00	12.40	Vertical
2	2491.18	37.23	27.38	-23.27	41.35	54.00	12.65	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 153 of 177

802.11b ANT2_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485.84	50.73	27.37	-23.27	54.83	74.00	19.17	Vertical
2	2488.72	51.10	27.38	-23.27	55.21	74.00	18.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 154 of 177

802.11g ANT2_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.35	65.13	27.15	-23.31	68.97	74.00	5.03	Horizontal
2	2389.82	67.15	27.16	-23.31	70.99	74.00	3.01	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 155 of 177

802.11g ANT2_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2366.29	36.76	27.11	-23.30	40.57	54.00	13.43	Horizontal
2	2389.95	46.74	27.16	-23.31	50.58	54.00	3.42	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 156 of 177

802.11g ANT2_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2368.11	36.85	27.11	-23.30	40.66	54.00	13.34	Vertical
2	2389.95	41.93	27.16	-23.31	45.77	54.00	8.23	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 157 of 177

802.11g ANT2_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.14	55.25	27.15	-23.31	59.09	74.00	14.91	Vertical
2	2389.69	58.27	27.16	-23.31	62.11	74.00	11.89	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 158 of 177

802.11g ANT2_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.92	66.62	27.36	-23.27	70.71	74.00	3.29	Horizontal
2	2484.58	64.59	27.37	-23.27	68.69	74.00	5.31	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 159 of 177

802.11g ANT2_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.68	42.63	27.36	-23.27	46.72	54.00	7.28	Horizontal
2	2487.88	38.52	27.37	-23.27	42.63	54.00	11.37	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 160 of 177

802.11g ANT2_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	39.63	27.36	-23.27	43.72	54.00	10.28	Vertical
2	2488.78	37.34	27.38	-23.27	41.45	54.00	12.55	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 161 of 177

802.11g ANT2_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.62	57.12	27.36	-23.27	61.21	74.00	12.79	Vertical
2	2490.4	50.60	27.38	-23.27	54.71	74.00	19.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 162 of 177

802.11n20 MIMO_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2374.22	48.48	27.12	-23.30	52.30	74.00	21.70	Horizontal
2	2388.78	67.03	27.16	-23.31	70.87	74.00	3.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 163 of 177

802.11n20 MIMO_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2383.71	38.39	27.14	-23.31	42.23	54.00	11.77	Horizontal
2	2389.95	45.07	27.16	-23.31	48.91	54.00	5.09	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 164 of 177

802.11n20 MIMO_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2377.99	48.87	27.13	-23.30	52.70	74.00	21.30	Vertical
2	2389.56	55.49	27.16	-23.31	59.33	74.00	14.67	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 165 of 177

802.11n20 MIMO_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2374.09	36.92	27.12	-23.30	40.74	54.00	13.26	Vertical
2	2389.95	39.55	27.16	-23.31	43.39	54.00	10.61	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 166 of 177

802.11n20 MIMO_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.46	66.85	27.37	-23.27	70.95	74.00	3.05	Horizontal
2	2487.76	63.79	27.37	-23.27	67.90	74.00	6.10	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 167 of 177

802.11n20 MIMO_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.56	43.39	27.36	-23.27	47.48	54.00	6.52	Horizontal
2	2486.92	40.60	27.37	-23.27	44.70	54.00	9.30	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 168 of 177

802.11n20 MIMO_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485.36	56.23	27.37	-23.27	60.33	74.00	13.67	Vertical
2	2489.38	54.50	27.38	-23.27	58.61	74.00	15.39	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 169 of 177

802.11n20 MIMO_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.74	38.39	27.36	-23.27	42.48	54.00	11.52	Vertical
2	2486.68	37.71	27.37	-23.27	41.81	54.00	12.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 170 of 177

802.11ax20 MIMO_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.09	64.65	27.15	-23.31	68.49	74.00	5.51	Horizontal
2	2389.43	66.84	27.16	-23.31	70.68	74.00	3.32	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 171 of 177

802.11ax20 MIMO_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2381.24	37.18	27.14	-23.31	41.01	54.00	12.99	Horizontal
2	2389.95	45.91	27.16	-23.31	49.75	54.00	4.25	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 172 of 177

802.11ax20 MIMO_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2373.7	49.06	27.12	-23.30	52.88	74.00	21.12	Vertical
2	2389.17	62.62	27.16	-23.31	66.46	74.00	7.54	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 173 of 177

802.11ax20 MIMO_Channel 01




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2382.15	36.98	27.14	-23.31	40.81	54.00	13.19	Vertical
2	2389.82	43.00	27.16	-23.31	46.84	54.00	7.16	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 174 of 177

802.11ax20 MIMO_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485.06	65.99	27.37	-23.27	70.09	74.00	3.91	Horizontal
2	2486.44	61.73	27.37	-23.27	65.83	74.00	8.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 175 of 177

802.11ax20 MIMO_Channel 11




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	46.66	27.36	-23.27	50.75	54.00	3.25	Horizontal
2	2485.18	46.09	27.37	-23.27	50.19	54.00	3.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104
Rev.: Amendment 02
Page: 176 of 177

802.11ax20 MIMO_Channel 11



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.1	59.61	27.37	-23.27	63.71	74.00	10.29	Vertical
2	2485.3	57.89	27.37	-23.27	61.99	74.00	12.01	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002104

Rev.: Amendment 02

Page: 177 of 177

802.11ax20 MIMO_Channel 11



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	41.30	27.36	-23.27	45.39	54.00	8.61	Vertical
2	2489.74	37.79	27.38	-23.27	41.90	54.00	12.10	Vertical

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dBμV) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit(dBμV/m) – Level(dBμV/m)

- 2) Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---