




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 281 of 575

802.11a ANT 3_Channel 48



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8747.1667	45.79	37.47	-35.01	48.25	68.30	20.05	Vertical
2	10055.0667	41.71	37.93	-32.28	47.36	68.30	20.94	Vertical
3	13758.7667	39.71	40.13	-29.24	50.60	68.30	17.70	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 282 of 575

802.11a ANT 3_Channel 52



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8756.7	45.74	37.48	-34.97	48.25	68.30	20.05	Horizontal
2	10020.6	42.44	37.91	-32.30	48.05	68.30	20.25	Horizontal
3	13871.3333	39.21	40.21	-28.65	50.77	68.30	17.53	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 283 of 575

802.11a ANT 3_Channel 52




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8768.0667	45.73	37.48	-34.93	48.29	68.30	20.01	Vertical
2	10433.8333	41.38	38.12	-31.12	48.38	68.30	19.92	Vertical
3	14386.1333	39.36	40.22	-28.53	51.05	68.30	17.25	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 284 of 575

802.11a ANT 3_Channel 60




Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8739.8333	45.54	37.47	-35.04	47.97	68.30	20.33	Horizontal
2	10075.9667	42.37	37.94	-32.27	48.04	68.30	20.26	Horizontal
3	13831.3667	39.36	40.18	-28.99	50.55	68.30	17.75	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 285 of 575

802.11a ANT 3_Channel 60



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8806.5667	45.00	37.50	-34.83	47.67	68.30	20.63	Vertical
2	10091	42.43	37.95	-32.26	48.11	68.30	20.19	Vertical
3	13829.9	40.04	40.18	-29.01	51.22	68.30	17.08	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 286 of 575

802.11a ANT 3_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8704.2667	45.80	37.45	-35.18	48.07	68.30	20.23	Horizontal
2	10067.9	42.62	37.93	-32.28	48.28	68.30	20.02	Horizontal
3	13836.8667	40.14	40.19	-28.95	51.38	68.30	16.92	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 287 of 575

802.11a ANT 3_Channel 60



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8788.9667	45.23	37.49	-34.84	47.88	68.30	20.42	Vertical
2	10133.5333	41.15	37.97	-32.02	47.10	68.30	21.20	Vertical
3	13885.6333	39.36	40.22	-28.53	51.05	68.30	17.25	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 288 of 575

802.11a ANT 3_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8756.3333	45.14	37.48	-34.97	47.64	68.30	20.66	Horizontal
2	10015.1	41.36	37.91	-32.30	46.97	68.30	21.33	Horizontal
3	14289.7	39.62	40.24	-29.43	50.43	68.30	17.87	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 289 of 575

802.11a ANT 3_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8786.7667	44.93	37.49	-34.85	47.57	68.30	20.73	Vertical
2	9845.7	42.09	37.85	-32.86	47.08	68.30	21.22	Vertical
3	13817.4333	39.56	40.17	-29.11	50.62	68.30	17.68	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 290 of 575

802.11a ANT 3_Channel 116




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7795.6667	47.64	36.90	-36.80	47.73	68.30	20.57	Horizontal
2	8801.0667	44.48	37.50	-34.81	47.18	68.30	21.12	Horizontal
3	11450.2333	39.82	38.40	-29.93	48.29	74.00	25.71	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 291 of 575

802.11a ANT 3_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8813.5333	44.73	37.51	-34.87	47.37	68.30	20.93	Vertical
2	10140.8667	42.33	37.97	-31.96	48.34	68.30	19.96	Vertical
3	13823.3	41.11	40.18	-29.06	52.22	68.30	16.08	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 292 of 575

802.11a ANT 3_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8775.7667	44.88	37.49	-34.90	47.47	68.30	20.83	Horizontal
2	10038.5667	41.22	37.92	-32.29	46.85	68.30	21.45	Horizontal
3	11812.1333	39.41	38.40	-29.92	47.89	74.00	26.11	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 293 of 575

802.11a ANT 3_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8778.7	44.78	37.49	-34.89	47.38	68.30	20.92	Vertical
2	10011.0667	41.97	37.91	-32.30	47.57	68.30	20.73	Vertical
3	11329.9667	40.57	38.40	-30.31	48.66	74.00	25.34	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 294 of 575

802.11a ANT 3_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8148.0333	44.77	37.17	-36.40	45.55	74.00	28.45	Horizontal
2	11313.1	39.88	38.40	-30.42	47.86	74.00	26.14	Horizontal
3	14201.7	39.60	40.26	-29.58	50.28	68.30	18.02	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 295 of 575

802.11a ANT 3_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8786.4	45.02	37.49	-34.85	47.66	68.30	20.64	Vertical
2	10427.2333	41.46	38.11	-31.12	48.45	68.30	19.85	Vertical
3	11666.9333	39.05	38.40	-29.60	47.85	74.00	26.15	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 296 of 575

802.11a ANT 3_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8301.6667	45.01	37.25	-35.97	46.29	74.00	27.71	Horizontal
2	11085.7667	40.33	38.40	-30.35	48.38	74.00	25.62	Horizontal
3	14806.3333	38.10	40.14	-27.33	50.91	68.30	17.39	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 297 of 575

802.11a ANT 3_Channel 157




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8730.6667	44.65	37.47	-35.08	47.04	68.30	21.26	Vertical
2	10070.4667	41.91	37.94	-32.27	47.57	68.30	20.73	Vertical
3	11644.5667	38.89	38.40	-29.59	47.70	74.00	26.30	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 298 of 575

802.11a ANT 3_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8904.4667	44.46	37.55	-35.25	46.76	68.30	21.54	Horizontal
2	11432.2667	39.58	38.40	-29.90	48.08	74.00	25.92	Horizontal
3	14277.9667	39.80	40.24	-29.45	50.60	68.30	17.70	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 299 of 575

802.11a ANT 3_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8596.1	46.14	37.40	-35.33	48.21	68.30	20.09	Vertical
2	11038.4667	40.62	38.40	-30.43	48.59	74.00	25.41	Vertical
3	13595.6	39.16	40.02	-27.73	51.44	68.30	16.86	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 300 of 575

802.11a ANT 2_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8815.7333	46.23	37.51	-34.88	48.86	68.30	19.44	Horizontal
2	11199.0667	40.45	38.40	-29.96	48.89	74.00	25.11	Horizontal
3	13821.1	40.26	40.17	-29.08	51.35	68.30	16.95	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 301 of 575

802.11a ANT 2_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8824.5333	45.84	37.51	-34.92	48.43	68.30	19.87	Vertical
2	11339.1333	41.02	38.40	-30.25	49.17	74.00	24.83	Vertical
3	14274.3	41.12	40.25	-29.45	51.91	68.30	16.39	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 302 of 575

802.11a ANT 2_Channel 40




Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8351.5333	46.41	37.28	-35.88	47.81	74.00	26.19	Horizontal
2	11122.4333	41.05	38.40	-30.24	49.21	74.00	24.79	Horizontal
3	13868.4	40.67	40.21	-28.68	52.20	68.30	16.10	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 303 of 575

802.11a ANT 2_Channel 40



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8319.2667	46.30	37.26	-35.94	47.62	74.00	26.38	Vertical
2	11201.2667	40.78	38.40	-29.97	49.21	74.00	24.79	Vertical
3	14527.6667	41.03	40.19	-28.98	52.24	68.30	16.06	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 304 of 575

802.11a ANT 2_Channel 48



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8200.4667	46.50	37.20	-36.22	47.48	74.00	26.52	Horizontal
2	11192.4667	40.99	38.40	-29.99	49.40	74.00	24.60	Horizontal
3	14359.7333	40.34	40.23	-28.80	51.77	68.30	16.53	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 305 of 575

802.11a ANT 2_Channel 48




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8325.5	46.02	37.26	-35.92	47.36	74.00	26.64	Vertical
2	11493.5	40.66	38.40	-29.98	49.08	74.00	24.92	Vertical
3	13876.8333	40.37	40.21	-28.61	51.98	68.30	16.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 306 of 575

802.11a ANT 2_Channel 52



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8085.7	46.60	37.14	-36.60	47.15	74.00	26.85	Horizontal
2	11097.5	41.28	38.40	-30.32	49.36	74.00	24.64	Horizontal
3	13837.2333	40.30	40.19	-28.94	51.54	68.30	16.76	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 307 of 575

802.11a ANT 2_Channel 52




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8432.2	46.32	37.32	-35.79	47.85	74.00	26.15	Vertical
2	11306.5	41.34	38.40	-30.46	49.28	74.00	24.72	Vertical
3	14376.9667	39.86	40.22	-28.62	51.46	68.30	16.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 308 of 575

802.11a ANT 2_Channel 60




Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8330.6333	46.77	37.27	-35.91	48.12	74.00	25.88	Horizontal
2	10635.8667	41.95	38.22	-30.88	49.29	74.00	24.71	Horizontal
3	13564.8	41.01	40.00	-28.32	52.69	68.30	15.61	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 309 of 575

802.11a ANT 2_Channel 60




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8510.6667	47.47	37.36	-35.73	49.10	68.30	19.20	Vertical
2	10747.7	41.13	38.27	-30.32	49.08	74.00	24.92	Vertical
3	13832.8333	40.13	40.18	-28.98	51.33	68.30	16.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 310 of 575

802.11a ANT 2_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8514.3333	47.41	37.36	-35.71	49.05	68.30	19.25	Horizontal
2	10892.5333	41.00	38.35	-30.38	48.97	74.00	25.03	Horizontal
3	13584.9667	39.40	40.01	-27.93	51.48	68.30	16.82	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 311 of 575

802.11a ANT 2_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8417.5333	45.96	37.31	-35.79	47.48	74.00	26.52	Vertical
2	11226.5667	41.16	38.40	-30.10	49.46	74.00	24.54	Vertical
3	13711.1	40.68	40.10	-29.22	51.56	68.30	16.74	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 312 of 575

802.11a ANT 2_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8214.0333	45.71	37.21	-36.18	46.73	74.00	27.27	Horizontal
2	10637.3333	40.74	38.22	-30.86	48.09	74.00	25.91	Horizontal
3	13584.2333	39.37	40.01	-27.95	51.43	68.30	16.87	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 313 of 575

802.11a ANT 2_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8546.2333	47.12	37.37	-35.56	48.93	68.30	19.37	Vertical
2	11841.4667	40.32	38.40	-29.58	49.14	74.00	24.86	Vertical
3	14430.8667	39.49	40.21	-28.59	51.12	68.30	17.18	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 314 of 575

802.11a ANT 2_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8311.5667	47.17	37.26	-35.95	48.48	74.00	25.52	Horizontal
2	11211.5333	40.52	38.40	-30.02	48.90	74.00	25.10	Horizontal
3	13598.9	39.60	40.02	-27.67	51.95	68.30	16.35	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 315 of 575

802.11a ANT 2_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8385.6333	45.59	37.29	-35.82	47.07	74.00	26.93	Vertical
2	11478.4667	40.35	38.40	-29.96	48.79	74.00	25.21	Vertical
3	14392.7333	39.99	40.22	-28.46	51.75	68.30	16.55	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 316 of 575

802.11a ANT 2_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8839.5667	45.32	37.52	-34.99	47.85	68.30	20.45	Horizontal
2	11314.2	40.59	38.40	-30.41	48.58	74.00	25.42	Horizontal
3	14264.4	40.46	40.25	-29.47	51.24	68.30	17.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 317 of 575

802.11a ANT 2_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8361.8	45.41	37.28	-35.86	46.83	74.00	27.17	Vertical
2	11508.1667	40.69	38.40	-29.96	49.13	74.00	24.87	Vertical
3	14909.7333	39.44	40.12	-27.99	51.57	68.30	16.73	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 318 of 575

802.11a ANT 2_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8512.5	46.19	37.36	-35.72	47.83	68.30	20.47	Horizontal
2	10877.1333	40.51	38.34	-30.37	48.48	74.00	25.52	Horizontal
3	13709.2667	40.51	40.10	-29.21	51.39	68.30	16.91	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 319 of 575

802.11a ANT 2_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8597.2	46.00	37.40	-35.32	48.08	68.30	20.22	Vertical
2	11199.0667	40.64	38.40	-29.96	49.08	74.00	24.92	Vertical
3	13899.2	38.36	40.23	-28.42	50.17	68.30	18.13	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 320 of 575

802.11a ANT 2_Channel 157




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8769.1667	45.26	37.48	-34.92	47.82	68.30	20.48	Horizontal
2	11339.5	40.96	38.40	-30.25	49.11	74.00	24.89	Horizontal
3	14167.2333	39.07	40.27	-29.37	49.97	68.30	18.33	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 321 of 575

802.11a ANT 2_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8723.7	45.54	37.46	-35.11	47.90	68.30	20.40	Vertical
2	11164.9667	40.40	38.40	-30.09	48.71	74.00	25.29	Vertical
3	14675.4333	39.32	40.16	-28.60	50.89	68.30	17.41	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 322 of 575

802.11a ANT 2_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8720.7667	46.42	37.46	-35.12	48.76	68.30	19.54	Horizontal
2	11328.8667	40.59	38.40	-30.32	48.67	74.00	25.33	Horizontal
3	14383.9333	39.83	40.22	-28.55	51.50	68.30	16.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 323 of 575

802.11a ANT 2_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8481.3333	45.70	37.34	-35.78	47.26	74.00	26.74	Vertical
2	10939.4667	40.29	38.37	-30.43	48.23	74.00	25.77	Vertical
3	13817.8	39.51	40.17	-29.11	50.57	68.30	17.73	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 324 of 575

802.11n20 MIMO_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8469.2333	46.76	37.33	-35.78	48.31	74.00	25.69	Horizontal
2	10476	42.07	38.14	-31.06	49.15	68.30	19.15	Horizontal
3	13593.7667	40.21	40.02	-27.77	52.46	68.30	15.84	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 325 of 575

802.11n20 MIMO_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8454.5667	46.75	37.33	-35.78	48.29	74.00	25.71	Vertical
2	11679.7667	40.47	38.40	-29.60	49.27	74.00	24.73	Vertical
3	14830.1667	39.51	40.13	-27.50	52.15	68.30	16.15	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 326 of 575

802.11n20 MIMO_Channel 40



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8322.9333	47.38	37.26	-35.93	48.71	74.00	25.29	Horizontal
2	10915.2667	41.45	38.36	-30.40	49.41	74.00	24.59	Horizontal
3	13588.2667	39.99	40.01	-27.87	52.13	68.30	16.17	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 327 of 575

802.11n20 MIMO_Channel 40



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8228.3333	47.38	37.21	-36.15	48.45	74.00	25.55	Vertical
2	10813.3333	41.80	38.31	-30.35	49.75	74.00	24.25	Vertical
3	14298.5	40.59	40.24	-29.41	51.42	68.30	16.88	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 328 of 575

802.11n20 MIMO_Channel 48




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8859.7333	45.85	37.53	-35.09	48.29	68.30	20.01	Horizontal
2	11223.2667	41.18	38.40	-30.09	49.49	74.00	24.51	Horizontal
3	14227.3667	40.61	40.25	-29.53	51.33	68.30	16.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 329 of 575

802.11n20 MIMO_Channel 48



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8777.9667	46.64	37.49	-34.89	49.24	68.30	19.06	Vertical
2	11306.8667	41.38	38.40	-30.46	49.32	74.00	24.68	Vertical
3	13628.6	40.32	40.04	-28.10	52.26	68.30	16.04	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 330 of 575

802.11n20 MIMO_Channel 52




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8323.3	46.43	37.26	-35.93	47.76	74.00	26.24	Horizontal
2	11632.4667	40.09	38.40	-29.59	48.90	74.00	25.10	Horizontal
3	13853.7333	40.72	40.20	-28.80	52.11	68.30	16.19	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 331 of 575

802.11n20 MIMO_Channel 52



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8701.3333	46.74	37.45	-35.19	49.00	68.30	19.30	Vertical
2	10976.5	41.06	38.39	-30.47	48.98	74.00	25.02	Vertical
3	14342.5	40.47	40.23	-28.98	51.72	68.30	16.58	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 332 of 575

802.11n20 MIMO_Channel 60



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8345.6667	46.63	37.27	-35.89	48.02	74.00	25.98	Horizontal
2	11931.6667	40.35	38.40	-29.03	49.72	74.00	24.28	Horizontal
3	14252.6667	39.95	40.25	-29.49	50.71	68.30	17.59	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 333 of 575

802.11n20 MIMO_Channel 60



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8317.8	46.47	37.26	-35.94	47.79	74.00	26.21	Vertical
2	11250.7667	41.07	38.40	-30.23	49.24	74.00	24.76	Vertical
3	13579.1	41.80	40.01	-28.05	53.76	68.30	14.54	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 334 of 575

802.11n20 MIMO_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8793.3667	46.02	37.50	-34.83	48.69	68.30	19.61	Horizontal
2	10944.9667	41.46	38.37	-30.43	49.40	74.00	24.60	Horizontal
3	14310.9667	40.22	40.24	-29.30	51.16	68.30	17.14	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 335 of 575

802.11n20 MIMO_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8124.9333	46.55	37.16	-36.48	47.24	74.00	26.76	Vertical
2	10973.2	41.06	38.39	-30.47	48.98	74.00	25.02	Vertical
3	13579.8333	39.88	40.01	-28.03	51.85	68.30	16.45	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 336 of 575

802.11n20 MIMO_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8816.8333	45.30	37.51	-34.88	47.93	68.30	20.37	Horizontal
2	11172.6667	40.95	38.40	-30.06	49.29	74.00	24.71	Horizontal
3	14329.3	40.15	40.23	-29.11	51.27	68.30	17.03	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 337 of 575

802.11n20 MIMO_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8545.1333	45.90	37.37	-35.57	47.70	68.30	20.60	Vertical
2	10865.7667	41.45	38.33	-30.37	49.41	74.00	24.59	Vertical
3	13654.6333	39.51	40.06	-28.50	51.07	68.30	17.23	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 338 of 575

802.11n20 MIMO_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8764.0333	45.22	37.48	-34.94	47.76	68.30	20.54	Horizontal
2	11519.9	40.82	38.40	-29.91	49.31	74.00	24.69	Horizontal
3	13649.1333	39.28	40.05	-28.42	50.92	68.30	17.38	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 339 of 575

802.11n20 MIMO_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8728.4667	45.64	37.46	-35.09	48.02	68.30	20.28	Vertical
2	11162.0333	41.57	38.40	-30.10	49.87	74.00	24.13	Vertical
3	14361.2	40.05	40.23	-28.79	51.49	68.30	16.81	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 340 of 575

802.11n20 MIMO_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8749.7333	45.52	37.47	-35.00	47.99	68.30	20.31	Horizontal
2	11235.3667	40.87	38.40	-30.15	49.12	74.00	24.88	Horizontal
3	14311.3333	40.27	40.24	-29.29	51.21	68.30	17.09	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 341 of 575

802.11n20 MIMO_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8387.8333	45.99	37.29	-35.81	47.47	74.00	26.53	Vertical
2	11528.7	39.94	38.40	-29.88	48.46	74.00	25.54	Vertical
3	14198.4	39.72	40.26	-29.57	50.41	68.30	17.89	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 342 of 575

802.11n20 MIMO_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9362.8	44.39	37.71	-34.00	48.10	74.00	25.90	Horizontal
2	11707.2667	39.13	38.40	-29.63	47.90	74.00	26.10	Horizontal
3	14328.2	39.69	40.23	-29.12	50.80	68.30	17.50	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 343 of 575

802.11n20 MIMO_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8811.3333	45.87	37.51	-34.86	48.52	68.30	19.78	Vertical
2	11818	39.88	38.40	-29.85	48.43	74.00	25.57	Vertical
3	14185.2	39.55	40.26	-29.49	50.33	68.30	17.97	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 344 of 575

802.11n20 MIMO_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8872.5667	45.38	37.54	-35.16	47.76	68.30	20.54	Horizontal
2	11815.0667	40.65	38.40	-29.89	49.16	74.00	24.84	Horizontal
3	14260.3667	39.49	40.25	-29.48	50.26	68.30	18.04	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 345 of 575

802.11n20 MIMO_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8876.9667	45.05	37.54	-35.18	47.41	68.30	20.89	Vertical
2	11602.7667	39.56	38.40	-29.59	48.37	74.00	25.63	Vertical
3	14188.5	39.43	40.26	-29.51	50.19	68.30	18.11	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 346 of 575

802.11n20 MIMO_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8783.1	45.03	37.49	-34.87	47.65	68.30	20.65	Horizontal
2	11407.7	40.16	38.40	-29.87	48.69	74.00	25.31	Horizontal
3	13891.1333	38.95	40.22	-28.49	50.69	68.30	17.61	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 347 of 575

802.11n20 MIMO_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8692.5333	45.48	37.45	-35.21	47.72	68.30	20.58	Vertical
2	11966.5	39.79	38.40	-29.17	49.02	74.00	24.98	Vertical
3	14382.8333	38.89	40.22	-28.57	50.55	68.30	17.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 348 of 575

802.11n40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8834.8	45.43	37.52	-34.97	47.98	68.30	20.32	Horizontal
2	12047.9	40.11	38.46	-29.40	49.17	74.00	24.83	Horizontal
3	14327.4667	40.51	40.23	-29.13	51.61	68.30	16.69	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 349 of 575

802.11n40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8778.3333	45.44	37.49	-34.89	48.04	68.30	20.26	Vertical
2	10644.3	41.13	38.22	-30.80	48.55	74.00	25.45	Vertical
3	13589.7333	38.65	40.01	-27.84	50.82	68.30	17.48	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 350 of 575

802.11n40 MIMO_Channel 46




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8759.2667	45.21	37.48	-34.96	47.73	68.30	20.57	Horizontal
2	11805.5333	40.94	38.40	-30.00	49.34	74.00	24.66	Horizontal
3	13693.8667	41.08	40.09	-29.11	52.05	68.30	16.25	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 351 of 575

802.11n40 MIMO_Channel 46



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8387.1	45.71	37.29	-35.81	47.19	74.00	26.81	Vertical
2	11718.6333	39.84	38.40	-29.69	48.55	74.00	25.45	Vertical
3	13828.4333	39.60	40.18	-29.02	50.76	68.30	17.54	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 352 of 575

802.11n40 MIMO_Channel 54




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8680.0667	45.33	37.44	-35.22	47.55	68.30	20.75	Horizontal
2	11869.3333	39.73	38.40	-29.26	48.87	74.00	25.13	Horizontal
3	14442.2333	39.78	40.21	-28.66	51.33	68.30	16.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 353 of 575

802.11n40 MIMO_Channel 54



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8736.9	44.72	37.47	-35.05	47.14	68.30	21.16	Vertical
2	11383.8667	40.16	38.40	-29.96	48.60	74.00	25.40	Vertical
3	14390.5333	40.39	40.22	-28.49	52.13	68.30	16.17	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 354 of 575

802.11n40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8709.7667	45.78	37.45	-35.16	48.07	68.30	20.23	Horizontal
2	11431.5333	40.47	38.40	-29.90	48.97	74.00	25.03	Horizontal
3	14364.5	39.95	40.23	-28.75	51.42	68.30	16.88	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 355 of 575

802.11n40 MIMO_Channel 62



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8757.8	46.37	37.48	-34.97	48.88	68.30	19.42	Vertical
2	11896.8333	39.68	38.40	-28.95	49.13	74.00	24.87	Vertical
3	14332.9667	39.83	40.23	-29.07	50.99	68.30	17.31	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 356 of 575

802.11n40 MIMO_Channel 102



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8782.7333	45.36	37.49	-34.87	47.98	68.30	20.32	Horizontal
2	11453.5333	40.56	38.40	-29.93	49.03	74.00	24.97	Horizontal
3	14365.2333	39.58	40.23	-28.74	51.06	68.30	17.24	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 357 of 575

802.11n40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9362.0667	44.27	37.71	-34.00	47.98	74.00	26.02	Vertical
2	11475.9	39.96	38.40	-29.96	48.40	74.00	25.60	Vertical
3	14313.9	40.93	40.24	-29.27	51.90	68.30	16.40	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 358 of 575

802.11n40 MIMO_Channel 110



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8834.8	45.00	37.52	-34.97	47.55	68.30	20.75	Horizontal
2	11428.6	40.38	38.40	-29.90	48.88	74.00	25.12	Horizontal
3	13835.7667	40.11	40.19	-28.96	51.34	68.30	16.96	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 359 of 575

802.11n40 MIMO_Channel 110




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8763.6667	45.20	37.48	-34.95	47.74	68.30	20.56	Vertical
2	11409.1667	40.48	38.40	-29.87	49.01	74.00	24.99	Vertical
3	13408.9667	39.63	39.89	-28.97	50.55	68.30	17.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 360 of 575

802.11n40 MIMO_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8701.7	45.28	37.45	-35.19	47.54	68.30	20.76	Horizontal
2	11453.1667	40.59	38.40	-29.93	49.06	74.00	24.94	Horizontal
3	14316.8333	39.95	40.24	-29.24	50.95	68.30	17.35	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 361 of 575

802.11n40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8332.8333	45.53	37.27	-35.91	46.89	74.00	27.11	Vertical
2	11441.4333	40.30	38.40	-29.91	48.79	74.00	25.21	Vertical
3	13821.4667	39.45	40.18	-29.08	50.55	68.30	17.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 362 of 575

802.11n40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8816.1	45.60	37.51	-34.88	48.23	68.30	20.07	Horizontal
2	11796.7333	40.37	38.40	-30.04	48.73	74.00	25.27	Horizontal
3	14214.5333	39.28	40.26	-29.56	49.98	68.30	18.32	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 363 of 575

802.11n40 MIMO_Channel 151




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8706.4667	45.11	37.45	-35.17	47.39	68.30	20.91	Vertical
2	11489.4667	39.76	38.40	-29.98	48.18	74.00	25.82	Vertical
3	13899.9333	38.51	40.23	-28.41	50.33	68.30	17.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 364 of 575

802.11n40 MIMO_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8790.4333	44.32	37.50	-34.84	46.98	68.30	21.32	Horizontal
2	11801.8667	39.43	38.40	-30.04	47.79	74.00	26.21	Horizontal
3	13875.7333	38.80	40.21	-28.62	50.40	68.30	17.90	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 365 of 575

802.11n40 MIMO_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8826.7333	44.77	37.51	-34.93	47.35	68.30	20.95	Vertical
2	11468.9333	40.24	38.40	-29.95	48.69	74.00	25.31	Vertical
3	13912.7667	38.28	40.24	-28.58	49.94	68.30	18.36	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 366 of 575

802.11ac80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8719.3	45.88	37.46	-35.12	48.22	68.30	20.08	Horizontal
2	11408.4333	40.21	38.40	-29.87	48.74	74.00	25.26	Horizontal
3	14409.9667	39.07	40.22	-28.45	50.83	68.30	17.47	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 367 of 575

802.11ac80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8781.6333	45.27	37.49	-34.87	47.89	68.30	20.41	Vertical
2	12021.8667	40.28	38.43	-29.34	49.36	74.00	24.64	Vertical
3	14346.5333	40.05	40.23	-28.94	51.35	68.30	16.95	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 368 of 575

802.11ac80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8703.5333	45.75	37.45	-35.19	48.02	68.30	20.28	Horizontal
2	11483.2333	40.47	38.40	-29.97	48.90	74.00	25.10	Horizontal
3	14307.3	40.12	40.24	-29.34	51.02	68.30	17.28	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 369 of 575

802.11ac80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8275.2667	45.12	37.24	-36.03	46.33	74.00	27.67	Vertical
2	11556.9333	40.40	38.40	-29.76	49.04	74.00	24.96	Vertical
3	13818.5333	40.45	40.17	-29.10	51.52	68.30	16.78	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 370 of 575

802.11ac80 MIMO_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8711.6	46.27	37.46	-35.15	48.57	68.30	19.73	Horizontal
2	11456.1	40.79	38.40	-29.93	49.26	74.00	24.74	Horizontal
3	14277.6	40.74	40.24	-29.45	51.54	68.30	16.76	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 371 of 575

802.11ac80 MIMO_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8507	46.89	37.35	-35.75	48.50	68.30	19.80	Vertical
2	11453.9	40.36	38.40	-29.93	48.83	74.00	25.17	Vertical
3	13853.3667	39.69	40.20	-28.81	51.08	68.30	17.22	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 372 of 575

802.11ac80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8347.8667	45.82	37.27	-35.88	47.21	74.00	26.79	Horizontal
2	11332.9	41.19	38.40	-30.29	49.30	74.00	24.70	Horizontal
3	13884.9	39.83	40.22	-28.54	51.51	68.30	16.79	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 373 of 575

802.11ac80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8823.8	45.71	37.51	-34.92	48.31	68.30	19.99	Vertical
2	11437.7667	40.63	38.40	-29.91	49.12	74.00	24.88	Vertical
3	13650.2333	39.05	40.06	-28.43	50.67	68.30	17.63	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 374 of 575

802.11ac80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10046.2667	42.19	37.92	-32.29	47.83	68.30	20.47	Horizontal
2	11846.9667	40.23	38.40	-29.52	49.11	74.00	24.89	Horizontal
3	14367.0667	40.13	40.23	-28.73	51.63	68.30	16.67	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 375 of 575

802.11ac80 MIMO_Channel 155




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8734.3333	45.79	37.47	-35.06	48.19	68.30	20.11	Vertical
2	11591.4	39.88	38.40	-29.62	48.66	74.00	25.34	Vertical
3	14802.6667	38.35	40.14	-27.31	51.18	68.30	17.12	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 376 of 575

802.11ax20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8830.4	45.73	37.52	-34.95	48.30	68.30	20.00	Horizontal
2	11429.3333	40.69	38.40	-29.90	49.19	74.00	24.81	Horizontal
3	14390.5333	39.55	40.22	-28.49	51.29	68.30	17.01	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 377 of 575

802.11ax20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8663.5667	45.78	37.43	-35.24	47.97	68.30	20.33	Vertical
2	11932.4	40.44	38.40	-29.04	49.80	74.00	24.20	Vertical
3	14360.1	39.77	40.23	-28.80	51.20	68.30	17.10	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 378 of 575

802.11ax20 MIMO_Channel 40



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8816.8333	45.77	37.51	-34.88	48.40	68.30	19.90	Horizontal
2	11427.5	40.79	38.40	-29.90	49.29	74.00	24.71	Horizontal
3	14345.8	39.99	40.23	-28.94	51.28	68.30	17.02	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 379 of 575

802.11ax20 MIMO_Channel 40




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8641.9333	46.39	37.42	-35.26	48.55	68.30	19.75	Vertical
2	11769.6	40.97	38.40	-29.92	49.45	74.00	24.55	Vertical
3	14404.1	39.58	40.22	-28.42	51.38	68.30	16.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 380 of 575

802.11ax20 MIMO_Channel 48



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8779.4333	45.75	37.49	-34.88	48.36	68.30	19.94	Horizontal
2	11834.8667	40.33	38.40	-29.66	49.07	74.00	24.93	Horizontal
3	14347.6333	39.84	40.23	-28.92	51.15	68.30	17.15	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 381 of 575

802.11ax20 MIMO_Channel 48



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8769.5333	45.18	37.48	-34.92	47.74	68.30	20.56	Vertical
2	11825.7	40.28	38.40	-29.76	48.92	74.00	25.08	Vertical
3	13777.4667	40.60	40.14	-29.25	51.50	68.30	16.80	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 382 of 575

802.11ax20 MIMO_Channel 52



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8414.2333	45.54	37.31	-35.79	47.06	74.00	26.94	Horizontal
2	11831.2	40.01	38.40	-29.70	48.71	74.00	25.29	Horizontal
3	14322.3333	40.73	40.24	-29.18	51.78	68.30	16.52	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 383 of 575

802.11ax20 MIMO_Channel 52




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8351.1667	45.89	37.28	-35.88	47.29	74.00	26.71	Vertical
2	10089.5333	41.82	37.94	-32.27	47.50	68.30	20.80	Vertical
3	11935.3333	40.64	38.40	-29.05	49.99	74.00	24.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 384 of 575

802.11ax20 MIMO_Channel 60



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8774.3	45.44	37.49	-34.90	48.02	68.30	20.28	Horizontal
2	11662.9	40.04	38.40	-29.60	48.84	74.00	25.16	Horizontal
3	14328.5667	40.13	40.23	-29.12	51.25	68.30	17.05	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 385 of 575

802.11ax20 MIMO_Channel 60



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8817.9333	45.12	37.51	-34.89	47.74	68.30	20.56	Vertical
2	11720.1	40.67	38.40	-29.69	49.38	74.00	24.62	Vertical
3	13788.4667	40.49	40.15	-29.25	51.39	68.30	16.91	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 386 of 575

802.11ax20 MIMO_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8735.8	45.88	37.47	-35.06	48.29	68.30	20.01	Horizontal
2	11664.3667	40.00	38.40	-29.60	48.80	74.00	25.20	Horizontal
3	14268.0667	39.67	40.25	-29.46	50.45	68.30	17.85	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 387 of 575

802.11ax20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8762.5667	46.27	37.48	-34.95	48.80	68.30	19.50	Vertical
2	11954.4	40.65	38.40	-29.12	49.93	74.00	24.07	Vertical
3	14312.0667	40.34	40.24	-29.29	51.29	68.30	17.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 388 of 575

802.11ax20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8697.3	45.04	37.45	-35.20	47.29	68.30	21.01	Horizontal
2	11407.3333	39.91	38.40	-29.87	48.44	74.00	25.56	Horizontal
3	14345.8	40.54	40.23	-28.94	51.83	68.30	16.47	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 389 of 575

802.11ax20 MIMO_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8331.3667	45.71	37.27	-35.91	47.06	74.00	26.94	Vertical
2	11435.9333	39.91	38.40	-29.91	48.40	74.00	25.60	Vertical
3	13857.0333	39.02	40.20	-28.78	50.44	68.30	17.86	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 390 of 575

802.11ax20 MIMO_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10003	41.79	37.90	-32.31	47.38	68.30	20.92	Horizontal
2	11824.9667	39.82	38.40	-29.77	48.45	74.00	25.55	Horizontal
3	13572.8667	39.28	40.00	-28.16	51.12	68.30	17.18	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 391 of 575

802.11ax20 MIMO_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10162.8667	41.47	37.98	-31.80	47.65	68.30	20.65	Vertical
2	11975.3	39.58	38.40	-29.20	48.78	74.00	25.22	Vertical
3	13598.1667	38.74	40.02	-27.68	51.07	68.30	17.23	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 392 of 575

802.11ax20 MIMO_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8768.8	44.89	37.48	-34.92	47.45	68.30	20.85	Horizontal
2	11975.3	40.52	38.40	-29.20	49.72	74.00	24.28	Horizontal
3	13768.3	40.52	40.14	-29.24	51.41	68.30	16.89	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 393 of 575

802.11ax20 MIMO_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10089.1667	42.17	37.94	-32.27	47.85	68.30	20.45	Vertical
2	11962.8333	40.40	38.40	-29.16	49.64	74.00	24.36	Vertical
3	13843.8333	40.74	40.19	-28.89	52.04	68.30	16.26	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 394 of 575

802.11ax20 MIMO_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8745.7	45.10	37.47	-35.02	47.56	68.30	20.74	Horizontal
2	11835.2333	39.30	38.40	-29.65	48.05	74.00	25.95	Horizontal
3	14805.9667	37.66	40.14	-27.33	50.47	68.30	17.83	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 395 of 575

802.11ax20 MIMO_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8863.4	45.49	37.53	-35.11	47.91	68.30	20.39	Vertical
2	11698.8333	39.74	38.40	-29.60	48.54	74.00	25.46	Vertical
3	13844.9333	39.94	40.19	-28.88	51.25	68.30	17.05	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 396 of 575

802.11ax20 MIMO_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8834.8	45.20	37.52	-34.97	47.75	68.30	20.55	Horizontal
2	11711.3	39.88	38.40	-29.65	48.63	74.00	25.37	Horizontal
3	14331.1333	39.72	40.23	-29.09	50.86	68.30	17.44	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 397 of 575

802.11ax20 MIMO_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8725.1667	45.15	37.46	-35.10	47.51	68.30	20.79	Vertical
2	11445.4667	39.98	38.40	-29.92	48.46	74.00	25.54	Vertical
3	13843.8333	40.59	40.19	-28.89	51.89	68.30	16.41	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 398 of 575

802.11ax20 MIMO_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8748.6333	45.79	37.47	-35.01	48.26	68.30	20.04	Horizontal
2	11559.8667	39.50	38.40	-29.75	48.15	74.00	25.85	Horizontal
3	13782.6	39.76	40.15	-29.25	50.66	68.30	17.64	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 399 of 575

802.11ax20 MIMO_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8766.6	45.10	37.48	-34.93	47.65	68.30	20.65	Vertical
2	11534.2	39.76	38.40	-29.85	48.31	74.00	25.69	Vertical
3	13798.7333	40.69	40.16	-29.26	51.59	68.30	16.71	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 400 of 575

802.11ax40 MIMO_Channel 38



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8786.4	44.94	37.49	-34.85	47.58	68.30	20.72	Horizontal
2	11964.6667	39.32	38.40	-29.16	48.56	74.00	25.44	Horizontal
3	13592.6667	38.99	40.01	-27.79	51.22	68.30	17.08	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 401 of 575

802.11ax40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8702.4333	45.74	37.45	-35.19	48.00	68.30	20.30	Vertical
2	11955.8667	39.80	38.40	-29.13	49.07	74.00	24.93	Vertical
3	14266.6	40.22	40.25	-29.47	51.00	68.30	17.30	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 402 of 575

802.11ax40 MIMO_Channel 46



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10258.2	41.42	38.03	-31.79	47.66	68.30	20.64	Horizontal
2	11431.9	40.80	38.40	-29.90	49.30	74.00	24.70	Horizontal
3	13585.3333	39.76	40.01	-27.93	51.84	68.30	16.46	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 403 of 575

802.11ax40 MIMO_Channel 46




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8650	45.86	37.43	-35.25	48.03	68.30	20.27	Vertical
2	11908.5667	39.13	38.40	-28.94	48.59	74.00	25.41	Vertical
3	14349.4667	39.99	40.23	-28.91	51.31	68.30	16.99	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 404 of 575

802.11ax40 MIMO_Channel 54




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8498.5667	45.86	37.35	-35.78	47.43	74.00	26.57	Horizontal
2	11457.5667	40.15	38.40	-29.93	48.62	74.00	25.38	Horizontal
3	13841.6333	39.49	40.19	-28.91	50.77	68.30	17.53	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 405 of 575

802.11ax40 MIMO_Channel 54



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8636.0667	45.10	37.42	-35.27	47.25	68.30	21.05	Vertical
2	11414.3	40.15	38.40	-29.88	48.67	74.00	25.33	Vertical
3	13794.7	40.54	40.16	-29.26	51.44	68.30	16.86	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 406 of 575

802.11ax40 MIMO_Channel 62



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8655.5	45.46	37.43	-35.25	47.64	68.30	20.66	Horizontal
2	11961	40.08	38.40	-29.15	49.33	74.00	24.67	Horizontal
3	14318.6667	39.43	40.24	-29.22	50.45	68.30	17.85	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 407 of 575

802.11ax40 MIMO_Channel 62



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8640.4667	45.63	37.42	-35.27	47.78	68.30	20.52	Vertical
2	11404.7667	40.08	38.40	-29.87	48.61	74.00	25.39	Vertical
3	13709.6333	39.86	40.10	-29.21	50.74	68.30	17.56	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 408 of 575

802.11ax40 MIMO_Channel 102



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9399.4667	44.83	37.72	-34.04	48.51	74.00	25.49	Horizontal
2	11965.0333	39.86	38.40	-29.16	49.10	74.00	24.90	Horizontal
3	14328.9333	39.60	40.23	-29.11	50.72	68.30	17.58	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 409 of 575

802.11ax40 MIMO_Channel 102



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8751.5667	45.16	37.48	-34.99	47.64	68.30	20.66	Vertical
2	11727.4333	40.10	38.40	-29.73	48.77	74.00	25.23	Vertical
3	14326	39.39	40.23	-29.14	50.48	68.30	17.82	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 410 of 575

802.11ax40 MIMO_Channel 110



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9258.6667	44.36	37.68	-34.10	47.94	68.30	20.36	Horizontal
2	11944.1333	39.57	38.40	-29.08	48.89	74.00	25.11	Horizontal
3	13847.5	39.20	40.19	-28.86	50.54	68.30	17.76	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 411 of 575

802.11ax40 MIMO_Channel 110



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9325.4	43.46	37.70	-33.97	47.19	74.00	26.81	Vertical
2	11694.4333	39.65	38.40	-29.60	48.45	74.00	25.55	Vertical
3	14717.2333	38.88	40.16	-28.30	50.74	68.30	17.56	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 412 of 575

802.11ax40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9054.4333	44.19	37.62	-34.62	47.19	74.00	26.81	Horizontal
2	11834.8667	39.30	38.40	-29.66	48.04	74.00	25.96	Horizontal
3	13643.6333	40.17	40.05	-28.33	51.89	68.30	16.41	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 413 of 575

802.11ax40 MIMO_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8783.8333	44.64	37.49	-34.86	47.27	68.30	21.03	Vertical
2	11464.9	40.83	38.40	-29.94	49.29	74.00	24.71	Vertical
3	13820	39.77	40.17	-29.09	50.85	68.30	17.45	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 414 of 575

802.11ax40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8837.3667	45.88	37.52	-34.98	48.42	68.30	19.88	Horizontal
2	11409.9	40.63	38.40	-29.87	49.16	74.00	24.84	Horizontal
3	14870.8667	39.25	40.13	-27.78	51.60	68.30	16.70	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 415 of 575

802.11ax40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8736.1667	46.39	37.47	-35.06	48.80	68.30	19.50	Vertical
2	11451.3333	41.08	38.40	-29.93	49.55	74.00	24.45	Vertical
3	13904.3333	39.46	40.23	-28.47	51.23	68.30	17.07	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 416 of 575

802.11ax40 MIMO_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8289.2	45.81	37.24	-36.00	47.06	74.00	26.94	Horizontal
2	11715.7	40.47	38.40	-29.67	49.20	74.00	24.80	Horizontal
3	13825.8667	40.54	40.18	-29.04	51.68	68.30	16.62	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 417 of 575

802.11ax40 MIMO_Channel 159




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8653.3	46.05	37.43	-35.25	48.23	68.30	20.07	Vertical
2	11852.1	40.79	38.40	-29.46	49.73	74.00	24.27	Vertical
3	14369.6333	39.76	40.23	-28.70	51.29	68.30	17.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 418 of 575

802.11ax80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9399.1	44.31	37.72	-34.04	47.99	74.00	26.01	Horizontal
2	11971.6333	39.70	38.40	-29.19	48.91	74.00	25.09	Horizontal
3	14195.8333	40.57	40.26	-29.55	51.28	68.30	17.02	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 419 of 575

802.11ax80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9389.2	44.17	37.72	-34.03	47.86	74.00	26.14	Vertical
2	11929.8333	40.38	38.40	-29.03	49.75	74.00	24.25	Vertical
3	14350.9333	39.44	40.23	-28.89	50.78	68.30	17.52	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 420 of 575

802.11ax80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9484.1667	43.88	37.75	-33.64	47.99	74.00	26.01	Horizontal
2	11690.4	39.38	38.40	-29.60	48.18	74.00	25.82	Horizontal
3	13596.3333	38.70	40.02	-27.72	51.00	68.30	17.30	Horizontal