




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 421 of 575

802.11ax80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9204.4	43.07	37.66	-34.30	46.43	68.30	21.87	Vertical
2	11763	39.47	38.40	-29.89	47.98	74.00	26.02	Vertical
3	14312.8	39.84	40.24	-29.28	50.80	68.30	17.50	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 422 of 575

802.11ax80 MIMO_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9332.7333	43.61	37.70	-33.97	47.34	74.00	26.66	Horizontal
2	11410.2667	40.67	38.40	-29.87	49.20	74.00	24.80	Horizontal
3	13889.3	38.77	40.22	-28.50	50.49	68.30	17.81	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 423 of 575

802.11ax80 MIMO_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9259.4	42.82	37.68	-34.09	46.40	68.30	21.90	Vertical
2	11649.3333	38.91	38.40	-29.59	47.72	74.00	26.28	Vertical
3	14354.2333	39.30	40.23	-28.86	50.67	68.30	17.63	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 424 of 575

802.11ax80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7779.9	46.11	36.88	-36.86	46.13	68.30	22.17	Horizontal
2	8784.5667	45.13	37.49	-34.86	47.76	68.30	20.54	Horizontal
3	9936.2667	41.36	37.88	-32.48	46.76	68.30	21.54	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 425 of 575

802.11ax80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7833.0667	45.75	36.93	-36.84	45.84	68.30	22.46	Vertical
2	9462.9	44.22	37.74	-33.74	48.22	74.00	25.78	Vertical
3	11712.7667	39.95	38.40	-29.66	48.69	74.00	25.31	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 426 of 575

802.11ax80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8388.2	46.15	37.29	-35.81	47.63	74.00	26.37	Horizontal
2	11710.2	39.90	38.40	-29.65	48.65	74.00	25.35	Horizontal
3	14162.8333	38.86	40.27	-29.34	49.79	68.30	18.51	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 427 of 575

802.11ax80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8315.9667	44.21	37.26	-35.94	45.53	74.00	28.47	Vertical
2	11391.9333	39.39	38.40	-29.91	47.88	74.00	26.12	Vertical
3	13821.8333	39.09	40.18	-29.07	50.19	68.30	18.11	Vertical

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 428 of 575

Restricted bands around fundamental frequency

802.11a ANT 3_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.56	49.54	33.17	-16.08	66.63	74.00	7.37	Horizontal
2	5148.58	51.10	33.17	-16.07	68.20	74.00	5.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 429 of 575

802.11a ANT 3_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5138.92	29.87	33.17	-16.08	46.96	54.00	7.04	Horizontal
2	5149.84	33.00	33.17	-16.07	50.10	54.00	3.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 430 of 575

802.11a ANT 3_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.18	40.47	33.17	-16.08	57.56	74.00	16.44	Vertical
2	5147.6	43.00	33.17	-16.07	60.10	74.00	13.90	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 431 of 575

802.11a ANT 3_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5136.54	28.22	33.17	-16.09	45.30	54.00	8.70	Vertical
2	5149.84	29.75	33.17	-16.07	46.85	54.00	7.15	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 432 of 575

802.11a ANT 3_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.3	53.52	33.13	-15.80	70.85	74.00	3.15	Horizontal
2	5357.8	52.85	33.13	-15.80	70.18	74.00	3.82	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 433 of 575

802.11a ANT 3_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350	32.13	33.13	-15.80	49.47	54.00	4.53	Horizontal
2	5354.1	31.48	33.13	-15.80	48.81	54.00	5.19	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 434 of 575

802.11a ANT 3_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.5	43.64	33.13	-15.80	60.97	74.00	13.03	Vertical
2	5372	40.65	33.13	-15.81	57.97	74.00	16.03	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 435 of 575

802.11a ANT 3_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.5	28.88	33.13	-15.80	46.21	54.00	7.79	Vertical
2	5362.2	28.60	33.13	-15.80	45.93	54.00	8.07	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 436 of 575

802.11a ANT 3_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.73	44.69	33.11	-15.49	62.31	74.00	11.69	Horizontal
2	5469.7	47.56	33.11	-15.42	65.24	68.30	3.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 437 of 575

802.11a ANT 3_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.51	29.73	33.11	-15.53	47.31	54.00	6.69	Horizontal
2	5459.82	30.78	33.11	-15.48	48.41	54.00	5.59	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 438 of 575

802.11a ANT 3_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.18	39.83	33.11	-15.54	57.40	74.00	16.60	Vertical
2	5469.32	41.44	33.11	-15.42	59.12	68.30	9.18	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 439 of 575

802.11a ANT 3_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5430.37	27.95	33.11	-15.65	45.42	54.00	8.58	Vertical
2	5459.63	27.94	33.11	-15.48	45.57	54.00	8.43	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 440 of 575

802.11a ANT 3_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.6	45.09	33.87	-14.95	64.01	68.30	4.29	Horizontal
2	5730.95	46.12	33.89	-14.92	65.09	68.30	3.21	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 441 of 575

802.11a ANT 3_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5728.85	40.40	33.88	-14.93	59.34	68.30	8.96	Vertical
2	5737.4	39.32	33.91	-14.88	58.35	68.30	9.95	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 442 of 575

802.11a ANT 3_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5643.85	37.96	33.59	-15.23	56.32	68.30	11.98	Horizontal
2	5670.5	41.06	33.68	-15.18	59.56	83.51	23.95	Horizontal
3	5709.825	45.89	33.81	-15.06	64.64	108.05	43.41	Horizontal
4	5722.825	56.08	33.86	-14.97	74.96	117.34	42.38	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 443 of 575

802.11a ANT 3_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.6	38.81	33.58	-15.24	57.15	68.30	11.15	Vertical
2	5672.775	40.26	33.69	-15.18	58.77	85.19	26.42	Vertical
3	5712.425	43.18	33.82	-15.05	61.96	108.78	46.82	Vertical
4	5723.8	49.94	33.86	-14.97	68.83	119.56	50.73	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 444 of 575

802.11a ANT 3_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.525	48.77	34.30	-14.49	68.57	118.82	50.25	Horizontal
2	5866.8	44.65	34.35	-14.50	64.49	107.59	43.10	Horizontal
3	5892.15	39.67	34.43	-14.52	59.58	92.57	32.99	Horizontal
4	5934.075	38.85	34.58	-14.54	58.89	68.30	9.41	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 445 of 575

802.11a ANT 3_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.55	44.05	34.29	-14.49	63.85	121.05	57.20	Vertical
2	5860.3	40.51	34.33	-14.50	60.34	109.41	49.07	Vertical
3	5893.45	40.03	34.44	-14.52	59.94	91.61	31.67	Vertical
4	5930.825	38.19	34.56	-14.54	58.22	68.30	10.08	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 446 of 575

802.11a ANT 2_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5124.78	39.20	33.18	-16.11	56.27	74.00	17.73	Horizontal
2	5148.44	43.31	33.17	-16.07	60.41	74.00	13.59	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 447 of 575

802.11a ANT 2_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5133.32	27.43	33.17	-16.09	44.51	54.00	9.49	Horizontal
2	5149.14	28.55	33.17	-16.07	45.65	54.00	8.35	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 448 of 575

802.11a ANT 2_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5128.98	27.29	33.17	-16.10	44.36	54.00	9.64	Vertical
2	5145.5	27.71	33.17	-16.07	44.81	54.00	9.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 449 of 575

802.11a ANT 2_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5132.2	39.93	33.17	-16.10	57.01	74.00	16.99	Vertical
2	5147.6	39.31	33.17	-16.07	56.41	74.00	17.59	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 450 of 575

802.11a ANT 2_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352	45.94	33.13	-15.80	63.27	74.00	10.73	Horizontal
2	5380.7	40.36	33.12	-15.81	57.67	74.00	16.33	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 451 of 575

802.11a ANT 2_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.5	30.93	33.13	-15.80	48.26	54.00	5.74	Horizontal
2	5355.9	29.67	33.13	-15.80	47.00	54.00	7.00	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 452 of 575

802.11a ANT 2_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	29.19	33.13	-15.80	46.52	54.00	7.48	Vertical
2	5357.9	28.37	33.13	-15.80	45.70	54.00	8.30	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 453 of 575

802.11a ANT 2_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	40.95	33.13	-15.80	58.28	74.00	15.72	Vertical
2	5354.3	40.35	33.13	-15.80	57.68	74.00	16.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 454 of 575

802.11a ANT 2_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.05	39.21	33.11	-15.57	56.75	74.00	17.25	Horizontal
2	5467.42	40.08	33.11	-15.44	57.75	68.30	10.55	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 455 of 575

802.11a ANT 2_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5437.4	27.78	33.11	-15.61	45.29	54.00	8.71	Horizontal
2	5459.44	28.22	33.11	-15.48	45.85	54.00	8.15	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 456 of 575

802.11a ANT 2_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5436.26	27.86	33.11	-15.61	45.36	54.00	8.64	Vertical
2	5456.4	27.72	33.11	-15.50	45.33	54.00	8.67	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 457 of 575

802.11a ANT 2_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.18	40.49	33.11	-15.54	58.06	74.00	15.94	Vertical
2	5462.1	40.98	33.11	-15.47	58.62	68.30	9.68	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 458 of 575

802.11a ANT 2_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5727.95	46.01	33.88	-14.94	64.95	68.30	3.35	Horizontal
2	5733.95	41.15	33.90	-14.90	60.15	68.30	8.15	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 459 of 575

802.11a ANT 2_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5730.2	40.84	33.88	-14.92	59.80	68.30	8.50	Vertical
2	5736.05	39.89	33.90	-14.88	58.91	68.30	9.39	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 460 of 575

802.11a ANT 2_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.25	38.65	33.58	-15.24	56.99	68.30	11.31	Horizontal
2	5670.825	38.65	33.68	-15.18	57.15	83.75	26.60	Horizontal
3	5709.5	45.64	33.81	-15.07	64.39	107.96	43.57	Horizontal
4	5724.125	51.34	33.86	-14.97	70.24	120.31	50.07	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 461 of 575

802.11a ANT 2_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.575	39.14	33.58	-15.24	57.49	68.30	10.81	Vertical
2	5678.625	38.56	33.71	-15.17	57.10	89.52	32.42	Vertical
3	5714.375	42.64	33.83	-15.03	61.44	109.33	47.89	Vertical
4	5723.475	46.95	33.86	-14.97	65.84	118.82	52.98	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 462 of 575

802.11a ANT 2_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.2	45.08	34.29	-14.49	64.88	119.56	54.68	Horizontal
2	5866.475	39.43	34.35	-14.50	59.27	107.68	48.41	Horizontal
3	5896.7	38.90	34.45	-14.53	58.82	89.20	30.38	Horizontal
4	5936.025	40.25	34.58	-14.54	60.29	68.30	8.01	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 463 of 575

802.11a ANT 2_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.225	41.64	34.29	-14.49	61.44	121.79	60.35	Vertical
2	5863.55	40.03	34.34	-14.50	59.87	108.50	48.63	Vertical
3	5911.65	38.50	34.50	-14.53	58.47	78.15	19.68	Vertical
4	5933.1	40.85	34.57	-14.54	60.88	68.30	7.42	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 464 of 575

802.11n20 MIMO_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.16	29.81	33.17	-16.08	46.90	54.00	7.10	Horizontal
2	5149.7	32.75	33.17	-16.07	49.85	54.00	4.15	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 465 of 575

802.11n20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.98	49.10	33.17	-16.09	66.18	74.00	7.82	Horizontal
2	5147.18	52.96	33.17	-16.07	70.06	74.00	3.94	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 466 of 575

802.11n20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139.34	42.13	33.17	-16.08	59.22	74.00	14.78	Vertical
2	5149.7	47.90	33.17	-16.07	65.00	74.00	9.00	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 467 of 575

802.11n20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.72	29.72	33.17	-16.08	46.81	54.00	7.19	Vertical
2	5149.84	32.70	33.17	-16.07	49.80	54.00	4.20	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 468 of 575

802.11n20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	31.35	33.13	-15.80	48.68	54.00	5.32	Horizontal
2	5358.1	30.32	33.13	-15.80	47.65	54.00	6.35	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 469 of 575

802.11n20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.7	53.17	33.13	-15.80	70.50	74.00	3.50	Horizontal
2	5355.1	51.59	33.13	-15.80	68.92	74.00	5.08	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 470 of 575

802.11n20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.7	45.65	33.13	-15.80	62.98	74.00	11.02	Vertical
2	5356.7	43.90	33.13	-15.80	61.23	74.00	12.77	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 471 of 575

802.11n20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	31.40	33.13	-15.80	48.73	54.00	5.27	Vertical
2	5358.9	29.48	33.13	-15.80	46.81	54.00	7.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 472 of 575

802.11n20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.88	41.50	33.11	-15.51	59.10	74.00	14.90	Horizontal
2	5467.23	46.84	33.11	-15.44	64.51	68.30	3.79	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 473 of 575

802.11n20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5428.28	28.57	33.11	-15.66	46.03	54.00	7.97	Horizontal
2	5458.68	29.17	33.11	-15.49	46.79	54.00	7.21	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 474 of 575

802.11n20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5448.23	39.17	33.11	-15.55	56.74	74.00	17.26	Vertical
2	5468.18	38.95	33.11	-15.43	56.62	68.30	11.68	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 475 of 575

802.11n20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5435.5	27.90	33.11	-15.62	45.40	54.00	8.60	Vertical
2	5457.92	27.55	33.11	-15.49	45.17	54.00	8.83	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 476 of 575

802.11n20 MIMO_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.1	45.83	33.87	-14.96	64.74	68.30	3.56	Horizontal
2	5729.9	45.09	33.88	-14.93	64.04	68.30	4.26	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 477 of 575

802.11n20 MIMO_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.1	39.75	33.87	-14.96	58.66	68.30	9.64	Vertical
2	5745.8	40.87	33.94	-14.82	59.99	68.30	8.31	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 478 of 575

802.11n20 MIMO_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5643.2	39.04	33.59	-15.23	57.39	68.30	10.91	Horizontal
2	5680.575	39.34	33.71	-15.16	57.89	90.96	33.07	Horizontal
3	5712.425	52.34	33.82	-15.05	71.12	108.78	37.66	Horizontal
4	5722.825	57.71	33.86	-14.97	76.59	117.34	40.75	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 479 of 575

802.11n20 MIMO_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.95	38.33	33.58	-15.24	56.67	68.30	11.63	Vertical
2	5673.425	38.48	33.69	-15.18	56.99	85.68	28.69	Vertical
3	5714.7	46.92	33.83	-15.03	65.72	109.42	43.70	Vertical
4	5723.475	52.06	33.86	-14.97	70.95	118.82	47.87	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 480 of 575

802.11n20 MIMO_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.85	50.57	34.30	-14.49	70.37	118.08	47.71	Horizontal
2	5866.8	41.99	34.35	-14.50	61.83	107.59	45.76	Horizontal
3	5906.775	39.21	34.48	-14.53	59.16	81.75	22.59	Horizontal
4	5940.9	40.25	34.60	-14.54	60.31	68.30	7.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 481 of 575

802.11n20 MIMO_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.2	45.00	34.29	-14.49	64.80	119.56	54.76	Vertical
2	5865.175	39.32	34.34	-14.50	59.16	108.05	48.89	Vertical
3	5902.875	38.81	34.47	-14.53	58.75	84.63	25.88	Vertical
4	5933.75	39.35	34.57	-14.54	59.38	68.30	8.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 482 of 575

802.11n40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5	33.39	33.17	-16.07	50.49	54.00	3.51	Horizontal
2	5352.3	28.94	33.13	-15.80	46.27	54.00	7.73	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 483 of 575

802.11n40 MIMO_Channel 38



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5	52.43	33.17	-16.07	69.53	74.00	4.47	Horizontal
2	5357.7	41.07	33.13	-15.80	58.40	74.00	15.60	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 484 of 575

802.11n40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5	44.75	33.17	-16.07	61.85	74.00	12.15	Vertical
2	5353.2	40.57	33.13	-15.80	57.90	74.00	16.10	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 485 of 575

802.11n40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.3	28.82	33.17	-16.07	45.92	54.00	8.08	Vertical
2	5351.7	28.41	33.13	-15.80	45.74	54.00	8.26	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 486 of 575

802.11n40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.9	38.48	33.17	-16.07	55.58	74.00	18.42	Horizontal
2	5351.7	53.13	33.13	-15.80	70.46	74.00	3.54	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 487 of 575

802.11n40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.5	27.29	33.17	-16.07	44.39	54.00	9.61	Horizontal
2	5350.5	31.86	33.13	-15.80	49.19	54.00	4.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 488 of 575

802.11n40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.1	38.92	33.17	-16.07	56.02	74.00	17.98	Vertical
2	5352.6	41.54	33.13	-15.80	58.87	74.00	15.13	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 489 of 575

802.11n40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.9	27.16	33.17	-16.08	44.25	54.00	9.75	Vertical
2	5350.2	28.70	33.13	-15.80	46.03	54.00	7.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 490 of 575

802.11n40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.45	40.63	33.11	-15.56	58.18	74.00	15.82	Horizontal
2	5467.86	46.85	33.11	-15.43	64.52	68.30	3.78	Horizontal
3	5745.91	39.12	33.94	-14.82	58.24	68.30	10.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 491 of 575

802.11n40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5428.85	28.97	33.11	-15.66	46.43	54.00	7.57	Horizontal
2	5458.315	29.49	33.11	-15.49	47.11	54.00	6.89	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 492 of 575

802.11n40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.335	39.48	33.11	-15.52	57.07	74.00	16.93	Vertical
2	5463.71	39.06	33.11	-15.46	56.71	68.30	11.59	Vertical
3	5741.76	38.93	33.92	-14.85	58.01	68.30	10.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 493 of 575

802.11n40 MIMO_Channel 102



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5424.285	27.85	33.12	-15.68	45.28	54.00	8.72	Vertical
2	5453.75	27.79	33.11	-15.51	45.39	54.00	8.61	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 494 of 575

802.11n40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.375	39.92	33.11	-15.57	57.46	74.00	16.54	Horizontal
2	5467.445	39.71	33.11	-15.44	57.38	68.30	10.92	Horizontal
3	5727.65	46.17	33.87	-14.94	65.10	68.30	3.20	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 495 of 575

802.11n40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.375	27.66	33.11	-15.57	45.20	54.00	8.80	Horizontal
2	5456.24	27.59	33.11	-15.50	45.20	54.00	8.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 496 of 575

802.11n40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5448.355	39.00	33.11	-15.54	56.57	74.00	17.43	Vertical
2	5465.785	38.96	33.11	-15.45	56.62	68.30	11.68	Vertical
3	5727.235	38.68	33.87	-14.94	57.61	68.30	10.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 497 of 575

802.11n40 MIMO_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5400.215	27.85	33.12	-15.82	45.15	54.00	8.85	Vertical
2	5453.75	27.71	33.11	-15.51	45.31	54.00	8.69	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 498 of 575

802.11n40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.825	46.12	33.59	-15.23	64.48	68.30	3.82	Horizontal
2	5674.4	48.14	33.69	-15.18	66.66	86.40	19.74	Horizontal
3	5711.125	60.04	33.82	-15.05	78.80	108.42	29.62	Horizontal
4	5723.15	65.20	33.86	-14.97	84.09	118.08	33.99	Horizontal
5	5851.85	43.20	34.30	-14.49	63.00	118.08	55.08	Horizontal
6	5866.475	41.40	34.35	-14.50	61.24	107.68	46.44	Horizontal
7	5907.425	39.14	34.49	-14.53	59.09	81.27	22.18	Horizontal
8	5938.95	39.74	34.59	-14.54	59.79	68.30	8.51	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 499 of 575

802.11n40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.625	37.87	33.57	-15.24	56.21	68.30	12.09	Vertical
2	5668.225	40.62	33.67	-15.19	59.10	81.82	22.72	Vertical
3	5707.875	48.48	33.81	-15.08	67.21	107.51	40.30	Vertical
4	5722.825	58.33	33.86	-14.97	77.21	117.34	40.13	Vertical
5	5850.55	39.26	34.29	-14.49	59.06	121.05	61.99	Vertical
6	5866.15	38.58	34.34	-14.50	58.42	107.78	49.36	Vertical
7	5907.425	39.35	34.49	-14.53	59.30	81.27	21.97	Vertical
8	5935.7	38.55	34.58	-14.54	58.59	68.30	9.71	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 500 of 575

802.11n40 MIMO_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.95	38.87	33.58	-15.24	57.21	68.30	11.09	Horizontal
2	5677.975	41.93	33.71	-15.17	60.47	89.04	28.57	Horizontal
3	5711.125	49.86	33.82	-15.05	68.62	108.42	39.80	Horizontal
4	5724.775	44.75	33.86	-14.96	63.65	121.79	58.14	Horizontal
5	5850.55	58.14	34.29	-14.49	77.94	121.05	43.11	Horizontal
6	5867.775	44.91	34.35	-14.50	64.76	107.32	42.56	Horizontal
7	5893.775	41.09	34.44	-14.53	61.00	91.37	30.37	Horizontal
8	5937.65	38.53	34.59	-14.54	58.58	68.30	9.72	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 501 of 575

802.11n40 MIMO_Channel 159




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.9	38.05	33.58	-15.23	56.40	68.30	11.90	Vertical
2	5683.175	39.35	33.72	-15.16	57.91	92.89	34.98	Vertical
3	5711.775	43.60	33.82	-15.05	62.37	108.60	46.23	Vertical
4	5722.5	40.08	33.86	-14.98	58.96	116.60	57.64	Vertical
5	5851.85	50.39	34.30	-14.49	70.19	118.08	47.89	Vertical
6	5866.475	40.21	34.35	-14.50	60.05	107.68	47.63	Vertical
7	5897.35	39.20	34.45	-14.53	59.12	88.72	29.60	Vertical
8	5935.375	38.82	34.58	-14.54	58.86	68.30	9.44	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 502 of 575

802.11ac80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8	33.61	33.17	-16.07	50.71	54.00	3.29	Horizontal
2	5351.4	29.31	33.13	-15.80	46.64	54.00	7.36	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 503 of 575

802.11ac80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.7	50.74	33.17	-16.07	67.84	74.00	6.16	Horizontal
2	5350.2	41.55	33.13	-15.80	58.88	74.00	15.12	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 504 of 575

802.11ac80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2	44.59	33.17	-16.07	61.69	74.00	12.31	Vertical
2	5350.5	40.80	33.13	-15.80	58.13	74.00	15.87	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 505 of 575

802.11ac80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5	30.07	33.17	-16.07	47.17	54.00	6.83	Vertical
2	5358.9	28.48	33.13	-15.80	45.81	54.00	8.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 506 of 575

802.11ac80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.6	27.66	33.17	-16.07	44.76	54.00	9.24	Horizontal
2	5350.8	32.04	33.13	-15.80	49.37	54.00	4.63	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 507 of 575

802.11ac80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.1	40.30	33.17	-16.07	57.40	74.00	16.60	Horizontal
2	5350.8	53.48	33.13	-15.80	70.81	74.00	3.19	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 508 of 575

802.11ac80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5	39.27	33.17	-16.07	56.37	74.00	17.63	Vertical
2	5356.5	43.53	33.13	-15.80	60.86	74.00	13.14	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 509 of 575

802.11ac80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145	27.28	33.17	-16.07	44.38	54.00	9.62	Vertical
2	5352	30.89	33.13	-15.80	48.22	54.00	5.78	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 510 of 575

802.11ac80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.24	49.45	33.11	-15.50	67.06	74.00	6.94	Horizontal
2	5469.105	47.23	33.11	-15.43	64.91	68.30	3.39	Horizontal
3	5730.14	40.44	33.88	-14.93	59.40	68.30	8.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 511 of 575

802.11ac80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.56	32.77	33.11	-15.48	50.40	54.00	3.60	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 512 of 575

802.11ac80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5437.565	39.96	33.11	-15.61	57.47	74.00	16.53	Vertical
2	5465.785	42.19	33.11	-15.45	59.85	68.30	8.45	Vertical
3	5738.025	39.07	33.91	-14.87	58.11	68.30	10.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 513 of 575

802.11ac80 MIMO_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.485	28.52	33.11	-15.49	46.14	54.00	7.86	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 514 of 575

802.11ac80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5435.075	42.02	33.11	-15.62	59.51	74.00	14.49	Horizontal
2	5463.71	45.64	33.11	-15.46	63.29	68.30	5.01	Horizontal
3	5746.74	45.57	33.94	-14.81	64.70	68.30	3.60	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 515 of 575

802.11ac80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.825	30.69	33.11	-15.50	48.30	54.00	5.70	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 516 of 575

802.11ac80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.505	40.03	33.11	-15.52	57.62	74.00	16.38	Vertical
2	5468.69	38.82	33.11	-15.43	56.50	68.30	11.80	Vertical
3	5726.82	39.83	33.87	-14.95	58.75	68.30	9.55	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 517 of 575

802.11ac80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.96	27.96	33.11	-15.58	45.50	54.00	8.50	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 518 of 575

802.11ac80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5635.075	44.93	33.56	-15.25	63.24	68.30	5.06	Horizontal
2	5677.975	48.37	33.71	-15.17	66.91	89.04	22.13	Horizontal
3	5710.475	53.94	33.82	-15.06	72.70	108.24	35.54	Horizontal
4	5723.8	55.91	33.86	-14.97	74.80	119.56	44.76	Horizontal
5	5851.525	51.58	34.30	-14.49	71.38	118.82	47.44	Horizontal
6	5866.15	45.83	34.34	-14.50	65.67	107.78	42.11	Horizontal
7	5899.625	42.51	34.46	-14.53	62.44	87.04	24.60	Horizontal
8	5947.725	44.25	34.62	-14.54	64.33	68.30	3.97	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 519 of 575

802.11ac80 MIMO_Channel 155




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.425	40.52	33.56	-15.25	58.83	68.30	9.47	Vertical
2	5685.45	43.22	33.73	-15.16	61.79	94.57	32.78	Vertical
3	5711.125	47.25	33.82	-15.05	66.01	108.42	42.41	Vertical
4	5723.475	50.27	33.86	-14.97	69.16	118.82	49.66	Vertical
5	5852.175	45.14	34.30	-14.49	64.95	117.34	52.39	Vertical
6	5863.875	42.30	34.34	-14.50	62.14	108.41	46.27	Vertical
7	5902.875	39.33	34.47	-14.53	59.27	84.63	25.36	Vertical
8	5944.8	39.81	34.61	-14.54	59.88	68.30	8.42	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 520 of 575

802.11ax20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.76	52.49	33.17	-16.07	69.59	74.00	4.41	Horizontal
2	5149.7	53.78	33.17	-16.07	70.88	74.00	3.12	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 521 of 575

802.11ax20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.52	29.96	33.17	-16.07	47.06	54.00	6.94	Horizontal
2	5149.42	31.72	33.17	-16.07	48.82	54.00	5.18	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 522 of 575

802.11ax20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.12	47.85	33.17	-16.08	64.94	74.00	9.06	Vertical
2	5149.84	48.10	33.17	-16.07	65.20	74.00	8.80	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 523 of 575

802.11ax20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.54	30.46	33.17	-16.08	47.56	54.00	6.44	Vertical
2	5149.84	32.67	33.17	-16.07	49.77	54.00	4.23	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 524 of 575

802.11ax20 MIMO_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.1	32.35	33.13	-15.80	49.68	54.00	4.32	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 525 of 575

802.11ax20 MIMO_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.6	53.60	33.13	-15.80	70.93	74.00	3.07	Horizontal
2	5355.9	50.84	33.13	-15.80	68.17	74.00	5.83	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 526 of 575

802.11ax20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.5	44.96	33.13	-15.80	62.29	74.00	11.71	Vertical
2	5353.5	42.72	33.13	-15.80	60.05	74.00	13.95	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 527 of 575

802.11ax20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	29.61	33.13	-15.80	46.94	54.00	7.06	Vertical
2	5355.8	28.57	33.13	-15.80	45.90	54.00	8.10	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 528 of 575

802.11ax20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.27	43.00	33.11	-15.53	60.58	74.00	13.42	Horizontal
2	5466.85	47.53	33.11	-15.44	65.20	68.30	3.10	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 529 of 575

802.11ax20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.19	28.59	33.11	-15.56	46.14	54.00	7.86	Horizontal
2	5459.63	29.24	33.11	-15.48	46.87	54.00	7.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 530 of 575

802.11ax20 MIMO_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.85	39.57	33.11	-15.55	57.13	74.00	16.87	Vertical
2	5465.9	42.00	33.11	-15.44	59.66	68.30	8.64	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 531 of 575

802.11ax20 MIMO_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433.03	27.80	33.11	-15.63	45.28	54.00	8.72	Vertical
2	5458.49	27.73	33.11	-15.49	45.35	54.00	8.65	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 532 of 575

802.11ax20 MIMO_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.75	46.19	33.87	-14.95	65.11	68.30	3.19	Horizontal
2	5728.55	45.75	33.88	-14.94	64.69	68.30	3.61	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 533 of 575

802.11ax20 MIMO_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.45	41.17	33.87	-14.95	60.09	68.30	8.21	Vertical
2	5738.6	39.74	33.91	-14.87	58.78	68.30	9.52	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 534 of 575

802.11ax20 MIMO_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.75	38.38	33.56	-15.25	56.69	68.30	11.61	Horizontal
2	5674.075	40.75	33.69	-15.18	59.27	86.16	26.89	Horizontal
3	5712.425	53.77	33.82	-15.05	72.55	108.78	36.23	Horizontal
4	5723.15	64.81	33.86	-14.97	83.70	118.08	34.38	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 535 of 575

802.11ax20 MIMO_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.925	39.62	33.58	-15.24	57.96	68.30	10.34	Vertical
2	5682.525	38.98	33.72	-15.16	57.54	92.41	34.87	Vertical
3	5711.125	46.97	33.82	-15.05	65.73	108.42	42.69	Vertical
4	5724.775	54.86	33.86	-14.96	73.76	121.79	48.03	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 536 of 575

802.11ax20 MIMO_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.55	56.16	34.29	-14.49	75.96	121.05	45.09	Horizontal
2	5866.475	44.16	34.35	-14.50	64.00	107.68	43.68	Horizontal
3	5899.3	38.64	34.46	-14.53	58.57	87.28	28.71	Horizontal
4	5945.45	39.94	34.61	-14.54	60.01	68.30	8.29	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 537 of 575

802.11ax20 MIMO_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.175	48.28	34.30	-14.49	68.09	117.34	49.25	Vertical
2	5864.2	41.44	34.34	-14.50	61.28	108.32	47.04	Vertical
3	5895.075	39.15	34.44	-14.53	59.07	90.41	31.34	Vertical
4	5937.325	39.41	34.59	-14.54	59.46	68.30	8.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 538 of 575

802.11ax40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.9	53.13	33.17	-16.07	70.23	74.00	3.77	Horizontal
2	5351.4	40.18	33.13	-15.80	57.51	74.00	16.49	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 539 of 575

802.11ax40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.9	29.34	33.17	-16.07	46.44	54.00	7.56	Horizontal
2	5350.8	28.70	33.13	-15.80	46.03	54.00	7.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 540 of 575

802.11ax40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.9	39.39	33.17	-16.07	56.49	74.00	17.51	Vertical
2	5352	40.03	33.13	-15.80	57.36	74.00	16.64	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 541 of 575

802.11ax40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.3	27.98	33.17	-16.07	45.08	54.00	8.92	Vertical
2	5354.1	28.28	33.13	-15.80	45.61	54.00	8.39	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 542 of 575

802.11ax40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.2	27.36	33.17	-16.08	44.45	54.00	9.55	Horizontal
2	5352	33.54	33.13	-15.80	50.87	54.00	3.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 543 of 575

802.11ax40 MIMO_Channel 62



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.4	38.50	33.17	-16.07	55.60	74.00	18.40	Horizontal
2	5351.4	49.87	33.13	-15.80	67.20	74.00	6.80	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 544 of 575

802.11ax40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.3	39.09	33.17	-16.07	56.19	74.00	17.81	Vertical
2	5350.8	43.13	33.13	-15.80	60.46	74.00	13.54	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 545 of 575

802.11ax40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148	27.26	33.17	-16.07	44.36	54.00	9.64	Vertical
2	5351.1	30.50	33.13	-15.80	47.83	54.00	6.17	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 546 of 575

802.11ax40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.6	43.05	33.11	-15.54	60.62	74.00	13.38	Horizontal
2	5469.52	47.44	33.11	-15.42	65.12	68.30	3.18	Horizontal
3	5753.795	39.21	33.96	-14.76	58.41	68.30	9.89	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 547 of 575

802.11ax40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5428.85	28.25	33.11	-15.66	45.71	54.00	8.29	Horizontal
2	5459.145	29.38	33.11	-15.48	47.01	54.00	6.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 548 of 575

802.11ax40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.505	39.22	33.11	-15.52	56.81	74.00	17.19	Vertical
2	5468.275	40.82	33.11	-15.43	58.50	68.30	9.80	Vertical
3	5731.8	38.38	33.89	-14.91	57.35	68.30	10.95	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 549 of 575

802.11ax40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5423.04	27.87	33.12	-15.69	45.30	54.00	8.70	Vertical
2	5458.73	27.74	33.11	-15.49	45.36	54.00	8.64	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 550 of 575

802.11ax40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5426.36	40.31	33.11	-15.67	57.75	74.00	16.25	Horizontal
2	5465.785	39.55	33.11	-15.45	57.21	68.30	11.09	Horizontal
3	5725.99	45.61	33.87	-14.95	64.53	68.30	3.77	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 551 of 575

802.11ax40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5400.215	27.95	33.12	-15.82	45.25	54.00	8.75	Horizontal
2	5454.58	27.75	33.11	-15.51	45.35	54.00	8.65	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 552 of 575

802.11ax40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5423.04	40.72	33.12	-15.69	58.15	74.00	15.85	Vertical
2	5467.86	39.42	33.11	-15.43	57.09	68.30	11.21	Vertical
3	5747.57	40.30	33.94	-14.81	59.44	68.30	8.86	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 553 of 575

802.11ax40 MIMO_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5428.02	27.74	33.11	-15.66	45.19	54.00	8.81	Vertical
2	5456.24	27.59	33.11	-15.50	45.20	54.00	8.80	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 554 of 575

802.11ax40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.225	39.50	33.58	-15.23	57.85	68.30	10.45	Horizontal
2	5681.55	46.50	33.72	-15.16	65.05	91.68	26.63	Horizontal
3	5711.45	55.22	33.82	-15.05	73.99	108.51	34.52	Horizontal
4	5723.15	59.45	33.86	-14.97	78.34	118.08	39.74	Horizontal
5	5851.525	41.44	34.30	-14.49	61.24	118.82	57.58	Horizontal
6	5866.475	39.96	34.35	-14.50	59.80	107.68	47.88	Horizontal
7	5906.45	39.02	34.48	-14.53	58.97	81.99	23.02	Horizontal
8	5928.225	40.15	34.56	-14.54	60.17	68.30	8.13	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 555 of 575

802.11ax40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.625	38.41	33.57	-15.24	56.75	68.30	11.55	Vertical
2	5683.175	41.50	33.72	-15.16	60.06	92.89	32.83	Vertical
3	5711.775	52.48	33.82	-15.05	71.25	108.60	37.35	Vertical
4	5724.125	53.66	33.86	-14.97	72.56	120.31	47.75	Vertical
5	5851.85	39.07	34.30	-14.49	58.87	118.08	59.21	Vertical
6	5866.8	39.60	34.35	-14.50	59.44	107.59	48.15	Vertical
7	5897.025	39.35	34.45	-14.53	59.27	88.96	29.69	Vertical
8	5935.05	39.82	34.58	-14.54	59.86	68.30	8.44	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 556 of 575

802.11ax40 MIMO_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.35	38.89	33.57	-15.24	57.21	68.30	11.09	Horizontal
2	5678.95	38.74	33.71	-15.17	57.28	89.76	32.48	Horizontal
3	5710.8	41.36	33.82	-15.06	60.12	108.33	48.21	Horizontal
4	5721.85	42.40	33.85	-14.98	61.27	115.12	53.85	Horizontal
5	5850.875	47.42	34.29	-14.49	67.22	120.30	53.08	Horizontal
6	5869.725	44.01	34.36	-14.51	63.86	106.78	42.92	Horizontal
7	5910.35	38.95	34.50	-14.53	58.91	79.11	20.20	Horizontal
8	5948.7	39.63	34.63	-14.54	59.71	68.30	8.59	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 557 of 575

802.11ax40 MIMO_Channel 159




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638.975	38.37	33.57	-15.24	56.70	68.30	11.60	Vertical
2	5673.1	38.97	33.69	-15.18	57.48	85.43	27.95	Vertical
3	5711.775	40.03	33.82	-15.05	58.80	108.60	49.80	Vertical
4	5722.5	39.66	33.86	-14.98	58.54	116.60	58.06	Vertical
5	5850.875	42.77	34.29	-14.49	62.57	120.30	57.73	Vertical
6	5869.4	39.22	34.36	-14.51	59.07	106.87	47.80	Vertical
7	5900.275	39.09	34.46	-14.53	59.02	86.56	27.54	Vertical
8	5930.825	40.13	34.56	-14.54	60.16	68.30	8.14	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 558 of 575

802.11ax80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148	53.47	33.17	-16.07	70.57	74.00	3.43	Horizontal
2	5350.5	43.25	33.13	-15.80	60.58	74.00	13.42	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 559 of 575

802.11ax80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.6	30.43	33.17	-16.07	47.53	54.00	6.47	Horizontal
2	5351.4	29.05	33.13	-15.80	46.38	54.00	7.62	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 560 of 575

802.11ax80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2	41.47	33.17	-16.07	58.57	74.00	15.43	Vertical
2	5356.2	39.66	33.13	-15.80	56.99	74.00	17.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 561 of 575

802.11ax80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.6	28.36	33.17	-16.07	45.46	54.00	8.54	Vertical
2	5354.7	28.30	33.13	-15.80	45.63	54.00	8.37	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 562 of 575

802.11ax80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.8	39.08	33.17	-16.07	56.18	74.00	17.82	Horizontal
2	5351.1	53.37	33.13	-15.80	70.70	74.00	3.30	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 563 of 575

802.11ax80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.3	27.29	33.17	-16.07	44.39	54.00	9.61	Horizontal
2	5353.2	29.84	33.13	-15.80	47.17	54.00	6.83	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 564 of 575

802.11ax80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8	38.78	33.17	-16.07	55.88	74.00	18.12	Vertical
2	5350.8	46.45	33.13	-15.80	63.78	74.00	10.22	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 565 of 575

802.11ax80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.3	27.29	33.17	-16.07	44.39	54.00	9.61	Vertical
2	5350.5	31.62	33.13	-15.80	48.95	54.00	5.05	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 566 of 575

802.11ax80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.695	45.73	33.11	-15.55	63.29	74.00	10.71	Horizontal
2	5464.125	47.48	33.11	-15.45	65.13	68.30	3.17	Horizontal
3	5728.065	39.14	33.88	-14.94	58.08	68.30	10.22	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 567 of 575

802.11ax80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5416.4	28.32	33.12	-15.73	45.71	54.00	8.29	Horizontal
2	5459.975	30.99	33.11	-15.48	48.62	54.00	5.38	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 568 of 575

802.11ax80 MIMO_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.26	40.50	33.11	-15.53	58.08	74.00	15.92	Vertical
2	5469.52	40.11	33.11	-15.42	57.79	68.30	10.51	Vertical
3	5736.365	38.68	33.90	-14.88	57.70	68.30	10.60	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 569 of 575

802.11ax80 MIMO_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5420.135	27.86	33.12	-15.71	45.27	54.00	8.73	Vertical
2	5456.655	28.20	33.11	-15.50	45.81	54.00	8.19	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 570 of 575

802.11ax80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.035	43.88	33.11	-15.56	61.43	74.00	12.57	Horizontal
2	5467.445	42.96	33.11	-15.44	60.63	68.30	7.67	Horizontal
3	5727.65	45.61	33.87	-14.94	64.54	68.30	3.76	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 571 of 575

802.11ax80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5437.98	31.14	33.11	-15.60	48.65	54.00	5.35	Horizontal
2	5459.56	31.59	33.11	-15.48	49.22	54.00	4.78	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105
Rev.: Amendment 02
Page: 572 of 575

802.11ax80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5428.435	28.15	33.11	-15.66	45.61	54.00	8.39	Vertical
2	5457.07	28.18	33.11	-15.49	45.79	54.00	8.21	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 573 of 575

802.11ax80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.45	39.35	33.11	-15.56	56.90	74.00	17.10	Vertical
2	5469.105	39.27	33.11	-15.43	56.95	68.30	11.35	Vertical
3	5730.97	39.65	33.89	-14.92	58.62	68.30	9.68	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 574 of 575

802.11ax80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.75	44.70	33.56	-15.25	63.01	68.30	5.29	Horizontal
2	5681.875	52.55	33.72	-15.16	71.11	91.93	20.82	Horizontal
3	5706.25	54.08	33.80	-15.09	72.79	107.05	34.26	Horizontal
4	5723.15	58.57	33.86	-14.97	77.46	118.08	40.62	Horizontal
5	5851.525	52.96	34.30	-14.49	72.76	118.82	46.06	Horizontal
6	5867.125	44.76	34.35	-14.50	64.60	107.50	42.90	Horizontal
7	5906.775	43.33	34.48	-14.53	63.28	81.75	18.47	Horizontal
8	5940.9	44.71	34.60	-14.54	64.77	68.30	3.53	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002105

Rev.: Amendment 02

Page: 575 of 575

802.11ax80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5635.4	39.63	33.56	-15.25	57.94	68.30	10.36	Vertical
2	5678.95	44.74	33.71	-15.17	63.28	89.76	26.48	Vertical
3	5709.5	49.97	33.81	-15.07	68.72	107.96	39.24	Vertical
4	5722.825	54.51	33.86	-14.97	73.39	117.34	43.95	Vertical
5	5851.525	44.53	34.30	-14.49	64.33	118.82	54.49	Vertical
6	5867.125	41.14	34.35	-14.50	60.98	107.50	46.52	Vertical
7	5906.45	39.20	34.48	-14.53	59.15	81.99	22.84	Vertical
8	5931.475	40.84	34.57	-14.54	60.87	68.30	7.43	Vertical

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dBμV) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit(dBμV/m) – Level(dBμV/m)

- 2) Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---