

1.1.1 B2_1.4MHz_EIRP

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1851.5	1	0	22.28	1.2	23.48	<=33.00	Pass		
			7	22.32	1.2	23.52	<=33.00	Pass		
			14	22.19	1.2	23.39	<=33.00	Pass		
		8	0	21.25	1.2	22.45	<=33.00	Pass		
			4	21.25	1.2	22.45	<=33.00	Pass		
			7	21.19	1.2	22.39	<=33.00	Pass		
		15	0	21.18	1.2	22.38	<=33.00	Pass		
		1880	1	0	22.49	1.2	23.69	<=33.00	Pass	
				7	22.66	1.2	23.86	<=33.00	Pass	
	14			22.51	1.2	23.71	<=33.00	Pass		
	8		0	21.35	1.2	22.55	<=33.00	Pass		
			4	21.42	1.2	22.62	<=33.00	Pass		
			7	21.52	1.2	22.72	<=33.00	Pass		
	15	0	21.36	1.2	22.56	<=33.00	Pass			
	1908.5	1	0	22.45	1.2	23.65	<=33.00	Pass		
			7	22.38	1.2	23.58	<=33.00	Pass		
			14	22.51	1.2	23.71	<=33.00	Pass		
		8	0	21.22	1.2	22.42	<=33.00	Pass		
			4	21.18	1.2	22.38	<=33.00	Pass		
			7	21.16	1.2	22.36	<=33.00	Pass		
		15	0	21.25	1.2	22.45	<=33.00	Pass		
		16QAM	1851.5	1	0	21.05	1.2	22.25	<=33.00	Pass
					7	21.02	1.2	22.22	<=33.00	Pass
	14				20.87	1.2	22.07	<=33.00	Pass	
8	0			20.28	1.2	21.48	<=33.00	Pass		
	4			20.28	1.2	21.48	<=33.00	Pass		
	7			20.31	1.2	21.51	<=33.00	Pass		
15	0			20.10	1.2	21.3	<=33.00	Pass		
1880	1			0	21.39	1.2	22.59	<=33.00	Pass	
				7	21.40	1.2	22.6	<=33.00	Pass	
			14	21.22	1.2	22.42	<=33.00	Pass		
	8		0	20.37	1.2	21.57	<=33.00	Pass		
			4	20.30	1.2	21.5	<=33.00	Pass		
			7	20.15	1.2	21.35	<=33.00	Pass		
15	0		20.46	1.2	21.66	<=33.00	Pass			
1908.5	1		0	21.22	1.2	22.42	<=33.00	Pass		
		7	20.78	1.2	21.98	<=33.00	Pass			
		14	20.88	1.2	22.08	<=33.00	Pass			
	8	0	20.15	1.2	21.35	<=33.00	Pass			
		4	20.17	1.2	21.37	<=33.00	Pass			
		7	20.26	1.2	21.46	<=33.00	Pass			
15	0	20.29	1.2	21.49	<=33.00	Pass				
Note1: EIRP=Conducted Power+Antenna Gain										

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1852.5	1	0	22.06	1.2	23.26	<=33.00	Pass		
			13	22.28	1.2	23.48	<=33.00	Pass		
			24	22.06	1.2	23.26	<=33.00	Pass		
		12	0	21.19	1.2	22.39	<=33.00	Pass		
			6	21.27	1.2	22.47	<=33.00	Pass		
			13	21.17	1.2	22.37	<=33.00	Pass		
		25	0	21.23	1.2	22.43	<=33.00	Pass		
		1880	1	0	22.48	1.2	23.68	<=33.00	Pass	
				13	22.35	1.2	23.55	<=33.00	Pass	
	24			21.89	1.2	23.09	<=33.00	Pass		
	12		0	21.23	1.2	22.43	<=33.00	Pass		
			6	21.36	1.2	22.56	<=33.00	Pass		
			13	21.31	1.2	22.51	<=33.00	Pass		
	25	0	21.33	1.2	22.53	<=33.00	Pass			
	1907.5	1	0	22.04	1.2	23.24	<=33.00	Pass		
			13	22.42	1.2	23.62	<=33.00	Pass		
			24	22.30	1.2	23.5	<=33.00	Pass		
		12	0	21.30	1.2	22.5	<=33.00	Pass		
			6	21.32	1.2	22.52	<=33.00	Pass		
			13	21.14	1.2	22.34	<=33.00	Pass		
		25	0	21.26	1.2	22.46	<=33.00	Pass		
		16QAM	1852.5	1	0	20.72	1.2	21.92	<=33.00	Pass
					13	20.67	1.2	21.87	<=33.00	Pass
	24				20.70	1.2	21.9	<=33.00	Pass	
12	0			19.93	1.2	21.13	<=33.00	Pass		
	6			20.05	1.2	21.25	<=33.00	Pass		
	13			19.94	1.2	21.14	<=33.00	Pass		
25	0			19.99	1.2	21.19	<=33.00	Pass		
1880	1			0	21.09	1.2	22.29	<=33.00	Pass	
				13	21.06	1.2	22.26	<=33.00	Pass	
			24	20.99	1.2	22.19	<=33.00	Pass		
	12		0	20.11	1.2	21.31	<=33.00	Pass		
			6	20.17	1.2	21.37	<=33.00	Pass		
			13	20.16	1.2	21.36	<=33.00	Pass		
25	0		20.17	1.2	21.37	<=33.00	Pass			
1907.5	1		0	21.17	1.2	22.37	<=33.00	Pass		
			13	21.09	1.2	22.29	<=33.00	Pass		
			24	20.80	1.2	22	<=33.00	Pass		
	12		0	20.17	1.2	21.37	<=33.00	Pass		
			6	20.27	1.2	21.47	<=33.00	Pass		
			13	20.11	1.2	21.31	<=33.00	Pass		
	25		0	20.40	1.2	21.6	<=33.00	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1855	1	0	22.14	1.2	23.34	<=33.00	Pass		
			25	22.22	1.2	23.42	<=33.00	Pass		
			49	22.10	1.2	23.3	<=33.00	Pass		
		25	0	20.98	1.2	22.18	<=33.00	Pass		
			13	21.04	1.2	22.24	<=33.00	Pass		
			25	20.93	1.2	22.13	<=33.00	Pass		
		50	0	20.99	1.2	22.19	<=33.00	Pass		
		1880	1	0	22.49	1.2	23.69	<=33.00	Pass	
				25	22.52	1.2	23.72	<=33.00	Pass	
	49			22.49	1.2	23.69	<=33.00	Pass		
	25		0	21.38	1.2	22.58	<=33.00	Pass		
			13	21.46	1.2	22.66	<=33.00	Pass		
			25	21.31	1.2	22.51	<=33.00	Pass		
	50		0	21.36	1.2	22.56	<=33.00	Pass		
	1905		1	0	22.50	1.2	23.7	<=33.00	Pass	
				25	22.77	1.2	23.97	<=33.00	Pass	
		49		22.35	1.2	23.55	<=33.00	Pass		
		25	0	21.37	1.2	22.57	<=33.00	Pass		
			13	21.28	1.2	22.48	<=33.00	Pass		
			25	21.21	1.2	22.41	<=33.00	Pass		
		50	0	21.38	1.2	22.58	<=33.00	Pass		
		16QAM	1855	1	0	21.00	1.2	22.2	<=33.00	Pass
					25	21.18	1.2	22.38	<=33.00	Pass
	49				20.87	1.2	22.07	<=33.00	Pass	
	25			0	20.16	1.2	21.36	<=33.00	Pass	
				13	20.31	1.2	21.51	<=33.00	Pass	
				25	20.27	1.2	21.47	<=33.00	Pass	
50	0			20.01	1.2	21.21	<=33.00	Pass		
1880	1			0	21.11	1.2	22.31	<=33.00	Pass	
				25	21.24	1.2	22.44	<=33.00	Pass	
			49	21.09	1.2	22.29	<=33.00	Pass		
	25		0	20.52	1.2	21.72	<=33.00	Pass		
			13	20.60	1.2	21.8	<=33.00	Pass		
			25	20.57	1.2	21.77	<=33.00	Pass		
	50		0	20.29	1.2	21.49	<=33.00	Pass		
	1905		1	0	21.19	1.2	22.39	<=33.00	Pass	
				25	21.24	1.2	22.44	<=33.00	Pass	
49				20.98	1.2	22.18	<=33.00	Pass		
25			0	20.53	1.2	21.73	<=33.00	Pass		
			13	20.52	1.2	21.72	<=33.00	Pass		
			25	20.45	1.2	21.65	<=33.00	Pass		
50			0	20.42	1.2	21.62	<=33.00	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1857.5	1	0	22.02	1.2	23.22	<=33.00	Pass		
			38	22.02	1.2	23.22	<=33.00	Pass		
			74	22.14	1.2	23.34	<=33.00	Pass		
		36	0	21.16	1.2	22.36	<=33.00	Pass		
			18	21.19	1.2	22.39	<=33.00	Pass		
			39	21.15	1.2	22.35	<=33.00	Pass		
		75	0	21.13	1.2	22.33	<=33.00	Pass		
		1880	1	0	22.21	1.2	23.41	<=33.00	Pass	
				38	22.41	1.2	23.61	<=33.00	Pass	
	74			22.46	1.2	23.66	<=33.00	Pass		
	36		0	21.42	1.2	22.62	<=33.00	Pass		
			18	21.38	1.2	22.58	<=33.00	Pass		
			39	21.34	1.2	22.54	<=33.00	Pass		
	75	0	21.35	1.2	22.55	<=33.00	Pass			
	1902.5	1	0	22.51	1.2	23.71	<=33.00	Pass		
			38	22.43	1.2	23.63	<=33.00	Pass		
			74	22.47	1.2	23.67	<=33.00	Pass		
		36	0	21.51	1.2	22.71	<=33.00	Pass		
			18	21.35	1.2	22.55	<=33.00	Pass		
			39	21.26	1.2	22.46	<=33.00	Pass		
		75	0	21.35	1.2	22.55	<=33.00	Pass		
		16QAM	1857.5	1	0	20.90	1.2	22.1	<=33.00	Pass
					38	20.81	1.2	22.01	<=33.00	Pass
	74				20.66	1.2	21.86	<=33.00	Pass	
36	0			20.16	1.2	21.36	<=33.00	Pass		
	18			20.14	1.2	21.34	<=33.00	Pass		
	39			20.18	1.2	21.38	<=33.00	Pass		
75	0			20.15	1.2	21.35	<=33.00	Pass		
1880	1			0	20.89	1.2	22.09	<=33.00	Pass	
				38	21.23	1.2	22.43	<=33.00	Pass	
			74	21.03	1.2	22.23	<=33.00	Pass		
	36		0	20.28	1.2	21.48	<=33.00	Pass		
			18	20.42	1.2	21.62	<=33.00	Pass		
			39	20.23	1.2	21.43	<=33.00	Pass		
75	0		20.47	1.2	21.67	<=33.00	Pass			
1902.5	1		0	21.16	1.2	22.36	<=33.00	Pass		
			38	21.21	1.2	22.41	<=33.00	Pass		
			74	20.94	1.2	22.14	<=33.00	Pass		
	36		0	20.37	1.2	21.57	<=33.00	Pass		
			18	20.44	1.2	21.64	<=33.00	Pass		
			39	20.31	1.2	21.51	<=33.00	Pass		
	75		0	20.39	1.2	21.59	<=33.00	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1860	1	0	21.87	1.2	23.07	<=33.00	Pass		
			50	22.26	1.2	23.46	<=33.00	Pass		
			99	22.09	1.2	23.29	<=33.00	Pass		
		50	0	21.12	1.2	22.32	<=33.00	Pass		
			25	21.11	1.2	22.31	<=33.00	Pass		
			50	21.08	1.2	22.28	<=33.00	Pass		
		100	0	21.03	1.2	22.23	<=33.00	Pass		
		1880	1	0	22.07	1.2	23.27	<=33.00	Pass	
				50	22.93	1.2	24.13	<=33.00	Pass	
	99			22.23	1.2	23.43	<=33.00	Pass		
	50		0	21.39	1.2	22.59	<=33.00	Pass		
			25	21.38	1.2	22.58	<=33.00	Pass		
			50	21.36	1.2	22.56	<=33.00	Pass		
	100		0	21.38	1.2	22.58	<=33.00	Pass		
	1900		1	0	22.24	1.2	23.44	<=33.00	Pass	
				50	22.60	1.2	23.8	<=33.00	Pass	
		99		22.23	1.2	23.43	<=33.00	Pass		
		50	0	21.49	1.2	22.69	<=33.00	Pass		
			25	21.38	1.2	22.58	<=33.00	Pass		
			50	21.32	1.2	22.52	<=33.00	Pass		
		100	0	21.33	1.2	22.53	<=33.00	Pass		
		16QAM	1860	1	0	20.65	1.2	21.85	<=33.00	Pass
					50	21.18	1.2	22.38	<=33.00	Pass
	99				20.90	1.2	22.1	<=33.00	Pass	
	50			0	20.14	1.2	21.34	<=33.00	Pass	
				25	20.26	1.2	21.46	<=33.00	Pass	
				50	20.17	1.2	21.37	<=33.00	Pass	
100	0			20.17	1.2	21.37	<=33.00	Pass		
1880	1			0	20.97	1.2	22.17	<=33.00	Pass	
				50	21.33	1.2	22.53	<=33.00	Pass	
			99	21.04	1.2	22.24	<=33.00	Pass		
	50		0	20.18	1.2	21.38	<=33.00	Pass		
			25	20.30	1.2	21.5	<=33.00	Pass		
			50	20.17	1.2	21.37	<=33.00	Pass		
	100		0	20.31	1.2	21.51	<=33.00	Pass		
	1900		1	0	21.03	1.2	22.23	<=33.00	Pass	
				50	21.41	1.2	22.61	<=33.00	Pass	
99				21.02	1.2	22.22	<=33.00	Pass		
50			0	20.54	1.2	21.74	<=33.00	Pass		
			25	20.40	1.2	21.6	<=33.00	Pass		
			50	20.44	1.2	21.64	<=33.00	Pass		
100			0	20.45	1.2	21.65	<=33.00	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										