

1.1.1 B25 1.4MHz EIRP

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1851.5	1	0	21.87	1.2	23.07	<=33.00	Pass		
			7	22.04	1.2	23.24	<=33.00	Pass		
			14	21.91	1.2	23.11	<=33.00	Pass		
		8	0	20.94	1.2	22.14	<=33.00	Pass		
			4	20.92	1.2	22.12	<=33.00	Pass		
			7	20.96	1.2	22.16	<=33.00	Pass		
		15	0	20.94	1.2	22.14	<=33.00	Pass		
		1882.5	1	0	22.18	1.2	23.38	<=33.00	Pass	
				7	22.26	1.2	23.46	<=33.00	Pass	
	14			22.41	1.2	23.61	<=33.00	Pass		
	8		0	21.09	1.2	22.29	<=33.00	Pass		
			4	21.20	1.2	22.4	<=33.00	Pass		
			7	21.10	1.2	22.3	<=33.00	Pass		
	15	0	21.14	1.2	22.34	<=33.00	Pass			
	1913.5	1	0	22.26	1.2	23.46	<=33.00	Pass		
			7	22.29	1.2	23.49	<=33.00	Pass		
			14	22.12	1.2	23.32	<=33.00	Pass		
		8	0	21.13	1.2	22.33	<=33.00	Pass		
			4	21.11	1.2	22.31	<=33.00	Pass		
			7	21.13	1.2	22.33	<=33.00	Pass		
		15	0	21.13	1.2	22.33	<=33.00	Pass		
		16QAM	1851.5	1	0	21.05	1.2	22.25	<=33.00	Pass
					7	20.84	1.2	22.04	<=33.00	Pass
	14				20.81	1.2	22.01	<=33.00	Pass	
	8			0	19.72	1.2	20.92	<=33.00	Pass	
				4	19.87	1.2	21.07	<=33.00	Pass	
				7	19.84	1.2	21.04	<=33.00	Pass	
15	0			20.00	1.2	21.2	<=33.00	Pass		
1882.5	1			0	21.03	1.2	22.23	<=33.00	Pass	
				7	20.80	1.2	22	<=33.00	Pass	
			14	20.98	1.2	22.18	<=33.00	Pass		
	8		0	19.94	1.2	21.14	<=33.00	Pass		
			4	20.18	1.2	21.38	<=33.00	Pass		
			7	20.07	1.2	21.27	<=33.00	Pass		
15	0		20.22	1.2	21.42	<=33.00	Pass			
1913.5	1		0	20.99	1.2	22.19	<=33.00	Pass		
			7	20.94	1.2	22.14	<=33.00	Pass		
			14	20.84	1.2	22.04	<=33.00	Pass		
	8		0	19.79	1.2	20.99	<=33.00	Pass		
			4	20.00	1.2	21.2	<=33.00	Pass		
			7	19.77	1.2	20.97	<=33.00	Pass		
	15		0	20.00	1.2	21.2	<=33.00	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1852.5	1	0	21.75	1.2	22.95	<=33.00	Pass		
			13	21.94	1.2	23.14	<=33.00	Pass		
			24	21.86	1.2	23.06	<=33.00	Pass		
		12	0	20.97	1.2	22.17	<=33.00	Pass		
			6	20.88	1.2	22.08	<=33.00	Pass		
			13	20.89	1.2	22.09	<=33.00	Pass		
		25	0	21.03	1.2	22.23	<=33.00	Pass		
		1882.5	1	0	22.13	1.2	23.33	<=33.00	Pass	
				13	22.40	1.2	23.6	<=33.00	Pass	
	24			22.32	1.2	23.52	<=33.00	Pass		
	12		0	21.04	1.2	22.24	<=33.00	Pass		
			6	21.17	1.2	22.37	<=33.00	Pass		
			13	21.16	1.2	22.36	<=33.00	Pass		
	25	0	21.31	1.2	22.51	<=33.00	Pass			
	1912.5	1	0	22.15	1.2	23.35	<=33.00	Pass		
			13	22.26	1.2	23.46	<=33.00	Pass		
			24	22.12	1.2	23.32	<=33.00	Pass		
		12	0	21.17	1.2	22.37	<=33.00	Pass		
			6	21.20	1.2	22.4	<=33.00	Pass		
			13	21.06	1.2	22.26	<=33.00	Pass		
		25	0	21.13	1.2	22.33	<=33.00	Pass		
		16QAM	1852.5	1	0	20.64	1.2	21.84	<=33.00	Pass
					13	20.41	1.2	21.61	<=33.00	Pass
	24				20.67	1.2	21.87	<=33.00	Pass	
	12			0	19.69	1.2	20.89	<=33.00	Pass	
				6	19.83	1.2	21.03	<=33.00	Pass	
				13	19.74	1.2	20.94	<=33.00	Pass	
25	0			19.79	1.2	20.99	<=33.00	Pass		
1882.5	1			0	20.82	1.2	22.02	<=33.00	Pass	
				13	21.11	1.2	22.31	<=33.00	Pass	
			24	20.75	1.2	21.95	<=33.00	Pass		
	12		0	19.99	1.2	21.19	<=33.00	Pass		
			6	20.12	1.2	21.32	<=33.00	Pass		
			13	20.03	1.2	21.23	<=33.00	Pass		
25	0		20.17	1.2	21.37	<=33.00	Pass			
1912.5	1		0	20.71	1.2	21.91	<=33.00	Pass		
			13	20.85	1.2	22.05	<=33.00	Pass		
			24	20.59	1.2	21.79	<=33.00	Pass		
	12		0	19.85	1.2	21.05	<=33.00	Pass		
			6	19.91	1.2	21.11	<=33.00	Pass		
			13	19.94	1.2	21.14	<=33.00	Pass		
	25		0	20.08	1.2	21.28	<=33.00	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1855	1	0	22.16	1.2	23.36	<=33.00	Pass		
			25	22.12	1.2	23.32	<=33.00	Pass		
			49	22.07	1.2	23.27	<=33.00	Pass		
		25	0	20.98	1.2	22.18	<=33.00	Pass		
			13	21.03	1.2	22.23	<=33.00	Pass		
			25	21.00	1.2	22.2	<=33.00	Pass		
		50	0	21.10	1.2	22.3	<=33.00	Pass		
		1882.5	1	0	22.44	1.2	23.64	<=33.00	Pass	
				25	22.55	1.2	23.75	<=33.00	Pass	
	49			22.34	1.2	23.54	<=33.00	Pass		
	25		0	21.08	1.2	22.28	<=33.00	Pass		
			13	21.22	1.2	22.42	<=33.00	Pass		
			25	21.24	1.2	22.44	<=33.00	Pass		
	50		0	21.10	1.2	22.3	<=33.00	Pass		
	1910		1	0	22.31	1.2	23.51	<=33.00	Pass	
				25	22.48	1.2	23.68	<=33.00	Pass	
		49		22.12	1.2	23.32	<=33.00	Pass		
		25	0	21.09	1.2	22.29	<=33.00	Pass		
			13	21.10	1.2	22.3	<=33.00	Pass		
			25	21.01	1.2	22.21	<=33.00	Pass		
		50	0	21.05	1.2	22.25	<=33.00	Pass		
		16QAM	1855	1	0	20.70	1.2	21.9	<=33.00	Pass
					25	21.01	1.2	22.21	<=33.00	Pass
	49				20.92	1.2	22.12	<=33.00	Pass	
	25			0	19.59	1.2	20.79	<=33.00	Pass	
				13	19.89	1.2	21.09	<=33.00	Pass	
				25	20.05	1.2	21.25	<=33.00	Pass	
50	0			20.06	1.2	21.26	<=33.00	Pass		
1882.5	1			0	20.83	1.2	22.03	<=33.00	Pass	
				25	21.21	1.2	22.41	<=33.00	Pass	
			49	20.69	1.2	21.89	<=33.00	Pass		
	25		0	19.94	1.2	21.14	<=33.00	Pass		
			13	20.07	1.2	21.27	<=33.00	Pass		
			25	20.09	1.2	21.29	<=33.00	Pass		
	50		0	20.15	1.2	21.35	<=33.00	Pass		
	1910		1	0	20.92	1.2	22.12	<=33.00	Pass	
				25	21.06	1.2	22.26	<=33.00	Pass	
49				20.34	1.2	21.54	<=33.00	Pass		
25			0	20.15	1.2	21.35	<=33.00	Pass		
			13	20.05	1.2	21.25	<=33.00	Pass		
			25	20.06	1.2	21.26	<=33.00	Pass		
50			0	20.09	1.2	21.29	<=33.00	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1857.5	1	0	21.97	1.2	23.17	<=33.00	Pass		
			38	22.07	1.2	23.27	<=33.00	Pass		
			74	22.19	1.2	23.39	<=33.00	Pass		
		36	0	20.98	1.2	22.18	<=33.00	Pass		
			18	21.01	1.2	22.21	<=33.00	Pass		
			39	21.03	1.2	22.23	<=33.00	Pass		
		75	0	20.94	1.2	22.14	<=33.00	Pass		
		1882.5	1	0	22.29	1.2	23.49	<=33.00	Pass	
				38	22.44	1.2	23.64	<=33.00	Pass	
	74			22.28	1.2	23.48	<=33.00	Pass		
	36		0	21.01	1.2	22.21	<=33.00	Pass		
			18	21.01	1.2	22.21	<=33.00	Pass		
			39	21.13	1.2	22.33	<=33.00	Pass		
	75	0	21.04	1.2	22.24	<=33.00	Pass			
	1907.5	1	0	22.36	1.2	23.56	<=33.00	Pass		
			38	22.37	1.2	23.57	<=33.00	Pass		
			74	22.10	1.2	23.3	<=33.00	Pass		
		36	0	21.16	1.2	22.36	<=33.00	Pass		
			18	21.11	1.2	22.31	<=33.00	Pass		
			39	21.06	1.2	22.26	<=33.00	Pass		
		75	0	21.07	1.2	22.27	<=33.00	Pass		
		16QAM	1857.5	1	0	20.63	1.2	21.83	<=33.00	Pass
					38	20.67	1.2	21.87	<=33.00	Pass
	74				20.69	1.2	21.89	<=33.00	Pass	
	36			0	19.90	1.2	21.1	<=33.00	Pass	
				18	19.94	1.2	21.14	<=33.00	Pass	
				39	20.08	1.2	21.28	<=33.00	Pass	
75	0			19.98	1.2	21.18	<=33.00	Pass		
1882.5	1			0	20.76	1.2	21.96	<=33.00	Pass	
				38	20.99	1.2	22.19	<=33.00	Pass	
			74	20.83	1.2	22.03	<=33.00	Pass		
	36		0	20.06	1.2	21.26	<=33.00	Pass		
			18	20.04	1.2	21.24	<=33.00	Pass		
			39	20.07	1.2	21.27	<=33.00	Pass		
75	0		20.08	1.2	21.28	<=33.00	Pass			
1907.5	1		0	20.95	1.2	22.15	<=33.00	Pass		
			38	20.79	1.2	21.99	<=33.00	Pass		
			74	20.34	1.2	21.54	<=33.00	Pass		
	36		0	20.07	1.2	21.27	<=33.00	Pass		
			18	20.08	1.2	21.28	<=33.00	Pass		
			39	20.00	1.2	21.2	<=33.00	Pass		
	75		0	20.12	1.2	21.32	<=33.00	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1860	1	0	21.91	1.2	23.11	<=33.00	Pass		
			50	22.13	1.2	23.33	<=33.00	Pass		
			99	22.13	1.2	23.33	<=33.00	Pass		
		50	0	20.95	1.2	22.15	<=33.00	Pass		
			25	21.08	1.2	22.28	<=33.00	Pass		
			50	21.13	1.2	22.33	<=33.00	Pass		
		100	0	21.05	1.2	22.25	<=33.00	Pass		
		1882.5	1	0	22.24	1.2	23.44	<=33.00	Pass	
				50	22.55	1.2	23.75	<=33.00	Pass	
	99			22.25	1.2	23.45	<=33.00	Pass		
	50		0	21.03	1.2	22.23	<=33.00	Pass		
			25	21.10	1.2	22.3	<=33.00	Pass		
			50	21.11	1.2	22.31	<=33.00	Pass		
	100		0	21.02	1.2	22.22	<=33.00	Pass		
	1905		1	0	22.38	1.2	23.58	<=33.00	Pass	
				50	22.53	1.2	23.73	<=33.00	Pass	
		99		22.14	1.2	23.34	<=33.00	Pass		
		50	0	21.14	1.2	22.34	<=33.00	Pass		
			25	21.12	1.2	22.32	<=33.00	Pass		
			50	21.08	1.2	22.28	<=33.00	Pass		
		100	0	21.13	1.2	22.33	<=33.00	Pass		
		16QAM	1860	1	0	20.45	1.2	21.65	<=33.00	Pass
					50	21.43	1.2	22.63	<=33.00	Pass
	99				20.78	1.2	21.98	<=33.00	Pass	
	50			0	19.88	1.2	21.08	<=33.00	Pass	
				25	20.17	1.2	21.37	<=33.00	Pass	
				50	20.18	1.2	21.38	<=33.00	Pass	
100	0			19.99	1.2	21.19	<=33.00	Pass		
1882.5	1			0	20.74	1.2	21.94	<=33.00	Pass	
				50	20.95	1.2	22.15	<=33.00	Pass	
			99	20.72	1.2	21.92	<=33.00	Pass		
	50		0	20.09	1.2	21.29	<=33.00	Pass		
			25	20.16	1.2	21.36	<=33.00	Pass		
			50	20.17	1.2	21.37	<=33.00	Pass		
	100		0	20.15	1.2	21.35	<=33.00	Pass		
	1905		1	0	20.91	1.2	22.11	<=33.00	Pass	
				50	20.90	1.2	22.1	<=33.00	Pass	
99				20.70	1.2	21.9	<=33.00	Pass		
50			0	20.12	1.2	21.32	<=33.00	Pass		
			25	20.17	1.2	21.37	<=33.00	Pass		
			50	20.05	1.2	21.25	<=33.00	Pass		
100			0	20.18	1.2	21.38	<=33.00	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										