



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 1 of 71

Appendix E

Conducted RF Output Power

Measurement of RF conducted Power	
1	Conducted Power of GSM
2	Conducted Power of WCDMA
3	Conducted Power of LTE
4	Conducted Power of WIFI
5	Conducted Power of Bluetooth

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South of No. 6 Plant, No. 1, RunSheng Road, Suzhou Industrial Park,
Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 6229 2980
www.sgsgroup.com.cn



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 2 of 71

1 Conducted Power of GSM

Full:

GSM 850 Full Power										
Burst Output Power(dBm)						Division Factors	Frame-Average Output Power(dBm)			
Channel		128	190	251	Tune up		128	190	251	Tune up
GPRS (GMSK)	1 TX Slot	32.67	32.82	32.80	33.50	-9.19	23.48	23.63	23.61	24.31
	2 TX Slots	29.56	29.59	29.36	31.00	-6.18	23.38	23.41	23.18	24.82
	3 TX Slots	27.47	27.47	27.50	29.00	-4.42	23.05	23.05	23.08	24.58
	4 TX Slots	25.98	26.08	25.95	27.00	-3.17	22.81	22.91	22.78	23.83
EGPRS (GMSK)	1 TX Slot	32.63	32.67	32.52	33.50	-9.19	23.44	23.48	23.33	24.31
	2 TX Slots	29.35	29.33	29.35	31.00	-6.18	23.17	23.15	23.17	24.82
	3 TX Slots	27.33	27.36	27.40	29.00	-4.42	22.91	22.94	22.98	24.58
	4 TX Slots	25.82	26.05	25.88	27.00	-3.17	22.65	22.88	22.71	23.83
EGPRS (8PSK)	1 TX Slot	25.62	25.78	25.64	26.50	-9.19	16.43	16.59	16.45	17.31
	2 TX Slots	22.24	22.42	22.23	24.00	-6.18	16.06	16.24	16.05	17.82
	3 TX Slots	20.44	20.51	20.22	22.00	-4.42	16.02	16.09	15.80	17.58
	4 TX Slots	18.89	18.90	18.74	20.50	-3.17	15.72	15.73	15.57	17.33

GSM 1900 Full Power										
Burst Output Power(dBm)						Division Factors	Frame-Average Output Power(dBm)			
Channel		512	661	810	Tune up		512	661	810	Tune up
GPRS (GMSK)	1 TX Slot	30.50	30.51	30.14	31.00	-9.19	21.31	21.32	20.95	21.81
	2 TX Slots	27.16	27.30	27.15	28.00	-6.18	20.98	21.12	20.97	21.82
	3 TX Slots	25.33	25.24	25.24	26.00	-4.42	20.91	20.82	20.82	21.58
	4 TX Slots	23.62	23.74	23.59	24.00	-3.17	20.45	20.57	20.42	20.83
EGPRS (GMSK)	1 TX Slot	30.28	30.40	30.16	31.00	-9.19	21.09	21.21	20.97	21.81
	2 TX Slots	27.00	27.00	26.98	28.00	-6.18	20.82	20.82	20.80	21.82
	3 TX Slots	25.07	25.16	25.07	26.00	-4.42	20.65	20.74	20.65	21.58
	4 TX Slots	23.54	23.52	23.55	24.00	-3.17	20.37	20.35	20.38	20.83
EGPRS (8PSK)	1 TX Slot	24.80	24.79	24.79	26.00	-9.19	15.61	15.60	15.60	16.81
	2 TX Slots	22.08	22.11	22.10	24.00	-6.18	15.90	15.93	15.92	17.82
	3 TX Slots	20.30	20.20	20.14	22.00	-4.42	15.88	15.78	15.72	17.58
	4 TX Slots	19.22	19.34	19.09	20.00	-3.17	16.05	16.17	15.92	16.83



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 3 of 71

Sensor on:

GSM 850 Sensor on										
Burst Output Power(dBm)						Division Factors	Frame-Average Output Power(dBm)			
Channel		128	190	251	Tune up		128	190	251	Tune up
GPRS (GMSK)	1 TX Slot	28.88	29.06	28.95	29.50	-9.19	19.69	19.87	19.76	20.31
	2 TX Slots	25.80	26.01	25.87	27.00	-6.18	19.62	19.83	19.69	20.82
	3 TX Slots	23.71	23.74	23.72	25.00	-4.42	19.29	19.32	19.30	20.58
	4 TX Slots	22.41	22.58	22.34	23.00	-3.17	19.24	19.41	19.17	19.83
EGPRS (GMSK)	1 TX Slot	28.56	28.87	28.86	29.50	-9.19	19.37	19.68	19.67	20.31
	2 TX Slots	25.55	25.50	25.58	27.00	-6.18	19.37	19.32	19.40	20.82
	3 TX Slots	23.79	23.59	23.45	25.00	-4.42	19.37	19.17	19.03	20.58
	4 TX Slots	22.07	22.10	22.05	23.00	-3.17	18.90	18.93	18.88	19.83
EGPRS (8PSK)	1 TX Slot	21.85	21.95	21.56	22.50	-9.19	12.66	12.76	12.37	13.31
	2 TX Slots	18.55	18.61	18.53	20.00	-6.18	12.37	12.43	12.35	13.82
	3 TX Slots	16.68	16.78	16.68	18.00	-4.42	12.26	12.36	12.26	13.58
	4 TX Slots	14.90	15.05	14.84	16.50	-3.17	11.73	11.88	11.67	13.33

GSM 1900 Sensor on										
Burst Output Power(dBm)						Division Factors	Frame-Average Output Power(dBm)			
Channel		512	661	810	Tune up		512	661	810	Tune up
GPRS (GMSK)	1 TX Slot	18.08	18.43	18.20	19.00	-9.19	8.89	9.24	9.01	9.81
	2 TX Slots	17.86	18.02	18.01	19.00	-6.18	11.68	11.84	11.83	12.82
	3 TX Slots	17.46	17.26	17.53	18.00	-4.42	13.04	12.84	13.11	13.58
	4 TX Slots	16.88	17.14	17.05	18.00	-3.17	13.71	13.97	13.88	14.83
EGPRS (GMSK)	1 TX Slot	18.10	18.21	17.89	19.00	-9.19	8.91	9.02	8.70	9.81
	2 TX Slots	17.85	17.96	18.01	19.00	-6.18	11.67	11.78	11.83	12.82
	3 TX Slots	17.37	17.42	17.14	18.00	-4.42	12.95	13.00	12.72	13.58
	4 TX Slots	16.77	16.99	16.52	18.00	-3.17	13.60	13.82	13.35	14.83
EGPRS (8PSK)	1 TX Slot	16.88	16.83	16.85	18.00	-9.19	7.69	7.64	7.66	8.81
	2 TX Slots	16.24	16.50	16.18	18.00	-6.18	10.06	10.32	10.00	11.82
	3 TX Slots	15.93	16.18	16.04	17.00	-4.42	11.51	11.76	11.62	12.58
	4 TX Slots	15.41	15.50	15.38	17.00	-3.17	12.24	12.33	12.21	13.83



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 4 of 71

GSM 1900 Sensor on For Simultaneous										
Burst Output Power(dBm)						Division Factors	Frame-Average Output Power(dBm)			
Channel		512	661	810	Tune up		512	661	810	Tune up
GPRS (GMSK)	1 TX Slot	16.04	16.51	16.17	17.00	-9.19	6.85	7.32	6.98	7.81
	2 TX Slots	15.87	16.08	16.06	17.00	-6.18	9.69	9.90	9.88	10.82
	3 TX Slots	15.55	15.29	15.53	16.00	-4.42	11.13	10.87	11.11	11.58
	4 TX Slots	14.85	15.23	15.01	16.00	-3.17	11.68	12.06	11.84	12.83
EGPRS (GMSK)	1 TX Slot	16.16	16.26	15.86	17.00	-9.19	6.97	7.07	6.67	7.81
	2 TX Slots	15.90	15.91	16.05	17.00	-6.18	9.72	9.73	9.87	10.82
	3 TX Slots	15.39	15.49	15.22	16.00	-4.42	10.97	11.07	10.80	11.58
	4 TX Slots	14.83	14.98	14.61	16.00	-3.17	11.66	11.81	11.44	12.83
EGPRS (8PSK)	1 TX Slot	14.96	14.91	14.85	16.00	-9.19	5.77	5.72	5.66	6.81
	2 TX Slots	14.24	14.53	14.14	16.00	-6.18	8.06	8.35	7.96	9.82
	3 TX Slots	13.95	14.27	14.07	15.00	-4.42	9.53	9.85	9.65	10.58
	4 TX Slots	13.42	13.49	13.43	15.00	-3.17	10.25	10.32	10.26	11.83



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 5 of 71

2 Conducted Power of WCDMA

Full:

WCDMA Band II Full Power					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	23.12	23.15	23.09	24.00
HSDPA	Subtest 1	22.58	22.57	22.50	23.00
	Subtest 2	22.57	22.52	22.71	23.00
	Subtest 3	21.91	22.04	21.93	22.50
	Subtest 4	22.04	21.98	21.86	22.50
HSUPA	Subtest 1	21.08	21.05	20.95	21.50
	Subtest 2	20.72	20.27	20.64	21.00
	Subtest 3	21.53	21.75	21.63	22.00
	Subtest 4	20.46	20.37	20.63	21.00
	Subtest 5	21.66	21.82	21.66	22.00
DC-HSDPA	Subtest 1	22.95	22.67	22.68	23.00
	Subtest 2	22.72	22.51	22.68	23.00
	Subtest 3	22.20	22.08	22.13	22.50
	Subtest 4	22.27	22.21	22.21	22.50

WCDMA Band IV Full Power					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	23.22	23.31	23.13	24.00
HSDPA	Subtest 1	22.61	22.56	22.46	23.00
	Subtest 2	22.72	22.45	22.76	23.00
	Subtest 3	22.01	22.03	22.05	22.50
	Subtest 4	21.92	22.19	22.14	22.50
HSUPA	Subtest 1	21.42	21.22	21.05	21.50
	Subtest 2	20.73	20.66	20.84	21.00
	Subtest 3	21.65	21.66	21.64	22.00
	Subtest 4	20.66	20.53	20.91	21.00
	Subtest 5	21.71	21.66	21.77	22.00
DC-HSDPA	Subtest 1	22.85	22.84	22.73	23.00
	Subtest 2	22.86	22.92	22.79	23.00
	Subtest 3	22.37	22.13	22.20	22.50
	Subtest 4	22.18	22.34	22.27	22.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 6 of 71

WCDMA Band V Full Power					
Average Conducted Power(dBm)					
Channel		4132	4182	4233	Tune up
WCDMA	12.2kbps RMC	22.62	22.85	22.65	24.00
HSDPA	Subtest 1	22.28	22.08	22.30	23.00
	Subtest 2	22.12	22.26	22.10	23.00
	Subtest 3	21.51	21.56	21.42	22.50
	Subtest 4	21.63	21.50	21.53	22.50
HSUPA	Subtest 1	20.92	20.77	20.44	21.50
	Subtest 2	20.22	20.05	20.43	21.00
	Subtest 3	21.23	21.43	21.33	22.00
	Subtest 4	20.16	20.07	20.20	21.00
	Subtest 5	21.37	21.40	21.25	22.00
DC-HSDPA	Subtest 1	22.53	22.29	22.54	23.00
	Subtest 2	22.38	22.28	22.31	23.00
	Subtest 3	22.03	21.80	21.88	22.50
	Subtest 4	21.61	21.78	21.84	22.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 7 of 71

Sensor on:

WCDMA Band II Sensor on					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	11.41	11.69	11.32	12.00
HSDPA	Subtest 1	10.75	10.43	10.74	11.00
	Subtest 2	10.67	10.79	10.77	11.00
	Subtest 3	10.14	10.04	10.03	10.50
	Subtest 4	10.26	9.97	10.09	10.50
HSUPA	Subtest 1	9.22	9.10	9.27	9.50
	Subtest 2	8.94	8.63	8.84	9.00
	Subtest 3	9.74	9.96	9.74	10.00
	Subtest 4	8.81	8.63	8.98	9.00
	Subtest 5	9.84	9.74	9.61	10.00
DC-HSDPA	Subtest 1	10.75	10.72	10.83	11.00
	Subtest 2	10.82	10.70	10.95	11.00
	Subtest 3	10.34	10.07	10.19	10.50
	Subtest 4	10.16	10.36	10.43	10.50

WCDMA Band IV Sensor on					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	13.15	13.37	13.35	14.00
HSDPA	Subtest 1	12.59	12.59	12.40	13.00
	Subtest 2	12.54	12.22	12.84	13.00
	Subtest 3	12.18	12.11	12.12	12.50
	Subtest 4	11.88	12.12	12.07	12.50
HSUPA	Subtest 1	11.32	11.28	11.08	11.50
	Subtest 2	10.54	10.60	10.84	11.00
	Subtest 3	11.77	11.71	11.71	12.00
	Subtest 4	10.61	10.54	10.74	11.00
	Subtest 5	11.74	11.67	11.96	12.00
DC-HSDPA	Subtest 1	12.90	12.75	12.69	13.00
	Subtest 2	12.72	12.73	12.78	13.00
	Subtest 3	12.23	11.93	12.04	12.50
	Subtest 4	12.10	12.16	12.41	12.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 8 of 71

WCDMA Band V Sensor on					
Average Conducted Power(dBm)					
Channel		4132	4182	4233	Tune up
WCDMA	12.2kbps RMC	18.53	18.74	18.48	20.00
HSDPA	Subtest 1	17.98	18.01	18.23	19.00
	Subtest 2	18.05	17.95	18.14	19.00
	Subtest 3	17.19	17.50	17.43	18.50
	Subtest 4	17.44	17.38	17.34	18.50
HSUPA	Subtest 1	16.77	16.79	16.55	17.50
	Subtest 2	16.10	16.21	16.25	17.00
	Subtest 3	16.99	17.30	17.02	18.00
	Subtest 4	15.95	16.04	16.08	17.00
	Subtest 5	17.26	17.10	17.09	18.00
DC-HSDPA	Subtest 1	18.33	18.15	18.35	19.00
	Subtest 2	18.22	18.26	18.27	19.00
	Subtest 3	17.87	17.66	17.58	18.50
	Subtest 4	17.54	17.68	17.49	18.50

WCDMA Band IV Sensor on For Simultaneous					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	12.22	12.46	12.38	13.00
HSDPA	Subtest 1	11.55	11.63	11.42	12.00
	Subtest 2	11.61	11.29	11.87	12.00
	Subtest 3	11.26	11.18	11.18	11.50
	Subtest 4	10.90	11.11	11.04	11.50
HSUPA	Subtest 1	10.39	10.32	10.16	10.50
	Subtest 2	9.62	9.63	9.89	10.00
	Subtest 3	10.82	10.76	10.69	11.00
	Subtest 4	9.63	9.50	9.84	10.00
	Subtest 5	10.84	10.73	10.85	11.00
DC-HSDPA	Subtest 1	11.99	11.82	11.78	12.00
	Subtest 2	11.70	11.70	11.75	12.00
	Subtest 3	11.26	10.92	11.08	11.50
	Subtest 4	11.10	11.23	11.41	11.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 9 of 71

3 Conducted Power of LTE

Full:

LTE Band 2 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18607	18900	19193	
1.4MHz	QPSK	1	0	22.71	22.78	22.56	24.00
		1	2	22.77	22.72	22.73	24.00
		1	5	22.57	22.64	22.59	24.00
		3	0	22.90	22.82	22.99	24.00
		3	2	22.92	22.86	22.44	24.00
		3	3	22.54	22.94	22.75	24.00
		6	0	21.93	21.92	21.89	23.00
	16QAM	1	0	22.05	22.36	22.05	23.00
		1	2	21.95	22.11	22.10	23.00
		1	5	22.28	22.21	22.53	23.00
		3	0	22.00	22.12	21.66	23.00
		3	2	21.93	21.90	21.83	23.00
		3	3	21.75	21.83	21.57	23.00
		6	0	20.81	20.76	20.95	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18615	18900	19185	
3MHz	QPSK	1	0	22.76	22.76	22.65	24.00
		1	7	22.75	22.71	22.68	24.00
		1	14	22.57	22.66	22.58	24.00
		8	0	21.84	21.90	22.06	23.00
		8	4	21.90	21.91	21.54	23.00
		8	7	21.47	21.88	21.81	23.00
		15	0	21.84	21.86	21.87	23.00
	16QAM	1	0	22.06	22.29	22.01	23.00
		1	7	22.00	22.17	22.12	23.00
		1	14	22.27	22.17	22.50	23.00
		8	0	21.02	21.12	20.76	22.00
		8	4	20.97	20.83	20.77	22.00
		8	7	20.75	20.81	20.67	22.00
		15	0	20.86	20.84	20.86	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	QPSK	1	0	22.68	22.85	22.74	24.00
		1	13	22.78	22.72	22.69	24.00
		1	24	22.53	22.71	22.60	24.00
		12	0	21.93	21.94	22.00	23.00
		12	6	21.97	21.98	21.58	23.00
		12	13	21.49	21.86	21.71	23.00
		25	0	21.78	21.92	21.94	23.00
	16QAM	1	0	22.14	22.27	21.99	23.00
		1	13	21.99	22.15	22.17	23.00
		1	24	22.22	22.26	22.44	23.00
		12	0	20.93	21.19	20.86	22.00
		12	6	20.94	20.76	20.77	22.00
		12	13	20.67	20.76	20.67	22.00
		25	0	20.88	20.87	20.94	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18650	18900	19150	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 10 of 71

10MHz	QPSK	1	0	22.77	22.79	22.70	24.00
		1	25	22.73	22.73	22.69	24.00
		1	49	22.55	22.62	22.57	24.00
		25	0	21.93	21.89	22.02	23.00
		25	13	21.92	21.98	21.59	23.00
		25	25	21.57	21.88	21.71	23.00
		50	0	21.85	21.99	21.96	23.00
	16QAM	1	0	22.13	22.17	21.98	23.00
		1	25	22.02	22.16	22.12	23.00
		1	49	22.25	22.26	22.46	23.00
		25	0	20.98	21.23	20.79	22.00
		25	13	20.92	20.72	20.76	22.00
		25	25	20.75	20.72	20.59	22.00
		50	0	20.92	20.81	20.87	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	QPSK	1	0	22.70	22.89	22.79	24.00
		1	38	22.64	22.65	22.65	24.00
		1	74	22.58	22.69	22.55	24.00
		36	0	21.95	21.90	21.97	23.00
		36	18	21.93	21.92	21.65	23.00
		36	39	21.61	21.88	21.79	23.00
		75	0	21.88	21.93	22.02	23.00
	16QAM	1	0	22.23	22.19	22.07	23.00
		1	38	22.12	22.09	22.12	23.00
		1	74	22.32	22.25	22.36	23.00
		36	0	21.03	21.20	20.71	22.00
		36	18	20.84	20.81	20.69	22.00
		36	39	20.80	20.76	20.62	22.00
		75	0	20.88	20.88	20.93	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18700	18900	19100	
20MHz	QPSK	1	0	22.75	22.89	22.84	24.00
		1	50	22.67	22.74	22.57	24.00
		1	99	22.61	22.59	22.62	24.00
		50	0	21.92	21.97	21.92	23.00
		50	25	21.98	21.84	21.70	23.00
		50	50	21.71	21.90	21.81	23.00
		100	0	21.84	21.89	22.00	23.00
	16QAM	1	0	22.17	22.19	22.12	23.00
		1	50	22.15	22.08	22.11	23.00
		1	99	22.29	22.32	22.29	23.00
		50	0	20.93	21.11	20.66	22.00
		50	25	20.78	20.87	20.67	22.00
		50	50	20.73	20.85	20.72	22.00
		100	0	20.83	20.97	20.90	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 11 of 71

LTE Band 4 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	22.87	22.91	23.05	24.00
		1	2	22.48	22.49	22.84	24.00
		1	5	22.54	22.39	22.31	24.00
		3	0	22.61	22.67	22.70	24.00
		3	2	22.85	22.74	22.48	24.00
		3	3	22.59	22.64	22.42	24.00
		6	0	21.55	21.94	21.65	23.00
	16QAM	1	0	22.19	22.30	22.21	23.00
		1	2	21.88	22.07	21.91	23.00
		1	5	22.16	22.07	22.32	23.00
		3	0	21.59	21.65	21.77	23.00
		3	2	22.11	22.18	21.72	23.00
		3	3	21.71	21.63	21.72	23.00
		6	0	20.62	20.81	20.80	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19965	20175	20385	
3MHz	QPSK	1	0	22.88	22.81	22.99	24.00
		1	7	22.40	22.58	22.77	24.00
		1	14	22.49	22.43	22.32	24.00
		8	0	21.59	21.73	21.75	23.00
		8	4	21.84	21.66	21.55	23.00
		8	7	21.52	21.55	21.46	23.00
		15	0	21.62	21.96	21.67	23.00
	16QAM	1	0	22.21	22.22	22.25	23.00
		1	7	21.86	22.05	21.96	23.00
		1	14	22.21	22.17	22.32	23.00
		8	0	20.59	20.56	20.77	22.00
		8	4	21.10	21.10	20.78	22.00
		8	7	20.70	20.72	20.71	22.00
		15	0	20.69	20.85	20.83	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	22.97	22.91	23.01	24.00
		1	13	22.48	22.67	22.76	24.00
		1	24	22.49	22.35	22.27	24.00
		12	0	21.54	21.79	21.74	23.00
		12	6	21.77	21.72	21.58	23.00
		12	13	21.61	21.59	21.56	23.00
		25	0	21.66	21.87	21.74	23.00
	16QAM	1	0	22.26	22.29	22.32	23.00
		1	13	21.82	21.98	21.88	23.00
		1	24	22.13	22.20	22.23	23.00
		12	0	20.68	20.56	20.77	22.00
		12	6	21.07	21.02	20.82	22.00
		12	13	20.69	20.77	20.77	22.00
		25	0	20.62	20.79	20.74	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 12 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20000	20175	20350	
10MHz	QPSK	1	0	23.00	22.96	22.95	24.00
		1	25	22.56	22.58	22.79	24.00
		1	49	22.41	22.35	22.21	24.00
		25	0	21.58	21.69	21.66	23.00
		25	13	21.74	21.68	21.55	23.00
		25	25	21.54	21.62	21.61	23.00
		50	0	21.68	21.79	21.74	23.00
	16QAM	1	0	22.28	22.30	22.37	23.00
		1	25	21.92	21.93	21.94	23.00
		1	49	22.21	22.11	22.24	23.00
		25	0	20.70	20.64	20.82	22.00
		25	13	21.11	21.04	20.84	22.00
		25	25	20.68	20.80	20.79	22.00
		50	0	20.64	20.81	20.65	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	23.00	23.05	23.01	24.00
		1	38	22.51	22.60	22.69	24.00
		1	74	22.34	22.31	22.28	24.00
		36	0	21.55	21.62	21.62	23.00
		36	18	21.64	21.66	21.63	23.00
		36	39	21.51	21.59	21.66	23.00
		75	0	21.61	21.69	21.67	23.00
	16QAM	1	0	22.32	22.34	22.39	23.00
		1	38	21.91	22.01	22.02	23.00
		1	74	22.15	22.14	22.14	23.00
		36	0	20.69	20.72	20.77	22.00
		36	18	21.04	20.99	20.90	22.00
		36	39	20.70	20.75	20.69	22.00
		75	0	20.67	20.72	20.64	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	20175	/	
20MHz	QPSK	1	0	/	23.14	/	24.00
		1	50	/	22.69	/	24.00
		1	99	/	22.49	/	24.00
		50	0	/	21.80	/	23.00
		50	25	/	21.82	/	23.00
		50	50	/	21.78	/	23.00
		100	0	/	21.85	/	23.00
	16QAM	1	0	/	22.36	/	23.00
		1	50	/	22.21	/	23.00
		1	99	/	22.31	/	23.00
		50	0	/	20.82	/	22.00
		50	25	/	21.06	/	22.00
		50	50	/	20.83	/	22.00
		100	0	/	20.86	/	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 13 of 71

LTE Band 5 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20407	20525	20643	
1.4MHz	QPSK	1	0	22.93	22.93	22.96	24.00
		1	2	22.69	22.62	22.59	24.00
		1	5	22.89	22.87	22.82	24.00
		3	0	23.03	22.98	22.89	24.00
		3	2	22.84	22.87	22.93	24.00
		3	3	22.64	22.57	22.52	24.00
		6	0	21.72	21.69	21.59	23.00
	16QAM	1	0	22.14	22.05	22.14	23.00
		1	2	22.21	22.26	22.30	23.00
		1	5	22.23	22.26	22.25	23.00
		3	0	21.66	21.64	21.65	23.00
		3	2	21.73	21.64	21.72	23.00
		3	3	21.60	21.62	21.72	23.00
		6	0	21.13	21.08	21.06	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20415	20525	20635	
3MHz	QPSK	1	0	22.89	22.96	22.96	24.00
		1	7	22.66	22.66	22.76	24.00
		1	14	22.85	22.85	22.87	24.00
		8	0	22.06	22.07	21.99	23.00
		8	4	21.79	21.82	21.72	23.00
		8	7	21.49	21.51	21.50	23.00
		15	0	21.80	21.77	21.71	23.00
	16QAM	1	0	22.08	22.04	22.13	23.00
		1	7	22.29	22.33	22.32	23.00
		1	14	22.41	22.32	22.40	23.00
		8	0	20.61	20.64	20.55	22.00
		8	4	20.60	20.65	20.58	22.00
		8	7	20.59	20.61	20.52	22.00
		15	0	21.14	21.15	21.21	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20425	20525	20625	
5MHz	QPSK	1	0	23.00	23.05	23.09	24.00
		1	13	22.65	22.75	22.69	24.00
		1	24	22.72	22.79	22.78	24.00
		12	0	22.01	22.01	22.05	23.00
		12	6	21.71	21.78	21.80	23.00
		12	13	21.57	21.59	21.55	23.00
		25	0	21.76	21.68	21.74	23.00
	16QAM	1	0	22.04	21.98	22.04	23.00
		1	13	22.27	22.31	22.37	23.00
		1	24	22.30	22.31	22.41	23.00
		12	0	20.73	20.66	20.60	22.00
		12	6	20.67	20.72	20.69	22.00
		12	13	20.65	20.55	20.51	22.00
		25	0	21.02	21.12	21.13	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 14 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	20525	/	
10MHz	QPSK	1	0	/	22.97	/	24.00
		1	25	/	22.80	/	24.00
		1	49	/	22.70	/	24.00
		25	0	/	21.91	/	23.00
		25	13	/	21.77	/	23.00
		25	25	/	21.68	/	23.00
		50	0	/	21.58	/	23.00
	16QAM	1	0	/	22.08	/	23.00
		1	25	/	22.26	/	23.00
		1	49	/	22.34	/	23.00
		25	0	/	20.76	/	22.00
		25	13	/	20.75	/	22.00
		25	25	/	20.64	/	22.00
		50	0	/	21.14	/	22.00

LTE Band 7 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20775	21100	21425	
5MHz	QPSK	1	0	22.83	23.12	22.81	24.00
		1	13	22.47	22.51	22.28	24.00
		1	24	22.34	22.38	22.53	24.00
		12	0	21.74	22.00	21.56	23.00
		12	6	21.58	21.43	21.68	23.00
		12	13	21.70	21.43	21.61	23.00
		25	0	21.89	21.50	21.83	23.00
	16QAM	1	0	21.75	21.89	22.11	23.00
		1	13	22.01	22.02	21.90	23.00
		1	24	21.72	22.23	22.06	23.00
		12	0	20.89	20.64	20.61	22.00
		12	6	20.75	20.50	20.47	22.00
		12	13	20.60	20.56	20.44	22.00
		25	0	20.30	20.80	20.53	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20800	21100	21400	
10MHz	QPSK	1	0	22.87	23.12	22.89	24.00
		1	25	22.42	22.60	22.21	24.00
		1	49	22.29	22.48	22.47	24.00
		25	0	21.69	21.96	21.53	23.00
		25	13	21.59	21.53	21.62	23.00
		25	25	21.74	21.35	21.65	23.00
		50	0	21.81	21.58	21.80	23.00
	16QAM	1	0	21.85	21.91	22.08	23.00
		1	25	22.07	21.94	21.86	23.00
		1	49	21.76	22.14	22.11	23.00
		25	0	20.79	20.72	20.52	22.00
		25	13	20.80	20.56	20.48	22.00
		25	25	20.61	20.61	20.47	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 15 of 71

		50	0	20.38	20.73	20.53	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20825	21100	21375	
15MHz	QPSK	1	0	22.83	23.09	22.84	24.00
		1	38	22.51	22.63	22.31	24.00
		1	74	22.29	22.56	22.42	24.00
		36	0	21.62	22.01	21.62	23.00
		36	18	21.56	21.50	21.67	23.00
		36	39	21.70	21.35	21.62	23.00
		75	0	21.76	21.66	21.70	23.00
	16QAM	1	0	21.89	21.98	22.04	23.00
		1	38	22.02	22.00	21.95	23.00
		1	74	21.86	22.24	22.08	23.00
		36	0	20.84	20.73	20.43	22.00
		36	18	20.76	20.66	20.58	22.00
		36	39	20.57	20.51	20.55	22.00
		75	0	20.36	20.72	20.50	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20850	21100	21350	
20MHz	QPSK	1	0	22.81	23.15	22.92	24.00
		1	50	22.41	22.54	22.24	24.00
		1	99	22.24	22.52	22.47	24.00
		50	0	21.57	22.08	21.68	23.00
		50	25	21.49	21.50	21.68	23.00
		50	50	21.65	21.41	21.61	23.00
		100	0	21.75	21.70	21.71	23.00
	16QAM	1	0	21.95	21.98	22.01	23.00
		1	50	21.95	22.08	21.89	23.00
		1	99	21.93	22.31	22.17	23.00
		50	0	20.90	20.75	20.50	22.00
		50	25	20.70	20.66	20.58	22.00
		50	50	20.53	20.45	20.49	22.00
		100	0	20.41	20.76	20.47	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 16 of 71

LTE FDD Band 12 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23017	23095	23173	
1.4MHz	QPSK	1	0	23.18	23.08	23.09	24.00
		1	2	23.01	23.02	22.94	24.00
		1	5	22.87	22.92	22.88	24.00
		3	0	22.90	22.96	23.05	24.00
		3	2	22.75	22.81	22.81	24.00
		3	3	22.74	22.79	22.78	24.00
		6	0	21.72	21.64	21.73	23.00
	16QAM	1	0	22.33	22.33	22.27	23.00
		1	2	22.39	22.44	22.53	23.00
		1	5	22.43	22.36	22.26	23.00
		3	0	22.04	22.03	21.98	23.00
		3	2	21.84	21.76	21.78	23.00
		3	3	21.41	21.47	21.39	23.00
		6	0	20.87	20.77	20.70	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23025	23095	23165	
3MHz	QPSK	1	0	23.01	23.11	23.05	24.00
		1	7	22.99	22.93	22.85	24.00
		1	14	22.95	22.86	22.87	24.00
		8	0	21.92	21.98	22.02	23.00
		8	4	21.84	21.79	21.75	23.00
		8	7	21.63	21.73	21.64	23.00
		15	0	21.56	21.64	21.59	23.00
	16QAM	1	0	22.46	22.43	22.40	23.00
		1	7	22.41	22.36	22.44	23.00
		1	14	22.30	22.38	22.36	23.00
		8	0	21.01	20.99	21.04	22.00
		8	4	20.81	20.86	20.88	22.00
		8	7	20.56	20.46	20.55	22.00
		15	0	20.87	20.83	20.73	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23035	23095	23155	
5MHz	QPSK	1	0	22.99	23.08	23.01	24.00
		1	13	22.80	22.83	22.89	24.00
		1	24	22.77	22.78	22.72	24.00
		12	0	22.03	21.99	22.00	23.00
		12	6	21.83	21.81	21.81	23.00
		12	13	21.69	21.74	21.74	23.00
		25	0	21.51	21.57	21.52	23.00
	16QAM	1	0	22.46	22.36	22.32	23.00
		1	13	22.29	22.37	22.40	23.00
		1	24	22.51	22.44	22.36	23.00
		12	0	21.05	21.03	21.12	22.00
		12	6	20.86	20.79	20.87	22.00
		12	13	20.61	20.55	20.49	22.00
		25	0	20.94	20.90	20.88	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 17 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23095	/	
10MHz	QPSK	1	0	/	23.07	/	24.00
		1	25	/	22.76	/	24.00
		1	49	/	22.75	/	24.00
		25	0	/	21.90	/	23.00
		25	13	/	21.91	/	23.00
		25	25	/	21.84	/	23.00
		50	0	/	21.56	/	23.00
	16QAM	1	0	/	22.26	/	23.00
		1	25	/	22.37	/	23.00
		1	49	/	22.39	/	23.00
		25	0	/	21.00	/	22.00
		25	13	/	20.83	/	22.00
		25	25	/	20.65	/	22.00
		50	0	/	20.91	/	22.00

LTE FDD Band 13 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23230	/	
5MHz	QPSK	1	0	/	23.12	/	24.00
		1	13	/	22.78	/	24.00
		1	24	/	22.90	/	24.00
		12	0	/	21.91	/	23.00
		12	6	/	21.84	/	23.00
		12	13	/	21.61	/	23.00
		25	0	/	21.60	/	23.00
	16QAM	1	0	/	22.14	/	23.00
		1	13	/	22.25	/	23.00
		1	24	/	22.26	/	23.00
		12	0	/	20.97	/	22.00
		12	6	/	21.06	/	22.00
		12	13	/	20.74	/	22.00
		25	0	/	20.96	/	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23230	/	
10MHz	QPSK	1	0	/	23.11	/	24.00
		1	25	/	22.83	/	24.00
		1	49	/	22.84	/	24.00
		25	0	/	21.97	/	23.00
		25	13	/	21.89	/	23.00
		25	25	/	21.71	/	23.00
		50	0	/	21.66	/	23.00
	16QAM	1	0	/	22.06	/	23.00
		1	25	/	22.23	/	23.00
		1	49	/	22.36	/	23.00
		25	0	/	20.89	/	22.00
		25	13	/	20.99	/	22.00
		25	25	/	20.65	/	22.00
		50	0	/	20.91	/	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 18 of 71

LTE FDD Band 17 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23790	/	
5MHz	QPSK	1	0	/	22.91	/	24.00
		1	13	/	22.61	/	24.00
		1	24	/	22.71	/	24.00
		12	0	/	21.76	/	23.00
		12	6	/	21.80	/	23.00
		12	13	/	21.66	/	23.00
		25	0	/	21.57	/	23.00
	16QAM	1	0	/	22.15	/	23.00
		1	13	/	22.22	/	23.00
		1	24	/	22.43	/	23.00
		12	0	/	20.83	/	22.00
		12	6	/	20.78	/	22.00
		12	13	/	20.50	/	22.00
		25	0	/	20.94	/	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23790	/	
10MHz	QPSK	1	0	/	22.95	/	24.00
		1	25	/	22.64	/	24.00
		1	49	/	22.78	/	24.00
		25	0	/	21.78	/	23.00
		25	13	/	21.79	/	23.00
		25	25	/	21.66	/	23.00
		50	0	/	21.58	/	23.00
	16QAM	1	0	/	22.09	/	23.00
		1	25	/	22.22	/	23.00
		1	49	/	22.36	/	23.00
		25	0	/	20.77	/	22.00
		25	13	/	20.76	/	22.00
		25	25	/	20.58	/	22.00
		50	0	/	20.87	/	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 19 of 71

LTE Band 26 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26697	26865	27033	
1.4MHz	QPSK	1	0	23.22	23.28	23.19	24.00
		1	2	22.85	22.92	22.95	24.00
		1	5	22.64	22.71	22.71	24.00
		3	0	22.93	23.03	23.13	24.00
		3	2	22.85	22.95	22.86	24.00
		3	3	22.56	22.59	22.51	24.00
		6	0	21.85	21.94	21.88	23.00
	16QAM	1	0	22.39	22.45	22.46	23.00
		1	2	22.11	22.04	22.08	23.00
		1	5	22.39	22.48	22.45	23.00
		3	0	21.87	21.94	21.88	23.00
		3	2	21.62	21.71	21.71	23.00
		3	3	21.64	21.73	21.72	23.00
		6	0	20.97	20.93	20.89	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26705	26865	27025	
3MHz	QPSK	1	0	23.33	23.27	23.20	24.00
		1	7	22.83	22.87	22.86	24.00
		1	14	22.65	22.75	22.73	24.00
		8	0	21.88	21.98	21.89	23.00
		8	4	22.03	21.94	22.02	23.00
		8	7	21.67	21.69	21.77	23.00
		15	0	21.79	21.88	21.83	23.00
	16QAM	1	0	22.29	22.37	22.35	23.00
		1	7	22.20	22.13	22.10	23.00
		1	14	22.52	22.45	22.52	23.00
		8	0	21.01	20.91	20.84	22.00
		8	4	20.61	20.65	20.60	22.00
		8	7	20.58	20.67	20.68	22.00
		15	0	21.07	20.99	20.93	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26715	26865	27015	
5MHz	QPSK	1	0	23.18	23.20	23.17	24.00
		1	13	22.75	22.83	22.80	24.00
		1	24	22.78	22.75	22.67	24.00
		12	0	21.87	21.88	21.91	23.00
		12	6	21.98	21.92	21.82	23.00
		12	13	21.85	21.77	21.73	23.00
		25	0	21.89	21.86	21.94	23.00
	16QAM	1	0	22.35	22.30	22.33	23.00
		1	13	22.21	22.19	22.27	23.00
		1	24	22.53	22.46	22.44	23.00
		12	0	20.78	20.81	20.91	22.00
		12	6	20.65	20.69	20.70	22.00
		12	13	20.67	20.66	20.64	22.00
		25	0	20.87	20.95	20.90	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 20 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26740	26865	26990	
10MHz	QPSK	1	0	23.10	23.17	23.11	24.00
		1	25	22.86	22.77	22.74	24.00
		1	49	22.89	22.79	22.81	24.00
		25	0	21.86	21.90	21.99	23.00
		25	13	21.96	21.86	21.78	23.00
		25	25	21.70	21.69	21.61	23.00
		50	0	21.80	21.84	21.89	23.00
	16QAM	1	0	22.21	22.22	22.17	23.00
		1	25	22.37	22.28	22.19	23.00
		1	49	22.63	22.53	22.59	23.00
		25	0	20.91	20.82	20.87	22.00
		25	13	20.79	20.74	20.76	22.00
		25	25	20.79	20.76	20.71	22.00
		50	0	20.96	21.03	21.01	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
15MHz	QPSK	1	0	/	26865	/	24.00
		1	38	/	22.81	/	24.00
		1	74	/	22.72	/	24.00
		36	0	/	21.95	/	23.00
		36	18	/	21.87	/	23.00
		36	39	/	21.72	/	23.00
		75	0	/	21.83	/	23.00
	16QAM	1	0	/	22.32	/	23.00
		1	38	/	22.28	/	23.00
		1	74	/	22.51	/	23.00
		36	0	/	20.89	/	22.00
		36	18	/	20.83	/	22.00
		36	39	/	20.74	/	22.00
		75	0	/	21.01	/	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 21 of 71

LTE Band 25 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26047	26365	26683	
1.4MHz	QPSK	1	0	22.92	22.92	22.89	24.00
		1	2	22.68	22.79	22.70	24.00
		1	5	22.44	22.95	22.76	24.00
		3	0	22.89	22.92	22.57	24.00
		3	2	22.94	23.09	23.30	24.00
		3	3	22.90	22.65	22.51	24.00
		6	0	21.77	21.63	21.96	23.00
	16QAM	1	0	22.29	22.57	22.19	23.00
		1	2	22.12	22.11	22.09	23.00
		1	5	21.89	22.35	22.04	23.00
		3	0	22.07	21.77	21.68	23.00
		3	2	21.62	22.26	21.92	23.00
		3	3	21.51	21.71	21.92	23.00
		6	0	20.87	20.80	20.60	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26055	26365	26675	
3MHz	QPSK	1	0	22.90	22.90	22.93	24.00
		1	7	22.65	22.78	22.80	24.00
		1	14	22.51	22.94	22.66	24.00
		8	0	21.93	22.02	21.66	23.00
		8	4	21.94	22.09	22.21	23.00
		8	7	21.86	21.58	21.44	23.00
		15	0	21.83	21.60	21.96	23.00
	16QAM	1	0	22.24	22.57	22.13	23.00
		1	7	22.21	22.15	22.14	23.00
		1	14	21.91	22.33	22.14	23.00
		8	0	20.99	20.70	20.68	22.00
		8	4	20.68	21.22	20.85	22.00
		8	7	20.53	20.70	20.83	22.00
		15	0	20.94	20.85	20.50	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26065	26365	26665	
5MHz	QPSK	1	0	22.80	22.95	22.85	24.00
		1	13	22.74	22.79	22.78	24.00
		1	24	22.58	22.84	22.71	24.00
		12	0	21.94	21.97	21.60	23.00
		12	6	21.94	21.99	22.25	23.00
		12	13	21.81	21.63	21.35	23.00
		25	0	21.90	21.62	21.86	23.00
	16QAM	1	0	22.21	22.51	22.15	23.00
		1	13	22.15	22.24	22.20	23.00
		1	24	21.92	22.29	22.21	23.00
		12	0	21.04	20.79	20.65	22.00
		12	6	20.62	21.15	20.76	22.00
		12	13	20.56	20.61	20.79	22.00
		25	0	20.88	20.90	20.58	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 22 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26090	26365	26640	
10MHz	QPSK	1	0	22.84	23.03	22.76	24.00
		1	25	22.77	22.77	22.71	24.00
		1	49	22.53	22.75	22.68	24.00
		25	0	21.86	21.96	21.58	23.00
		25	13	21.98	22.02	22.16	23.00
		25	25	21.73	21.70	21.39	23.00
		50	0	21.83	21.67	21.87	23.00
	16QAM	1	0	22.26	22.47	22.16	23.00
		1	25	22.11	22.19	22.27	23.00
		1	49	22.00	22.29	22.22	23.00
		25	0	21.03	20.89	20.59	22.00
		25	13	20.72	21.11	20.73	22.00
		25	25	20.55	20.61	20.73	22.00
		50	0	20.81	20.99	20.67	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26115	26365	26615	
15MHz	QPSK	1	0	22.88	23.07	22.86	24.00
		1	38	22.83	22.85	22.74	24.00
		1	74	22.47	22.68	22.62	24.00
		36	0	21.79	21.95	21.66	23.00
		36	18	21.91	21.94	22.07	23.00
		36	39	21.82	21.70	21.41	23.00
		75	0	21.80	21.72	21.80	23.00
	16QAM	1	0	22.22	22.45	22.17	23.00
		1	38	22.11	22.24	22.23	23.00
		1	74	22.10	22.38	22.24	23.00
		36	0	21.07	20.84	20.57	22.00
		36	18	20.77	21.06	20.80	22.00
		36	39	20.65	20.55	20.66	22.00
		75	0	20.90	20.99	20.61	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26140	26365	26590	
20MHz	QPSK	1	0	22.97	23.12	22.96	24.00
		1	50	22.82	22.80	22.68	24.00
		1	99	22.50	22.75	22.65	24.00
		50	0	21.73	21.95	21.70	23.00
		50	25	21.81	21.84	22.00	23.00
		50	50	21.81	21.77	21.50	23.00
		100	0	21.86	21.65	21.78	23.00
	16QAM	1	0	22.17	22.36	22.27	23.00
		1	50	22.10	22.17	22.14	23.00
		1	99	22.12	22.34	22.21	23.00
		50	0	21.05	20.78	20.66	22.00
		50	25	20.75	20.97	20.78	22.00
		50	50	20.71	20.63	20.70	22.00
		100	0	20.86	20.95	20.66	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 23 of 71

LTE FDD Band 30 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
5MHz	QPSK	1	0	/	22.80	/	24.00
		1	13	/	22.45	/	24.00
		1	24	/	22.54	/	24.00
		12	0	/	21.61	/	23.00
		12	6	/	21.57	/	23.00
		12	13	/	21.52	/	23.00
		25	0	/	21.26	/	23.00
	16QAM	1	0	/	21.95	/	23.00
		1	13	/	22.00	/	23.00
		1	24	/	22.17	/	23.00
		12	0	/	20.43	/	22.00
		12	6	/	20.65	/	22.00
		12	13	/	20.27	/	22.00
		25	0	/	20.53	/	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
10MHz	QPSK	1	0	/	22.76	/	24.00
		1	25	/	22.51	/	24.00
		1	49	/	22.54	/	24.00
		25	0	/	21.51	/	23.00
		25	13	/	21.64	/	23.00
		25	25	/	21.46	/	23.00
		50	0	/	21.31	/	23.00
	16QAM	1	0	/	21.90	/	23.00
		1	25	/	22.01	/	23.00
		1	49	/	22.10	/	23.00
		25	0	/	20.52	/	22.00
		25	13	/	20.58	/	22.00
		25	25	/	20.33	/	22.00
		50	0	/	20.63	/	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 24 of 71

LTE Band 66 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	23.05	23.43	23.18	24.00
		1	2	22.81	22.98	22.69	24.00
		1	5	22.74	23.19	22.69	24.00
		3	0	22.89	23.14	22.90	24.00
		3	1	22.93	22.97	22.79	24.00
		3	3	23.33	22.65	22.81	24.00
		6	0	21.53	21.89	22.01	23.00
	16QAM	1	0	22.47	22.56	22.49	23.00
		1	2	22.71	22.45	22.08	23.00
		1	5	22.57	22.60	22.29	23.00
		3	0	21.85	21.90	21.80	23.00
		3	1	21.70	21.91	21.86	23.00
		3	3	21.97	21.63	21.71	23.00
		6	0	20.92	21.05	21.11	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131987	132322	132657	
3MHz	QPSK	1	0	23.09	23.40	23.15	24.00
		1	7	22.88	23.07	22.75	24.00
		1	14	22.78	23.18	22.77	24.00
		8	0	21.99	22.11	21.91	23.00
		8	4	21.97	21.95	21.84	23.00
		8	7	22.30	21.74	21.75	23.00
		15	0	21.61	21.84	22.01	23.00
	16QAM	1	0	22.38	22.47	22.40	23.00
		1	7	22.62	22.49	22.07	23.00
		1	14	22.47	22.53	22.38	23.00
		8	0	20.92	20.99	20.77	22.00
		8	4	20.72	20.98	20.96	22.00
		8	7	20.92	20.57	20.80	22.00
		15	0	20.86	21.02	21.05	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131997	132322	132647	
5MHz	QPSK	1	0	23.17	23.32	23.10	24.00
		1	13	22.78	23.09	22.79	24.00
		1	24	22.81	23.20	22.79	24.00
		12	0	21.90	22.09	21.98	23.00
		12	6	21.92	21.98	21.85	23.00
		12	13	22.25	21.74	21.81	23.00
		25	0	21.63	21.84	21.94	23.00
	16QAM	1	0	22.39	22.43	22.38	23.00
		1	13	22.62	22.51	22.17	23.00
		1	24	22.37	22.54	22.44	23.00
		12	0	20.93	21.07	20.83	22.00
		12	6	20.67	21.03	20.96	22.00
		12	13	20.90	20.64	20.84	22.00
		25	0	20.86	20.96	20.96	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 25 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132022	132322	132622	
10MHz	QPSK	1	0	23.07	23.34	23.14	24.00
		1	25	22.81	23.05	22.75	24.00
		1	49	22.75	23.10	22.84	24.00
		25	0	21.92	22.07	21.96	23.00
		25	13	21.84	22.00	21.91	23.00
		25	25	22.23	21.82	21.84	23.00
		50	0	21.72	21.87	21.92	23.00
	16QAM	1	0	22.37	22.34	22.32	23.00
		1	25	22.52	22.43	22.11	23.00
		1	49	22.30	22.54	22.38	23.00
		25	0	20.92	21.05	20.92	22.00
		25	13	20.65	21.11	20.98	22.00
		25	25	20.87	20.67	20.81	22.00
		50	0	20.89	20.94	20.94	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132047	132322	132597	
15MHz	QPSK	1	0	22.98	23.33	23.07	24.00
		1	38	22.91	22.98	22.79	24.00
		1	74	22.70	23.01	22.89	24.00
		36	0	22.00	22.10	21.93	23.00
		36	18	21.90	22.09	21.90	23.00
		36	39	22.15	21.78	21.76	23.00
		75	0	21.82	21.78	22.01	23.00
	16QAM	1	0	22.29	22.30	22.26	23.00
		1	38	22.42	22.51	22.06	23.00
		1	74	22.25	22.56	22.41	23.00
		36	0	21.00	21.07	20.90	22.00
		36	18	20.70	21.05	20.97	22.00
		36	39	20.78	20.77	20.81	22.00
		75	0	20.80	21.04	20.99	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132072	132322	132572	
20MHz	QPSK	1	0	23.03	23.30	23.02	24.00
		1	50	22.84	22.91	22.76	24.00
		1	99	22.80	22.99	22.81	24.00
		50	0	21.92	22.07	21.88	23.00
		50	25	21.88	22.04	21.95	23.00
		50	50	22.07	21.78	21.69	23.00
		100	0	21.91	21.84	21.96	23.00
	16QAM	1	0	22.24	22.30	22.17	23.00
		1	50	22.32	22.44	22.14	23.00
		1	99	22.15	22.59	22.43	23.00
		50	0	20.98	21.17	20.86	22.00
		50	25	20.79	21.00	20.87	22.00
		50	50	20.81	20.72	20.77	22.00
		100	0	20.84	20.99	20.93	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 26 of 71

LTE Band 38 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37775	38000	38225	
5MHz	QPSK	1	0	22.53	22.58	22.65	24.00
		1	13	22.13	22.19	22.10	24.00
		1	24	22.21	22.27	22.23	24.00
		12	0	21.71	21.69	21.64	23.00
		12	6	21.60	21.56	21.56	23.00
		12	13	21.42	21.41	21.46	23.00
		25	0	21.34	21.40	21.48	23.00
	16QAM	1	0	21.71	21.75	21.79	23.00
		1	13	21.95	21.92	22.02	23.00
		1	24	22.17	22.16	22.06	23.00
		12	0	20.47	20.56	20.52	22.00
		12	6	20.37	20.45	20.41	22.00
		12	13	20.36	20.30	20.34	22.00
		25	0	20.33	20.39	20.41	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37800	38000	38200	
10MHz	QPSK	1	0	22.56	22.57	22.54	24.00
		1	25	22.12	22.20	22.25	24.00
		1	49	22.32	22.30	22.39	24.00
		25	0	21.71	21.68	21.74	23.00
		25	13	21.40	21.50	21.42	23.00
		25	25	21.43	21.42	21.32	23.00
		50	0	21.35	21.31	21.24	23.00
	16QAM	1	0	21.77	21.75	21.71	23.00
		1	25	21.97	21.93	21.96	23.00
		1	49	21.99	22.09	22.04	23.00
		25	0	20.57	20.51	20.52	22.00
		25	13	20.36	20.36	20.35	22.00
		25	25	20.24	20.29	20.22	22.00
		50	0	20.40	20.49	20.42	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37825	38000	38175	
15MHz	QPSK	1	0	22.73	22.67	22.57	24.00
		1	38	22.16	22.17	22.12	24.00
		1	74	22.37	22.28	22.30	24.00
		36	0	21.81	21.76	21.86	23.00
		36	18	21.56	21.48	21.48	23.00
		36	39	21.42	21.36	21.36	23.00
		75	0	21.39	21.40	21.32	23.00
	16QAM	1	0	21.86	21.80	21.73	23.00
		1	38	21.84	21.83	21.77	23.00
		1	74	22.04	22.04	22.12	23.00
		36	0	20.49	20.46	20.50	22.00
		36	18	20.49	20.43	20.33	22.00
		36	39	20.22	20.20	20.20	22.00
		75	0	20.55	20.48	20.39	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 27 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	38000	/	
20MHz	QPSK	1	0	/	22.67	/	24.00
		1	50	/	22.26	/	24.00
		1	99	/	22.37	/	24.00
		50	0	/	21.72	/	23.00
		50	25	/	21.55	/	23.00
		50	50	/	21.30	/	23.00
		100	0	/	21.37	/	23.00
	16QAM	1	0	/	21.73	/	23.00
		1	50	/	21.83	/	23.00
		1	99	/	22.09	/	23.00
		50	0	/	20.48	/	22.00
		50	25	/	20.44	/	22.00
		50	50	/	20.19	/	22.00
		100	0	/	20.57	/	22.00

LTE Band 41 Full Power				Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				39675	40148	40620	41093	41565	
5MHz	QPSK	1	0	22.69	22.71	22.83	22.9	22.97	24.00
		1	13	22.38	22.64	22.65	22.59	22.56	24.00
		1	24	22.39	22.79	22.6	22.64	22.31	24.00
		12	0	21.55	21.43	21.62	21.98	21.57	23.00
		12	6	21.49	21.66	21.5	21.47	21.39	23.00
		12	13	21.42	21.57	21.83	21.75	21.95	23.00
		25	0	21.36	21.48	21.38	21.63	21.75	23.00
	16QAM	1	0	21.74	22.21	21.91	22.1	21.88	23.00
		1	13	21.79	21.98	22.2	21.98	22.07	23.00
		1	24	21.86	22.18	22.13	21.96	21.89	23.00
		12	0	21.03	20.56	20.59	20.9	20.76	22.00
		12	6	20.61	20.71	20.72	20.64	20.41	22.00
		12	13	20.54	20.4	20.67	20.65	20.63	22.00
		25	0	20.62	20.66	20.98	20.61	20.66	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				39700	40160	40620	41080	41540	
10MHz	QPSK	1	0	22.66	22.74	22.84	22.85	22.9	24.00
		1	25	22.48	22.62	22.66	22.54	22.62	24.00
		1	49	22.46	22.78	22.68	22.55	22.35	24.00
		25	0	21.57	21.43	21.62	21.88	21.48	23.00
		25	13	21.58	21.59	21.45	21.45	21.42	23.00
		25	25	21.38	21.67	21.81	21.71	21.85	23.00
		50	0	21.44	21.57	21.41	21.67	21.79	23.00
	16QAM	1	0	21.82	22.2	21.95	22.06	21.98	23.00
		1	25	21.74	22.02	22.16	21.98	22.01	23.00
		1	49	21.94	22.14	22.18	21.97	21.94	23.00
		25	0	21	20.64	20.69	20.84	20.8	22.00
		25	13	20.61	20.65	20.66	20.65	20.51	22.00
		25	25	20.63	20.47	20.57	20.64	20.57	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 28 of 71

		50	0	20.6	20.56	20.95	20.56	20.66	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				39725	40173	40620	41068	41515	
15MHz	QPSK	1	0	22.76	22.75	22.84	22.84	22.85	24.00
		1	38	22.46	22.71	22.69	22.45	22.7	24.00
		1	74	22.44	22.76	22.7	22.51	22.32	24.00
		36	0	21.57	21.51	21.6	21.81	21.46	23.00
		36	18	21.48	21.65	21.48	21.41	21.36	23.00
		36	39	21.47	21.67	21.71	21.75	21.79	23.00
		75	0	21.51	21.52	21.31	21.64	21.7	23.00
	16QAM	1	0	21.76	22.1	21.92	21.98	22.02	23.00
		1	38	21.84	22.06	22.25	22.02	22.01	23.00
		1	74	21.91	22.19	22.19	22.06	21.87	23.00
		36	0	20.95	20.58	20.62	20.74	20.8	22.00
		36	18	20.56	20.64	20.63	20.69	20.46	22.00
		36	39	20.53	20.38	20.54	20.56	20.48	22.00
		75	0	20.58	20.61	20.88	20.61	20.62	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				39750	40185	40620	41055	41490	
20MHz	QPSK	1	0	22.81	22.85	22.88	22.77	22.75	24.00
		1	50	22.47	22.62	22.68	22.45	22.61	24.00
		1	99	22.53	22.67	22.65	22.47	22.37	24.00
		50	0	21.57	21.59	21.59	21.71	21.53	23.00
		50	25	21.44	21.58	21.57	21.37	21.42	23.00
		50	50	21.53	21.57	21.77	21.8	21.76	23.00
		100	0	21.54	21.55	21.41	21.59	21.68	23.00
	16QAM	1	0	21.84	22.03	21.96	21.93	22.06	23.00
		1	50	21.85	22.14	22.15	21.95	22.04	23.00
		1	99	21.92	22.2	22.15	21.98	21.95	23.00
		50	0	20.85	20.65	20.65	20.84	20.79	22.00
		50	25	20.57	20.64	20.6	20.62	20.44	22.00
		50	50	20.44	20.48	20.46	20.61	20.48	22.00
		100	0	20.49	20.71	20.85	20.57	20.68	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 29 of 71

LTE Band 71 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				133147	133297	133447	
5MHz	QPSK	1	0	23.12	23.12	23.06	24.00
		1	13	22.94	22.94	23	24.00
		1	24	22.93	22.97	22.9	24.00
		12	0	21.97	22.01	22.08	23.00
		12	6	21.88	21.9	21.85	23.00
		12	13	21.88	21.87	21.94	23.00
		25	0	21.65	21.7	21.73	23.00
	16QAM	1	0	22.02	22.06	21.96	23.00
		1	13	22.28	22.2	22.29	23.00
		1	24	22.28	22.21	22.12	23.00
		12	0	20.85	20.8	20.7	22.00
		12	6	20.72	20.7	20.76	22.00
		12	13	20.62	20.56	20.63	22.00
		25	0	21	21	20.97	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				133172	133297	133422	
10MHz	QPSK	1	0	22.97	23.05	23.11	24.00
		1	25	22.88	22.84	22.86	24.00
		1	49	22.83	22.9	22.82	24.00
		25	0	21.96	21.98	21.92	23.00
		25	13	21.97	21.97	21.97	23.00
		25	25	21.91	21.84	21.76	23.00
		50	0	21.82	21.8	21.88	23.00
	16QAM	1	0	22.14	22.06	22.08	23.00
		1	25	22.15	22.18	22.28	23.00
		1	49	22.19	22.27	22.27	23.00
		25	0	20.85	20.86	20.92	22.00
		25	13	20.72	20.76	20.69	22.00
		25	25	20.4	20.48	20.51	22.00
		50	0	20.92	20.98	20.99	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	133297	/	
15MHz	QPSK	1	0	/	23.14	/	24.00
		1	38	/	22.8	/	24.00
		1	74	/	22.81	/	24.00
		36	0	/	21.88	/	23.00
		36	18	/	21.89	/	23.00
		36	39	/	21.82	/	23.00
		75	0	/	21.78	/	23.00
	16QAM	1	0	/	22.07	/	23.00
		1	38	/	22.25	/	23.00
		1	74	/	22.29	/	23.00
		36	0	/	20.83	/	22.00
		36	18	/	20.73	/	22.00
		36	39	/	20.58	/	22.00
		75	0	/	21.02	/	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509
Rev.: 01
Page: 30 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	133322	/	
20MHz	QPSK	1	0	/	23.14	/	24.00
		1	50	/	22.77	/	24.00
		1	99	/	22.82	/	24.00
		50	0	/	21.98	/	23.00
		50	25	/	21.93	/	23.00
		50	50	/	21.81	/	23.00
		100	0	/	21.76	/	23.00
	16QAM	1	0	/	22.02	/	23.00
		1	50	/	22.34	/	23.00
		1	99	/	22.38	/	23.00
		50	0	/	20.87	/	22.00
		50	25	/	20.77	/	22.00
		50	50	/	20.61	/	22.00
		100	0	/	20.95	/	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 31 of 71

Sensor on:

LTE Band 2 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18607	18900	19193	
1.4MHz	QPSK	1	0	11.89	11.72	12.02	13.00
		1	2	11.71	11.96	11.68	13.00
		1	5	11.92	11.64	11.93	13.00
		3	0	11.94	11.83	11.76	13.00
		3	2	11.48	11.53	11.73	13.00
		3	3	11.55	11.58	11.53	13.00
		6	0	11.63	11.68	11.78	13.00
	16QAM	1	0	11.87	11.63	11.51	13.00
		1	2	11.66	11.57	11.47	13.00
		1	5	11.42	11.71	11.67	13.00
		3	0	11.97	11.73	11.86	13.00
		3	2	11.68	11.81	11.84	13.00
		3	3	11.73	11.67	11.78	13.00
		6	0	11.63	11.71	11.53	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18615	18900	19185	
3MHz	QPSK	1	0	11.83	11.78	12.01	13.00
		1	7	11.66	11.89	11.67	13.00
		1	14	12.00	11.67	11.97	13.00
		8	0	11.92	11.91	11.75	13.00
		8	4	11.42	11.54	11.71	13.00
		8	7	11.60	11.57	11.60	13.00
		15	0	11.73	11.71	11.81	13.00
	16QAM	1	0	11.93	11.73	11.51	13.00
		1	7	11.72	11.61	11.57	13.00
		1	14	11.47	11.69	11.66	13.00
		8	0	11.90	11.64	11.85	13.00
		8	4	11.61	11.86	11.93	13.00
		8	7	11.81	11.72	11.71	13.00
		15	0	11.71	11.74	11.43	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	QPSK	1	0	11.73	11.85	12.01	13.00
		1	13	11.71	11.87	11.73	13.00
		1	24	11.93	11.73	11.90	13.00
		12	0	11.84	11.82	11.75	13.00
		12	6	11.44	11.55	11.64	13.00
		12	13	11.54	11.60	11.66	13.00
		25	0	11.75	11.64	11.79	13.00
	16QAM	1	0	11.91	11.66	11.60	13.00
		1	13	11.77	11.64	11.55	13.00
		1	24	11.56	11.74	11.74	13.00
		12	0	11.84	11.64	11.88	13.00
		12	6	11.58	11.88	11.93	13.00
		12	13	11.86	11.70	11.81	13.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 32 of 71

		25	0	11.62	11.78	11.45	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18650	18900	19150	
10MHz	QPSK	1	0	11.65	11.84	11.96	13.00
		1	25	11.71	11.88	11.67	13.00
		1	49	11.88	11.77	11.81	13.00
		25	0	11.78	11.83	11.78	13.00
		25	13	11.47	11.56	11.70	13.00
		25	25	11.62	11.53	11.74	13.00
		50	0	11.71	11.67	11.79	13.00
	16QAM	1	0	11.81	11.76	11.63	13.00
		1	25	11.74	11.63	11.56	13.00
		1	49	11.64	11.69	11.64	13.00
		25	0	11.80	11.70	11.85	13.00
		25	13	11.58	11.83	11.83	13.00
		25	25	11.76	11.80	11.81	13.00
		50	0	11.57	11.76	11.45	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	QPSK	1	0	11.63	11.84	11.86	13.00
		1	38	11.67	11.84	11.76	13.00
		1	74	11.81	11.78	11.78	13.00
		36	0	11.76	11.75	11.79	13.00
		36	18	11.55	11.65	11.65	13.00
		36	39	11.72	11.49	11.77	13.00
		75	0	11.64	11.71	11.73	13.00
	16QAM	1	0	11.77	11.72	11.67	13.00
		1	38	11.75	11.68	11.65	13.00
		1	74	11.67	11.61	11.57	13.00
		36	0	11.70	11.69	11.76	13.00
		36	18	11.65	11.80	11.81	13.00
		36	39	11.70	11.76	11.81	13.00
		75	0	11.60	11.86	11.52	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18700	18900	19100	
20MHz	QPSK	1	0	11.68	11.92	11.81	13.00
		1	50	11.73	11.76	11.78	13.00
		1	99	11.71	11.73	11.83	13.00
		50	0	11.80	11.81	11.75	13.00
		50	25	11.64	11.69	11.64	13.00
		50	50	11.75	11.56	11.77	13.00
		100	0	11.58	11.71	11.79	13.00
	16QAM	1	0	11.74	11.72	11.77	13.00
		1	50	11.82	11.73	11.58	13.00
		1	99	11.76	11.67	11.63	13.00
		50	0	11.76	11.70	11.74	13.00
		50	25	11.75	11.80	11.76	13.00
		50	50	11.80	11.85	11.78	13.00
		100	0	11.70	11.80	11.49	13.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 33 of 71

LTE Band 4 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	15.15	15.05	15.23	16.00
		1	2	14.64	14.84	14.83	16.00
		1	5	14.66	14.71	14.81	16.00
		3	0	14.73	14.65	14.71	16.00
		3	2	14.61	14.83	14.56	16.00
		3	3	14.83	14.69	14.96	16.00
		6	0	14.55	15.00	14.67	16.00
	16QAM	1	0	14.78	15.01	14.79	16.00
		1	2	14.90	14.82	14.60	16.00
		1	5	15.05	14.95	14.74	16.00
		3	0	14.89	14.76	14.70	16.00
		3	2	14.86	14.91	14.77	16.00
		3	3	14.83	14.68	14.90	16.00
		6	0	14.77	14.87	14.75	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19965	20175	20385	
3MHz	QPSK	1	0	15.17	15.10	15.33	16.00
		1	7	14.67	14.94	14.87	16.00
		1	14	14.62	14.61	14.89	16.00
		8	0	14.72	14.66	14.78	16.00
		8	4	14.58	14.74	14.62	16.00
		8	7	14.86	14.79	14.89	16.00
		15	0	14.50	14.91	14.64	16.00
	16QAM	1	0	14.84	15.08	14.87	16.00
		1	7	14.86	14.84	14.70	16.00
		1	14	14.99	14.91	14.83	16.00
		8	0	14.89	14.79	14.79	16.00
		8	4	14.85	14.86	14.80	16.00
		8	7	14.84	14.60	14.87	16.00
		15	0	14.81	14.78	14.79	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	15.11	15.04	15.35	16.00
		1	13	14.66	14.99	14.80	16.00
		1	24	14.71	14.57	14.84	16.00
		12	0	14.70	14.75	14.72	16.00
		12	6	14.58	14.65	14.59	16.00
		12	13	14.86	14.76	14.84	16.00
		25	0	14.58	14.84	14.73	16.00
	16QAM	1	0	14.81	15.00	14.81	16.00
		1	13	14.84	14.94	14.77	16.00
		1	24	15.01	14.82	14.73	16.00
		12	0	14.98	14.83	14.70	16.00
		12	6	14.90	14.90	14.78	16.00
		12	13	14.86	14.69	14.92	16.00
		25	0	14.74	14.76	14.81	16.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 34 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20000	20175	20350	
10MHz	QPSK	1	0	15.01	15.08	15.28	16.00
		1	25	14.73	14.92	14.88	16.00
		1	49	14.61	14.66	14.86	16.00
		25	0	14.80	14.82	14.78	16.00
		25	13	14.55	14.73	14.66	16.00
		25	25	14.78	14.84	14.80	16.00
		50	0	14.60	14.83	14.80	16.00
	16QAM	1	0	14.88	14.98	14.91	16.00
		1	25	14.74	14.84	14.83	16.00
		1	49	14.94	14.73	14.74	16.00
		25	0	14.90	14.81	14.71	16.00
		25	13	14.86	14.83	14.86	16.00
		25	25	14.82	14.78	14.92	16.00
		50	0	14.68	14.67	14.76	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	15.05	15.13	15.22	16.00
		1	38	14.80	14.82	14.89	16.00
		1	74	14.67	14.70	14.78	16.00
		36	0	14.72	14.78	14.82	16.00
		36	18	14.64	14.70	14.74	16.00
		36	39	14.85	14.75	14.73	16.00
		75	0	14.69	14.75	14.74	16.00
	16QAM	1	0	14.91	14.97	14.90	16.00
		1	38	14.74	14.82	14.74	16.00
		1	74	14.84	14.75	14.76	16.00
		36	0	14.89	14.81	14.71	16.00
		36	18	14.81	14.83	14.90	16.00
		36	39	14.86	14.80	14.87	16.00
		75	0	14.69	14.72	14.78	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	20175	/	
20MHz	QPSK	1	0	/	15.13	/	16.00
		1	50	/	15.02	/	16.00
		1	99	/	14.86	/	16.00
		50	0	/	14.95	/	16.00
		50	25	/	14.90	/	16.00
		50	50	/	14.91	/	16.00
		100	0	/	14.95	/	16.00
	16QAM	1	0	/	14.98	/	16.00
		1	50	/	14.96	/	16.00
		1	99	/	14.88	/	16.00
		50	0	/	14.90	/	16.00
		50	25	/	14.97	/	16.00
		50	50	/	14.89	/	16.00
		100	0	/	14.91	/	16.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 35 of 71

LTE Band 4 Sensor on For Simultaneous				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	13.34	13.37	13.25	14.00
		1	2	13.12	12.92	12.96	14.00
		1	5	12.69	12.84	12.88	14.00
		3	0	12.70	12.70	12.90	14.00
		3	2	12.45	12.64	12.77	14.00
		3	3	12.74	12.88	12.94	14.00
		6	0	12.98	12.87	12.96	14.00
	16QAM	1	0	12.72	12.77	12.67	14.00
		1	2	12.79	12.61	12.89	14.00
		1	5	12.49	12.68	12.68	14.00
		3	0	12.81	12.75	12.78	14.00
		3	2	12.81	12.88	12.87	14.00
		3	3	12.86	12.75	12.49	14.00
		6	0	13.00	12.83	13.16	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19965	20175	20385	
3MHz	QPSK	1	0	13.25	13.42	13.27	14.00
		1	7	13.03	12.99	12.94	14.00
		1	14	12.62	12.92	12.94	14.00
		8	0	12.74	12.65	12.89	14.00
		8	4	12.53	12.69	12.86	14.00
		8	7	12.69	12.90	12.91	14.00
		15	0	12.94	12.84	12.90	14.00
	16QAM	1	0	12.80	12.87	12.66	14.00
		1	7	12.78	12.67	12.91	14.00
		1	14	12.59	12.67	12.73	14.00
		8	0	12.80	12.75	12.80	14.00
		8	4	12.79	12.97	12.91	14.00
		8	7	12.79	12.65	12.51	14.00
		15	0	13.01	12.75	13.09	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	13.21	13.39	13.22	14.00
		1	13	12.98	13.05	12.93	14.00
		1	24	12.72	12.90	12.87	14.00
		12	0	12.79	12.71	12.86	14.00
		12	6	12.63	12.74	12.80	14.00
		12	13	12.72	12.89	12.89	14.00
		25	0	12.90	12.85	12.80	14.00
	16QAM	1	0	12.82	12.95	12.59	14.00
		1	13	12.84	12.63	12.92	14.00
		1	24	12.54	12.60	12.72	14.00
		12	0	12.76	12.78	12.85	14.00
		12	6	12.85	12.97	12.83	14.00
		12	13	12.76	12.62	12.59	14.00
		25	0	12.94	12.83	13.04	14.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 36 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20000	20175	20350	
10MHz	QPSK	1	0	13.13	13.36	13.27	14.00
		1	25	13.04	13.07	12.89	14.00
		1	49	12.80	12.91	12.90	14.00
		25	0	12.89	12.78	12.83	14.00
		25	13	12.66	12.71	12.88	14.00
		25	25	12.80	12.85	12.94	14.00
		50	0	12.84	12.78	12.78	14.00
	16QAM	1	0	12.87	12.94	12.69	14.00
		1	25	12.74	12.69	12.85	14.00
		1	49	12.62	12.70	12.74	14.00
		25	0	12.80	12.80	12.86	14.00
		25	13	12.79	12.87	12.76	14.00
		25	25	12.82	12.72	12.60	14.00
		50	0	13.04	12.80	12.95	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	13.20	13.28	13.27	14.00
		1	38	13.07	12.97	12.97	14.00
		1	74	12.85	12.86	12.96	14.00
		36	0	12.84	12.85	12.80	14.00
		36	18	12.68	12.72	12.82	14.00
		36	39	12.88	12.90	12.85	14.00
		75	0	12.82	12.83	12.78	14.00
	16QAM	1	0	12.89	12.87	12.78	14.00
		1	38	12.83	12.79	12.76	14.00
		1	74	12.63	12.71	12.72	14.00
		36	0	12.82	12.79	12.80	14.00
		36	18	12.77	12.80	12.71	14.00
		36	39	12.73	12.65	12.60	14.00
		75	0	12.95	12.87	12.87	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	20175	/	
20MHz	QPSK	1	0	/	13.21	/	14.00
		1	50	/	13.04	/	14.00
		1	99	/	12.88	/	14.00
		50	0	/	13.04	/	14.00
		50	25	/	12.92	/	14.00
		50	50	/	12.92	/	14.00
		100	0	/	12.94	/	14.00
	16QAM	1	0	/	12.97	/	14.00
		1	50	/	12.99	/	14.00
		1	99	/	12.85	/	14.00
		50	0	/	12.94	/	14.00
		50	25	/	12.99	/	14.00
		50	50	/	12.85	/	14.00
		100	0	/	12.94	/	14.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 37 of 71

LTE Band 5 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20407	20525	20643	
1.4MHz	QPSK	1	0	20.06	20.11	20.03	21.00
		1	2	19.76	19.82	19.83	21.00
		1	5	20.09	20.03	20.08	21.00
		3	0	19.94	19.98	20.05	21.00
		3	2	19.78	19.82	19.84	21.00
		3	3	20.04	20.14	20.06	21.00
		6	0	19.86	19.96	19.97	21.00
	16QAM	1	0	19.98	19.94	19.91	21.00
		1	2	19.88	19.87	19.82	21.00
		1	5	20.05	20.00	20.10	21.00
		3	0	19.77	19.82	19.73	21.00
		3	2	19.83	19.85	19.75	21.00
		3	3	19.73	19.69	19.67	21.00
		6	0	19.83	19.91	19.87	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20415	20525	20635	
3MHz	QPSK	1	0	20.04	20.13	20.05	21.00
		1	7	19.80	19.83	19.86	21.00
		1	14	20.00	19.95	19.89	21.00
		8	0	19.84	19.93	20.00	21.00
		8	4	19.95	19.85	19.75	21.00
		8	7	20.13	20.04	20.01	21.00
		15	0	20.11	20.03	20.08	21.00
	16QAM	1	0	20.04	19.99	19.97	21.00
		1	7	19.87	19.82	19.82	21.00
		1	14	19.98	20.04	20.14	21.00
		8	0	19.82	19.86	19.93	21.00
		8	4	20.04	19.94	20.01	21.00
		8	7	19.71	19.79	19.72	21.00
		15	0	19.86	19.88	19.84	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20425	20525	20625	
5MHz	QPSK	1	0	20.16	20.07	19.98	21.00
		1	13	19.68	19.77	19.72	21.00
		1	24	19.83	19.90	19.97	21.00
		12	0	20.09	20.01	20.06	21.00
		12	6	19.86	19.88	19.89	21.00
		12	13	20.04	19.96	19.93	21.00
		25	0	19.87	19.96	20.02	21.00
	16QAM	1	0	19.99	19.89	19.94	21.00
		1	13	19.96	19.90	19.93	21.00
		1	24	20.00	20.05	20.06	21.00
		12	0	19.91	19.88	19.96	21.00
		12	6	20.00	20.01	20.01	21.00
		12	13	19.60	19.70	19.62	21.00
		25	0	19.74	19.83	19.83	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 38 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	20525	/	
10MHz	QPSK	1	0	/	20.02	/	21.00
		1	25	/	19.81	/	21.00
		1	49	/	19.87	/	21.00
		25	0	/	20.01	/	21.00
		25	13	/	19.85	/	21.00
		25	25	/	20.00	/	21.00
		50	0	/	19.94	/	21.00
	16QAM	1	0	/	19.90	/	21.00
		1	25	/	19.85	/	21.00
		1	49	/	20.00	/	21.00
		25	0	/	19.87	/	21.00
		25	13	/	19.98	/	21.00
		25	25	/	19.80	/	21.00
		50	0	/	19.87	/	21.00

LTE Band 7 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20775	21100	21425	
5MHz	QPSK	1	0	13.98	14.02	14.08	15.00
		1	13	13.85	13.58	13.60	15.00
		1	24	13.78	13.83	13.69	15.00
		12	0	13.82	13.85	13.92	15.00
		12	6	13.51	13.96	13.84	15.00
		12	13	13.67	13.78	14.06	15.00
		25	0	14.00	14.06	13.93	15.00
	16QAM	1	0	13.91	13.75	13.79	15.00
		1	13	13.68	14.04	13.71	15.00
		1	24	13.81	13.67	13.85	15.00
		12	0	13.76	13.85	13.84	15.00
		12	6	13.88	13.70	13.86	15.00
		12	13	13.95	13.74	13.86	15.00
		25	0	13.53	13.90	13.88	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20800	21100	21400	
10MHz	QPSK	1	0	14.03	13.96	14.03	15.00
		1	25	13.75	13.62	13.63	15.00
		1	49	13.75	13.80	13.71	15.00
		25	0	13.85	13.84	13.83	15.00
		25	13	13.58	13.86	13.86	15.00
		25	25	13.61	13.72	14.00	15.00
		50	0	13.95	14.00	13.85	15.00
	16QAM	1	0	13.92	13.81	13.80	15.00
		1	25	13.65	13.97	13.79	15.00
		1	49	13.79	13.59	13.75	15.00
		25	0	13.69	13.85	13.78	15.00
		25	13	13.85	13.78	13.85	15.00
		25	25	13.89	13.66	13.86	15.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 39 of 71

		50	0	13.63	13.82	13.81	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20825	21100	21375	
15MHz	QPSK	1	0	13.99	14.01	13.93	15.00
		1	38	13.85	13.69	13.72	15.00
		1	74	13.78	13.83	13.68	15.00
		36	0	13.83	13.93	13.82	15.00
		36	18	13.64	13.82	13.77	15.00
		36	39	13.59	13.69	13.95	15.00
		75	0	13.88	13.93	13.84	15.00
	16QAM	1	0	13.85	13.83	13.72	15.00
		1	38	13.74	13.96	13.76	15.00
		1	74	13.86	13.69	13.80	15.00
		36	0	13.75	13.87	13.79	15.00
		36	18	13.77	13.68	13.83	15.00
		36	39	13.97	13.69	13.86	15.00
		75	0	13.72	13.80	13.76	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20850	21100	21350	
20MHz	QPSK	1	0	13.89	14.04	14.00	15.00
		1	50	13.86	13.79	13.77	15.00
		1	99	13.75	13.74	13.76	15.00
		50	0	13.83	13.91	13.90	15.00
		50	25	13.73	13.83	13.80	15.00
		50	50	13.65	13.75	13.86	15.00
		100	0	13.80	13.86	13.77	15.00
	16QAM	1	0	13.89	13.88	13.77	15.00
		1	50	13.83	13.86	13.86	15.00
		1	99	13.79	13.77	13.74	15.00
		50	0	13.75	13.80	13.77	15.00
		50	25	13.84	13.75	13.89	15.00
		50	50	13.88	13.73	13.79	15.00
		100	0	13.82	13.81	13.66	15.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 40 of 71

LTE Band 7 Sensor on For Simultaneous				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20775	21100	21425	
5MHz	QPSK	1	0	13.00	13.07	12.86	14.00
		1	13	12.70	12.95	13.02	14.00
		1	24	12.58	12.86	12.89	14.00
		12	0	13.09	12.99	13.07	14.00
		12	6	12.72	12.71	12.84	14.00
		12	13	12.62	12.84	12.97	14.00
		25	0	12.69	12.85	12.87	14.00
	16QAM	1	0	12.91	12.99	12.71	14.00
		1	13	12.82	12.94	13.16	14.00
		1	24	12.87	12.66	12.62	14.00
		12	0	12.80	12.70	12.63	14.00
		12	6	12.80	12.81	12.96	14.00
		12	13	12.99	12.97	12.75	14.00
		25	0	13.13	12.79	12.88	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20800	21100	21400	
10MHz	QPSK	1	0	13.01	13.00	12.93	14.00
		1	25	12.72	12.95	12.92	14.00
		1	49	12.60	12.81	12.95	14.00
		25	0	13.07	13.08	12.97	14.00
		25	13	12.69	12.69	12.91	14.00
		25	25	12.57	12.78	12.87	14.00
		50	0	12.72	12.91	12.86	14.00
	16QAM	1	0	13.01	12.90	12.71	14.00
		1	25	12.74	12.98	13.08	14.00
		1	49	12.80	12.76	12.58	14.00
		25	0	12.72	12.78	12.65	14.00
		25	13	12.76	12.84	12.98	14.00
		25	25	13.05	12.88	12.83	14.00
		50	0	13.05	12.89	12.85	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20825	21100	21375	
15MHz	QPSK	1	0	12.99	13.02	13.00	14.00
		1	38	12.81	12.89	12.86	14.00
		1	74	12.68	12.77	12.86	14.00
		36	0	12.99	13.03	12.97	14.00
		36	18	12.75	12.79	12.83	14.00
		36	39	12.65	12.82	12.88	14.00
		75	0	12.79	12.96	12.77	14.00
	16QAM	1	0	12.94	12.84	12.69	14.00
		1	38	12.81	13.01	12.98	14.00
		1	74	12.89	12.79	12.68	14.00
		36	0	12.75	12.75	12.69	14.00
		36	18	12.83	12.74	12.96	14.00
		36	39	13.04	12.83	12.91	14.00
		75	0	12.97	12.89	12.79	14.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 41 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20850	21100	21350	
20MHz	QPSK	1	0	12.90	13.01	13.01	14.00
		1	50	12.88	12.85	12.82	14.00
		1	99	12.72	12.73	12.84	14.00
		50	0	12.91	12.98	12.93	14.00
		50	25	12.74	12.84	12.82	14.00
		50	50	12.71	12.75	12.93	14.00
		100	0	12.82	12.95	12.79	14.00
	16QAM	1	0	12.95	12.89	12.79	14.00
		1	50	12.88	12.91	12.90	14.00
		1	99	12.80	12.74	12.72	14.00
		50	0	12.83	12.77	12.73	14.00
		50	25	12.93	12.72	12.94	14.00
		50	50	12.96	12.82	12.86	14.00
		100	0	12.91	12.90	12.71	14.00

LTE FDD Band 12 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23017	23095	23173	
1.4MHz	QPSK	1	0	19.12	19.12	19.07	20.00
		1	2	18.82	18.91	18.85	20.00
		1	5	18.95	18.87	18.89	20.00
		3	0	18.72	18.75	18.72	20.00
		3	2	18.98	18.92	18.89	20.00
		3	3	18.44	18.51	18.57	20.00
		6	0	18.86	18.84	18.76	20.00
	16QAM	1	0	18.92	19.02	19.02	20.00
		1	2	18.74	18.70	18.68	20.00
		1	5	18.80	18.73	18.71	20.00
		3	0	18.89	18.87	18.84	20.00
		3	2	18.81	18.86	18.92	20.00
		3	3	18.80	18.76	18.67	20.00
		6	0	19.00	19.00	19.01	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23025	23095	23165	
3MHz	QPSK	1	0	19.11	19.04	19.07	20.00
		1	7	18.80	18.82	18.78	20.00
		1	14	18.80	18.84	18.84	20.00
		8	0	18.93	18.85	18.94	20.00
		8	4	18.97	18.88	18.96	20.00
		8	7	18.50	18.60	18.58	20.00
		15	0	18.80	18.84	18.78	20.00
	16QAM	1	0	18.95	19.00	19.01	20.00
		1	7	18.57	18.67	18.58	20.00
		1	14	18.63	18.71	18.70	20.00
		8	0	18.70	18.80	18.75	20.00
		8	4	18.84	18.93	19.02	20.00
		8	7	18.68	18.75	18.79	20.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 42 of 71

		15	0	18.86	18.96	18.98	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23035	23095	23155	
5MHz	QPSK	1	0	19.20	19.11	19.10	20.00
		1	13	18.84	18.81	18.72	20.00
		1	24	18.69	18.75	18.70	20.00
		12	0	18.86	18.83	18.77	20.00
		12	6	18.89	18.81	18.78	20.00
		12	13	18.64	18.66	18.61	20.00
		25	0	18.97	18.88	18.98	20.00
	16QAM	1	0	19.11	19.02	19.10	20.00
		1	13	18.63	18.67	18.75	20.00
		1	24	18.83	18.78	18.80	20.00
		12	0	18.87	18.82	18.85	20.00
		12	6	18.91	18.86	18.79	20.00
		12	13	18.67	18.76	18.73	20.00
		25	0	18.98	18.90	18.89	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23095	/	
10MHz	QPSK	1	0	/	19.05	/	20.00
		1	25	/	18.86	/	20.00
		1	49	/	18.72	/	20.00
		25	0	/	18.91	/	20.00
		25	13	/	18.91	/	20.00
		25	25	/	18.76	/	20.00
		50	0	/	18.96	/	20.00
	16QAM	1	0	/	18.93	/	20.00
		1	25	/	18.65	/	20.00
		1	49	/	18.83	/	20.00
		25	0	/	18.89	/	20.00
		25	13	/	18.87	/	20.00
		25	25	/	18.75	/	20.00
		50	0	/	18.80	/	20.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 43 of 71

LTE FDD Band 13 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23230	/	
5MHz	QPSK	1	0	/	18.92	/	20.00
		1	13	/	18.78	/	20.00
		1	24	/	18.61	/	20.00
		12	0	/	18.67	/	20.00
		12	6	/	18.77	/	20.00
		12	13	/	18.60	/	20.00
		25	0	/	18.55	/	20.00
	16QAM	1	0	/	18.83	/	20.00
		1	13	/	18.55	/	20.00
		1	24	/	18.59	/	20.00
		12	0	/	18.57	/	20.00
		12	6	/	18.68	/	20.00
		12	13	/	18.70	/	20.00
		25	0	/	18.69	/	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23230	/	
10MHz	QPSK	1	0	/	18.83	/	20.00
		1	25	/	18.71	/	20.00
		1	49	/	18.51	/	20.00
		25	0	/	18.59	/	20.00
		25	13	/	18.73	/	20.00
		25	25	/	18.67	/	20.00
		50	0	/	18.61	/	20.00
	16QAM	1	0	/	18.78	/	20.00
		1	25	/	18.64	/	20.00
		1	49	/	18.59	/	20.00
		25	0	/	18.62	/	20.00
		25	13	/	18.72	/	20.00
		25	25	/	18.66	/	20.00
		50	0	/	18.73	/	20.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 44 of 71

LTE FDD Band 17 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23790	/	
5MHz	QPSK	1	0	/	18.71	/	20.00
		1	13	/	18.53	/	20.00
		1	24	/	18.54	/	20.00
		12	0	/	18.55	/	20.00
		12	6	/	18.61	/	20.00
		12	13	/	18.46	/	20.00
		25	0	/	18.55	/	20.00
	16QAM	1	0	/	18.65	/	20.00
		1	13	/	18.40	/	20.00
		1	24	/	18.45	/	20.00
		12	0	/	18.48	/	20.00
		12	6	/	18.61	/	20.00
		12	13	/	18.42	/	20.00
		25	0	/	18.56	/	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23790	/	
10MHz	QPSK	1	0	/	18.80	/	20.00
		1	25	/	18.52	/	20.00
		1	49	/	18.53	/	20.00
		25	0	/	18.52	/	20.00
		25	13	/	18.65	/	20.00
		25	25	/	18.54	/	20.00
		50	0	/	18.58	/	20.00
	16QAM	1	0	/	18.58	/	20.00
		1	25	/	18.49	/	20.00
		1	49	/	18.48	/	20.00
		25	0	/	18.48	/	20.00
		25	13	/	18.55	/	20.00
		25	25	/	18.46	/	20.00
		50	0	/	18.52	/	20.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 45 of 71

LTE Band 26 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26697	26865	27033	
1.4MHz	QPSK	1	0	20.25	20.29	20.22	21.00
		1	2	20.31	20.40	20.44	21.00
		1	5	20.00	19.90	19.98	21.00
		3	0	20.37	20.34	20.36	21.00
		3	2	19.86	19.95	20.00	21.00
		3	3	20.17	20.10	20.10	21.00
		6	0	20.28	20.24	20.21	21.00
	16QAM	1	0	20.11	20.03	19.94	21.00
		1	2	20.08	20.07	20.12	21.00
		1	5	20.25	20.20	20.20	21.00
		3	0	20.25	20.20	20.18	21.00
		3	2	19.95	19.95	19.94	21.00
		3	3	20.13	20.10	20.00	21.00
		6	0	20.02	19.93	19.88	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26705	26865	27025	
3MHz	QPSK	1	0	20.36	20.37	20.32	21.00
		1	7	20.23	20.30	20.31	21.00
		1	14	19.87	19.95	19.93	21.00
		8	0	20.29	20.25	20.16	21.00
		8	4	20.05	20.04	20.13	21.00
		8	7	19.94	20.02	20.05	21.00
		15	0	20.21	20.16	20.16	21.00
	16QAM	1	0	19.99	20.00	19.94	21.00
		1	7	20.08	20.04	20.12	21.00
		1	14	20.06	20.15	20.17	21.00
		8	0	20.20	20.19	20.21	21.00
		8	4	19.98	20.04	20.00	21.00
		8	7	20.19	20.11	20.10	21.00
		15	0	19.85	19.91	19.95	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26715	26865	27015	
5MHz	QPSK	1	0	20.48	20.42	20.48	21.00
		1	13	20.18	20.24	20.33	21.00
		1	24	19.99	20.04	19.97	21.00
		12	0	20.35	20.31	20.33	21.00
		12	6	20.04	20.02	19.94	21.00
		12	13	19.97	19.95	19.99	21.00
		25	0	20.14	20.21	20.22	21.00
	16QAM	1	0	19.99	20.08	20.14	21.00
		1	13	20.12	20.06	19.98	21.00
		1	24	20.09	20.10	20.06	21.00
		12	0	20.21	20.15	20.17	21.00
		12	6	20.14	20.06	20.06	21.00
		12	13	20.03	20.01	20.10	21.00
		25	0	20.07	20.01	20.03	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 46 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26740	26865	26990	
10MHz	QPSK	1	0	20.41	20.41	20.51	21.00
		1	25	20.16	20.25	20.35	21.00
		1	49	20.19	20.11	20.01	21.00
		25	0	20.24	20.21	20.17	21.00
		25	13	20.03	20.08	20.13	21.00
		25	25	20.08	20.02	20.07	21.00
		50	0	20.12	20.15	20.05	21.00
	16QAM	1	0	20.02	20.03	20.09	21.00
		1	25	19.99	20.08	20.14	21.00
		1	49	20.21	20.14	20.04	21.00
		25	0	20.29	20.21	20.22	21.00
		25	13	20.10	20.03	19.95	21.00
		25	25	20.08	20.10	20.01	21.00
		50	0	20.14	20.07	20.05	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
15MHz	QPSK	1	0	/	20.49	/	21.00
		1	38	/	20.22	/	21.00
		1	74	/	20.16	/	21.00
		36	0	/	20.23	/	21.00
		36	18	/	20.05	/	21.00
		36	39	/	19.93	/	21.00
		75	0	/	20.17	/	21.00
	16QAM	1	0	/	20.05	/	21.00
		1	38	/	20.05	/	21.00
		1	74	/	20.21	/	21.00
		36	0	/	20.15	/	21.00
		36	18	/	20.05	/	21.00
		36	39	/	20.08	/	21.00
		75	0	/	20.08	/	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 47 of 71

LTE Band 25 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26047	26365	26683	
1.4MHz	QPSK	1	0	11.91	12.10	12.10	13.00
		1	2	11.98	11.97	12.02	13.00
		1	5	11.91	11.87	11.97	13.00
		3	0	12.09	12.03	12.28	13.00
		3	2	11.86	12.10	11.81	13.00
		3	3	12.06	12.00	11.83	13.00
		6	0	11.71	11.86	12.13	13.00
	16QAM	1	0	12.01	11.89	12.15	13.00
		1	2	11.93	12.24	11.83	13.00
		1	5	11.88	12.09	11.96	13.00
		3	0	11.93	12.02	11.81	13.00
		3	2	12.08	11.74	11.72	13.00
		3	3	11.79	11.97	11.81	13.00
		6	0	11.81	11.66	11.70	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26055	26365	26675	
3MHz	QPSK	1	0	11.83	12.11	12.01	13.00
		1	7	11.99	11.93	12.02	13.00
		1	14	11.88	11.79	11.97	13.00
		8	0	11.99	12.02	12.30	13.00
		8	4	11.95	12.05	11.83	13.00
		8	7	12.01	12.08	11.81	13.00
		15	0	11.81	11.83	12.12	13.00
	16QAM	1	0	11.94	11.88	12.10	13.00
		1	7	11.91	12.16	11.85	13.00
		1	14	11.82	12.10	11.99	13.00
		8	0	11.84	11.97	11.79	13.00
		8	4	12.03	11.84	11.66	13.00
		8	7	11.77	11.96	11.73	13.00
		15	0	11.90	11.63	11.73	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26065	26365	26665	
5MHz	QPSK	1	0	11.82	12.17	11.96	13.00
		1	13	11.91	11.91	11.94	13.00
		1	24	11.86	11.87	11.98	13.00
		12	0	12.07	11.97	12.22	13.00
		12	6	11.85	11.98	11.76	13.00
		12	13	11.91	12.03	11.77	13.00
		25	0	11.80	11.90	12.02	13.00
	16QAM	1	0	11.94	11.87	12.03	13.00
		1	13	11.89	12.18	11.75	13.00
		1	24	11.91	12.03	11.99	13.00
		12	0	11.91	11.89	11.71	13.00
		12	6	12.05	11.89	11.76	13.00
		12	13	11.75	12.06	11.78	13.00
		25	0	11.98	11.71	11.74	13.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 48 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26090	26365	26640	
10MHz	QPSK	1	0	11.82	12.19	12.01	13.00
		1	25	11.96	11.94	11.93	13.00
		1	49	11.96	11.95	12.08	13.00
		25	0	12.10	12.07	12.20	13.00
		25	13	11.84	12.05	11.82	13.00
		25	25	11.91	12.00	11.85	13.00
		50	0	11.82	11.98	11.95	13.00
	16QAM	1	0	11.93	11.87	12.03	13.00
		1	25	11.96	12.12	11.79	13.00
		1	49	11.98	12.06	11.99	13.00
		25	0	12.00	11.94	11.70	13.00
		25	13	12.04	11.84	11.85	13.00
		25	25	11.78	11.96	11.85	13.00
		50	0	11.90	11.76	11.75	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26115	26365	26615	
15MHz	QPSK	1	0	11.88	12.25	12.04	13.00
		1	38	11.89	11.97	12.01	13.00
		1	74	12.01	11.94	12.10	13.00
		36	0	12.02	12.10	12.15	13.00
		36	18	11.88	11.95	11.75	13.00
		36	39	11.95	12.04	11.83	13.00
		75	0	11.82	11.97	11.95	13.00
	16QAM	1	0	11.91	11.97	11.95	13.00
		1	38	11.93	12.02	11.81	13.00
		1	74	11.93	12.08	11.94	13.00
		36	0	11.95	11.87	11.69	13.00
		36	18	12.02	11.87	11.94	13.00
		36	39	11.69	12.02	11.89	13.00
		75	0	11.99	11.82	11.76	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26140	26365	26590	
20MHz	QPSK	1	0	11.82	12.24	12.13	13.00
		1	50	11.95	11.99	11.99	13.00
		1	99	11.98	11.99	12.04	13.00
		50	0	12.06	12.04	12.12	13.00
		50	25	11.78	11.92	11.78	13.00
		50	50	11.85	11.98	11.76	13.00
		100	0	11.88	12.05	11.94	13.00
	16QAM	1	0	11.99	11.87	12.04	13.00
		1	50	11.97	11.96	11.82	13.00
		1	99	11.95	12.02	11.90	13.00
		50	0	11.87	11.85	11.77	13.00
		50	25	11.95	11.78	11.91	13.00
		50	50	11.78	11.96	11.86	13.00
		100	0	11.99	11.90	11.82	13.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 49 of 71

LTE FDD Band 30 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
5MHz	QPSK	1	0	/	13.99	/	15.00
		1	13	/	13.69	/	15.00
		1	24	/	13.66	/	15.00
		12	0	/	13.86	/	15.00
		12	6	/	13.74	/	15.00
		12	13	/	13.80	/	15.00
		25	0	/	13.64	/	15.00
	16QAM	1	0	/	13.45	/	15.00
		1	13	/	13.68	/	15.00
		1	24	/	13.55	/	15.00
		12	0	/	13.67	/	15.00
		12	6	/	13.47	/	15.00
		12	13	/	13.67	/	15.00
		25	0	/	13.72	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
10MHz	QPSK	1	0	/	14.04	/	15.00
		1	25	/	13.74	/	15.00
		1	49	/	13.61	/	15.00
		25	0	/	13.84	/	15.00
		25	13	/	13.82	/	15.00
		25	25	/	13.71	/	15.00
		50	0	/	13.65	/	15.00
	16QAM	1	0	/	13.55	/	15.00
		1	25	/	13.69	/	15.00
		1	49	/	13.63	/	15.00
		25	0	/	13.66	/	15.00
		25	13	/	13.56	/	15.00
		25	25	/	13.70	/	15.00
		50	0	/	13.75	/	15.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 50 of 71

LTE Band 66 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	15.15	15.59	15.41	16.00
		1	2	14.96	14.99	15.11	16.00
		1	5	15.04	14.97	15.11	16.00
		3	0	15.00	15.41	15.02	16.00
		3	1	15.06	14.98	15.03	16.00
		3	3	14.76	15.00	14.85	16.00
		6	0	14.86	15.03	14.79	16.00
	16QAM	1	0	14.79	15.03	15.00	16.00
		1	2	15.23	15.13	14.85	16.00
		1	5	14.91	14.68	14.86	16.00
		3	0	14.88	15.18	14.57	16.00
		3	1	14.86	14.97	14.91	16.00
		3	3	15.30	14.95	14.98	16.00
		6	0	14.67	15.02	14.83	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131987	132322	132657	
3MHz	QPSK	1	0	15.17	15.52	15.48	16.00
		1	7	15.02	14.96	15.18	16.00
		1	14	15.14	15.01	15.17	16.00
		8	0	15.03	15.49	15.02	16.00
		8	4	15.00	15.08	15.13	16.00
		8	7	14.80	15.04	14.89	16.00
		15	0	14.83	14.94	14.72	16.00
	16QAM	1	0	14.89	15.02	15.04	16.00
		1	7	15.13	15.12	14.94	16.00
		1	14	14.93	14.75	14.77	16.00
		8	0	14.85	15.20	14.65	16.00
		8	4	14.92	14.96	14.86	16.00
		8	7	15.20	14.88	14.88	16.00
		15	0	14.65	15.06	14.86	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131997	132322	132647	
5MHz	QPSK	1	0	15.11	15.53	15.39	16.00
		1	13	15.03	15.00	15.15	16.00
		1	24	15.05	15.06	15.24	16.00
		12	0	15.02	15.45	15.05	16.00
		12	6	14.96	15.04	15.08	16.00
		12	13	14.81	15.02	14.84	16.00
		25	0	14.85	15.01	14.64	16.00
	16QAM	1	0	14.95	14.98	15.09	16.00
		1	13	15.05	15.10	15.03	16.00
		1	24	14.95	14.82	14.84	16.00
		12	0	14.91	15.16	14.75	16.00
		12	6	14.99	15.03	14.94	16.00
		12	13	15.19	14.94	14.89	16.00
		25	0	14.75	15.07	14.85	16.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 51 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132022	132322	132622	
10MHz	QPSK	1	0	15.06	15.54	15.31	16.00
		1	25	15.07	14.95	15.12	16.00
		1	49	15.00	15.06	15.28	16.00
		25	0	15.01	15.45	15.07	16.00
		25	13	14.96	14.95	15.12	16.00
		25	25	14.89	15.01	14.85	16.00
		50	0	14.83	15.06	14.74	16.00
	16QAM	1	0	14.98	15.04	15.02	16.00
		1	25	15.08	15.10	15.05	16.00
		1	49	14.97	14.91	14.94	16.00
		25	0	14.81	15.21	14.78	16.00
		25	13	14.94	15.05	14.86	16.00
		25	25	15.19	14.96	14.87	16.00
		50	0	14.68	15.15	14.91	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132047	132322	132597	
15MHz	QPSK	1	0	15.07	15.44	15.26	16.00
		1	38	14.99	15.00	15.12	16.00
		1	74	14.93	14.97	15.20	16.00
		36	0	15.03	15.35	15.12	16.00
		36	18	14.87	15.04	15.05	16.00
		36	39	14.98	14.94	14.95	16.00
		75	0	14.89	15.07	14.83	16.00
	16QAM	1	0	15.02	14.99	15.02	16.00
		1	38	15.06	15.02	15.01	16.00
		1	74	14.92	14.98	14.86	16.00
		36	0	14.86	15.13	14.83	16.00
		36	18	14.87	15.14	14.96	16.00
		36	39	15.12	14.92	14.91	16.00
		75	0	14.78	15.10	14.83	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132072	132322	132572	
20MHz	QPSK	1	0	15.15	15.35	15.26	16.00
		1	50	15.03	15.09	15.03	16.00
		1	99	14.98	15.06	15.12	16.00
		50	0	15.10	15.27	15.02	16.00
		50	25	14.97	15.00	14.99	16.00
		50	50	14.95	14.92	15.05	16.00
		100	0	14.99	15.06	14.89	16.00
	16QAM	1	0	15.07	15.02	14.98	16.00
		1	50	15.11	15.04	14.96	16.00
		1	99	14.95	14.90	14.83	16.00
		50	0	14.93	15.05	14.91	16.00
		50	25	14.93	15.08	14.93	16.00
		50	50	15.03	15.01	14.93	16.00
		100	0	14.88	15.09	14.86	16.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 52 of 71

LTE Band 66 Sensor on For Simultaneous				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	13.43	13.54	13.48	14.00
		1	2	13.11	13.08	13.11	14.00
		1	5	13.16	13.08	13.51	14.00
		3	0	13.38	12.99	13.13	14.00
		3	1	12.72	12.80	12.97	14.00
		3	3	13.08	13.05	13.08	14.00
		6	0	12.92	13.37	13.05	14.00
	16QAM	1	0	13.12	12.99	12.88	14.00
		1	2	13.14	12.89	13.09	14.00
		1	5	13.02	13.10	12.81	14.00
		3	0	12.73	13.26	12.94	14.00
		3	1	12.93	13.23	12.87	14.00
		3	3	13.25	12.92	13.07	14.00
		6	0	12.84	13.28	12.95	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131987	132322	132657	
3MHz	QPSK	1	0	13.38	13.58	13.38	14.00
		1	7	13.09	13.17	13.09	14.00
		1	14	13.08	13.07	13.43	14.00
		8	0	13.32	13.05	13.07	14.00
		8	4	12.69	12.73	13.06	14.00
		8	7	13.04	12.95	13.15	14.00
		15	0	13.01	13.35	13.10	14.00
	16QAM	1	0	13.03	13.06	12.93	14.00
		1	7	13.10	12.86	13.13	14.00
		1	14	13.00	13.04	12.82	14.00
		8	0	12.78	13.24	12.93	14.00
		8	4	12.85	13.20	12.96	14.00
		8	7	13.16	12.89	12.98	14.00
		15	0	12.76	13.26	12.95	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131997	132322	132647	
5MHz	QPSK	1	0	13.34	13.49	13.28	14.00
		1	13	13.15	13.22	13.02	14.00
		1	24	13.05	13.10	13.33	14.00
		12	0	13.27	13.03	13.15	14.00
		12	6	12.72	12.79	13.02	14.00
		12	13	12.97	13.02	13.07	14.00
		25	0	13.11	13.25	13.12	14.00
	16QAM	1	0	12.94	13.15	12.98	14.00
		1	13	13.15	12.91	13.11	14.00
		1	24	12.98	13.09	12.89	14.00
		12	0	12.83	13.25	12.85	14.00
		12	6	12.87	13.30	12.93	14.00
		12	13	13.07	12.89	12.91	14.00
		25	0	12.80	13.17	12.96	14.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 53 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132022	132322	132622	
10MHz	QPSK	1	0	13.24	13.39	13.31	14.00
		1	25	13.24	13.30	13.09	14.00
		1	49	13.02	13.03	13.33	14.00
		25	0	13.30	13.11	13.12	14.00
		25	13	12.82	12.86	13.00	14.00
		25	25	13.03	13.03	13.01	14.00
		50	0	13.12	13.26	13.02	14.00
	16QAM	1	0	13.02	13.08	13.08	14.00
		1	25	13.05	12.95	13.02	14.00
		1	49	12.97	13.14	12.83	14.00
		25	0	12.91	13.18	12.81	14.00
		25	13	12.81	13.25	12.99	14.00
		25	25	13.07	12.90	12.85	14.00
		50	0	12.89	13.23	12.95	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132047	132322	132597	
15MHz	QPSK	1	0	13.18	13.41	13.29	14.00
		1	38	13.18	13.21	13.13	14.00
		1	74	13.10	12.94	13.28	14.00
		36	0	13.21	13.20	13.10	14.00
		36	18	12.92	12.92	13.07	14.00
		36	39	12.99	13.04	13.05	14.00
		75	0	13.02	13.19	12.99	14.00
	16QAM	1	0	12.96	13.15	13.00	14.00
		1	38	13.14	13.05	12.99	14.00
		1	74	13.00	13.04	12.87	14.00
		36	0	12.93	13.12	12.87	14.00
		36	18	12.87	13.22	12.95	14.00
		36	39	13.07	12.96	12.94	14.00
		75	0	12.85	13.13	13.04	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132072	132322	132572	
20MHz	QPSK	1	0	13.13	13.35	13.26	14.00
		1	50	13.10	13.14	13.10	14.00
		1	99	13.00	13.03	13.20	14.00
		50	0	13.13	13.28	13.00	14.00
		50	25	13.02	13.00	13.00	14.00
		50	50	12.96	12.99	13.14	14.00
		100	0	12.99	13.15	12.98	14.00
	16QAM	1	0	13.05	13.07	13.05	14.00
		1	50	13.10	13.09	13.02	14.00
		1	99	12.91	12.98	12.80	14.00
		50	0	12.99	13.08	12.90	14.00
		50	25	12.90	13.13	13.01	14.00
		50	50	13.01	13.02	12.91	14.00
		100	0	12.86	13.12	12.94	14.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 54 of 71

LTE Band 38 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37775	38000	38225	
5MHz	QPSK	1	0	15.09	15.17	15.18	16.00
		1	13	14.91	14.88	14.80	16.00
		1	24	14.86	14.87	14.78	16.00
		12	0	14.86	14.87	14.90	16.00
		12	6	14.82	14.85	14.77	16.00
		12	13	14.70	14.72	14.69	16.00
		25	0	14.76	14.74	14.74	16.00
	16QAM	1	0	14.68	14.59	14.56	16.00
		1	13	14.60	14.61	14.61	16.00
		1	24	14.87	14.94	14.85	16.00
		12	0	14.78	14.68	14.74	16.00
		12	6	14.90	14.93	14.93	16.00
		12	13	14.77	14.76	14.82	16.00
		25	0	14.69	14.64	14.56	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37800	38000	38200	
10MHz	QPSK	1	0	15.22	15.22	15.25	16.00
		1	25	14.94	14.93	14.84	16.00
		1	49	14.83	14.83	14.87	16.00
		25	0	14.93	14.94	14.88	16.00
		25	13	14.80	14.75	14.72	16.00
		25	25	14.90	14.82	14.73	16.00
		50	0	14.58	14.66	14.63	16.00
	16QAM	1	0	14.73	14.66	14.76	16.00
		1	25	14.54	14.55	14.46	16.00
		1	49	14.96	14.97	14.96	16.00
		25	0	14.52	14.59	14.52	16.00
		25	13	14.98	14.95	14.98	16.00
		25	25	14.74	14.75	14.76	16.00
		50	0	14.61	14.56	14.51	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37825	38000	38175	
15MHz	QPSK	1	0	15.17	15.15	15.09	16.00
		1	38	14.89	14.97	15.07	16.00
		1	74	14.93	14.91	14.89	16.00
		36	0	14.83	14.86	14.95	16.00
		36	18	14.83	14.76	14.73	16.00
		36	39	14.71	14.80	14.75	16.00
		75	0	14.78	14.74	14.79	16.00
	16QAM	1	0	14.65	14.65	14.75	16.00
		1	38	14.60	14.63	14.56	16.00
		1	74	14.89	14.97	14.91	16.00
		36	0	14.60	14.63	14.64	16.00
		36	18	14.83	14.86	14.85	16.00
		36	39	14.83	14.79	14.84	16.00
		75	0	14.53	14.61	14.58	16.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 55 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	38000	/	
20MHz	QPSK	1	0	/	15.11	/	16.00
		1	50	/	14.93	/	16.00
		1	99	/	14.86	/	16.00
		50	0	/	14.87	/	16.00
		50	25	/	14.80	/	16.00
		50	50	/	14.73	/	16.00
		100	0	/	14.78	/	16.00
	16QAM	1	0	/	14.65	/	16.00
		1	50	/	14.69	/	16.00
		1	99	/	14.89	/	16.00
		50	0	/	14.72	/	16.00
		50	25	/	14.90	/	16.00
		50	50	/	14.76	/	16.00
		100	0	/	14.70	/	16.00

LTE Band 38 Sensor on For Simultaneous				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37775	38000	38225	
5MHz	QPSK	1	0	13.21	13.31	13.38	14.00
		1	13	13.14	13.05	12.98	14.00
		1	24	12.67	12.75	12.68	14.00
		12	0	12.82	12.84	12.93	14.00
		12	6	12.89	12.84	12.82	14.00
		12	13	12.48	12.58	12.52	14.00
		25	0	12.91	12.89	12.95	14.00
	16QAM	1	0	12.61	12.68	12.73	14.00
		1	13	12.57	12.67	12.57	14.00
		1	24	12.70	12.80	12.79	14.00
		12	0	12.81	12.77	12.83	14.00
		12	6	12.87	12.97	12.91	14.00
		12	13	12.74	12.68	12.68	14.00
		25	0	12.46	12.53	12.49	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37800	38000	38200	
10MHz	QPSK	1	0	13.21	13.25	13.28	14.00
		1	25	12.97	13.02	12.97	14.00
		1	49	12.70	12.80	12.80	14.00
		25	0	12.65	12.75	12.67	14.00
		25	13	12.74	12.83	12.75	14.00
		25	25	12.73	12.66	12.67	14.00
		50	0	12.80	12.82	12.79	14.00
	16QAM	1	0	12.73	12.71	12.64	14.00
		1	25	12.81	12.73	12.76	14.00
		1	49	12.88	12.89	12.89	14.00
		25	0	12.90	12.80	12.85	14.00
		25	13	12.83	12.92	12.83	14.00
		25	25	12.64	12.66	12.56	14.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 56 of 71

		50	0	12.55	12.62	12.58	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37825	38000	38175	
15MHz	QPSK	1	0	13.28	13.22	13.30	14.00
		1	38	13.14	13.08	13.07	14.00
		1	74	12.82	12.89	12.92	14.00
		36	0	12.72	12.79	12.79	14.00
		36	18	12.78	12.84	12.92	14.00
		36	39	12.63	12.67	12.76	14.00
		75	0	12.85	12.92	12.88	14.00
	16QAM	1	0	12.69	12.69	12.60	14.00
		1	38	12.67	12.65	12.63	14.00
		1	74	12.97	12.87	12.96	14.00
		36	0	12.81	12.77	12.74	14.00
		36	18	12.82	12.91	12.82	14.00
		36	39	12.76	12.69	12.69	14.00
		75	0	12.61	12.69	12.63	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	38000	/	
20MHz	QPSK	1	0	/	13.13	/	14.00
		1	50	/	13.02	/	14.00
		1	99	/	12.88	/	14.00
		50	0	/	12.84	/	14.00
		50	25	/	12.81	/	14.00
		50	50	/	12.71	/	14.00
		100	0	/	12.86	/	14.00
	16QAM	1	0	/	12.66	/	14.00
		1	50	/	12.75	/	14.00
		1	99	/	12.92	/	14.00
		50	0	/	12.81	/	14.00
		50	25	/	12.91	/	14.00
		50	50	/	12.75	/	14.00
		100	0	/	12.72	/	14.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 57 of 71

LTE Band 41 Sensor on				Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				39675	40148	40620	41093	41565	
5MHz	QPSK	1	0	15.11	15.16	14.96	14.9	14.73	16.00
		1	13	14.91	14.82	14.7	14.71	14.7	16.00
		1	24	14.76	14.76	14.83	14.75	14.89	16.00
		12	0	15.09	14.88	15.14	14.61	15.05	16.00
		12	6	14.72	14.87	14.76	14.73	14.74	16.00
		12	13	14.94	14.76	14.92	14.71	14.85	16.00
		25	0	15.02	15.05	15.15	14.61	15.11	16.00
	16QAM	1	0	15.03	14.7	14.81	14.99	14.84	16.00
		1	13	14.69	14.8	14.7	14.84	14.58	16.00
		1	24	14.68	14.59	14.9	14.93	15	16.00
		12	0	14.9	14.95	14.81	14.64	14.56	16.00
		12	6	14.62	14.93	14.91	14.8	14.75	16.00
		12	13	14.95	14.95	14.69	14.76	15.03	16.00
		25	0	14.96	15.04	14.63	14.72	14.87	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				39700	40160	40620	41080	41540	
10MHz	QPSK	1	0	15.15	15.09	15.04	14.84	14.79	16.00
		1	25	14.83	14.85	14.69	14.62	14.63	16.00
		1	49	14.73	14.83	14.73	14.83	14.85	16.00
		25	0	14.99	14.87	15.17	14.7	14.98	16.00
		25	13	14.68	14.83	14.83	14.63	14.65	16.00
		25	25	14.94	14.72	14.88	14.73	14.92	16.00
		50	0	15.01	15.06	15.06	14.66	15.04	16.00
	16QAM	1	0	14.97	14.8	14.85	14.89	14.81	16.00
		1	25	14.78	14.73	14.78	14.81	14.68	16.00
		1	49	14.72	14.67	15	15.02	14.91	16.00
		25	0	14.96	14.91	14.71	14.57	14.55	16.00
		25	13	14.7	14.94	14.97	14.85	14.8	16.00
		25	25	14.91	14.9	14.78	14.83	14.95	16.00
		50	0	14.89	15.01	14.61	14.77	14.79	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				39725	40173	40620	41068	41515	
15MHz	QPSK	1	0	15.11	15.02	15.11	14.94	14.83	16.00
		1	38	14.91	14.77	14.75	14.72	14.69	16.00
		1	74	14.77	14.8	14.74	14.82	14.86	16.00
		36	0	15.03	14.91	15.07	14.73	14.96	16.00
		36	18	14.63	14.76	14.76	14.64	14.64	16.00
		36	39	14.87	14.78	14.9	14.79	14.93	16.00
		75	0	14.94	14.98	14.97	14.61	15.03	16.00
	16QAM	1	0	15	14.81	14.89	14.9	14.71	16.00
		1	38	14.74	14.79	14.78	14.81	14.68	16.00
		1	74	14.82	14.65	14.91	14.97	14.92	16.00
		36	0	14.86	14.87	14.68	14.6	14.57	16.00
		36	18	14.7	14.84	14.96	14.75	14.84	16.00
		36	39	14.98	14.8	14.85	14.74	14.9	16.00
		75	0	14.82	15.07	14.7	14.78	14.77	16.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 58 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				39750	40185	40620	41055	41490	
20MHz	QPSK	1	0	15.02	15.06	15.2	14.85	14.9	16.00
		1	50	14.98	14.76	14.69	14.73	14.7	16.00
		1	99	14.74	14.76	14.77	14.73	14.77	16.00
		50	0	15.04	14.96	15.1	14.82	14.96	16.00
		50	25	14.66	14.74	14.69	14.7	14.63	16.00
		50	50	14.81	14.74	14.86	14.72	14.84	16.00
		100	0	14.85	14.94	14.98	14.66	14.95	16.00
	16QAM	1	0	14.9	14.74	14.83	14.81	14.75	16.00
		1	50	14.76	14.75	14.79	14.77	14.76	16.00
		1	99	14.83	14.75	14.91	14.87	14.85	16.00
		50	0	14.81	14.82	14.68	14.68	14.61	16.00
		50	25	14.74	14.82	14.86	14.8	14.83	16.00
		50	50	14.92	14.9	14.76	14.82	14.92	16.00
		100	0	14.74	14.97	14.7	14.73	14.7	16.00

LTE Band 41 Sensor on For Simultaneous				Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				39675	40148	40620	41093	41565	
5MHz	QPSK	1	0	12.84	13.2	13.33	12.84	13.08	14.00
		1	13	13.28	12.8	12.7	12.76	12.77	14.00
		1	24	12.62	12.79	12.75	12.57	12.86	14.00
		12	0	13.25	13.19	13.17	13	13.08	14.00
		12	6	12.95	12.7	12.64	12.65	12.7	14.00
		12	13	12.91	13	12.94	12.64	13.1	14.00
		25	0	12.75	12.78	13.16	12.89	12.92	14.00
	16QAM	1	0	12.74	12.62	12.73	12.66	12.76	14.00
		1	13	12.67	12.72	12.78	13.05	12.77	14.00
		1	24	12.98	12.78	13.15	12.72	13.02	14.00
		12	0	12.6	12.78	12.88	12.72	12.67	14.00
		12	6	12.62	12.99	12.79	12.8	12.87	14.00
		12	13	12.94	12.75	12.56	12.69	12.88	14.00
		25	0	12.69	12.93	12.79	12.77	12.79	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				39700	40160	40620	41080	41540	
10MHz	QPSK	1	0	12.9	13.11	13.32	12.83	13.05	14.00
		1	25	13.23	12.71	12.76	12.7	12.69	14.00
		1	49	12.7	12.7	12.75	12.61	12.84	14.00
		25	0	13.15	13.18	13.17	12.94	13.09	14.00
		25	13	12.85	12.78	12.64	12.64	12.62	14.00
		25	25	12.86	12.95	12.9	12.56	13.01	14.00
		50	0	12.82	12.77	13.12	12.88	12.82	14.00
	16QAM	1	0	12.76	12.64	12.8	12.76	12.77	14.00
		1	25	12.6	12.66	12.74	12.98	12.77	14.00
		1	49	12.9	12.88	13.07	12.78	12.96	14.00
		25	0	12.69	12.87	12.92	12.77	12.76	14.00
		25	13	12.72	12.92	12.82	12.83	12.84	14.00
		25	25	13.03	12.75	12.54	12.72	12.91	14.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 59 of 71

		50	0	12.77	13	12.8	12.85	12.76	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				39725	40173	40620	41068	41515	
15MHz	QPSK	1	0	12.95	13.2	13.35	12.85	13.05	14.00
		1	38	13.18	12.78	12.78	12.69	12.62	14.00
		1	74	12.76	12.78	12.8	12.68	12.89	14.00
		36	0	13.06	13.16	13.14	12.9	13.03	14.00
		36	18	12.83	12.8	12.72	12.6	12.65	14.00
		36	39	12.79	12.86	12.88	12.66	12.92	14.00
		75	0	12.87	12.85	13.07	12.82	12.91	14.00
	16QAM	1	0	12.75	12.69	12.8	12.82	12.82	14.00
		1	38	12.69	12.76	12.8	12.89	12.75	14.00
		1	74	13	12.87	12.98	12.86	12.93	14.00
		36	0	12.76	12.87	12.82	12.69	12.72	14.00
		36	18	12.79	12.82	12.88	12.9	12.83	14.00
		36	39	13	12.85	12.63	12.81	12.87	14.00
		75	0	12.79	12.93	12.85	12.84	12.85	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				39750	40185	40620	41055	41490	
20MHz	QPSK	1	0	13.02	13.14	13.25	12.92	12.97	14.00
		1	50	13.08	12.82	12.69	12.79	12.67	14.00
		1	99	12.75	12.71	12.84	12.74	12.87	14.00
		50	0	13.11	13.06	13.07	12.88	13.01	14.00
		50	25	12.74	12.74	12.73	12.7	12.64	14.00
		50	50	12.77	12.83	12.83	12.72	12.87	14.00
		100	0	12.83	12.91	12.99	12.74	12.98	14.00
	16QAM	1	0	12.85	12.72	12.86	12.8	12.82	14.00
		1	50	12.78	12.76	12.75	12.86	12.82	14.00
		1	99	12.9	12.85	12.94	12.85	12.92	14.00
		50	0	12.78	12.79	12.74	12.64	12.66	14.00
		50	25	12.71	12.82	12.86	12.85	12.85	14.00
		50	50	12.95	12.94	12.73	12.79	12.9	14.00
		100	0	12.8	13.02	12.8	12.79	12.78	14.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 60 of 71

LTE Band 71 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				133147	133297	133447	
5MHz	QPSK	1	0	20.95	20.97	20.9	22.00
		1	13	20.8	20.8	20.83	22.00
		1	24	20.49	20.57	20.56	22.00
		12	0	20.36	20.4	20.47	22.00
		12	6	20.08	20.13	20.12	22.00
		12	13	20.45	20.44	20.43	22.00
		25	0	20.1	20.07	20.12	22.00
	16QAM	1	0	20.59	20.55	20.61	22.00
		1	13	20.53	20.45	20.37	22.00
		1	24	20.24	20.3	20.27	22.00
		12	0	20.14	20.07	20.04	22.00
		12	6	20.18	20.11	20.12	22.00
		12	13	20.11	20.17	20.16	22.00
		25	0	20.16	20.08	20.07	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				133172	133297	133422	
10MHz	QPSK	1	0	20.9	20.96	20.97	22.00
		1	25	20.74	20.74	20.66	22.00
		1	49	20.49	20.53	20.51	22.00
		25	0	20.54	20.49	20.59	22.00
		25	13	20.12	20.1	20.13	22.00
		25	25	20.31	20.36	20.43	22.00
		50	0	20.05	20.15	20.14	22.00
	16QAM	1	0	20.47	20.46	20.45	22.00
		1	25	20.36	20.41	20.34	22.00
		1	49	20.3	20.35	20.35	22.00
		25	0	20.02	20.11	20.21	22.00
		25	13	20.14	20.17	20.07	22.00
		25	25	20.15	20.22	20.28	22.00
		50	0	19.95	19.99	20.08	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	133297	/	
15MHz	QPSK	1	0	/	20.99	/	22.00
		1	38	/	20.73	/	22.00
		1	74	/	20.54	/	22.00
		36	0	/	20.57	/	22.00
		36	18	/	20.11	/	22.00
		36	39	/	20.27	/	22.00
		75	0	/	20.23	/	22.00
	16QAM	1	0	/	20.45	/	22.00
		1	38	/	20.32	/	22.00
		1	74	/	20.33	/	22.00
		36	0	/	20.14	/	22.00
		36	18	/	20.22	/	22.00
		36	39	/	20.3	/	22.00
		75	0	/	20.05	/	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509
Rev.: 01
Page: 61 of 71

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	133322	/	
20MHz	QPSK	1	0	/	20.91	/	22.00
		1	50	/	20.73	/	22.00
		1	99	/	20.64	/	22.00
		50	0	/	20.48	/	22.00
		50	25	/	20.17	/	22.00
		50	50	/	20.28	/	22.00
		100	0	/	20.21	/	22.00
	16QAM	1	0	/	20.46	/	22.00
		1	50	/	20.24	/	22.00
		1	99	/	20.33	/	22.00
		50	0	/	20.15	/	22.00
		50	25	/	20.24	/	22.00
		50	50	/	20.2	/	22.00
		100	0	/	20.05	/	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 62 of 71

4 Conducted Power of WIFI

Full:

WIFI 2.4G Ant2 Full power					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	12.56	13.00
	6	2437		12.72	13.00
	11	2462		12.62	13.00
802.11g	1	2412	6	12.28	13.00
	6	2437		11.99	13.00
	11	2462		12.42	13.00
802.11n HT20	1	2412	6.5	11.44	12.00
	6	2437		11.64	12.00
	11	2462		11.62	12.00
802.11ax HE20	1	2412	MCS0	9.82	11.00
	6	2437		9.98	11.00
	11	2462		10.03	11.00

WIFI 2.4G Ant3 Full power					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	11.45	12.00
	6	2437		11.20	12.00
	11	2462		11.12	12.00
802.11g	1	2412	6	12.68	13.00
	6	2437		12.19	13.00
	11	2462		12.38	13.00
802.11n HT20	1	2412	6.5	11.91	12.00
	6	2437		11.21	12.00
	11	2462		11.56	12.00
802.11ax HE20	1	2412	MCS0	10.65	11.00
	6	2437		10.41	11.00
	11	2462		10.48	11.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 63 of 71

WIFI 2.4G MIMO Full power					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	/	/
	6	2437		/	/
	11	2462		/	/
802.11g	1	2412	6	/	/
	6	2437		/	/
	11	2462		/	/
802.11n HT20	1	2412	6.5	14.69	15.00
	6	2437		14.44	15.00
	11	2462		14.60	15.00
802.11ax HE20	1	2412	MCS0	13.27	14.00
	6	2437		13.21	14.00
	11	2462		13.27	14.00

WIFI 2.4G Ant2 For Simultaneous					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	8.48	9.00
	6	2437		8.65	9.00
	11	2462		8.52	9.00
802.11g	1	2412	6	8.40	9.00
	6	2437		8.10	9.00
	11	2462		8.70	9.00
802.11n HT20	1	2412	6.5	8.49	9.00
	6	2437		8.61	9.00
	11	2462		8.36	9.00
802.11ax HE20	1	2412	MCS0	6.92	8.00
	6	2437		7.18	8.00
	11	2462		7.23	8.00

WIFI 2.4G Ant3 For Simultaneous					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	7.43	8.00
	6	2437		7.37	8.00
	11	2462		7.16	8.00
802.11g	1	2412	6	8.62	9.00
	6	2437		8.39	9.00
	11	2462		8.38	9.00
802.11n HT20	1	2412	6.5	8.61	9.00
	6	2437		8.16	9.00
	11	2462		8.38	9.00
802.11ax HE20	1	2412	MCS0	7.56	8.00
	6	2437		7.28	8.00
	11	2462		7.50	8.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 64 of 71

WIFI 2.4G MIMO For Simultaneous					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	/	/
	6	2437		/	/
	11	2462		/	/
802.11g	1	2412	6	/	/
	6	2437		/	/
	11	2462		/	/
802.11n HT20	1	2412	6.5	11.56	12.00
	6	2437		11.40	12.00
	11	2462		11.38	12.00
802.11ax HE20	1	2412	MCS0	10.26	11.00
	6	2437		10.24	11.00
	11	2462		10.38	11.00

WIFI 5G Full power		Channel	Frequency(MHz)	Data Rate(Mbps)	ANT2	Tune up	ANT3	Tune up	MIMO	Tune up
Mode	5GHz				Average Power (dBm)		Average Power (dBm)		Average Power (dBm)	
802.11a	U-NII-1	36	5180	6	16.27	17.00	14.36	16.00	/	/
		40	5200		16.03	17.00	14.48	16.00	/	/
		48	5240		15.95	17.00	15.25	16.00	/	/
	U-NII-2A	52	5260		16.38	17.00	15.40	16.00	/	/
		60	5300		16.65	17.00	15.70	16.00	/	/
		64	5320		16.72	17.00	15.62	16.00	/	/
	U-NII-2C	100	5500		13.24	14.00	11.73	13.00	/	/
		116	5580		13.69	14.00	12.25	13.00	/	/
		140	5700		13.57	14.00	11.97	13.00	/	/
	U-NII-3	149	5745		18.18	19.00	16.03	17.00	/	/
		157	5785		18.27	19.00	16.14	17.00	/	/
		165	5825		18.04	19.00	16.07	17.00	/	/
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11n- HT20	U-NII-1	36	5180	MCS0	15.20	16.00	13.37	15.00	17.39	19.00
		40	5200		15.18	16.00	13.64	15.00	17.49	19.00
		48	5240		14.92	16.00	14.33	15.00	17.65	19.00
	U-NII-2A	52	5260		15.45	16.00	14.50	15.00	18.01	19.00
		60	5300		15.67	16.00	14.83	15.00	18.28	19.00
		64	5320		15.68	16.00	14.54	15.00	18.16	19.00
	U-NII-2C	100	5500		12.18	13.00	10.74	12.00	14.53	16.00
		116	5580		12.76	13.00	11.37	12.00	15.13	16.00
		140	5700		12.48	13.00	11.09	12.00	14.85	16.00
	U-NII-3	149	5745		17.92	19.00	15.97	17.00	20.06	21.00
		157	5785		18.04	19.00	16.13	17.00	20.20	21.00
		165	5825		17.85	19.00	15.96	17.00	20.02	21.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11n- HT40	U-NII-1	38	5190	MCS0	13.37	14.00	11.35	12.00	15.49	17.00
		46	5230		13.25	14.00	11.54	12.00	15.49	17.00
	U-NII-2A	54	5270		14.33	15.00	12.38	13.00	16.47	18.00
		62	5310		14.39	15.00	12.60	13.00	16.60	18.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 65 of 71

	U-NII-2C	102	5510		12.45	13.00	10.12	11.00	14.45	16.00
		110	5550		12.38	13.00	10.56	11.00	14.57	16.00
		134	5670		12.27	13.00	10.32	11.00	14.41	16.00
	U-NII-3	151	5755		18.62	19.00	16.31	17.00	20.63	21.00
		159	5795		18.46	19.00	16.00	17.00	20.41	21.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ac VHT80	U-NII-1	42	5210	MCS0	12.20	13.00	10.53	11.00	14.46	16.00
	U-NII-2A	58	5290		13.45	14.00	11.42	12.00	15.56	17.00
	U-NII-2C	106	5530		11.33	12.00	9.31	10.00	13.45	15.00
		122	5610		11.28	12.00	9.44	10.00	13.47	15.00
	U-NII-3	155	5775		15.36	16.00	13.26	14.00	17.45	19.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW20	U-NII-1	36	5180	MCS0	14.16	15.00	12.42	13.00	16.39	18.00
		40	5200		14.25	15.00	12.56	13.00	16.50	18.00
		48	5240		13.80	15.00	13.22	14.00	16.53	18.00
	U-NII-2A	52	5260		14.49	15.00	13.50	14.00	17.03	18.00
		60	5300		14.78	15.00	13.85	14.00	17.35	18.00
		64	5320		14.70	15.00	13.58	14.00	17.19	18.00
	U-NII-2C	100	5500		11.27	12.00	9.67	11.00	13.55	15.00
		116	5580		11.67	12.00	10.35	11.00	14.07	15.00
		140	5700		11.47	12.00	10.05	11.00	13.83	15.00
	U-NII-3	149	5745		16.84	17.00	14.98	16.00	19.02	20.00
		157	5785		16.97	17.00	15.10	16.00	19.15	20.00
		165	5825		16.90	17.00	15.00	16.00	19.06	20.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW40	U-NII-1	38	5190	MCS0	11.56	12.00	9.47	10.00	13.65	15.00
		46	5230		11.26	12.00	9.48	10.00	13.47	15.00
	U-NII-2A	54	5270		12.50	13.00	10.41	11.00	14.59	16.00
		62	5310		12.27	13.00	10.65	11.00	14.55	16.00
	U-NII-2C	102	5510		10.47	11.00	8.26	9.00	12.51	14.00
		110	5550		10.39	11.00	8.54	9.00	12.57	14.00
		134	5670		10.36	11.00	8.39	9.00	12.50	14.00
	U-NII-3	151	5755		15.70	16.00	14.17	15.00	18.01	19.00
		159	5795		15.71	16.00	14.20	15.00	18.03	19.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW80	U-NII-1	42	5210	MCS0	11.09	12.00	9.44	10.00	13.35	15.00
	U-NII-2A	58	5290		11.36	12.00	9.64	10.00	13.59	15.00
	U-NII-2C	106	5530		9.25	10.00	7.40	8.00	11.43	13.00
		122	5610		9.29	10.00	7.54	8.00	11.51	13.00
	U-NII-3	155	5775		14.50	15.00	12.28	13.00	16.54	18.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 66 of 71

WIFI 6E Full power				ANT2		ANT3		MIMO	
mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax (HE20)	1	5955	MCS0	1.80	3	1.91	3	4.87	6
	97	6435		1.03	2.5	1.05	2.5	4.05	5.5
	117	6535		0.76	2	0.83	2	3.81	5
	189	6895		-2.18	-1	-2.43	-1	0.71	2
	233	7115		-4.65	-3.5	-4.88	-3.5	-1.75	-0.5
802.11ax (HE40)	3	5965	MCS0	4.14	5.5	5.27	6.5	7.75	9
	99	6445		4.50	5.5	5.74	7	8.17	10
	147	6685		5.88	7	6.60	8	9.27	10.5
	195	6925		6.28	7.5	6.44	7.5	9.37	10.5
	227	7085		7.34	8.5	6.12	7.5	9.78	11
802.11ax (HE80)	7	5985	MCS0	8.03	9	8.25	9	11.15	12
	103	6465		8.09	9	8.61	9	11.37	12
	151	6705		7.89	9	8.48	9	11.21	12
	199	6945		7.66	9	8.52	9	11.12	12
	215	7025		7.47	9	8.59	9	11.08	12

WIFI 6E For Simultaneous				ANT2		ANT3		MIMO	
mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax (HE20)	1	5955	MCS0	1.80	3	1.91	3	4.87	6
	97	6435		1.03	2.5	1.05	2.5	4.05	5.5
	117	6535		0.76	2	0.83	2	3.81	5
	189	6895		-2.18	-1	-2.43	-1	0.71	2
	233	7115		-4.65	-3.5	-4.88	-3.5	-1.75	-0.5
802.11ax (HE40)	3	5965	MCS0	3.64	5	3.77	5	6.72	8
	99	6445		4.00	5	3.74	5	6.88	8
	147	6685		3.81	5	3.54	5	6.69	8
	195	6925		3.27	5	3.04	5	6.17	8
	227	7085		3.90	5	3.54	5	6.73	8
802.11ax (HE80)	7	5985	MCS0	3.65	5	3.46	5	6.57	8
	103	6465		4.05	5	3.89	5	6.98	8
	151	6705		3.71	5	3.64	5	6.69	8
	199	6945		3.46	5	3.05	5	6.27	8
	215	7025		3.93	5	3.89	5	6.92	8



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 67 of 71

Sensor on:

WIFI 5G Sensor on		Channel	Frequency(MHz)	Data Rate(Mbps)	ANT2	Tune up	ANT3	Tune up	MIMO	Tune up
Mode	5GHz				Average Power (dBm)		Average Power (dBm)		Average Power (dBm)	
802.11a	U-NII-1	36	5180	6	7.12	8.00	5.25	7.00	/	/
		40	5200		6.89	8.00	5.51	7.00	/	/
		48	5240		6.91	8.00	6.23	7.00	/	/
	U-NII-2A	52	5260		7.42	8.00	6.33	7.00	/	/
		60	5300		7.52	8.00	6.62	7.00	/	/
		64	5320		7.52	8.00	6.43	7.00	/	/
	U-NII-2C	100	5500		6.17	7.00	4.54	6.00	/	/
		116	5580		6.55	7.00	5.19	6.00	/	/
		140	5700		6.52	7.00	4.90	6.00	/	/
	U-NII-3	149	5745		7.04	8.00	4.91	6.00	/	/
		157	5785		7.20	8.00	5.07	6.00	/	/
		165	5825		6.86	8.00	4.85	6.00	/	/
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	7.17	8.00	5.26	7.00	9.33	11.00
		40	5200		7.14	8.00	5.61	7.00	9.45	11.00
		48	5240		6.85	8.00	6.16	7.00	9.53	11.00
	U-NII-2A	52	5260		7.40	8.00	6.38	7.00	9.93	11.00
		60	5300		7.78	8.00	6.68	7.00	10.28	11.00
		64	5320		7.56	8.00	6.47	7.00	10.06	11.00
	U-NII-2C	100	5500		6.20	7.00	4.65	6.00	8.50	10.00
		116	5580		6.63	7.00	5.33	6.00	9.04	10.00
		140	5700		6.39	7.00	4.95	6.00	8.74	10.00
	U-NII-3	149	5745		6.84	8.00	4.79	6.00	8.95	10.00
		157	5785		6.94	8.00	5.06	6.00	9.11	10.00
		165	5825		6.90	8.00	4.89	6.00	9.02	10.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11n-HT40	U-NII-1	38	5190	MCS0	6.30	7.00	4.31	5.00	8.43	10.00
		46	5230		6.29	7.00	4.42	5.00	8.47	10.00
	U-NII-2A	54	5270		6.38	7.00	4.32	5.00	8.48	10.00
		62	5310		6.28	7.00	4.52	5.00	8.50	10.00
	U-NII-2C	102	5510		5.29	6.00	3.05	4.00	7.32	9.00
		110	5550		5.20	6.00	3.55	4.00	7.46	9.00
		134	5670		5.24	6.00	3.36	4.00	7.41	9.00
	U-NII-3	151	5755		7.58	8.00	5.17	6.00	9.55	10.00
		159	5795		7.53	8.00	5.01	6.00	9.46	10.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ac VHT80	U-NII-1	42	5210	MCS0	6.26	7.00	4.50	5.00	8.48	10.00
	U-NII-2A	58	5290		6.34	7.00	4.35	5.00	8.47	10.00
	U-NII-2C	106	5530		5.26	6.00	3.35	4.00	7.42	9.00
		122	5610		5.35	6.00	3.45	4.00	7.51	9.00
	U-NII-3	155	5775		5.34	6.00	3.30	4.00	7.45	9.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 68 of 71

802.11ax HEW20	U-NII-1	36	5180	MCS0	7.25	8.00	5.48	6.00	9.46	11.00
		40	5200		7.26	8.00	5.63	6.00	9.53	11.00
		48	5240		6.94	8.00	6.22	7.00	9.61	11.00
	U-NII-2A	52	5260		7.52	8.00	6.47	7.00	10.04	11.00
		60	5300		7.88	8.00	6.71	7.00	10.34	11.00
		64	5320		7.74	8.00	6.56	7.00	10.20	11.00
	U-NII-2C	100	5500		6.31	7.00	4.80	6.00	8.63	10.00
		116	5580		6.71	7.00	5.41	6.00	9.12	10.00
		140	5700		6.49	7.00	5.02	6.00	8.83	10.00
	U-NII-3	149	5745		6.80	7.00	5.01	6.00	9.01	10.00
		157	5785		6.90	7.00	5.11	6.00	9.11	10.00
		165	5825		6.93	7.00	5.06	6.00	9.11	10.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW40	U-NII-1	38	5190	MCS0	6.52	7.00	4.47	5.00	8.63	10.00
		46	5230		6.37	7.00	4.50	5.00	8.55	10.00
	U-NII-2A	54	5270		6.45	7.00	4.38	5.00	8.55	10.00
		62	5310		6.26	7.00	4.69	5.00	8.56	10.00
	U-NII-2C	102	5510		5.50	6.00	3.21	4.00	7.51	9.00
		110	5550		5.34	6.00	3.59	4.00	7.56	9.00
		134	5670		5.46	6.00	3.34	4.00	7.54	9.00
	U-NII-3	151	5755		6.80	7.00	5.31	6.00	9.13	10.00
		159	5795		6.77	7.00	5.10	6.00	9.03	10.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW80	U-NII-1	42	5210	MCS0	6.08	7.00	4.39	5.00	8.33	10.00
	U-NII-2A	58	5290		6.36	7.00	4.64	5.00	8.59	10.00
	U-NII-2C	106	5530		5.38	6.00	3.38	4.00	7.50	9.00
		122	5610		5.21	6.00	3.52	4.00	7.46	9.00
	U-NII-3	155	5775		5.59	6.00	3.16	4.00	7.55	9.00

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 69 of 71

WIFI 5G Full power For Simultaneous		Channel	Frequency(MHz)	Data Rate(Mbps)	ANT2	Tune up	ANT3	Tune up	MIMO	Tune up
Mode	5GHz				Average Power (dBm)		Average Power (dBm)		Average Power (dBm)	
802.11a	U-NII-1	36	5180	6	13.14	14.00	11.37	13.00	/	/
		40	5200		13.19	14.00	11.61	13.00	/	/
		48	5240		12.99	14.00	12.16	13.00	/	/
	U-NII-2A	52	5260		13.51	14.00	12.60	13.00	/	/
		60	5300		13.77	14.00	12.68	13.00	/	/
		64	5320		13.68	14.00	12.66	13.00	/	/
	U-NII-2C	100	5500		11.14	12.00	9.82	11.00	/	/
		116	5580		11.74	12.00	10.36	11.00	/	/
		140	5700		11.47	12.00	9.91	11.00	/	/
	U-NII-3	149	5745		15.10	16.00	13.18	14.00	/	/
		157	5785		15.27	16.00	13.04	14.00	/	/
		165	5825		15.11	16.00	13.07	14.00	/	/
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	13.17	14.00	11.52	13.00	15.43	12.0
		40	5200		13.11	14.00	11.68	13.00	15.46	12.0
		48	5240		12.83	14.00	12.22	13.00	15.55	12.0
	U-NII-2A	52	5260		13.42	14.00	12.71	13.00	16.09	12.0
		60	5300		13.74	14.00	12.81	13.00	16.31	12.0
		64	5320		13.67	14.00	12.70	13.00	16.22	12.0
	U-NII-2C	100	5500		11.19	12.00	9.86	11.00	13.59	10.0
		116	5580		11.60	12.00	10.33	11.00	14.02	10.0
		140	5700		11.45	12.00	10.06	11.00	13.82	10.0
	U-NII-3	149	5745		15.25	16.00	13.01	14.00	17.28	13.0
		157	5785		15.21	16.00	13.20	14.00	17.33	13.0
		165	5825		15.03	16.00	13.03	14.00	17.15	13.0
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11n-HT40	U-NII-1	38	5190	MCS0	10.37	11.00	8.44	9.00	12.52	14.00
		46	5230		10.33	11.00	8.61	9.00	12.56	14.00
	U-NII-2A	54	5270		11.42	12.00	9.30	10.00	13.50	15.00
		62	5310		11.41	12.00	9.53	10.00	13.58	15.00
	U-NII-2C	102	5510		9.46	10.00	7.20	8.00	11.49	13.00
		110	5550		9.29	10.00	7.73	8.00	11.59	13.00
		134	5670		9.26	10.00	7.34	8.00	11.42	13.00
	U-NII-3	151	5755		15.36	16.00	13.27	14.00	17.45	18.00
		159	5795		15.03	16.00	13.15	14.00	17.20	18.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ac VHT80	U-NII-1	42	5210	MCS0	10.29	11.00	8.61	9.00	12.54	14.00
	U-NII-2A	58	5290		11.43	12.00	9.56	10.00	13.61	15.00
	U-NII-2C	106	5530		9.31	10.00	7.41	8.00	11.47	13.00
		122	5610		9.27	10.00	7.47	8.00	11.47	13.00
	U-NII-3	155	5775		13.46	14.00	11.18	12.00	15.48	17.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 70 of 71

802.11ax HEW20	U-NII-1	36	5180	MCS0	13.24	14.00	11.47	13.00	15.45	17.00
		40	5200		13.25	14.00	11.63	13.00	15.53	17.00
		48	5240		12.95	14.00	12.29	13.00	15.64	17.00
	U-NII-2A	52	5260		13.42	14.00	12.58	13.00	16.03	17.00
		60	5300		13.70	14.00	12.71	13.00	16.24	17.00
		64	5320		13.69	14.00	12.69	13.00	16.23	17.00
	U-NII-2C	100	5500		11.12	12.00	9.89	11.00	13.56	15.00
		116	5580		11.58	12.00	10.34	11.00	14.01	15.00
		140	5700		11.48	12.00	10.07	11.00	13.84	15.00
	U-NII-3	149	5745		15.26	16.00	13.07	14.00	17.31	18.00
		157	5785		15.17	16.00	13.15	14.00	17.29	18.00
		165	5825		15.01	16.00	13.02	14.00	17.14	18.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW40	U-NII-1	38	5190	MCS0	10.37	11.00	8.50	9.00	12.55	14.00
		46	5230		10.40	11.00	8.65	9.00	12.62	14.00
	U-NII-2A	54	5270		11.44	12.00	9.32	10.00	13.52	15.00
		62	5310		11.31	12.00	9.54	10.00	13.52	15.00
	U-NII-2C	102	5510		9.44	10.00	7.27	8.00	11.50	13.00
		110	5550		9.26	10.00	7.62	8.00	11.53	13.00
		134	5670		9.34	10.00	7.40	8.00	11.49	13.00
	U-NII-3	151	5755		15.41	16.00	13.26	14.00	17.48	18.00
		159	5795		15.02	16.00	13.01	14.00	17.14	18.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW80	U-NII-1	42	5210	MCS0	10.35	11.00	8.64	9.00	12.59	14.00
	U-NII-2A	58	5290		11.44	12.00	9.57	10.00	13.62	15.00
	U-NII-2C	106	5530		9.38	10.00	7.52	8.00	11.56	13.00
		122	5610		9.24	10.00	7.57	8.00	11.50	13.00
	U-NII-3	155	5775		13.51	14.00	11.24	12.00	15.53	17.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040509

Rev.: 01

Page: 71 of 71

5 Conducted Power of Bluetooth

BT Ant 2 Full Power		Average Conducted Power(dBm)			Tune up
Band	Channel	0	39	78	
BT	GFSK	10.58	10.92	9.79	11.00
	$\pi/4$ DQPSK	7.10	7.65	6.40	8.00
	8DPSK	6.90	7.65	6.15	8.00
Band	Channel	0	19	39	Tune up
BLE 1M	GFSK	10.39	10.70	9.25	11.00
BLE 2M	GFSK	10.20	10.89	9.42	11.00

BT Ant 2 For Simultaneous		Average Conducted Power(dBm)			Tune up
Band	Channel	0	39	78	
BT	GFSK	7.51	7.86	7.52	8.00
	$\pi/4$ DQPSK	5.95	6.65	5.34	7.00
	8DPSK	5.88	6.51	5.04	7.00
Band	Channel	0	19	39	Tune up
BLE 1M	GFSK	6.32	6.60	6.44	7.00
BLE 2M	GFSK	6.30	6.62	6.52	7.00