




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 281 of 572

802.11a ANT2_Channel 60



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8578.8667	46.54	37.39	-35.41	48.52	68.30	19.78	Horizontal
2	10407.0667	41.75	38.10	-31.15	48.70	68.30	19.60	Horizontal
3	11426.4	41.13	38.40	-29.89	49.64	74.00	24.36	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 282 of 572

802.11a ANT2_Channel 60



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8146.9333	45.97	37.17	-36.40	46.74	74.00	27.26	Vertical
2	9515.3333	44.25	37.75	-33.56	48.45	68.30	19.85	Vertical
3	11190.6333	41.00	38.40	-29.99	49.41	74.00	24.59	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 283 of 572

802.11a ANT2_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8364.3667	46.50	37.28	-35.85	47.93	74.00	26.07	Horizontal
2	9740.4667	43.08	37.82	-33.16	47.74	68.30	20.56	Horizontal
3	11458.3	41.24	38.40	-29.94	49.70	74.00	24.30	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 284 of 572

802.11a ANT2_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8235.6667	46.26	37.22	-36.13	47.35	74.00	26.65	Vertical
2	9605.5333	43.81	37.78	-33.51	48.08	68.30	20.22	Vertical
3	11699.5667	39.93	38.40	-29.60	48.73	74.00	25.27	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 285 of 572

802.11a ANT2_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7959.2	46.94	37.06	-36.86	47.14	68.30	21.16	Horizontal
2	9203.3	44.57	37.66	-34.31	47.92	68.30	20.38	Horizontal
3	14292.6333	40.82	40.24	-29.42	51.64	68.30	16.66	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 286 of 572

802.11a ANT2_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8758.1667	45.80	37.48	-34.97	48.31	68.30	19.99	Vertical
2	9520.1	44.29	37.76	-33.55	48.49	68.30	19.81	Vertical
3	14362.6667	40.50	40.23	-28.77	51.96	68.30	16.34	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 287 of 572

802.11a ANT2_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8785.6667	46.51	37.49	-34.86	49.15	68.30	19.15	Horizontal
2	9979.1667	43.54	37.89	-32.37	49.07	68.30	19.23	Horizontal
3	14810	40.14	40.14	-27.36	52.92	68.30	15.38	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 288 of 572

802.11a ANT2_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8498.5667	46.47	37.35	-35.78	48.04	74.00	25.96	Vertical
2	10118.1333	43.48	37.96	-32.13	49.31	68.30	18.99	Vertical
3	14383.2	40.98	40.22	-28.56	52.64	68.30	15.66	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 289 of 572

802.11a ANT2_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8633.8667	46.69	37.42	-35.27	48.83	68.30	19.47	Horizontal
2	9934.8	43.07	37.88	-32.49	48.46	68.30	19.84	Horizontal
3	13818.9	40.83	40.17	-29.10	51.90	68.30	16.40	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 290 of 572

802.11a ANT2_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8776.8667	45.40	37.49	-34.89	48.00	68.30	20.30	Vertical
2	10108.6	43.55	37.95	-32.20	49.31	68.30	18.99	Vertical
3	14308.0333	40.59	40.24	-29.33	51.50	68.30	16.80	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 291 of 572

802.11a ANT2_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8819.7667	46.11	37.51	-34.90	48.72	68.30	19.58	Horizontal
2	10635.5	41.46	38.22	-30.88	48.80	74.00	25.20	Horizontal
3	11836.7	40.57	38.40	-29.64	49.33	74.00	24.67	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 292 of 572

802.11a ANT2_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8223.5667	46.59	37.21	-36.16	47.64	74.00	26.36	Vertical
2	10113.7333	42.22	37.96	-32.16	48.02	68.30	20.28	Vertical
3	11497.1667	40.88	38.40	-29.99	49.29	74.00	24.71	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 293 of 572

802.11a ANT2_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8656.2333	45.94	37.43	-35.25	48.12	68.30	20.18	Horizontal
2	10096.1333	43.17	37.95	-32.26	48.86	68.30	19.44	Horizontal
3	13895.1667	40.28	40.23	-28.45	52.06	68.30	16.24	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 294 of 572

802.11a ANT2_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8824.5333	45.72	37.51	-34.92	48.31	68.30	19.99	Vertical
2	11483.9667	41.10	38.40	-29.97	49.53	74.00	24.47	Vertical
3	13879.0333	40.48	40.22	-28.59	52.11	68.30	16.19	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 295 of 572

802.11a ANT2_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8798.8667	46.38	37.50	-34.80	49.07	68.30	19.23	Horizontal
2	10063.8667	42.80	37.93	-32.28	48.45	68.30	19.85	Horizontal
3	14334.8	40.52	40.23	-29.06	51.70	68.30	16.60	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 296 of 572

802.11a ANT2_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8825.2667	45.93	37.51	-34.92	48.52	68.30	19.78	Vertical
2	10066.0667	42.50	37.93	-32.28	48.16	68.30	20.14	Vertical
3	13839.0667	40.45	40.19	-28.93	51.71	68.30	16.59	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 297 of 572

802.11a ANT3_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8339.8	46.52	37.27	-35.90	47.89	74.00	26.11	Horizontal
2	10439.3333	42.53	38.12	-31.11	49.54	68.30	18.76	Horizontal
3	14732.6333	39.97	40.15	-28.11	52.01	68.30	16.29	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 298 of 572

802.11a ANT3_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7971.3	46.46	37.07	-36.85	46.68	68.30	21.62	Vertical
2	9742.3	43.70	37.82	-33.16	48.36	68.30	19.94	Vertical
3	14389.4333	41.34	40.22	-28.50	53.06	68.30	15.24	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 299 of 572

802.11a ANT3_Channel 40



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8550.6333	46.10	37.38	-35.54	47.93	68.30	20.37	Horizontal
2	10007.7667	42.42	37.90	-32.31	48.02	68.30	20.28	Horizontal
3	14357.5333	40.23	40.23	-28.82	51.64	68.30	16.66	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 300 of 572

802.11a ANT3_Channel 40



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8820.8667	45.88	37.51	-34.90	48.49	68.30	19.81	Vertical
2	11298.8	41.17	38.40	-30.49	49.08	74.00	24.92	Vertical
3	13680.6667	40.43	40.08	-28.91	51.60	68.30	16.70	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 301 of 572

802.11a ANT3_Channel 48



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8366.9333	46.12	37.28	-35.85	47.55	74.00	26.45	Horizontal
2	9532.5667	44.07	37.76	-33.55	48.28	68.30	20.02	Horizontal
3	10902.4333	41.08	38.35	-30.38	49.05	74.00	24.95	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 302 of 572

802.11a ANT3_Channel 48



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8541.8333	46.48	37.37	-35.58	48.27	68.30	20.03	Vertical
2	9996.4	42.94	37.90	-32.32	48.52	68.30	19.78	Vertical
3	11654.8333	40.35	38.40	-29.60	49.15	74.00	24.85	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 303 of 572

802.11a ANT3_Channel 52



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8582.5333	47.07	37.39	-35.39	49.07	68.30	19.23	Horizontal
2	10123.6333	42.01	37.96	-32.09	47.88	68.30	20.42	Horizontal
3	13644.7333	39.99	40.05	-28.35	51.69	68.30	16.61	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 304 of 572

802.11a ANT3_Channel 52



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8837	45.58	37.52	-34.98	48.12	68.30	20.18	Vertical
2	10655.6667	41.47	38.23	-30.70	49.00	74.00	25.00	Vertical
3	13589.7333	40.28	40.01	-27.84	52.45	68.30	15.85	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 305 of 572

802.11a ANT3_Channel 60




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8529	46.88	37.36	-35.64	48.60	68.30	19.70	Horizontal
2	10020.6	42.78	37.91	-32.30	48.39	68.30	19.91	Horizontal
3	14345.4333	40.05	40.23	-28.95	51.33	68.30	16.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 306 of 572

802.11a ANT3_Channel 60



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8523.1333	47.19	37.36	-35.67	48.88	68.30	19.42	Vertical
2	10390.2	41.85	38.10	-31.24	48.71	68.30	19.59	Vertical
3	13594.5	39.49	40.02	-27.75	51.75	68.30	16.55	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 307 of 572

802.11a ANT3_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8776.5	45.98	37.49	-34.89	48.57	68.30	19.73	Horizontal
2	10097.9667	42.95	37.95	-32.26	48.64	68.30	19.66	Horizontal
3	14400.0667	39.94	40.22	-28.39	51.77	68.30	16.53	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 308 of 572

802.11a ANT3_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8696.5667	45.83	37.45	-35.20	48.07	68.30	20.23	Vertical
2	10180.4667	42.00	37.99	-31.67	48.32	68.30	19.98	Vertical
3	13636.6667	40.56	40.05	-28.22	52.38	68.30	15.92	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 309 of 572

802.11a ANT3_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8659.1667	46.45	37.43	-35.24	48.63	68.30	19.67	Horizontal
2	10128.0333	42.77	37.96	-32.06	48.68	68.30	19.62	Horizontal
3	13832.4667	41.36	40.18	-28.98	52.56	68.30	15.74	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 310 of 572

802.11a ANT3_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8721.8667	46.33	37.46	-35.11	48.68	68.30	19.62	Vertical
2	10144.1667	42.41	37.97	-31.94	48.44	68.30	19.86	Vertical
3	14344.3333	40.43	40.23	-28.96	51.70	68.30	16.60	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 311 of 572

802.11a ANT3_Channel 116




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8862.3	46.40	37.53	-35.11	48.83	68.30	19.47	Horizontal
2	10211.2667	42.08	38.01	-31.58	48.51	68.30	19.79	Horizontal
3	13598.9	39.92	40.02	-27.67	52.27	68.30	16.03	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 312 of 572

802.11a ANT3_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8734.3333	46.43	37.47	-35.06	48.83	68.30	19.47	Vertical
2	11236.4667	41.07	38.40	-30.16	49.31	74.00	24.69	Vertical
3	14931	39.70	40.11	-28.02	51.80	68.30	16.50	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 313 of 572

802.11a ANT3_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7783.9333	48.14	36.88	-36.84	48.18	68.30	20.12	Horizontal
2	9263.0667	45.69	37.68	-34.08	49.29	68.30	19.01	Horizontal
3	13598.1667	40.93	40.02	-27.68	53.26	68.30	15.04	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 314 of 572

802.11a ANT3_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7729.3	48.06	36.83	-37.03	47.86	74.00	26.14	Vertical
2	9324.6667	46.24	37.70	-33.96	49.97	74.00	24.03	Vertical
3	12777.5667	42.04	39.33	-29.83	51.55	68.30	16.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 315 of 572

802.11a ANT3_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7825.3667	47.77	36.93	-36.83	47.87	68.30	20.43	Horizontal
2	8841.0333	46.95	37.52	-35.00	49.47	68.30	18.83	Horizontal
3	14166.5	42.02	40.27	-29.37	52.92	68.30	15.38	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 316 of 572

802.11a ANT3_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7764.1333	47.86	36.86	-36.91	47.81	68.30	20.49	Vertical
2	9640.3667	44.49	37.79	-33.40	48.89	68.30	19.41	Vertical
3	13590.1	40.95	40.01	-27.84	53.13	68.30	15.17	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 317 of 572

802.11a ANT3_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8854.6	47.54	37.53	-35.07	50.00	68.30	18.30	Horizontal
2	9564.4667	45.12	37.77	-33.54	49.35	68.30	18.95	Horizontal
3	14372.5667	42.26	40.23	-28.67	53.82	68.30	14.48	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 318 of 572

802.11a ANT3_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8391.8667	48.39	37.30	-35.80	49.88	74.00	24.12	Vertical
2	10124.7333	44.39	37.96	-32.08	50.27	68.30	18.03	Vertical
3	13599.6333	41.64	40.02	-27.66	54.00	68.30	14.30	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 319 of 572

802.11a ANT3_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8123.8333	47.84	37.16	-36.48	48.52	74.00	25.48	Horizontal
2	9938.4667	44.55	37.88	-32.48	49.96	68.30	18.34	Horizontal
3	12946.9667	43.24	39.54	-29.62	53.16	68.30	15.14	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 320 of 572

802.11a ANT3_Channel 165



Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7856.9	48.66	36.96	-36.88	48.74	68.30	19.56	Vertical
2	9989.0667	44.49	37.90	-32.34	50.05	68.30	18.25	Vertical
3	14309.1333	42.49	40.24	-29.32	53.41	68.30	14.89	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 321 of 572

802.11n20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8705	47.13	37.45	-35.18	49.40	68.30	18.90	Horizontal
2	9942.1333	43.69	37.88	-32.47	49.11	68.30	19.19	Horizontal
3	14323.4333	41.50	40.24	-29.17	52.56	68.30	15.74	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 322 of 572

802.11n20 MIMO_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8622.8667	46.72	37.41	-35.28	48.85	68.30	19.45	Vertical
2	9638.9	44.18	37.79	-33.40	48.57	68.30	19.73	Vertical
3	14342.8667	43.67	40.23	-28.97	54.93	68.30	13.37	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 323 of 572

802.11n20 MIMO_Channel 40




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8321.4667	47.45	37.26	-35.93	48.78	74.00	25.22	Horizontal
2	10122.1667	42.97	37.96	-32.10	48.83	68.30	19.47	Horizontal
3	13656.1	40.56	40.06	-28.53	52.09	68.30	16.21	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 324 of 572

802.11n20 MIMO_Channel 40




Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8230.1667	47.48	37.22	-36.14	48.55	74.00	25.45	Vertical
2	9962.6667	43.60	37.89	-32.41	49.08	68.30	19.22	Vertical
3	13159.2667	41.81	39.71	-29.09	52.44	68.30	15.86	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 325 of 572

802.11n20 MIMO_Channel 48



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8833.7	46.60	37.52	-34.97	49.15	68.30	19.15	Horizontal
2	10096.5	43.39	37.95	-32.26	49.08	68.30	19.22	Horizontal
3	13144.6	41.23	39.70	-29.04	51.89	68.30	16.41	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 326 of 572

802.11n20 MIMO_Channel 48




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8707.5667	46.29	37.45	-35.17	48.57	68.30	19.73	Vertical
2	10263.3333	42.72	38.03	-31.81	48.94	68.30	19.36	Vertical
3	13103.1667	40.65	39.67	-28.90	51.42	68.30	16.88	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 327 of 572

802.11n20 MIMO_Channel 52




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8715.2667	47.09	37.46	-35.14	49.41	68.30	18.89	Horizontal
2	9888.9667	44.54	37.87	-32.64	49.77	68.30	18.53	Horizontal
3	14393.8333	41.39	40.22	-28.45	53.16	68.30	15.14	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 328 of 572

802.11n20 MIMO_Channel 52



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8661.7333	46.95	37.43	-35.24	49.14	68.30	19.16	Vertical
2	10000.0667	44.38	37.90	-32.31	49.97	68.30	18.33	Vertical
3	16944.3667	40.22	38.86	-25.82	53.26	68.30	15.04	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 329 of 572

802.11n20 MIMO_Channel 60




Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8812.0667	46.13	37.51	-34.86	48.78	68.30	19.52	Horizontal
2	10161.0333	43.36	37.98	-31.81	49.53	68.30	18.77	Horizontal
3	13600.3667	40.46	40.02	-27.66	52.82	68.30	15.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 330 of 572

802.11n20 MIMO_Channel 60



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8776.8667	46.30	37.49	-34.89	48.90	68.30	19.40	Vertical
2	10003	43.46	37.90	-32.31	49.05	68.30	19.25	Vertical
3	13652.4333	41.18	40.06	-28.47	52.77	68.30	15.53	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 331 of 572

802.11n20 MIMO_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8939.3	46.14	37.57	-34.92	48.79	68.30	19.51	Horizontal
2	10114.8333	44.09	37.96	-32.15	49.90	68.30	18.40	Horizontal
3	13622.7333	40.23	40.04	-28.00	52.26	68.30	16.04	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 332 of 572

802.11n20 MIMO_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8693.6333	46.82	37.45	-35.21	49.06	68.30	19.24	Vertical
2	10199.9	42.45	38.00	-31.53	48.92	68.30	19.38	Vertical
3	14343.6	41.35	40.23	-28.97	52.62	68.30	15.68	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 333 of 572

802.11n20 MIMO_Channel 100




Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8677.1333	47.18	37.44	-35.23	49.39	68.30	18.91	Horizontal
2	9929.6667	44.30	37.88	-32.50	49.68	68.30	18.62	Horizontal
3	13579.8333	42.31	40.01	-28.03	54.28	68.30	14.02	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 334 of 572

802.11n20 MIMO_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8354.4667	47.00	37.28	-35.87	48.41	74.00	25.59	Vertical
2	10258.2	43.44	38.03	-31.79	49.68	68.30	18.62	Vertical
3	13637.4	41.04	40.05	-28.23	52.85	68.30	15.45	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 335 of 572

802.11n20 MIMO_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8720.4	47.00	37.46	-35.12	49.34	68.30	18.96	Horizontal
2	10487.7333	42.29	38.14	-31.05	49.39	68.30	18.91	Horizontal
3	13587.9	40.85	40.01	-27.88	52.98	68.30	15.32	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 336 of 572

802.11n20 MIMO_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8750.1	46.28	37.48	-35.00	48.76	68.30	19.54	Vertical
2	9804.2667	44.06	37.84	-33.08	48.82	68.30	19.48	Vertical
3	13582.7667	41.25	40.01	-27.98	53.28	68.30	15.02	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 337 of 572

802.11n20 MIMO_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8743.1333	47.47	37.47	-35.03	49.91	68.30	18.39	Horizontal
2	10075.9667	44.08	37.94	-32.27	49.75	68.30	18.55	Horizontal
3	13594.1333	41.23	40.02	-27.76	53.49	68.30	14.81	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 338 of 572

802.11n20 MIMO_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8779.8	46.37	37.49	-34.88	48.98	68.30	19.32	Vertical
2	9917.5667	44.23	37.88	-32.53	49.57	68.30	18.73	Vertical
3	13576.1667	41.33	40.00	-28.10	53.23	68.30	15.07	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 339 of 572

802.11n20 MIMO_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8135.5667	46.89	37.17	-36.44	47.62	74.00	26.38	Horizontal
2	9621.6667	44.24	37.79	-33.46	48.57	68.30	19.73	Horizontal
3	13473.5	42.10	39.93	-29.37	52.66	68.30	15.64	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 340 of 572

802.11n20 MIMO_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8668.7	46.07	37.43	-35.23	48.27	68.30	20.03	Vertical
2	10060.2	43.13	37.93	-32.28	48.78	68.30	19.52	Vertical
3	13591.5667	40.26	40.01	-27.81	52.46	68.30	15.84	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 341 of 572

802.11n20 MIMO_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8693.2667	46.42	37.45	-35.21	48.66	68.30	19.64	Horizontal
2	9987.6	44.02	37.90	-32.34	49.57	68.30	18.73	Horizontal
3	13583.5	40.66	40.01	-27.96	52.71	68.30	15.59	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 342 of 572

802.11n20 MIMO_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8693.2667	46.63	37.45	-35.21	48.87	68.30	19.43	Vertical
2	10014	42.90	37.91	-32.30	48.50	68.30	19.80	Vertical
3	13569.5667	41.05	40.00	-28.23	52.82	68.30	15.48	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 343 of 572

802.11n20 MIMO_Channel 165



Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8769.1667	46.49	37.48	-34.92	49.05	68.30	19.25	Horizontal
2	10071.2	43.23	37.94	-32.27	48.89	68.30	19.41	Horizontal
3	13585.3333	40.67	40.01	-27.93	52.75	68.30	15.55	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 344 of 572

802.11n20 MIMO_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8711.6	46.49	37.46	-35.15	48.79	68.30	19.51	Vertical
2	10257.1	43.29	38.03	-31.78	49.54	68.30	18.76	Vertical
3	13550.5	41.84	39.99	-28.59	53.24	68.30	15.06	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 345 of 572

802.11n40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8545.8667	48.03	37.37	-35.56	49.84	68.30	18.46	Horizontal
2	10253.8	42.60	38.03	-31.77	48.86	68.30	19.44	Horizontal
3	13480.1	42.29	39.94	-29.41	52.81	68.30	15.49	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 346 of 572

802.11n40 MIMO_Channel 38



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8560.1667	46.93	37.38	-35.50	48.81	68.30	19.49	Vertical
2	9963.0333	43.65	37.89	-32.41	49.13	68.30	19.17	Vertical
3	13578	40.98	40.00	-28.07	52.92	68.30	15.38	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 347 of 572

802.11n40 MIMO_Channel 46



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8825.2667	46.57	37.51	-34.92	49.16	68.30	19.14	Horizontal
2	10276.5333	42.72	38.04	-31.87	48.89	68.30	19.41	Horizontal
3	13585.3333	40.27	40.01	-27.93	52.35	68.30	15.95	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 348 of 572

802.11n40 MIMO_Channel 46




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8768.8	46.24	37.48	-34.92	48.80	68.30	19.50	Vertical
2	10051.4	43.36	37.93	-32.28	49.00	68.30	19.30	Vertical
3	13591.5667	41.28	40.01	-27.81	53.48	68.30	14.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 349 of 572

802.11n40 MIMO_Channel 54



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8830.4	46.14	37.52	-34.95	48.71	68.30	19.59	Horizontal
2	9899.2333	43.74	37.87	-32.58	49.03	68.30	19.27	Horizontal
3	13330.5	42.46	39.83	-29.26	53.03	74.00	20.97	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 350 of 572

802.11n40 MIMO_Channel 54



Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8772.4667	46.47	37.49	-34.91	49.05	68.30	19.25	Vertical
2	10118.8667	42.61	37.96	-32.12	48.45	68.30	19.85	Vertical
3	13596.3333	40.58	40.02	-27.72	52.88	68.30	15.42	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 351 of 572

802.11n40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7956.2667	48.08	37.06	-36.87	48.27	68.30	20.03	Horizontal
2	9882.3667	44.29	37.86	-32.67	49.48	68.30	18.82	Horizontal
3	13837.9667	40.83	40.19	-28.94	52.08	68.30	16.22	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 352 of 572

802.11n40 MIMO_Channel 62



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7977.9	47.78	37.08	-36.84	48.02	68.30	20.28	Vertical
2	9556.0333	44.10	37.77	-33.54	48.32	68.30	19.98	Vertical
3	13495.5	43.87	39.95	-29.51	54.31	68.30	13.99	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 353 of 572

802.11n40 MIMO_Channel 102



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8840.3	46.45	37.52	-35.00	48.97	68.30	19.33	Horizontal
2	9940.3	43.42	37.88	-32.47	48.83	68.30	19.47	Horizontal
3	13842.7333	41.16	40.19	-28.90	52.45	68.30	15.85	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 354 of 572

802.11n40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8804	46.31	37.50	-34.82	48.99	68.30	19.31	Vertical
2	10118.8667	43.29	37.96	-32.12	49.13	68.30	19.17	Vertical
3	13723.5667	40.93	40.11	-29.22	51.81	68.30	16.49	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 355 of 572

802.11n40 MIMO_Channel 110




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9028.4	45.15	37.61	-34.49	48.27	74.00	25.73	Horizontal
2	9990.5333	44.45	37.90	-32.34	50.01	68.30	18.29	Horizontal
3	13119.6667	40.96	39.68	-28.95	51.69	68.30	16.61	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 356 of 572

802.11n40 MIMO_Channel 110



Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8823.8	46.55	37.51	-34.92	49.15	68.30	19.15	Vertical
2	9835.8	44.08	37.85	-32.91	49.02	68.30	19.28	Vertical
3	12914.3333	42.03	39.50	-29.47	52.06	68.30	16.24	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 357 of 572

802.11n40 MIMO_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8740.2	47.12	37.47	-35.04	49.55	68.30	18.75	Horizontal
2	10207.6	42.63	38.00	-31.56	49.07	68.30	19.23	Horizontal
3	12967.1333	41.65	39.56	-29.71	51.50	68.30	16.80	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 358 of 572

802.11n40 MIMO_Channel 134



Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8786.0333	46.97	37.49	-34.86	49.61	68.30	18.69	Vertical
2	9921.6	44.21	37.88	-32.52	49.56	68.30	18.74	Vertical
3	13582.7667	42.78	40.01	-27.98	54.81	68.30	13.49	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 359 of 572

802.11n40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7944.1667	47.25	37.04	-36.88	47.41	68.30	20.89	Horizontal
2	9935.1667	43.59	37.88	-32.49	48.99	68.30	19.31	Horizontal
3	13599.2667	40.14	40.02	-27.66	52.50	68.30	15.80	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 360 of 572

802.11n40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8842.1333	46.43	37.52	-35.01	48.94	68.30	19.36	Vertical
2	10422.4667	41.35	38.11	-31.13	48.33	68.30	19.97	Vertical
3	13585.3333	41.12	40.01	-27.93	53.20	68.30	15.10	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 361 of 572

802.11n40 MIMO_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8694	46.38	37.45	-35.21	48.62	68.30	19.68	Horizontal
2	9949.1	43.88	37.88	-32.45	49.32	68.30	18.98	Horizontal
3	13650.2333	41.19	40.06	-28.43	52.81	68.30	15.49	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 362 of 572

802.11n40 MIMO_Channel 159




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8816.8333	45.90	37.51	-34.88	48.53	68.30	19.77	Vertical
2	9942.1333	44.17	37.88	-32.47	49.59	68.30	18.71	Vertical
3	13140.9333	41.71	39.70	-29.03	52.38	68.30	15.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 363 of 572

802.11ac80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7786.8667	47.65	36.89	-36.83	47.70	68.30	20.60	Horizontal
2	9968.5333	44.25	37.89	-32.39	49.75	68.30	18.55	Horizontal
3	13583.8667	40.47	40.01	-27.95	52.52	68.30	15.78	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 364 of 572

802.11ac80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7732.2333	48.29	36.83	-37.02	48.10	74.00	25.90	Vertical
2	10062.0333	43.17	37.93	-32.28	48.82	68.30	19.48	Vertical
3	13157.8	41.00	39.71	-29.08	51.63	68.30	16.67	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 365 of 572

802.11ac80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8359.2333	46.35	37.28	-35.86	47.77	74.00	26.23	Horizontal
2	10470.5	41.70	38.14	-31.07	48.77	68.30	19.53	Horizontal
3	13598.1667	40.51	40.02	-27.68	52.84	68.30	15.46	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 366 of 572

802.11ac80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8780.5333	46.72	37.49	-34.88	49.33	68.30	18.97	Vertical
2	9939.5667	43.72	37.88	-32.47	49.13	68.30	19.17	Vertical
3	13568.1	40.81	40.00	-28.25	52.55	68.30	15.75	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 367 of 572

802.11ac80 MIMO_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8715.2667	46.11	37.46	-35.14	48.43	68.30	19.87	Horizontal
2	10260.4	42.89	38.03	-31.80	49.12	68.30	19.18	Horizontal
3	13587.5333	40.13	40.01	-27.89	52.26	68.30	16.04	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 368 of 572

802.11ac80 MIMO_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8533.7667	46.78	37.37	-35.62	48.53	68.30	19.77	Vertical
2	10187.8	43.09	37.99	-31.62	49.46	68.30	18.84	Vertical
3	13580.5667	41.27	40.01	-28.02	53.26	68.30	15.04	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 369 of 572

802.11ac80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8818.3	46.25	37.51	-34.89	48.87	68.30	19.43	Horizontal
2	9947.2667	43.33	37.88	-32.45	48.76	68.30	19.54	Horizontal
3	13821.8333	42.17	40.18	-29.07	53.27	68.30	15.03	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 370 of 572

802.11ac80 MIMO_Channel 122



Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8687.0333	46.49	37.44	-35.21	48.72	68.30	19.58	Vertical
2	10279.1	43.02	38.04	-31.88	49.18	68.30	19.12	Vertical
3	13589.3667	41.14	40.01	-27.85	53.30	68.30	15.00	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 371 of 572

802.11ac80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8641.5667	46.69	37.42	-35.26	48.85	68.30	19.45	Horizontal
2	9953.5	44.54	37.89	-32.44	49.99	68.30	18.31	Horizontal
3	14831.2667	39.77	40.13	-27.51	52.40	68.30	15.90	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 372 of 572

802.11ac80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8687.7667	46.62	37.44	-35.21	48.85	68.30	19.45	Vertical
2	10181.9333	42.79	37.99	-31.66	49.12	68.30	19.18	Vertical
3	13658.6667	41.95	40.06	-28.57	53.45	68.30	14.85	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 373 of 572

802.11ax20 MIMO_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7714.6333	47.91	36.81	-37.08	47.64	74.00	26.36	Horizontal
2	10031.9667	43.49	37.92	-32.29	49.11	68.30	19.19	Horizontal
3	13577.2667	41.67	40.00	-28.08	53.59	68.30	14.71	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 374 of 572

802.11ax20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8782.3667	46.34	37.49	-34.87	48.96	68.30	19.34	Vertical
2	10109.3333	43.39	37.95	-32.19	49.15	68.30	19.15	Vertical
3	14914.8667	40.57	40.12	-28.00	52.69	68.30	15.61	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 375 of 572

802.11ax20 MIMO_Channel 40



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8916.2	46.76	37.56	-35.14	49.18	68.30	19.12	Horizontal
2	9775.6667	44.21	37.83	-33.12	48.92	68.30	19.38	Horizontal
3	13575.0667	40.39	40.00	-28.12	52.27	68.30	16.03	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 376 of 572

802.11ax20 MIMO_Channel 40



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8815.3667	46.75	37.51	-34.88	49.38	68.30	18.92	Vertical
2	9934.4333	44.39	37.88	-32.49	49.78	68.30	18.52	Vertical
3	13667.8333	41.48	40.07	-28.71	52.84	68.30	15.46	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 377 of 572

802.11ax20 MIMO_Channel 48




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7958.1	48.20	37.06	-36.86	48.39	68.30	19.91	Horizontal
2	9417.8	45.83	37.73	-33.95	49.60	74.00	24.40	Horizontal
3	13598.9	41.05	40.02	-27.67	53.40	68.30	14.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 378 of 572

802.11ax20 MIMO_Channel 48




Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7727.4667	48.67	36.83	-37.04	48.46	74.00	25.54	Vertical
2	10082.5667	43.33	37.94	-32.27	49.00	68.30	19.30	Vertical
3	13594.1333	41.15	40.02	-27.76	53.41	68.30	14.89	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 379 of 572

802.11ax20 MIMO_Channel 52




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8692.9	47.27	37.45	-35.21	49.51	68.30	18.79	Horizontal
2	9923.0667	43.83	37.88	-32.52	49.19	68.30	19.11	Horizontal
3	13789.5667	41.96	40.15	-29.25	52.86	68.30	15.44	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 380 of 572

802.11ax20 MIMO_Channel 52




Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8664.3	47.90	37.43	-35.24	50.09	68.30	18.21	Vertical
2	10063.8667	43.58	37.93	-32.28	49.23	68.30	19.07	Vertical
3	13646.2	41.05	40.05	-28.37	52.73	68.30	15.57	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 381 of 572

802.11ax20 MIMO_Channel 60




Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8764.0333	47.31	37.48	-34.94	49.85	68.30	18.45	Horizontal
2	10301.8333	43.74	38.05	-31.96	49.84	68.30	18.46	Horizontal
3	13687.6333	41.62	40.08	-29.02	52.68	68.30	15.62	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 382 of 572

802.11ax20 MIMO_Channel 60



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8705	47.15	37.45	-35.18	49.42	68.30	18.88	Vertical
2	10262.6	43.52	38.03	-31.81	49.75	68.30	18.55	Vertical
3	13575.8	41.75	40.00	-28.11	53.65	68.30	14.65	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 383 of 572

802.11ax20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8796.3	46.38	37.50	-34.81	49.06	68.30	19.24	Horizontal
2	10256.7333	42.98	38.03	-31.78	49.23	68.30	19.07	Horizontal
3	13446.3667	42.04	39.91	-29.20	52.75	68.30	15.55	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 384 of 572

802.11ax20 MIMO_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8774.3	46.63	37.49	-34.90	49.21	68.30	19.09	Vertical
2	10181.2	42.89	37.99	-31.67	49.21	68.30	19.09	Vertical
3	12908.1	42.44	39.49	-29.44	52.49	68.30	15.81	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 385 of 572

802.11ax20 MIMO_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8667.6	46.99	37.43	-35.24	49.19	68.30	19.11	Horizontal
2	10168.7333	44.23	37.98	-31.76	50.46	68.30	17.84	Horizontal
3	13570.3	41.37	40.00	-28.21	53.16	68.30	15.14	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 386 of 572

802.11ax20 MIMO_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8846.1667	47.11	37.52	-35.03	49.61	68.30	18.69	Vertical
2	10513.7667	42.37	38.16	-31.05	49.47	68.30	18.83	Vertical
3	13404.2	41.85	39.88	-28.94	52.80	68.30	15.50	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 387 of 572

802.11ax20 MIMO_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8577.4	47.64	37.39	-35.42	49.61	68.30	18.69	Horizontal
2	10038.5667	44.05	37.92	-32.29	49.68	68.30	18.62	Horizontal
3	13585.7	40.97	40.01	-27.92	53.06	68.30	15.24	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 388 of 572

802.11ax20 MIMO_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8749.3667	46.45	37.47	-35.00	48.92	68.30	19.38	Vertical
2	10383.9667	44.31	38.09	-31.29	51.11	68.30	17.19	Vertical
3	13643.2667	41.45	40.05	-28.32	53.18	68.30	15.12	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 389 of 572

802.11ax20 MIMO_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7968	48.23	37.07	-36.85	48.45	68.30	19.85	Horizontal
2	9891.1667	43.99	37.87	-32.63	49.23	68.30	19.07	Horizontal
3	13586.0667	40.65	40.01	-27.91	52.75	68.30	15.55	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 390 of 572

802.11ax20 MIMO_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8833.3333	47.10	37.52	-34.96	49.65	68.30	18.65	Vertical
2	10118.8667	43.74	37.96	-32.12	49.58	68.30	18.72	Vertical
3	13545.3667	41.86	39.98	-28.68	53.16	68.30	15.14	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 391 of 572

802.11ax20 MIMO_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8660.2667	47.51	37.43	-35.24	49.70	68.30	18.60	Horizontal
2	9950.9333	45.15	37.89	-32.44	50.59	68.30	17.71	Horizontal
3	13596.3333	40.45	40.02	-27.72	52.75	68.30	15.55	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 392 of 572

802.11ax20 MIMO_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8647.8	46.44	37.42	-35.26	48.61	68.30	19.69	Vertical
2	10135.7333	44.19	37.97	-32.00	50.16	68.30	18.14	Vertical
3	13584.6	41.03	40.01	-27.94	53.10	68.30	15.20	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 393 of 572

802.11ax20 MIMO_Channel 157




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8864.8667	45.84	37.53	-35.12	48.25	68.30	20.05	Horizontal
2	10122.5333	43.26	37.96	-32.10	49.13	68.30	19.17	Horizontal
3	13591.2	40.73	40.01	-27.82	52.93	68.30	15.37	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 394 of 572

802.11ax20 MIMO_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8822.3333	46.15	37.51	-34.91	48.75	68.30	19.55	Vertical
2	10244.2667	43.24	38.02	-31.72	49.54	68.30	18.76	Vertical
3	13806.0667	41.28	40.16	-29.21	52.24	68.30	16.06	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 395 of 572

802.11ax20 MIMO_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9183.5	45.00	37.66	-34.40	48.25	74.00	25.75	Horizontal
2	10272.8667	42.93	38.04	-31.85	49.12	68.30	19.18	Horizontal
3	13828.0667	41.62	40.18	-29.02	52.78	68.30	15.52	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 396 of 572

802.11ax20 MIMO_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8694	47.71	37.45	-35.21	49.95	68.30	18.35	Vertical
2	10001.5333	43.56	37.90	-32.31	49.15	68.30	19.15	Vertical
3	14317.5667	42.32	40.24	-29.23	53.33	68.30	14.97	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 397 of 572

802.11ax40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8783.1	46.26	37.49	-34.87	48.88	68.30	19.42	Horizontal
2	9954.2333	43.40	37.89	-32.43	48.85	68.30	19.45	Horizontal
3	13462.8667	43.14	39.92	-29.31	53.76	68.30	14.54	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 398 of 572

802.11ax40 MIMO_Channel 38



Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8711.6	46.92	37.46	-35.15	49.22	68.30	19.08	Vertical
2	9995.3	44.17	37.90	-32.32	49.75	68.30	18.55	Vertical
3	13569.9333	40.79	40.00	-28.22	52.57	68.30	15.73	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 399 of 572

802.11ax40 MIMO_Channel 46



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8640.1	46.68	37.42	-35.27	48.83	68.30	19.47	Horizontal
2	9874.6667	44.57	37.86	-32.71	49.72	68.30	18.58	Horizontal
3	13826.9667	42.09	40.18	-29.03	53.24	68.30	15.06	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 400 of 572

802.11ax40 MIMO_Channel 46



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8670.1667	46.92	37.44	-35.23	49.12	68.30	19.18	Vertical
2	10082.2	43.63	37.94	-32.27	49.30	68.30	19.00	Vertical
3	13573.6	41.33	40.00	-28.15	53.18	68.30	15.12	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 401 of 572

802.11ax40 MIMO_Channel 54



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8856.8	47.72	37.53	-35.08	50.17	68.30	18.13	Horizontal
2	9818.5667	44.00	37.85	-33.00	48.84	68.30	19.46	Horizontal
3	14937.6	40.06	40.11	-28.03	52.15	68.30	16.15	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 402 of 572

802.11ax40 MIMO_Channel 54



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8764.0333	46.55	37.48	-34.94	49.09	68.30	19.21	Vertical
2	10125.1	43.14	37.96	-32.08	49.03	68.30	19.27	Vertical
3	13493.3	42.35	39.95	-29.50	52.80	68.30	15.50	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 403 of 572

802.11ax40 MIMO_Channel 62



Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8790.4333	46.85	37.50	-34.84	49.51	68.30	18.79	Horizontal
2	9863.3	44.36	37.86	-32.77	49.45	68.30	18.85	Horizontal
3	14304.3667	41.66	40.24	-29.37	52.53	68.30	15.77	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 404 of 572

802.11ax40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8295.4333	47.15	37.25	-35.98	48.42	74.00	25.58	Vertical
2	9384.0667	46.06	37.72	-34.02	49.75	74.00	24.25	Vertical
3	13632.6333	40.70	40.04	-28.16	52.58	68.30	15.72	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 405 of 572

802.11ax40 MIMO_Channel 102



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8703.1667	47.28	37.45	-35.19	49.54	68.30	18.76	Horizontal
2	10119.6	43.17	37.96	-32.12	49.01	68.30	19.29	Horizontal
3	13649.5	41.53	40.05	-28.42	53.16	68.30	15.14	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 406 of 572

802.11ax40 MIMO_Channel 102



Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8746.8	46.53	37.47	-35.01	48.99	68.30	19.31	Vertical
2	10009.6	43.28	37.90	-32.31	48.88	68.30	19.42	Vertical
3	13592.6667	41.24	40.01	-27.79	53.47	68.30	14.83	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 407 of 572

802.11ax40 MIMO_Channel 110



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8599.7667	47.07	37.40	-35.31	49.16	68.30	19.14	Horizontal
2	10440.0667	42.04	38.12	-31.11	49.05	68.30	19.25	Horizontal
3	13560.4	40.97	39.99	-28.40	52.56	68.30	15.74	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 408 of 572

802.11ax40 MIMO_Channel 110




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8746.0667	46.71	37.47	-35.02	49.17	68.30	19.13	Vertical
2	9944.7	43.54	37.88	-32.46	48.96	68.30	19.34	Vertical
3	13578.3667	41.43	40.00	-28.06	53.38	68.30	14.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 409 of 572

802.11ax40 MIMO_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8822.7	46.81	37.51	-34.91	49.41	68.30	18.89	Horizontal
2	9983.5667	43.62	37.90	-32.35	49.16	68.30	19.14	Horizontal
3	13564.8	41.50	40.00	-28.32	53.18	68.30	15.12	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 410 of 572

802.11ax40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8772.8333	46.81	37.49	-34.91	49.39	68.30	18.91	Vertical
2	10137.9333	42.84	37.97	-31.98	48.83	68.30	19.47	Vertical
3	13586.0667	40.85	40.01	-27.91	52.95	68.30	15.35	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 411 of 572

802.11ax40 MIMO_Channel 151



Flnal Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8938.2	45.70	37.57	-34.93	48.33	68.30	19.97	Horizontal
2	10155.5333	42.99	37.98	-31.85	49.11	68.30	19.19	Horizontal
3	13584.9667	40.50	40.01	-27.93	52.58	68.30	15.72	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 412 of 572

802.11ax40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8778.3333	45.87	37.49	-34.89	48.47	68.30	19.83	Vertical
2	10162.1333	42.55	37.98	-31.81	48.72	68.30	19.58	Vertical
3	13473.1333	42.02	39.93	-29.37	52.58	68.30	15.72	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 413 of 572

802.11ax40 MIMO_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8833.7	46.59	37.52	-34.97	49.14	68.30	19.16	Horizontal
2	10260.7667	42.46	38.03	-31.80	48.69	68.30	19.61	Horizontal
3	13813.7667	41.15	40.17	-29.14	52.18	68.30	16.12	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 414 of 572

802.11ax40 MIMO_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8779.0667	45.87	37.49	-34.88	48.48	68.30	19.82	Vertical
2	9895.5667	42.78	37.87	-32.60	48.05	68.30	20.25	Vertical
3	13666.7333	41.13	40.07	-28.69	52.51	68.30	15.79	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 415 of 572

802.11ax80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8772.4667	46.90	37.49	-34.91	49.48	68.30	18.82	Horizontal
2	9962.3	43.57	37.89	-32.41	49.05	68.30	19.25	Horizontal
3	13664.5333	40.88	40.07	-28.66	52.29	68.30	16.01	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 416 of 572

802.11ax80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8793.7333	46.31	37.50	-34.83	48.98	68.30	19.32	Vertical
2	10542.7333	41.79	38.17	-31.10	48.86	68.30	19.44	Vertical
3	14430.1333	41.46	40.21	-28.58	53.09	68.30	15.21	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 417 of 572

802.11ax80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8953.6	45.56	37.58	-34.79	48.35	68.30	19.95	Horizontal
2	9942.8667	43.55	37.88	-32.46	48.97	68.30	19.33	Horizontal
3	13518.9667	41.69	39.96	-29.18	52.47	68.30	15.83	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 418 of 572

802.11ax80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8765.5	46.35	37.48	-34.94	48.89	68.30	19.41	Vertical
2	10000.4333	43.28	37.90	-32.31	48.87	68.30	19.43	Vertical
3	13589.3667	41.25	40.01	-27.85	53.41	68.30	14.89	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 419 of 572

802.11ax80 MIMO_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8749	47.07	37.47	-35.00	49.54	68.30	18.76	Horizontal
2	9961.9333	43.23	37.89	-32.41	48.71	68.30	19.59	Horizontal
3	13843.1	41.30	40.19	-28.89	52.60	68.30	15.70	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 420 of 572

802.11ax80 MIMO_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8798.5	45.84	37.50	-34.81	48.53	68.30	19.77	Vertical
2	10495.0667	42.43	38.15	-31.04	49.54	68.30	18.76	Vertical
3	13644.3667	41.23	40.05	-28.34	52.94	68.30	15.36	Vertical