




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 421 of 572

802.11ax80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8710.5	46.92	37.46	-35.16	49.22	68.30	19.08	Horizontal
2	10088.8	44.47	37.94	-32.27	50.15	68.30	18.15	Horizontal
3	14397.5	40.69	40.22	-28.42	52.49	68.30	15.81	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 422 of 572

802.11ax80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8760.7333	46.37	37.48	-34.96	48.89	68.30	19.41	Vertical
2	9453.3667	44.72	37.74	-33.78	48.67	74.00	25.33	Vertical
3	14172.3667	41.68	40.27	-29.40	52.54	68.30	15.76	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 423 of 572

802.11ax80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8784.5667	46.17	37.49	-34.86	48.80	68.30	19.50	Horizontal
2	10147.4667	42.48	37.97	-31.91	48.54	68.30	19.76	Horizontal
3	13589.3667	40.47	40.01	-27.85	52.63	68.30	15.67	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 424 of 572

802.11ax80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8842.5	45.85	37.52	-35.01	48.36	68.30	19.94	Vertical
2	9955.3333	43.16	37.89	-32.43	48.62	68.30	19.68	Vertical
3	12871.4333	41.31	39.45	-29.55	51.21	68.30	17.09	Vertical

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 425 of 572

Restricted bands around fundamental frequency

802.11a ANT2_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.66	52.39	33.17	-16.07	69.49	74.00	4.51	Horizontal
2	5149.98	53.60	33.17	-16.07	70.70	74.00	3.30	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 426 of 572

802.11a ANT2_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5128.14	28.75	33.17	-16.10	45.82	54.00	8.18	Horizontal
2	5149.56	30.28	33.17	-16.07	47.38	54.00	6.62	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 427 of 572

802.11a ANT2_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5130.94	27.49	33.17	-16.10	44.57	54.00	9.43	Vertical
2	5148.02	27.55	33.17	-16.07	44.65	54.00	9.35	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 428 of 572

802.11a ANT2_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.66	40.32	33.17	-16.09	57.41	74.00	16.59	Vertical
2	5149.7	41.75	33.17	-16.07	58.85	74.00	15.15	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 429 of 572

802.11a ANT2_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.9	48.41	33.13	-15.80	65.74	74.00	8.26	Horizontal
2	5363.9	44.82	33.13	-15.80	62.15	74.00	11.85	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 430 of 572

802.11a ANT2_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350	30.88	33.13	-15.80	48.22	54.00	5.78	Horizontal
2	5354.6	30.63	33.13	-15.80	47.96	54.00	6.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 431 of 572

802.11a ANT2_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.7	27.98	33.13	-15.80	45.31	54.00	8.69	Vertical
2	5359.4	27.87	33.13	-15.80	45.20	54.00	8.80	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 432 of 572

802.11a ANT2_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.8	40.38	33.13	-15.80	57.71	74.00	16.29	Vertical
2	5372.5	41.36	33.13	-15.81	58.68	74.00	15.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 433 of 572

802.11a ANT2_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.68	43.31	33.11	-15.49	60.93	74.00	13.07	Horizontal
2	5469.32	45.64	33.11	-15.42	63.32	68.30	4.98	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 434 of 572

802.11a ANT2_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5420.87	28.89	33.12	-15.70	46.30	54.00	7.70	Horizontal
2	5459.82	29.15	33.11	-15.48	46.78	54.00	7.22	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 435 of 572

802.11a ANT2_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5425.62	27.77	33.11	-15.67	45.21	54.00	8.79	Vertical
2	5454.69	27.66	33.11	-15.51	45.26	54.00	8.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 436 of 572

802.11a ANT2_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.14	39.22	33.11	-15.56	56.77	74.00	17.23	Vertical
2	5469.32	39.05	33.11	-15.42	56.73	68.30	11.57	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 437 of 572

802.11a ANT2_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.45	44.41	33.87	-14.95	63.33	68.30	4.97	Horizontal
2	5736.8	41.39	33.91	-14.88	60.42	68.30	7.88	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 438 of 572

802.11a ANT2_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5729	39.67	33.88	-14.93	58.62	68.30	9.68	Vertical
2	5740.7	40.12	33.92	-14.85	59.19	68.30	9.11	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 439 of 572

802.11a ANT2_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.7	39.69	33.56	-15.24	58.01	68.30	10.29	Horizontal
2	5674.725	40.49	33.69	-15.18	59.01	86.64	27.63	Horizontal
3	5710.8	50.24	33.82	-15.06	69.00	108.33	39.33	Horizontal
4	5722.175	58.04	33.86	-14.98	76.92	115.86	38.94	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 440 of 572

802.11a ANT2_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.175	38.68	33.59	-15.23	57.04	68.30	11.26	Vertical
2	5681.875	39.01	33.72	-15.16	57.57	91.93	34.36	Vertical
3	5711.45	48.29	33.82	-15.05	67.06	108.51	41.45	Vertical
4	5724.775	55.91	33.86	-14.96	74.81	121.79	46.98	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 441 of 572

802.11a ANT2_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.85	49.86	34.30	-14.49	69.66	118.08	48.42	Horizontal
2	5867.45	43.92	34.35	-14.50	63.77	107.41	43.64	Horizontal
3	5899.625	38.88	34.46	-14.53	58.81	87.04	28.23	Horizontal
4	5938.95	38.72	34.59	-14.54	58.77	68.30	9.53	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 442 of 572

802.11a ANT2_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.55	42.80	34.29	-14.49	62.60	121.05	58.45	Vertical
2	5863.875	39.07	34.34	-14.50	58.91	108.41	49.50	Vertical
3	5893.775	38.51	34.44	-14.53	58.42	91.37	32.95	Vertical
4	5934.075	39.42	34.58	-14.54	59.46	68.30	8.84	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 443 of 572

802.11a ANT3_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5132.9	38.57	33.17	-16.09	55.65	74.00	18.35	Horizontal
2	5148.3	40.27	33.17	-16.07	57.37	74.00	16.63	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 444 of 572

802.11a ANT3_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.38	26.73	33.17	-16.09	43.82	54.00	10.18	Horizontal
2	5147.74	26.97	33.17	-16.07	44.07	54.00	9.93	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 445 of 572

802.11a ANT3_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5126.32	26.99	33.17	-16.11	44.06	54.00	9.94	Vertical
2	5147.6	26.73	33.17	-16.07	43.83	54.00	10.17	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 446 of 572

802.11a ANT3_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5125.2	39.19	33.17	-16.11	56.26	74.00	17.74	Vertical
2	5147.32	39.13	33.17	-16.07	56.23	74.00	17.77	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 447 of 572

802.11a ANT3_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5353.2	41.38	33.13	-15.80	58.71	74.00	15.29	Horizontal
2	5380	41.16	33.12	-15.81	58.47	74.00	15.53	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 448 of 572

802.11a ANT3_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	28.79	33.13	-15.80	46.12	54.00	7.88	Horizontal
2	5363.3	28.27	33.13	-15.80	45.60	54.00	8.40	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 449 of 572

802.11a ANT3_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.3	27.88	33.13	-15.80	45.21	54.00	8.79	Vertical
2	5367.9	27.95	33.13	-15.80	45.27	54.00	8.73	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 450 of 572

802.11a ANT3_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5363.6	41.17	33.13	-15.80	58.50	74.00	15.50	Vertical
2	5391.5	40.53	33.12	-15.82	57.84	74.00	16.16	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 451 of 572

802.11a ANT3_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.6	39.52	33.11	-15.52	57.11	74.00	16.89	Horizontal
2	5466.09	39.17	33.11	-15.44	56.83	68.30	11.47	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 452 of 572

802.11a ANT3_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5432.65	27.78	33.11	-15.63	45.26	54.00	8.74	Horizontal
2	5456.4	27.66	33.11	-15.50	45.27	54.00	8.73	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 453 of 572

802.11a ANT3_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5437.4	27.64	33.11	-15.61	45.15	54.00	8.85	Vertical
2	5459.82	27.53	33.11	-15.48	45.16	54.00	8.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 454 of 572

802.11a ANT3_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.06	39.89	33.11	-15.48	57.51	74.00	16.49	Vertical
2	5465.33	39.90	33.11	-15.45	57.56	68.30	10.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 455 of 572

802.11a ANT3_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.45	41.13	33.87	-14.95	60.05	68.30	8.25	Horizontal
2	5734.1	40.31	33.90	-14.90	59.31	68.30	8.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 456 of 572

802.11a ANT3_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5728.55	38.85	33.88	-14.94	57.79	68.30	10.51	Vertical
2	5738.15	39.21	33.91	-14.87	58.25	68.30	10.05	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 457 of 572

802.11a ANT3_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.275	37.64	33.58	-15.24	55.98	68.30	12.32	Horizontal
2	5682.85	39.76	33.72	-15.16	58.32	92.65	34.33	Horizontal
3	5712.1	48.12	33.82	-15.05	66.89	108.69	41.80	Horizontal
4	5724.775	54.63	33.86	-14.96	73.53	121.79	48.26	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 458 of 572

802.11a ANT3_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.675	38.24	33.57	-15.24	56.57	68.30	11.73	Vertical
2	5677.65	39.78	33.70	-15.17	58.31	88.80	30.49	Vertical
3	5712.1	45.24	33.82	-15.05	64.01	108.69	44.68	Vertical
4	5723.15	51.64	33.86	-14.97	70.53	118.08	47.55	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 459 of 572

802.11a ANT3_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.55	45.07	34.29	-14.49	64.87	121.05	56.18	Horizontal
2	5864.2	40.25	34.34	-14.50	60.09	108.32	48.23	Horizontal
3	5896.375	38.73	34.45	-14.53	58.65	89.44	30.79	Horizontal
4	5933.425	39.17	34.57	-14.54	59.20	68.30	9.10	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 460 of 572

802.11a ANT3_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.175	42.59	34.30	-14.49	62.40	117.34	54.94	Vertical
2	5865.5	38.77	34.34	-14.50	58.61	107.96	49.35	Vertical
3	5899.95	39.89	34.46	-14.53	59.82	86.80	26.98	Vertical
4	5933.75	39.24	34.57	-14.54	59.27	68.30	9.03	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 461 of 572

802.11n20 MIMO_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.52	51.96	33.17	-16.07	69.06	74.00	4.94	Horizontal
2	5149.98	53.75	33.17	-16.07	70.85	74.00	3.15	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 462 of 572

802.11n20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5138.36	28.73	33.17	-16.08	45.82	54.00	8.18	Horizontal
2	5149.84	30.00	33.17	-16.07	47.10	54.00	6.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 463 of 572

802.11n20 MIMO_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5138.64	27.32	33.17	-16.08	44.41	54.00	9.59	Vertical
2	5146.06	27.67	33.17	-16.07	44.77	54.00	9.23	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 464 of 572

802.11n20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5127.02	40.70	33.17	-16.10	57.77	74.00	16.23	Vertical
2	5148.3	43.13	33.17	-16.07	60.23	74.00	13.77	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 465 of 572

802.11n20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	48.34	33.13	-15.80	65.67	74.00	8.33	Horizontal
2	5355.5	46.64	33.13	-15.80	63.97	74.00	10.03	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 466 of 572

802.11n20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	31.57	33.13	-15.80	48.90	54.00	5.10	Horizontal
2	5356.3	30.22	33.13	-15.80	47.55	54.00	6.45	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 467 of 572

802.11n20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.3	27.95	33.13	-15.80	45.28	54.00	8.72	Vertical
2	5359.4	27.93	33.13	-15.80	45.26	54.00	8.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 468 of 572

802.11n20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.1	40.42	33.13	-15.80	57.75	74.00	16.25	Vertical
2	5357.8	39.98	33.13	-15.80	57.31	74.00	16.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 469 of 572

802.11n20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.18	41.34	33.11	-15.54	58.91	74.00	15.09	Horizontal
2	5469.7	46.68	33.11	-15.42	64.36	68.30	3.94	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 470 of 572

802.11n20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5421.06	29.02	33.12	-15.70	46.44	54.00	7.56	Horizontal
2	5457.16	28.95	33.11	-15.49	46.56	54.00	7.44	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 471 of 572

802.11n20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5422.01	27.83	33.12	-15.69	45.25	54.00	8.75	Vertical
2	5456.59	27.54	33.11	-15.50	45.15	54.00	8.85	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 472 of 572

802.11n20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.09	40.14	33.11	-15.55	57.70	74.00	16.30	Vertical
2	5467.99	39.25	33.11	-15.43	56.92	68.30	11.38	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 473 of 572

802.11n20 MIMO_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.4	44.91	33.87	-14.96	63.82	68.30	4.48	Horizontal
2	5728.1	43.52	33.88	-14.94	62.46	68.30	5.84	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 474 of 572

802.11n20 MIMO_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5731.55	38.70	33.89	-14.92	57.67	68.30	10.63	Vertical
2	5740.7	40.12	33.92	-14.85	59.19	68.30	9.11	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 475 of 572

802.11n20 MIMO_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5645.8	38.67	33.60	-15.23	57.04	68.30	11.26	Horizontal
2	5682.525	43.34	33.72	-15.16	61.90	92.41	30.51	Horizontal
3	5713.4	52.94	33.83	-15.04	71.73	109.05	37.32	Horizontal
4	5724.45	59.08	33.86	-14.96	77.98	121.05	43.07	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 476 of 572

802.11n20 MIMO_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.95	39.18	33.58	-15.24	57.52	68.30	10.78	Vertical
2	5674.725	38.93	33.69	-15.18	57.45	86.64	29.19	Vertical
3	5712.425	47.74	33.82	-15.05	66.52	108.78	42.26	Vertical
4	5722.825	50.57	33.86	-14.97	69.45	117.34	47.89	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 477 of 572

802.11n20 MIMO_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.2	49.70	34.29	-14.49	69.50	119.56	50.06	Horizontal
2	5867.125	43.71	34.35	-14.50	63.55	107.50	43.95	Horizontal
3	5904.825	39.34	34.48	-14.53	59.28	83.19	23.91	Horizontal
4	5932.775	39.17	34.57	-14.54	59.20	68.30	9.10	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 478 of 572

802.11n20 MIMO_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.55	42.79	34.29	-14.49	62.59	121.05	58.46	Vertical
2	5866.15	39.03	34.34	-14.50	58.87	107.78	48.91	Vertical
3	5899.95	38.97	34.46	-14.53	58.90	86.80	27.90	Vertical
4	5935.7	38.74	34.58	-14.54	58.78	68.30	9.52	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 479 of 572

802.11n40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.6	51.29	33.17	-16.07	68.39	74.00	5.61	Horizontal
2	5354.1	39.30	33.13	-15.80	56.63	74.00	17.37	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 480 of 572

802.11n40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.2	31.35	33.17	-16.07	48.45	54.00	5.55	Horizontal
2	5350.2	28.68	33.13	-15.80	46.01	54.00	7.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 481 of 572

802.11n40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148	27.93	33.17	-16.07	45.03	54.00	8.97	Vertical
2	5354.1	28.17	33.13	-15.80	45.50	54.00	8.50	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 482 of 572

802.11n40 MIMO_Channel 38



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148	38.68	33.17	-16.07	55.78	74.00	18.22	Vertical
2	5352.9	39.32	33.13	-15.80	56.65	74.00	17.35	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 483 of 572

802.11n40 MIMO_Channel 62



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.2	40.39	33.17	-16.07	57.49	74.00	16.51	Horizontal
2	5352	48.72	33.13	-15.80	66.05	74.00	7.95	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 484 of 572

802.11n40 MIMO_Channel 62



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.8	27.46	33.17	-16.07	44.56	54.00	9.44	Horizontal
2	5350.2	32.46	33.13	-15.80	49.79	54.00	4.21	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 485 of 572

802.11n40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.5	27.19	33.17	-16.08	44.29	54.00	9.71	Vertical
2	5352.9	29.25	33.13	-15.80	46.58	54.00	7.42	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 486 of 572

802.11n40 MIMO_Channel 62



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.6	39.57	33.17	-16.07	56.67	74.00	17.33	Vertical
2	5355	44.13	33.13	-15.80	61.46	74.00	12.54	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 487 of 572

802.11n40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5436.735	43.80	33.11	-15.61	61.30	74.00	12.70	Horizontal
2	5465.37	47.16	33.11	-15.45	64.82	68.30	3.48	Horizontal
3	5734.705	39.72	33.90	-14.89	58.72	68.30	9.58	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 488 of 572

802.11n40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.73	29.87	33.11	-15.49	47.49	54.00	6.51	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 489 of 572

802.11n40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.485	27.49	33.11	-15.49	45.11	54.00	8.89	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 490 of 572

802.11n40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.45	39.56	33.11	-15.56	57.11	74.00	16.89	Vertical
2	5464.125	40.25	33.11	-15.45	57.90	68.30	10.40	Vertical
3	5729.725	39.42	33.88	-14.93	58.37	68.30	9.93	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 491 of 572

802.11n40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5404.365	41.38	33.12	-15.80	58.70	74.00	15.30	Horizontal
2	5464.955	39.07	33.11	-15.45	56.73	68.30	11.57	Horizontal
3	5734.29	42.91	33.90	-14.90	61.91	68.30	6.39	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 492 of 572

802.11n40 MIMO_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5419.72	27.81	33.12	-15.71	45.22	54.00	8.78	Horizontal
2	5457.07	27.58	33.11	-15.49	45.19	54.00	8.81	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 493 of 572

802.11n40 MIMO_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5425.53	27.79	33.11	-15.67	45.23	54.00	8.77	Vertical
2	5455.825	27.47	33.11	-15.50	45.08	54.00	8.92	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 494 of 572

802.11n40 MIMO_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5435.905	39.15	33.11	-15.62	56.65	74.00	17.35	Vertical
2	5464.955	39.15	33.11	-15.45	56.81	68.30	11.49	Vertical
3	5725.575	39.58	33.87	-14.96	58.49	68.30	9.81	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 495 of 572

802.11n40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5631.825	41.23	33.55	-15.25	59.53	68.30	8.77	Horizontal
2	5653.6	47.74	33.62	-15.21	66.15	70.97	4.82	Horizontal
3	5711.125	54.21	33.82	-15.05	72.97	108.42	35.45	Horizontal
4	5723.15	61.56	33.86	-14.97	80.45	118.08	37.63	Horizontal
5	5850.875	40.30	34.29	-14.49	60.10	120.30	60.20	Horizontal
6	5864.2	41.29	34.34	-14.50	61.13	108.32	47.19	Horizontal
7	5892.15	39.65	34.43	-14.52	59.56	92.57	33.01	Horizontal
8	5929.85	39.58	34.56	-14.54	59.60	68.30	8.70	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 496 of 572

802.11n40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.35	39.01	33.57	-15.24	57.33	68.30	10.97	Vertical
2	5677	40.91	33.70	-15.17	59.44	88.32	28.88	Vertical
3	5710.475	49.10	33.82	-15.06	67.86	108.24	40.38	Vertical
4	5724.775	51.21	33.86	-14.96	70.11	121.79	51.68	Vertical
5	5851.2	39.19	34.29	-14.49	58.99	119.56	60.57	Vertical
6	5866.15	39.08	34.34	-14.50	58.92	107.78	48.86	Vertical
7	5891.825	39.79	34.43	-14.52	59.70	92.81	33.11	Vertical
8	5938.3	38.77	34.59	-14.54	58.82	68.30	9.48	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 497 of 572

802.11n40 MIMO_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.375	38.73	33.56	-15.24	57.05	68.30	11.25	Horizontal
2	5674.4	39.34	33.69	-15.18	57.86	86.40	28.54	Horizontal
3	5712.75	47.29	33.82	-15.04	66.07	108.87	42.80	Horizontal
4	5724.775	45.45	33.86	-14.96	64.35	121.79	57.44	Horizontal
5	5851.85	51.25	34.30	-14.49	71.05	118.08	47.03	Horizontal
6	5865.825	41.50	34.34	-14.50	61.34	107.87	46.53	Horizontal
7	5898.65	39.55	34.46	-14.53	59.48	87.76	28.28	Horizontal
8	5935.375	39.73	34.58	-14.54	59.77	68.30	8.53	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 498 of 572

802.11n40 MIMO_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.675	39.51	33.57	-15.24	57.84	68.30	10.46	Vertical
2	5673.1	39.00	33.69	-15.18	57.51	85.43	27.92	Vertical
3	5711.45	39.77	33.82	-15.05	58.54	108.51	49.97	Vertical
4	5723.8	40.43	33.86	-14.97	59.32	119.56	60.24	Vertical
5	5851.85	44.83	34.30	-14.49	64.63	118.08	53.45	Vertical
6	5864.85	39.65	34.34	-14.50	59.49	108.14	48.65	Vertical
7	5893.775	39.13	34.44	-14.53	59.04	91.37	32.33	Vertical
8	5932.125	39.86	34.57	-14.54	59.89	68.30	8.41	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 499 of 572

802.11ac80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5	44.75	33.17	-16.07	61.85	74.00	12.15	Horizontal
2	5383.2	41.40	33.12	-15.81	58.71	74.00	15.29	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 500 of 572

802.11ac80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.2	29.41	33.17	-16.07	46.51	54.00	7.49	Horizontal
2	5354.1	28.75	33.13	-15.80	46.08	54.00	7.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 501 of 572

802.11ac80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.2	27.55	33.17	-16.07	44.65	54.00	9.35	Vertical
2	5351.7	28.32	33.13	-15.80	45.65	54.00	8.35	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 502 of 572

802.11ac80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.1	38.90	33.17	-16.08	56.00	74.00	18.00	Vertical
2	5355.9	39.83	33.13	-15.80	57.16	74.00	16.84	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 503 of 572

802.11ac80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142	40.06	33.17	-16.08	57.15	74.00	16.85	Horizontal
2	5358	45.51	33.13	-15.80	62.84	74.00	11.16	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 504 of 572

802.11ac80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.4	27.85	33.17	-16.07	44.95	54.00	9.05	Horizontal
2	5350.2	31.30	33.13	-15.80	48.63	54.00	5.37	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 505 of 572

802.11ac80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.4	27.18	33.17	-16.07	44.28	54.00	9.72	Vertical
2	5352.3	28.46	33.13	-15.80	45.79	54.00	8.21	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 506 of 572

802.11ac80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.6	38.61	33.17	-16.07	55.71	74.00	18.29	Vertical
2	5359.5	39.38	33.13	-15.80	56.71	74.00	17.29	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 507 of 572

802.11ac80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5436.735	40.04	33.11	-15.61	57.54	74.00	16.46	Horizontal
2	5467.445	46.79	33.11	-15.44	64.46	68.30	3.84	Horizontal
3	5745.08	39.58	33.93	-14.82	58.69	68.30	9.61	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 508 of 572

802.11ac80 MIMO_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433.83	28.43	33.11	-15.63	45.92	54.00	8.08	Horizontal
2	5457.485	29.08	33.11	-15.49	46.70	54.00	7.30	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 509 of 572

802.11ac80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5430.51	27.63	33.11	-15.65	45.10	54.00	8.90	Vertical
2	5459.145	27.55	33.11	-15.48	45.18	54.00	8.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 510 of 572

802.11ac80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5434.66	39.23	33.11	-15.62	56.72	74.00	17.28	Vertical
2	5467.03	38.72	33.11	-15.44	56.39	68.30	11.91	Vertical
3	5731.8	40.48	33.89	-14.91	59.45	68.30	8.85	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 511 of 572

802.11ac80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.11	39.55	33.11	-15.55	57.11	74.00	16.89	Horizontal
2	5468.69	38.97	33.11	-15.43	56.65	68.30	11.65	Horizontal
3	5731.8	41.86	33.89	-14.91	60.83	68.30	7.47	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 512 of 572

802.11ac80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5415.155	28.05	33.12	-15.73	45.43	54.00	8.57	Horizontal
2	5452.92	28.01	33.11	-15.52	45.60	54.00	8.40	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 513 of 572

802.11ac80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5419.305	27.83	33.12	-15.71	45.24	54.00	8.76	Vertical
2	5457.07	27.44	33.11	-15.49	45.05	54.00	8.95	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 514 of 572

802.11ac80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5419.305	40.48	33.12	-15.71	57.89	74.00	16.11	Vertical
2	5464.125	39.21	33.11	-15.45	56.86	68.30	11.44	Vertical
3	5731.385	38.93	33.89	-14.92	57.90	68.30	10.40	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 515 of 572

802.11ac80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.425	43.97	33.56	-15.25	62.28	68.30	6.02	Horizontal
2	5654.25	49.35	33.62	-15.21	67.76	71.46	3.70	Horizontal
3	5711.45	49.70	33.82	-15.05	68.47	108.51	40.04	Horizontal
4	5724.45	48.80	33.86	-14.96	67.70	121.05	53.35	Horizontal
5	5852.175	43.61	34.30	-14.49	63.42	117.34	53.92	Horizontal
6	5865.825	43.04	34.34	-14.50	62.88	107.87	44.99	Horizontal
7	5909.7	42.43	34.49	-14.53	62.39	79.59	17.20	Horizontal
8	5930.175	41.24	34.56	-14.54	61.26	68.30	7.04	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 516 of 572

802.11ac80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.375	38.83	33.56	-15.24	57.15	68.30	11.15	Vertical
2	5678.625	41.40	33.71	-15.17	59.94	89.52	29.58	Vertical
3	5713.075	42.53	33.82	-15.04	61.31	108.96	47.65	Vertical
4	5723.8	41.81	33.86	-14.97	60.70	119.56	58.86	Vertical
5	5850.55	40.81	34.29	-14.49	60.61	121.05	60.44	Vertical
6	5861.925	40.20	34.33	-14.50	60.03	108.96	48.93	Vertical
7	5901.25	39.89	34.46	-14.53	59.82	85.84	26.02	Vertical
8	5941.875	38.72	34.60	-14.54	58.78	68.30	9.52	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 517 of 572

802.11ax20 MIMO_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5132.34	45.04	33.17	-16.10	62.12	74.00	11.88	Horizontal
2	5147.74	49.91	33.17	-16.07	67.01	74.00	6.99	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 518 of 572

802.11ax20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139.2	29.62	33.17	-16.08	46.71	54.00	7.29	Horizontal
2	5149.42	32.30	33.17	-16.07	49.40	54.00	4.60	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 519 of 572

802.11ax20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139.76	27.39	33.17	-16.08	44.48	54.00	9.52	Vertical
2	5149.84	27.97	33.17	-16.07	45.07	54.00	8.93	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 520 of 572

802.11ax20 MIMO_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.46	39.04	33.17	-16.08	56.13	74.00	17.87	Vertical
2	5149.28	41.95	33.17	-16.07	59.05	74.00	14.95	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 521 of 572

802.11ax20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.2	51.70	33.13	-15.80	69.03	74.00	4.97	Horizontal
2	5354.8	49.37	33.13	-15.80	66.70	74.00	7.30	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 522 of 572

802.11ax20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.5	33.25	33.13	-15.80	50.58	54.00	3.42	Horizontal
2	5353.8	32.23	33.13	-15.80	49.56	54.00	4.44	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 523 of 572

802.11ax20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.3	28.28	33.13	-15.80	45.61	54.00	8.39	Vertical
2	5354.4	28.08	33.13	-15.80	45.41	54.00	8.59	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 524 of 572

802.11ax20 MIMO_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351	40.18	33.13	-15.80	57.51	74.00	16.49	Vertical
2	5356.8	39.64	33.13	-15.80	56.97	74.00	17.03	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 525 of 572

802.11ax20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.44	40.58	33.11	-15.48	58.21	74.00	15.79	Horizontal
2	5469.89	39.25	33.11	-15.42	56.93	68.30	11.37	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 526 of 572

802.11ax20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.35	28.15	33.11	-15.49	45.77	54.00	8.23	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 527 of 572

802.11ax20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.44	27.65	33.11	-15.48	45.28	54.00	8.72	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 528 of 572

802.11ax20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.94	39.69	33.11	-15.54	57.26	74.00	16.74	Vertical
2	5462.48	38.71	33.11	-15.46	56.35	68.30	11.95	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 529 of 572

802.11ax20 MIMO_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.6	39.09	33.87	-14.95	58.01	68.30	10.29	Horizontal
2	5733.2	39.18	33.89	-14.90	58.17	68.30	10.13	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 530 of 572

802.11ax20 MIMO_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5727.35	38.57	33.87	-14.94	57.50	68.30	10.80	Vertical
2	5743.7	39.97	33.93	-14.83	59.07	68.30	9.23	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 531 of 572

802.11ax20 MIMO_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.05	39.05	33.56	-15.25	57.37	68.30	10.93	Horizontal
2	5676.35	40.52	33.70	-15.17	59.05	87.84	28.79	Horizontal
3	5712.75	52.17	33.82	-15.04	70.95	108.87	37.92	Horizontal
4	5724.775	56.22	33.86	-14.96	75.12	121.79	46.67	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 532 of 572

802.11ax20 MIMO_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.575	38.07	33.58	-15.24	56.42	68.30	11.88	Vertical
2	5681.55	38.97	33.72	-15.16	57.52	91.68	34.16	Vertical
3	5713.725	44.86	33.83	-15.04	63.65	109.15	45.50	Vertical
4	5723.8	47.97	33.86	-14.97	66.86	119.56	52.70	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 533 of 572

802.11ax20 MIMO_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.85	51.80	34.30	-14.49	71.60	118.08	46.48	Horizontal
2	5864.85	46.66	34.34	-14.50	66.50	108.14	41.64	Horizontal
3	5900.275	39.66	34.46	-14.53	59.59	86.56	26.97	Horizontal
4	5934.4	39.93	34.58	-14.54	59.97	68.30	8.33	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 534 of 572

802.11ax20 MIMO_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.55	45.32	34.29	-14.49	65.12	121.05	55.93	Vertical
2	5861.275	40.03	34.33	-14.50	59.86	109.14	49.28	Vertical
3	5898.325	38.54	34.45	-14.53	58.47	88.00	29.53	Vertical
4	5937	39.04	34.59	-14.54	59.08	68.30	9.22	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 535 of 572

802.11ax40 MIMO_Channel 38



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.3	41.22	33.17	-16.07	58.32	74.00	15.68	Horizontal
2	5385.6	41.03	33.12	-15.81	58.34	74.00	15.66	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 536 of 572

802.11ax40 MIMO_Channel 38



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8	29.16	33.17	-16.07	46.26	54.00	7.74	Horizontal
2	5360.1	28.34	33.13	-15.80	45.67	54.00	8.33	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 537 of 572

802.11ax40 MIMO_Channel 38



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.7	27.42	33.17	-16.07	44.52	54.00	9.48	Vertical
2	5352	28.31	33.13	-15.80	45.64	54.00	8.36	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 538 of 572

802.11ax40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5124.6	40.66	33.18	-16.11	57.73	74.00	16.27	Vertical
2	5364	40.49	33.13	-15.80	57.82	74.00	16.18	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 539 of 572

802.11ax40 MIMO_Channel 62



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.1	38.69	33.17	-16.08	55.79	74.00	18.21	Horizontal
2	5351.7	48.83	33.13	-15.80	66.16	74.00	7.84	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 540 of 572

802.11ax40 MIMO_Channel 62



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148	27.49	33.17	-16.07	44.59	54.00	9.41	Horizontal
2	5351.4	33.49	33.13	-15.80	50.82	54.00	3.18	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 541 of 572

802.11ax40 MIMO_Channel 62



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.6	27.13	33.17	-16.07	44.23	54.00	9.77	Vertical
2	5351.1	29.45	33.13	-15.80	46.78	54.00	7.22	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 542 of 572

802.11ax40 MIMO_Channel 62



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.8	38.76	33.17	-16.09	55.85	74.00	18.15	Vertical
2	5357.1	39.91	33.13	-15.80	57.24	74.00	16.76	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 543 of 572

802.11ax40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.79	39.45	33.11	-15.57	56.99	74.00	17.01	Horizontal
2	5466.2	44.24	33.11	-15.44	61.90	68.30	6.40	Horizontal
3	5748.4	39.73	33.94	-14.80	58.87	68.30	9.43	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 544 of 572

802.11ax40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5432.17	28.25	33.11	-15.64	45.73	54.00	8.27	Horizontal
2	5458.315	29.31	33.11	-15.49	46.93	54.00	7.07	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 545 of 572

802.11ax40 MIMO_Channel 102



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5431.34	27.73	33.11	-15.64	45.20	54.00	8.80	Vertical
2	5455.41	27.61	33.11	-15.50	45.21	54.00	8.79	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 546 of 572

802.11ax40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5440.885	40.05	33.11	-15.59	57.57	74.00	16.43	Vertical
2	5468.275	40.32	33.11	-15.43	58.00	68.30	10.30	Vertical
3	5730.14	39.43	33.88	-14.93	58.39	68.30	9.91	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 547 of 572

802.11ax40 MIMO_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433.83	40.86	33.11	-15.63	58.35	74.00	15.65	Horizontal
2	5466.2	38.62	33.11	-15.44	56.28	68.30	12.02	Horizontal
3	5732.215	38.88	33.89	-14.91	57.86	68.30	10.44	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 548 of 572

802.11ax40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5430.51	27.70	33.11	-15.65	45.17	54.00	8.83	Horizontal
2	5456.24	27.47	33.11	-15.50	45.08	54.00	8.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 549 of 572

802.11ax40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.45	27.85	33.11	-15.56	45.40	54.00	8.60	Vertical
2	5455.41	27.62	33.11	-15.50	45.22	54.00	8.78	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 550 of 572

802.11ax40 MIMO_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433.83	39.42	33.11	-15.63	56.91	74.00	17.09	Vertical
2	5464.54	39.05	33.11	-15.45	56.70	68.30	11.60	Vertical
3	5730.555	38.56	33.88	-14.92	57.52	68.30	10.78	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 551 of 572

802.11ax40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5646.125	41.51	33.60	-15.23	59.88	68.30	8.42	Horizontal
2	5664.975	43.63	33.66	-15.19	62.10	79.42	17.32	Horizontal
3	5707.55	53.03	33.81	-15.08	71.76	107.42	35.66	Horizontal
4	5724.125	55.76	33.86	-14.97	74.66	120.31	45.65	Horizontal
5	5852.825	41.37	34.30	-14.49	61.18	115.86	54.68	Horizontal
6	5866.475	39.20	34.35	-14.50	59.04	107.68	48.64	Horizontal
7	5897.35	39.24	34.45	-14.53	59.16	88.72	29.56	Horizontal
8	5946.1	40.13	34.62	-14.54	60.20	68.30	8.10	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 552 of 572

802.11ax40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.7	39.67	33.56	-15.24	57.99	68.30	10.31	Vertical
2	5677	39.70	33.70	-15.17	58.23	88.32	30.09	Vertical
3	5707.225	45.80	33.80	-15.08	64.52	107.33	42.81	Vertical
4	5724.45	47.34	33.86	-14.96	66.24	121.05	54.81	Vertical
5	5850.875	39.46	34.29	-14.49	59.26	120.30	61.04	Vertical
6	5866.8	39.51	34.35	-14.50	59.35	107.59	48.24	Vertical
7	5901.9	39.48	34.47	-14.53	59.42	85.36	25.94	Vertical
8	5935.7	40.06	34.58	-14.54	60.10	68.30	8.20	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 553 of 572

802.11ax40 MIMO_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.3	38.81	33.57	-15.24	57.14	68.30	11.16	Horizontal
2	5672.45	38.79	33.69	-15.18	57.30	84.95	27.65	Horizontal
3	5710.8	41.25	33.82	-15.06	60.01	108.33	48.32	Horizontal
4	5723.8	45.55	33.86	-14.97	64.44	119.56	55.12	Horizontal
5	5850.55	45.71	34.29	-14.49	65.51	121.05	55.54	Horizontal
6	5868.75	46.21	34.35	-14.51	66.06	107.05	40.99	Horizontal
7	5902.225	39.24	34.47	-14.53	59.18	85.11	25.93	Horizontal
8	5937.975	39.73	34.59	-14.54	59.78	68.30	8.52	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 554 of 572

802.11ax40 MIMO_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638.325	38.15	33.57	-15.24	56.48	68.30	11.82	Vertical
2	5677.325	37.86	33.70	-15.17	56.39	88.56	32.17	Vertical
3	5713.725	39.12	33.83	-15.04	57.91	109.15	51.24	Vertical
4	5724.775	40.83	33.86	-14.96	59.73	121.79	62.06	Vertical
5	5851.85	40.53	34.30	-14.49	60.33	118.08	57.75	Vertical
6	5862.575	39.37	34.33	-14.50	59.20	108.78	49.58	Vertical
7	5903.525	38.87	34.47	-14.53	58.81	84.15	25.34	Vertical
8	5933.1	39.73	34.57	-14.54	59.76	68.30	8.54	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 555 of 572

802.11ax80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.6	45.46	33.17	-16.07	62.56	74.00	11.44	Horizontal
2	5381.7	41.06	33.12	-15.81	58.37	74.00	15.63	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 556 of 572

802.11ax80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.2	29.70	33.17	-16.07	46.80	54.00	7.20	Horizontal
2	5353.5	28.67	33.13	-15.80	46.00	54.00	8.00	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 557 of 572

802.11ax80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.6	27.45	33.17	-16.07	44.55	54.00	9.45	Vertical
2	5354.7	28.27	33.13	-15.80	45.60	54.00	8.40	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 558 of 572

802.11ax80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.5	39.48	33.17	-16.07	56.58	74.00	17.42	Vertical
2	5365.5	40.73	33.13	-15.80	58.05	74.00	15.95	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 559 of 572

802.11ax80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.6	39.39	33.17	-16.07	56.49	74.00	17.51	Horizontal
2	5353.8	44.15	33.13	-15.80	61.48	74.00	12.52	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 560 of 572

802.11ax80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.4	27.61	33.17	-16.07	44.71	54.00	9.29	Horizontal
2	5352.9	29.57	33.13	-15.80	46.90	54.00	7.10	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 561 of 572

802.11ax80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.1	27.23	33.17	-16.07	44.33	54.00	9.67	Vertical
2	5353.5	28.30	33.13	-15.80	45.63	54.00	8.37	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 562 of 572

802.11ax80 MIMO_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.1	39.62	33.17	-16.08	56.72	74.00	17.28	Vertical
2	5354.4	39.64	33.13	-15.80	56.97	74.00	17.03	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 563 of 572

802.11ax80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5440.885	40.43	33.11	-15.59	57.95	74.00	16.05	Horizontal
2	5468.69	46.30	33.11	-15.43	63.98	68.30	4.32	Horizontal
3	5742.59	39.50	33.92	-14.84	58.58	68.30	9.72	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 564 of 572

802.11ax80 MIMO_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5419.305	28.24	33.12	-15.71	45.65	54.00	8.35	Horizontal
2	5459.975	29.86	33.11	-15.48	47.49	54.00	6.51	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 565 of 572

802.11ax80 MIMO_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5422.21	27.75	33.12	-15.69	45.17	54.00	8.83	Vertical
2	5454.58	27.54	33.11	-15.51	45.14	54.00	8.86	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 566 of 572

802.11ax80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5436.735	39.96	33.11	-15.61	57.46	74.00	16.54	Vertical
2	5463.295	40.36	33.11	-15.46	58.01	68.30	10.29	Vertical
3	5732.215	40.32	33.89	-14.91	59.30	68.30	9.00	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 567 of 572

802.11ax80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5424.7	39.49	33.12	-15.68	56.93	74.00	17.07	Horizontal
2	5467.03	40.09	33.11	-15.44	57.76	68.30	10.54	Horizontal
3	5735.535	39.18	33.90	-14.89	58.19	68.30	10.11	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 568 of 572

802.11ax80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5417.645	28.07	33.12	-15.72	45.47	54.00	8.53	Horizontal
2	5452.92	27.84	33.11	-15.52	45.43	54.00	8.57	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404
Rev.: Amendment 02
Page: 569 of 572

802.11ax80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5425.53	27.72	33.11	-15.67	45.16	54.00	8.84	Vertical
2	5455.41	27.59	33.11	-15.50	45.19	54.00	8.81	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 570 of 572

802.11ax80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.96	39.46	33.11	-15.58	57.00	74.00	17.00	Vertical
2	5463.295	38.83	33.11	-15.46	56.48	68.30	11.82	Vertical
3	5747.57	40.34	33.94	-14.81	59.48	68.30	8.82	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 571 of 572

802.11ax80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5625.325	47.01	33.53	-15.26	65.27	68.30	3.03	Horizontal
2	5672.45	48.62	33.69	-15.18	67.13	84.95	17.82	Horizontal
3	5707.225	51.99	33.80	-15.08	70.71	107.33	36.62	Horizontal
4	5723.15	53.82	33.86	-14.97	72.71	118.08	45.37	Horizontal
5	5851.525	49.33	34.30	-14.49	69.13	118.82	49.69	Horizontal
6	5863.55	47.11	34.34	-14.50	66.95	108.50	41.55	Horizontal
7	5905.475	46.65	34.48	-14.53	66.60	82.71	16.11	Horizontal
8	5931.15	43.85	34.57	-14.54	63.88	68.30	4.42	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250100002404

Rev.: Amendment 02

Page: 572 of 572

802.11ax80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5633.775	38.78	33.55	-15.25	57.09	68.30	11.21	Vertical
2	5685.125	43.31	33.73	-15.16	61.88	94.33	32.45	Vertical
3	5708.525	43.47	33.81	-15.07	62.21	107.69	45.48	Vertical
4	5724.45	43.83	33.86	-14.96	62.73	121.05	58.32	Vertical
5	5850.55	42.01	34.29	-14.49	61.81	121.05	59.24	Vertical
6	5866.8	41.95	34.35	-14.50	61.79	107.59	45.80	Vertical
7	5893.45	40.08	34.44	-14.52	59.99	91.61	31.62	Vertical
8	5941.55	39.30	34.60	-14.54	59.36	68.30	8.94	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
- Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---