



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007209

Rev.: 01

Page: 1 of 11

Appendix E

Conducted RF Output Power

Measurement of RF conducted Power	
1	Conducted Power of WIFI
2	Conducted Power of Bluetooth

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South of No. 6 Plant, No. 1, RunSheng Road, Suzhou Industrial Park,
Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 6229 2980
www.sgsgroup.com.cn



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007209

Rev.: 01

Page: 2 of 11

1 Conducted Power of WIFI

Full:

WIFI 2.4G Full power		Frequency(MHz)	Data Rate(Mbps)	ANT2	Tune up	ANT3	Tune up	MIMO	Tune up
Mode	Channel			Average Power (dBm)		Average Power (dBm)		Average Power (dBm)	
802.11b	1	2412	1	11.38	12.00	11.47	12.00	/	/
	6	2437		11.67	12.00	11.72	12.00	/	/
	11	2462		11.57	12.00	11.56	12.00	/	/
802.11g	1	2412	6	12.13	13.00	12.47	13.00	/	/
	6	2437		12.35	13.00	12.36	13.00	/	/
	11	2462		12.28	13.00	12.44	13.00	/	/
802.11n HT20	1	2412	6.5	11.47	12.00	11.74	12.00	14.62	15.00
	6	2437		11.53	12.00	11.38	12.00	14.47	15.00
	11	2462		11.62	12.00	11.63	12.00	14.64	15.00
802.11ax HE20	1	2412	MCS0	10.12	11.00	10.47	11.00	13.31	14.00
	6	2437		10.02	11.00	10.52	11.00	13.29	14.00
	11	2462		10.21	11.00	10.38	11.00	13.31	14.00

WIFI 5G Full power		Channel	Frequency(MHz)	Data Rate(Mbps)	ANT2	Tune up	ANT3	Tune up	MIMO	Tune up
Mode	5GHz				Average Power (dBm)		Average Power (dBm)		Average Power (dBm)	
802.11a	U-NII-1	36	5180	6	15.88	17.00	15.21	16.00	/	/
		40	5200		15.73	17.00	15.11	16.00	/	/
		48	5240		15.86	17.00	15.32	16.00	/	/
	U-NII-2A	52	5260		16.37	17.00	15.72	16.00	/	/
		60	5300		16.25	17.00	15.32	16.00	/	/
		64	5320		16.51	17.00	15.63	16.00	/	/
	U-NII-2C	100	5500		12.53	13.00	11.69	13.00	/	/
		116	5580		12.45	13.00	11.75	13.00	/	/
		140	5700		12.33	13.00	11.82	13.00	/	/
	U-NII-3	149	5745		17.79	19.00	16.12	17.00	/	/
		157	5785		17.83	19.00	16.22	17.00	/	/
		165	5825		17.96	19.00	16.18	17.00	/	/
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11n- HT20	U-NII-1	36	5180	MCS0	14.87	16.00	14.31	15.00	17.61	19.00
		40	5200		14.73	16.00	14.28	15.00	17.52	19.00
		48	5240		14.82	16.00	14.35	15.00	17.60	19.00
	U-NII-2A	52	5260		15.21	16.00	14.66	15.00	17.95	19.00
		60	5300		15.27	16.00	14.58	15.00	17.95	19.00
		64	5320		15.33	16.00	14.39	15.00	17.90	19.00
	U-NII-2C	100	5500		11.89	12.00	11.21	12.00	14.57	15.00
		116	5580		11.73	12.00	11.57	12.00	14.66	15.00
		140	5700		11.83	12.00	11.49	12.00	14.67	15.00
	U-NII-3	149	5745		17.69	19.00	16.12	17.00	19.99	21.00
		157	5785		17.85	19.00	16.03	17.00	20.04	21.00
		165	5825		17.92	19.00	16.31	17.00	20.20	21.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power	Tune up	Average Power	Tune up	Average Power	Tune up

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007209

Rev.: 01

Page: 3 of 11

					(dBm)		(dBm)		(dBm)	
802.11n-HT40	U-NII-1	38	5190	MCS0	12.88	14.00	11.65	12.00	15.32	17.00
		46	5230		12.76	14.00	11.49	12.00	15.18	17.00
	U-NII-2A	54	5270		13.28	15.00	12.57	13.00	15.95	18.00
		62	5310		13.42	15.00	12.62	13.00	16.05	18.00
	U-NII-2C	102	5510		12.22	13.00	10.55	11.00	14.48	16.00
		110	5550		12.55	13.00	10.67	11.00	14.72	16.00
		134	5670		12.41	13.00	10.78	11.00	14.68	16.00
	U-NII-3	151	5755		18.05	19.00	16.53	17.00	20.37	21.00
		159	5795		17.77	19.00	16.28	17.00	20.10	21.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ac VHT80	U-NII-1	42	5210	MCS0	11.24	12.00	9.68	10.00	13.54	15.00
	U-NII-2A	58	5290		12.86	14.00	11.67	12.00	15.32	17.00
	U-NII-2C	106	5530		10.15	11.00	9.63	10.00	12.91	14.00
		122	5610		10.28	11.00	9.86	10.00	13.09	14.00
	U-NII-3	155	5775		14.94	16.00	13.55	14.00	17.31	19.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW20	U-NII-1	36	5180	MCS0	13.78	15.00	12.66	13.00	16.27	18.00
		40	5200		13.83	15.00	12.59	13.00	16.26	18.00
		48	5240		13.69	15.00	12.83	14.00	16.29	18.00
	U-NII-2A	52	5260		14.28	15.00	13.38	14.00	16.86	18.00
		60	5300		14.63	15.00	13.68	14.00	17.19	18.00
		64	5320		14.73	15.00	13.77	14.00	17.29	18.00
	U-NII-2C	100	5500		11.18	12.00	10.32	11.00	13.78	15.00
		116	5580		11.31	12.00	10.41	11.00	13.89	15.00
		140	5700		11.47	12.00	10.28	11.00	13.93	15.00
	U-NII-3	149	5745		16.42	17.00	15.02	16.00	18.79	20.00
		157	5785		16.28	17.00	15.11	16.00	18.74	20.00
		165	5825		16.33	17.00	15.21	16.00	18.82	20.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW40	U-NII-1	38	5190	MCS0	10.21	12.00	9.87	10.00	13.05	15.00
		46	5230		10.63	12.00	9.68	10.00	13.19	15.00
	U-NII-2A	54	5270		12.28	13.00	10.62	11.00	14.54	16.00
		62	5310		12.31	13.00	10.88	11.00	14.66	16.00
	U-NII-2C	102	5510		10.33	11.00	8.78	9.00	12.63	14.00
		110	5550		10.25	11.00	8.69	9.00	12.55	14.00
		134	5670		10.37	11.00	8.75	9.00	12.65	14.00
	U-NII-3	151	5755		15.62	16.00	14.21	15.00	17.98	19.00
		159	5795		15.58	16.00	14.26	15.00	17.98	19.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW80	U-NII-1	42	5210	MCS0	11.07	12.00	9.86	10.00	13.52	15.00
	U-NII-2A	58	5290		11.21	12.00	9.79	10.00	13.57	15.00
	U-NII-2C	106	5530		9.28	10.00	7.66	8.00	11.56	13.00
		122	5610		9.31	10.00	7.84	8.00	11.65	13.00
	U-NII-3	155	5775		14.26	15.00	12.83	13.00	16.61	18.00

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007209

Rev.: 01

Page: 4 of 11

WIFI 5G Full power For Simultaneous				Data Rate(Mbps)	ANT2	Tune up	ANT3	Tune up	MIMO	Tune up
Mode	5GHz	Channel	Frequency(MHz)		Average Power (dBm)		Average Power (dBm)		Average Power (dBm)	
802.11a	U-NII-1	36	5180	6	13.96	15.00	13.17	14.00	/	/
		40	5200		13.81	15.00	13.10	14.00	/	/
		48	5240		13.90	15.00	13.38	14.00	/	/
	U-NII-2A	52	5260		14.39	15.00	13.71	14.00	/	/
		60	5300		14.23	15.00	13.39	14.00	/	/
		64	5320		14.47	15.00	13.69	14.00	/	/
	U-NII-2C	100	5500		12.53	13.00	11.69	13.00	/	/
		116	5580		12.45	13.00	11.75	13.00	/	/
		140	5700		12.33	13.00	11.82	13.00	/	/
	U-NII-3	149	5745		14.80	16.00	13.14	14.00	/	/
		157	5785		14.83	16.00	13.23	14.00	/	/
		165	5825		15.00	16.00	13.27	14.00	/	/
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	12.90	14.00	12.27	13.00	15.61	17.00
		40	5200		12.78	14.00	12.28	13.00	15.55	17.00
		48	5240		12.83	14.00	12.33	13.00	15.60	17.00
	U-NII-2A	52	5260		13.30	14.00	12.67	13.00	16.01	17.00
		60	5300		13.32	14.00	12.65	13.00	16.01	17.00
		64	5320		13.30	14.00	12.41	13.00	15.89	17.00
	U-NII-2C	100	5500		11.89	12.00	11.21	12.00	14.57	15.00
		116	5580		11.73	12.00	11.57	12.00	14.66	15.00
		140	5700		11.83	12.00	11.49	12.00	14.67	15.00
	U-NII-3	149	5745		14.69	16.00	13.10	14.00	16.98	18.00
		157	5785		14.91	16.00	13.06	14.00	17.09	19.00
		165	5825		14.99	16.00	13.27	14.00	17.22	19.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11n-HT40	U-NII-1	38	5190	MCS0	12.88	14.00	11.65	12.00	15.32	17.00
		46	5230		12.76	14.00	11.49	12.00	15.18	17.00
	U-NII-2A	54	5270		12.66	14.00	11.63	12.00	15.19	17.00
		62	5310		12.65	14.00	11.68	12.00	15.20	17.00
	U-NII-2C	102	5510		12.22	13.00	10.55	11.00	14.48	16.00
		110	5550		12.55	13.00	10.67	11.00	14.72	16.00
		134	5670		12.41	13.00	10.78	11.00	14.68	16.00
	U-NII-3	151	5755		15.16	16.00	13.62	14.00	17.47	19.00
		159	5795		14.95	16.00	13.35	14.00	17.23	19.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ac VHT80	U-NII-1	42	5210	MCS0	11.24	12.00	9.68	10.00	13.54	15.00
	U-NII-2A	58	5290		12.86	14.00	11.67	12.00	15.32	17.00
	U-NII-2C	106	5530		10.15	11.00	9.63	10.00	12.91	14.00
		122	5610		10.28	11.00	9.86	10.00	13.09	14.00
	U-NII-3	155	5775		13.05	14.00	11.68	12.00	15.43	17.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax	U-NII-1	36	5180	MCS0	13.78	15.00	12.66	13.00	16.27	18.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007209

Rev.: 01

Page: 5 of 11

HEW20		40	5200		13.83	15.00	12.59	13.00	16.26	18.00
		48	5240		13.69	15.00	12.83	14.00	16.29	18.00
		52	5260		14.28	15.00	13.38	14.00	16.86	18.00
	U-NII-2A	60	5300		14.63	15.00	13.68	14.00	17.19	18.00
		64	5320		14.73	15.00	13.77	14.00	17.29	18.00
		100	5500		11.18	12.00	10.32	11.00	13.78	15.00
	U-NII-2C	116	5580		11.31	12.00	10.41	11.00	13.89	15.00
		140	5700		11.47	12.00	10.28	11.00	13.93	15.00
		149	5745		12.51	13.00	11.10	12.00	14.87	16.00
	U-NII-3	157	5785		12.35	13.00	11.06	12.00	14.76	16.00
		165	5825		12.31	13.00	11.24	12.00	14.82	16.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW40	U-NII-1	38	5190	MCS0	10.21	12.00	9.87	10.00	13.05	15.00
		46	5230		10.63	12.00	9.68	10.00	13.19	15.00
	U-NII-2A	54	5270		12.28	13.00	10.62	11.00	14.54	16.00
		62	5310		12.31	13.00	10.88	11.00	14.66	16.00
	U-NII-2C	102	5510		10.33	11.00	8.78	9.00	12.63	14.00
		110	5550		10.25	11.00	8.69	9.00	12.55	14.00
		134	5670		10.37	11.00	8.75	9.00	12.65	14.00
	U-NII-3	151	5755		14.55	15.00	13.32	14.00	16.99	18.00
		159	5795		14.62	15.00	13.35	14.00	17.04	18.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW80	U-NII-1	42	5210	MCS0	11.07	12.00	9.86	10.00	13.52	15.00
	U-NII-2A	58	5290		11.21	12.00	9.79	10.00	13.57	15.00
	U-NII-2C	106	5530		9.28	10.00	7.66	8.00	11.56	13.00
		122	5610		9.31	10.00	7.84	8.00	11.65	13.00
	U-NII-3	155	5775		13.11	14.00	11.72	12.00	15.48	17.00

WIFI 6E Full power				ANT2		ANT3		MIMO	
mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax (HE20)	1	5955	MCS0	9.29	10.5	9.07	10.5	12.19	13.5
	97	6435		8.97	10	8.75	10	11.87	13
	117	6535		8.48	9.5	8.23	9.5	11.37	12.5
	189	6895		-3.15	-2	-3.39	-2	-0.26	1
	233	7115		-4.19	-3	-4.41	-3	-1.29	0
802.11ax (HE40)	3	5965	MCS0	9.82	11	9.60	11	12.72	14
	99	6445		9.82	11	9.59	11	12.71	14
	147	6685		9.45	11	9.24	11	12.36	14
	195	6925		9.31	11	9.10	11	12.22	14
	227	7085		9.39	11	9.15	11	12.28	14
802.11ax (HE80)	7	5985	MCS0	9.32	11	9.09	11	12.22	14
	103	6465		9.71	11	9.50	11	12.62	14
	151	6705		9.29	11	9.08	11	12.20	14
	199	6945		9.48	11	9.27	11	12.39	14
	215	7025		9.70	11	9.49	11	12.61	14



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007209

Rev.: 01

Page: 6 of 11

Hyper WIFI Ant4					
mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ah (1M)	1	903.5	MCS0	18.07	19
	3	915.5		18.55	19
	5	926.5		18.2	19
802.11ah (2M)	1	905	MCS0	18.52	19
	3	915		18.42	19
	5	925		18.59	19
802.11ah (4M)	1	906	MCS0	17.64	18
	3	914		17.36	18
	5	922		17.37	18

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007209

Rev.: 01

Page: 7 of 11

Sensor on:

WIFI 5G Sensor on		Channel	Frequency(MHz)	Data Rate(Mbps)	ANT2	Tune up	ANT3	Tune up	MIMO	Tune up
Mode	5GHz				Average Power (dBm)		Average Power (dBm)		Average Power (dBm)	
802.11a	U-NII-1	36	5180	6	7.90	9.00	7.27	8.00	/	/
		40	5200		7.79	9.00	7.14	8.00	/	/
		48	5240		7.81	9.00	7.34	8.00	/	/
	U-NII-2A	52	5260		8.39	9.00	7.71	8.00	/	/
		60	5300		8.43	9.00	7.37	8.00	/	/
		64	5320		8.55	9.00	7.68	8.00	/	/
	U-NII-2C	100	5500		6.55	7.00	5.68	7.00	/	/
		116	5580		6.54	7.00	5.75	7.00	/	/
		140	5700		6.37	7.00	5.89	7.00	/	/
	U-NII-3	149	5745		7.80	9.00	6.18	7.00	/	/
		157	5785		7.88	9.00	6.29	7.00	/	/
		165	5825		7.91	9.00	6.20	7.00	/	/
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	7.90	9.00	7.28	8.00	10.61	12.00
		40	5200		7.81	9.00	7.25	8.00	10.55	12.00
		48	5240		7.82	9.00	7.35	8.00	10.60	12.00
	U-NII-2A	52	5260		8.29	9.00	7.75	8.00	11.04	12.00
		60	5300		8.33	9.00	7.63	8.00	11.00	12.00
		64	5320		8.31	9.00	7.35	8.00	10.87	12.00
	U-NII-2C	100	5500		6.96	7.00	6.23	7.00	9.62	10.00
		116	5580		6.82	7.00	6.58	7.00	9.71	10.00
		140	5700		6.91	7.00	6.51	7.00	9.72	10.00
	U-NII-3	149	5745		7.70	9.00	6.19	7.00	10.02	11.00
		157	5785		7.93	9.00	6.11	7.00	10.12	11.00
		165	5825		7.97	9.00	6.32	7.00	10.23	11.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11n-HT40	U-NII-1	38	5190	MCS0	6.94	8.00	5.71	6.00	9.38	11.00
		46	5230		6.76	8.00	5.48	6.00	9.18	11.00
	U-NII-2A	54	5270		6.34	8.00	5.53	6.00	8.96	11.00
		62	5310		6.37	8.00	5.67	6.00	9.04	11.00
	U-NII-2C	102	5510		7.11	8.00	5.53	6.00	9.40	11.00
		110	5550		7.36	8.00	5.69	6.00	9.62	11.00
		134	5670		7.21	8.00	5.84	6.00	9.59	11.00
	U-NII-3	151	5755		7.83	9.00	6.60	7.00	10.27	11.00
		159	5795		7.82	9.00	6.34	7.00	10.15	11.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ac VHT80	U-NII-1	42	5210	MCS0	6.30	7.00	4.70	5.00	8.58	10.00
	U-NII-2A	58	5290		5.88	7.00	4.68	5.00	8.33	10.00
	U-NII-2C	106	5530		6.21	7.00	5.70	6.00	8.97	10.00
		122	5610		6.23	7.00	4.58	5.00	8.49	10.00
	U-NII-3	155	5775		5.98	7.00	4.60	5.00	8.35	10.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007209

Rev.: 01

Page: 8 of 11

802.11ax HEW20	U-NII-1	36	5180	MCS0	7.75	9.00	6.62	7.00	10.23	12.00
		40	5200		7.92	9.00	6.65	7.00	10.34	12.00
		48	5240		7.68	9.00	6.86	8.00	10.30	12.00
	U-NII-2A	52	5260		8.27	9.00	7.40	8.00	10.87	12.00
		60	5300		8.62	9.00	7.75	8.00	11.22	12.00
		64	5320		8.78	9.00	7.83	8.00	11.34	12.00
	U-NII-2C	100	5500		7.25	8.00	6.35	7.00	9.83	11.00
		116	5580		7.30	8.00	6.37	7.00	9.87	11.00
		140	5700		7.32	8.00	6.27	7.00	9.84	11.00
	U-NII-3	149	5745		7.39	8.00	5.97	7.00	9.75	11.00
		157	5785		7.29	8.00	6.19	7.00	9.79	11.00
		165	5825		7.30	8.00	6.27	7.00	9.83	11.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW40	U-NII-1	38	5190	MCS0	6.18	8.00	5.84	6.00	9.02	11.00
		46	5230		6.69	8.00	5.66	6.00	9.22	11.00
	U-NII-2A	54	5270		7.36	8.00	5.69	6.00	9.62	11.00
		62	5310		7.39	8.00	5.89	6.00	9.71	11.00
	U-NII-2C	102	5510		7.30	8.00	5.88	6.00	9.66	11.00
		110	5550		7.20	8.00	5.69	6.00	9.52	11.00
		134	5670		7.28	8.00	5.72	6.00	9.58	11.00
	U-NII-3	151	5755		7.57	8.00	6.17	7.00	9.94	11.00
		159	5795		7.65	8.00	6.32	7.00	10.05	11.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW80	U-NII-1	42	5210	MCS0	6.08	7.00	4.92	5.00	8.55	10.00
	U-NII-2A	58	5290		6.24	7.00	4.81	5.00	8.59	10.00
	U-NII-2C	106	5530		6.28	7.00	4.72	5.00	8.58	10.00
		122	5610		6.27	7.00	4.89	5.00	8.64	10.00
	U-NII-3	155	5775		6.27	7.00	4.78	5.00	8.60	10.00

WIFI 5G Sensor on For Simultaneous				Data Rate(Mbps)	ANT2	Tune up	ANT3	Tune up	MIMO	Tune up
Mode	5GHz	Channel	Frequency(MHz)		Average Power (dBm)		Average Power (dBm)		Average Power (dBm)	
802.11a	U-NII-1	36	5180	6	4.86	6.00	4.34	5.00	/	/
		40	5200		4.81	6.00	4.20	5.00	/	/
		48	5240		4.89	6.00	4.38	5.00	/	/
	U-NII-2A	52	5260		5.48	6.00	4.73	5.00	/	/
		60	5300		5.45	6.00	4.32	5.00	/	/
		64	5320		5.60	6.00	4.73	5.00	/	/
	U-NII-2C	100	5500		3.56	4.00	2.65	4.00	/	/
		116	5580		3.64	4.00	2.85	4.00	/	/
		140	5700		3.35	4.00	2.89	4.00	/	/
	U-NII-3	149	5745		4.82	6.00	3.19	4.00	/	/
		157	5785		4.95	6.00	3.36	4.00	/	/
		165	5825		4.93	6.00	3.22	4.00	/	/
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11n- HT20	U-NII-1	36	5180	MCS0	4.99	6.00	4.35	5.00	7.69	9.00
		40	5200		4.89	6.00	4.28	5.00	7.61	9.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007209

Rev.: 01

Page: 9 of 11

		48	5240		4.86	6.00	4.41	5.00	7.65	9.00
	U-NII-2A	52	5260		5.24	6.00	4.72	5.00	8.00	9.00
		60	5300		5.30	6.00	4.64	5.00	7.99	9.00
		64	5320		5.29	6.00	4.39	5.00	7.87	9.00
	U-NII-2C	100	5500		3.90	4.00	3.31	4.00	6.63	7.00
		116	5580		3.85	4.00	3.65	4.00	6.76	7.00
		140	5700		3.88	4.00	3.52	4.00	6.71	7.00
	U-NII-3	149	5745		4.70	6.00	3.19	4.00	7.02	8.00
		157	5785		4.92	6.00	3.15	4.00	7.13	8.00
		165	5825		5.02	6.00	3.32	4.00	7.26	8.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11n-HT40	U-NII-1	38	5190	MCS0	3.95	5.00	2.72	3.00	6.39	8.00
		46	5230		3.82	5.00	2.50	3.00	6.22	8.00
	U-NII-2A	54	5270		3.30	5.00	2.62	3.00	5.98	8.00
		62	5310		3.33	5.00	2.73	3.00	6.05	8.00
	U-NII-2C	102	5510		4.16	5.00	2.54	3.00	6.44	8.00
		110	5550		4.46	5.00	2.70	3.00	6.68	8.00
		134	5670		4.17	5.00	2.89	3.00	6.59	8.00
	U-NII-3	151	5755		4.82	6.00	3.66	4.00	7.29	8.00
		159	5795		4.83	6.00	3.30	4.00	7.14	8.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ac VHT80	U-NII-1	42	5210	MCS0	3.37	4.00	1.71	2.00	5.63	7.00
	U-NII-2A	58	5290		2.90	4.00	1.70	2.00	5.35	7.00
	U-NII-2C	106	5530		3.26	4.00	2.76	3.00	6.03	7.00
		122	5610		3.20	4.00	1.62	2.00	5.49	7.00
	U-NII-3	155	5775		3.03	4.00	1.68	2.00	5.42	7.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW20	U-NII-1	36	5180	MCS0	4.71	6.00	3.59	4.00	7.20	9.00
		40	5200		4.94	6.00	3.70	4.00	7.37	9.00
		48	5240		4.70	6.00	3.84	5.00	7.30	9.00
	U-NII-2A	52	5260		5.25	6.00	4.46	5.00	7.88	9.00
		60	5300		5.63	6.00	4.72	5.00	8.21	9.00
		64	5320		5.78	6.00	4.80	5.00	8.33	9.00
	U-NII-2C	100	5500		4.30	5.00	3.41	4.00	6.89	8.00
		116	5580		4.28	5.00	3.34	4.00	6.85	8.00
		140	5700		4.31	5.00	3.27	4.00	6.83	8.00
	U-NII-3	149	5745		4.44	5.00	2.92	4.00	6.76	8.00
		157	5785		4.30	5.00	3.27	4.00	6.83	8.00
		165	5825		4.34	5.00	3.36	4.00	6.89	8.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW40	U-NII-1	38	5190	MCS0	3.15	5.00	2.86	3.00	6.02	8.00
		46	5230		3.75	5.00	2.70	3.00	6.27	8.00
	U-NII-2A	54	5270		4.35	5.00	2.65	3.00	6.59	8.00
		62	5310		4.44	5.00	2.97	3.00	6.78	8.00
	U-NII-2C	102	5510		4.33	5.00	2.95	3.00	6.70	8.00
		110	5550		4.17	5.00	2.76	3.00	6.53	8.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007209
 Rev.: 01
 Page: 10 of 11

		134	5670		4.30	5.00	2.73	3.00	6.60	8.00
	U-NII-3	151	5755		4.55	5.00	3.24	4.00	6.95	8.00
		159	5795		4.61	5.00	3.37	4.00	7.04	8.00
Mode	5GHz	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up
802.11ax HEW80	U-NII-1	42	5210	MCS0	3.16	4.00	1.88	2.00	5.58	7.00
	U-NII-2A	58	5290		3.24	4.00	1.89	2.00	5.63	7.00
	U-NII-2C	106	5530		3.38	4.00	1.74	2.00	5.65	7.00
		122	5610		3.29	4.00	1.97	2.00	5.69	7.00
	U-NII-3	155	5775		3.31	4.00	1.84	2.00	5.65	7.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007209

Rev.: 01

Page: 11 of 11

2 Conducted Power of Bluetooth

BT ANT2		Average Conducted Power(dBm)			
Band	Channel	0	39	78	Tune up
BT	GFSK	10.62	10.17	9.88	11.00
	$\pi/4$ DQPSK	6.79	7.62	6.44	8.00
	8DPSK	6.86	7.74	6.21	8.00
Band	Channel	0	19	39	Tune up
BLE 1M	GFSK	10.22	10.58	9.63	11.00
Band	Channel	1	19	38	Tune up
BLE 2M	GFSK	10.31	10.15	9.55	11.00