




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 281 of 573

802.11a_Channel 52




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8026.1458	48.49	37.08	-41.92	43.65	74.00	30.35	Vertical
2	10072.187	45.10	38.51	-38.89	44.72	68.30	23.58	Vertical
3	12813.979	44.92	39.34	-36.65	47.61	68.30	20.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 282 of 573

802.11a_Channel 60




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7890.5417	48.88	36.95	-42.72	43.10	68.30	25.20	Horizontal
2	9549.4167	47.37	37.60	-39.58	45.38	68.30	22.92	Horizontal
3	10972.541	44.24	38.60	-37.65	45.19	74.00	28.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 283 of 573

802.11a_Channel 60



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7976.3125	49.10	37.07	-42.27	43.89	68.30	24.41	Vertical
2	10044.395	45.51	38.50	-39.08	44.94	68.30	23.36	Vertical
3	11013.270	44.23	38.61	-37.61	45.23	74.00	28.77	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 284 of 573

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7412.8125	48.43	36.16	-42.84	41.75	74.00	32.25	Horizontal
2	9301.6875	46.51	37.10	-40.07	43.55	74.00	30.45	Horizontal
3	11129.7083	43.84	38.66	-37.41	45.10	74.00	28.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 285 of 573

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7829.6875	49.03	36.86	-42.63	43.26	68.30	25.04	Vertical
2	9570.5	46.69	37.64	-39.42	44.91	68.30	23.39	Vertical
3	12092.833	44.41	39.13	-37.19	46.35	74.00	27.65	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 286 of 573

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8100.8958	46.80	37.04	-41.35	42.49	74.00	31.51	Horizontal
2	10134.958	44.71	38.51	-38.90	44.32	68.30	23.98	Horizontal
3	11269.625	43.22	38.73	-37.04	44.92	74.00	29.08	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 287 of 573

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8018.9583	48.11	37.09	-41.98	43.22	68.30	25.08	Vertical
2	9631.3542	45.95	37.76	-39.29	44.42	68.30	23.88	Vertical
3	10329.020	45.13	38.53	-38.90	44.77	68.30	23.53	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 288 of 573

802.11a_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7947.0833	49.07	37.03	-42.45	43.64	68.30	24.66	Horizontal
2	10160.354	46.18	38.52	-39.05	45.65	68.30	22.65	Horizontal
3	11935.666	43.64	39.07	-37.29	45.42	74.00	28.58	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 289 of 573

802.11a_Channel 116




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8563.2917	46.90	36.76	-41.22	42.44	68.30	25.86	Vertical
2	9559.4792	46.79	37.62	-39.51	44.90	68.30	23.40	Vertical
3	10643.833	44.25	38.56	-37.78	45.03	74.00	28.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 290 of 573

802.11a_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7786.0833	47.84	36.80	-42.63	42.01	68.30	26.29	Horizontal
2	9472.2708	46.27	37.44	-39.95	43.77	74.00	30.23	Horizontal
3	11043.458	43.55	38.62	-37.66	44.51	74.00	29.49	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 291 of 573

802.11a_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7859.3958	49.08	36.90	-42.68	43.31	68.30	24.99	Vertical
2	9490.4792	47.54	37.48	-39.96	45.06	74.00	28.94	Vertical
3	11448.354	43.48	38.82	-37.03	45.28	74.00	28.72	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 292 of 573

802.11a_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7652.875	48.09	36.61	-42.85	41.85	74.00	32.15	Horizontal
2	9460.2917	45.54	37.42	-39.94	43.02	74.00	30.98	Horizontal
3	12146.020	44.14	39.14	-37.15	46.13	74.00	27.87	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 293 of 573

802.11a_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7776.0208	47.99	36.79	-42.67	42.11	68.30	26.19	Vertical
2	10008.937	45.39	38.50	-39.32	44.57	68.30	23.73	Vertical
3	12972.104	44.57	39.39	-37.18	46.78	68.30	21.52	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 294 of 573

802.11a_Channel 157




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7758.2917	48.03	36.76	-42.73	42.06	68.30	26.24	Horizontal
2	9555.6458	46.80	37.61	-39.54	44.87	68.30	23.43	Horizontal
3	12363.083	44.17	39.21	-36.86	46.52	74.00	27.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 295 of 573

802.11a_Channel 157




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8033.3333	48.57	37.08	-41.87	43.78	74.00	30.22	Vertical
2	9795.7083	44.29	38.09	-39.08	43.30	68.30	25.00	Vertical
3	11448.354	43.32	38.82	-37.03	45.12	74.00	28.88	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 296 of 573

802.11a_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7958.1042	48.30	37.04	-42.39	42.96	68.30	25.34	Horizontal
2	10244.687	45.32	38.52	-39.14	44.70	68.30	23.60	Horizontal
3	11512.562	43.02	38.86	-36.57	45.31	74.00	28.69	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 297 of 573

802.11a_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7815.3125	48.27	36.84	-42.60	42.51	68.30	25.79	Vertical
2	9166.0833	45.16	36.83	-40.11	41.89	74.00	32.11	Vertical
3	10756.437	43.95	38.58	-38.04	44.48	74.00	29.52	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 298 of 573

802.11a_Channel 36



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8029.5	47.55	37.08	-41.90	42.74	74.00	31.26	Horizontal
2	10084.645	45.76	38.51	-38.80	45.46	68.30	22.84	Horizontal
3	12088.520	44.87	39.13	-37.19	46.81	74.00	27.19	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 299 of 573

802.11a_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8515.375	47.13	36.79	-41.66	42.26	68.30	26.04	Vertical
2	10365.437	44.72	38.54	-38.81	44.45	68.30	23.85	Vertical
3	11470.875	43.71	38.84	-36.80	45.74	74.00	28.26	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 300 of 573

802.11a_Channel 44




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7919.2917	48.71	36.99	-42.62	43.07	68.30	25.23	Horizontal
2	10004.625	44.80	38.50	-39.35	43.95	68.30	24.35	Horizontal
3	13423.958	44.00	39.99	-36.21	47.78	68.30	20.52	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 301 of 573

802.11a_Channel 44




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7822.0208	48.79	36.85	-42.62	43.03	68.30	25.27	Vertical
2	10238.937	44.99	38.52	-39.16	44.35	68.30	23.95	Vertical
3	12206.875	44.45	39.16	-37.08	46.53	74.00	27.47	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 302 of 573

802.11a_Channel 48




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7687.8542	49.13	36.66	-42.92	42.87	74.00	31.13	Horizontal
2	10382.687	44.76	38.54	-38.76	44.53	68.30	23.77	Horizontal
3	12113.437	44.79	39.13	-37.18	46.74	74.00	27.26	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 303 of 573

802.11a_Channel 48




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7842.1458	48.96	36.88	-42.65	43.19	68.30	25.11	Vertical
2	10082.25	46.40	38.51	-38.82	46.09	68.30	22.21	Vertical
3	12232.270	44.30	39.17	-36.96	46.51	74.00	27.49	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 304 of 573

802.11a_Channel 52




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7707.5	50.05	36.69	-42.92	43.82	74.00	30.18	Horizontal
2	9819.1875	44.81	38.14	-39.09	43.86	68.30	24.44	Horizontal
3	11192.9583	43.47	38.70	-36.68	45.49	74.00	28.51	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 305 of 573

802.11a_Channel 52




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8011.7708	48.83	37.09	-42.04	43.89	68.30	24.41	Vertical
2	10124.895	45.53	38.51	-38.84	45.20	68.30	23.10	Vertical
3	12372.187	44.47	39.21	-36.89	46.79	74.00	27.21	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 306 of 573

802.11a_Channel 60




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8035.25	48.26	37.08	-41.85	43.49	74.00	30.51	Horizontal
2	10160.833	46.00	38.52	-39.05	45.46	68.30	22.84	Horizontal
3	12759.833	44.36	39.33	-36.70	46.98	68.30	21.32	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 307 of 573

802.11a_Channel 60




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8041.4792	48.48	37.08	-41.80	43.75	74.00	30.25	Vertical
2	10158.916	45.66	38.52	-39.04	45.13	68.30	23.17	Vertical
3	12551.395	45.11	39.27	-37.08	47.30	74.00	26.70	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 308 of 573

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7527.8125	49.15	36.44	-43.05	42.54	74.00	31.46	Horizontal
2	9778.9375	44.55	38.06	-39.15	43.46	68.30	24.84	Horizontal
3	12813.020	45.45	39.34	-36.65	48.14	68.30	20.16	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 309 of 573

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8020.875	48.08	37.09	-41.97	43.20	68.30	25.10	Vertical
2	9624.6458	45.79	37.75	-39.27	44.27	68.30	24.03	Vertical
3	11491.958	42.68	38.85	-36.59	44.94	74.00	29.06	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 310 of 573

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7890.0625	48.33	36.95	-42.72	42.55	68.30	25.75	Horizontal
2	9559.9583	45.83	37.62	-39.50	43.95	68.30	24.35	Horizontal
3	10730.083	44.76	38.57	-37.78	45.55	74.00	28.45	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 311 of 573

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8029.0208	48.19	37.08	-41.90	43.37	74.00	30.63	Vertical
2	9624.1667	44.85	37.75	-39.27	43.33	68.30	24.97	Vertical
3	11477.104	43.43	38.84	-36.74	45.53	74.00	28.47	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 312 of 573

802.11a_Channel 116




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7832.5625	48.32	36.87	-42.63	42.55	68.30	25.75	Horizontal
2	9526.4167	46.98	37.55	-39.76	44.77	68.30	23.53	Horizontal
3	11767.958	44.04	38.98	-36.84	46.18	74.00	27.82	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 313 of 573

802.11a_Channel 116




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8445.8958	48.59	36.83	-41.57	43.86	74.00	30.14	Vertical
2	9691.25	45.13	37.88	-39.46	43.56	68.30	24.74	Vertical
3	12657.291	45.14	39.30	-36.99	47.45	74.00	26.55	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 314 of 573

802.11a_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8079.8125	47.32	37.05	-41.50	42.87	74.00	31.13	Horizontal
2	10160.354	45.78	38.52	-39.05	45.25	68.30	23.05	Horizontal
3	13534.645	45.59	40.15	-36.44	49.30	68.30	19.00	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 315 of 573

802.11a_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8049.1458	49.07	37.07	-41.74	44.40	74.00	29.60	Vertical
2	10712.354	44.32	38.57	-37.61	45.28	74.00	28.72	Vertical
3	12910.291	44.93	39.37	-36.91	47.39	68.30	20.91	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 316 of 573

802.11a_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7038.1042	49.20	35.11	-43.25	41.06	68.30	27.24	Horizontal
2	9459.8125	47.66	37.42	-39.94	45.14	74.00	28.86	Horizontal
3	12092.354	44.38	39.13	-37.19	46.32	74.00	27.68	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 317 of 573

802.11a_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8035.25	48.06	37.08	-41.85	43.29	74.00	30.71	Vertical
2	10042	45.29	38.50	-39.09	44.70	68.30	23.60	Vertical
3	12137.395	44.23	39.14	-37.16	46.21	74.00	27.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 318 of 573

802.11a_Channel 157




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8090.8333	48.26	37.05	-41.41	43.89	74.00	30.11	Horizontal
2	9308.3958	45.36	37.12	-40.06	42.42	74.00	31.58	Horizontal
3	12073.666	44.33	39.12	-37.19	46.26	74.00	27.74	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 319 of 573

802.11a_Channel 157




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8477.0417	48.01	36.81	-41.70	43.12	74.00	30.88	Vertical
2	10042	44.98	38.50	-39.09	44.39	68.30	23.91	Vertical
3	11729.625	42.98	38.96	-36.42	45.53	74.00	28.47	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 320 of 573

802.11a_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7894.375	48.91	36.95	-42.73	43.13	68.30	25.17	Horizontal
2	10695.583	44.42	38.57	-37.51	45.48	74.00	28.52	Horizontal
3	15061.75	44.43	41.47	-34.46	51.44	68.30	16.86	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 321 of 573

802.11a_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8058.7292	48.37	37.06	-41.67	43.77	74.00	30.23	Vertical
2	11063.104	44.79	38.63	-37.69	45.73	74.00	28.27	Vertical
3	12373.145	44.84	39.21	-36.90	47.16	74.00	26.84	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 322 of 573

802.11n20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7358.1875	49.31	36.00	-43.02	42.30	74.00	31.70	Horizontal
2	9019.9375	47.45	36.54	-40.78	43.21	74.00	30.79	Horizontal
3	10368.312	44.95	38.54	-38.80	44.69	68.30	23.61	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 323 of 573

802.11n20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7652.875	49.71	36.61	-42.85	43.47	74.00	30.53	Vertical
2	8914.0417	47.05	36.55	-40.90	42.70	68.30	25.60	Vertical
3	10550.875	45.09	38.56	-38.38	45.27	68.30	23.03	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 324 of 573

802.11n20_Channel 44




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7761.6458	48.98	36.77	-42.72	43.02	68.30	25.28	Horizontal
2	9559.4792	46.59	37.62	-39.51	44.70	68.30	23.60	Horizontal
3	10358.25	46.18	38.54	-38.82	45.89	68.30	22.41	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 325 of 573

802.11n20_Channel 44




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7804.2917	48.33	36.83	-42.59	42.57	68.30	25.73	Vertical
2	9049.1667	46.61	36.60	-40.64	42.56	74.00	31.44	Vertical
3	11133.5417	44.22	38.67	-37.36	45.52	74.00	28.48	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 326 of 573

802.11n20_Channel 48




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8022.3125	48.21	37.09	-41.95	43.34	68.30	24.96	Horizontal
2	10077.937	45.50	38.51	-38.85	45.16	68.30	23.14	Horizontal
3	12198.25	45.27	39.16	-37.11	47.32	74.00	26.68	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 327 of 573

802.11n20_Channel 48



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7991.1667	49.86	37.09	-42.18	44.76	68.30	23.54	Vertical
2	10095.666	45.75	38.51	-38.73	45.53	68.30	22.77	Vertical
3	11241.833	43.83	38.72	-36.86	45.69	74.00	28.31	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 328 of 573

802.11n20_Channel 52




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8107.125	47.63	37.04	-41.40	43.27	74.00	30.73	Horizontal
2	10075.541	45.58	38.51	-38.87	45.22	68.30	23.08	Horizontal
3	10615.562	44.93	38.56	-37.93	45.56	74.00	28.44	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 329 of 573

802.11n20_Channel 52




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8085.0833	48.69	37.05	-41.46	44.28	74.00	29.72	Vertical
2	10250.916	45.98	38.53	-39.12	45.38	68.30	22.92	Vertical
3	11707.583	43.68	38.95	-36.17	46.46	74.00	27.54	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 330 of 573

802.11n20_Channel 60




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7796.1458	49.11	36.81	-42.59	43.33	68.30	24.97	Horizontal
2	9347.2083	46.07	37.19	-40.00	43.27	74.00	30.73	Horizontal
3	10666.354	44.43	38.57	-37.66	45.33	74.00	28.67	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 331 of 573

802.11n20_Channel 60




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7634.6667	48.64	36.59	-42.81	42.42	74.00	31.58	Vertical
2	9852.25	45.14	38.20	-39.13	44.21	68.30	24.09	Vertical
3	12223.166	45.17	39.17	-37.00	47.34	74.00	26.66	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 332 of 573

802.11n20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7573.3333	48.16	36.50	-42.85	41.81	74.00	32.19	Horizontal
2	8969.1458	46.79	36.52	-40.88	42.43	68.30	25.87	Horizontal
3	11919.375	43.71	39.06	-37.32	45.45	74.00	28.55	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 333 of 573

802.11n20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7653.8333	48.06	36.62	-42.85	41.82	74.00	32.18	Vertical
2	9146.9167	46.61	36.79	-40.19	43.21	74.00	30.79	Vertical
3	11238.958	43.46	38.72	-36.85	45.33	74.00	28.67	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 334 of 573

802.11n20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7813.875	47.75	36.84	-42.60	41.99	68.30	26.31	Horizontal
2	9371.1667	45.42	37.24	-39.96	42.70	74.00	31.30	Horizontal
3	10651.020	44.13	38.57	-37.74	44.95	74.00	29.05	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 335 of 573

802.11n20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7855.5625	49.37	36.90	-42.67	43.60	68.30	24.70	Vertical
2	9597.8125	47.25	37.70	-39.22	45.73	68.30	22.57	Vertical
3	10900.187	45.42	38.59	-37.81	46.20	74.00	27.80	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 336 of 573

802.11n20_Channel 116




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7835.9167	49.17	36.87	-42.64	43.40	68.30	24.90	Horizontal
2	9287.3125	45.82	37.07	-40.05	42.84	68.30	25.46	Horizontal
3	11068.854	44.33	38.63	-37.70	45.26	74.00	28.74	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 337 of 573

802.11n20_Channel 116




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7946.6042	48.86	37.03	-42.46	43.43	68.30	24.87	Vertical
2	9604.0417	46.95	37.71	-39.21	45.45	68.30	22.85	Vertical
3	10958.645	44.53	38.60	-37.68	45.44	74.00	28.56	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 338 of 573

802.11n20_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8129.1667	47.02	37.02	-41.58	42.47	74.00	31.53	Horizontal
2	9501.5	46.78	37.50	-39.95	44.33	68.30	23.97	Horizontal
3	10659.166	44.50	38.57	-37.70	45.36	74.00	28.64	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 339 of 573

802.11n20_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7656.7083	48.56	36.62	-42.86	42.32	74.00	31.68	Vertical
2	8888.1667	47.86	36.57	-40.94	43.49	68.30	24.81	Vertical
3	10459.833	45.96	38.55	-38.74	45.76	68.30	22.54	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 340 of 573

802.11n20_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7316.5	49.30	35.89	-43.24	41.95	74.00	32.05	Horizontal
2	8426.25	47.73	36.84	-41.48	43.09	74.00	30.91	Horizontal
3	9953.3542	44.83	38.41	-39.30	43.94	68.30	24.36	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 341 of 573

802.11n20_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8110.9583	48.40	37.03	-41.43	44.00	74.00	30.00	Vertical
2	9388.4167	46.67	37.28	-39.94	44.01	74.00	29.99	Vertical
3	10958.166	44.20	38.60	-37.68	45.11	74.00	28.89	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 342 of 573

802.11n20_Channel 157




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7992.125	48.98	37.09	-42.18	43.89	68.30	24.41	Horizontal
2	9551.3333	48.14	37.60	-39.57	46.17	68.30	22.13	Horizontal
3	11129.2292	45.22	38.66	-37.41	46.47	74.00	27.53	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 343 of 573

802.11n20_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7709.4167	49.07	36.69	-42.92	42.85	74.00	31.15	Vertical
2	9294.5	46.25	37.09	-40.06	43.28	68.30	25.02	Vertical
3	10123.458	46.35	38.51	-38.84	46.03	68.30	22.27	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 344 of 573

802.11n20_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7045.7708	49.21	35.13	-43.30	41.04	68.30	27.26	Horizontal
2	8179.9583	47.74	36.99	-41.99	42.74	74.00	31.26	Horizontal
3	10031.937	45.69	38.50	-39.16	45.03	68.30	23.27	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 345 of 573

802.11n20_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7772.6667	49.26	36.78	-42.68	43.36	68.30	24.94	Vertical
2	9192.9167	45.38	36.89	-39.98	42.28	74.00	31.72	Vertical
3	11238.958	43.86	38.72	-36.85	45.73	74.00	28.27	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 346 of 573

802.11n40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7656.2292	48.02	36.62	-42.86	41.78	74.00	32.22	Horizontal
2	9127.75	46.02	36.76	-40.28	42.49	74.00	31.51	Horizontal
3	10805.791	44.44	38.58	-38.43	44.59	74.00	29.41	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 347 of 573

802.11n40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7963.375	48.89	37.05	-42.35	43.59	68.30	24.71	Vertical
2	9562.8333	46.96	37.63	-39.48	45.10	68.30	23.20	Vertical
3	12219.333	44.57	39.17	-37.02	46.72	74.00	27.28	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 348 of 573

802.11n40_Channel 46




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7927.4375	50.13	37.00	-42.57	44.56	68.30	23.74	Horizontal
2	9981.625	44.77	38.46	-39.35	43.89	68.30	24.41	Horizontal
3	12189.145	44.90	39.16	-37.12	46.94	74.00	27.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 349 of 573

802.11n40_Channel 46




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7561.8333	49.44	36.49	-42.90	43.02	74.00	30.98	Vertical
2	9400.3958	45.61	37.30	-39.92	42.99	74.00	31.01	Vertical
3	11686.5	42.37	38.94	-36.21	45.10	74.00	28.90	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 350 of 573

802.11n40_Channel 54




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7570.4583	48.71	36.50	-42.87	42.34	74.00	31.66	Horizontal
2	9563.7917	47.22	37.63	-39.48	45.37	68.30	22.93	Horizontal
3	11815.875	44.05	39.01	-37.22	45.83	74.00	28.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 351 of 573

802.11n40_Channel 54



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7900.125	49.58	36.96	-42.74	43.80	68.30	24.50	Vertical
2	9866.625	44.82	38.23	-39.15	43.90	68.30	24.40	Vertical
3	12233.229	44.44	39.17	-36.95	46.66	74.00	27.34	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 352 of 573

802.11n40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8060.1667	47.41	37.06	-41.65	42.82	74.00	31.18	Horizontal
2	10059.729	45.62	38.51	-38.97	45.15	68.30	23.15	Horizontal
3	11772.75	43.92	38.99	-36.90	46.01	74.00	27.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 353 of 573

802.11n40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8101.375	48.68	37.04	-41.35	44.37	74.00	29.63	Vertical
2	9532.6458	46.66	37.57	-39.71	44.51	68.30	23.79	Vertical
3	11262.916	44.27	38.73	-37.00	46.01	74.00	27.99	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 354 of 573

802.11n40_Channel 102



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7421.4375	49.67	36.18	-42.87	42.98	74.00	31.02	Horizontal
2	9127.2708	45.42	36.75	-40.28	41.89	74.00	32.11	Horizontal
3	10328.541	45.32	38.53	-38.90	44.95	68.30	23.35	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 355 of 573

802.11n40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8030.9375	48.88	37.08	-41.89	44.08	74.00	29.92	Vertical
2	9483.7708	48.28	37.47	-39.95	45.79	74.00	28.21	Vertical
3	12003.708	44.45	39.10	-37.18	46.37	74.00	27.63	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 356 of 573

802.11n40_Channel 110




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7815.7917	49.02	36.84	-42.61	43.26	68.30	25.04	Horizontal
2	9828.2917	44.60	38.16	-39.10	43.66	68.30	24.64	Horizontal
3	10702.770	44.06	38.57	-37.52	45.11	74.00	28.89	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 357 of 573

802.11n40_Channel 110




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7827.7708	49.90	36.86	-42.62	44.13	68.30	24.17	Vertical
2	10477.562	45.04	38.55	-38.75	44.84	68.30	23.46	Vertical
3	12006.583	45.33	39.10	-37.18	47.25	74.00	26.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 358 of 573

802.11n40_Channel 151




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8033.3333	47.91	37.08	-41.87	43.12	74.00	30.88	Horizontal
2	11677.875	42.23	38.94	-36.29	44.88	74.00	29.12	Horizontal
3	12953.416	44.30	39.39	-37.10	46.59	68.30	21.71	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 359 of 573

802.11n40_Channel 151




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7396.5208	48.76	36.11	-42.81	42.06	74.00	31.94	Vertical
2	9525.9375	47.08	37.55	-39.76	44.87	68.30	23.43	Vertical
3	12238.979	44.46	39.17	-36.93	46.70	74.00	27.30	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 360 of 573

802.11n40_Channel 159




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7405.1458	48.59	36.13	-42.81	41.91	74.00	32.09	Horizontal
2	11182.4167	43.80	38.69	-36.80	45.69	74.00	28.31	Horizontal
3	13987.458	42.78	40.78	-34.88	48.68	68.30	19.62	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 361 of 573

802.11n40_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7442.0417	48.98	36.24	-42.95	42.27	74.00	31.73	Vertical
2	9603.5625	47.09	37.71	-39.21	45.59	68.30	22.71	Vertical
3	13416.291	44.21	39.98	-36.16	48.03	68.30	20.27	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 362 of 573

802.11ac80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7306.9167	48.99	35.86	-43.29	41.56	74.00	32.44	Horizontal
2	8982.0833	47.26	36.51	-40.88	42.89	68.30	25.41	Horizontal
3	10095.187	44.71	38.51	-38.73	44.49	68.30	23.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 363 of 573

802.11ac80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7376.875	48.90	36.06	-42.91	42.04	74.00	31.96	Vertical
2	9400.875	46.52	37.30	-39.92	43.90	74.00	30.10	Vertical
3	13375.562	43.21	39.93	-36.30	46.83	74.00	27.17	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 364 of 573

802.11ac80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7635.1458	49.90	36.59	-42.81	43.68	74.00	30.32	Horizontal
2	8921.7083	46.75	36.55	-40.90	42.40	68.30	25.90	Horizontal
3	10916.958	44.01	38.59	-37.77	44.83	74.00	29.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 365 of 573

802.11ac80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8031.8958	48.32	37.08	-41.88	43.52	74.00	30.48	Vertical
2	9294.0208	46.20	37.09	-40.06	43.23	68.30	25.07	Vertical
3	10657.729	44.73	38.57	-37.71	45.59	74.00	28.41	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 366 of 573

802.11ac80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7892.9375	48.38	36.95	-42.73	42.60	68.30	25.70	Horizontal
2	9994.5625	44.56	38.49	-39.37	43.68	68.30	24.62	Horizontal
3	11424.875	43.90	38.81	-37.26	45.45	74.00	28.55	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 367 of 573

802.11ac80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6870.3958	50.80	34.77	-43.81	41.76	68.30	26.54	Vertical
2	8710.3958	47.97	36.67	-41.32	43.32	68.30	24.98	Vertical
3	9988.8125	44.87	38.48	-39.36	43.99	68.30	24.31	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 368 of 573

802.11ac80_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7626.5208	48.24	36.58	-42.80	42.02	74.00	31.98	Horizontal
2	8909.25	47.16	36.55	-40.91	42.81	68.30	25.49	Horizontal
3	12362.125	44.08	39.21	-36.86	46.43	74.00	27.57	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 369 of 573

802.11ac80_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6773.125	49.57	34.59	-43.56	40.60	68.30	27.70	Vertical
2	8358.2083	47.05	36.89	-41.58	42.36	74.00	31.64	Vertical
3	11179.5417	44.46	38.69	-36.84	46.31	74.00	27.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 370 of 573

802.11ac80_Channel 155




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7411.8542	49.13	36.15	-42.84	42.45	74.00	31.55	Horizontal
2	8929.8542	47.24	36.54	-40.90	42.88	68.30	25.42	Horizontal
3	10612.687	44.21	38.56	-37.94	44.83	74.00	29.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 371 of 573

802.11ac80_Channel 155




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7325.6042	49.57	35.91	-43.19	42.29	74.00	31.71	Vertical
2	8909.25	47.08	36.55	-40.91	42.73	68.30	25.57	Vertical
3	10720.5	43.71	38.57	-37.69	44.59	74.00	29.41	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 372 of 573

802.11ax20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7439.6458	49.46	36.23	-42.94	42.75	74.00	31.25	Horizontal
2	9098.0417	46.77	36.70	-40.42	43.05	74.00	30.95	Horizontal
3	10113.875	46.24	38.51	-38.78	45.97	68.30	22.33	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 373 of 573

802.11ax20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7476.5417	48.55	36.33	-43.08	41.80	74.00	32.20	Vertical
2	8888.1667	46.78	36.57	-40.94	42.41	68.30	25.89	Vertical
3	10374.541	45.25	38.54	-38.78	45.00	68.30	23.30	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 374 of 573

802.11ax20_Channel 44




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7349.0833	49.57	35.98	-43.06	42.48	74.00	31.52	Horizontal
2	9327.5625	46.28	37.16	-40.03	43.41	74.00	30.59	Horizontal
3	11220.270	44.18	38.71	-36.73	46.16	74.00	27.84	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 375 of 573

802.11ax20_Channel 44




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7382.1458	50.33	36.07	-42.89	43.51	74.00	30.49	Vertical
2	10088.479	45.45	38.51	-38.78	45.18	68.30	23.12	Vertical
3	10705.166	44.50	38.57	-37.54	45.53	74.00	28.47	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 376 of 573

802.11ax20_Channel 48



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7685.9375	49.43	36.66	-42.92	43.17	74.00	30.83	Horizontal
2	9275.8125	45.56	37.05	-40.04	42.57	68.30	25.73	Horizontal
3	11087.541	44.11	38.64	-37.73	45.02	74.00	28.98	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 377 of 573

802.11ax20_Channel 48




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7547.9375	49.85	36.47	-42.96	43.35	74.00	30.65	Vertical
2	8931.2917	47.52	36.54	-40.90	43.16	68.30	25.14	Vertical
3	10236.541	45.77	38.52	-39.17	45.13	68.30	23.17	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 378 of 573

802.11ax20_Channel 52




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7643.2917	49.68	36.60	-42.83	43.45	74.00	30.55	Horizontal
2	9564.2708	47.18	37.63	-39.47	45.34	68.30	22.96	Horizontal
3	10756.916	44.62	38.58	-38.05	45.15	74.00	28.85	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 379 of 573

802.11ax20_Channel 52




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7591.5417	49.45	36.53	-42.78	43.20	74.00	30.80	Vertical
2	9330.9167	45.38	37.16	-40.02	42.52	74.00	31.48	Vertical
3	10996.020	43.80	38.60	-37.60	44.80	74.00	29.20	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 380 of 573

802.11ax20_Channel 60




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7291.1042	50.16	35.82	-43.35	42.62	74.00	31.38	Horizontal
2	9410.4583	46.94	37.32	-39.92	44.34	74.00	29.66	Horizontal
3	11203.5	44.59	38.70	-36.62	46.67	74.00	27.33	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 381 of 573

802.11ax20_Channel 60




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7665.3333	48.53	36.63	-42.88	42.28	74.00	31.72	Vertical
2	9798.5833	46.31	38.10	-39.07	45.34	68.30	22.96	Vertical
3	10662.520	44.34	38.57	-37.68	45.22	74.00	28.78	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 382 of 573

802.11ax20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7901.5625	49.94	36.96	-42.73	44.17	68.30	24.13	Horizontal
2	9430.5833	46.31	37.36	-39.93	43.74	74.00	30.26	Horizontal
3	11548.5	43.58	38.87	-36.74	45.72	74.00	28.28	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 383 of 573

802.11ax20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8187.1458	46.69	36.99	-42.05	41.63	74.00	32.37	Vertical
2	9536	46.59	37.57	-39.69	44.48	68.30	23.82	Vertical
3	11070.770	44.08	38.64	-37.70	45.01	74.00	28.99	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 384 of 573

802.11ax20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7722.8333	47.31	36.71	-42.87	41.16	74.00	32.84	Horizontal
2	9837.875	44.88	38.18	-39.11	43.94	68.30	24.36	Horizontal
3	11383.666	44.98	38.79	-37.46	46.31	74.00	27.69	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 385 of 573

802.11ax20_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7594.4167	48.15	36.53	-42.76	41.92	74.00	32.08	Vertical
2	9129.1875	45.65	36.76	-40.28	42.13	74.00	31.87	Vertical
3	11162.7708	45.01	38.68	-37.03	46.66	74.00	27.34	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 386 of 573

802.11ax20_Channel 116




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7797.5833	49.08	36.82	-42.59	43.31	68.30	24.99	Horizontal
2	9525.9375	47.71	37.55	-39.76	45.50	68.30	22.80	Horizontal
3	11259.562	44.03	38.73	-36.98	45.78	74.00	28.22	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 387 of 573

802.11ax20_Channel 116




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7236	48.42	35.66	-43.51	40.57	68.30	27.73	Vertical
2	9097.0833	46.28	36.69	-40.42	42.55	74.00	31.45	Vertical
3	10688.395	43.63	38.57	-37.55	44.65	74.00	29.35	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 388 of 573

802.11ax20_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7886.2292	49.18	36.94	-42.72	43.40	68.30	24.90	Horizontal
2	9520.1875	47.30	37.54	-39.81	45.03	68.30	23.27	Horizontal
3	11180.5	44.25	38.69	-36.82	46.12	74.00	27.88	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 389 of 573

802.11ax20_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7522.5417	48.72	36.43	-43.07	42.08	74.00	31.92	Vertical
2	9105.2292	45.65	36.71	-40.39	41.97	74.00	32.03	Vertical
3	10835.979	44.58	38.58	-38.23	44.93	74.00	29.07	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 390 of 573

802.11ax20_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7861.7917	48.90	36.91	-42.68	43.13	68.30	25.17	Horizontal
2	9571.9375	46.81	37.64	-39.41	45.04	68.30	23.26	Horizontal
3	11151.75	43.87	38.68	-37.15	45.39	74.00	28.61	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 391 of 573

802.11ax20_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8723.3333	47.04	36.67	-41.29	42.41	68.30	25.89	Vertical
2	10281.104	45.44	38.53	-39.03	44.94	68.30	23.36	Vertical
3	12098.104	44.80	39.13	-37.19	46.74	74.00	27.26	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 392 of 573

802.11ax20_Channel 157




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8310.7708	47.92	36.91	-41.82	43.02	74.00	30.98	Horizontal
2	9517.7917	47.39	37.54	-39.82	45.10	68.30	23.20	Horizontal
3	11949.083	43.72	39.07	-37.27	45.53	74.00	28.47	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 393 of 573

802.11ax20_Channel 157




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7375.4375	48.90	36.05	-42.92	42.03	74.00	31.97	Vertical
2	10048.708	44.46	38.50	-39.05	43.92	68.30	24.38	Vertical
3	11923.687	44.12	39.06	-37.31	45.87	74.00	28.13	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 394 of 573

802.11ax20_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7410.4167	48.89	36.15	-42.83	42.21	74.00	31.79	Horizontal
2	9145.4792	46.29	36.79	-40.20	42.88	74.00	31.12	Horizontal
3	12189.625	44.60	39.16	-37.12	46.64	74.00	27.36	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 395 of 573

802.11ax20_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7244.625	48.18	35.68	-43.49	40.38	68.30	27.92	Vertical
2	9516.8333	47.73	37.53	-39.83	45.43	68.30	22.87	Vertical
3	12695.625	43.60	39.31	-36.85	46.06	74.00	27.94	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 396 of 573

802.11ax40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8043.875	47.76	37.07	-41.78	43.05	74.00	30.95	Horizontal
2	9582	46.40	37.66	-39.34	44.73	68.30	23.57	Horizontal
3	11133.5417	43.97	38.67	-37.36	45.27	74.00	28.73	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 397 of 573

802.11ax40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7745.8333	47.94	36.74	-42.78	41.90	74.00	32.10	Vertical
2	8965.7917	46.35	36.52	-40.88	41.99	68.30	26.31	Vertical
3	10375.020	44.39	38.54	-38.78	44.15	68.30	24.15	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 398 of 573

802.11ax40_Channel 46




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7281.5208	49.31	35.79	-43.38	41.72	74.00	32.28	Horizontal
2	8854.1458	47.80	36.59	-41.02	43.37	68.30	24.93	Horizontal
3	10163.229	45.35	38.52	-39.07	44.80	68.30	23.50	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 399 of 573

802.11ax40_Channel 46




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7541.2292	48.42	36.46	-42.99	41.89	74.00	32.11	Vertical
2	8402.2917	47.05	36.86	-41.38	42.53	74.00	31.47	Vertical
3	10366.395	45.08	38.54	-38.80	44.81	68.30	23.49	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 400 of 573

802.11ax40_Channel 54




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7660.5417	49.78	36.62	-42.87	43.54	74.00	30.46	Horizontal
2	8653.8542	47.50	36.71	-41.13	43.08	68.30	25.22	Horizontal
3	10688.875	43.84	38.57	-37.55	44.86	74.00	29.14	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 401 of 573

802.11ax40_Channel 54




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7725.2292	48.14	36.72	-42.86	42.00	74.00	32.00	Vertical
2	8749.6875	47.22	36.65	-41.24	42.63	68.30	25.67	Vertical
3	10145.020	45.81	38.51	-38.96	45.36	68.30	22.94	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 402 of 573

802.11ax40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8070.7083	47.40	37.06	-41.57	42.89	74.00	31.11	Horizontal
2	9605.4792	46.86	37.71	-39.22	45.36	68.30	22.94	Horizontal
3	10713.312	44.39	38.57	-37.62	45.34	74.00	28.66	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 403 of 573

802.11ax40_Channel 62



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8036.6875	47.66	37.08	-41.84	42.90	74.00	31.10	Vertical
2	9512.5208	47.02	37.53	-39.86	44.68	68.30	23.62	Vertical
3	11197.75	43.18	38.70	-36.63	45.25	74.00	28.75	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 404 of 573

802.11ax40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7906.8333	48.73	36.97	-42.70	43.00	68.30	25.30	Horizontal
2	9468.9167	46.97	37.44	-39.95	44.46	74.00	29.54	Horizontal
3	11252.854	43.85	38.73	-36.93	45.64	74.00	28.36	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 405 of 573

802.11ax40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7828.7292	48.16	36.86	-42.63	42.39	68.30	25.91	Vertical
2	9496.7083	46.59	37.49	-39.96	44.12	74.00	29.88	Vertical
3	11718.125	42.14	38.96	-36.29	44.81	74.00	29.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 406 of 573

802.11ax40_Channel 110




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7841.1875	48.24	36.88	-42.65	42.47	68.30	25.83	Horizontal
2	9459.8125	46.16	37.42	-39.94	43.64	74.00	30.36	Horizontal
3	11760.770	43.33	38.98	-36.76	45.55	74.00	28.45	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 407 of 573

802.11ax40_Channel 110




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7428.625	49.03	36.20	-42.90	42.33	74.00	31.67	Vertical
2	9534.0833	47.68	37.57	-39.70	45.55	68.30	22.75	Vertical
3	11244.229	43.62	38.72	-36.88	45.46	74.00	28.54	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 408 of 573

802.11ax40_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7582.4375	48.12	36.52	-42.82	41.82	74.00	32.18	Horizontal
2	9581.5208	45.74	37.66	-39.34	44.06	68.30	24.24	Horizontal
3	11298.375	45.20	38.75	-37.22	46.73	74.00	27.27	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 409 of 573

802.11ax40_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7489.9583	50.30	36.37	-43.13	43.54	74.00	30.46	Vertical
2	8978.7292	47.18	36.51	-40.88	42.81	68.30	25.49	Vertical
3	11533.166	42.94	38.87	-36.67	45.14	74.00	28.86	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 410 of 573

802.11ax40_Channel 151




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7779.8542	48.17	36.79	-42.65	42.31	68.30	25.99	Horizontal
2	8657.2083	47.27	36.71	-41.15	42.83	68.30	25.47	Horizontal
3	10278.708	44.82	38.53	-39.04	44.31	68.30	23.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 411 of 573

802.11ax40_Channel 151




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7513.4375	48.44	36.42	-43.11	41.75	74.00	32.25	Vertical
2	9574.8125	47.07	37.65	-39.39	45.33	68.30	22.97	Vertical
3	11232.729	43.29	38.72	-36.81	45.20	74.00	28.80	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 412 of 573

802.11ax40_Channel 159




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7826.3333	47.85	36.86	-42.62	42.08	68.30	26.22	Horizontal
2	9026.6458	46.03	36.55	-40.75	41.84	74.00	32.16	Horizontal
3	11061.187	44.16	38.63	-37.69	45.10	74.00	28.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 413 of 573

802.11ax40_Channel 159




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7524.4583	48.56	36.43	-43.06	41.93	74.00	32.07	Vertical
2	8919.3125	46.99	36.55	-40.90	42.64	68.30	25.66	Vertical
3	10983.083	43.55	38.60	-37.63	44.52	74.00	29.48	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 414 of 573

802.11ax80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7922.6458	48.54	36.99	-42.60	42.93	68.30	25.37	Horizontal
2	9097.5625	45.97	36.70	-40.42	42.24	74.00	31.76	Horizontal
3	11187.6875	43.60	38.69	-36.74	45.55	74.00	28.45	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 415 of 573

802.11ax80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7374	49.32	36.05	-42.93	42.44	74.00	31.56	Vertical
2	9609.7917	45.45	37.72	-39.23	43.94	68.30	24.36	Vertical
3	11431.583	43.63	38.82	-37.19	45.25	74.00	28.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 416 of 573

802.11ax80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7768.3542	48.46	36.78	-42.70	42.54	68.30	25.76	Horizontal
2	9559.4792	46.35	37.62	-39.51	44.46	68.30	23.84	Horizontal
3	12069.354	43.98	39.12	-37.19	45.91	74.00	28.09	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 417 of 573

802.11ax80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7362.5	49.22	36.02	-42.99	42.24	74.00	31.76	Vertical
2	9388.8958	45.23	37.28	-39.94	42.57	74.00	31.43	Vertical
3	12190.583	44.24	39.16	-37.12	46.28	74.00	27.72	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 418 of 573

802.11ax80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7919.2917	49.17	36.99	-42.62	43.53	68.30	24.77	Horizontal
2	10022.833	44.17	38.50	-39.22	43.45	68.30	24.85	Horizontal
3	11203.020	43.47	38.70	-36.62	45.55	74.00	28.45	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 419 of 573

802.11ax80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8088.9167	47.45	37.05	-41.43	43.07	74.00	30.93	Vertical
2	10104.291	44.79	38.51	-38.72	44.58	68.30	23.72	Vertical
3	11771.312	43.58	38.99	-36.88	45.68	74.00	28.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 420 of 573

802.11ax80_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8018	48.97	37.09	-41.99	44.07	68.30	24.23	Horizontal
2	10076.979	44.93	38.51	-38.86	44.58	68.30	23.72	Horizontal
3	12794.812	44.40	39.34	-36.63	47.11	68.30	21.19	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 421 of 573

802.11ax80_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7777.4583	48.20	36.79	-42.66	42.33	68.30	25.97	Vertical
2	9548.9375	46.32	37.60	-39.59	44.33	68.30	23.97	Vertical
3	11200.145	42.99	38.70	-36.60	45.09	74.00	28.91	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 422 of 573

802.11ax80_Channel 155




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8077.4167	47.01	37.05	-41.52	42.55	74.00	31.45	Horizontal
2	9301.2083	45.25	37.10	-40.07	42.28	74.00	31.72	Horizontal
3	10631.375	43.09	38.56	-37.85	43.81	74.00	30.19	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 423 of 573

802.11ax80_Channel 155




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7692.1667	48.11	36.67	-42.93	41.85	74.00	32.15	Vertical
2	9093.25	46.00	36.69	-40.44	42.25	74.00	31.75	Vertical
3	10639.041	43.73	38.56	-37.81	44.49	74.00	29.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 424 of 573

802.11n40_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7500.9792	48.92	36.40	-43.17	42.16	74.00	31.84	Horizontal
2	8857.9792	46.53	36.59	-41.01	42.11	68.30	26.19	Horizontal
3	9819.6667	44.89	38.14	-39.09	43.94	68.30	24.36	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 425 of 573

802.11n40_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7554.1667	49.00	36.48	-42.94	42.54	74.00	31.46	Vertical
2	9172.7917	45.32	36.85	-40.08	42.09	74.00	31.91	Vertical
3	10128.729	45.03	38.51	-38.87	44.68	68.30	23.62	Vertical

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 426 of 573

Restricted bands around fundamental frequency

802.11a_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.9	54.38	31.67	-19.15	66.90	74.00	7.10	Horizontal
2	5149.8	56.16	31.67	-19.14	68.69	74.00	5.31	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 427 of 573

802.11a_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.7	44.34	31.66	-19.15	56.86	74.00	17.14	Vertical
2	5148.6	44.38	31.67	-19.14	56.90	74.00	17.10	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 428 of 573

802.11a_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.5	31.81	31.67	-19.15	44.33	54.00	9.67	Horizontal
2	5150	32.94	31.67	-19.14	45.47	54.00	8.53	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 429 of 573

802.11a_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.1	27.08	31.66	-19.15	39.59	54.00	14.41	Vertical
2	5149.8	27.65	31.67	-19.14	40.18	54.00	13.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 430 of 573

802.11a_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	33.08	32.03	-18.90	46.21	54.00	7.79	Horizontal
2	5352.5	32.54	32.03	-18.91	45.67	54.00	8.33	Horizontal