




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 431 of 573

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.8	27.96	32.03	-18.90	41.09	54.00	12.91	Vertical
2	5356.7	27.08	32.04	-18.92	40.21	54.00	13.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 432 of 573

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.4	48.11	32.03	-18.90	61.24	74.00	12.76	Horizontal
2	5354.3	46.92	32.04	-18.91	60.05	74.00	13.95	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 433 of 573

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.8	39.46	32.04	-18.91	52.59	74.00	21.41	Vertical
2	5355.4	40.28	32.04	-18.91	53.41	74.00	20.59	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 434 of 573

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.5	42.74	32.23	-19.12	55.85	74.00	18.15	Horizontal
2	5469.64	50.82	32.25	-19.13	63.93	68.30	4.37	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 435 of 573

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.32	39.50	32.21	-19.10	52.61	74.00	21.39	Vertical
2	5466.1	39.31	32.24	-19.13	52.42	68.30	15.88	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 436 of 573

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5440.72	28.11	32.19	-19.09	41.22	54.00	12.78	Horizontal
2	5455.36	29.12	32.22	-19.11	42.23	54.00	11.77	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 437 of 573

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5440.24	26.35	32.19	-19.08	39.46	54.00	14.54	Vertical
2	5451.46	26.35	32.21	-19.10	39.46	54.00	14.54	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 438 of 573

802.11a_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5630	36.90	32.33	-18.72	50.50	-	-	Horizontal
2	5726.5	48.83	32.35	-18.81	62.37	68.30	5.93	Horizontal
3	5727.95	46.60	32.35	-18.81	60.13	68.30	8.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 439 of 573

802.11a_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5727.8	38.46	32.35	-18.81	51.99	68.30	16.31	Vertical
2	5731.85	37.72	32.35	-18.83	51.24	68.30	17.06	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 440 of 573

802.11a_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638.65	41.08	32.33	-18.72	54.68	68.30	13.62	Horizontal
2	5661.725	40.65	32.33	-18.73	54.26	77.01	22.75	Horizontal
3	5709.3375	47.03	32.34	-18.76	60.61	107.92	47.31	Horizontal
4	5722.3375	52.62	32.34	-18.80	66.17	116.23	50.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 441 of 573

802.11a_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.7	39.05	32.33	-18.72	52.65	68.30	15.65	Vertical
2	5667.0875	39.02	32.33	-18.73	52.63	80.98	28.35	Vertical
3	5708.85	38.69	32.34	-18.76	52.28	107.78	55.50	Vertical
4	5722.175	42.42	32.34	-18.80	55.97	115.86	59.89	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 442 of 573

802.11a_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.225	48.22	32.37	-18.88	61.71	121.79	60.08	Horizontal
2	5870.375	39.58	32.37	-18.83	53.13	106.59	53.46	Horizontal
3	5904.825	40.02	32.38	-18.75	53.65	83.19	29.54	Horizontal
4	5932.45	38.67	32.39	-18.81	52.25	68.30	16.05	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 443 of 573

802.11a_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.0625	39.72	32.37	-18.88	53.21	122.16	68.95	Vertical
2	5865.3375	38.75	32.37	-18.84	52.28	108.00	55.72	Vertical
3	5894.5875	38.72	32.38	-18.76	52.34	90.77	38.43	Vertical
4	5935.5375	38.64	32.39	-18.81	52.21	68.30	16.09	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 444 of 573

802.11a_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.3	27.66	31.66	-19.15	40.17	54.00	13.83	Horizontal
2	5148.9	28.29	31.67	-19.14	40.82	54.00	13.18	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 445 of 573

802.11a_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.1	26.25	31.66	-19.15	38.76	54.00	15.24	Vertical
2	5147.5	26.16	31.67	-19.15	38.68	54.00	15.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 446 of 573

802.11a_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.3	39.82	31.66	-19.15	52.33	74.00	21.67	Horizontal
2	5148.1	43.32	31.67	-19.14	55.84	74.00	18.16	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 447 of 573

802.11a_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139.9	37.11	31.65	-19.16	49.60	74.00	24.40	Vertical
2	5147.8	37.65	31.67	-19.15	50.17	74.00	23.83	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 448 of 573

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.4	29.69	32.03	-18.90	42.82	54.00	11.18	Horizontal
2	5353.3	28.70	32.04	-18.91	41.83	54.00	12.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 449 of 573

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.5	27.27	32.03	-18.90	40.40	54.00	13.60	Vertical
2	5357.8	26.61	32.04	-18.92	39.74	54.00	14.26	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 450 of 573

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.8	41.61	32.04	-18.91	54.74	74.00	19.26	Horizontal
2	5357.4	39.71	32.04	-18.92	52.84	74.00	21.16	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 451 of 573

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.9	39.37	32.04	-18.91	52.50	74.00	21.50	Vertical
2	5355.1	39.36	32.04	-18.91	52.49	74.00	21.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 452 of 573

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.58	38.26	32.20	-19.09	51.37	74.00	22.63	Horizontal
2	5466.52	39.07	32.24	-19.13	52.18	68.30	16.12	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 453 of 573

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5448.04	37.68	32.21	-19.10	50.79	74.00	23.21	Vertical
2	5468.62	37.55	32.24	-19.13	50.66	68.30	17.64	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 454 of 573

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5429.02	26.60	32.17	-19.07	39.71	54.00	14.29	Horizontal
2	5456.74	26.60	32.22	-19.11	39.71	54.00	14.29	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 455 of 573

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5420.56	26.72	32.16	-19.05	39.82	54.00	14.18	Vertical
2	5439.82	26.52	32.19	-19.08	39.63	54.00	14.37	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 456 of 573

802.11a_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5731.45	37.77	32.35	-18.82	51.29	68.30	17.01	Horizontal
2	5739.85	37.20	32.35	-18.85	50.70	68.30	17.60	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 457 of 573

802.11a_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5730.6	36.95	32.35	-18.82	50.47	68.30	17.83	Vertical
2	5739.55	37.07	32.35	-18.85	50.57	68.30	17.73	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 458 of 573

802.11a_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.4375	39.02	32.33	-18.72	52.62	68.30	15.68	Horizontal
2	5678.625	39.37	32.34	-18.73	52.98	89.52	36.54	Horizontal
3	5712.1	42.75	32.34	-18.77	56.33	108.69	52.36	Horizontal
4	5722.3375	44.38	32.34	-18.80	57.93	116.23	58.30	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 459 of 573

802.11a_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.5	38.34	32.33	-18.72	51.94	68.30	16.36	Vertical
2	5676.5125	38.91	32.34	-18.73	52.52	87.96	35.44	Vertical
3	5706.575	38.81	32.34	-18.75	52.40	107.14	54.74	Vertical
4	5724.6125	41.69	32.34	-18.80	55.23	121.42	66.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 460 of 573

802.11a_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.6625	40.62	32.37	-18.88	54.11	116.23	62.12	Horizontal
2	5862.25	38.74	32.37	-18.85	52.26	108.87	56.61	Horizontal
3	5898.325	38.59	32.38	-18.74	52.22	88.00	35.78	Horizontal
4	5931.9625	38.30	32.39	-18.81	51.88	68.30	16.42	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 461 of 573

802.11a_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.3625	40.57	32.37	-18.88	54.06	119.19	65.13	Vertical
2	5859	38.93	32.37	-18.86	52.44	109.78	57.34	Vertical
3	5898.65	39.02	32.38	-18.74	52.66	87.76	35.10	Vertical
4	5928.55	38.54	32.39	-18.80	52.13	68.30	16.17	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 462 of 573

802.11n20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.2	34.97	31.67	-19.14	47.50	54.00	6.50	Horizontal
2	5149.7	35.21	31.67	-19.14	47.74	54.00	6.26	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 463 of 573

802.11n20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146	28.99	31.66	-19.15	41.50	54.00	12.50	Vertical
2	5147.2	28.17	31.66	-19.15	40.69	54.00	13.31	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 464 of 573

802.11n20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.7	54.24	31.66	-19.15	66.75	74.00	7.25	Horizontal
2	5148.6	52.58	31.67	-19.14	65.10	74.00	8.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 465 of 573

802.11n20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.7	40.09	31.66	-19.15	52.60	74.00	21.40	Vertical
2	5148.9	45.11	31.67	-19.14	57.64	74.00	16.36	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 466 of 573

802.11n20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.4	36.89	32.03	-18.90	50.02	54.00	3.98	Horizontal
2	5352.2	36.49	32.03	-18.91	49.62	54.00	4.38	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 467 of 573

802.11n20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.1	29.12	32.03	-18.90	42.25	54.00	11.75	Vertical
2	5354.3	28.48	32.04	-18.91	41.61	54.00	12.39	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 468 of 573

802.11n20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.3	52.70	32.03	-18.90	65.83	74.00	8.17	Horizontal
2	5355.1	49.62	32.04	-18.91	62.75	74.00	11.25	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 469 of 573

802.11n20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.9	42.55	32.03	-18.90	55.68	74.00	18.32	Vertical
2	5354.2	43.68	32.04	-18.91	56.81	74.00	17.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 470 of 573

802.11n20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5441.2	27.37	32.19	-19.09	40.48	54.00	13.52	Horizontal
2	5459.8	28.02	32.23	-19.12	41.13	54.00	12.87	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 471 of 573

802.11n20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5429.56	26.45	32.17	-19.07	39.56	54.00	14.44	Vertical
2	5450.56	26.45	32.21	-19.10	39.56	54.00	14.44	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 472 of 573

802.11n20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.62	39.04	32.22	-19.11	52.15	74.00	21.85	Horizontal
2	5467.36	44.67	32.24	-19.13	57.78	68.30	10.52	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 473 of 573

802.11n20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5436.76	37.63	32.19	-19.08	50.74	74.00	23.26	Vertical
2	5467.42	38.18	32.24	-19.13	51.29	68.30	17.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 474 of 573

802.11n20_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.65	49.78	32.35	-18.81	63.32	68.30	4.98	Horizontal
2	5728.95	46.82	32.35	-18.82	60.35	68.30	7.95	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 475 of 573

802.11n20_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5729.8	38.14	32.35	-18.82	51.67	68.30	16.63	Vertical
2	5737.4	37.27	32.35	-18.84	50.78	68.30	17.52	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 476 of 573

802.11n20_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.4625	39.97	32.33	-18.72	53.57	68.30	14.73	Horizontal
2	5680.25	40.30	32.34	-18.73	53.91	90.72	36.81	Horizontal
3	5715.025	51.81	32.34	-18.78	65.38	109.51	44.13	Horizontal
4	5722.3375	55.02	32.34	-18.80	68.57	116.23	47.66	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 477 of 573

802.11n20_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.7	38.88	32.33	-18.72	52.48	68.30	15.82	Vertical
2	5679.275	38.16	32.34	-18.73	51.77	90.00	38.23	Vertical
3	5706.0875	38.60	32.34	-18.75	52.19	107.01	54.82	Vertical
4	5723.3125	43.40	32.34	-18.80	56.94	118.45	61.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 478 of 573

802.11n20_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.5	48.43	32.37	-18.88	61.92	116.60	54.68	Horizontal
2	5863.875	42.63	32.37	-18.84	56.16	108.41	52.25	Horizontal
3	5896.5375	38.70	32.38	-18.75	52.33	89.32	36.99	Horizontal
4	5928.55	38.46	32.39	-18.80	52.05	68.30	16.25	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 479 of 573

802.11n20_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.525	41.16	32.37	-18.88	54.65	118.82	64.17	Vertical
2	5861.1125	39.33	32.37	-18.85	52.85	109.19	56.34	Vertical
3	5894.2625	39.38	32.38	-18.76	53.00	91.01	38.01	Vertical
4	5937.65	38.73	32.39	-18.82	52.30	68.30	16.00	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 480 of 573

802.11n40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.44	31.97	31.67	-19.14	44.50	54.00	9.50	Horizontal
2	5361.185	26.49	32.05	-18.93	39.61	54.00	14.39	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 481 of 573

802.11n40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.96	26.76	31.67	-19.14	39.29	54.00	14.71	Vertical
2	5353.205	26.12	32.04	-18.91	39.25	54.00	14.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 482 of 573

802.11n40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.02	48.99	31.66	-19.15	61.50	74.00	12.50	Horizontal
2	5352.1025	38.35	32.03	-18.91	51.48	74.00	22.52	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 483 of 573

802.11n40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.96	40.22	31.66	-19.15	52.73	74.00	21.27	Vertical
2	5361.045	38.75	32.05	-18.93	51.87	74.00	22.13	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 484 of 573

802.11n40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139.05	26.92	31.65	-19.17	39.40	54.00	14.60	Horizontal
2	5350.925	35.44	32.03	-18.90	48.57	54.00	5.43	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 485 of 573

802.11n40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.95	26.21	31.64	-19.17	38.68	54.00	15.32	Vertical
2	5355.075	27.55	32.04	-18.91	40.68	54.00	13.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 486 of 573

802.11n40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.4	38.62	31.64	-19.18	51.09	74.00	22.91	Horizontal
2	5354.9375	52.48	32.04	-18.91	65.61	74.00	8.39	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 487 of 573

802.11n40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.4667	38.57	31.65	-19.16	51.06	74.00	22.94	Vertical
2	5352.35	43.17	32.03	-18.91	56.30	74.00	17.70	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 488 of 573

802.11n40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.0883	30.61	32.22	-19.11	43.72	54.00	10.28	Horizontal
2	5458.4283	31.39	32.23	-19.11	44.50	54.00	9.50	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 489 of 573

802.11n40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5436.765	26.51	32.19	-19.08	39.62	54.00	14.38	Vertical
2	5454.185	26.81	32.22	-19.11	39.92	54.00	14.08	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 490 of 573

802.11n40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.0633	46.91	32.21	-19.10	60.02	74.00	13.98	Horizontal
2	5469.3717	50.44	32.24	-19.13	63.55	68.30	4.75	Horizontal
3	5733.95	38.78	32.35	-18.83	52.29	68.30	16.01	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 491 of 573

802.11n40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.2867	39.36	32.21	-19.10	52.47	74.00	21.53	Vertical
2	5464.905	41.47	32.24	-19.12	54.58	68.30	13.72	Vertical
3	5746.13	39.15	32.35	-18.87	52.63	68.30	15.67	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 492 of 573

802.11n40_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5436.2067	39.11	32.19	-19.08	52.22	74.00	21.78	Horizontal
2	5466.1333	39.71	32.24	-19.13	52.82	68.30	15.48	Horizontal
3	5732.45	43.25	32.35	-18.83	56.77	68.30	11.53	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 493 of 573

802.11n40_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5437.435	38.87	32.19	-19.08	51.98	74.00	22.02	Vertical
2	5462.895	38.97	32.23	-19.12	52.08	68.30	16.22	Vertical
3	5732.26	39.03	32.35	-18.83	52.55	68.30	15.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 494 of 573

802.11n40_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5429.1717	26.41	32.17	-19.07	39.52	54.00	14.48	Horizontal
2	5456.7533	26.46	32.22	-19.11	39.57	54.00	14.43	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 495 of 573

802.11n40_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5406.3917	26.37	32.13	-19.03	39.47	54.00	14.53	Vertical
2	5436.9883	26.28	32.19	-19.08	39.39	54.00	14.61	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 496 of 573

802.11n40_Channel 151




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.7375	39.65	32.33	-18.72	53.25	68.30	15.05	Horizontal
2	5670.0125	39.66	32.33	-18.73	53.27	83.15	29.88	Horizontal
3	5705.1125	45.13	32.34	-18.75	58.73	106.73	48.00	Horizontal
4	5722.5	51.81	32.34	-18.80	65.36	116.60	51.24	Horizontal
5	5852.0125	39.17	32.37	-18.88	52.66	117.71	65.05	Horizontal
6	5866.8	39.79	32.37	-18.84	53.33	107.59	54.26	Horizontal
7	5906.9375	38.95	32.38	-18.75	52.58	81.63	29.05	Horizontal
8	5941.225	39.01	32.39	-18.83	52.57	68.30	15.73	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 497 of 573

802.11n40_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5635.5625	38.43	32.33	-18.72	52.03	68.30	16.27	Vertical
2	5664.4875	38.66	32.33	-18.73	52.27	79.05	26.78	Vertical
3	5708.525	39.81	32.34	-18.76	53.40	107.69	54.29	Vertical
4	5723.3125	42.54	32.34	-18.80	56.08	118.45	62.37	Vertical
5	5852.9875	38.19	32.37	-18.88	51.68	115.49	63.81	Vertical
6	5870.7	38.66	32.37	-18.82	52.21	106.50	54.29	Vertical
7	5901.0875	38.49	32.38	-18.74	52.13	85.96	33.83	Vertical
8	5934.725	38.64	32.39	-18.81	52.21	68.30	16.09	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 498 of 573

802.11n40_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.7125	38.77	32.33	-18.72	52.37	68.30	15.93	Horizontal
2	5673.9125	38.71	32.33	-18.73	52.32	86.04	33.72	Horizontal
3	5706.7375	39.28	32.34	-18.75	52.87	107.19	54.32	Horizontal
4	5723.3125	39.85	32.34	-18.80	53.39	118.45	65.06	Horizontal
5	5852.3375	40.03	32.37	-18.88	53.52	116.97	63.45	Horizontal
6	5868.1	39.31	32.37	-18.83	52.85	107.23	54.38	Horizontal
7	5901.25	39.06	32.38	-18.74	52.70	85.84	33.14	Horizontal
8	5935.2125	39.41	32.39	-18.81	52.98	68.30	15.32	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 499 of 573

802.11n40_Channel 159




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5649.05	38.93	32.33	-18.72	52.53	68.30	15.77	Vertical
2	5671.475	39.59	32.33	-18.73	53.20	84.23	31.03	Vertical
3	5713.075	38.63	32.34	-18.77	52.20	108.96	56.76	Vertical
4	5724.2875	39.23	32.34	-18.80	52.77	120.68	67.91	Vertical
5	5852.3375	38.93	32.37	-18.88	52.42	116.97	64.55	Vertical
6	5865.175	38.58	32.37	-18.84	52.11	108.05	55.94	Vertical
7	5907.5875	38.93	32.38	-18.76	52.56	81.15	28.59	Vertical
8	5939.1125	38.63	32.39	-18.82	52.20	68.30	16.10	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 500 of 573

802.11ac80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.2267	32.80	31.67	-19.14	45.33	54.00	8.67	Horizontal
2	5354.4125	27.45	32.04	-18.91	40.58	54.00	13.42	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 501 of 573

802.11ac80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.48	27.61	31.67	-19.14	40.13	54.00	13.87	Vertical
2	5359.4875	26.34	32.05	-18.92	39.46	54.00	14.54	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 502 of 573

802.11ac80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.6	47.74	31.67	-19.15	60.26	74.00	13.74	Horizontal
2	5354.325	38.59	32.04	-18.91	51.72	74.00	22.28	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 503 of 573

802.11ac80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.56	40.96	31.66	-19.16	53.46	74.00	20.54	Vertical
2	5364.0025	38.02	32.06	-18.93	51.14	74.00	22.86	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 504 of 573

802.11ac80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.05	34.50	31.67	-19.14	47.03	54.00	6.97	Horizontal
2	5356.8	28.21	32.04	-18.92	41.34	54.00	12.66	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 505 of 573

802.11ac80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.2	28.05	31.67	-19.14	40.58	54.00	13.42	Vertical
2	5364.425	26.81	32.06	-18.93	39.93	54.00	14.07	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 506 of 573

802.11ac80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146	50.17	31.66	-19.15	62.68	74.00	11.32	Horizontal
2	5369.2125	40.96	32.06	-18.95	54.08	74.00	19.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 507 of 573

802.11ac80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146	43.31	31.66	-19.15	55.82	74.00	18.18	Vertical
2	5366.775	39.20	32.06	-18.94	52.32	74.00	21.68	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 508 of 573

802.11ac80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5423.8117	44.22	32.16	-19.06	57.32	74.00	16.68	Horizontal
2	5466.4683	51.39	32.24	-19.13	64.50	68.30	3.80	Horizontal
3	5734.65	40.85	32.35	-18.83	54.36	68.30	13.94	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 509 of 573

802.11ac80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.9567	40.31	32.22	-19.10	53.42	74.00	20.58	Vertical
2	5464.3467	41.70	32.24	-19.12	54.81	68.30	13.49	Vertical
3	5740.88	38.85	32.35	-18.85	52.35	68.30	15.95	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 510 of 573

802.11ac80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.7433	31.41	32.22	-19.11	44.52	54.00	9.48	Horizontal
2	5457.535	32.14	32.22	-19.11	45.25	54.00	8.75	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 511 of 573

802.11ac80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5427.72	26.42	32.17	-19.06	39.53	54.00	14.47	Vertical
2	5451.6167	26.58	32.21	-19.10	39.69	54.00	14.31	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 512 of 573

802.11ac80_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.5967	30.20	32.21	-19.10	43.31	54.00	10.69	Horizontal
2	5459.0983	33.02	32.23	-19.11	46.13	54.00	7.87	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 513 of 573

802.11ac80_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5412.31	26.34	32.14	-19.04	39.44	54.00	14.56	Vertical
2	5447.9317	26.64	32.21	-19.10	39.75	54.00	14.25	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 514 of 573

802.11ac80_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.0683	47.88	32.22	-19.10	60.99	74.00	13.01	Horizontal
2	5468.925	51.27	32.24	-19.13	64.38	68.30	3.92	Horizontal
3	5751.8	39.33	32.35	-18.89	52.79	68.30	15.51	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 515 of 573

802.11ac80_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433.8617	39.38	32.18	-19.07	52.49	74.00	21.51	Vertical
2	5465.24	41.03	32.24	-19.12	54.14	68.30	14.16	Vertical
3	5736.36	38.91	32.35	-18.84	52.42	68.30	15.88	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 516 of 573

802.11ac80_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638.4875	39.84	32.33	-18.72	53.44	68.30	14.86	Horizontal
2	5679.4375	41.63	32.34	-18.73	55.24	90.12	34.88	Horizontal
3	5711.45	49.41	32.34	-18.76	62.99	108.51	45.52	Horizontal
4	5721.85	51.87	32.34	-18.80	65.42	115.12	49.70	Horizontal
5	5852.825	43.15	32.37	-18.88	56.64	115.86	59.22	Horizontal
6	5870.7	40.08	32.37	-18.82	53.63	106.50	52.87	Horizontal
7	5893.45	39.08	32.38	-18.76	52.70	91.61	38.91	Horizontal
8	5927.4125	39.21	32.39	-18.80	52.80	68.30	15.50	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 517 of 573

802.11ac80_Channel 155




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.5125	38.76	32.33	-18.72	52.36	68.30	15.94	Vertical
2	5670.175	39.35	32.33	-18.73	52.96	83.27	30.31	Vertical
3	5713.8875	40.74	32.34	-18.77	54.31	109.19	54.88	Vertical
4	5723.9625	41.99	32.34	-18.80	55.53	119.94	64.41	Vertical
5	5851.2	39.33	32.37	-18.88	52.82	119.56	66.74	Vertical
6	5865.3375	38.49	32.37	-18.84	52.02	108.00	55.98	Vertical
7	5907.5875	38.88	32.38	-18.76	52.51	81.15	28.64	Vertical
8	5945.9375	39.48	32.39	-18.84	53.03	68.30	15.27	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 518 of 573

802.11ax20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.4	31.17	31.66	-19.15	43.68	54.00	10.32	Horizontal
2	5148.9	32.46	31.67	-19.14	44.99	54.00	9.01	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 519 of 573

802.11ax20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.6	27.15	31.66	-19.15	39.67	54.00	14.33	Vertical
2	5148.8	27.68	31.67	-19.14	40.20	54.00	13.80	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 520 of 573

802.11ax20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.6	49.25	31.66	-19.15	61.77	74.00	12.23	Horizontal
2	5148.6	52.09	31.67	-19.14	64.61	74.00	9.39	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 521 of 573

802.11ax20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.3	39.75	31.66	-19.15	52.26	74.00	21.74	Vertical
2	5149.2	43.47	31.67	-19.14	56.00	74.00	18.00	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 522 of 573

802.11ax20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.6	34.73	32.03	-18.90	47.86	54.00	6.14	Horizontal
2	5351.5	34.04	32.03	-18.90	47.17	54.00	6.83	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 523 of 573

802.11ax20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.1	27.86	32.03	-18.91	40.99	54.00	13.01	Vertical
2	5357.1	26.95	32.04	-18.92	40.08	54.00	13.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 524 of 573

802.11ax20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.1	53.34	32.03	-18.90	66.47	74.00	7.53	Horizontal
2	5351.8	53.29	32.03	-18.90	66.42	74.00	7.58	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 525 of 573

802.11ax20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352	44.45	32.03	-18.90	57.58	74.00	16.42	Vertical
2	5354.2	45.19	32.04	-18.91	58.32	74.00	15.68	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 526 of 573

802.11ax20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5439.58	37.79	32.19	-19.08	50.90	74.00	23.10	Horizontal
2	5465.32	39.67	32.24	-19.12	52.78	68.30	15.52	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 527 of 573

802.11ax20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.64	37.91	32.20	-19.09	51.02	74.00	22.98	Vertical
2	5463.46	38.06	32.23	-19.12	51.17	68.30	17.13	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 528 of 573

802.11ax20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.6	27.58	32.20	-19.09	40.69	54.00	13.31	Horizontal
2	5457.16	27.76	32.22	-19.11	40.87	54.00	13.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 529 of 573

802.11ax20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5440.72	26.49	32.19	-19.09	39.60	54.00	14.40	Vertical
2	5457.46	26.36	32.22	-19.11	39.47	54.00	14.53	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 530 of 573

802.11ax20_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5727.35	40.60	32.35	-18.81	54.13	68.30	14.17	Horizontal
2	5730.35	38.44	32.35	-18.82	51.97	68.30	16.33	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 531 of 573

802.11ax20_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5729.3	37.58	32.35	-18.82	51.11	68.30	17.19	Vertical
2	5735.5	37.19	32.35	-18.84	50.70	68.30	17.60	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 532 of 573

802.11ax20_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638.1625	39.13	32.33	-18.72	52.73	68.30	15.57	Horizontal
2	5671.8	39.33	32.33	-18.73	52.94	84.47	31.53	Horizontal
3	5709.5	45.74	32.34	-18.76	59.32	107.96	48.64	Horizontal
4	5721.2	50.01	32.34	-18.79	63.56	113.64	50.08	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 533 of 573

802.11ax20_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.275	38.10	32.33	-18.72	51.70	68.30	16.60	Vertical
2	5679.7625	38.70	32.34	-18.73	52.31	90.36	38.05	Vertical
3	5704.625	38.81	32.34	-18.74	52.41	106.60	54.19	Vertical
4	5723.3125	41.59	32.34	-18.80	55.13	118.45	63.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 534 of 573

802.11ax20_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.7125	39.68	32.37	-18.88	53.17	120.67	67.50	Horizontal
2	5862.575	39.07	32.37	-18.85	52.59	108.78	56.19	Horizontal
3	5887.275	39.03	32.38	-18.78	52.63	96.19	43.56	Horizontal
4	5930.0125	38.79	32.39	-18.80	52.37	68.30	15.93	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 535 of 573

802.11ax20_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.9875	39.27	32.37	-18.88	52.76	115.49	62.73	Vertical
2	5861.7625	38.23	32.37	-18.85	51.75	109.00	57.25	Vertical
3	5904.3375	39.16	32.38	-18.75	52.79	83.55	30.76	Vertical
4	5932.6125	38.49	32.39	-18.81	52.07	68.30	16.23	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 536 of 573

802.11ax40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.7467	28.52	31.67	-19.14	41.04	54.00	12.96	Horizontal
2	5190.0000	66.40	31.74	-19.04	79.10	-	-	Horizontal
3	5367.275	26.36	32.06	-18.94	39.48	54.00	14.52	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 537 of 573

802.11ax40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.56	25.86	31.66	-19.15	38.38	54.00	15.62	Vertical
2	5361.6925	26.07	32.05	-18.93	39.19	54.00	14.81	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 538 of 573

802.11ax40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.94	47.15	31.67	-19.14	59.68	74.00	14.32	Horizontal
2	5362.69	37.42	32.05	-18.93	50.54	74.00	23.46	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 539 of 573

802.11ax40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.3	37.88	31.67	-19.15	50.40	74.00	23.60	Vertical
2	5356.775	38.43	32.04	-18.92	51.56	74.00	22.44	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 540 of 573

802.11ax40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.15	27.14	31.66	-19.16	39.64	54.00	14.36	Horizontal
2	5352.9	35.34	32.04	-18.91	48.47	54.00	5.53	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 541 of 573

802.11ax40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.05	26.29	31.66	-19.15	38.80	54.00	15.20	Vertical
2	5353.15	28.66	32.04	-18.91	41.79	54.00	12.21	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 542 of 573

802.11ax40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.7333	38.91	31.65	-19.16	51.40	74.00	22.60	Horizontal
2	5351.9375	53.80	32.03	-18.90	66.93	74.00	7.07	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 543 of 573

802.11ax40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.4	38.21	31.66	-19.16	50.71	74.00	23.29	Vertical
2	5352.4125	46.22	32.03	-18.91	59.35	74.00	14.65	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 544 of 573

802.11ax40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5429.6183	27.03	32.17	-19.07	40.14	54.00	13.86	Horizontal
2	5455.9717	27.81	32.22	-19.11	40.92	54.00	13.08	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 545 of 573

802.11ax40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5428.1667	26.24	32.17	-19.07	39.35	54.00	14.65	Vertical
2	5456.865	26.37	32.22	-19.11	39.48	54.00	14.52	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 546 of 573

802.11ax40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5439.445	39.45	32.19	-19.08	52.56	74.00	21.44	Horizontal
2	5467.0267	48.61	32.24	-19.13	61.72	68.30	6.58	Horizontal
3	5750.08	39.11	32.35	-18.88	52.58	68.30	15.72	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 547 of 573

802.11ax40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5437.5467	39.38	32.19	-19.08	52.49	74.00	21.51	Vertical
2	5465.3517	38.58	32.24	-19.12	51.69	68.30	16.61	Vertical
3	5748.12	39.53	32.35	-18.87	53.01	68.30	15.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 548 of 573

802.11ax40_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5415.4367	26.25	32.15	-19.04	39.35	54.00	14.65	Horizontal
2	5448.0433	26.15	32.21	-19.10	39.26	54.00	14.74	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 549 of 573

802.11ax40_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5413.5383	26.30	32.14	-19.04	39.40	54.00	14.60	Vertical
2	5444.0233	26.20	32.20	-19.09	39.31	54.00	14.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 550 of 573

802.11ax40_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.3583	39.11	32.20	-19.09	52.22	74.00	21.78	Horizontal
2	5465.91	39.46	32.24	-19.13	52.57	68.30	15.73	Horizontal
3	5735.01	40.05	32.35	-18.84	53.56	68.30	14.74	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 551 of 573

802.11ax40_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5438.8867	38.97	32.19	-19.08	52.08	74.00	21.92	Vertical
2	5464.235	38.79	32.24	-19.12	51.90	68.30	16.40	Vertical
3	5735.93	39.23	32.35	-18.84	52.74	68.30	15.56	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 552 of 573

802.11ax40_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.9	38.72	32.33	-18.72	52.32	68.30	15.98	Horizontal
2	5682.0375	39.83	32.34	-18.73	53.44	92.05	38.61	Horizontal
3	5714.7	43.00	32.34	-18.77	56.57	109.42	52.85	Horizontal
4	5722.9875	47.80	32.34	-18.80	61.35	117.71	56.36	Horizontal
5	5852.175	38.46	32.37	-18.88	51.95	117.34	65.39	Horizontal
6	5863.875	39.58	32.37	-18.84	53.11	108.41	55.30	Horizontal
7	5898	39.15	32.38	-18.75	52.78	88.24	35.46	Horizontal
8	5938.7875	38.85	32.39	-18.82	52.42	68.30	15.88	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 553 of 573

802.11ax40_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.9875	38.48	32.33	-18.72	52.08	68.30	16.22	Vertical
2	5681.225	38.54	32.34	-18.73	52.15	91.44	39.29	Vertical
3	5709.825	38.66	32.34	-18.76	52.24	108.05	55.81	Vertical
4	5722.175	40.05	32.34	-18.80	53.60	115.86	62.26	Vertical
5	5852.3375	38.40	32.37	-18.88	51.89	116.97	65.08	Vertical
6	5864.2	39.25	32.37	-18.84	52.78	108.32	55.54	Vertical
7	5901.0875	39.64	32.38	-18.74	53.28	85.96	32.68	Vertical
8	5932.775	38.90	32.39	-18.81	52.48	68.30	15.82	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 554 of 573

802.11ax40_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.2625	38.67	32.33	-18.72	52.27	68.30	16.03	Horizontal
2	5672.125	38.89	32.33	-18.73	52.50	84.71	32.21	Horizontal
3	5712.5875	38.93	32.34	-18.77	52.50	108.83	56.33	Horizontal
4	5722.9875	38.57	32.34	-18.80	52.12	117.71	65.59	Horizontal
5	5853.3125	39.45	32.37	-18.88	52.95	114.75	61.80	Horizontal
6	5862.25	39.33	32.37	-18.85	52.85	108.87	56.02	Horizontal
7	5894.75	39.36	32.38	-18.76	52.98	90.65	37.67	Horizontal
8	5939.6	39.05	32.39	-18.82	52.61	68.30	15.69	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 555 of 573

802.11ax40_Channel 159




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.3875	38.76	32.33	-18.72	52.36	68.30	15.94	Vertical
2	5670.6625	39.29	32.33	-18.73	52.90	83.63	30.73	Vertical
3	5703.325	38.60	32.34	-18.74	52.20	106.23	54.03	Vertical
4	5721.85	38.58	32.34	-18.80	52.13	115.12	62.99	Vertical
5	5850.55	38.78	32.37	-18.88	52.27	121.05	68.78	Vertical
6	5871.1875	38.59	32.37	-18.82	52.14	106.37	54.23	Vertical
7	5901.4125	38.60	32.38	-18.74	52.24	85.72	33.48	Vertical
8	5943.825	39.12	32.39	-18.83	52.68	68.30	15.62	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 556 of 573

802.11ax80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.6133	29.72	31.66	-19.16	42.22	54.00	11.78	Horizontal
2	5362.9875	28.43	32.05	-18.93	41.55	54.00	12.45	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 557 of 573

802.11ax80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5138.6133	26.12	31.65	-19.17	38.60	54.00	15.40	Vertical
2	5363.915	26.21	32.06	-18.93	39.33	54.00	14.67	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 558 of 573

802.11ax80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.28	46.40	31.67	-19.14	58.92	74.00	15.08	Horizontal
2	5374.45	39.96	32.07	-18.96	53.08	74.00	20.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 559 of 573

802.11ax80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.94	38.91	31.66	-19.15	51.42	74.00	22.58	Vertical
2	5361.22	37.99	32.05	-18.93	51.11	74.00	22.89	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 560 of 573

802.11ax80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.95	27.55	31.66	-19.16	40.05	54.00	13.95	Horizontal
2	5355.25	29.10	32.04	-18.91	42.23	54.00	11.77	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 561 of 573

802.11ax80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.35	26.17	31.66	-19.15	38.68	54.00	15.32	Vertical
2	5359.925	26.65	32.05	-18.92	39.77	54.00	14.23	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 562 of 573

802.11ax80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.9333	40.20	31.66	-19.16	52.70	74.00	21.30	Horizontal
2	5365.725	43.98	32.06	-18.94	57.10	74.00	16.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 563 of 573

802.11ax80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5133.6667	38.84	31.64	-19.18	51.30	74.00	22.70	Vertical
2	5361.3875	39.15	32.05	-18.93	52.27	74.00	21.73	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 564 of 573

802.11ax80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.495	45.93	32.21	-19.10	59.04	74.00	14.96	Horizontal
2	5464.57	48.74	32.24	-19.12	61.85	68.30	6.45	Horizontal
3	5743.91	41.96	32.35	-18.86	55.45	68.30	12.85	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 565 of 573

802.11ax80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.7233	39.68	32.21	-19.10	52.79	74.00	21.21	Vertical
2	5468.59	39.61	32.24	-19.13	52.72	68.30	15.58	Vertical
3	5756.01	38.95	32.35	-18.90	52.40	68.30	15.90	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 566 of 573

802.11ax80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5448.49	27.97	32.21	-19.10	41.08	54.00	12.92	Horizontal
2	5455.86	28.72	32.22	-19.11	41.83	54.00	12.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 567 of 573

802.11ax80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5435.76	26.23	32.18	-19.08	39.34	54.00	14.66	Vertical
2	5454.855	26.20	32.22	-19.11	39.31	54.00	14.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 568 of 573

802.11ax80_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5425.9333	39.28	32.17	-19.06	52.39	74.00	21.61	Horizontal
2	5463.0067	39.57	32.23	-19.12	52.68	68.30	15.62	Horizontal
3	5731.18	40.00	32.35	-18.82	53.52	68.30	14.78	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 569 of 573

802.11ax80_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5417.5583	39.23	32.15	-19.05	52.33	74.00	21.67	Vertical
2	5464.0117	38.72	32.24	-19.12	51.83	68.30	16.47	Vertical
3	5733.7	38.94	32.35	-18.83	52.46	68.30	15.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 570 of 573

802.11ax80_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5419.68	26.74	32.16	-19.05	39.84	54.00	14.16	Horizontal
2	5443.465	26.85	32.20	-19.09	39.96	54.00	14.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204
Rev.: 01
Page: 571 of 573

802.11ax80_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5422.025	26.22	32.16	-19.06	39.32	54.00	14.68	Vertical
2	5457.3117	26.12	32.22	-19.11	39.23	54.00	14.77	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 572 of 573

802.11ax80_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.4625	39.03	32.33	-18.72	52.63	68.30	15.67	Horizontal
2	5669.525	39.62	32.33	-18.73	53.23	82.79	29.56	Horizontal
3	5711.45	43.47	32.34	-18.76	57.05	108.51	51.46	Horizontal
4	5722.175	46.72	32.34	-18.80	60.27	115.86	55.59	Horizontal
5	5852.825	38.96	32.37	-18.88	52.45	115.86	63.41	Horizontal
6	5868.1	39.12	32.37	-18.83	52.66	107.23	54.57	Horizontal
7	5896.05	38.92	32.38	-18.75	52.55	89.68	37.13	Horizontal
8	5939.4375	39.76	32.39	-18.82	53.33	68.30	14.97	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200007204

Rev.: 01

Page: 573 of 573

802.11ax80_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.575	38.92	32.33	-18.72	52.52	68.30	15.78	Vertical
2	5672.775	38.31	32.33	-18.73	51.92	85.19	33.27	Vertical
3	5706.7375	38.43	32.34	-18.75	52.02	107.19	55.17	Vertical
4	5723.8	38.88	32.34	-18.80	52.42	119.56	67.14	Vertical
5	5852.825	39.18	32.37	-18.88	52.67	115.86	63.19	Vertical
6	5864.525	38.85	32.37	-18.84	52.38	108.23	55.85	Vertical
7	5893.775	38.43	32.38	-18.76	52.05	91.37	39.32	Vertical
8	5936.5125	38.36	32.39	-18.82	51.93	68.30	16.37	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
- Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---