

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

1 of 17 Page:

Power Density Measurement Report

Application No.: SZCR2505001892AT

Shanghai Sunmi Technology Co., Ltd. Applicant:

Room 505, No. 388, Song Hu Road, Yang Pu District, Shanghai, China **Address of Applicant:**

Shanghai Sunmi Technology Co.,Ltd. Manufacturer:

Room 505, No. 388, Song Hu Road, Yang Pu District, Shanghai, China Address of Manufacturer:

Product Name: Wireless Data Terminal

Model No.: TFB1A Trade Mark: **SUNMI**

FCC ID: 2AH25M3WH

FCC 47CFR §2.1093

Standards: IEC/IEEE 63195-1:2022

IEC/IEEE 62209-1528:2020

Date of Receipt: 2025/05/07 Date of Test: 2025/05/22 Date of Issue: 2025/06/11

Test conclusion: PASS *

Keny. Ku

EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only) the fullest extent of the late. Annexed with the first part of the full of the first part of the fir

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 中国・广东・深圳市南山区科技园中区M-10栋1号厂房

邮编: 518057

^{*}In the configuration tested, the EUT detailed in this report complied with the standards specified above.



SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

Page: 2 of 17

Revision History					
Report Number Revision Description Issue Date					
SZCR250500189201	01	Original	2025/06/11		

Authorized for issue by:			
	Calvin Weng		
	Calvin Weng / Project Engineer	-	
	Exic Fu		
	Eric Fu / Reviewer	-	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without or written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI. Doccheck@gs.com

www.sgsgroup.com.cn

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

sgs.china@sgs.com



SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

3 of 17 Page:

TEST SUMMARY

Frequency Band	Reported PD (W/m²)
WIFI 6E	3.85
PD Limit	10



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without or written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI. Doccheck@gs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057



SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

4 of 17 Page:

CONTENTS

1	Ger	neral Information	5
	1.1 1.2 1.3 1.4	Test Location General Description of EUT Test Specification RF exposure limit for above 6GHz	5 6
2	Sys	stem Description and Setup	8
	2.1 2.2 2.3 2.4	Power density measurement system EUmmWaVe probe Data Acquisition Electronics (DAE) Scan configuration	9 10
3	Sys	stem Verification Procedure	11
	3.1 3.2 3.3	PD Test System Verification PD System Verification Results Detailed System Check Results	12
4	Mea	asurement Data	13
	4.1 4.2	Measurement of RF Conducted Power	
5	Equ	ıipment list	15
6	Mea	asurement Uncertainty	16
7	Cali	ibration certificate	17
8	Pho	otographs	17
Α	ppendi	x A: Detailed System Check Results	17
Α	ppendi	x B: Detailed Test Results	17
Α	ppendi	x C: Calibration certificate	17
Α	ppendi	x D: Photographs	17



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without or written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI. Doccheck@gs.com

or email: CN.Doccheck@sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 中国・广东・深圳市南山区科技园中区M-10株1号厂房 邮编: 518057 t (86-755) 26012053

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057



SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

Page: 5 of 17

General Information 1

1.1 Test Location

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch		
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China		
Post code:	518057		
Test Engineer:	Bert Xu		

1.2 General Description of FUT

1.2 General Description of Lot					
Device Type :	portable device	portable device			
Exposure Category:	uncontrolled environment / g	general population			
Product Name:	Wireless Data Terminal				
Model No.(EUT):	TFB1A				
FCC ID:	2AH25M3WH				
Product Phase:	production unit				
Hardware Version:	V1.3				
Software Version:	T602AA_EVT_14.0_SUNMI	T602AA_EVT_14.0_SUNMI_202503131820.00-00			
Modulation Mode:	OFDMA				
	Band Tx (MHz) Rx (MHz)				
	UNII-5	5925-6425	5925-6425		
Frequency Bands:	UNII-6 6425-6525 6425-		6425-6525		
2 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	UNII-7 6525-6875 6525-		6525-6875		
	UNII-8	6875-7125	6875-7125		

Note:

Since the above data and/or information is provided by the client relevant results or conclusions of this report are only made for these data and/or information, SGS is not responsible for the authenticity, integrity and results of the data and information and/or the validity of the conclusion.

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's soide responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI, Doccheck@ags.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

邮编: 518057 t (86-755) 26012053



SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

Page: 6 of 17

1.3 Test Specification

Identity	Document Title
FCC 47CFR §2.1093	Radiofrequency Radiation Exposure Evaluation: Portable Devices
ANSI/IEEE C95.1-1992	IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz – 300 GHz.
IEC/IEEE 62209- 1528:2020	Measurement procedure for the assessment of specific absorption rate of human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices — Part 1528: Human models, instrumentation, and procedures (Frequency range of 4 MHz to 10 GHz)
IEC/IEEE 63195-1:2022	Assessment of power density of human exposure to radio frequency fields from wireless devices in close proximity to the head and body (frequency range of 6 GHz to 300 GHz) – Part 1: Measurement procedure
KDB 447498 D04	Interim General RF Exposure Guidance v01
KDB 248227 D01	SAR Guidance for IEEE 802 11 Wi-Fi SAR v02r02



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without or written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI. Doccheck@gs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

www.sgsgroup.com.cn t (86-755) 26012053 sgs.china@sgs.com



SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

Page: 7 of 17

1.4 RF exposure limit for above 6GHz

According to ANSI/IEEE C95.1-1992, the criteria listed in Table 1 shall be used to evaluate the environmental impact of human exposure to radio frequency (RF) radiation as specified in §1.1310.

Peak Spatially Averaged Power Density was evaluated over a circular area of 4cm2 per interim FCC Guidance for near-field power density evaluations per October 2018 TCB Workshop notes

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
500 EX	(A) Limits for O	ccupational/Controlled Expo	sures	W: 1111 1122
0.3-3.0	614	1.63	*(100)	6
3.0-30	1842/	f 4.89/	*(900/f2)	6
30-300	61.4	0.163	1.0	6
300-1500			f/300	6
1500-100,000			5	6
	(B) Limits for Gene	ral Population/Uncontrolled I	Exposure	
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/	f 2.19/1	*(180/f2)	30
30-300	27.5	0.073	0.2	30
300-1500			f/1500	30
1500-100,000			1.0	30

Note: 1.0 mW/ cm^2 is equal to 10 W/ m^2



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's soide responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI, Doccheck@ags.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

t (86-755) 26012053 t (86-755) 26012053



SZSAR-TRF-01 Rev. A/0 May15,2023


Report No.: SZCR250500189201


Page: 8 of 17

System Description and Setup 2

2.1 Power density measurement system

Power density measurements for mmWave frequencies were performed using SPEAG DASY6 with cDASY6 5G module. The DASY6 included a high precision robotics system (Staubli), robot controller, desktop computer, near-field probe, probe alignment sensor, and the 5G phantom cover.







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@as.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 t (86-755) 26012053




SZSAR-TRF-01 Rev. A/0 May15,2023


Report No.: SZCR250500189201

Page: 9 of 17

2.2 FllmmWaVe probe

Frequency	750 MHz – 110 GHz		
Probe Overall Length	320 mm		
Probe Body Diameter	8.0 mm		
Tip Length	23.0 mm		
Tip Diameter	8.0 mm		
Probe's two dipoles length	0.9 mm – Diode loaded		
Dynamic Range	< 20 V/m - 10000 V/m with PRE-10 (min < 50 V/m - 3000 V/m)		
Position Precision	< 0.2 mm		
Distance between diode sensors and probe's tip	1.5 mm		
Minimum Mechanical separation between probe tip and a Surface	0.5 mm		
Applications	E-field measurements of 5G devices and other mm-wave transmitters operating above 10GHz in < 2 mm distance from device (free-space) Power density, H-field and far-field analysis using total field reconstruction.		
Compatibility	cDASY6 + 5G-Module SW1.0 and higher		





The EUmmWaVe probe is based on the pseudo-vector probe design, which not only measures the field magnitude but also derives its polarization ellipse. The design entails two small 0.8mm dipole sensors mechanically protected by high-density foam, printed on both sides of a 0.9mm wide and 0.12mm thick glass substrate. The body of the probe is specifically constructed to minimize distortion by the scattered fields. The probe consists of two sensors with different angles (1 and 2) arranged in the same plane in the probe axis. Three or more measurements of the two sensors are taken for different probe rotational angles to derive the amplitude and polarization information. The probe design allows measurements at distances as small as 2mm from the sensors to the surface of the device under test (DUT). The typical sensor to probe tip distance is 1.5 mm. The exact distance is calibrated.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@as.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

邮编: 518057 t (86-755) 26012053




SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

Page: 10 of 17

2.3 Data Acquisition Electronics (DAE)

Model	DAE		
Construction	Signal amplifier, multiplexer, A/D converter and control logic. Serial optical link for communication with DASY4/5 embedded system (fully remote controlled). Two step probe touch detector for mechanical surface detection and emergency robot stop.		
Measurement Range	-100 to +300 mV (16-bit resolution and two range settings: 4mV,400mV)		
Input Offset Voltage	< 5µV (with auto zero)		
Input Bias Current	< 50 f A		
Dimensions	60 x 60 x 68 mm		



2.4 Scan configuration

Fine-resolution scans on 2 different planes are performed to reconstruct the E- and H-fields as well as the power density; the z-distance between the 2 planes is set to $\lambda/4$. The (x, y) grid step is also set $\lambda/4$, the grid extent is set to sufficiently large to identify the field pattern and the peak.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without row written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ass.com"

邮编: 518057

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

t (86–755) 26012053 t (86–755) 26012053



SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

11 of 17 Page:

3 **System Verification Procedure**


3.1 **PD Test System Verification**

The system was verified to be within ±0.66 dB of the power density targets on the calibration certificate according to the test system specification in the user's manual and calibration facility recommendation. The 0.66 dB deviation threshold represents the expanded uncertainty for system performance checks using SPEAG's mmWave verification sources. The same spatial resolution and measurement region used in the source calibration was applied during the system check.

The measured power density distribution of verification source was also confirmed through visual inspection to have no noticeable differences, both spatially (shape) and numerically (level) from the distribution provided by the manufacturer, per November 2017 TCBC Workshop Notes.

Frequency [GHz]	Grid step	Grid extent X/Y [mm]	Measurement points
10	$0.25 \left(\frac{\lambda}{4}\right)$	120/120	16×16
30	$0.25 \left(\frac{\dot{\lambda}}{4}\right)$	60/60	24×24
60	$0.25 \left(\frac{\lambda}{4}\right)$	32.5/32.5	26×26
90	$0.25 \left(\frac{\lambda}{4}\right)$	30/30	36×36

Settings for measurement of verification sources



System Verification Setup Photo



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleal available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is a drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflect. ompany's findings at the time or us intervented to a transaction from exercising an unit of the Company. Any stability is to its Client and this document does not exonerate parties to a transaction from exercising an unit of the Company. Any horized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such e(s) are retained for 30 days only.

It is not check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, then: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1000.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053

邮编: 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

sgs.china@sgs.com

t (86-755) 26012053



SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

12 of 17 Page:

PD System Verification Results 3.2

Frequent	Measured PD W/m ²	Target PD W/m²	Circular Deviation (Within ±0.66dB)	Test Date
	4cm ²	4cm ²	4cm ²	
10G HZ Source	189.00	183	0.14	2025/5/22

3.3 **Detailed System Check Results**

Please see the Appendix A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without or written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI. Doccheck@gs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

www.sgsgroup.com.cn t (86-755) 26012053 sgs.china@sgs.com



SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

Page: 13 of 17

Measurement Data

- 1. The PD test was performed of a 2mm separation between sensor and EUT surface (the probe tip is 0.5mm to the EUT surface), 2 mm separation distance PD testing is for hotspot and body worn exposure conditions.
- 2. According to TCBC Workshop in October 2018, 4 cm^2 averaging area are used.

4.1 Measurement of RF Conducted Power

	WIFI	6E Full power		AN	IT2	AN	IT3	MIMO		
mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	Average Power (dBm)	Tune up	
802.11ax (HE20)	1	5955		9.34	10.5	9.09	10.5	12.23	13.5	
	97	6435	MCS0	9.00	10	8.74	10	11.88	13	
	117	6535		8.53	10	8.22	9.5	11.39	12.5	
	189	6895		-3.10	-2	-3.36	-2	-0.22	1	
	233	7115		-4.16	-3	-4.38	-3	-1.26	0	
	3	5965	MCS0	9.68	11	9.43	11	12.57	14	
	99	6445		9.70	11	9.46	11	12.59	14	
802.11ax (HE40)	147	6685		9.43	11	9.28	11	12.37	14	
(11240)	195	6925		9.31	11	9.07	11	12.20	14	
	227	7085		9.40	11	9.14	11	12.28	14	
	7	5985		9.36	11	9.13	11	12.26	14	
	103	6465	MCS0	9.72	11	9.62	11	12.68	14	
802.11ax (HE80)	151	6705		9.25	11	9.06	11	12.17	14	
	199	6945		9.49	11	9.23	11	12.37	14	
	215	7025		9.65	11	9.55	11	12.61	14	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to list Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI, Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

邮编: 518057 t (86-755) 26012053



SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

Page: 14 of 17

4.2 PD Test Data

Wi-Fi 6E PD Test Record MIMO															
Test position	Test mode	Test ch./Freq.	Distance (mm)	Grid Step (λ)	Duty Cycle	Duty Cycle Scaled factor	iPDn	iPD ratio	Measured PD 4cm^2 (W/m^2)	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaling Factor for measurement uncertainty	Tune up Scaled factor	Scaled PD 4cm^2 (W/m^2)
	Power Density Test DATA														
Back side	802.11ax 80M	103/6465	2	0.0625	88.99%	1.124	8.22		1.63	0.01	12.68	14.00	1.5493	1.355	3.846
Back side	802.11ax 80M	103/6465	8.6	0.0625	88.99%	1.124	6.57	0.97	0.356	0.06	12.68	14.00	1.5493	1.355	0.840
Top side	802.11ax 80M	103/6465	2	0.0625	88.99%	1.124	/	/	1.09	-0.06	12.68	14.00	1.5493	1.355	2.572
Back side	802.11ax 80M	7/5985	2	0.0625	88.99%	1.124	/	/	1.38	0.08	12.26	14.00	1.5493	1.494	3.590
Back side	802.11ax 80M	151/6705	2	0.0625	88.99%	1.124	/	/	1.44	0.01	12.17	14.00	1.5493	1.525	3.825
Back side	802.11ax 80M	199/6945	2	0.0625	88.99%	1.124	/	/	1.51	0.09	12.37	14.00	1.5493	1.455	3.825
Back side	802.11ax 80M	215/7025	2	0.0625	88.99%	1.124	/	/	1.58	0.02	12.61	14.00	1.5493	1.377	3.789



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without or written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI. Doccheck@gs.com

邮编: 518057

or email: CN_Doccheck(应sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 中国・广东・深圳市南山区科技园中区M-10株1号厂房 邮编: 518057 t (86-755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房



SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

15 of 17 Page:

5	Equipment	list								
	Test Platform	SPEAG DASY Professional								
	Description	PD Test System								
Software Reference		cDASY6 V2.2.0.76								
	Equipment	Manufacturer	Model	Inventory No.	Calibration Date	Due date of calibration				
\boxtimes	Test Phantom	SPEAG	mmWave	SZ-WSR-A-029	NCR	NCR				
\boxtimes	DAE	SPEAG	DAE4	SZ-WSR-M-031	2025-02-17	2026-02-16				
\boxtimes	E-U Probe	SPEAG	EUmmWV4	SZ-WSR-M-048	2024/8/23	2025/8/22				
\boxtimes	5G Verification Source	SPEAG	10GHz	SZ-WSR-M-048	2024/8/20	2025/8/19				
\boxtimes	Dielectric parameter probes	SPEAG	DAKS-3.5	SZ-WSR-M-053	2024/6/26	2025/6/25				
\boxtimes	RF Bi-Directional Coupler	Agilent	86205- 60001	SZ-WSR-A-004	NCR	NCR				
\boxtimes	Signal Generator	Agilent	N5171B	SZ-WSR-M-006	2025/1/7	2026/1/6				
\boxtimes	Preamplifier	Mini-Circuits	ZHL-42W	SZ-WSR-A-001	NCR	NCR				
\boxtimes	Preamplifier	Compliance Directions Systems Inc.	AMP28-3W	SZ-WSR-A-002	NCR	NCR				
\boxtimes	Power Meter	Agilent	E4416A	SZ-WSR-M-007	2025/1/7	2026/1/6				
\boxtimes	Power Sensor	Agilent	8481H	SZ-WSR-M-008	2025/1/7	2026/1/6				
\boxtimes	Power Sensor	R&S	NRP-Z92	SZ-WSR-M-009	2025/1/8	2026/1/7				

TS2-3dB

HTC-1

SZ-WSR-A-012

SZ-WSR-M-013



Attenuator

Humidity and

Temperature

Indicator

SHX

CHIGAO

 \boxtimes

 \boxtimes

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without or written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI. Doccheck@gs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

t (86-755) 26012053 www.sgsgroup.com.cn t (86-755) 26012053 sgs.china@sgs.com

NCR

2024/05/28

NCR

2025/05/27



SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

16 of 17 Page:

Measurement Uncertainty 6

а	b	С	d	е	f=b*e/d	g
Error Description	Uncertainty Value (±dB)	Probability	Div.	Ci	Standard Uncertainty (±dB)	Vi (Veff)
Probe Calibration	0.49	N	1	1	0.49	∞
Probe correction	0.00	R	1.732	1	0.00	∞
Frequency response (BW ≤1 GHz)	0.20	R	1.732	1	0.12	∞
Sensor cross coupling	0.00	R	1.732	1	0.00	∞
Isotropy	0.50	R	1.732	1	0.29	8
Linearity	0.20	R	1.732	1	0.12	∞
Probe scattering	0.00	R	1.732	1	0.00	8
Probe positioning offset	0.30	R	1.732	1	0.17	8
Probe positioning repeatability	0.04	R	1.732	1	0.02	8
Sensor mechanical offset	0.00	R	1.732	1	0.00	8
Probe spatial resolution	0.00	R	1.732	1	0.00	8
Field impedance dependance	0.00	R	1.732	1	0.00	8
Amplitude and phase drift	0.00	R	1.732	1	0.00	8
Amplitude and phase noise	0.04	R	1.732	1	0.02	∞
Measurement area truncation	0.00	R	1.732	1	0.00	8
Data acquisition	0.03	N	1	1	0.03	∞
Sampling	0.00	R	1.732	1	0.00	8
Field reconstruction	2.00	R	1.732	1	1.15	∞
Forward transformation	0.00	R	1.732	1	0.00	∞
Power density scaling	0.00	R	1.732	1	0.00	∞
Spatial averaging	0.10	R	1.732	1	0.06	∞
System detection limit	0.04	R	1.732	1	0.02	∞
Probe coupling with DUT	0.00	R	1.732	1	0.00	8
Modulation response	0.40	R	1.732	1	0.23	∞
Integration time	0.00	R	1.732	1	0.00	∞
Response time	0.00	R	1.732	1	0.00	∞
Device holder influence	0.10	R	1.732	1	0.06	8
DUT alignment	0.00	R	1.732	1	0.00	8
RF ambient conditions	0.04	R	1.732	1	0.02	∞
Ambient reflections	0.04	R	1.732	1	0.02	∞
Immunity / secondary reception	0.00	R	1.732	1	0.00	∞
Drift of the DUT		R	1.732	1	0.00	∞
Combined Std. Uncertainty	1.33					
Expanded STD Uncertainty (95%),	2.67					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without or written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI. Doccheck@gs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057



SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR250500189201

Page: 17 of 17

7 Calibration certificate

Please see the Appendix C

8 Photographs

Please see the Appendix D

Appendix A: Detailed System Check Results

Appendix B: Detailed Test Results

Appendix C: Calibration certificate

Appendix D: Photographs

---END---

