



# TEST REPORT

No. 24T04N002645-001-SAR

For

**Shanghai Sunmi Technology Co.,Ltd.**

**Wireless data POS System**

**Model Name: T5F1A**

With

**Hardware Version: SM03\_MB\_V1.1**

**Software Version: QSC625VPBCJ10R01A03\_BA01BP01GLM03V01**

**FCC ID: 2AH25T5F1A**

**Issued Date: 2025-02-18**

**Designation Number: CN1210**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

**Test Laboratory:**

**SAICT, Shenzhen Academy of Information and Communications Technology**

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@saict.ac.cn. www.saict.ac.cn




**Picture 1: Front side of the sample - Configuration 1**



**Picture 2: Back side of the sample - Configuration 1**





**Picture 3: Front side of the sample - Configuration 2**



**Picture 4: Back side of the sample - Configuration 2**






**Picture 5: Front side of the sample - Configuration 3**



**Picture 6: Back side of the sample - Configuration 3**

**Test positions for Body:**



**Picture 7: Front Side (10mm)**



**Picture 8: Rear Side (10mm)**




**Picture 9: Right Side (10mm)**



**Picture 10: Top Side (10mm)**



**Test positions for Extremity:**



**Picture 11: Front Side (0mm)**



**Picture 12: Rear Side (0mm)**




**Picture 13: Left Side (0mm)**



**Picture 14: Right Side (0mm)**





**Picture 15: Top Side (0mm)**



**Picture 16: Bottom Side (0mm)**