

1.1 GSM850

Note1: $ERP = \text{Conducted Power} + \text{Antenna Gain} - 2.15$

1.2 GSM1900

Band: PCS1900								
ENV	Mode		Frequency	Conducted Power	Gain	EIRP (dBm)		Verdict
	Network	Subset	(MHz)	(dBm)	(dBi)	Result	Limit	
NTNV	GSM	GSM	1850.2	30.22	1.43	31.65	<=33.01	Pass
			1880	30.54	1.43	31.97	<=33.01	Pass
			1909.8	30.59	1.43	32.02	<=33.01	Pass
	GPRS	1 TX Slot	1850.2	30.22	1.43	31.65	<=33.01	Pass
		2 TX Slots	1850.2	29.26	1.43	30.69	<=33.01	Pass
		3 TX Slots	1850.2	27.25	1.43	28.68	<=33.01	Pass
		4 TX Slots	1850.2	26.1	1.43	27.53	<=33.01	Pass
		1 TX Slot	1880	30.49	1.43	31.92	<=33.01	Pass
		2 TX Slots	1880	29.56	1.43	30.99	<=33.01	Pass
		3 TX Slots	1880	27.53	1.43	28.96	<=33.01	Pass
		4 TX Slots	1880	26.47	1.43	27.90	<=33.01	Pass
		1 TX Slot	1909.8	30.52	1.43	31.95	<=33.01	Pass
		2 TX Slots	1909.8	29.59	1.43	31.02	<=33.01	Pass
		3 TX Slots	1909.8	27.56	1.43	28.99	<=33.01	Pass
		4 TX Slots	1909.8	26.5	1.43	27.93	<=33.01	Pass
	EGPRS	1 TX Slot	1850.2	26.47	1.43	27.90	<=33.01	Pass
		2 TX Slots	1850.2	25.75	1.43	27.18	<=33.01	Pass
		3 TX Slots	1850.2	24	1.43	25.43	<=33.01	Pass
		4 TX Slots	1850.2	22.68	1.43	24.11	<=33.01	Pass
		1 TX Slot	1880	26.62	1.43	28.05	<=33.01	Pass
		2 TX Slots	1880	26.97	1.43	28.40	<=33.01	Pass
		3 TX Slots	1880	24.18	1.43	25.61	<=33.01	Pass
		4 TX Slots	1880	22.94	1.43	24.37	<=33.01	Pass
		1 TX Slot	1909.8	26.57	1.43	28.00	<=33.01	Pass
		2 TX Slots	1909.8	25.91	1.43	27.34	<=33.01	Pass
		3 TX Slots	1909.8	24.35	1.43	25.78	<=33.01	Pass
		4 TX Slots	1909.8	22.94	1.43	24.37	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.3 WCDMA Band II

Band II								
ENV	Mode		Frequency	Conducted Power	Gain	EIRP (dBm)		Verdict
	Network	Subset	(MHz)	(dBm)	(dBi)	Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	23.89	1.43	25.32	<=33.01	Pass
			1880	24.09	1.43	25.52	<=33.01	Pass
			1907.6	23.79	1.43	25.22	<=33.01	Pass
	HSDPA	Subtest 1	1852.4	22.04	1.43	23.47	<=33.01	Pass
		Subtest 2	1852.4	21.99	1.43	23.42	<=33.01	Pass
		Subtest 3	1852.4	21.94	1.43	23.37	<=33.01	Pass
		Subtest 4	1852.4	22.06	1.43	23.49	<=33.01	Pass
		Subtest 1	1880	22.08	1.43	23.51	<=33.01	Pass
		Subtest 2	1880	22.19	1.43	23.62	<=33.01	Pass
		Subtest 3	1880	22.12	1.43	23.55	<=33.01	Pass
		Subtest 4	1880	22.22	1.43	23.65	<=33.01	Pass
		Subtest 1	1907.6	21.84	1.43	23.27	<=33.01	Pass
		Subtest 2	1907.6	21.94	1.43	23.37	<=33.01	Pass
		Subtest 3	1907.6	21.88	1.43	23.31	<=33.01	Pass
		Subtest 4	1907.6	21.86	1.43	23.29	<=33.01	Pass
	HSUPA	Subtest 1	1852.4	20.73	1.43	22.16	<=33.01	Pass
		Subtest 2	1852.4	20.74	1.43	22.17	<=33.01	Pass
		Subtest 3	1852.4	20.74	1.43	22.17	<=33.01	Pass
		Subtest 4	1852.4	20.74	1.43	22.17	<=33.01	Pass
		Subtest 5	1852.4	20.75	1.43	22.18	<=33.01	Pass
		Subtest 1	1880	20.8	1.43	22.23	<=33.01	Pass
		Subtest 2	1880	20.7	1.43	22.13	<=33.01	Pass
		Subtest 3	1880	20.44	1.43	21.87	<=33.01	Pass
		Subtest 4	1880	20.47	1.43	21.9	<=33.01	Pass
		Subtest 5	1880	20.7	1.43	22.13	<=33.01	Pass
		Subtest 1	1907.6	20.46	1.43	21.89	<=33.01	Pass
		Subtest 2	1907.6	20.03	1.43	21.46	<=33.01	Pass
Subtest 3	1907.6	20.14	1.43	21.57	<=33.01	Pass		
Subtest 4	1907.6	20.46	1.43	21.89	<=33.01	Pass		
Subtest 5	1907.6	20.46	1.43	21.89	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.4 WCDMA Band IV

Band IV								
ENV	Mode		Frequency	Conducted Power	Gain	EIRP (dBm)		Verdict
	Network	Subset	(MHz)	(dBm)	(dBi)	Result	Limit	
NTNV	RMC	12.2kbps RMC	1712.4	23.39	-0.64	22.75	<=30	Pass
			1732.6	23.72	-0.64	23.08	<=30	Pass
			1752.6	23.74	-0.64	23.10	<=30	Pass
	HSDPA	Subtest 1	1712.4	21.77	-0.64	21.13	<=30	Pass
		Subtest 2	1712.4	21.83	-0.64	21.19	<=30	Pass
		Subtest 3	1712.4	21.87	-0.64	21.23	<=30	Pass
		Subtest 4	1712.4	21.95	-0.64	21.31	<=30	Pass
		Subtest 1	1732.6	22.44	-0.64	21.80	<=30	Pass
		Subtest 2	1732.6	22.5	-0.64	21.86	<=30	Pass
		Subtest 3	1732.6	22.41	-0.64	21.77	<=30	Pass
		Subtest 4	1732.6	22.41	-0.64	21.77	<=30	Pass
		Subtest 1	1752.6	22.34	-0.64	21.70	<=30	Pass
		Subtest 2	1752.6	22.33	-0.64	21.69	<=30	Pass
		Subtest 3	1752.6	22.37	-0.64	21.73	<=30	Pass
		Subtest 4	1752.6	22.34	-0.64	21.70	<=30	Pass
	HSUPA	Subtest 1	1712.4	20.1	-0.64	19.46	<=30	Pass
		Subtest 2	1712.4	20.23	-0.64	19.59	<=30	Pass
		Subtest 3	1712.4	20.4	-0.64	19.76	<=30	Pass
		Subtest 4	1712.4	20.19	-0.64	19.55	<=30	Pass
		Subtest 5	1712.4	20.2	-0.64	19.56	<=30	Pass
		Subtest 1	1732.6	20.28	-0.64	19.64	<=30	Pass
		Subtest 2	1732.6	20.27	-0.64	19.63	<=30	Pass
		Subtest 3	1732.6	20.4	-0.64	19.76	<=30	Pass
		Subtest 4	1732.6	20.32	-0.64	19.68	<=30	Pass
		Subtest 5	1732.6	20.26	-0.64	19.62	<=30	Pass
Subtest 1		1752.6	20.71	-0.64	20.07	<=30	Pass	
Subtest 2		1752.6	20.37	-0.64	19.73	<=30	Pass	
Subtest 3	1752.6	20.81	-0.64	20.17	<=30	Pass		
Subtest 4	1752.6	20.63	-0.64	19.99	<=30	Pass		
Subtest 5	1752.6	20.81	-0.64	20.17	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.5 WCDMA Band V

Band V									
ENV	Mode		Frequency	Conducted Power	Gain	ERP (dBm)		Verdict	
	Network	Subset	(MHz)	(dBm)	(dBi)	Result	Limit		
NTNV	RMC	12.2kbps RMC	826.4	23.43	0.84	22.12	<=38.45	Pass	
			836.6	23.55	0.84	22.24	<=38.45	Pass	
			846.6	23.61	0.84	22.30	<=38.45	Pass	
	HSDPA	Subtest 1	826.4	21.92	0.84	20.61	<=38.45	Pass	
		Subtest 2	826.4	22.12	0.84	20.81	<=38.45	Pass	
		Subtest 3	826.4	22.04	0.84	20.73	<=38.45	Pass	
		Subtest 4	826.4	22.09	0.84	20.78	<=38.45	Pass	
		Subtest 1	836.6	22.21	0.84	20.90	<=38.45	Pass	
		Subtest 2	836.6	22.2	0.84	20.89	<=38.45	Pass	
		Subtest 3	836.6	22.11	0.84	20.80	<=38.45	Pass	
		Subtest 4	836.6	22.18	0.84	20.87	<=38.45	Pass	
		Subtest 1	846.6	22.34	0.84	21.03	<=38.45	Pass	
		Subtest 2	846.6	22.33	0.84	21.02	<=38.45	Pass	
		Subtest 3	846.6	22.27	0.84	20.96	<=38.45	Pass	
		Subtest 4	846.6	22.22	0.84	20.91	<=38.45	Pass	
		HSUPA	Subtest 1	826.4	21.16	0.84	19.85	<=38.45	Pass
			Subtest 2	826.4	21.23	0.84	19.92	<=38.45	Pass
	Subtest 3		826.4	21.22	0.84	19.91	<=38.45	Pass	
	Subtest 4		826.4	21.28	0.84	19.97	<=38.45	Pass	
	Subtest 5		826.4	21.32	0.84	20.01	<=38.45	Pass	
	Subtest 1		836.6	21.13	0.84	19.82	<=38.45	Pass	
	Subtest 2		836.6	21.21	0.84	19.90	<=38.45	Pass	
	Subtest 3		836.6	21.35	0.84	20.04	<=38.45	Pass	
	Subtest 4		836.6	21.45	0.84	20.14	<=38.45	Pass	
	Subtest 5		836.6	21.21	0.84	19.90	<=38.45	Pass	
	Subtest 1		846.6	21.24	0.84	19.93	<=38.45	Pass	
	Subtest 2		846.6	21.24	0.84	19.93	<=38.45	Pass	
Subtest 3	846.6		21.33	0.84	20.02	<=38.45	Pass		
Subtest 4	846.6	21.39	0.84	20.08	<=38.45	Pass			
Subtest 5	846.6	21.17	0.84	19.86	<=38.45	Pass			

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.6 LTE Band2

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1850.7	1	0	22.79	1.43	24.22	<=33.01	Pass
			2	22.84	1.43	24.27	<=33.01	Pass
			5	22.74	1.43	24.17	<=33.01	Pass
		3	0	22.86	1.43	24.29	<=33.01	Pass
			2	22.98	1.43	24.41	<=33.01	Pass
			3	22.89	1.43	24.32	<=33.01	Pass
		6	0	21.87	1.43	23.30	<=33.01	Pass
	1880	1	0	22.86	1.43	24.29	<=33.01	Pass
			2	22.84	1.43	24.27	<=33.01	Pass
			5	22.89	1.43	24.32	<=33.01	Pass
		3	0	23.19	1.43	24.62	<=33.01	Pass
			2	23.09	1.43	24.52	<=33.01	Pass
			3	23.1	1.43	24.53	<=33.01	Pass
		6	0	22.08	1.43	23.51	<=33.01	Pass
	1909.3	1	0	22.55	1.43	23.98	<=33.01	Pass
			2	22.68	1.43	24.11	<=33.01	Pass
			5	22.55	1.43	23.98	<=33.01	Pass
		3	0	22.61	1.43	24.04	<=33.01	Pass
			2	22.52	1.43	23.95	<=33.01	Pass
			3	22.66	1.43	24.09	<=33.01	Pass
		6	0	21.6	1.43	23.03	<=33.01	Pass
16QAM	1850.7	1	0	22.27	1.43	23.70	<=33.01	Pass
			2	22.25	1.43	23.68	<=33.01	Pass
			5	22.02	1.43	23.45	<=33.01	Pass
		3	0	21.96	1.43	23.39	<=33.01	Pass
			2	22.09	1.43	23.52	<=33.01	Pass
			3	22.03	1.43	23.46	<=33.01	Pass
		6	0	20.94	1.43	22.37	<=33.01	Pass
	1880	1	0	22.71	1.43	24.14	<=33.01	Pass
			2	22.74	1.43	24.17	<=33.01	Pass
			5	22.68	1.43	24.11	<=33.01	Pass
		3	0	22.02	1.43	23.45	<=33.01	Pass
			2	22.11	1.43	23.54	<=33.01	Pass
			3	22.06	1.43	23.49	<=33.01	Pass
		6	0	20.81	1.43	22.24	<=33.01	Pass
	1909.3	1	0	21.79	1.43	23.22	<=33.01	Pass
			2	21.87	1.43	23.30	<=33.01	Pass
			5	21.34	1.43	22.77	<=33.01	Pass
		3	0	21.59	1.43	23.02	<=33.01	Pass

			2	21.55	1.43	22.98	<=33.01	Pass
			3	21.73	1.43	23.16	<=33.01	Pass
		6	0	20.58	1.43	22.01	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1851.5	1	0	22.66	1.43	24.09	<=33.01	Pass
			7	22.97	1.43	24.40	<=33.01	Pass
			14	22.69	1.43	24.12	<=33.01	Pass
		8	0	21.92	1.43	23.35	<=33.01	Pass
			4	21.93	1.43	23.36	<=33.01	Pass
			7	21.88	1.43	23.31	<=33.01	Pass
		15	0	21.85	1.43	23.28	<=33.01	Pass
	1880	1	0	22.99	1.43	24.42	<=33.01	Pass
			7	23.06	1.43	24.49	<=33.01	Pass
			14	22.97	1.43	24.40	<=33.01	Pass
		8	0	22.08	1.43	23.51	<=33.01	Pass
			4	22.04	1.43	23.47	<=33.01	Pass
			7	22.01	1.43	23.44	<=33.01	Pass
		15	0	22.1	1.43	23.53	<=33.01	Pass
	1908.5	1	0	22.6	1.43	24.03	<=33.01	Pass
			7	22.69	1.43	24.12	<=33.01	Pass
			14	22.57	1.43	24.00	<=33.01	Pass
		8	0	21.59	1.43	23.02	<=33.01	Pass
			4	21.53	1.43	22.96	<=33.01	Pass
			7	21.58	1.43	23.01	<=33.01	Pass
		15	0	21.64	1.43	23.07	<=33.01	Pass
16QAM	1851.5	1	0	22.29	1.43	23.72	<=33.01	Pass
			7	22.52	1.43	23.95	<=33.01	Pass
			14	22.18	1.43	23.61	<=33.01	Pass
		8	0	21.13	1.43	22.56	<=33.01	Pass
			4	20.84	1.43	22.27	<=33.01	Pass
			7	20.96	1.43	22.39	<=33.01	Pass
		15	0	20.85	1.43	22.28	<=33.01	Pass
	1880	1	0	21.72	1.43	23.15	<=33.01	Pass
			7	21.85	1.43	23.28	<=33.01	Pass
			14	21.81	1.43	23.24	<=33.01	Pass
		8	0	20.97	1.43	22.40	<=33.01	Pass
			4	20.97	1.43	22.40	<=33.01	Pass
			7	20.93	1.43	22.36	<=33.01	Pass
		15	0	21.25	1.43	22.68	<=33.01	Pass

	1908.5	1	0	22	1.43	23.43	<=33.01	Pass
			7	21.97	1.43	23.40	<=33.01	Pass
			14	21.91	1.43	23.34	<=33.01	Pass
		8	0	20.93	1.43	22.36	<=33.01	Pass
			4	20.88	1.43	22.31	<=33.01	Pass
			7	20.54	1.43	21.97	<=33.01	Pass
		15	0	20.85	1.43	22.28	<=33.01	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1852.5	1	0	22.62	1.43	24.05	<=33.01	Pass
			13	22.71	1.43	24.14	<=33.01	Pass
			24	22.67	1.43	24.10	<=33.01	Pass
		12	0	21.9	1.43	23.33	<=33.01	Pass
			6	21.9	1.43	23.33	<=33.01	Pass
			13	21.84	1.43	23.27	<=33.01	Pass
		25	0	21.82	1.43	23.25	<=33.01	Pass
	1880	1	0	22.68	1.43	24.11	<=33.01	Pass
			13	22.73	1.43	24.16	<=33.01	Pass
			24	22.76	1.43	24.19	<=33.01	Pass
		12	0	21.99	1.43	23.42	<=33.01	Pass
			6	22.02	1.43	23.45	<=33.01	Pass
			13	22.05	1.43	23.48	<=33.01	Pass
		25	0	22.05	1.43	23.48	<=33.01	Pass
	1907.5	1	0	22.66	1.43	24.09	<=33.01	Pass
			13	22.62	1.43	24.05	<=33.01	Pass
			24	22.59	1.43	24.02	<=33.01	Pass
		12	0	21.55	1.43	22.98	<=33.01	Pass
			6	21.53	1.43	22.96	<=33.01	Pass
			13	21.55	1.43	22.98	<=33.01	Pass
		25	0	21.59	1.43	23.02	<=33.01	Pass
16QAM	1852.5	1	0	21.49	1.43	22.92	<=33.01	Pass
			13	21.99	1.43	23.42	<=33.01	Pass
			24	21.4	1.43	22.83	<=33.01	Pass
		12	0	20.95	1.43	22.38	<=33.01	Pass
			6	21.04	1.43	22.47	<=33.01	Pass
			13	20.9	1.43	22.33	<=33.01	Pass
		25	0	21.02	1.43	22.45	<=33.01	Pass
	1880	1	0	22.47	1.43	23.90	<=33.01	Pass
			13	22.72	1.43	24.15	<=33.01	Pass
			24	22.44	1.43	23.87	<=33.01	Pass

		12	0	21.04	1.43	22.47	<=33.01	Pass
			6	20.92	1.43	22.35	<=33.01	Pass
			13	21.13	1.43	22.56	<=33.01	Pass
		25	0	21.08	1.43	22.51	<=33.01	Pass
	1907.5	1	0	21.59	1.43	23.02	<=33.01	Pass
			13	21.48	1.43	22.91	<=33.01	Pass
			24	21.41	1.43	22.84	<=33.01	Pass
		12	0	20.79	1.43	22.22	<=33.01	Pass
			6	20.78	1.43	22.21	<=33.01	Pass
			13	20.4	1.43	21.83	<=33.01	Pass
		25	0	20.69	1.43	22.12	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1855	1	0	22.63	1.43	24.06	<=33.01	Pass
			25	22.7	1.43	24.13	<=33.01	Pass
			49	22.8	1.43	24.23	<=33.01	Pass
		25	0	21.81	1.43	23.24	<=33.01	Pass
			13	21.84	1.43	23.27	<=33.01	Pass
			25	21.83	1.43	23.26	<=33.01	Pass
		50	0	21.8	1.43	23.23	<=33.01	Pass
	1880	1	0	23.04	1.43	24.47	<=33.01	Pass
			25	22.88	1.43	24.31	<=33.01	Pass
			49	22.74	1.43	24.17	<=33.01	Pass
		25	0	22.02	1.43	23.45	<=33.01	Pass
			13	22.03	1.43	23.46	<=33.01	Pass
			25	21.98	1.43	23.41	<=33.01	Pass
		50	0	22.03	1.43	23.46	<=33.01	Pass
	1905	1	0	22.81	1.43	24.24	<=33.01	Pass
			25	22.91	1.43	24.34	<=33.01	Pass
			49	22.53	1.43	23.96	<=33.01	Pass
		25	0	21.71	1.43	23.14	<=33.01	Pass
			13	21.68	1.43	23.11	<=33.01	Pass
			25	21.57	1.43	23.00	<=33.01	Pass
		50	0	21.65	1.43	23.08	<=33.01	Pass
16QAM	1855	1	0	22.21	1.43	23.64	<=33.01	Pass
			25	22.32	1.43	23.75	<=33.01	Pass
			49	22.12	1.43	23.55	<=33.01	Pass
		25	0	20.92	1.43	22.35	<=33.01	Pass
			13	20.77	1.43	22.20	<=33.01	Pass
			25	20.76	1.43	22.19	<=33.01	Pass

		50	0	20.8	1.43	22.23	<=33.01	Pass
	1880	1	0	22.77	1.43	24.20	<=33.01	Pass
			25	22.45	1.43	23.88	<=33.01	Pass
			49	22.2	1.43	23.63	<=33.01	Pass
			0	21.19	1.43	22.62	<=33.01	Pass
		25	13	21.14	1.43	22.57	<=33.01	Pass
			25	21.12	1.43	22.55	<=33.01	Pass
			50	0	21.05	1.43	22.48	<=33.01
	1905	1	0	21.51	1.43	22.94	<=33.01	Pass
			25	22.52	1.43	23.95	<=33.01	Pass
			49	21.57	1.43	23.00	<=33.01	Pass
		25	0	20.94	1.43	22.37	<=33.01	Pass
			13	20.92	1.43	22.35	<=33.01	Pass
			25	20.86	1.43	22.29	<=33.01	Pass
		50	0	20.8	1.43	22.23	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1857.5	1	0	22.68	1.43	24.11	<=33.01	Pass
			38	22.69	1.43	24.12	<=33.01	Pass
			74	22.93	1.43	24.36	<=33.01	Pass
		36	0	21.78	1.43	23.21	<=33.01	Pass
			18	21.77	1.43	23.2	<=33.01	Pass
			39	21.86	1.43	23.29	<=33.01	Pass
		75	0	21.86	1.43	23.29	<=33.01	Pass
	1880	1	0	22.87	1.43	24.3	<=33.01	Pass
			38	22.88	1.43	24.31	<=33.01	Pass
			74	22.52	1.43	23.95	<=33.01	Pass
		36	0	22.06	1.43	23.49	<=33.01	Pass
			18	22.05	1.43	23.48	<=33.01	Pass
			39	21.82	1.43	23.25	<=33.01	Pass
		75	0	21.85	1.43	23.28	<=33.01	Pass
	1902.5	1	0	22.6	1.43	24.03	<=33.01	Pass
			38	22.59	1.43	24.02	<=33.01	Pass
			74	22.45	1.43	23.88	<=33.01	Pass
		36	0	21.78	1.43	23.21	<=33.01	Pass
			18	21.67	1.43	23.1	<=33.01	Pass
			39	21.53	1.43	22.96	<=33.01	Pass
		75	0	21.67	1.43	23.1	<=33.01	Pass
16QAM	1857.5	1	0	22.36	1.43	23.79	<=33.01	Pass
			38	23.03	1.43	24.46	<=33.01	Pass

		36	74	22.43	1.43	23.86	<=33.01	Pass
			0	20.96	1.43	22.39	<=33.01	Pass
			18	20.83	1.43	22.26	<=33.01	Pass
			39	20.94	1.43	22.37	<=33.01	Pass
		75	0	20.91	1.43	22.34	<=33.01	Pass
	1880	1	0	22.79	1.43	24.22	<=33.01	Pass
			38	22.25	1.43	23.68	<=33.01	Pass
			74	22.39	1.43	23.82	<=33.01	Pass
		36	0	20.98	1.43	22.41	<=33.01	Pass
			18	21.34	1.43	22.77	<=33.01	Pass
			39	21.19	1.43	22.62	<=33.01	Pass
		75	0	20.89	1.43	22.32	<=33.01	Pass
	1902.5	1	0	22.23	1.43	23.66	<=33.01	Pass
			38	22.91	1.43	24.34	<=33.01	Pass
			74	21.95	1.43	23.38	<=33.01	Pass
		36	0	20.92	1.43	22.35	<=33.01	Pass
			18	20.81	1.43	22.24	<=33.01	Pass
			39	20.61	1.43	22.04	<=33.01	Pass
		75	0	20.76	1.43	22.19	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 2 / Bandwidth: 20MHz / NTV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1860	1	0	22.66	1.43	24.09	<=33.01	Pass
			50	22.97	1.43	24.40	<=33.01	Pass
			99	22.79	1.43	24.22	<=33.01	Pass
		50	0	21.81	1.43	23.24	<=33.01	Pass
			25	21.94	1.43	23.37	<=33.01	Pass
			50	22.02	1.43	23.45	<=33.01	Pass
		100	0	21.95	1.43	23.38	<=33.01	Pass
	1880	1	0	22.84	1.43	24.27	<=33.01	Pass
			50	22.8	1.43	24.23	<=33.01	Pass
			99	22.36	1.43	23.79	<=33.01	Pass
		50	0	22.02	1.43	23.45	<=33.01	Pass
			25	22.02	1.43	23.45	<=33.01	Pass
			50	21.77	1.43	23.20	<=33.01	Pass
		100	0	21.92	1.43	23.35	<=33.01	Pass
	1900	1	0	22.41	1.43	23.84	<=33.01	Pass
			50	22.85	1.43	24.28	<=33.01	Pass
			99	22.3	1.43	23.73	<=33.01	Pass
		50	0	21.74	1.43	23.17	<=33.01	Pass
			25	21.75	1.43	23.18	<=33.01	Pass

			50	21.58	1.43	23.01	<=33.01	Pass
		100	0	21.74	1.43	23.17	<=33.01	Pass
16QAM	1860	1	0	22.27	1.43	23.70	<=33.01	Pass
			50	22.68	1.43	24.11	<=33.01	Pass
			99	21.86	1.43	23.29	<=33.01	Pass
		50	0	21.1	1.43	22.53	<=33.01	Pass
			25	21.04	1.43	22.47	<=33.01	Pass
			50	21.11	1.43	22.54	<=33.01	Pass
		100	0	21.04	1.43	22.47	<=33.01	Pass
	1880	1	0	22.22	1.43	23.65	<=33.01	Pass
			50	23.29	1.43	24.72	<=33.01	Pass
			99	22.5	1.43	23.93	<=33.01	Pass
		50	0	20.95	1.43	22.38	<=33.01	Pass
			25	20.99	1.43	22.42	<=33.01	Pass
			50	20.85	1.43	22.28	<=33.01	Pass
		100	0	20.91	1.43	22.34	<=33.01	Pass
	1900	1	0	21.55	1.43	22.98	<=33.01	Pass
			50	22.62	1.43	24.05	<=33.01	Pass
			99	21.94	1.43	23.37	<=33.01	Pass
		50	0	20.84	1.43	22.27	<=33.01	Pass
			25	20.85	1.43	22.28	<=33.01	Pass
			50	20.79	1.43	22.22	<=33.01	Pass
		100	0	20.89	1.43	22.32	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.7 LTE Band4

Band: 4 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	22.88	-0.64	22.24	<=30	Pass
			2	22.87	-0.64	22.23	<=30	Pass
			5	22.83	-0.64	22.19	<=30	Pass
		3	0	22.81	-0.64	22.17	<=30	Pass
			2	22.74	-0.64	22.10	<=30	Pass
			3	22.7	-0.64	22.06	<=30	Pass
		6	0	21.77	-0.64	21.13	<=30	Pass
	1732.5	1	0	22.87	-0.64	22.23	<=30	Pass
			2	22.81	-0.64	22.17	<=30	Pass
			5	22.91	-0.64	22.27	<=30	Pass

		3	0	22.99	-0.64	22.35	<=30	Pass
			2	23.01	-0.64	22.37	<=30	Pass
			3	22.89	-0.64	22.25	<=30	Pass
		6	0	21.92	-0.64	21.28	<=30	Pass
	1754.3	1	0	23.13	-0.64	22.49	<=30	Pass
			2	22.94	-0.64	22.30	<=30	Pass
			5	23.13	-0.64	22.49	<=30	Pass
		3	0	22.94	-0.64	22.30	<=30	Pass
			2	22.95	-0.64	22.31	<=30	Pass
			3	22.97	-0.64	22.33	<=30	Pass
6		0	21.91	-0.64	21.27	<=30	Pass	
16QAM	1710.7	1	0	22.48	-0.64	21.84	<=30	Pass
			2	22.4	-0.64	21.76	<=30	Pass
			5	22.44	-0.64	21.80	<=30	Pass
		3	0	22.18	-0.64	21.54	<=30	Pass
			2	21.9	-0.64	21.26	<=30	Pass
			3	21.74	-0.64	21.10	<=30	Pass
		6	0	20.96	-0.64	20.32	<=30	Pass
	1732.5	1	0	21.95	-0.64	21.31	<=30	Pass
			2	22.03	-0.64	21.39	<=30	Pass
			5	21.94	-0.64	21.30	<=30	Pass
		3	0	22	-0.64	21.36	<=30	Pass
			2	22.07	-0.64	21.43	<=30	Pass
			3	22.02	-0.64	21.38	<=30	Pass
		6	0	20.79	-0.64	20.15	<=30	Pass
	1754.3	1	0	22.13	-0.64	21.49	<=30	Pass
			2	22.26	-0.64	21.62	<=30	Pass
			5	22.37	-0.64	21.73	<=30	Pass
		3	0	21.99	-0.64	21.35	<=30	Pass
			2	22.06	-0.64	21.42	<=30	Pass
			3	22.18	-0.64	21.54	<=30	Pass
		6	0	20.84	-0.64	20.20	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 4 / Bandwidth: 3MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	22.71	-0.64	22.07	<=30	Pass
			7	23.2	-0.64	22.56	<=30	Pass
			14	22.71	-0.64	22.07	<=30	Pass

		8	0	21.76	-0.64	21.12	<=30	Pass		
			4	21.75	-0.64	21.11	<=30	Pass		
			7	21.68	-0.64	21.04	<=30	Pass		
		15	0	21.75	-0.64	21.11	<=30	Pass		
			1732.5	1	0	22.87	-0.64	22.23	<=30	Pass
					7	22.96	-0.64	22.32	<=30	Pass
	14	22.98			-0.64	22.34	<=30	Pass		
	8	0		22.11	-0.64	21.47	<=30	Pass		
		4		22.02	-0.64	21.38	<=30	Pass		
		7		21.99	-0.64	21.35	<=30	Pass		
	15	0	22.02	-0.64	21.38	<=30	Pass			
	1753.5	1	0	22.8	-0.64	22.16	<=30	Pass		
			7	23.12	-0.64	22.48	<=30	Pass		
			14	23.01	-0.64	22.37	<=30	Pass		
		8	0	21.87	-0.64	21.23	<=30	Pass		
			4	21.81	-0.64	21.17	<=30	Pass		
			7	21.91	-0.64	21.27	<=30	Pass		
		15	0	21.94	-0.64	21.30	<=30	Pass		

16QAM	1711.5	1	0	22.11	-0.64	21.47	<=30	Pass	
			7	22.21	-0.64	21.57	<=30	Pass	
			14	22.2	-0.64	21.56	<=30	Pass	
		8	0	21.02	-0.64	20.38	<=30	Pass	
			4	20.94	-0.64	20.30	<=30	Pass	
			7	20.98	-0.64	20.34	<=30	Pass	
		15	0	20.76	-0.64	20.12	<=30	Pass	
		1732.5	1	0	22.3	-0.64	21.66	<=30	Pass
				7	22.88	-0.64	22.24	<=30	Pass
	14			22.35	-0.64	21.71	<=30	Pass	
	8		0	21.22	-0.64	20.58	<=30	Pass	
			4	20.97	-0.64	20.33	<=30	Pass	
			7	20.9	-0.64	20.26	<=30	Pass	
	15		0	20.78	-0.64	20.14	<=30	Pass	
	1753.5		1	0	21.84	-0.64	21.20	<=30	Pass
				7	22.16	-0.64	21.52	<=30	Pass
		14		22.14	-0.64	21.50	<=30	Pass	
		8	0	20.86	-0.64	20.22	<=30	Pass	
4			20.91	-0.64	20.27	<=30	Pass		
7			21	-0.64	20.36	<=30	Pass		
15		0	21.02	-0.64	20.38	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

Band: 4 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	22.65	-0.64	22.01	<=30	Pass
			13	22.64	-0.64	22.00	<=30	Pass
			24	22.63	-0.64	21.99	<=30	Pass
		12	0	21.69	-0.64	21.05	<=30	Pass
			6	21.69	-0.64	21.05	<=30	Pass
			13	21.73	-0.64	21.09	<=30	Pass
		25	0	21.72	-0.64	21.08	<=30	Pass
	1732.5	1	0	22.63	-0.64	21.99	<=30	Pass
			13	22.86	-0.64	22.22	<=30	Pass
			24	22.62	-0.64	21.98	<=30	Pass
		12	0	21.92	-0.64	21.28	<=30	Pass
			6	22.07	-0.64	21.43	<=30	Pass
			13	22.06	-0.64	21.42	<=30	Pass
		25	0	22	-0.64	21.36	<=30	Pass
	1752.5	1	0	22.73	-0.64	22.09	<=30	Pass
			13	22.83	-0.64	22.19	<=30	Pass
			24	22.99	-0.64	22.35	<=30	Pass
		12	0	21.82	-0.64	21.18	<=30	Pass
			6	21.81	-0.64	21.17	<=30	Pass
			13	21.9	-0.64	21.26	<=30	Pass
		25	0	21.92	-0.64	21.28	<=30	Pass
16QAM	1712.5	1	0	21.42	-0.64	20.78	<=30	Pass
			13	21.9	-0.64	21.26	<=30	Pass
			24	21.46	-0.64	20.82	<=30	Pass
		12	0	20.89	-0.64	20.25	<=30	Pass
			6	20.92	-0.64	20.28	<=30	Pass
			13	20.85	-0.64	20.21	<=30	Pass
		25	0	20.67	-0.64	20.03	<=30	Pass
	1732.5	1	0	21.62	-0.64	20.98	<=30	Pass
			13	22.69	-0.64	22.05	<=30	Pass
			24	22.49	-0.64	21.85	<=30	Pass
		12	0	20.84	-0.64	20.20	<=30	Pass
			6	20.99	-0.64	20.35	<=30	Pass
			13	20.82	-0.64	20.18	<=30	Pass
		25	0	21.09	-0.64	20.45	<=30	Pass
	1752.5	1	0	21.01	-0.64	20.37	<=30	Pass
			13	22.04	-0.64	21.40	<=30	Pass
			24	21.25	-0.64	20.61	<=30	Pass

		12	0	20.75	-0.64	20.11	<=30	Pass
			6	20.83	-0.64	20.19	<=30	Pass
			13	20.85	-0.64	20.21	<=30	Pass
		25	0	21.1	-0.64	20.46	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 4 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	22.77	-0.64	22.13	<=30	Pass
			25	22.77	-0.64	22.13	<=30	Pass
			49	22.83	-0.64	22.19	<=30	Pass
		25	0	21.77	-0.64	21.13	<=30	Pass
			13	21.83	-0.64	21.19	<=30	Pass
			25	21.85	-0.64	21.21	<=30	Pass
		50	0	21.83	-0.64	21.19	<=30	Pass
	1732.5	1	0	22.81	-0.64	22.17	<=30	Pass
			25	23.38	-0.64	22.74	<=30	Pass
			49	22.93	-0.64	22.29	<=30	Pass
		25	0	21.91	-0.64	21.27	<=30	Pass
			13	21.98	-0.64	21.34	<=30	Pass
			25	22	-0.64	21.36	<=30	Pass
		50	0	21.94	-0.64	21.30	<=30	Pass
	1750	1	0	23.08	-0.64	22.44	<=30	Pass
			25	23.24	-0.64	22.60	<=30	Pass
			49	23.13	-0.64	22.49	<=30	Pass
		25	0	21.88	-0.64	21.24	<=30	Pass
			13	21.88	-0.64	21.24	<=30	Pass
			25	22.08	-0.64	21.44	<=30	Pass
		50	0	21.93	-0.64	21.29	<=30	Pass
16QAM	1715	1	0	22.14	-0.64	21.50	<=30	Pass
			25	22.36	-0.64	21.72	<=30	Pass
			49	22.16	-0.64	21.52	<=30	Pass
		25	0	20.88	-0.64	20.24	<=30	Pass
			13	21.05	-0.64	20.41	<=30	Pass
			25	21.02	-0.64	20.38	<=30	Pass
		50	0	20.82	-0.64	20.18	<=30	Pass
	1732.5	1	0	22.06	-0.64	21.42	<=30	Pass
			25	22.62	-0.64	21.98	<=30	Pass
			49	22.65	-0.64	22.01	<=30	Pass

		25	0	21.08	-0.64	20.44	<=30	Pass
			13	21.15	-0.64	20.51	<=30	Pass
			25	21.17	-0.64	20.53	<=30	Pass
		50	0	20.92	-0.64	20.28	<=30	Pass
	1750	1	0	21.82	-0.64	21.18	<=30	Pass
			25	21.54	-0.64	20.90	<=30	Pass
			49	21.89	-0.64	21.25	<=30	Pass
		25	0	21.08	-0.64	20.44	<=30	Pass
			13	21.08	-0.64	20.44	<=30	Pass
			25	21.17	-0.64	20.53	<=30	Pass
		50	0	20.97	-0.64	20.33	<=30	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

Band: 4 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	22.81	-0.64	22.17	<=30	Pass
			38	22.82	-0.64	22.18	<=30	Pass
			74	22.87	-0.64	22.23	<=30	Pass
		36	0	21.84	-0.64	21.20	<=30	Pass
			18	21.94	-0.64	21.30	<=30	Pass
			39	21.9	-0.64	21.26	<=30	Pass
		75	0	21.78	-0.64	21.14	<=30	Pass
	1732.5	1	0	22.67	-0.64	22.03	<=30	Pass
			38	23.13	-0.64	22.49	<=30	Pass
			74	23.04	-0.64	22.40	<=30	Pass
		36	0	21.83	-0.64	21.19	<=30	Pass
			18	21.93	-0.64	21.29	<=30	Pass
			39	22.03	-0.64	21.39	<=30	Pass
		75	0	21.95	-0.64	21.31	<=30	Pass
	1747.5	1	0	23.09	-0.64	22.45	<=30	Pass
			38	22.72	-0.64	22.08	<=30	Pass
			74	22.89	-0.64	22.25	<=30	Pass
		36	0	22.01	-0.64	21.37	<=30	Pass
			18	21.79	-0.64	21.15	<=30	Pass
			39	21.88	-0.64	21.24	<=30	Pass
		75	0	21.92	-0.64	21.28	<=30	Pass
16QAM	1717.5	1	0	22.22	-0.64	21.58	<=30	Pass
			38	23.14	-0.64	22.50	<=30	Pass
			74	22.25	-0.64	21.61	<=30	Pass

		36	0	20.97	-0.64	20.33	<=30	Pass
			18	20.87	-0.64	20.23	<=30	Pass
			39	20.95	-0.64	20.31	<=30	Pass
		75	0	20.91	-0.64	20.27	<=30	Pass
	1732.5	1	0	22.55	-0.64	21.91	<=30	Pass
			38	22.69	-0.64	22.05	<=30	Pass
			74	22.68	-0.64	22.04	<=30	Pass
		36	0	21.1	-0.64	20.46	<=30	Pass
			18	20.93	-0.64	20.29	<=30	Pass
			39	21.03	-0.64	20.39	<=30	Pass
		75	0	20.86	-0.64	20.22	<=30	Pass
	1747.5	1	0	22.44	-0.64	21.80	<=30	Pass
			38	22.11	-0.64	21.47	<=30	Pass
			74	21.68	-0.64	21.04	<=30	Pass
		36	0	21.01	-0.64	20.37	<=30	Pass
			18	20.8	-0.64	20.16	<=30	Pass
			39	20.98	-0.64	20.34	<=30	Pass
		75	0	21.02	-0.64	20.38	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 4 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	22.57	-0.64	21.93	<=30	Pass
			50	22.79	-0.64	22.15	<=30	Pass
			99	22.52	-0.64	21.88	<=30	Pass
		50	0	21.84	-0.64	21.20	<=30	Pass
			25	21.82	-0.64	21.18	<=30	Pass
			50	21.73	-0.64	21.09	<=30	Pass
		100	0	21.85	-0.64	21.21	<=30	Pass
	1732.5	1	0	22.74	-0.64	22.10	<=30	Pass
			50	22.74	-0.64	22.10	<=30	Pass
			99	22.73	-0.64	22.09	<=30	Pass
		50	0	21.72	-0.64	21.08	<=30	Pass
			25	21.9	-0.64	21.26	<=30	Pass
			50	21.95	-0.64	21.31	<=30	Pass
		100	0	21.89	-0.64	21.25	<=30	Pass
	1745	1	0	23.01	-0.64	22.37	<=30	Pass
			50	23.16	-0.64	22.52	<=30	Pass
			99	22.79	-0.64	22.15	<=30	Pass

		50	0	22.12	-0.64	21.48	<=30	Pass
			25	21.99	-0.64	21.35	<=30	Pass
			50	21.86	-0.64	21.22	<=30	Pass
		100	0	21.89	-0.64	21.25	<=30	Pass
16QAM	1720	1	0	22.21	-0.64	21.57	<=30	Pass
			50	22.67	-0.64	22.03	<=30	Pass
			99	22.19	-0.64	21.55	<=30	Pass
		50	0	20.95	-0.64	20.31	<=30	Pass
			25	21.08	-0.64	20.44	<=30	Pass
			50	20.94	-0.64	20.30	<=30	Pass
		100	0	20.98	-0.64	20.34	<=30	Pass
	1732.5	1	0	22.79	-0.64	22.15	<=30	Pass
			50	23.11	-0.64	22.47	<=30	Pass
			99	22.82	-0.64	22.18	<=30	Pass
		50	0	20.87	-0.64	20.23	<=30	Pass
			25	20.91	-0.64	20.27	<=30	Pass
			50	20.93	-0.64	20.29	<=30	Pass
		100	0	21.02	-0.64	20.38	<=30	Pass
	1745	1	0	22.62	-0.64	21.98	<=30	Pass
			50	22.8	-0.64	22.16	<=30	Pass
			99	22.44	-0.64	21.80	<=30	Pass
		50	0	21.3	-0.64	20.66	<=30	Pass
			25	21.05	-0.64	20.41	<=30	Pass
			50	20.95	-0.64	20.31	<=30	Pass
		100	0	20.99	-0.64	20.35	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.8 LTE Band5

Band: 5 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	824.7	1	0	22.96	0.84	21.65	<=38.45	Pass
			2	22.86	0.84	21.55	<=38.45	Pass
			5	22.61	0.84	21.30	<=38.45	Pass
		3	0	22.67	0.84	21.36	<=38.45	Pass
			2	22.73	0.84	21.42	<=38.45	Pass
			3	22.62	0.84	21.31	<=38.45	Pass
		6	0	21.77	0.84	20.46	<=38.45	Pass

	836.5	1	0	22.88	0.84	21.57	<=38.45	Pass
			2	22.93	0.84	21.62	<=38.45	Pass
			5	22.88	0.84	21.57	<=38.45	Pass
		3	0	22.82	0.84	21.51	<=38.45	Pass
			2	22.94	0.84	21.63	<=38.45	Pass
			3	22.81	0.84	21.50	<=38.45	Pass
		6	0	22.02	0.84	20.71	<=38.45	Pass
	848.3	1	0	23	0.84	21.69	<=38.45	Pass
			2	23.1	0.84	21.79	<=38.45	Pass
			5	22.9	0.84	21.59	<=38.45	Pass
		3	0	22.82	0.84	21.51	<=38.45	Pass
			2	22.87	0.84	21.56	<=38.45	Pass
			3	22.8	0.84	21.49	<=38.45	Pass
		6	0	21.93	0.84	20.62	<=38.45	Pass
16QAM	824.7	1	0	22.59	0.84	21.28	<=38.45	Pass
			2	22.47	0.84	21.16	<=38.45	Pass
			5	22.54	0.84	21.23	<=38.45	Pass
		3	0	22.25	0.84	20.94	<=38.45	Pass
			2	22.1	0.84	20.79	<=38.45	Pass
			3	21.85	0.84	20.54	<=38.45	Pass
		6	0	21.11	0.84	19.80	<=38.45	Pass
	836.5	1	0	22.16	0.84	20.85	<=38.45	Pass
			2	22.21	0.84	20.90	<=38.45	Pass
			5	22.04	0.84	20.73	<=38.45	Pass
		3	0	22.1	0.84	20.79	<=38.45	Pass
			2	22.13	0.84	20.82	<=38.45	Pass
			3	22.06	0.84	20.75	<=38.45	Pass
		6	0	20.78	0.84	19.47	<=38.45	Pass
	848.3	1	0	22.11	0.84	20.80	<=38.45	Pass
			2	22.25	0.84	20.94	<=38.45	Pass
			5	21.91	0.84	20.60	<=38.45	Pass
		3	0	22.25	0.84	20.94	<=38.45	Pass
			2	22.21	0.84	20.90	<=38.45	Pass
			3	22.06	0.84	20.75	<=38.45	Pass
		6	0	21.07	0.84	19.76	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	825.5	1	0	22.69	0.84	21.38	<=38.45	Pass
			7	23	0.84	21.69	<=38.45	Pass
			14	22.73	0.84	21.42	<=38.45	Pass

		8	0	21.78	0.84	20.47	<=38.45	Pass
			4	21.8	0.84	20.49	<=38.45	Pass
			7	21.78	0.84	20.47	<=38.45	Pass
		15	0	21.84	0.84	20.53	<=38.45	Pass
	836.5	1	0	22.83	0.84	21.52	<=38.45	Pass
			7	23.03	0.84	21.72	<=38.45	Pass
			14	22.89	0.84	21.58	<=38.45	Pass
		8	0	22.04	0.84	20.73	<=38.45	Pass
			4	21.97	0.84	20.66	<=38.45	Pass
			7	22.05	0.84	20.74	<=38.45	Pass
		15	0	22.09	0.84	20.78	<=38.45	Pass
	847.5	1	0	22.97	0.84	21.66	<=38.45	Pass
			7	22.86	0.84	21.55	<=38.45	Pass
			14	22.84	0.84	21.53	<=38.45	Pass
		8	0	21.97	0.84	20.66	<=38.45	Pass
			4	21.89	0.84	20.58	<=38.45	Pass
			7	22	0.84	20.69	<=38.45	Pass
		15	0	22.13	0.84	20.82	<=38.45	Pass
16QAM	825.5	1	0	22.4	0.84	21.09	<=38.45	Pass
			7	22.3	0.84	20.99	<=38.45	Pass
			14	22.21	0.84	20.90	<=38.45	Pass
		8	0	20.83	0.84	19.52	<=38.45	Pass
			4	20.96	0.84	19.65	<=38.45	Pass
			7	20.95	0.84	19.64	<=38.45	Pass
		15	0	20.78	0.84	19.47	<=38.45	Pass
	836.5	1	0	22.41	0.84	21.10	<=38.45	Pass
			7	22.65	0.84	21.34	<=38.45	Pass
			14	22.7	0.84	21.39	<=38.45	Pass
		8	0	21.28	0.84	19.97	<=38.45	Pass
			4	21.25	0.84	19.94	<=38.45	Pass
			7	21.21	0.84	19.90	<=38.45	Pass
		15	0	20.97	0.84	19.66	<=38.45	Pass
	847.5	1	0	22.42	0.84	21.11	<=38.45	Pass
			7	22.43	0.84	21.12	<=38.45	Pass
			14	22.12	0.84	20.81	<=38.45	Pass
		8	0	21.24	0.84	19.93	<=38.45	Pass
			4	21.23	0.84	19.92	<=38.45	Pass
			7	21.3	0.84	19.99	<=38.45	Pass
		15	0	20.99	0.84	19.68	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency	RB Allocation	Conducted Power	Gain	ERP (dBm)	Verdict

	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit		
QPSK	826.5	1	0	22.66	0.84	21.35	<=38.45	Pass	
			13	22.71	0.84	21.40	<=38.45	Pass	
			24	22.73	0.84	21.42	<=38.45	Pass	
		12	0	21.7	0.84	20.39	<=38.45	Pass	
			6	21.74	0.84	20.43	<=38.45	Pass	
			13	21.86	0.84	20.55	<=38.45	Pass	
		25	0	21.72	0.84	20.41	<=38.45	Pass	
		836.5	1	0	22.5	0.84	21.19	<=38.45	Pass
				13	22.75	0.84	21.44	<=38.45	Pass
	24			22.55	0.84	21.24	<=38.45	Pass	
	12		0	22	0.84	20.69	<=38.45	Pass	
			6	22.06	0.84	20.75	<=38.45	Pass	
			13	21.96	0.84	20.65	<=38.45	Pass	
	25	0	21.94	0.84	20.63	<=38.45	Pass		
	846.5	1	0	23.03	0.84	21.72	<=38.45	Pass	
			13	23.01	0.84	21.70	<=38.45	Pass	
			24	22.68	0.84	21.37	<=38.45	Pass	
		12	0	22.18	0.84	20.87	<=38.45	Pass	
			6	22.22	0.84	20.91	<=38.45	Pass	
			13	22.01	0.84	20.70	<=38.45	Pass	
		25	0	22.01	0.84	20.70	<=38.45	Pass	
	16QAM	826.5	1	0	21.33	0.84	20.02	<=38.45	Pass
				13	21.16	0.84	19.85	<=38.45	Pass
				24	21.31	0.84	20.00	<=38.45	Pass
12			0	20.87	0.84	19.56	<=38.45	Pass	
			6	20.84	0.84	19.53	<=38.45	Pass	
			13	20.84	0.84	19.53	<=38.45	Pass	
25			0	20.94	0.84	19.63	<=38.45	Pass	
836.5		1	0	22.19	0.84	20.88	<=38.45	Pass	
			13	22.74	0.84	21.43	<=38.45	Pass	
			24	22.47	0.84	21.16	<=38.45	Pass	
		12	0	20.93	0.84	19.62	<=38.45	Pass	
			6	20.9	0.84	19.59	<=38.45	Pass	
			13	20.7	0.84	19.39	<=38.45	Pass	
25		0	20.93	0.84	19.62	<=38.45	Pass		
846.5		1	0	21.89	0.84	20.58	<=38.45	Pass	
			13	21.84	0.84	20.53	<=38.45	Pass	
			24	21.86	0.84	20.55	<=38.45	Pass	
		12	0	21.15	0.84	19.84	<=38.45	Pass	
			6	21.02	0.84	19.71	<=38.45	Pass	
			13	20.85	0.84	19.54	<=38.45	Pass	
		25	0	21.16	0.84	19.85	<=38.45	Pass	

Note1: ERP=Conducted Power+Antenna Gain-2.15

Band: 5 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	829	1	0	22.72	0.84	21.41	<=38.45	Pass
			25	22.8	0.84	21.49	<=38.45	Pass
			49	22.64	0.84	21.33	<=38.45	Pass
		25	0	21.95	0.84	20.64	<=38.45	Pass
			13	21.91	0.84	20.60	<=38.45	Pass
			25	21.92	0.84	20.61	<=38.45	Pass
		50	0	21.94	0.84	20.63	<=38.45	Pass
	836.5	1	0	22.71	0.84	21.40	<=38.45	Pass
			25	23.17	0.84	21.86	<=38.45	Pass
			49	22.85	0.84	21.54	<=38.45	Pass
		25	0	21.88	0.84	20.57	<=38.45	Pass
			13	22.07	0.84	20.76	<=38.45	Pass
			25	22.05	0.84	20.74	<=38.45	Pass
		50	0	21.96	0.84	20.65	<=38.45	Pass
	844	1	0	22.96	0.84	21.65	<=38.45	Pass
			25	23.35	0.84	22.04	<=38.45	Pass
			49	23.18	0.84	21.87	<=38.45	Pass
		25	0	22.12	0.84	20.81	<=38.45	Pass
			13	22.16	0.84	20.85	<=38.45	Pass
			25	22.11	0.84	20.80	<=38.45	Pass
		50	0	22.13	0.84	20.82	<=38.45	Pass
16QAM	829	1	0	22.3	0.84	20.99	<=38.45	Pass
			25	22.39	0.84	21.08	<=38.45	Pass
			49	22.09	0.84	20.78	<=38.45	Pass
		25	0	21.11	0.84	19.80	<=38.45	Pass
			13	21.08	0.84	19.77	<=38.45	Pass
			25	21	0.84	19.69	<=38.45	Pass
		50	0	21.08	0.84	19.77	<=38.45	Pass
	836.5	1	0	22.37	0.84	21.06	<=38.45	Pass
			25	22.5	0.84	21.19	<=38.45	Pass
			49	22.7	0.84	21.39	<=38.45	Pass
		25	0	21.1	0.84	19.79	<=38.45	Pass
			13	21.2	0.84	19.89	<=38.45	Pass
			25	21	0.84	19.69	<=38.45	Pass
		50	0	20.88	0.84	19.57	<=38.45	Pass
	844	1	0	21.85	0.84	20.54	<=38.45	Pass
			25	22.07	0.84	20.76	<=38.45	Pass
			49	21.9	0.84	20.59	<=38.45	Pass
		25	0	21.4	0.84	20.09	<=38.45	Pass

			13	21.46	0.84	20.15	<=38.45	Pass
			25	21.32	0.84	20.01	<=38.45	Pass
		50	0	21.18	0.84	19.87	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.9 LTE Band7

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2502.5	1	0	22.25	1.50	23.75	<=33.01	Pass
			13	22.42	1.50	23.92	<=33.01	Pass
			24	22.18	1.50	23.68	<=33.01	Pass
		12	0	21.77	1.50	23.27	<=33.01	Pass
			6	21.79	1.50	23.29	<=33.01	Pass
			13	21.8	1.50	23.30	<=33.01	Pass
		25	0	21.75	1.50	23.25	<=33.01	Pass
	2535	1	0	22.46	1.50	23.96	<=33.01	Pass
			13	22.71	1.50	24.21	<=33.01	Pass
			24	22.55	1.50	24.05	<=33.01	Pass
		12	0	21.85	1.50	23.35	<=33.01	Pass
			6	21.85	1.50	23.35	<=33.01	Pass
			13	21.85	1.50	23.35	<=33.01	Pass
		25	0	21.85	1.50	23.35	<=33.01	Pass
	2567.5	1	0	22.54	1.50	24.04	<=33.01	Pass
			13	22.86	1.50	24.36	<=33.01	Pass
			24	22.85	1.50	24.35	<=33.01	Pass
		12	0	21.84	1.50	23.34	<=33.01	Pass
			6	21.83	1.50	23.33	<=33.01	Pass
			13	21.85	1.50	23.35	<=33.01	Pass
		25	0	21.89	1.50	23.39	<=33.01	Pass
16QAM	2502.5	1	0	22.15	1.50	23.65	<=33.01	Pass
			13	22.25	1.50	23.75	<=33.01	Pass
			24	22.28	1.50	23.78	<=33.01	Pass
		12	0	20.8	1.50	22.30	<=33.01	Pass
			6	20.77	1.50	22.27	<=33.01	Pass
			13	20.49	1.50	21.99	<=33.01	Pass
		25	0	20.76	1.50	22.26	<=33.01	Pass
	2535	1	0	21.39	1.50	22.89	<=33.01	Pass
			13	21.08	1.50	22.58	<=33.01	Pass
			24	21.43	1.50	22.93	<=33.01	Pass

		12	0	20.7	1.50	22.20	<=33.01	Pass
			6	20.92	1.50	22.42	<=33.01	Pass
			13	20.91	1.50	22.41	<=33.01	Pass
		25	0	20.85	1.50	22.35	<=33.01	Pass
	2567.5	1	0	22.05	1.50	23.55	<=33.01	Pass
			13	21.73	1.50	23.23	<=33.01	Pass
			24	21.67	1.50	23.17	<=33.01	Pass
		12	0	21	1.50	22.50	<=33.01	Pass
			6	21.02	1.50	22.52	<=33.01	Pass
			13	20.68	1.50	22.18	<=33.01	Pass
		25	0	21.04	1.50	22.54	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 7 / Bandwidth: 10MHz / NTN-V								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2505	1	0	22.64	1.50	24.14	<=33.01	Pass
			25	23.06	1.50	24.56	<=33.01	Pass
			49	22.62	1.50	24.12	<=33.01	Pass
		25	0	21.82	1.50	23.32	<=33.01	Pass
			13	21.88	1.50	23.38	<=33.01	Pass
			25	21.91	1.50	23.41	<=33.01	Pass
		50	0	21.89	1.50	23.39	<=33.01	Pass
	2535	1	0	22.89	1.50	24.39	<=33.01	Pass
			25	23.04	1.50	24.54	<=33.01	Pass
			49	22.8	1.50	24.30	<=33.01	Pass
		25	0	21.89	1.50	23.39	<=33.01	Pass
			13	21.85	1.50	23.35	<=33.01	Pass
			25	21.88	1.50	23.38	<=33.01	Pass
		50	0	21.88	1.50	23.38	<=33.01	Pass
	2565	1	0	23.11	1.50	24.61	<=33.01	Pass
			25	22.92	1.50	24.42	<=33.01	Pass
			49	23.02	1.50	24.52	<=33.01	Pass
		25	0	21.91	1.50	23.41	<=33.01	Pass
			13	21.93	1.50	23.43	<=33.01	Pass
			25	21.92	1.50	23.42	<=33.01	Pass
		50	0	21.93	1.50	23.43	<=33.01	Pass
16QAM	2505	1	0	21.94	1.50	23.44	<=33.01	Pass
			25	21.79	1.50	23.29	<=33.01	Pass
			49	21.78	1.50	23.28	<=33.01	Pass
		25	0	21.01	1.50	22.51	<=33.01	Pass
			13	21.01	1.50	22.51	<=33.01	Pass
			25	20.95	1.50	22.45	<=33.01	Pass

		50	0	20.71	1.50	22.21	<=33.01	Pass	
	2535	1	0	22.55	1.50	24.05	<=33.01	Pass	
			25	22.4	1.50	23.90	<=33.01	Pass	
			49	22.26	1.50	23.76	<=33.01	Pass	
			0	21.2	1.50	22.70	<=33.01	Pass	
		25	13	21.04	1.50	22.54	<=33.01	Pass	
			25	20.98	1.50	22.48	<=33.01	Pass	
			50	0	20.88	1.50	22.38	<=33.01	Pass
	2565	1	0	22.56	1.50	24.06	<=33.01	Pass	
			25	22.34	1.50	23.84	<=33.01	Pass	
			49	22.24	1.50	23.74	<=33.01	Pass	
		25	0	21.08	1.50	22.58	<=33.01	Pass	
			13	21.07	1.50	22.57	<=33.01	Pass	
			25	21.02	1.50	22.52	<=33.01	Pass	
		50	0	20.87	1.50	22.37	<=33.01	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

Band: 7 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2507.5	1	0	22.7	1.50	24.20	<=33.01	Pass
			38	22.77	1.50	24.27	<=33.01	Pass
			74	22.52	1.50	24.02	<=33.01	Pass
		36	0	21.77	1.50	23.27	<=33.01	Pass
			18	21.87	1.50	23.37	<=33.01	Pass
			39	21.81	1.50	23.31	<=33.01	Pass
		75	0	21.84	1.50	23.34	<=33.01	Pass
	2535	1	0	22.64	1.50	24.14	<=33.01	Pass
			38	22.94	1.50	24.44	<=33.01	Pass
			74	22.88	1.50	24.38	<=33.01	Pass
		36	0	21.88	1.50	23.38	<=33.01	Pass
			18	21.89	1.50	23.39	<=33.01	Pass
			39	21.85	1.50	23.35	<=33.01	Pass
		75	0	21.87	1.50	23.37	<=33.01	Pass
	2562.5	1	0	22.67	1.50	24.17	<=33.01	Pass
			38	22.94	1.50	24.44	<=33.01	Pass
			74	22.82	1.50	24.32	<=33.01	Pass
		36	0	21.93	1.50	23.43	<=33.01	Pass
			18	21.89	1.50	23.39	<=33.01	Pass
			39	21.84	1.50	23.34	<=33.01	Pass
		75	0	21.91	1.50	23.41	<=33.01	Pass
16QAM	2507.5	1	0	21.82	1.50	23.32	<=33.01	Pass
			38	21.75	1.50	23.25	<=33.01	Pass

		36	74	21.35	1.50	22.85	<=33.01	Pass
			0	20.91	1.50	22.41	<=33.01	Pass
			18	20.92	1.50	22.42	<=33.01	Pass
			39	20.78	1.50	22.28	<=33.01	Pass
	75		0	20.8	1.50	22.30	<=33.01	Pass
	2535	1	0	21.39	1.50	22.89	<=33.01	Pass
			38	22.12	1.50	23.62	<=33.01	Pass
			74	22.64	1.50	24.14	<=33.01	Pass
		36	0	20.87	1.50	22.37	<=33.01	Pass
			18	21.18	1.50	22.68	<=33.01	Pass
			39	20.9	1.50	22.40	<=33.01	Pass
		75	0	20.89	1.50	22.39	<=33.01	Pass
	2562.5	1	0	22.38	1.50	23.88	<=33.01	Pass
			38	22.2	1.50	23.70	<=33.01	Pass
			74	21.99	1.50	23.49	<=33.01	Pass
		36	0	20.99	1.50	22.49	<=33.01	Pass
			18	20.84	1.50	22.34	<=33.01	Pass
			39	20.91	1.50	22.41	<=33.01	Pass
		75	0	20.87	1.50	22.37	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Band: 7 / Bandwidth: 20MHz / NTV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2510	1	0	22.49	1.50	23.99	<=33.01	Pass
			50	22.81	1.50	24.31	<=33.01	Pass
			99	22.4	1.50	23.90	<=33.01	Pass
		50	0	21.81	1.50	23.31	<=33.01	Pass
			25	21.85	1.50	23.35	<=33.01	Pass
			50	21.78	1.50	23.28	<=33.01	Pass
		100	0	21.82	1.50	23.32	<=33.01	Pass
	2535	1	0	22.6	1.50	24.10	<=33.01	Pass
			50	23.15	1.50	24.65	<=33.01	Pass
			99	22.9	1.50	24.40	<=33.01	Pass
		50	0	21.85	1.50	23.35	<=33.01	Pass
			25	21.93	1.50	23.43	<=33.01	Pass
			50	21.92	1.50	23.42	<=33.01	Pass
		100	0	21.93	1.50	23.43	<=33.01	Pass
	2560	1	0	22.52	1.50	24.02	<=33.01	Pass
			50	22.88	1.50	24.38	<=33.01	Pass
			99	22.85	1.50	24.35	<=33.01	Pass
		50	0	21.94	1.50	23.44	<=33.01	Pass
			25	21.88	1.50	23.38	<=33.01	Pass

			50	21.95	1.50	23.45	<=33.01	Pass
		100	0	21.88	1.50	23.38	<=33.01	Pass
16QAM	2510	1	0	23.28	1.50	24.78	<=33.01	Pass
			50	22.83	1.50	24.33	<=33.01	Pass
			99	22.44	1.50	23.94	<=33.01	Pass
		50	0	20.82	1.50	22.32	<=33.01	Pass
			25	20.73	1.50	22.23	<=33.01	Pass
			50	20.72	1.50	22.22	<=33.01	Pass
		100	0	20.74	1.50	22.24	<=33.01	Pass
	2535	1	0	21.89	1.50	23.39	<=33.01	Pass
			50	22.07	1.50	23.57	<=33.01	Pass
			99	21.43	1.50	22.93	<=33.01	Pass
		50	0	21.05	1.50	22.55	<=33.01	Pass
			25	20.93	1.50	22.43	<=33.01	Pass
			50	20.92	1.50	22.42	<=33.01	Pass
		100	0	20.95	1.50	22.45	<=33.01	Pass
	2560	1	0	22.22	1.50	23.72	<=33.01	Pass
			50	22.63	1.50	24.13	<=33.01	Pass
			99	22.53	1.50	24.03	<=33.01	Pass
		50	0	20.95	1.50	22.45	<=33.01	Pass
			25	20.91	1.50	22.41	<=33.01	Pass
			50	20.99	1.50	22.49	<=33.01	Pass
		100	0	20.93	1.50	22.43	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.10 LTE Band12

Band: 12 / Bandwidth: 1.4MHz / NTVN								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	699.7	1	0	22.78	-5.49	15.14	<=34.77	Pass
			2	22.6	-5.49	14.96	<=34.77	Pass
			5	22.73	-5.49	15.09	<=34.77	Pass
		3	0	22.49	-5.49	14.85	<=34.77	Pass
			2	22.47	-5.49	14.83	<=34.77	Pass
			3	22.5	-5.49	14.86	<=34.77	Pass
		6	0	21.52	-5.49	13.88	<=34.77	Pass
	707.5	1	0	22.76	-5.49	15.12	<=34.77	Pass
			2	22.83	-5.49	15.19	<=34.77	Pass
			5	22.89	-5.49	15.25	<=34.77	Pass
		3	0	22.96	-5.49	15.32	<=34.77	Pass

			2	22.8	-5.49	15.16	<=34.77	Pass
			3	22.79	-5.49	15.15	<=34.77	Pass
		6	0	21.93	-5.49	14.29	<=34.77	Pass
	715.3	1	0	22.85	-5.49	15.21	<=34.77	Pass
			2	22.9	-5.49	15.26	<=34.77	Pass
			5	22.8	-5.49	15.16	<=34.77	Pass
		3	0	22.93	-5.49	15.29	<=34.77	Pass
			2	22.82	-5.49	15.18	<=34.77	Pass
			3	22.85	-5.49	15.21	<=34.77	Pass
		6	0	21.76	-5.49	14.12	<=34.77	Pass
16QAM	699.7	1	0	21.76	-5.49	14.12	<=34.77	Pass
			2	21.81	-5.49	14.17	<=34.77	Pass
			5	21.27	-5.49	13.63	<=34.77	Pass
		3	0	21.65	-5.49	14.01	<=34.77	Pass
			2	21.6	-5.49	13.96	<=34.77	Pass
			3	21.72	-5.49	14.08	<=34.77	Pass
		6	0	20.49	-5.49	12.85	<=34.77	Pass
	707.5	1	0	22.63	-5.49	14.99	<=34.77	Pass
			2	22.52	-5.49	14.88	<=34.77	Pass
			5	22.52	-5.49	14.88	<=34.77	Pass
		3	0	22.11	-5.49	14.47	<=34.77	Pass
			2	22	-5.49	14.36	<=34.77	Pass
			3	21.68	-5.49	14.04	<=34.77	Pass
		6	0	20.5	-5.49	12.86	<=34.77	Pass
	715.3	1	0	21.77	-5.49	14.13	<=34.77	Pass
			2	21.8	-5.49	14.16	<=34.77	Pass
			5	21.79	-5.49	14.15	<=34.77	Pass
		3	0	21.87	-5.49	14.23	<=34.77	Pass
			2	21.93	-5.49	14.29	<=34.77	Pass
			3	21.84	-5.49	14.20	<=34.77	Pass
		6	0	20.57	-5.49	12.93	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Band: 12 / Bandwidth: 3MHz / NTN								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	700.5	1	0	22.56	-5.49	14.92	<=34.77	Pass
			7	22.8	-5.49	15.16	<=34.77	Pass
			14	22.6	-5.49	14.96	<=34.77	Pass
		8	0	21.61	-5.49	13.97	<=34.77	Pass
			4	21.55	-5.49	13.91	<=34.77	Pass
			7	21.65	-5.49	14.01	<=34.77	Pass

		15	0	21.61	-5.49	13.97	<=34.77	Pass
	707.5	1	0	22.82	-5.49	15.18	<=34.77	Pass
			7	22.86	-5.49	15.22	<=34.77	Pass
			14	22.66	-5.49	15.02	<=34.77	Pass
			0	21.97	-5.49	14.33	<=34.77	Pass
		8	4	21.99	-5.49	14.35	<=34.77	Pass
			7	21.85	-5.49	14.21	<=34.77	Pass
			15	0	21.85	-5.49	14.21	<=34.77
	714.5	1	0	23.17	-5.49	15.53	<=34.77	Pass
			7	23.08	-5.49	15.44	<=34.77	Pass
			14	22.87	-5.49	15.23	<=34.77	Pass
		8	0	21.91	-5.49	14.27	<=34.77	Pass
			4	21.83	-5.49	14.19	<=34.77	Pass
			7	21.81	-5.49	14.17	<=34.77	Pass
		15	0	21.96	-5.49	14.32	<=34.77	Pass
16QAM	700.5	1	0	21.96	-5.49	14.32	<=34.77	Pass
			7	22.05	-5.49	14.41	<=34.77	Pass
			14	22.04	-5.49	14.40	<=34.77	Pass
		8	0	20.63	-5.49	12.99	<=34.77	Pass
			4	20.54	-5.49	12.90	<=34.77	Pass
			7	20.84	-5.49	13.20	<=34.77	Pass
		15	0	20.61	-5.49	12.97	<=34.77	Pass
	707.5	1	0	22.36	-5.49	14.72	<=34.77	Pass
			7	22.63	-5.49	14.99	<=34.77	Pass
			14	22.42	-5.49	14.78	<=34.77	Pass
		8	0	20.8	-5.49	13.16	<=34.77	Pass
			4	21.16	-5.49	13.52	<=34.77	Pass
			7	21.13	-5.49	13.49	<=34.77	Pass
		15	0	20.79	-5.49	13.15	<=34.77	Pass
	714.5	1	0	22.23	-5.49	14.59	<=34.77	Pass
			7	21.72	-5.49	14.08	<=34.77	Pass
			14	21.83	-5.49	14.19	<=34.77	Pass
		8	0	20.94	-5.49	13.30	<=34.77	Pass
			4	20.88	-5.49	13.24	<=34.77	Pass
			7	20.83	-5.49	13.19	<=34.77	Pass
		15	0	20.96	-5.49	13.32	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Band: 12 / Bandwidth: 5MHz / NTN								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	701.5	1	0	22.34	-5.49	14.70	<=34.77	Pass
			13	22.44	-5.49	14.80	<=34.77	Pass

		12	24	22.43	-5.49	14.79	<=34.77	Pass
			0	21.54	-5.49	13.90	<=34.77	Pass
			6	21.68	-5.49	14.04	<=34.77	Pass
			13	21.62	-5.49	13.98	<=34.77	Pass
		25	0	21.52	-5.49	13.88	<=34.77	Pass
	707.5	1	0	22.53	-5.49	14.89	<=34.77	Pass
			13	22.59	-5.49	14.95	<=34.77	Pass
			24	22.42	-5.49	14.78	<=34.77	Pass
		12	0	21.97	-5.49	14.33	<=34.77	Pass
			6	21.92	-5.49	14.28	<=34.77	Pass
			13	21.8	-5.49	14.16	<=34.77	Pass
		25	0	21.85	-5.49	14.21	<=34.77	Pass
	713.5	1	0	22.49	-5.49	14.85	<=34.77	Pass
			13	22.85	-5.49	15.21	<=34.77	Pass
			24	22.67	-5.49	15.03	<=34.77	Pass
		12	0	22.02	-5.49	14.38	<=34.77	Pass
			6	21.99	-5.49	14.35	<=34.77	Pass
			13	21.79	-5.49	14.15	<=34.77	Pass
		25	0	21.87	-5.49	14.23	<=34.77	Pass
	16QAM	701.5	1	0	21.23	-5.49	13.59	<=34.77
13				21.08	-5.49	13.44	<=34.77	Pass
24				20.84	-5.49	13.20	<=34.77	Pass
12			0	20.5	-5.49	12.86	<=34.77	Pass
			6	20.65	-5.49	13.01	<=34.77	Pass
			13	20.63	-5.49	12.99	<=34.77	Pass
25			0	20.69	-5.49	13.05	<=34.77	Pass
707.5		1	0	22.37	-5.49	14.73	<=34.77	Pass
			13	22.61	-5.49	14.97	<=34.77	Pass
			24	22.33	-5.49	14.69	<=34.77	Pass
		12	0	20.86	-5.49	13.22	<=34.77	Pass
			6	20.88	-5.49	13.24	<=34.77	Pass
			13	20.78	-5.49	13.14	<=34.77	Pass
		25	0	20.88	-5.49	13.24	<=34.77	Pass
713.5		1	0	21.93	-5.49	14.29	<=34.77	Pass
			13	21.69	-5.49	14.05	<=34.77	Pass
			24	21.56	-5.49	13.92	<=34.77	Pass
		12	0	20.82	-5.49	13.18	<=34.77	Pass
			6	20.95	-5.49	13.31	<=34.77	Pass
			13	20.75	-5.49	13.11	<=34.77	Pass
	25	0	20.97	-5.49	13.33	<=34.77	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Band: 12 / Bandwidth: 10MHz / NTV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	704	1	0	22.46	-5.49	14.82	<=34.77	Pass
			25	22.63	-5.49	14.99	<=34.77	Pass
			49	22.6	-5.49	14.96	<=34.77	Pass
		25	0	21.63	-5.49	13.99	<=34.77	Pass
			13	21.73	-5.49	14.09	<=34.77	Pass
			25	21.78	-5.49	14.14	<=34.77	Pass
		50	0	21.74	-5.49	14.10	<=34.77	Pass
	707.5	1	0	22.5	-5.49	14.86	<=34.77	Pass
			25	23.27	-5.49	15.63	<=34.77	Pass
			49	22.78	-5.49	15.14	<=34.77	Pass
		25	0	21.8	-5.49	14.16	<=34.77	Pass
			13	21.78	-5.49	14.14	<=34.77	Pass
			25	21.76	-5.49	14.12	<=34.77	Pass
		50	0	21.83	-5.49	14.19	<=34.77	Pass
	711	1	0	22.74	-5.49	15.10	<=34.77	Pass
			25	22.66	-5.49	15.02	<=34.77	Pass
			49	22.57	-5.49	14.93	<=34.77	Pass
		25	0	21.77	-5.49	14.13	<=34.77	Pass
			13	21.82	-5.49	14.18	<=34.77	Pass
			25	21.86	-5.49	14.22	<=34.77	Pass
		50	0	21.79	-5.49	14.15	<=34.77	Pass
16QAM	704	1	0	21.95	-5.49	14.31	<=34.77	Pass
			25	22.39	-5.49	14.75	<=34.77	Pass
			49	22.11	-5.49	14.47	<=34.77	Pass
		25	0	20.76	-5.49	13.12	<=34.77	Pass
			13	20.73	-5.49	13.09	<=34.77	Pass
			25	20.74	-5.49	13.10	<=34.77	Pass
		50	0	20.84	-5.49	13.20	<=34.77	Pass
	707.5	1	0	22.31	-5.49	14.67	<=34.77	Pass
			25	22.66	-5.49	15.02	<=34.77	Pass
			49	22.48	-5.49	14.84	<=34.77	Pass
		25	0	20.85	-5.49	13.21	<=34.77	Pass
			13	20.91	-5.49	13.27	<=34.77	Pass
			25	20.91	-5.49	13.27	<=34.77	Pass
		50	0	20.79	-5.49	13.15	<=34.77	Pass
	711	1	0	22.51	-5.49	14.87	<=34.77	Pass
			25	22.76	-5.49	15.12	<=34.77	Pass
			49	21.97	-5.49	14.33	<=34.77	Pass
		25	0	20.99	-5.49	13.35	<=34.77	Pass

			13	21.05	-5.49	13.41	<=34.77	Pass
			25	20.99	-5.49	13.35	<=34.77	Pass
		50	0	20.71	-5.49	13.07	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.11 LTE Band13

Band: 13 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	779.5	1	0	22.71	-4.76	15.80	<=34.77	Pass
			13	22.7	-4.76	15.79	<=34.77	Pass
			24	22.71	-4.76	15.80	<=34.77	Pass
		12	0	21.77	-4.76	14.86	<=34.77	Pass
			6	21.77	-4.76	14.86	<=34.77	Pass
			13	21.65	-4.76	14.74	<=34.77	Pass
		25	0	21.68	-4.76	14.77	<=34.77	Pass
	782	1	0	22.58	-4.76	15.67	<=34.77	Pass
			13	22.61	-4.76	15.70	<=34.77	Pass
			24	22.51	-4.76	15.60	<=34.77	Pass
		12	0	21.8	-4.76	14.89	<=34.77	Pass
			6	21.86	-4.76	14.95	<=34.77	Pass
			13	21.8	-4.76	14.89	<=34.77	Pass
		25	0	21.79	-4.76	14.88	<=34.77	Pass
	784.5	1	0	22.66	-4.76	15.75	<=34.77	Pass
			13	22.62	-4.76	15.71	<=34.77	Pass
			24	22.61	-4.76	15.70	<=34.77	Pass
		12	0	21.86	-4.76	14.95	<=34.77	Pass
			6	21.99	-4.76	15.08	<=34.77	Pass
			13	21.9	-4.76	14.99	<=34.77	Pass
		25	0	21.77	-4.76	14.86	<=34.77	Pass
16QAM	779.5	1	0	21.29	-4.76	14.38	<=34.77	Pass
			13	20.73	-4.76	13.82	<=34.77	Pass
			24	21.19	-4.76	14.28	<=34.77	Pass
		12	0	20.54	-4.76	13.63	<=34.77	Pass
			6	20.81	-4.76	13.90	<=34.77	Pass
			13	20.62	-4.76	13.71	<=34.77	Pass
		25	0	20.79	-4.76	13.88	<=34.77	Pass
	782	1	0	21.49	-4.76	14.58	<=34.77	Pass
			13	22.6	-4.76	15.69	<=34.77	Pass
			24	22.44	-4.76	15.53	<=34.77	Pass

		12	0	20.67	-4.76	13.76	<=34.77	Pass
			6	20.79	-4.76	13.88	<=34.77	Pass
			13	20.85	-4.76	13.94	<=34.77	Pass
		25	0	20.88	-4.76	13.97	<=34.77	Pass
	784.5	1	0	21.56	-4.76	14.65	<=34.77	Pass
			13	21.65	-4.76	14.74	<=34.77	Pass
			24	20.99	-4.76	14.08	<=34.77	Pass
		12	0	20.82	-4.76	13.91	<=34.77	Pass
			6	20.96	-4.76	14.05	<=34.77	Pass
			13	20.84	-4.76	13.93	<=34.77	Pass
		25	0	20.94	-4.76	14.03	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Band: 13 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	782	1	0	22.9	-4.76	15.99	<=34.77	Pass
			25	22.99	-4.76	16.08	<=34.77	Pass
			49	22.72	-4.76	15.81	<=34.77	Pass
		25	0	21.8	-4.76	14.89	<=34.77	Pass
			13	21.87	-4.76	14.96	<=34.77	Pass
			25	21.85	-4.76	14.94	<=34.77	Pass
		50	0	21.85	-4.76	14.94	<=34.77	Pass
16QAM	782	1	0	22.35	-4.76	15.44	<=34.77	Pass
			25	22.67	-4.76	15.76	<=34.77	Pass
			49	22.2	-4.76	15.29	<=34.77	Pass
		25	0	20.98	-4.76	14.07	<=34.77	Pass
			13	20.95	-4.76	14.04	<=34.77	Pass
			25	21.03	-4.76	14.12	<=34.77	Pass
		50	0	20.89	-4.76	13.98	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.12 LTE Band14

Band: 14 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	790.5	1	0	22.61	-4.23	16.23	<=34.77	Pass
			13	22.88	-4.23	16.50	<=34.77	Pass

		12	24	22.85	-4.23	16.47	<=34.77	Pass	
			0	21.96	-4.23	15.58	<=34.77	Pass	
			6	22.01	-4.23	15.63	<=34.77	Pass	
			13	21.9	-4.23	15.52	<=34.77	Pass	
		25	0	21.9	-4.23	15.52	<=34.77	Pass	
	793	1	0	22.75	-4.23	16.37	<=34.77	Pass	
			13	22.68	-4.23	16.30	<=34.77	Pass	
			24	22.51	-4.23	16.13	<=34.77	Pass	
		12	0	21.9	-4.23	15.52	<=34.77	Pass	
			6	21.92	-4.23	15.54	<=34.77	Pass	
			13	21.89	-4.23	15.51	<=34.77	Pass	
		25	0	21.95	-4.23	15.57	<=34.77	Pass	
		795.5	1	0	22.85	-4.23	16.47	<=34.77	Pass
				13	22.79	-4.23	16.41	<=34.77	Pass
	24			22.75	-4.23	16.37	<=34.77	Pass	
	12		0	21.83	-4.23	15.45	<=34.77	Pass	
			6	21.93	-4.23	15.55	<=34.77	Pass	
			13	21.96	-4.23	15.58	<=34.77	Pass	
	25		0	21.88	-4.23	15.50	<=34.77	Pass	

16QAM	790.5	1	0	21.47	-4.23	15.09	<=34.77	Pass
			13	21.32	-4.23	14.94	<=34.77	Pass
			24	21.3	-4.23	14.92	<=34.77	Pass
		12	0	20.92	-4.23	14.54	<=34.77	Pass
			6	21.06	-4.23	14.68	<=34.77	Pass
			13	21.03	-4.23	14.65	<=34.77	Pass
	25	0	20.88	-4.23	14.50	<=34.77	Pass	
	793	1	0	22.49	-4.23	16.11	<=34.77	Pass
			13	22.38	-4.23	16.00	<=34.77	Pass
			24	22.59	-4.23	16.21	<=34.77	Pass
		12	0	21	-4.23	14.62	<=34.77	Pass
			6	20.95	-4.23	14.57	<=34.77	Pass
			13	20.81	-4.23	14.43	<=34.77	Pass
	25	0	21.02	-4.23	14.64	<=34.77	Pass	
	795.5	1	0	21.27	-4.23	14.89	<=34.77	Pass
			13	21.29	-4.23	14.91	<=34.77	Pass
			24	21.62	-4.23	15.24	<=34.77	Pass
		12	0	20.82	-4.23	14.44	<=34.77	Pass
			6	20.95	-4.23	14.57	<=34.77	Pass
			13	20.81	-4.23	14.43	<=34.77	Pass
	25	0	20.95	-4.23	14.57	<=34.77	Pass	

Note1: ERP=Conducted Power+Antenna Gain-2.15

Band: 14 / Bandwidth: 10MHz / NTVN								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	793	1	0	22.73	-4.23	16.35	<=34.77	Pass
			25	23.02	-4.23	16.64	<=34.77	Pass
			49	22.71	-4.23	16.33	<=34.77	Pass
		25	0	21.95	-4.23	15.57	<=34.77	Pass
			13	21.85	-4.23	15.47	<=34.77	Pass
			25	21.84	-4.23	15.46	<=34.77	Pass
		50	0	21.94	-4.23	15.56	<=34.77	Pass
16QAM	793	1	0	22.13	-4.23	15.75	<=34.77	Pass
			25	22.46	-4.23	16.08	<=34.77	Pass
			49	21.97	-4.23	15.59	<=34.77	Pass
		25	0	21.08	-4.23	14.70	<=34.77	Pass
			13	20.9	-4.23	14.52	<=34.77	Pass
			25	21.01	-4.23	14.63	<=34.77	Pass
		50	0	21.04	-4.23	14.66	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.13 LTE Band17

Band: 17 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	706.5	1	0	22.85	-5.49	15.21	<=34.77	Pass
			13	22.84	-5.49	15.20	<=34.77	Pass
			24	22.97	-5.49	15.33	<=34.77	Pass
		12	0	22.03	-5.49	14.39	<=34.77	Pass
			6	22.06	-5.49	14.42	<=34.77	Pass
			13	22.06	-5.49	14.42	<=34.77	Pass
		25	0	22.02	-5.49	14.38	<=34.77	Pass
	710	1	0	22.92	-5.49	15.28	<=34.77	Pass
			13	22.83	-5.49	15.19	<=34.77	Pass
			24	22.92	-5.49	15.28	<=34.77	Pass
		12	0	22.13	-5.49	14.49	<=34.77	Pass
			6	22.17	-5.49	14.53	<=34.77	Pass
			13	22.11	-5.49	14.47	<=34.77	Pass
		25	0	22.08	-5.49	14.44	<=34.77	Pass

	713.5	1	0	22.81	-5.49	15.17	<=34.77	Pass
			13	23.16	-5.49	15.52	<=34.77	Pass
			24	22.84	-5.49	15.20	<=34.77	Pass
		12	0	22.02	-5.49	14.38	<=34.77	Pass
			6	22.08	-5.49	14.44	<=34.77	Pass
			13	22.16	-5.49	14.52	<=34.77	Pass
		25	0	22.11	-5.49	14.47	<=34.77	Pass
16QAM	706.5	1	0	21.27	-5.49	13.63	<=34.77	Pass
			13	21.43	-5.49	13.79	<=34.77	Pass
			24	21.18	-5.49	13.54	<=34.77	Pass
		12	0	21.17	-5.49	13.53	<=34.77	Pass
			6	21.13	-5.49	13.49	<=34.77	Pass
			13	21.13	-5.49	13.49	<=34.77	Pass
		25	0	21.2	-5.49	13.56	<=34.77	Pass
	710	1	0	22.51	-5.49	14.87	<=34.77	Pass
			13	22.64	-5.49	15.00	<=34.77	Pass
			24	22.56	-5.49	14.92	<=34.77	Pass
		12	0	21.03	-5.49	13.39	<=34.77	Pass
			6	21.11	-5.49	13.47	<=34.77	Pass
			13	21.2	-5.49	13.56	<=34.77	Pass
		25	0	21.17	-5.49	13.53	<=34.77	Pass
	713.5	1	0	21.94	-5.49	14.30	<=34.77	Pass
			13	22.4	-5.49	14.76	<=34.77	Pass
			24	21.97	-5.49	14.33	<=34.77	Pass
		12	0	21.18	-5.49	13.54	<=34.77	Pass
			6	21.17	-5.49	13.53	<=34.77	Pass
			13	21.02	-5.49	13.38	<=34.77	Pass
		25	0	21.07	-5.49	13.43	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Band: 17 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	709	1	0	23.06	-5.49	15.42	<=34.77	Pass
			25	23.25	-5.49	15.61	<=34.77	Pass
			49	23.12	-5.49	15.48	<=34.77	Pass
		25	0	22.28	-5.49	14.64	<=34.77	Pass
			13	22.23	-5.49	14.59	<=34.77	Pass
			25	22.19	-5.49	14.55	<=34.77	Pass
		50	0	22.23	-5.49	14.59	<=34.77	Pass
	710	1	0	23.05	-5.49	15.41	<=34.77	Pass
			25	23.36	-5.49	15.72	<=34.77	Pass

		25	49	22.92	-5.49	15.28	<=34.77	Pass
			0	22.09	-5.49	14.45	<=34.77	Pass
			13	22.09	-5.49	14.45	<=34.77	Pass
			25	22.16	-5.49	14.52	<=34.77	Pass
		50	0	22.19	-5.49	14.55	<=34.77	Pass
	711	1	0	23.29	-5.49	15.65	<=34.77	Pass
			25	23.57	-5.49	15.93	<=34.77	Pass
			49	23.11	-5.49	15.47	<=34.77	Pass
		25	0	22.18	-5.49	14.54	<=34.77	Pass
			13	22.2	-5.49	14.56	<=34.77	Pass
			25	22.18	-5.49	14.54	<=34.77	Pass
		50	0	22.16	-5.49	14.52	<=34.77	Pass

16QAM	709	1	0	22.87	-5.49	15.23	<=34.77	Pass
			25	22.62	-5.49	14.98	<=34.77	Pass
			49	22.53	-5.49	14.89	<=34.77	Pass
		25	0	21.34	-5.49	13.70	<=34.77	Pass
			13	21.4	-5.49	13.76	<=34.77	Pass
			25	21.37	-5.49	13.73	<=34.77	Pass
		50	0	21.1	-5.49	13.46	<=34.77	Pass
	710	1	0	22.69	-5.49	15.05	<=34.77	Pass
			25	22.76	-5.49	15.12	<=34.77	Pass
			49	22.85	-5.49	15.21	<=34.77	Pass
		25	0	20.97	-5.49	13.33	<=34.77	Pass
			13	21.35	-5.49	13.71	<=34.77	Pass
			25	21.3	-5.49	13.66	<=34.77	Pass
		50	0	21.15	-5.49	13.51	<=34.77	Pass
	711	1	0	22.03	-5.49	14.39	<=34.77	Pass
			25	22.12	-5.49	14.48	<=34.77	Pass
			49	21.93	-5.49	14.29	<=34.77	Pass
		25	0	21.3	-5.49	13.66	<=34.77	Pass
			13	21.53	-5.49	13.89	<=34.77	Pass
			25	21.29	-5.49	13.65	<=34.77	Pass
		50	0	21.22	-5.49	13.58	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.14 LTE Band25

Band: 25 / Bandwidth: 1.4MHz / NTVN								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1850.7	1	0	23.36	1.43	24.79	<=33.01	Pass

			2	23.41	1.43	24.84	<=33.01	Pass
			5	23.45	1.43	24.88	<=33.01	Pass
		3	0	23.57	1.43	25.00	<=33.01	Pass
			2	23.48	1.43	24.91	<=33.01	Pass
			3	23.7	1.43	25.13	<=33.01	Pass
		6	0	22.35	1.43	23.78	<=33.01	Pass
	1882.5	1	0	23.82	1.43	25.25	<=33.01	Pass
			2	23.66	1.43	25.09	<=33.01	Pass
			5	23.8	1.43	25.23	<=33.01	Pass
		3	0	23.66	1.43	25.09	<=33.01	Pass
			2	23.7	1.43	25.13	<=33.01	Pass
			3	23.64	1.43	25.07	<=33.01	Pass
	6	0	22.63	1.43	24.06	<=33.01	Pass	
	1914.3	1	0	23.57	1.43	25.00	<=33.01	Pass
			2	23.66	1.43	25.09	<=33.01	Pass
			5	23.5	1.43	24.93	<=33.01	Pass
		3	0	23.53	1.43	24.96	<=33.01	Pass
			2	23.56	1.43	24.99	<=33.01	Pass
3			23.8	1.43	25.23	<=33.01	Pass	
6	0	22.76	1.43	24.19	<=33.01	Pass		

16QAM	1850.7	1	0	22.18	1.43	23.61	<=33.01	Pass
			2	22.15	1.43	23.58	<=33.01	Pass
			5	22.22	1.43	23.65	<=33.01	Pass
		3	0	22.41	1.43	23.84	<=33.01	Pass
			2	22.57	1.43	24.00	<=33.01	Pass
			3	22.65	1.43	24.08	<=33.01	Pass
	6	0	21.43	1.43	22.86	<=33.01	Pass	
	1882.5	1	0	22.97	1.43	24.40	<=33.01	Pass
			2	22.48	1.43	23.91	<=33.01	Pass
			5	22.4	1.43	23.83	<=33.01	Pass
		3	0	22.56	1.43	23.99	<=33.01	Pass
			2	22.65	1.43	24.08	<=33.01	Pass
			3	22.69	1.43	24.12	<=33.01	Pass
	6	0	21.66	1.43	23.09	<=33.01	Pass	
	1914.3	1	0	22.79	1.43	24.22	<=33.01	Pass
			2	22.98	1.43	24.41	<=33.01	Pass
			5	22.89	1.43	24.32	<=33.01	Pass
		3	0	22.66	1.43	24.09	<=33.01	Pass
			2	22.72	1.43	24.15	<=33.01	Pass
			3	22.66	1.43	24.09	<=33.01	Pass
	6	0	21.4	1.43	22.83	<=33.01	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

Band: 25 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1851.5	1	0	23.65	1.43	25.08	<=33.01	Pass
			7	23.75	1.43	25.18	<=33.01	Pass
			14	23.7	1.43	25.13	<=33.01	Pass
		8	0	22.44	1.43	23.87	<=33.01	Pass
			4	22.52	1.43	23.95	<=33.01	Pass
			7	22.45	1.43	23.88	<=33.01	Pass
		15	0	22.58	1.43	24.01	<=33.01	Pass
	1882.5	1	0	23.48	1.43	24.91	<=33.01	Pass
			7	23.83	1.43	25.26	<=33.01	Pass
			14	23.57	1.43	25.00	<=33.01	Pass
		8	0	22.72	1.43	24.15	<=33.01	Pass
			4	22.72	1.43	24.15	<=33.01	Pass
			7	22.71	1.43	24.14	<=33.01	Pass
		15	0	22.71	1.43	24.14	<=33.01	Pass
	1913.5	1	0	23.75	1.43	25.18	<=33.01	Pass
			7	23.86	1.43	25.29	<=33.01	Pass
			14	23.72	1.43	25.15	<=33.01	Pass
		8	0	22.71	1.43	24.14	<=33.01	Pass
			4	22.67	1.43	24.10	<=33.01	Pass
			7	22.79	1.43	24.22	<=33.01	Pass
		15	0	22.8	1.43	24.23	<=33.01	Pass
16QAM	1851.5	1	0	23.07	1.43	24.50	<=33.01	Pass
			7	23.28	1.43	24.71	<=33.01	Pass
			14	23.07	1.43	24.50	<=33.01	Pass
		8	0	21.58	1.43	23.01	<=33.01	Pass
			4	21.66	1.43	23.09	<=33.01	Pass
			7	21.69	1.43	23.12	<=33.01	Pass
		15	0	21.51	1.43	22.94	<=33.01	Pass
	1882.5	1	0	23.13	1.43	24.56	<=33.01	Pass
			7	23.29	1.43	24.72	<=33.01	Pass
			14	23.19	1.43	24.62	<=33.01	Pass
		8	0	21.88	1.43	23.31	<=33.01	Pass
			4	21.54	1.43	22.97	<=33.01	Pass
			7	21.69	1.43	23.12	<=33.01	Pass
		15	0	21.64	1.43	23.07	<=33.01	Pass
	1913.5	1	0	22.66	1.43	24.09	<=33.01	Pass
			7	22.61	1.43	24.04	<=33.01	Pass

			14	22.55	1.43	23.98	<=33.01	Pass
		8	0	21.56	1.43	22.99	<=33.01	Pass
			4	21.52	1.43	22.95	<=33.01	Pass
			7	21.64	1.43	23.07	<=33.01	Pass
		15	0	21.84	1.43	23.27	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 25 / Bandwidth: 5MHz / NTN								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1852.5	1	0	23.32	1.43	24.75	<=33.01	Pass
			13	23.63	1.43	25.06	<=33.01	Pass
			24	23.41	1.43	24.84	<=33.01	Pass
		12	0	22.61	1.43	24.04	<=33.01	Pass
			6	22.58	1.43	24.01	<=33.01	Pass
			13	22.65	1.43	24.08	<=33.01	Pass
		25	0	22.55	1.43	23.98	<=33.01	Pass
	1882.5	1	0	23.36	1.43	24.79	<=33.01	Pass
			13	23.62	1.43	25.05	<=33.01	Pass
			24	23.5	1.43	24.93	<=33.01	Pass
		12	0	22.75	1.43	24.18	<=33.01	Pass
			6	22.79	1.43	24.22	<=33.01	Pass
			13	22.74	1.43	24.17	<=33.01	Pass
		25	0	22.76	1.43	24.19	<=33.01	Pass
	1912.5	1	0	23.57	1.43	25.00	<=33.01	Pass
			13	23.51	1.43	24.94	<=33.01	Pass
			24	23.58	1.43	25.01	<=33.01	Pass
		12	0	22.64	1.43	24.07	<=33.01	Pass
			6	22.68	1.43	24.11	<=33.01	Pass
			13	22.68	1.43	24.11	<=33.01	Pass
		25	0	22.72	1.43	24.15	<=33.01	Pass
16QAM	1852.5	1	0	22.12	1.43	23.55	<=33.01	Pass
			13	22.28	1.43	23.71	<=33.01	Pass
			24	22.19	1.43	23.62	<=33.01	Pass
		12	0	21.6	1.43	23.03	<=33.01	Pass
			6	21.48	1.43	22.91	<=33.01	Pass
			13	21.63	1.43	23.06	<=33.01	Pass
		25	0	21.53	1.43	22.96	<=33.01	Pass
	1882.5	1	0	23.44	1.43	24.87	<=33.01	Pass
			13	23.41	1.43	24.84	<=33.01	Pass
			24	23.19	1.43	24.62	<=33.01	Pass
		12	0	21.61	1.43	23.04	<=33.01	Pass
			0	21.61	1.43	23.04	<=33.01	Pass

			6	21.6	1.43	23.03	<=33.01	Pass
			13	21.61	1.43	23.04	<=33.01	Pass
		25	0	21.82	1.43	23.25	<=33.01	Pass
	1912.5	1	0	22.5	1.43	23.93	<=33.01	Pass
			13	22.58	1.43	24.01	<=33.01	Pass
			24	22.66	1.43	24.09	<=33.01	Pass
		12	0	21.42	1.43	22.85	<=33.01	Pass
			6	21.56	1.43	22.99	<=33.01	Pass
			13	21.56	1.43	22.99	<=33.01	Pass
		25	0	21.63	1.43	23.06	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 25 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1855	1	0	23.46	1.43	24.89	<=33.01	Pass
			25	23.75	1.43	25.18	<=33.01	Pass
			49	23.5	1.43	24.93	<=33.01	Pass
		25	0	22.67	1.43	24.10	<=33.01	Pass
			13	22.71	1.43	24.14	<=33.01	Pass
			25	22.58	1.43	24.01	<=33.01	Pass
		50	0	22.53	1.43	23.96	<=33.01	Pass
	1882.5	1	0	23.83	1.43	25.26	<=33.01	Pass
			25	23.69	1.43	25.12	<=33.01	Pass
			49	23.62	1.43	25.05	<=33.01	Pass
		25	0	22.74	1.43	24.17	<=33.01	Pass
			13	22.77	1.43	24.20	<=33.01	Pass
			25	22.73	1.43	24.16	<=33.01	Pass
		50	0	22.74	1.43	24.17	<=33.01	Pass
	1910	1	0	23.71	1.43	25.14	<=33.01	Pass
			25	24.02	1.43	25.45	<=33.01	Pass
			49	23.81	1.43	25.24	<=33.01	Pass
		25	0	22.69	1.43	24.12	<=33.01	Pass
			13	22.73	1.43	24.16	<=33.01	Pass
			25	22.74	1.43	24.17	<=33.01	Pass
		50	0	22.67	1.43	24.10	<=33.01	Pass
16QAM	1855	1	0	22.89	1.43	24.32	<=33.01	Pass
			25	23.27	1.43	24.70	<=33.01	Pass
			49	22.81	1.43	24.24	<=33.01	Pass
		25	0	21.68	1.43	23.11	<=33.01	Pass
			13	21.83	1.43	23.26	<=33.01	Pass
			25	21.58	1.43	23.01	<=33.01	Pass

		50	0	21.61	1.43	23.04	<=33.01	Pass	
	1882.5	1	0	23.48	1.43	24.91	<=33.01	Pass	
			25	23.94	1.43	25.37	<=33.01	Pass	
			49	22.93	1.43	24.36	<=33.01	Pass	
			25	0	21.61	1.43	23.04	<=33.01	Pass
		13		21.72	1.43	23.15	<=33.01	Pass	
		25		21.79	1.43	23.22	<=33.01	Pass	
		50	0	21.59	1.43	23.02	<=33.01	Pass	
	1910	1	0	22.79	1.43	24.22	<=33.01	Pass	
			25	23.51	1.43	24.94	<=33.01	Pass	
			49	22.53	1.43	23.96	<=33.01	Pass	
		25	0	21.83	1.43	23.26	<=33.01	Pass	
			13	21.87	1.43	23.30	<=33.01	Pass	
			25	21.95	1.43	23.38	<=33.01	Pass	
		50	0	21.66	1.43	23.09	<=33.01	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1857.5	1	0	23.58	1.43	25.01	<=33.01	Pass
			38	23.54	1.43	24.97	<=33.01	Pass
			74	23.63	1.43	25.06	<=33.01	Pass
		36	0	22.57	1.43	24.00	<=33.01	Pass
			18	22.61	1.43	24.04	<=33.01	Pass
			39	22.54	1.43	23.97	<=33.01	Pass
		75	0	22.58	1.43	24.01	<=33.01	Pass
	1882.5	1	0	23.66	1.43	25.09	<=33.01	Pass
			38	23.62	1.43	25.05	<=33.01	Pass
			74	23.35	1.43	24.78	<=33.01	Pass
		36	0	22.82	1.43	24.25	<=33.01	Pass
			18	22.74	1.43	24.17	<=33.01	Pass
			39	22.63	1.43	24.06	<=33.01	Pass
		75	0	22.58	1.43	24.01	<=33.01	Pass
	1907.5	1	0	23.57	1.43	25.00	<=33.01	Pass
			38	23.61	1.43	25.04	<=33.01	Pass
			74	23.53	1.43	24.96	<=33.01	Pass
		36	0	22.66	1.43	24.09	<=33.01	Pass
			18	22.67	1.43	24.10	<=33.01	Pass
			39	22.56	1.43	23.99	<=33.01	Pass
		75	0	22.62	1.43	24.05	<=33.01	Pass

16QAM	1857.5	1	0	23.16	1.43	24.59	<=33.01	Pass
			38	23.63	1.43	25.06	<=33.01	Pass
			74	23.08	1.43	24.51	<=33.01	Pass
		36	0	21.57	1.43	23.00	<=33.01	Pass
			18	21.52	1.43	22.95	<=33.01	Pass
			39	21.55	1.43	22.98	<=33.01	Pass
		75	0	21.52	1.43	22.95	<=33.01	Pass
	1882.5	1	0	23.51	1.43	24.94	<=33.01	Pass
			38	23.83	1.43	25.26	<=33.01	Pass
			74	23.12	1.43	24.55	<=33.01	Pass
		36	0	21.75	1.43	23.18	<=33.01	Pass
			18	21.69	1.43	23.12	<=33.01	Pass
			39	21.52	1.43	22.95	<=33.01	Pass
		75	0	21.59	1.43	23.02	<=33.01	Pass
	1907.5	1	0	22.88	1.43	24.31	<=33.01	Pass
			38	22.85	1.43	24.28	<=33.01	Pass
			74	21.89	1.43	23.32	<=33.01	Pass
		36	0	21.52	1.43	22.95	<=33.01	Pass
			18	21.74	1.43	23.17	<=33.01	Pass
			39	21.43	1.43	22.86	<=33.01	Pass
		75	0	21.61	1.43	23.04	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 25 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1860	1	0	23.34	1.43	24.77	<=33.01	Pass
			50	23.69	1.43	25.12	<=33.01	Pass
			99	23.58	1.43	25.01	<=33.01	Pass
		50	0	22.62	1.43	24.05	<=33.01	Pass
			25	22.66	1.43	24.09	<=33.01	Pass
			50	22.69	1.43	24.12	<=33.01	Pass
		100	0	22.59	1.43	24.02	<=33.01	Pass
	1882.5	1	0	23.94	1.43	25.37	<=33.01	Pass
			50	24.01	1.43	25.44	<=33.01	Pass
			99	23.59	1.43	25.02	<=33.01	Pass
		50	0	22.81	1.43	24.24	<=33.01	Pass
			25	22.79	1.43	24.22	<=33.01	Pass
			50	22.58	1.43	24.01	<=33.01	Pass
		100	0	22.61	1.43	24.04	<=33.01	Pass
	1905	1	0	23.42	1.43	24.85	<=33.01	Pass
			50	23.67	1.43	25.10	<=33.01	Pass

		50	99	23.56	1.43	24.99	<=33.01	Pass
			0	22.57	1.43	24.00	<=33.01	Pass
			25	22.59	1.43	24.02	<=33.01	Pass
			50	22.51	1.43	23.94	<=33.01	Pass
16QAM	1860	1	0	23.02	1.43	24.45	<=33.01	Pass
			50	23.33	1.43	24.76	<=33.01	Pass
			99	23.09	1.43	24.52	<=33.01	Pass
		50	0	21.77	1.43	23.20	<=33.01	Pass
			25	21.8	1.43	23.23	<=33.01	Pass
			50	21.77	1.43	23.20	<=33.01	Pass
		100	0	21.56	1.43	22.99	<=33.01	Pass
	1882.5	1	0	22.8	1.43	24.23	<=33.01	Pass
			50	22.79	1.43	24.22	<=33.01	Pass
			99	22.57	1.43	24.00	<=33.01	Pass
		50	0	21.69	1.43	23.12	<=33.01	Pass
			25	21.77	1.43	23.20	<=33.01	Pass
			50	21.64	1.43	23.07	<=33.01	Pass
		100	0	21.6	1.43	23.03	<=33.01	Pass
	1905	1	0	23.37	1.43	24.80	<=33.01	Pass
			50	23.61	1.43	25.04	<=33.01	Pass
			99	23.56	1.43	24.99	<=33.01	Pass
		50	0	21.45	1.43	22.88	<=33.01	Pass
			25	21.53	1.43	22.96	<=33.01	Pass
			50	21.55	1.43	22.98	<=33.01	Pass
		100	0	21.7	1.43	23.13	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.15 LTE Band26

Band: 26a / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	814.7	1	0	23.45	0.84	22.14	<=38.45	Pass
			2	23.38	0.84	22.07	<=38.45	Pass
			5	23.4	0.84	22.09	<=38.45	Pass
		3	0	23.38	0.84	22.07	<=38.45	Pass
			2	23.45	0.84	22.14	<=38.45	Pass
			3	23.31	0.84	22.00	<=38.45	Pass
		6	0	22.26	0.84	20.95	<=38.45	Pass
	819	1	0	23.23	0.84	21.92	<=38.45	Pass

		3	2	23.06	0.84	21.75	<=38.45	Pass	
			5	23.1	0.84	21.79	<=38.45	Pass	
			0	23.21	0.84	21.90	<=38.45	Pass	
				2	23.1	0.84	21.79	<=38.45	Pass
				3	23.03	0.84	21.72	<=38.45	Pass
		6	0	22.08	0.84	20.77	<=38.45	Pass	
	823.3	1	0	23.28	0.84	21.97	<=38.45	Pass	
			2	23.2	0.84	21.89	<=38.45	Pass	
			5	23.49	0.84	22.18	<=38.45	Pass	
		3	0	23.41	0.84	22.10	<=38.45	Pass	
			2	23.44	0.84	22.13	<=38.45	Pass	
			3	23.4	0.84	22.09	<=38.45	Pass	
	6	0	22.27	0.84	20.96	<=38.45	Pass		
	16QAM	814.7	1	0	22.46	0.84	21.15	<=38.45	Pass
				2	23.01	0.84	21.70	<=38.45	Pass
				5	22.46	0.84	21.15	<=38.45	Pass
			3	0	21.8	0.84	20.49	<=38.45	Pass
				2	22.33	0.84	21.02	<=38.45	Pass
3				22.25	0.84	20.94	<=38.45	Pass	
6		0	21.41	0.84	20.10	<=38.45	Pass		
819		1	0	21.99	0.84	20.68	<=38.45	Pass	
			2	22.78	0.84	21.47	<=38.45	Pass	
			5	22.3	0.84	20.99	<=38.45	Pass	
		3	0	22.07	0.84	20.76	<=38.45	Pass	
			2	22.15	0.84	20.84	<=38.45	Pass	
			3	22.39	0.84	21.08	<=38.45	Pass	
6		0	20.78	0.84	19.47	<=38.45	Pass		
823.3		1	0	22.08	0.84	20.77	<=38.45	Pass	
			2	23.11	0.84	21.80	<=38.45	Pass	
			5	22.05	0.84	20.74	<=38.45	Pass	
		3	0	22.44	0.84	21.13	<=38.45	Pass	
			2	22.27	0.84	20.96	<=38.45	Pass	
			3	22.5	0.84	21.19	<=38.45	Pass	
6		0	21.3	0.84	19.99	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15									

Band: 26a / Bandwidth: 3MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	815.5	1	0	23.26	0.84	21.95	<=38.45	Pass
			7	23.59	0.84	22.28	<=38.45	Pass
			14	23.48	0.84	22.17	<=38.45	Pass

		8	0	22.37	0.84	21.06	<=38.45	Pass
			4	22.31	0.84	21.00	<=38.45	Pass
			7	22.38	0.84	21.07	<=38.45	Pass
		15	0	22.34	0.84	21.03	<=38.45	Pass
	819	1	0	23.32	0.84	22.01	<=38.45	Pass
			7	23.57	0.84	22.26	<=38.45	Pass
			14	22.95	0.84	21.64	<=38.45	Pass
		8	0	22.18	0.84	20.87	<=38.45	Pass
			4	22.17	0.84	20.86	<=38.45	Pass
			7	22.25	0.84	20.94	<=38.45	Pass
		15	0	22.17	0.84	20.86	<=38.45	Pass
	822.5	1	0	22.89	0.84	21.58	<=38.45	Pass
			7	23.54	0.84	22.23	<=38.45	Pass
			14	23.51	0.84	22.20	<=38.45	Pass
		8	0	22.38	0.84	21.07	<=38.45	Pass
			4	22.32	0.84	21.01	<=38.45	Pass
			7	22.43	0.84	21.12	<=38.45	Pass
		15	0	22.33	0.84	21.02	<=38.45	Pass
16QAM	815.5	1	0	23.11	0.84	21.80	<=38.45	Pass
			7	22.46	0.84	21.15	<=38.45	Pass
			14	22.11	0.84	20.80	<=38.45	Pass
		8	0	21.56	0.84	20.25	<=38.45	Pass
			4	21.48	0.84	20.17	<=38.45	Pass
			7	21.18	0.84	19.87	<=38.45	Pass
		15	0	21.3	0.84	19.99	<=38.45	Pass
	819	1	0	22.57	0.84	21.26	<=38.45	Pass
			7	21.64	0.84	20.33	<=38.45	Pass
			14	22.3	0.84	20.99	<=38.45	Pass
		8	0	21.35	0.84	20.04	<=38.45	Pass
			4	21.06	0.84	19.75	<=38.45	Pass
			7	21.03	0.84	19.72	<=38.45	Pass
		15	0	21.23	0.84	19.92	<=38.45	Pass
	822.5	1	0	22.71	0.84	21.40	<=38.45	Pass
			7	22.2	0.84	20.89	<=38.45	Pass
			14	22.89	0.84	21.58	<=38.45	Pass
		8	0	21.41	0.84	20.10	<=38.45	Pass
			4	21.53	0.84	20.22	<=38.45	Pass
			7	21.39	0.84	20.08	<=38.45	Pass
		15	0	21.56	0.84	20.25	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency	RB Allocation	Conducted Power	Gain	ERP (dBm)	Verdict

	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit			
QPSK	816.5	1	0	23.22	0.84	21.91	<=38.45	Pass		
			13	23.32	0.84	22.01	<=38.45	Pass		
			24	22.95	0.84	21.64	<=38.45	Pass		
		12	0	22.27	0.84	20.96	<=38.45	Pass		
			6	22.32	0.84	21.01	<=38.45	Pass		
			13	22.15	0.84	20.84	<=38.45	Pass		
		25	0	22.34	0.84	21.03	<=38.45	Pass		
		819	1	0	22.98	0.84	21.67	<=38.45	Pass	
				13	23	0.84	21.69	<=38.45	Pass	
	24			22.85	0.84	21.54	<=38.45	Pass		
	12		0	22.16	0.84	20.85	<=38.45	Pass		
			6	22.14	0.84	20.83	<=38.45	Pass		
			13	22.08	0.84	20.77	<=38.45	Pass		
	25		0	22.13	0.84	20.82	<=38.45	Pass		
	821.5		1	0	22.85	0.84	21.54	<=38.45	Pass	
				13	23.11	0.84	21.80	<=38.45	Pass	
		24		23.3	0.84	21.99	<=38.45	Pass		
		12	0	22.07	0.84	20.76	<=38.45	Pass		
			6	22.09	0.84	20.78	<=38.45	Pass		
			13	22.28	0.84	20.97	<=38.45	Pass		
		25	0	22.11	0.84	20.80	<=38.45	Pass		
		16QAM	816.5	1	0	22.24	0.84	20.93	<=38.45	Pass
					13	23.04	0.84	21.73	<=38.45	Pass
	24				21.86	0.84	20.55	<=38.45	Pass	
12	0			21.26	0.84	19.95	<=38.45	Pass		
	6			21.23	0.84	19.92	<=38.45	Pass		
	13			21.08	0.84	19.77	<=38.45	Pass		
25	0			21.43	0.84	20.12	<=38.45	Pass		
819	1			0	21.94	0.84	20.63	<=38.45	Pass	
				13	22.31	0.84	21.00	<=38.45	Pass	
			24	22.47	0.84	21.16	<=38.45	Pass		
	12		0	21.18	0.84	19.87	<=38.45	Pass		
			6	21.17	0.84	19.86	<=38.45	Pass		
			13	20.78	0.84	19.47	<=38.45	Pass		
	25		0	21.26	0.84	19.95	<=38.45	Pass		
	821.5		1	0	22.34	0.84	21.03	<=38.45	Pass	
				13	22.86	0.84	21.55	<=38.45	Pass	
24				21.64	0.84	20.33	<=38.45	Pass		
12			0	21.15	0.84	19.84	<=38.45	Pass		
			6	21	0.84	19.69	<=38.45	Pass		
			13	21.2	0.84	19.89	<=38.45	Pass		
25			0	21.05	0.84	19.74	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

Band: 26a / Bandwidth: 10MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	819	1	0	23.38	0.84	22.07	<=38.45	Pass
			25	23.35	0.84	22.04	<=38.45	Pass
			49	23.57	0.84	22.26	<=38.45	Pass
		25	0	22.31	0.84	21.00	<=38.45	Pass
			13	22.19	0.84	20.88	<=38.45	Pass
			25	22.29	0.84	20.98	<=38.45	Pass
		50	0	22.23	0.84	20.92	<=38.45	Pass
16QAM	819	1	0	22.95	0.84	21.64	<=38.45	Pass
			25	22.06	0.84	20.75	<=38.45	Pass
			49	22.32	0.84	21.01	<=38.45	Pass
		25	0	21.36	0.84	20.05	<=38.45	Pass
			13	21.29	0.84	19.98	<=38.45	Pass
			25	21.08	0.84	19.77	<=38.45	Pass
		50	0	21.28	0.84	19.97	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	824.7	1	0	23.25	0.84	21.94	<=38.45	Pass
			2	23.29	0.84	21.98	<=38.45	Pass
			5	23.32	0.84	22.01	<=38.45	Pass
		3	0	23.49	0.84	22.18	<=38.45	Pass
			2	23.41	0.84	22.10	<=38.45	Pass
			3	23.33	0.84	22.02	<=38.45	Pass
		6	0	22.36	0.84	21.05	<=38.45	Pass
	836.5	1	0	23.34	0.84	22.03	<=38.45	Pass
			2	23.17	0.84	21.86	<=38.45	Pass
			5	23.24	0.84	21.93	<=38.45	Pass
		3	0	23.31	0.84	22.00	<=38.45	Pass
			2	23.43	0.84	22.12	<=38.45	Pass
			3	23.57	0.84	22.26	<=38.45	Pass
		6	0	22.41	0.84	21.10	<=38.45	Pass
	848.3	1	0	23.11	0.84	21.80	<=38.45	Pass
			2	23.21	0.84	21.90	<=38.45	Pass
			5	23.07	0.84	21.76	<=38.45	Pass
		3	0	23.2	0.84	21.89	<=38.45	Pass

		6	2	23.31	0.84	22.00	<=38.45	Pass	
			3	23.13	0.84	21.82	<=38.45	Pass	
			0	22.13	0.84	20.82	<=38.45	Pass	
16QAM	824.7	1	0	22.49	0.84	21.18	<=38.45	Pass	
			2	22.3	0.84	20.99	<=38.45	Pass	
			5	22.47	0.84	21.16	<=38.45	Pass	
		3	0	22.27	0.84	20.96	<=38.45	Pass	
			2	22.6	0.84	21.29	<=38.45	Pass	
			3	22.59	0.84	21.28	<=38.45	Pass	
		6	0	21.22	0.84	19.91	<=38.45	Pass	
		836.5	1	0	22.48	0.84	21.17	<=38.45	Pass
				2	22.61	0.84	21.30	<=38.45	Pass
	5			22.76	0.84	21.45	<=38.45	Pass	
	3		0	22.54	0.84	21.23	<=38.45	Pass	
			2	22.36	0.84	21.05	<=38.45	Pass	
			3	22.37	0.84	21.06	<=38.45	Pass	
	6		0	21.35	0.84	20.04	<=38.45	Pass	
	848.3		1	0	22.19	0.84	20.88	<=38.45	Pass
				2	22.34	0.84	21.03	<=38.45	Pass
		5		22.27	0.84	20.96	<=38.45	Pass	
		3	0	22.44	0.84	21.13	<=38.45	Pass	
			2	22.27	0.84	20.96	<=38.45	Pass	
			3	22.18	0.84	20.87	<=38.45	Pass	
		6	0	21.34	0.84	20.03	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	825.5	1	0	23.32	0.84	22.01	<=38.45	Pass
			7	23.32	0.84	22.01	<=38.45	Pass
			14	23.31	0.84	22.00	<=38.45	Pass
		8	0	22.36	0.84	21.05	<=38.45	Pass
			4	22.42	0.84	21.11	<=38.45	Pass
			7	22.43	0.84	21.12	<=38.45	Pass
		15	0	22.38	0.84	21.07	<=38.45	Pass
	836.5	1	0	23.45	0.84	22.14	<=38.45	Pass
			7	23.55	0.84	22.24	<=38.45	Pass
			14	23.06	0.84	21.75	<=38.45	Pass
		8	0	22.36	0.84	21.05	<=38.45	Pass
			4	22.38	0.84	21.07	<=38.45	Pass

			7	22.38	0.84	21.07	<=38.45	Pass
		15	0	22.37	0.84	21.06	<=38.45	Pass
	847.5	1	0	23.22	0.84	21.91	<=38.45	Pass
			7	23.18	0.84	21.87	<=38.45	Pass
			14	23.04	0.84	21.73	<=38.45	Pass
		8	0	22.23	0.84	20.92	<=38.45	Pass
			4	22.15	0.84	20.84	<=38.45	Pass
			7	22.16	0.84	20.85	<=38.45	Pass
		15	0	22.15	0.84	20.84	<=38.45	Pass
16QAM	825.5	1	0	22.1	0.84	20.79	<=38.45	Pass
			7	23.02	0.84	21.71	<=38.45	Pass
			14	22.44	0.84	21.13	<=38.45	Pass
		8	0	21.2	0.84	19.89	<=38.45	Pass
			4	21.24	0.84	19.93	<=38.45	Pass
			7	21.22	0.84	19.91	<=38.45	Pass
		15	0	21.4	0.84	20.09	<=38.45	Pass
	836.5	1	0	22.76	0.84	21.45	<=38.45	Pass
			7	22.9	0.84	21.59	<=38.45	Pass
			14	22.04	0.84	20.73	<=38.45	Pass
		8	0	21.27	0.84	19.96	<=38.45	Pass
			4	21.58	0.84	20.27	<=38.45	Pass
			7	21.2	0.84	19.89	<=38.45	Pass
		15	0	21.35	0.84	20.04	<=38.45	Pass
	847.5	1	0	22.59	0.84	21.28	<=38.45	Pass
			7	22.66	0.84	21.35	<=38.45	Pass
			14	22.1	0.84	20.79	<=38.45	Pass
		8	0	21.06	0.84	19.75	<=38.45	Pass
			4	21.42	0.84	20.11	<=38.45	Pass
			7	21.52	0.84	20.21	<=38.45	Pass
		15	0	21.29	0.84	19.98	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	826.5	1	0	23.23	0.84	21.92	<=38.45	Pass
			13	23.3	0.84	21.99	<=38.45	Pass
			24	23.21	0.84	21.90	<=38.45	Pass
		12	0	22.36	0.84	21.05	<=38.45	Pass
			6	22.42	0.84	21.11	<=38.45	Pass
			13	22.35	0.84	21.04	<=38.45	Pass
		25	0	22.31	0.84	21.00	<=38.45	Pass

	836.5	1	0	23.07	0.84	21.76	<=38.45	Pass
			13	23.24	0.84	21.93	<=38.45	Pass
			24	23.2	0.84	21.89	<=38.45	Pass
		12	0	22.43	0.84	21.12	<=38.45	Pass
			6	22.4	0.84	21.09	<=38.45	Pass
			13	22.36	0.84	21.05	<=38.45	Pass
		25	0	22.4	0.84	21.09	<=38.45	Pass
	846.5	1	0	23	0.84	21.69	<=38.45	Pass
			13	22.98	0.84	21.67	<=38.45	Pass
			24	23	0.84	21.69	<=38.45	Pass
		12	0	22.28	0.84	20.97	<=38.45	Pass
			6	22.22	0.84	20.91	<=38.45	Pass
			13	22.14	0.84	20.83	<=38.45	Pass
		25	0	22.24	0.84	20.93	<=38.45	Pass
16QAM	826.5	1	0	21.56	0.84	20.25	<=38.45	Pass
			13	22.6	0.84	21.29	<=38.45	Pass
			24	22.87	0.84	21.56	<=38.45	Pass
		12	0	21.43	0.84	20.12	<=38.45	Pass
			6	21.42	0.84	20.11	<=38.45	Pass
			13	21.27	0.84	19.96	<=38.45	Pass
		25	0	21.33	0.84	20.02	<=38.45	Pass
	836.5	1	0	21.92	0.84	20.61	<=38.45	Pass
			13	22.11	0.84	20.80	<=38.45	Pass
			24	22.26	0.84	20.95	<=38.45	Pass
		12	0	21.37	0.84	20.06	<=38.45	Pass
			6	21.33	0.84	20.02	<=38.45	Pass
			13	21.3	0.84	19.99	<=38.45	Pass
		25	0	21.52	0.84	20.21	<=38.45	Pass
	846.5	1	0	21.61	0.84	20.30	<=38.45	Pass
			13	22.39	0.84	21.08	<=38.45	Pass
			24	22.56	0.84	21.25	<=38.45	Pass
		12	0	21.34	0.84	20.03	<=38.45	Pass
			6	21.06	0.84	19.75	<=38.45	Pass
			13	21.11	0.84	19.80	<=38.45	Pass
		25	0	21.3	0.84	19.99	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	829	1	0	23.26	0.84	21.95	<=38.45	Pass
			25	23.23	0.84	21.92	<=38.45	Pass
			49	23.52	0.84	22.21	<=38.45	Pass

		25	0	22.35	0.84	21.04	<=38.45	Pass	
			13	22.39	0.84	21.08	<=38.45	Pass	
			25	22.37	0.84	21.06	<=38.45	Pass	
		50	0	22.4	0.84	21.09	<=38.45	Pass	
		836.5	1	0	23.45	0.84	22.14	<=38.45	Pass
				25	23.34	0.84	22.03	<=38.45	Pass
				49	23.26	0.84	21.95	<=38.45	Pass
	25		0	22.43	0.84	21.12	<=38.45	Pass	
			13	22.45	0.84	21.14	<=38.45	Pass	
			25	22.45	0.84	21.14	<=38.45	Pass	
	50		0	22.39	0.84	21.08	<=38.45	Pass	
	844	1	0	23.29	0.84	21.98	<=38.45	Pass	
			25	23.53	0.84	22.22	<=38.45	Pass	
			49	23.02	0.84	21.71	<=38.45	Pass	
		25	0	22.32	0.84	21.01	<=38.45	Pass	
			13	22.33	0.84	21.02	<=38.45	Pass	
			25	22.26	0.84	20.95	<=38.45	Pass	
		50	0	22.31	0.84	21.00	<=38.45	Pass	
	16QAM	829	1	0	23.04	0.84	21.73	<=38.45	Pass
				25	22.73	0.84	21.42	<=38.45	Pass
				49	22.65	0.84	21.34	<=38.45	Pass
25			0	21.47	0.84	20.16	<=38.45	Pass	
			13	21.54	0.84	20.23	<=38.45	Pass	
			25	21.49	0.84	20.18	<=38.45	Pass	
50			0	21.54	0.84	20.23	<=38.45	Pass	
836.5		1	0	23.11	0.84	21.80	<=38.45	Pass	
			25	23	0.84	21.69	<=38.45	Pass	
			49	22.67	0.84	21.36	<=38.45	Pass	
		25	0	21.29	0.84	19.98	<=38.45	Pass	
			13	21.38	0.84	20.07	<=38.45	Pass	
			25	21.19	0.84	19.88	<=38.45	Pass	
		50	0	21.47	0.84	20.16	<=38.45	Pass	
844		1	0	22.52	0.84	21.21	<=38.45	Pass	
			25	22.24	0.84	20.93	<=38.45	Pass	
			49	22.07	0.84	20.76	<=38.45	Pass	
		25	0	21.51	0.84	20.20	<=38.45	Pass	
			13	21.54	0.84	20.23	<=38.45	Pass	
			25	21.38	0.84	20.07	<=38.45	Pass	
		50	0	21.3	0.84	19.99	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

Band: 26b / Bandwidth: 15MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	831.5	1	0	23.2	0.84	21.89	<=38.45	Pass
			38	23.38	0.84	22.07	<=38.45	Pass
			74	23.19	0.84	21.88	<=38.45	Pass
		36	0	22.44	0.84	21.13	<=38.45	Pass
			18	22.4	0.84	21.09	<=38.45	Pass
			39	22.41	0.84	21.10	<=38.45	Pass
		75	0	22.38	0.84	21.07	<=38.45	Pass
	836.5	1	0	23.37	0.84	22.06	<=38.45	Pass
			38	23.36	0.84	22.05	<=38.45	Pass
			74	23.21	0.84	21.90	<=38.45	Pass
		36	0	22.43	0.84	21.12	<=38.45	Pass
			18	22.48	0.84	21.17	<=38.45	Pass
			39	22.42	0.84	21.11	<=38.45	Pass
		75	0	22.41	0.84	21.10	<=38.45	Pass
	841.5	1	0	23.17	0.84	21.86	<=38.45	Pass
			38	23.35	0.84	22.04	<=38.45	Pass
			74	22.92	0.84	21.61	<=38.45	Pass
		36	0	22.43	0.84	21.12	<=38.45	Pass
			18	22.42	0.84	21.11	<=38.45	Pass
			39	22.36	0.84	21.05	<=38.45	Pass
		75	0	22.36	0.84	21.05	<=38.45	Pass
16QAM	831.5	1	0	22.98	0.84	21.67	<=38.45	Pass
			38	22.65	0.84	21.34	<=38.45	Pass
			74	23.14	0.84	21.83	<=38.45	Pass
		36	0	21.33	0.84	20.02	<=38.45	Pass
			18	21.35	0.84	20.04	<=38.45	Pass
			39	21.37	0.84	20.06	<=38.45	Pass
		75	0	21.45	0.84	20.14	<=38.45	Pass
	836.5	1	0	22.61	0.84	21.30	<=38.45	Pass
			38	22.97	0.84	21.66	<=38.45	Pass
			74	21.97	0.84	20.66	<=38.45	Pass
		36	0	21.39	0.84	20.08	<=38.45	Pass
			18	21.42	0.84	20.11	<=38.45	Pass
			39	21.33	0.84	20.02	<=38.45	Pass
		75	0	21.5	0.84	20.19	<=38.45	Pass
	841.5	1	0	22.74	0.84	21.43	<=38.45	Pass
			38	22.62	0.84	21.31	<=38.45	Pass
			74	22.18	0.84	20.87	<=38.45	Pass
		36	0	21.52	0.84	20.21	<=38.45	Pass

			18	21.55	0.84	20.24	<=38.45	Pass
			39	21.15	0.84	19.84	<=38.45	Pass
		75	0	21.33	0.84	20.02	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.16 LTE Band30

Band: 30 / Bandwidth: 5MHz / NTV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2307.5	1	0	22.26	1.50	23.76	<=23.98	Pass
			13	22.4	1.50	23.90	<=23.98	Pass
			24	22.31	1.50	23.81	<=23.98	Pass
		12	0	21.51	1.50	23.01	<=23.98	Pass
			6	21.54	1.50	23.04	<=23.98	Pass
			13	21.42	1.50	22.92	<=23.98	Pass
		25	0	21.5	1.50	23.00	<=23.98	Pass
	2310	1	0	22.12	1.50	23.62	<=23.98	Pass
			13	22.32	1.50	23.82	<=23.98	Pass
			24	22.37	1.50	23.87	<=23.98	Pass
		12	0	21.43	1.50	22.93	<=23.98	Pass
			6	21.44	1.50	22.94	<=23.98	Pass
			13	21.47	1.50	22.97	<=23.98	Pass
		25	0	21.5	1.50	23.00	<=23.98	Pass
	2312.5	1	0	22.23	1.50	23.73	<=23.98	Pass
			13	22.4	1.50	23.90	<=23.98	Pass
			24	22.15	1.50	23.65	<=23.98	Pass
		12	0	21.48	1.50	22.98	<=23.98	Pass
			6	21.55	1.50	23.05	<=23.98	Pass
			13	21.46	1.50	22.96	<=23.98	Pass
		25	0	21.45	1.50	22.95	<=23.98	Pass
16QAM	2307.5	1	0	20.79	1.50	22.29	<=23.98	Pass
			13	21.73	1.50	23.23	<=23.98	Pass
			24	20.73	1.50	22.23	<=23.98	Pass
		12	0	20.6	1.50	22.10	<=23.98	Pass
			6	20.66	1.50	22.16	<=23.98	Pass
			13	20.44	1.50	21.94	<=23.98	Pass
		25	0	20.64	1.50	22.14	<=23.98	Pass

	2310	1	0	21.27	1.50	22.77	<=23.98	Pass
			13	21.57	1.50	23.07	<=23.98	Pass
			24	21.27	1.50	22.77	<=23.98	Pass
		12	0	20.26	1.50	21.76	<=23.98	Pass
			6	20.52	1.50	22.02	<=23.98	Pass
			13	20.36	1.50	21.86	<=23.98	Pass
		25	0	20.33	1.50	21.83	<=23.98	Pass
	2312.5	1	0	21.07	1.50	22.57	<=23.98	Pass
			13	21.23	1.50	22.73	<=23.98	Pass
			24	21.44	1.50	22.94	<=23.98	Pass
		12	0	20.63	1.50	22.13	<=23.98	Pass
			6	20.72	1.50	22.22	<=23.98	Pass
			13	20.36	1.50	21.86	<=23.98	Pass
		25	0	20.59	1.50	22.09	<=23.98	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 30 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP/10MHz (dBm/5MHz)		Verdict
	(MHz)	Size	Offset	(dBm/5MHz)	(dBi)	Result	Limit	
QPSK	2307.5	1	0	22.04	1.50	23.54	<=23.98	Pass
			13	22.23	1.50	23.73	<=23.98	Pass
			24	22.34	1.50	23.84	<=23.98	Pass
		12	0	21.47	1.50	22.97	<=23.98	Pass
			6	21.51	1.50	23.01	<=23.98	Pass
			13	21.52	1.50	23.02	<=23.98	Pass
		25	0	21.46	1.50	22.96	<=23.98	Pass
	2310	1	0	22.35	1.50	23.85	<=23.98	Pass
			13	22.47	1.50	23.97	<=23.98	Pass
			24	22.25	1.50	23.75	<=23.98	Pass
		12	0	21.45	1.50	22.95	<=23.98	Pass
			6	21.37	1.50	22.87	<=23.98	Pass
			13	21.5	1.50	23.00	<=23.98	Pass
		25	0	21.51	1.50	23.01	<=23.98	Pass
	2312.5	1	0	22.04	1.50	23.54	<=23.98	Pass
			13	22	1.50	23.50	<=23.98	Pass
			24	22.42	1.50	23.92	<=23.98	Pass
		12	0	21.46	1.50	22.96	<=23.98	Pass
			6	21.52	1.50	23.02	<=23.98	Pass
			13	21.69	1.50	23.19	<=23.98	Pass
		25	0	21.55	1.50	23.05	<=23.98	Pass

[illegible]

Band: 30 / Bandwidth: 10MHz / NTN-V								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2310	1	0	21.95	1.50	23.45	<=23.98	Pass
			25	22.41	1.50	23.91	<=23.98	Pass
			49	22.36	1.50	23.86	<=23.98	Pass
		25	0	21.61	1.50	23.11	<=23.98	Pass
			13	21.66	1.50	23.16	<=23.98	Pass
			25	21.62	1.50	23.12	<=23.98	Pass
		50	0	21.59	1.50	23.09	<=23.98	Pass
16QAM	2310	1	0	22.34	1.50	23.84	<=23.98	Pass
			25	21.93	1.50	23.43	<=23.98	Pass
			49	22.27	1.50	23.77	<=23.98	Pass
		25	0	20.75	1.50	22.25	<=23.98	Pass
			13	20.71	1.50	22.21	<=23.98	Pass
			25	20.77	1.50	22.27	<=23.98	Pass
		50	0	20.75	1.50	22.25	<=23.98	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 30 / Bandwidth: 10MHz / NTNv								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP/10MHz (dBm/5MHz)		Verdict
	(MHz)	Size	Offset	(dBm/5MHz)	(dBi)	Result	Limit	
QPSK	2310	1	0	21.71	1.50	23.21	<=23.98	Pass
			25	21.46	1.50	22.96	<=23.98	Pass
			49	21.51	1.50	23.01	<=23.98	Pass
		25	0	21.53	1.50	23.03	<=23.98	Pass
			13	21.63	1.50	23.13	<=23.98	Pass
			25	21.57	1.50	23.07	<=23.98	Pass
		50	0	21.64	1.50	23.14	<=23.98	Pass
16QAM	2310	1	0	21.86	1.50	23.36	<=23.98	Pass
			25	21.87	1.50	23.37	<=23.98	Pass
			49	21.88	1.50	23.38	<=23.98	Pass
		25	0	20.74	1.50	22.24	<=23.98	Pass
			13	20.82	1.50	22.32	<=23.98	Pass
			25	20.74	1.50	22.24	<=23.98	Pass
		50	0	20.64	1.50	22.14	<=23.98	Pass
Note1: EIRP/10MHz=Conducted Power+Antenna Gain-2.15								

1.17 LTE Band38

Band: 38 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2572.5	1	0	22.66	1.78	24.44	<=33.01	Pass
			13	22.84	1.78	24.62	<=33.01	Pass
			24	22.71	1.78	24.49	<=33.01	Pass
		12	0	21.92	1.78	23.70	<=33.01	Pass
			6	21.98	1.78	23.76	<=33.01	Pass
			13	21.93	1.78	23.71	<=33.01	Pass
		25	0	21.94	1.78	23.72	<=33.01	Pass
	2595	1	0	22.88	1.78	24.66	<=33.01	Pass
			13	23.01	1.78	24.79	<=33.01	Pass
			24	22.75	1.78	24.53	<=33.01	Pass
		12	0	21.81	1.78	23.59	<=33.01	Pass
			6	21.81	1.78	23.59	<=33.01	Pass
			13	21.89	1.78	23.67	<=33.01	Pass
		25	0	21.79	1.78	23.57	<=33.01	Pass

	2617.5	1	0	22.76	1.78	24.54	<=33.01	Pass
			13	22.98	1.78	24.76	<=33.01	Pass
			24	22.44	1.78	24.22	<=33.01	Pass
		12	0	21.85	1.78	23.63	<=33.01	Pass
			6	21.98	1.78	23.76	<=33.01	Pass
			13	21.82	1.78	23.60	<=33.01	Pass
		25	0	21.86	1.78	23.64	<=33.01	Pass
16QAM	2572.5	1	0	21.87	1.78	23.65	<=33.01	Pass
			13	21.84	1.78	23.62	<=33.01	Pass
			24	21.61	1.78	23.39	<=33.01	Pass
		12	0	20.9	1.78	22.68	<=33.01	Pass
			6	21.02	1.78	22.80	<=33.01	Pass
			13	20.91	1.78	22.69	<=33.01	Pass
		25	0	21.06	1.78	22.84	<=33.01	Pass
	2595	1	0	22.22	1.78	24.00	<=33.01	Pass
			13	22.62	1.78	24.40	<=33.01	Pass
			24	22.16	1.78	23.94	<=33.01	Pass
		12	0	20.84	1.78	22.62	<=33.01	Pass
			6	20.98	1.78	22.76	<=33.01	Pass
			13	20.81	1.78	22.59	<=33.01	Pass
		25	0	20.99	1.78	22.77	<=33.01	Pass
	2617.5	1	0	22.03	1.78	23.81	<=33.01	Pass
			13	22.66	1.78	24.44	<=33.01	Pass
			24	21.72	1.78	23.50	<=33.01	Pass
		12	0	20.75	1.78	22.53	<=33.01	Pass
			6	20.7	1.78	22.48	<=33.01	Pass
			13	20.54	1.78	22.32	<=33.01	Pass
		25	0	20.93	1.78	22.71	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 38 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2575	1	0	23.07	1.78	24.85	<=33.01	Pass
			25	23.01	1.78	24.79	<=33.01	Pass
			49	22.84	1.78	24.62	<=33.01	Pass
		25	0	22	1.78	23.78	<=33.01	Pass
			13	21.95	1.78	23.73	<=33.01	Pass
			25	21.93	1.78	23.71	<=33.01	Pass
		50	0	22.02	1.78	23.80	<=33.01	Pass
	2595	1	0	23.12	1.78	24.90	<=33.01	Pass
			25	22.94	1.78	24.72	<=33.01	Pass

		25	49	22.86	1.78	24.64	<=33.01	Pass
			0	22.02	1.78	23.80	<=33.01	Pass
			13	22.01	1.78	23.79	<=33.01	Pass
			25	22.06	1.78	23.84	<=33.01	Pass
		50	0	22.04	1.78	23.82	<=33.01	Pass
	2615	1	0	23.13	1.78	24.91	<=33.01	Pass
			25	22.93	1.78	24.71	<=33.01	Pass
			49	22.57	1.78	24.35	<=33.01	Pass
		25	0	22.09	1.78	23.87	<=33.01	Pass
			13	22	1.78	23.78	<=33.01	Pass
			25	21.95	1.78	23.73	<=33.01	Pass
		50	0	22.05	1.78	23.83	<=33.01	Pass

16QAM	2575	1	0	21.34	1.78	23.12	<=33.01	Pass
			25	22	1.78	23.78	<=33.01	Pass
			49	21.17	1.78	22.95	<=33.01	Pass
		25	0	20.83	1.78	22.61	<=33.01	Pass
			13	20.95	1.78	22.73	<=33.01	Pass
			25	20.99	1.78	22.77	<=33.01	Pass
		50	0	20.87	1.78	22.65	<=33.01	Pass
	2595	1	0	22.59	1.78	24.37	<=33.01	Pass
			25	22.73	1.78	24.51	<=33.01	Pass
			49	22.36	1.78	24.14	<=33.01	Pass
		25	0	20.94	1.78	22.72	<=33.01	Pass
			13	21	1.78	22.78	<=33.01	Pass
			25	20.9	1.78	22.68	<=33.01	Pass
		50	0	21.07	1.78	22.85	<=33.01	Pass
	2615	1	0	22.79	1.78	24.57	<=33.01	Pass
			25	22.78	1.78	24.56	<=33.01	Pass
			49	22.29	1.78	24.07	<=33.01	Pass
		25	0	21.21	1.78	22.99	<=33.01	Pass
			13	21.2	1.78	22.98	<=33.01	Pass
			25	20.99	1.78	22.77	<=33.01	Pass
		50	0	20.85	1.78	22.63	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Band: 38 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2577.5	1	0	23.03	1.78	24.81	<=33.01	Pass
			38	22.85	1.78	24.63	<=33.01	Pass
			74	22.86	1.78	24.64	<=33.01	Pass
		36	0	22.01	1.78	23.79	<=33.01	Pass
			18	21.96	1.78	23.74	<=33.01	Pass

			39	21.83	1.78	23.61	<=33.01	Pass
		75	0	21.92	1.78	23.70	<=33.01	Pass
	2595	1	0	22.96	1.78	24.74	<=33.01	Pass
			38	23.04	1.78	24.82	<=33.01	Pass
			74	23.11	1.78	24.89	<=33.01	Pass
		36	0	22.04	1.78	23.82	<=33.01	Pass
			18	21.96	1.78	23.74	<=33.01	Pass
			39	22.12	1.78	23.90	<=33.01	Pass
		75	0	22.01	1.78	23.79	<=33.01	Pass
	2612.5	1	0	22.95	1.78	24.73	<=33.01	Pass
			38	22.72	1.78	24.50	<=33.01	Pass
			74	22.67	1.78	24.45	<=33.01	Pass
		36	0	22.07	1.78	23.85	<=33.01	Pass
			18	22.01	1.78	23.79	<=33.01	Pass
			39	22.05	1.78	23.83	<=33.01	Pass
		75	0	22.08	1.78	23.86	<=33.01	Pass

16QAM	2577.5	1	0	21.71	1.78	23.49	<=33.01	Pass
			38	21.55	1.78	23.33	<=33.01	Pass
			74	21.45	1.78	23.23	<=33.01	Pass
		36	0	20.99	1.78	22.77	<=33.01	Pass
			18	20.78	1.78	22.56	<=33.01	Pass
			39	20.8	1.78	22.58	<=33.01	Pass
		75	0	20.9	1.78	22.68	<=33.01	Pass
	2595	1	0	22.53	1.78	24.31	<=33.01	Pass
			38	22.31	1.78	24.09	<=33.01	Pass
			74	22.37	1.78	24.15	<=33.01	Pass
		36	0	21.12	1.78	22.90	<=33.01	Pass
			18	21.15	1.78	22.93	<=33.01	Pass
			39	21.11	1.78	22.89	<=33.01	Pass
		75	0	21.05	1.78	22.83	<=33.01	Pass
	2612.5	1	0	21.92	1.78	23.70	<=33.01	Pass
			38	21.95	1.78	23.73	<=33.01	Pass
			74	22.12	1.78	23.90	<=33.01	Pass
		36	0	20.86	1.78	22.64	<=33.01	Pass
			18	20.84	1.78	22.62	<=33.01	Pass
			39	21.04	1.78	22.82	<=33.01	Pass
		75	0	20.96	1.78	22.74	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Band: 38 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2580	1	0	22.86	1.78	24.64	<=33.01	Pass

			50	23	1.78	24.78	<=33.01	Pass
			99	23.09	1.78	24.87	<=33.01	Pass
		50	0	22.04	1.78	23.82	<=33.01	Pass
			25	21.95	1.78	23.73	<=33.01	Pass
			50	22	1.78	23.78	<=33.01	Pass
		100	0	21.99	1.78	23.77	<=33.01	Pass
	2595	1	0	23.03	1.78	24.81	<=33.01	Pass
			50	23.05	1.78	24.83	<=33.01	Pass
			99	22.91	1.78	24.69	<=33.01	Pass
		50	0	22.03	1.78	23.81	<=33.01	Pass
			25	22.06	1.78	23.84	<=33.01	Pass
			50	22.03	1.78	23.81	<=33.01	Pass
	100	0	22.04	1.78	23.82	<=33.01	Pass	
	2610	1	0	22.88	1.78	24.66	<=33.01	Pass
			50	23.04	1.78	24.82	<=33.01	Pass
			99	22.6	1.78	24.38	<=33.01	Pass
		50	0	22.08	1.78	23.86	<=33.01	Pass
			25	22.1	1.78	23.88	<=33.01	Pass
			50	21.93	1.78	23.71	<=33.01	Pass
	100	0	22.13	1.78	23.91	<=33.01	Pass	
16QAM	2580	1	0	22.35	1.78	24.13	<=33.01	Pass
			50	22.86	1.78	24.64	<=33.01	Pass
			99	22.68	1.78	24.46	<=33.01	Pass
		50	0	21.18	1.78	22.96	<=33.01	Pass
			25	21.07	1.78	22.85	<=33.01	Pass
			50	21.09	1.78	22.87	<=33.01	Pass
	100	0	21.04	1.78	22.82	<=33.01	Pass	
	2595	1	0	21.69	1.78	23.47	<=33.01	Pass
			50	22.15	1.78	23.93	<=33.01	Pass
			99	22.19	1.78	23.97	<=33.01	Pass
		50	0	21	1.78	22.78	<=33.01	Pass
			25	21.07	1.78	22.85	<=33.01	Pass
			50	21.07	1.78	22.85	<=33.01	Pass
	100	0	20.94	1.78	22.72	<=33.01	Pass	
	2610	1	0	22.82	1.78	24.60	<=33.01	Pass
			50	22.45	1.78	24.23	<=33.01	Pass
			99	22.38	1.78	24.16	<=33.01	Pass
		50	0	21.19	1.78	22.97	<=33.01	Pass
			25	21.19	1.78	22.97	<=33.01	Pass
			50	21.05	1.78	22.83	<=33.01	Pass
100	0	21.12	1.78	22.90	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain								

1.18 LTE Band40

Band: 40a / Bandwidth: 5MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2307.5	1	0	21.6	1.90	23.50	<=23.98	Pass
			13	21.61	1.90	23.51	<=23.98	Pass
			24	21.5	1.90	23.40	<=23.98	Pass
		12	0	21.7	1.90	23.60	<=23.98	Pass
			6	21.69	1.90	23.59	<=23.98	Pass
			13	21.69	1.90	23.59	<=23.98	Pass
		25	0	21.66	1.90	23.56	<=23.98	Pass
	2310	1	0	21.81	1.90	23.71	<=23.98	Pass
			13	21.66	1.90	23.56	<=23.98	Pass
			24	21.5	1.90	23.40	<=23.98	Pass
		12	0	21.83	1.90	23.73	<=23.98	Pass
			6	21.82	1.90	23.72	<=23.98	Pass
			13	21.83	1.90	23.73	<=23.98	Pass
		25	0	21.75	1.90	23.65	<=23.98	Pass
	2312.5	1	0	21.61	1.90	23.51	<=23.98	Pass
			13	21.78	1.90	23.68	<=23.98	Pass
			24	21.57	1.90	23.47	<=23.98	Pass
		12	0	21.98	1.90	23.88	<=23.98	Pass
			6	21.87	1.90	23.77	<=23.98	Pass
			13	21.87	1.90	23.77	<=23.98	Pass
		25	0	21.79	1.90	23.69	<=23.98	Pass
16QAM	2307.5	1	0	21.87	1.90	23.77	<=23.98	Pass
			13	21.07	1.90	22.97	<=23.98	Pass
			24	21.41	1.90	23.31	<=23.98	Pass
		12	0	20.73	1.90	22.63	<=23.98	Pass
			6	20.99	1.90	22.89	<=23.98	Pass
			13	20.63	1.90	22.53	<=23.98	Pass
		25	0	20.49	1.90	22.39	<=23.98	Pass
	2310	1	0	21.75	1.90	23.65	<=23.98	Pass
			13	21.87	1.90	23.77	<=23.98	Pass
			24	21.14	1.90	23.04	<=23.98	Pass
		12	0	20.95	1.90	22.85	<=23.98	Pass
			6	20.69	1.90	22.59	<=23.98	Pass
			13	20.39	1.90	22.29	<=23.98	Pass
		25	0	20.74	1.90	22.64	<=23.98	Pass
	2312.5	1	0	21.48	1.90	23.38	<=23.98	Pass
			13	21.97	1.90	23.87	<=23.98	Pass
			24	21.91	1.90	23.81	<=23.98	Pass

		12	0	20.43	1.90	22.33	<=23.98	Pass
			6	20.92	1.90	22.82	<=23.98	Pass
			13	20.79	1.90	22.69	<=23.98	Pass
		25	0	20.91	1.90	22.81	<=23.98	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 40a / Bandwidth: 10MHz / NTNv								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2310	1	0	21.99	1.90	23.89	<=23.98	Pass
			25	21.78	1.90	23.68	<=23.98	Pass
			49	21.65	1.90	23.55	<=23.98	Pass
		25	0	21.98	1.90	23.88	<=23.98	Pass
			13	21.98	1.90	23.88	<=23.98	Pass
			25	21.92	1.90	23.82	<=23.98	Pass
		50	0	21.89	1.90	23.79	<=23.98	Pass
16QAM	2310	1	0	20.6	1.90	22.50	<=23.98	Pass
			25	21.45	1.90	23.35	<=23.98	Pass
			49	21.22	1.90	23.12	<=23.98	Pass
		25	0	21.18	1.90	23.08	<=23.98	Pass
			13	21.03	1.90	22.93	<=23.98	Pass
			25	20.85	1.90	22.75	<=23.98	Pass
		50	0	20.79	1.90	22.69	<=23.98	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 40b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2352.5	1	0	21.97	1.90	23.87	<=23.98	Pass
			13	21.96	1.90	23.86	<=23.98	Pass
			24	21.88	1.90	23.78	<=23.98	Pass
		12	0	21.2	1.90	23.10	<=23.98	Pass
			6	21.23	1.90	23.13	<=23.98	Pass
			13	21.14	1.90	23.04	<=23.98	Pass
		25	0	21.28	1.90	23.18	<=23.98	Pass
	2355	1	0	22	1.90	23.90	<=23.98	Pass
			13	21.96	1.90	23.86	<=23.98	Pass
			24	21.98	1.90	23.88	<=23.98	Pass
		12	0	21.28	1.90	23.18	<=23.98	Pass
			6	21.16	1.90	23.06	<=23.98	Pass
			13	21.21	1.90	23.11	<=23.98	Pass

		25	0	21.12	1.90	23.02	<=23.98	Pass
	2357.5	1	0	22	1.90	23.90	<=23.98	Pass
			13	21.99	1.90	23.89	<=23.98	Pass
			24	21.91	1.90	23.81	<=23.98	Pass
			0	21.22	1.90	23.12	<=23.98	Pass
		12	6	21.2	1.90	23.10	<=23.98	Pass
			13	21.2	1.90	23.10	<=23.98	Pass
			25	0	21.06	1.90	22.96	<=23.98
16QAM	2352.5	1	0	22.03	1.90	23.93	<=23.98	Pass
			13	21.35	1.90	23.25	<=23.98	Pass
			24	20.71	1.90	22.61	<=23.98	Pass
		12	0	21.16	1.90	23.06	<=23.98	Pass
			6	21.2	1.90	23.10	<=23.98	Pass
			13	20.85	1.90	22.75	<=23.98	Pass
		25	0	21.07	1.90	22.97	<=23.98	Pass
	2355	1	0	20.74	1.90	22.64	<=23.98	Pass
			13	20.75	1.90	22.65	<=23.98	Pass
			24	21.2	1.90	23.10	<=23.98	Pass
		12	0	21.1	1.90	23.00	<=23.98	Pass
			6	21.33	1.90	23.23	<=23.98	Pass
			13	21.12	1.90	23.02	<=23.98	Pass
		25	0	21.24	1.90	23.14	<=23.98	Pass
	2357.5	1	0	21.38	1.90	23.28	<=23.98	Pass
			13	21.39	1.90	23.29	<=23.98	Pass
			24	21.94	1.90	23.84	<=23.98	Pass
		12	0	21.23	1.90	23.13	<=23.98	Pass
			6	21.3	1.90	23.20	<=23.98	Pass
			13	21.25	1.90	23.15	<=23.98	Pass
		25	0	21.2	1.90	23.10	<=23.98	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 40b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2355	1	0	22.03	1.90	23.93	<=23.98	Pass
			25	21.98	1.90	23.88	<=23.98	Pass
			49	21.95	1.90	23.85	<=23.98	Pass
		25	0	21.14	1.90	23.04	<=23.98	Pass
			13	21.37	1.90	23.27	<=23.98	Pass
			25	21.28	1.90	23.18	<=23.98	Pass
		50	0	21.34	1.90	23.24	<=23.98	Pass
16QAM	2355	1	0	21.75	1.90	23.65	<=23.98	Pass
			25	21.7	1.90	23.60	<=23.98	Pass

			49	21.05	1.90	22.95	<=23.98	Pass
		25	0	21.33	1.90	23.23	<=23.98	Pass
			13	21.35	1.90	23.25	<=23.98	Pass
			25	21.41	1.90	23.31	<=23.98	Pass
		50	0	21.3	1.90	23.20	<=23.98	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.19 LTE Band41

Band: 41 / Bandwidth: 5MHz / NTN								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2498.5	1	0	22.7	1.78	24.48	<=33.01	Pass
			13	23	1.78	24.78	<=33.01	Pass
			24	22.79	1.78	24.57	<=33.01	Pass
		12	0	22.1	1.78	23.88	<=33.01	Pass
			6	22.04	1.78	23.82	<=33.01	Pass
			13	21.98	1.78	23.76	<=33.01	Pass
		25	0	22.1	1.78	23.88	<=33.01	Pass
	2593	1	0	22.93	1.78	24.71	<=33.01	Pass
			13	22.96	1.78	24.74	<=33.01	Pass
			24	22.97	1.78	24.75	<=33.01	Pass
		12	0	22.1	1.78	23.88	<=33.01	Pass
			6	22.16	1.78	23.94	<=33.01	Pass
			13	22.11	1.78	23.89	<=33.01	Pass
		25	0	22.1	1.78	23.88	<=33.01	Pass
	2687.5	1	0	22.95	1.78	24.73	<=33.01	Pass
			13	23.01	1.78	24.79	<=33.01	Pass
			24	22.76	1.78	24.54	<=33.01	Pass
		12	0	22.17	1.78	23.95	<=33.01	Pass
			6	22	1.78	23.78	<=33.01	Pass
			13	21.97	1.78	23.75	<=33.01	Pass
		25	0	22.07	1.78	23.85	<=33.01	Pass
16QAM	2498.5	1	0	22.18	1.78	23.96	<=33.01	Pass
			13	22.15	1.78	23.93	<=33.01	Pass
			24	22.06	1.78	23.84	<=33.01	Pass
		12	0	20.9	1.78	22.68	<=33.01	Pass
			6	20.94	1.78	22.72	<=33.01	Pass
			13	20.83	1.78	22.61	<=33.01	Pass
		25	0	20.97	1.78	22.75	<=33.01	Pass

	2593	1	0	22.42	1.78	24.20	<=33.01	Pass
			13	22.51	1.78	24.29	<=33.01	Pass
			24	22.43	1.78	24.21	<=33.01	Pass
		12	0	21	1.78	22.78	<=33.01	Pass
			6	21	1.78	22.78	<=33.01	Pass
			13	20.98	1.78	22.76	<=33.01	Pass
		25	0	21.14	1.78	22.92	<=33.01	Pass
	2687.5	1	0	22.06	1.78	23.84	<=33.01	Pass
			13	22.22	1.78	24.00	<=33.01	Pass
			24	21.99	1.78	23.77	<=33.01	Pass
		12	0	20.98	1.78	22.76	<=33.01	Pass
			6	20.89	1.78	22.67	<=33.01	Pass
			13	20.76	1.78	22.54	<=33.01	Pass
		25	0	21.01	1.78	22.79	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 41 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2501	1	0	23.19	1.78	24.97	<=33.01	Pass
			25	23.17	1.78	24.95	<=33.01	Pass
			49	22.93	1.78	24.71	<=33.01	Pass
		25	0	22.02	1.78	23.80	<=33.01	Pass
			13	22.06	1.78	23.84	<=33.01	Pass
			25	22	1.78	23.78	<=33.01	Pass
		50	0	22.11	1.78	23.89	<=33.01	Pass
	2593	1	0	23.11	1.78	24.89	<=33.01	Pass
			25	23.19	1.78	24.97	<=33.01	Pass
			49	23.07	1.78	24.85	<=33.01	Pass
		25	0	22.15	1.78	23.93	<=33.01	Pass
			13	22.13	1.78	23.91	<=33.01	Pass
			25	22.11	1.78	23.89	<=33.01	Pass
		50	0	22.06	1.78	23.84	<=33.01	Pass
	2685	1	0	23.09	1.78	24.87	<=33.01	Pass
			25	23.05	1.78	24.83	<=33.01	Pass
			49	22.79	1.78	24.57	<=33.01	Pass
		25	0	22.24	1.78	24.02	<=33.01	Pass
			13	22.18	1.78	23.96	<=33.01	Pass
			25	22	1.78	23.78	<=33.01	Pass
		50	0	22.2	1.78	23.98	<=33.01	Pass
16QAM	2501	1	0	21.89	1.78	23.67	<=33.01	Pass
			25	21.99	1.78	23.77	<=33.01	Pass

		25	49	21.78	1.78	23.56	<=33.01	Pass
			0	20.88	1.78	22.66	<=33.01	Pass
			13	20.81	1.78	22.59	<=33.01	Pass
			25	20.87	1.78	22.65	<=33.01	Pass
		50	0	21.01	1.78	22.79	<=33.01	Pass
	2593	1	0	22.55	1.78	24.33	<=33.01	Pass
			25	22.29	1.78	24.07	<=33.01	Pass
			49	22.65	1.78	24.43	<=33.01	Pass
		25	0	21.06	1.78	22.84	<=33.01	Pass
			13	21	1.78	22.78	<=33.01	Pass
			25	21.05	1.78	22.83	<=33.01	Pass
		50	0	20.91	1.78	22.69	<=33.01	Pass
	2685	1	0	22.62	1.78	24.40	<=33.01	Pass
			25	22.53	1.78	24.31	<=33.01	Pass
			49	21.72	1.78	23.50	<=33.01	Pass
		25	0	21.13	1.78	22.91	<=33.01	Pass
			13	21.17	1.78	22.95	<=33.01	Pass
			25	21.03	1.78	22.81	<=33.01	Pass
		50	0	21.12	1.78	22.90	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 41 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2503.5	1	0	23.01	1.78	24.79	<=33.01	Pass
			38	22.69	1.78	24.47	<=33.01	Pass
			74	22.74	1.78	24.52	<=33.01	Pass
		36	0	21.89	1.78	23.67	<=33.01	Pass
			18	21.9	1.78	23.68	<=33.01	Pass
			39	21.86	1.78	23.64	<=33.01	Pass
		75	0	21.82	1.78	23.60	<=33.01	Pass
	2593	1	0	23.09	1.78	24.87	<=33.01	Pass
			38	23.14	1.78	24.92	<=33.01	Pass
			74	23.14	1.78	24.92	<=33.01	Pass
		36	0	22.13	1.78	23.91	<=33.01	Pass
			18	22.07	1.78	23.85	<=33.01	Pass
			39	22.1	1.78	23.88	<=33.01	Pass
		75	0	22.03	1.78	23.81	<=33.01	Pass
	2682.5	1	0	22.72	1.78	24.50	<=33.01	Pass
			38	22.9	1.78	24.68	<=33.01	Pass
			74	22.58	1.78	24.36	<=33.01	Pass
		36	0	22.11	1.78	23.89	<=33.01	Pass

		75	18	22.16	1.78	23.94	<=33.01	Pass
			39	22.11	1.78	23.89	<=33.01	Pass
			0	22.03	1.78	23.81	<=33.01	Pass
16QAM	2503.5	1	0	21.52	1.78	23.30	<=33.01	Pass
			38	22.07	1.78	23.85	<=33.01	Pass
			74	21.21	1.78	22.99	<=33.01	Pass
		36	0	20.61	1.78	22.39	<=33.01	Pass
			18	20.67	1.78	22.45	<=33.01	Pass
			39	20.64	1.78	22.42	<=33.01	Pass
		75	0	20.66	1.78	22.44	<=33.01	Pass
	2593	1	0	22.58	1.78	24.36	<=33.01	Pass
			38	22.53	1.78	24.31	<=33.01	Pass
			74	22.55	1.78	24.33	<=33.01	Pass
		36	0	21.07	1.78	22.85	<=33.01	Pass
			18	21.12	1.78	22.90	<=33.01	Pass
			39	21.15	1.78	22.93	<=33.01	Pass
		75	0	21.08	1.78	22.86	<=33.01	Pass
	2682.5	1	0	21.91	1.78	23.69	<=33.01	Pass
			38	21.98	1.78	23.76	<=33.01	Pass
			74	21.83	1.78	23.61	<=33.01	Pass
		36	0	21.18	1.78	22.96	<=33.01	Pass
			18	21.2	1.78	22.98	<=33.01	Pass
			39	21.15	1.78	22.93	<=33.01	Pass
		75	0	21.05	1.78	22.83	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 41 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	2506	1	0	22.81	1.78	24.59	<=33.01	Pass
			50	22.98	1.78	24.76	<=33.01	Pass
			99	22.88	1.78	24.66	<=33.01	Pass
		50	0	21.8	1.78	23.58	<=33.01	Pass
			25	21.77	1.78	23.55	<=33.01	Pass
			50	21.81	1.78	23.59	<=33.01	Pass
		100	0	21.8	1.78	23.58	<=33.01	Pass
	2593	1	0	23.16	1.78	24.94	<=33.01	Pass
			50	23.22	1.78	25.00	<=33.01	Pass
			99	23	1.78	24.78	<=33.01	Pass
		50	0	22.07	1.78	23.85	<=33.01	Pass
			25	22.16	1.78	23.94	<=33.01	Pass
			50	22.2	1.78	23.98	<=33.01	Pass

		100	0	22.13	1.78	23.91	<=33.01	Pass
	2680	1	0	23.02	1.78	24.80	<=33.01	Pass
			50	23.3	1.78	25.08	<=33.01	Pass
			99	22.76	1.78	24.54	<=33.01	Pass
			0	22.09	1.78	23.87	<=33.01	Pass
		50	25	22.06	1.78	23.84	<=33.01	Pass
			50	22.1	1.78	23.88	<=33.01	Pass
			100	0	22.04	1.78	23.82	<=33.01
16QAM	2506	1	0	22.25	1.78	24.03	<=33.01	Pass
			50	22.45	1.78	24.23	<=33.01	Pass
			99	22.57	1.78	24.35	<=33.01	Pass
		50	0	20.95	1.78	22.73	<=33.01	Pass
			25	20.83	1.78	22.61	<=33.01	Pass
			50	20.81	1.78	22.59	<=33.01	Pass
		100	0	20.8	1.78	22.58	<=33.01	Pass
	2593	1	0	21.75	1.78	23.53	<=33.01	Pass
			50	21.81	1.78	23.59	<=33.01	Pass
			99	21.69	1.78	23.47	<=33.01	Pass
		50	0	21.04	1.78	22.82	<=33.01	Pass
			25	21.02	1.78	22.80	<=33.01	Pass
			50	20.98	1.78	22.76	<=33.01	Pass
		100	0	21.01	1.78	22.79	<=33.01	Pass
	2680	1	0	22.3	1.78	24.08	<=33.01	Pass
			50	22.33	1.78	24.11	<=33.01	Pass
			99	22.47	1.78	24.25	<=33.01	Pass
		50	0	21.04	1.78	22.82	<=33.01	Pass
			25	20.96	1.78	22.74	<=33.01	Pass
			50	20.86	1.78	22.64	<=33.01	Pass
		100	0	20.86	1.78	22.64	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.20 LTE Band66

Band: 66 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1710.7	1	0	23.21	-0.46	22.75	<=30	Pass
			2	23.4	-0.46	22.94	<=30	Pass
			5	23.22	-0.46	22.76	<=30	Pass
		3	0	23.14	-0.46	22.68	<=30	Pass
			2	23.25	-0.46	22.79	<=30	Pass

			3	23.27	-0.46	22.81	<=30	Pass
		6	0	22.17	-0.46	21.71	<=30	Pass
	1745	1	0	23.48	-0.46	23.02	<=30	Pass
			2	23.46	-0.46	23.00	<=30	Pass
			5	23.75	-0.46	23.29	<=30	Pass
		3	0	23.54	-0.46	23.08	<=30	Pass
			2	23.69	-0.46	23.23	<=30	Pass
			3	23.59	-0.46	23.13	<=30	Pass
		6	0	22.54	-0.46	22.08	<=30	Pass
	1779.3	1	0	23.63	-0.46	23.17	<=30	Pass
			2	23.6	-0.46	23.14	<=30	Pass
			5	23.63	-0.46	23.17	<=30	Pass
		3	0	23.59	-0.46	23.13	<=30	Pass
			2	23.54	-0.46	23.08	<=30	Pass
			3	23.54	-0.46	23.08	<=30	Pass
6		0	22.56	-0.46	22.10	<=30	Pass	
16QAM	1710.7	1	0	22.9	-0.46	22.44	<=30	Pass
			2	22.8	-0.46	22.34	<=30	Pass
			5	22.87	-0.46	22.41	<=30	Pass
		3	0	22.48	-0.46	22.02	<=30	Pass
			2	22.04	-0.46	21.58	<=30	Pass
			3	22.09	-0.46	21.63	<=30	Pass
		6	0	21.08	-0.46	20.62	<=30	Pass
	1745	1	0	22.4	-0.46	21.94	<=30	Pass
			2	22.56	-0.46	22.10	<=30	Pass
			5	22.48	-0.46	22.02	<=30	Pass
		3	0	22.73	-0.46	22.27	<=30	Pass
			2	22.77	-0.46	22.31	<=30	Pass
			3	22.58	-0.46	22.12	<=30	Pass
	6	0	21.49	-0.46	21.03	<=30	Pass	
	1779.3	1	0	22.77	-0.46	22.31	<=30	Pass
			2	22.83	-0.46	22.37	<=30	Pass
			5	22.87	-0.46	22.41	<=30	Pass
		3	0	22.65	-0.46	22.19	<=30	Pass
			2	22.76	-0.46	22.30	<=30	Pass
			3	22.71	-0.46	22.25	<=30	Pass
		6	0	21.52	-0.46	21.06	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 66 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1711.5	1	0	23.17	-0.46	22.71	<=30	Pass
			7	23.46	-0.46	23.00	<=30	Pass
			14	23.21	-0.46	22.75	<=30	Pass
		8	0	22.2	-0.46	21.74	<=30	Pass
			4	22.15	-0.46	21.69	<=30	Pass
			7	22.15	-0.46	21.69	<=30	Pass
		15	0	22.2	-0.46	21.74	<=30	Pass
	1745	1	0	23.55	-0.46	23.09	<=30	Pass
			7	23.75	-0.46	23.29	<=30	Pass
			14	23.55	-0.46	23.09	<=30	Pass
		8	0	22.66	-0.46	22.20	<=30	Pass
			4	22.63	-0.46	22.17	<=30	Pass
			7	22.67	-0.46	22.21	<=30	Pass
		15	0	22.67	-0.46	22.21	<=30	Pass
	1778.5	1	0	23.52	-0.46	23.06	<=30	Pass
			7	23.88	-0.46	23.42	<=30	Pass
			14	23.53	-0.46	23.07	<=30	Pass
		8	0	22.68	-0.46	22.22	<=30	Pass
			4	22.63	-0.46	22.17	<=30	Pass
			7	22.74	-0.46	22.28	<=30	Pass
		15	0	22.57	-0.46	22.11	<=30	Pass
16QAM	1711.5	1	0	22.8	-0.46	22.34	<=30	Pass
			7	22.85	-0.46	22.39	<=30	Pass
			14	22.67	-0.46	22.21	<=30	Pass
		8	0	21.49	-0.46	21.03	<=30	Pass
			4	21.45	-0.46	20.99	<=30	Pass
			7	21.45	-0.46	20.99	<=30	Pass
		15	0	21.21	-0.46	20.75	<=30	Pass
	1745	1	0	23.05	-0.46	22.59	<=30	Pass
			7	22.92	-0.46	22.46	<=30	Pass
			14	23	-0.46	22.54	<=30	Pass
		8	0	21.95	-0.46	21.49	<=30	Pass
			4	21.57	-0.46	21.11	<=30	Pass
			7	21.85	-0.46	21.39	<=30	Pass
		15	0	21.68	-0.46	21.22	<=30	Pass
	1778.5	1	0	22.53	-0.46	22.07	<=30	Pass
			7	22.97	-0.46	22.51	<=30	Pass
			14	22.44	-0.46	21.98	<=30	Pass
		8	0	21.53	-0.46	21.07	<=30	Pass

			4	21.5	-0.46	21.04	<=30	Pass
			7	21.53	-0.46	21.07	<=30	Pass
		15	0	21.73	-0.46	21.27	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 66 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1712.5	1	0	22.94	-0.46	22.48	<=30	Pass
			13	23.07	-0.46	22.61	<=30	Pass
			24	23.2	-0.46	22.74	<=30	Pass
		12	0	22.17	-0.46	21.71	<=30	Pass
			6	22.26	-0.46	21.80	<=30	Pass
			13	22.18	-0.46	21.72	<=30	Pass
		25	0	22.21	-0.46	21.75	<=30	Pass
	1745	1	0	23.32	-0.46	22.86	<=30	Pass
			13	23.5	-0.46	23.04	<=30	Pass
			24	23.52	-0.46	23.06	<=30	Pass
		12	0	22.68	-0.46	22.22	<=30	Pass
			6	22.66	-0.46	22.20	<=30	Pass
			13	22.71	-0.46	22.25	<=30	Pass
		25	0	22.69	-0.46	22.23	<=30	Pass
	1777.5	1	0	23.35	-0.46	22.89	<=30	Pass
			13	23.6	-0.46	23.14	<=30	Pass
			24	23.28	-0.46	22.82	<=30	Pass
		12	0	22.58	-0.46	22.12	<=30	Pass
			6	22.68	-0.46	22.22	<=30	Pass
			13	22.61	-0.46	22.15	<=30	Pass
		25	0	22.6	-0.46	22.14	<=30	Pass
16QAM	1712.5	1	0	21.51	-0.46	21.05	<=30	Pass
			13	21.83	-0.46	21.37	<=30	Pass
			24	21.86	-0.46	21.40	<=30	Pass
		12	0	21.2	-0.46	20.74	<=30	Pass
			6	21.32	-0.46	20.86	<=30	Pass
			13	21.3	-0.46	20.84	<=30	Pass
		25	0	21.23	-0.46	20.77	<=30	Pass
	1745	1	0	22.23	-0.46	21.77	<=30	Pass
			13	23.17	-0.46	22.71	<=30	Pass
			24	23.09	-0.46	22.63	<=30	Pass
		12	0	21.58	-0.46	21.12	<=30	Pass
			6	21.59	-0.46	21.13	<=30	Pass
			13	21.64	-0.46	21.18	<=30	Pass
		25	0	21.76	-0.46	21.30	<=30	Pass

	1777.5	1	0	22.4	-0.46	21.94	<=30	Pass
			13	22.75	-0.46	22.29	<=30	Pass
			24	22.45	-0.46	21.99	<=30	Pass
		12	0	21.62	-0.46	21.16	<=30	Pass
			6	21.55	-0.46	21.09	<=30	Pass
			13	21.6	-0.46	21.14	<=30	Pass
		25	0	21.7	-0.46	21.24	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 66 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1715	1	0	23.26	-0.46	22.80	<=30	Pass
			25	23.39	-0.46	22.93	<=30	Pass
			49	23.46	-0.46	23.00	<=30	Pass
		25	0	22.24	-0.46	21.78	<=30	Pass
			13	22.42	-0.46	21.96	<=30	Pass
			25	22.38	-0.46	21.92	<=30	Pass
		50	0	22.41	-0.46	21.95	<=30	Pass
	1745	1	0	23.56	-0.46	23.10	<=30	Pass
			25	24.06	-0.46	23.60	<=30	Pass
			49	23.81	-0.46	23.35	<=30	Pass
		25	0	22.66	-0.46	22.20	<=30	Pass
			13	22.7	-0.46	22.24	<=30	Pass
			25	22.7	-0.46	22.24	<=30	Pass
		50	0	22.76	-0.46	22.30	<=30	Pass
	1775	1	0	23.64	-0.46	23.18	<=30	Pass
			25	23.6	-0.46	23.14	<=30	Pass
			49	23.57	-0.46	23.11	<=30	Pass
		25	0	22.68	-0.46	22.22	<=30	Pass
			13	22.62	-0.46	22.16	<=30	Pass
			25	22.65	-0.46	22.19	<=30	Pass
		50	0	22.61	-0.46	22.15	<=30	Pass
16QAM	1715	1	0	22.59	-0.46	22.13	<=30	Pass
			25	22.89	-0.46	22.43	<=30	Pass
			49	22.73	-0.46	22.27	<=30	Pass
		25	0	21.32	-0.46	20.86	<=30	Pass
			13	21.51	-0.46	21.05	<=30	Pass
			25	21.55	-0.46	21.09	<=30	Pass
		50	0	21.55	-0.46	21.09	<=30	Pass
	1745	1	0	23.43	-0.46	22.97	<=30	Pass
			25	23.06	-0.46	22.60	<=30	Pass

		25	49	23.18	-0.46	22.72	<=30	Pass
			0	21.71	-0.46	21.25	<=30	Pass
			13	21.74	-0.46	21.28	<=30	Pass
			25	21.85	-0.46	21.39	<=30	Pass
		50	0	21.72	-0.46	21.26	<=30	Pass
	1775	1	0	22.78	-0.46	22.32	<=30	Pass
			25	22.29	-0.46	21.83	<=30	Pass
			49	22.39	-0.46	21.93	<=30	Pass
		25	0	21.65	-0.46	21.19	<=30	Pass
			13	21.59	-0.46	21.13	<=30	Pass
			25	21.84	-0.46	21.38	<=30	Pass
		50	0	21.73	-0.46	21.27	<=30	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

Band: 66 / Bandwidth: 15MHz / NTN								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1717.5	1	0	23.11	-0.46	22.65	<=30	Pass
			38	23.56	-0.46	23.10	<=30	Pass
			74	23.52	-0.46	23.06	<=30	Pass
		36	0	22.26	-0.46	21.80	<=30	Pass
			18	22.44	-0.46	21.98	<=30	Pass
			39	22.41	-0.46	21.95	<=30	Pass
		75	0	22.36	-0.46	21.90	<=30	Pass
	1745	1	0	23.56	-0.46	23.10	<=30	Pass
			38	23.7	-0.46	23.24	<=30	Pass
			74	23.83	-0.46	23.37	<=30	Pass
		36	0	22.77	-0.46	22.31	<=30	Pass
			18	22.72	-0.46	22.26	<=30	Pass
			39	22.72	-0.46	22.26	<=30	Pass
		75	0	22.75	-0.46	22.29	<=30	Pass
	1772.5	1	0	23.61	-0.46	23.15	<=30	Pass
			38	23.45	-0.46	22.99	<=30	Pass
			74	23.34	-0.46	22.88	<=30	Pass
		36	0	22.65	-0.46	22.19	<=30	Pass
			18	22.58	-0.46	22.12	<=30	Pass
			39	22.61	-0.46	22.15	<=30	Pass
		75	0	22.6	-0.46	22.14	<=30	Pass
16QAM	1717.5	1	0	22.86	-0.46	22.40	<=30	Pass
			38	22.79	-0.46	22.33	<=30	Pass
			74	22.92	-0.46	22.46	<=30	Pass

		36	0	21.39	-0.46	20.93	<=30	Pass
			18	21.5	-0.46	21.04	<=30	Pass
			39	21.54	-0.46	21.08	<=30	Pass
		75	0	21.4	-0.46	20.94	<=30	Pass
	1745	1	0	23.45	-0.46	22.99	<=30	Pass
			38	23.8	-0.46	23.34	<=30	Pass
			74	23.49	-0.46	23.03	<=30	Pass
		36	0	21.74	-0.46	21.28	<=30	Pass
			18	21.66	-0.46	21.20	<=30	Pass
			39	21.76	-0.46	21.30	<=30	Pass
		75	0	21.7	-0.46	21.24	<=30	Pass
	1772.5	1	0	23	-0.46	22.54	<=30	Pass
			38	22.62	-0.46	22.16	<=30	Pass
			74	22.25	-0.46	21.79	<=30	Pass
		36	0	21.79	-0.46	21.33	<=30	Pass
			18	21.7	-0.46	21.24	<=30	Pass
			39	21.75	-0.46	21.29	<=30	Pass
		75	0	21.75	-0.46	21.29	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 66 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	EIRP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1720	1	0	23	-0.46	22.54	<=30	Pass
			50	23.58	-0.46	23.12	<=30	Pass
			99	23.15	-0.46	22.69	<=30	Pass
		50	0	22.34	-0.46	21.88	<=30	Pass
			25	22.37	-0.46	21.91	<=30	Pass
			50	22.5	-0.46	22.04	<=30	Pass
		100	0	22.39	-0.46	21.93	<=30	Pass
	1745	1	0	23.77	-0.46	23.31	<=30	Pass
			50	23.83	-0.46	23.37	<=30	Pass
			99	23.77	-0.46	23.31	<=30	Pass
		50	0	22.76	-0.46	22.30	<=30	Pass
			25	22.71	-0.46	22.25	<=30	Pass
			50	22.8	-0.46	22.34	<=30	Pass
		100	0	22.7	-0.46	22.24	<=30	Pass
	1770	1	0	23.75	-0.46	23.29	<=30	Pass
			50	23.78	-0.46	23.32	<=30	Pass
			99	23.45	-0.46	22.99	<=30	Pass
		50	0	22.69	-0.46	22.23	<=30	Pass
			25	22.69	-0.46	22.23	<=30	Pass

			50	22.59	-0.46	22.13	<=30	Pass		
		100	0	22.61	-0.46	22.15	<=30	Pass		
16QAM	1720	1	0	22.23	-0.46	21.77	<=30	Pass		
			50	22.95	-0.46	22.49	<=30	Pass		
			99	22.85	-0.46	22.39	<=30	Pass		
		50	0	21.44	-0.46	20.98	<=30	Pass		
			25	21.47	-0.46	21.01	<=30	Pass		
			50	21.69	-0.46	21.23	<=30	Pass		
		100	0	21.57	-0.46	21.11	<=30	Pass		
		1745	1	0	22.78	-0.46	22.32	<=30	Pass	
				50	22.91	-0.46	22.45	<=30	Pass	
	99			22.38	-0.46	21.92	<=30	Pass		
	50		0	21.68	-0.46	21.22	<=30	Pass		
			25	21.82	-0.46	21.36	<=30	Pass		
			50	21.84	-0.46	21.38	<=30	Pass		
	100		0	21.56	-0.46	21.10	<=30	Pass		
	1770		1	0	23.58	-0.46	23.12	<=30	Pass	
				50	23.72	-0.46	23.26	<=30	Pass	
		99		23.45	-0.46	22.99	<=30	Pass		
		50	0	21.63	-0.46	21.17	<=30	Pass		
			25	21.63	-0.46	21.17	<=30	Pass		
			50	21.64	-0.46	21.18	<=30	Pass		
		100	0	21.63	-0.46	21.17	<=30	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

1.21 LTE Band71

Band: 71 / Bandwidth: 5MHz / NTN								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	665.5	1	0	22.62	-5.48	14.99	<=34.77	Pass
			13	22.72	-5.48	15.09	<=34.77	Pass
			24	22.57	-5.48	14.94	<=34.77	Pass
		12	0	21.76	-5.48	14.13	<=34.77	Pass
			6	21.81	-5.48	14.18	<=34.77	Pass
			13	21.71	-5.48	14.08	<=34.77	Pass
		25	0	21.75	-5.48	14.12	<=34.77	Pass
	680.5	1	0	22.92	-5.48	15.29	<=34.77	Pass
			13	23.05	-5.48	15.42	<=34.77	Pass
			24	22.93	-5.48	15.30	<=34.77	Pass
		12	0	22.12	-5.48	14.49	<=34.77	Pass

			6	22.25	-5.48	14.62	<=34.77	Pass
			13	22.13	-5.48	14.50	<=34.77	Pass
		25	0	22.24	-5.48	14.61	<=34.77	Pass
	695.5	1	0	22.73	-5.48	15.10	<=34.77	Pass
			13	23.04	-5.48	15.41	<=34.77	Pass
			24	22.98	-5.48	15.35	<=34.77	Pass
		12	0	22.05	-5.48	14.42	<=34.77	Pass
			6	22.03	-5.48	14.40	<=34.77	Pass
			13	21.95	-5.48	14.32	<=34.77	Pass
		25	0	21.96	-5.48	14.33	<=34.77	Pass
16QAM	665.5	1	0	21.47	-5.48	13.84	<=34.77	Pass
			13	21.91	-5.48	14.28	<=34.77	Pass
			24	21.38	-5.48	13.75	<=34.77	Pass
		12	0	20.72	-5.48	13.09	<=34.77	Pass
			6	20.88	-5.48	13.25	<=34.77	Pass
			13	20.87	-5.48	13.24	<=34.77	Pass
		25	0	20.77	-5.48	13.14	<=34.77	Pass
	680.5	1	0	21.9	-5.48	14.27	<=34.77	Pass
			13	22.83	-5.48	15.20	<=34.77	Pass
			24	22.68	-5.48	15.05	<=34.77	Pass
		12	0	21.08	-5.48	13.45	<=34.77	Pass
			6	21.13	-5.48	13.50	<=34.77	Pass
			13	21.2	-5.48	13.57	<=34.77	Pass
		25	0	21.16	-5.48	13.53	<=34.77	Pass
	695.5	1	0	21.86	-5.48	14.23	<=34.77	Pass
			13	21.97	-5.48	14.34	<=34.77	Pass
			24	21.78	-5.48	14.15	<=34.77	Pass
		12	0	21.08	-5.48	13.45	<=34.77	Pass
			6	21.06	-5.48	13.43	<=34.77	Pass
			13	21	-5.48	13.37	<=34.77	Pass
		25	0	21.04	-5.48	13.41	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Band: 71 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	668	1	0	22.77	-5.48	15.14	<=34.77	Pass
			25	23.04	-5.48	15.41	<=34.77	Pass
			49	22.8	-5.48	15.17	<=34.77	Pass
		25	0	21.78	-5.48	14.15	<=34.77	Pass
			13	21.93	-5.48	14.30	<=34.77	Pass
			25	21.84	-5.48	14.21	<=34.77	Pass

		50	0	21.86	-5.48	14.23	<=34.77	Pass
	680.5	1	0	23.02	-5.48	15.39	<=34.77	Pass
			25	23.18	-5.48	15.55	<=34.77	Pass
			49	22.99	-5.48	15.36	<=34.77	Pass
			0	22.12	-5.48	14.49	<=34.77	Pass
		25	13	22.21	-5.48	14.58	<=34.77	Pass
			25	22.14	-5.48	14.51	<=34.77	Pass
			50	0	22.21	-5.48	14.58	<=34.77
	693	1	0	23.13	-5.48	15.50	<=34.77	Pass
			25	23.42	-5.48	15.79	<=34.77	Pass
			49	23.1	-5.48	15.47	<=34.77	Pass
		25	0	22.15	-5.48	14.52	<=34.77	Pass
			13	22.16	-5.48	14.53	<=34.77	Pass
			25	22.13	-5.48	14.50	<=34.77	Pass
		50	0	22.11	-5.48	14.48	<=34.77	Pass
16QAM	668	1	0	22.1	-5.48	14.47	<=34.77	Pass
			25	22.34	-5.48	14.71	<=34.77	Pass
			49	22.16	-5.48	14.53	<=34.77	Pass
		25	0	20.89	-5.48	13.26	<=34.77	Pass
			13	20.81	-5.48	13.18	<=34.77	Pass
			25	20.87	-5.48	13.24	<=34.77	Pass
		50	0	21.01	-5.48	13.38	<=34.77	Pass
	680.5	1	0	22.76	-5.48	15.13	<=34.77	Pass
			25	22.63	-5.48	15.00	<=34.77	Pass
			49	22.95	-5.48	15.32	<=34.77	Pass
		25	0	21.3	-5.48	13.67	<=34.77	Pass
			13	21.45	-5.48	13.82	<=34.77	Pass
			25	21.46	-5.48	13.83	<=34.77	Pass
		50	0	21.04	-5.48	13.41	<=34.77	Pass
	693	1	0	22.04	-5.48	14.41	<=34.77	Pass
			25	22.01	-5.48	14.38	<=34.77	Pass
			49	21.78	-5.48	14.15	<=34.77	Pass
		25	0	21.26	-5.48	13.63	<=34.77	Pass
			13	21.27	-5.48	13.64	<=34.77	Pass
			25	21.23	-5.48	13.60	<=34.77	Pass
		50	0	21.15	-5.48	13.52	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Band: 71 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	670.5	1	0	22.67	-5.48	15.04	<=34.77	Pass
			38	22.83	-5.48	15.20	<=34.77	Pass

[illegible]

Band: 71 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency	RB Allocation		Conducted Power	Gain	ERP (dBm)		Verdict
	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	673	1	0	22.59	-5.48	14.96	<=34.77	Pass
			50	23.09	-5.48	15.46	<=34.77	Pass
			99	23.02	-5.48	15.39	<=34.77	Pass
		50	0	21.9	-5.48	14.27	<=34.77	Pass
			25	22.01	-5.48	14.38	<=34.77	Pass
			50	22.02	-5.48	14.39	<=34.77	Pass
		100	0	21.95	-5.48	14.32	<=34.77	Pass
	683	1	0	22.91	-5.48	15.28	<=34.77	Pass
			50	23.44	-5.48	15.81	<=34.77	Pass
			99	22.86	-5.48	15.23	<=34.77	Pass
		50	0	22.09	-5.48	14.46	<=34.77	Pass
			25	22.19	-5.48	14.56	<=34.77	Pass
			50	22.18	-5.48	14.55	<=34.77	Pass
		100	0	22.16	-5.48	14.53	<=34.77	Pass
	688	1	0	22.88	-5.48	15.25	<=34.77	Pass
			50	23.4	-5.48	15.77	<=34.77	Pass
			99	22.89	-5.48	15.26	<=34.77	Pass
		50	0	22.16	-5.48	14.53	<=34.77	Pass
			25	22.17	-5.48	14.54	<=34.77	Pass
			50	22.06	-5.48	14.43	<=34.77	Pass
		100	0	22.1	-5.48	14.47	<=34.77	Pass
16QAM	673	1	0	22.05	-5.48	14.42	<=34.77	Pass
			50	22.46	-5.48	14.83	<=34.77	Pass
			99	21.98	-5.48	14.35	<=34.77	Pass
		50	0	20.9	-5.48	13.27	<=34.77	Pass
			25	21.11	-5.48	13.48	<=34.77	Pass
			50	21.04	-5.48	13.41	<=34.77	Pass
		100	0	20.94	-5.48	13.31	<=34.77	Pass
	683	1	0	21.94	-5.48	14.31	<=34.77	Pass
			50	22.3	-5.48	14.67	<=34.77	Pass
			99	21.56	-5.48	13.93	<=34.77	Pass
		50	0	21.24	-5.48	13.61	<=34.77	Pass
			25	21.21	-5.48	13.58	<=34.77	Pass
			50	21.2	-5.48	13.57	<=34.77	Pass
		100	0	21.19	-5.48	13.56	<=34.77	Pass
	688	1	0	22.95	-5.48	15.32	<=34.77	Pass
			50	23.61	-5.48	15.98	<=34.77	Pass
			99	22.82	-5.48	15.19	<=34.77	Pass
		50	0	21.16	-5.48	13.53	<=34.77	Pass
			25	21.08	-5.48	13.45	<=34.77	Pass
			50	21.07	-5.48	13.44	<=34.77	Pass

		100	0	21.15	-5.48	13.52	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								