






11AC20SISO_Ant1_5785



11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5270



11AC40SISO_Ant1_5310



11AC40SISO_Ant1_5510



11AC40SISO_Ant1_5550




11AC40SISO_Ant1_5670



11AC40SISO_Ant1_5755



11AC40SISO_Ant1_5795



11AC80SISO_Ant1_5210



11AC80SISO_Ant1_5290



11AC80SISO_Ant1_5610



11AC80SISO_Ant1_5775



6. Emissions in Restricted Bands

6.1. Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq [MHz]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-46.28	≤-41.20	PASS
				AV	4893.623	-43.63	≤-41.20	PASS
				AV	5150.000	-44.13	≤-41.20	PASS
				Peak	4500.000	-33.09	≤-27.00	PASS
				Peak	5149.275	-28.23	≤-27.00	PASS
				Peak	5150.000	-27.1	≤-27.00	PASS
		High	5320	AV	5350.000	-41.83	≤-41.20	PASS
				AV	5350.087	-42.12	≤-41.20	PASS
				AV	5460.000	-50.69	≤-41.20	PASS
				Peak	5350.000	-29.21	≤-27.00	PASS
				Peak	5352.870	-28.72	≤-27.00	PASS
				Peak	5460.000	-38.91	≤-27.00	PASS
		Low	5500	AV	5460.000	-49.97	≤-41.20	PASS
				AV	5467.565	-49.4	≤-41.20	PASS
				AV	5470.000	-49.53	≤-41.20	PASS
				Peak	5460.000	-37.1	≤-27.00	PASS
				Peak	5460.174	-36.98	≤-27.00	PASS
				Peak	5470.000	-39.05	≤-27.00	PASS
		High	5700	AV	5725.000	-46	≤-41.20	PASS
				AV	5725.043	-46	≤-41.20	PASS
				AV	5735.000	-48.45	≤-41.20	PASS
				Peak	5725.000	-32.34	≤-27.00	PASS
				Peak	5728.087	-31.31	≤-27.00	PASS
				Peak	5735.000	-36.47	≤-27.00	PASS
		Low	5745	Peak	5650.000	-45.09	≤-27.00	PASS
				Peak	5700.000	-31.58	≤10.00	PASS
				Peak	5720.000	-20.26	≤15.60	PASS
				Peak	5725.000	-14.13	≤27.00	PASS
		High	5825	Peak	5850.000	-23.34	≤15.60	PASS
				Peak	5855.000	-27.27	≤27.00	PASS
				Peak	5875.000	-35.77	≤15.60	PASS
				Peak	5925.000	-43.84	≤10.00	PASS
11N20SISO	Ant1	Low	5180	AV	4500.000	-56.85	≤-41.20	PASS
				AV	5149.275	-44.63	≤-41.20	PASS
				AV	5150.000	-44.1	≤-41.20	PASS
				Peak	4500.000	-45.04	≤-27.00	PASS
				Peak	5148.261	-30.98	≤-27.00	PASS
				Peak	5150.000	-29.71	≤-27.00	PASS
		High	5320	AV	5350.000	-49.91	≤-41.20	PASS
				AV	5350.087	-49.86	≤-41.20	PASS

				AV	5460.000	-54.75	≤-41.20	PASS
				Peak	5350.000	-36.45	≤-27.00	PASS
				Peak	5350.087	-36.46	≤-27.00	PASS
				Peak	5460.000	-44.38	≤-27.00	PASS
		Low	5500	AV	5460.000	-49.81	≤-41.20	PASS
				AV	5470.000	-46.56	≤-41.20	PASS
				Peak	5460.000	-36.74	≤-27.00	PASS
				Peak	5469.826	-33.58	≤-27.00	PASS
				Peak	5470.000	-33.92	≤-27.00	PASS
		High	5700	AV	5725.000	-45.4	≤-41.20	PASS
				AV	5725.043	-45.4	≤-41.20	PASS
				AV	5735.000	-49.14	≤-41.20	PASS
				Peak	5725.000	-29.66	≤-27.00	PASS
				Peak	5725.043	-29.66	≤-27.00	PASS
				Peak	5735.000	-36.85	≤-27.00	PASS
		Low	5745	Peak	5650.000	-45.68	≤-27.00	PASS
				Peak	5700.000	-33.66	≤10.00	PASS
				Peak	5720.000	-22.91	≤15.60	PASS
				Peak	5725.000	-13.77	≤27.00	PASS
		High	5825	Peak	5850.000	-22.93	≤15.60	PASS
				Peak	5855.000	-28.07	≤27.00	PASS
				Peak	5875.000	-37.22	≤15.60	PASS
				Peak	5925.000	-43.3	≤10.00	PASS
11N40SISO	Ant1	Low	5190	AV	4500.000	-55.57	≤-41.20	PASS
				AV	5149.275	-43.73	≤-41.20	PASS
				AV	5150.000	-42.79	≤-41.20	PASS
				Peak	4500.000	-43.14	≤-27.00	PASS
				Peak	5145.217	-28.73	≤-27.00	PASS
				Peak	5150.000	-27.6	≤-27.00	PASS
		High	5310	AV	5350.000	-42.65	≤-41.20	PASS
				AV	5350.087	-42.62	≤-41.20	PASS
				AV	5460.000	-54.3	≤-41.20	PASS
				Peak	5350.000	-30.22	≤-27.00	PASS
				Peak	5351.478	-29.68	≤-27.00	PASS
				Peak	5460.000	-43.66	≤-27.00	PASS
		Low	5510	AV	5460.000	-47.34	≤-41.20	PASS
				AV	5469.986	-43.18	≤-41.20	PASS
				AV	5470.000	-43.18	≤-41.20	PASS
				Peak	5460.000	-36.84	≤-27.00	PASS
				Peak	5469.783	-28.63	≤-27.00	PASS
				Peak	5470.000	-28.76	≤-27.00	PASS
		High	5670	AV	5725.000	-48.95	≤-41.20	PASS
				AV	5725.942	-48.31	≤-41.20	PASS
				AV	5735.000	-49.77	≤-41.20	PASS
				Peak	5725.000	-39.4	≤-27.00	PASS
				Peak	5733.333	-37.22	≤-27.00	PASS

		Low	5755	Peak	5735.000	-39.57	≤-27.00	PASS
				Peak	5650.000	-33.63	≤-27.00	PASS
				Peak	5700.000	-22.13	≤10.00	PASS
				Peak	5720.000	-7.66	≤15.60	PASS
				Peak	5725.000	-6.65	≤27.00	PASS
		High	5795	Peak	5850.000	-22.56	≤15.60	PASS
				Peak	5855.000	-26.82	≤27.00	PASS
				Peak	5875.000	-33.97	≤15.60	PASS
				Peak	5925.000	-37.44	≤10.00	PASS
11AC20SIS O	Ant1	Low	5180	AV	4500.000	-56.19	≤-41.20	PASS
				AV	5149.275	-46.83	≤-41.20	PASS
				AV	5150.000	-46.31	≤-41.20	PASS
				Peak	4500.000	-44.11	≤-27.00	PASS
				Peak	5148.261	-31.82	≤-27.00	PASS
				Peak	5150.000	-31.27	≤-27.00	PASS
		High	5320	AV	5350.000	-45.55	≤-41.20	PASS
				AV	5350.087	-45.66	≤-41.20	PASS
				AV	5460.000	-54.91	≤-41.20	PASS
				Peak	5350.000	-34.05	≤-27.00	PASS
				Peak	5351.710	-33.83	≤-27.00	PASS
				Peak	5460.000	-45.79	≤-27.00	PASS
		Low	5500	AV	5460.000	-47.74	≤-41.20	PASS
				AV	5469.913	-43.39	≤-41.20	PASS
				AV	5470.000	-43.42	≤-41.20	PASS
				Peak	5460.000	-34.34	≤-27.00	PASS
				Peak	5469.739	-29.88	≤-27.00	PASS
				Peak	5470.000	-30.1	≤-27.00	PASS
		High	5700	AV	5725.000	-44.18	≤-41.20	PASS
				AV	5725.043	-44.18	≤-41.20	PASS
				AV	5735.000	-48.86	≤-41.20	PASS
				Peak	5725.000	-29.79	≤-27.00	PASS
				Peak	5725.043	-29.79	≤-27.00	PASS
				Peak	5735.000	-38.27	≤-27.00	PASS
		Low	5745	Peak	5650.000	-44.69	≤-27.00	PASS
				Peak	5700.000	-30.42	≤10.00	PASS
				Peak	5720.000	-18.77	≤15.60	PASS
				Peak	5725.000	-11.63	≤27.00	PASS
		High	5825	Peak	5850.000	-16.25	≤15.60	PASS
				Peak	5855.000	-18.99	≤27.00	PASS
				Peak	5875.000	-34.85	≤15.60	PASS
				Peak	5925.000	-43.59	≤10.00	PASS
11AC40SIS O	Ant1	Low	5190	AV	4500.000	-56.66	≤-41.20	PASS
				AV	5149.275	-44.83	≤-41.20	PASS
				AV	5150.000	-43.69	≤-41.20	PASS
				Peak	4500.000	-43.14	≤-27.00	PASS
				Peak	5145.217	-28.73	≤-27.00	PASS


		High	5310	Peak	5150.000	-27.6	≤-27.00	PASS
				AV	5350.000	-43.47	≤-41.20	PASS
				AV	5350.087	-43.57	≤-41.20	PASS
				AV	5460.000	-54.83	≤-41.20	PASS
				Peak	5350.000	-31.5	≤-27.00	PASS
				Peak	5351.014	-31.09	≤-27.00	PASS
				Peak	5460.000	-43.57	≤-27.00	PASS
			5510	AV	5460.000	-49.4	≤-41.20	PASS
				AV	5469.986	-45.98	≤-41.20	PASS
				AV	5470.000	-45.98	≤-41.20	PASS
				Peak	5460.000	-36.74	≤-27.00	PASS
				Peak	5466.232	-33.84	≤-27.00	PASS
				Peak	5470.000	-34.52	≤-27.00	PASS
		High	5670	AV	5725.000	-48.52	≤-41.20	PASS
				AV	5725.652	-48.11	≤-41.20	PASS
				AV	5735.000	-49.41	≤-41.20	PASS
				Peak	5725.000	-39.67	≤-27.00	PASS
				Peak	5725.797	-35.86	≤-27.00	PASS
				Peak	5735.000	-39.71	≤-27.00	PASS
		Low	5755	Peak	5650.000	-40.84	≤-27.00	PASS
				Peak	5700.000	-28.9	≤10.00	PASS
				Peak	5720.000	-12.56	≤15.60	PASS
				Peak	5725.000	-13.33	≤27.00	PASS
		High	5795	Peak	5850.000	-22.84	≤15.60	PASS
				Peak	5855.000	-31.76	≤27.00	PASS
				Peak	5875.000	-39.59	≤15.60	PASS
				Peak	5925.000	-42.99	≤10.00	PASS
11AC80SIS O	Ant1	Low	5210	AV	4500.000	-55.95	≤-41.20	PASS
				AV	5147.826	-41.35	≤-41.20	PASS
				AV	5150.000	-41.36	≤-41.20	PASS
				Peak	4500.000	-45.19	≤-27.00	PASS
				Peak	5146.739	-29.35	≤-27.00	PASS
				Peak	5150.000	-29.86	≤-27.00	PASS
		High	5290	AV	5350.000	-43.12	≤-41.20	PASS
				AV	5350.435	-43.34	≤-41.20	PASS
				AV	5460.000	-53.93	≤-41.20	PASS
				Peak	5350.000	-33.68	≤-27.00	PASS
				Peak	5351.594	-32.08	≤-27.00	PASS
				Peak	5460.000	-44.48	≤-27.00	PASS
		Low	5530	AV	5460.000	-46.82	≤-41.20	PASS
				AV	5467.522	-44.82	≤-41.20	PASS
				AV	5470.000	-45.09	≤-41.20	PASS
				Peak	5460.000	-33.9	≤-27.00	PASS
				Peak	5464.696	-30.73	≤-27.00	PASS
				Peak	5470.000	-32.07	≤-27.00	PASS
		High	5610	AV	5725.000	-49.26	≤-41.20	PASS

				AV	5732.899	-48.64	≤ -41.20	PASS
				AV	5735.000	-49.72	≤ -41.20	PASS
				Peak	5725.000	-38.25	≤ -27.00	PASS
				Peak	5725.072	-38.25	≤ -27.00	PASS
				Peak	5735.000	-40.97	≤ -27.00	PASS
		Low	5775	Peak	5650.000	-31.99	≤ -27.00	PASS
				Peak	5700.000	-17.71	≤ 10.00	PASS
				Peak	5720.000	-11.57	≤ 15.60	PASS
				Peak	5725.000	-10.49	≤ 27.00	PASS
		High	5775	Peak	5850.000	-16.21	≤ 15.60	PASS
				Peak	5855.000	-18.94	≤ 27.00	PASS
				Peak	5875.000	-21.53	≤ 15.60	PASS
				Peak	5925.000	-32.89	≤ 10.00	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


6.2. Test Graphs




11A_Ant1_High_5320_Peak



11A_Ant1_Low_5500_AV




11A_Ant1_Low_5500_Peak



11A_Ant1_High_5700_AV




11A_Ant1_High_5700_Peak




11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20SISO_Ant1_Low_5180_AV




11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5320_AV




11N20SISO_Ant1_High_5320_Peak




11N20SISO_Ant1_Low_5500_AV




11N20SISO_Ant1_Low_5500_Peak




11N20SISO_Ant1_High_5700_AV




11N20SISO_Ant1_High_5700_Peak




11N20SISO_Ant1_Low_5745_Peak




11N20SISO_Ant1_High_5825_Peak




11N40SISO_Ant1_Low_5190_AV




11N40SISO_Ant1_Low_5190_Peak




11N40SISO_Ant1_High_5310_AV




11N40SISO_Ant1_High_5310_Peak




11N40SISO_Ant1_Low_5510_AV




11N40SISO_Ant1_Low_5510_Peak



11N40SISO_Ant1_High_5670_AV




11N40SISO_Ant1_High_5670_Peak




11N40SISO_Ant1_Low_5755_Peak




11N40SISO_Ant1_High_5795_Peak




11AC20SISO_Ant1_Low_5180_AV



11AC20SISO_Ant1_Low_5180_Peak




11AC20SISO_Ant1_High_5320_AV




11AC20SISO_Ant1_High_5320_Peak




11AC20SISO_Ant1_Low_5500_AV



11AC20SISO_Ant1_Low_5500_Peak




11AC20SISO_Ant1_High_5700_AV



11AC20SISO_Ant1_High_5700_Peak




11AC20SISO_Ant1_Low_5745_Peak




11AC20SISO_Ant1_High_5825_Peak




11AC40SISO_Ant1_Low_5190_AV




11AC40SISO_Ant1_Low_5190_Peak




11AC40SISO_Ant1_High_5310_AV




11AC40SISO_Ant1_High_5310_Peak




11AC40SISO_Ant1_Low_5510_AV




11AC40SISO_Ant1_Low_5510_Peak



11AC40SISO_Ant1_High_5670_AV



11AC40SISO_Ant1_High_5670_Peak




11AC40SISO_Ant1_Low_5755_Peak




11AC40SISO_Ant1_High_5795_Peak




11AC80SISO_Ant1_Low_5210_AV




11AC80SISO_Ant1_Low_5210_Peak




11AC80SISO_Ant1_High_5290_AV




11AC80SISO_Ant1_High_5290_Peak




11AC80SISO_Ant1_Low_5530_AV




11AC80SISO_Ant1_Low_5530_Peak



11AC80SISO_Ant1_High_5610_AV



11AC80SISO_Ant1_High_5610_Peak



11AC80SISO_Ant1_Low_5775_Peak



11AC80SISO_Ant1_High_5775_Peak



7. Conducted Spurious Emission


7.1. Test Result

TestMode	Antenna	Channel	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~1000	967.2	-42.15	≤-27	PASS
			1000~40000	37871.9	-43.77	≤-27	PASS
		5200	30~1000	998.11	-43.52	≤-27	PASS
			1000~40000	39125.1	-43.74	≤-27	PASS
		5240	30~1000	976.51	-56.75	≤-27	PASS
			1000~40000	1035.1	-41.49	≤-27	PASS
		5260	30~1000	870.23	-56.67	≤-27	PASS
			1000~40000	1053.3	-42.3	≤-27	PASS
		5280	30~1000	757.3	-56.55	≤-27	PASS
			1000~40000	1074.1	-43.48	≤-27	PASS
		5320	30~1000	468.57	-57.33	≤-27	PASS
			1000~40000	39616.5	-43.98	≤-27	PASS
		5500	30~1000	513.45	-56.22	≤-27	PASS
			1000~40000	39508.6	-42.45	≤-27	PASS
		5580	30~1000	706.44	-55.25	≤-27	PASS
			1000~40000	5482.4	-41.13	≤-27	PASS
		5700	30~1000	707.35	-56.1	≤-27	PASS
			1000~40000	39559.3	-42.88	≤-27	PASS
		5745	30~1000	961.9	-50.6	≤-27	PASS
			30~5650	5223.74	-35	≤-27	PASS
			1000~40000	39983.1	-41.54	≤-27	PASS
			5925~40000	39575.8	-30.85	≤-27	PASS
		5785	30~5650	4844.03	-34.29	≤-27	PASS
			5925~40000	39534.9	-31.24	≤-27	PASS
		5825	30~5650	5181.96	-35.02	≤-27	PASS
			5925~40000	39521.3	-31.27	≤-27	PASS
11N20SISO	Ant1	5180	30~1000	969.62	-45.77	≤-27	PASS
			1000~40000	5260.1	-39.95	≤-27	PASS
		5200	30~1000	997.33	-49.76	≤-27	PASS
			1000~40000	39916.8	-43.23	≤-27	PASS
		5240	30~1000	580.38	-57.08	≤-27	PASS
			1000~40000	39468.3	-43.53	≤-27	PASS
		5260	30~1000	963.64	-57.55	≤-27	PASS
			1000~40000	39056.2	-43.07	≤-27	PASS
		5280	30~1000	952.71	-57.52	≤-27	PASS
			1000~40000	38651.9	-43.6	≤-27	PASS
		5320	30~1000	892.58	-56.54	≤-27	PASS
			1000~40000	5418.7	-41.46	≤-27	PASS
		5500	30~1000	888.73	-56.34	≤-27	PASS
			1000~40000	39980.5	-42.97	≤-27	PASS


		5580	30~1000	958.7	-56.86	≤-27	PASS
			1000~40000	39361.7	-42.59	≤-27	PASS
		5700	30~1000	706.44	-55.77	≤-27	PASS
			1000~40000	39442.3	-42.99	≤-27	PASS
		5745	30~5650	5004.75	-34.74	≤-27	PASS
			5925~40000	39745	-30.91	≤-27	PASS
		5785	30~5650	5113.21	-34.26	≤-27	PASS
			5925~40000	39399.7	-31.04	≤-27	PASS
		5825	30~5650	5358.99	-35.07	≤-27	PASS
			5925~40000	39874.5	-31.32	≤-27	PASS
11N40SISO	Ant1	5190	30~1000	975.67	-47.82	≤-27	PASS
			1000~40000	5347.2	-39.96	≤-27	PASS
		5230	30~1000	122.58	-57	≤-27	PASS
			1000~40000	5088.5	-39.65	≤-27	PASS
		5270	30~1000	919.12	-57.15	≤-27	PASS
			1000~40000	5421.3	-39.42	≤-27	PASS
		5310	30~1000	891.35	-56.3	≤-27	PASS
			1000~40000	5461.6	-38.77	≤-27	PASS
		5510	30~1000	790.44	-56.37	≤-27	PASS
			1000~40000	39045.8	-43.29	≤-27	PASS
		5550	30~1000	960.7	-57.01	≤-27	PASS
			1000~40000	5730.7	-41.64	≤-27	PASS
		5670	30~1000	515.58	-56.82	≤-27	PASS
			1000~40000	39954.5	-43.05	≤-27	PASS
		5755	30~5650	5009.25	-33.68	≤-27	PASS
			5925~40000	39984.7	-30.56	≤-27	PASS
		5795	30~1000	958.5	-50.74	≤-27	PASS
			1000~40000	38982.1	-42.41	≤-27	PASS
11AC20SISO	Ant1	5180	30~1000	971.11	-52.17	≤-27	PASS
			1000~40000	39454	-43.38	≤-27	PASS
		5200	30~1000	999.79	-55.99	≤-27	PASS
			1000~40000	39821.9	-42.53	≤-27	PASS
		5240	30~1000	858.4	-57.8	≤-27	PASS
			1000~40000	39769.9	-42.69	≤-27	PASS
		5260	30~1000	958.7	-58.16	≤-27	PASS
			1000~40000	39989.6	-41.64	≤-27	PASS
		5280	30~1000	118.03	-56.87	≤-27	PASS
			1000~40000	38969.1	-42.57	≤-27	PASS
		5320	30~1000	860.44	-56.03	≤-27	PASS
			1000~40000	38645.4	-42.74	≤-27	PASS
		5500	30~1000	947.28	-57.13	≤-27	PASS
			1000~40000	39712.7	-41.18	≤-27	PASS
		5580	30~1000	706.86	-55.6	≤-27	PASS
			1000~40000	39990.9	-41.29	≤-27	PASS
		5700	30~1000	960.22	-55.51	≤-27	PASS
			1000~40000	5781.4	-41.67	≤-27	PASS

		5745	30~1000	708.67	-51	≤-27	PASS
			1000~40000	38614.2	-41.7	≤-27	PASS
		5785	30~1000	993.58	-52.26	≤-27	PASS
			1000~40000	39287.6	-42.59	≤-27	PASS
		5825	30~1000	867.49	-51.54	≤-27	PASS
			1000~40000	39017.2	-41.67	≤-27	PASS
11AC40SISO	Ant1	5190	30~1000	982.07	-53.98	≤-27	PASS
			1000~40000	5045.6	-38.4	≤-27	PASS
		5230	30~1000	586.03	-57.38	≤-27	PASS
			1000~40000	5089.8	-40.77	≤-27	PASS
		5270	30~1000	968.56	-58.08	≤-27	PASS
			1000~40000	39350	-42.19	≤-27	PASS
		5310	30~1000	923.36	-56.77	≤-27	PASS
			1000~40000	6817.5	-42.39	≤-27	PASS
		5510	30~1000	799.17	-58.28	≤-27	PASS
			1000~40000	39585.3	-41.2	≤-27	PASS
		5550	30~1000	973.21	-56.56	≤-27	PASS
			1000~40000	38986	-40.57	≤-27	PASS
		5670	30~1000	867.16	-56.36	≤-27	PASS
			1000~40000	5520.1	-39.55	≤-27	PASS
		5755	30~1000	860.41	-51.98	≤-27	PASS
			1000~40000	39230.4	-42.63	≤-27	PASS
		5795	30~1000	710.16	-51.71	≤-27	PASS
			1000~40000	39106.9	-41.76	≤-27	PASS
11AC80SISO	Ant1	5210	30~1000	735.51	-57.33	≤-27	PASS
			1000~40000	39499.5	-41.31	≤-27	PASS
		5290	30~1000	737.9	-57.92	≤-27	PASS
			1000~40000	39971.4	-42.32	≤-27	PASS
		5530	30~1000	889.41	-56.54	≤-27	PASS
			1000~40000	39469.6	-42.19	≤-27	PASS
		5610	30~1000	963.64	-57.76	≤-27	PASS
			1000~40000	39277.2	-42.41	≤-27	PASS
		5775	30~1000	974.38	-52.58	≤-27	PASS
			1000~40000	39524.2	-42.74	≤-27	PASS


7.2. Test Graphs




11A_Ant1_5200_1000~40000




11A_Ant1_5240_30~1000




11A_Ant1_5240_1000~40000




11A_Ant1_5260_30~1000




11A_Ant1_5260_1000~40000




11A_Ant1_5280_30~1000




11A_Ant1_5280_1000~40000




11A_Ant1_5320_30~1000




11A_Ant1_5320_1000~40000




11A_Ant1_5500_30~1000




11A_Ant1_5500_1000~40000




11A_Ant1_5580_30~1000




11A_Ant1_5580_1000~40000




11A_Ant1_5700_30~1000




11A_Ant1_5700_1000~40000




11A_Ant1_5745_30~1000




11A_Ant1_5745_30~5650




11A_Ant1_5745_1000~40000




11A_Ant1_5745_5925~40000




11A_Ant1_5785_30~5650




11A_Ant1_5785_5925~40000




11A_Ant1_5825_30~5650




11A_Ant1_5825_5925~40000




11N20SISO_Ant1_5180_30~1000




11N20SISO_Ant1_5180_1000~40000




11N20SISO_Ant1_5200_30~1000




11N20SISO_Ant1_5200_1000~40000




11N20SISO_Ant1_5240_30~1000




11N20SISO_Ant1_5240_1000~40000




11N20SISO_Ant1_5260_30~1000




11N20SISO_Ant1_5260_1000~40000




11N20SISO_Ant1_5280_30~1000




11N20SISO_Ant1_5280_1000~40000




11N20SISO_Ant1_5320_30~1000




11N20SISO_Ant1_5320_1000~40000




11N20SISO_Ant1_5500_30~1000




11N20SISO_Ant1_5500_1000~40000




11N20SISO_Ant1_5580_30~1000




11N20SISO_Ant1_5580_1000~40000




11N20SISO_Ant1_5700_30~1000




11N20SISO_Ant1_5700_1000~40000




11N20SISO_Ant1_5745_30~5650




11N20SISO_Ant1_5745_5925~40000




11N20SISO_Ant1_5785_30~5650




11N20SISO_Ant1_5785_5925~40000




11N20SISO_Ant1_5825_30~5650




11N20SISO_Ant1_5825_5925~40000




11N40SISO_Ant1_5190_30~1000




11N40SISO_Ant1_5190_1000~40000




11N40SISO_Ant1_5230_30~1000




11N40SISO_Ant1_5230_1000~40000




11N40SISO_Ant1_5270_30~1000




11N40SISO_Ant1_5270_1000~40000




11N40SISO_Ant1_5310_30~1000




11N40SISO_Ant1_5310_1000~40000




11N40SISO_Ant1_5510_30~1000




11N40SISO_Ant1_5510_1000~40000




11N40SISO_Ant1_5550_30~1000




11N40SISO_Ant1_5550_1000~40000




11N40SISO_Ant1_5670_30~1000




11N40SISO_Ant1_5670_1000~40000




11N40SISO_Ant1_5755_30~5650




11N40SISO_Ant1_5755_5925~40000




11N40SISO_Ant1_5795_30~1000



11N40SISO_Ant1_5795_1000~40000



11AC20SISO_Ant1_5180_30~1000



11AC20SISO_Ant1_5180_1000~40000