







11AC20SISO_Ant1_5200_30~1000




11AC20SISO_Ant1_5200_1000~40000




11AC20SISO_Ant1_5240_30~1000




11AC20SISO_Ant1_5240_1000~40000




11AC20SISO_Ant1_5260_30~1000




11AC20SISO_Ant1_5260_1000~40000




11AC20SISO_Ant1_5280_30~1000




11AC20SISO_Ant1_5280_1000~40000




11AC20SISO_Ant1_5320_30~1000




11AC20SISO_Ant1_5580_30~1000




11AC20SISO_Ant1_5580_1000~40000




11AC20SISO_Ant1_5700_30~1000




11AC20SISO_Ant1_5700_1000~40000




11AC20SISO_Ant1_5745_30~1000




11AC20SISO_Ant1_5745_1000~40000




11AC20SISO_Ant1_5785_30~1000




11AC20SISO_Ant1_5785_1000~40000




11AC20SISO_Ant1_5825_30~1000




11AC20SISO_Ant1_5825_1000~40000




11AC40SISO_Ant1_5190_30~1000




11AC40SISO_Ant1_5190_1000~40000




11AC40SISO_Ant1_5230_30~1000




11AC40SISO_Ant1_5230_1000~40000




11AC40SISO_Ant1_5270_30~1000




11AC40SISO_Ant1_5270_1000~40000




11AC40SISO_Ant1_5310_30~1000




11AC40SISO_Ant1_5310_1000~40000




11AC40SISO_Ant1_5510_30~1000




11AC40SISO_Ant1_5510_1000~40000




11AC40SISO_Ant1_5550_30~1000




11AC40SISO_Ant1_5550_1000~40000




11AC40SISO_Ant1_5670_30~1000




11AC40SISO_Ant1_5670_1000~40000




11AC40SISO_Ant1_5755_30~1000




11AC40SISO_Ant1_5755_1000~40000




11AC40SISO_Ant1_5795_30~1000




11AC40SISO_Ant1_5795_1000~40000




11AC80SISO_Ant1_5210_30~1000




11AC80SISO_Ant1_5210_1000~40000




11AC80SISO_Ant1_5290_30~1000




11AC80SISO_Ant1_5290_1000~40000




11AC80SISO_Ant1_5530_30~1000




11AC80SISO_Ant1_5530_1000~40000




11AC80SISO_Ant1_5610_30~1000




11AC80SISO_Ant1_5610_1000~40000



11AC80SISO_Ant1_5775_30~1000



11AC80SISO_Ant1_5775_1000~40000



8. Frequency Stability

8.1. Test Result

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-100000.00	-19.305019	20	PASS
			LV	NT	-80000.00	-15.444015	20	PASS
			HV	NT	-80000.00	-15.444015	20	PASS
		5200	NV	NT	-100000.00	-19.230769	20	PASS
			LV	NT	-80000.00	-15.384615	20	PASS
			HV	NT	-80000.00	-15.384615	20	PASS
11AC20SIS O	Ant1	5180	NV	NT	-80000.00	-15.444015	20	PASS
			LV	NT	-80000.00	-15.444015	20	PASS
			HV	NT	-100000.00	-19.305019	20	PASS
		5200	NV	NT	-60000.00	-11.538462	20	PASS
			LV	NT	-80000.00	-15.384615	20	PASS
			HV	NT	-80000.00	-15.384615	20	PASS
		5240	NV	NT	-80000.00	-15.267176	20	PASS
			LV	NT	-100000.00	-19.083969	20	PASS
			HV	NT	-80000.00	-15.267176	20	PASS
		5260	NV	NT	-100000.00	-19.011407	20	PASS
			LV	NT	-120000.00	-19.011407	20	PASS
			HV	NT	-100000.00	-19.011407	20	PASS
		5280	NV	NT	-100000.00	-18.939394	20	PASS
			LV	NT	-120000.00	-19.011407	20	PASS
			HV	NT	-100000.00	-18.939394	20	PASS
		5320	NV	NT	-100000.00	-18.796992	20	PASS
			LV	NT	-80000.00	-15.037594	20	PASS
			HV	NT	-120000.00	-18.796992	20	PASS
		5500	NV	NT	-80000.00	-14.545455	20	PASS
			LV	NT	-100000.00	-18.181818	20	PASS
			HV	NT	-120000.00	-18.796992	20	PASS
		5580	NV	NT	-100000.00	-17.921147	20	PASS
			LV	NT	-100000.00	-17.921147	20	PASS
			HV	NT	-100000.00	-17.921147	20	PASS
		5700	NV	NT	-100000.00	-17.543860	20	PASS
			LV	NT	-100000.00	-17.543860	20	PASS
			HV	NT	-80000.00	-14.035088	20	PASS
		5745	NV	NT	-80000.00	-13.925152	20	PASS
			LV	NT	-60000.00	-10.443864	20	PASS
			HV	NT	-80000.00	-13.925152	20	PASS
		5785	NV	NT	-80000.00	-13.828868	20	PASS
			LV	NT	-120000.00	-13.828868	20	PASS
			HV	NT	-80000.00	-13.828868	20	PASS

		5825	NV	NT	-100000.00	-17.167382	20	PASS
			LV	NT	-140000.00	-17.167382	20	PASS
			HV	NT	-100000.00	-17.167382	20	PASS
11AC40SIS O	Ant1	5190	NV	NT	-80000.00	-15.414258	20	PASS
			LV	NT	-80000.00	-15.414258	20	PASS
			HV	NT	-80000.00	-15.414258	20	PASS
		5230	NV	NT	-80000.00	-15.296367	20	PASS
			LV	NT	-120000.00	-15.296367	20	PASS
			HV	NT	-80000.00	-15.296367	20	PASS
		5270	NV	NT	-80000.00	-15.180266	20	PASS
			LV	NT	-160000.00	-15.296367	20	PASS
			HV	NT	-80000.00	-15.180266	20	PASS
		5310	NV	NT	-120000.00	-15.296367	20	PASS
			LV	NT	-160000.00	-15.296367	20	PASS
			HV	NT	-120000.00	-15.296367	20	PASS
		5510	NV	NT	-120000.00	-15.296367	20	PASS
			LV	NT	-120000.00	-15.296367	20	PASS
			HV	NT	-80000.00	-14.519056	20	PASS
		5550	NV	NT	-120000.00	-15.296367	20	PASS
			LV	NT	-120000.00	-15.296367	20	PASS
			HV	NT	-120000.00	-15.296367	20	PASS
		5670	NV	NT	-80000.00	-14.109347	20	PASS
			LV	NT	-80000.00	-14.109347	20	PASS
			HV	NT	-80000.00	-14.109347	20	PASS
		5755	NV	NT	-40000.00	-6.950478	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	-80000.00	-13.900956	20	PASS
		5795	NV	NT	-120000.00	-15.296367	20	PASS
			LV	NT	-120000.00	-15.296367	20	PASS
			HV	NT	-80000.00	-13.805004	20	PASS
11AC80SIS O	Ant1	5210	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-80000.00	-15.355086	20	PASS
			HV	NT	-80000.00	-15.355086	20	PASS
		5290	NV	NT	-160000.00	-15.296367	20	PASS
			LV	NT	-80000.00	-15.122873	20	PASS
			HV	NT	-160000.00	-15.296367	20	PASS
		5610	NV	NT	-160000.00	-15.296367	20	PASS
			LV	NT	-80000.00	-14.260250	20	PASS
			HV	NT	-160000.00	-15.296367	20	PASS
		5775	NV	NT	80000.00	13.852814	20	PASS
			LV	NT	-80000.00	-13.852814	20	PASS
			HV	NT	-160000.00	-15.296367	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-100000.00	-19.305019	20	PASS
			NV	-20	-80000.00	-15.444015	20	PASS
			NV	-10	-80000.00	-15.444015	20	PASS
			NV	0	-100000.00	-19.305019	20	PASS
			NV	10	-80000.00	-15.444015	20	PASS
		5200	NV	-30	-100000.00	-19.230769	20	PASS
			NV	-20	-100000.00	-19.230769	20	PASS
			NV	-10	-80000.00	-15.384615	20	PASS
			NV	0	-80000.00	-15.384615	20	PASS
			NV	10	-100000.00	-19.230769	20	PASS
11AC20SISO	Ant1	5180	NV	-30	-100000.00	-19.305019	20	PASS
			NV	-20	-80000.00	-15.444015	20	PASS
			NV	-10	-120000.00	-15.296367	20	PASS
			NV	0	-100000.00	-19.305019	20	PASS
			NV	10	-100000.00	-19.305019	20	PASS
			NV	20	-80000.00	-15.444015	20	PASS
			NV	30	-100000.00	-19.305019	20	PASS
			NV	40	-80000.00	-15.444015	20	PASS
			NV	50	-120000.00	-15.296367	20	PASS
		5200	NV	-30	-80000.00	-15.384615	20	PASS
			NV	-20	-120000.00	-15.296367	20	PASS
			NV	-10	-80000.00	-15.384615	20	PASS
			NV	0	-80000.00	-15.384615	20	PASS
			NV	10	-80000.00	-15.384615	20	PASS
			NV	20	-100000.00	-19.230769	20	PASS
			NV	30	-100000.00	-19.230769	20	PASS
			NV	40	-120000.00	-19.230769	20	PASS
			NV	50	-80000.00	-15.384615	20	PASS
		5240	NV	-30	-80000.00	-15.267176	20	PASS
			NV	-20	-120000.00	-19.230769	20	PASS
			NV	-10	-60000.00	-11.450382	20	PASS
			NV	0	-100000.00	-19.083969	20	PASS
			NV	10	-80000.00	-15.267176	20	PASS
			NV	20	-100000.00	-19.083969	20	PASS
			NV	30	-100000.00	-19.083969	20	PASS
			NV	40	-100000.00	-19.083969	20	PASS
			NV	50	-120000.00	-19.230769	20	PASS
		5260	NV	-30	-100000.00	-19.011407	20	PASS
			NV	-20	-80000.00	-15.209125	20	PASS
			NV	-10	-100000.00	-19.011407	20	PASS
			NV	0	-120000.00	-19.230769	20	PASS
			NV	10	-120000.00	-19.230769	20	PASS

			NV	20	-140000.00	-19.230769	20	PASS
			NV	30	-100000.00	-19.011407	20	PASS
			NV	40	-120000.00	-19.230769	20	PASS
			NV	50	-120000.00	-19.230769	20	PASS
		5280	NV	-30	-100000.00	-18.939394	20	PASS
			NV	-20	-120000.00	-19.230769	20	PASS
			NV	-10	-80000.00	-15.151515	20	PASS
			NV	0	-120000.00	-19.230769	20	PASS
			NV	10	-100000.00	-18.939394	20	PASS
			NV	20	-100000.00	-18.939394	20	PASS
			NV	30	-100000.00	-18.939394	20	PASS
			NV	40	-100000.00	-18.939394	20	PASS
			NV	50	-80000.00	-15.151515	20	PASS
		5320	NV	-30	-80000.00	-15.037594	20	PASS
			NV	-20	-120000.00	-19.230769	20	PASS
			NV	-10	-120000.00	-19.230769	20	PASS
			NV	0	-120000.00	-19.230769	20	PASS
			NV	10	-100000.00	-18.796992	20	PASS
			NV	20	-80000.00	-15.037594	20	PASS
			NV	30	-100000.00	-18.796992	20	PASS
			NV	40	-100000.00	-18.796992	20	PASS
		5500	NV	50	-80000.00	-15.037594	20	PASS
			NV	-30	-100000.00	-18.181818	20	PASS
			NV	-20	-100000.00	-18.181818	20	PASS
			NV	-10	-100000.00	-18.181818	20	PASS
			NV	0	-100000.00	-18.181818	20	PASS
			NV	10	-120000.00	-19.230769	20	PASS
			NV	20	-100000.00	-18.181818	20	PASS
			NV	30	-120000.00	-19.230769	20	PASS
		5580	NV	40	-120000.00	-19.230769	20	PASS
			NV	50	-80000.00	-14.545455	20	PASS
			NV	-30	-140000.00	-19.230769	20	PASS
			NV	-20	-100000.00	-17.921147	20	PASS
		5700	NV	-10	-120000.00	-19.230769	20	PASS
			NV	0	-100000.00	-17.921147	20	PASS
			NV	10	-100000.00	-17.921147	20	PASS
			NV	20	-80000.00	-14.336918	20	PASS
		5700	NV	30	-120000.00	-19.230769	20	PASS
			NV	40	-80000.00	-14.336918	20	PASS
			NV	50	-120000.00	-19.230769	20	PASS
			NV	-30	-100000.00	-17.543860	20	PASS
			NV	-20	-100000.00	-17.543860	20	PASS
			NV	-10	-100000.00	-17.543860	20	PASS
			NV	0	-100000.00	-17.543860	20	PASS
			NV	10	-60000.00	-10.526316	20	PASS
			NV	20	-80000.00	-14.035088	20	PASS

		5745	NV	30	-100000.00	-17.543860	20	PASS
			NV	40	-100000.00	-17.543860	20	PASS
			NV	50	-80000.00	-14.035088	20	PASS
			NV	-30	-80000.00	-13.925152	20	PASS
			NV	-20	-60000.00	-10.443864	20	PASS
			NV	-10	-80000.00	-13.925152	20	PASS
			NV	0	-80000.00	-13.925152	20	PASS
			NV	10	-100000.00	-17.406440	20	PASS
			NV	20	-60000.00	-10.443864	20	PASS
			NV	30	-80000.00	-13.925152	20	PASS
			NV	40	-80000.00	-13.925152	20	PASS
			NV	50	-80000.00	-13.925152	20	PASS
		5785	NV	-30	-100000.00	-17.286085	20	PASS
			NV	-20	-100000.00	-17.286085	20	PASS
			NV	-10	-80000.00	-13.925152	20	PASS
			NV	0	-80000.00	-13.925152	20	PASS
			NV	10	-80000.00	-13.925152	20	PASS
			NV	20	-100000.00	-17.286085	20	PASS
			NV	30	-100000.00	-17.286085	20	PASS
			NV	40	-100000.00	-17.286085	20	PASS
		5825	NV	50	-80000.00	-13.828868	20	PASS
			NV	-30	-100000.00	-17.167382	20	PASS
			NV	-20	-100000.00	-17.167382	20	PASS
			NV	-10	-100000.00	-17.167382	20	PASS
			NV	0	-80000.00	-13.925152	20	PASS
			NV	10	-100000.00	-17.167382	20	PASS
			NV	20	-80000.00	-13.925152	20	PASS
			NV	30	-100000.00	-17.167382	20	PASS
11AC40SIS O	Ant1	5190	NV	40	-80000.00	-13.733906	20	PASS
			NV	50	-80000.00	-13.925152	20	PASS
			NV	-30	-80000.00	-15.414258	20	PASS
			NV	-20	-80000.00	-15.414258	20	PASS
			NV	-10	-80000.00	-15.414258	20	PASS
			NV	0	-80000.00	-15.414258	20	PASS
			NV	10	-80000.00	-13.925152	20	PASS
			NV	20	-80000.00	-15.414258	20	PASS
			NV	30	-80000.00	-15.414258	20	PASS
		5230	NV	40	-80000.00	-15.414258	20	PASS
			NV	50	-80000.00	-15.414258	20	PASS
			NV	-30	-80000.00	-13.925152	20	PASS
			NV	-20	-80000.00	-13.925152	20	PASS
			NV	-10	-80000.00	-13.925152	20	PASS
			NV	0	-80000.00	-13.925152	20	PASS
			NV	10	-80000.00	-15.296367	20	PASS
			NV	20	-80000.00	-15.296367	20	PASS
			NV	30	-80000.00	-15.296367	20	PASS

			NV	40	-80000.00	-15.296367	20	PASS
			NV	50	-80000.00	-13.925152	20	PASS
		5270	NV	-30	-80000.00	-13.925152	20	PASS
			NV	-20	-80000.00	-15.180266	20	PASS
			NV	-10	-80000.00	-15.180266	20	PASS
			NV	0	-80000.00	-13.925152	20	PASS
			NV	10	-80000.00	-13.925152	20	PASS
			NV	20	-80000.00	-13.925152	20	PASS
			NV	30	-80000.00	-13.925152	20	PASS
			NV	40	-80000.00	-13.925152	20	PASS
			NV	50	-80000.00	-15.180266	20	PASS
		5310	NV	-30	-80000.00	-13.925152	20	PASS
			NV	-20	-80000.00	-13.925152	20	PASS
			NV	-10	-80000.00	-15.065913	20	PASS
			NV	0	-80000.00	-13.925152	20	PASS
			NV	10	-80000.00	-13.925152	20	PASS
			NV	20	-80000.00	-13.925152	20	PASS
			NV	30	-80000.00	-15.065913	20	PASS
			NV	40	-80000.00	-15.065913	20	PASS
			NV	50	-80000.00	-13.925152	20	PASS
		5510	NV	-30	-80000.00	-13.925152	20	PASS
			NV	-20	-80000.00	-14.519056	20	PASS
			NV	-10	-80000.00	-13.925152	20	PASS
			NV	0	-80000.00	-13.925152	20	PASS
			NV	10	-80000.00	-13.925152	20	PASS
			NV	20	-80000.00	-14.519056	20	PASS
			NV	30	-80000.00	-14.519056	20	PASS
			NV	40	-80000.00	-13.925152	20	PASS
			NV	50	-80000.00	-14.519056	20	PASS
		5550	NV	-30	-80000.00	-13.925152	20	PASS
			NV	-20	-80000.00	-13.925152	20	PASS
			NV	-10	-80000.00	-13.925152	20	PASS
			NV	0	-80000.00	-14.414414	20	PASS
			NV	10	-80000.00	-13.925152	20	PASS
			NV	20	-80000.00	-14.414414	20	PASS
			NV	30	-80000.00	-14.414414	20	PASS
			NV	40	-80000.00	-14.414414	20	PASS
			NV	50	-80000.00	-14.414414	20	PASS
		5670	NV	-30	-80000.00	-14.109347	20	PASS
			NV	-20	-80000.00	-14.109347	20	PASS
			NV	-10	-80000.00	-13.925152	20	PASS
			NV	0	-80000.00	-13.925152	20	PASS
			NV	10	-80000.00	-14.109347	20	PASS
			NV	20	-80000.00	-14.109347	20	PASS
			NV	30	-80000.00	-13.925152	20	PASS
			NV	40	-80000.00	-13.925152	20	PASS

		5755	NV	50	-80000.00	-14.109347	20	PASS
			NV	-30	-80000.00	-13.900956	20	PASS
			NV	-20	-80000.00	-13.900956	20	PASS
			NV	-10	-80000.00	-13.900956	20	PASS
			NV	0	-80000.00	-13.900956	20	PASS
			NV	10	-80000.00	-13.900956	20	PASS
			NV	20	-80000.00	-13.900956	20	PASS
			NV	30	-80000.00	-13.900956	20	PASS
			NV	40	-80000.00	-13.900956	20	PASS
			NV	50	-40000.00	-6.950478	20	PASS
		5795	NV	-30	-80000.00	-13.805004	20	PASS
			NV	-20	-80000.00	-13.805004	20	PASS
			NV	-10	-80000.00	-13.805004	20	PASS
			NV	0	-80000.00	-13.805004	20	PASS
			NV	10	-80000.00	-13.805004	20	PASS
			NV	20	-80000.00	-13.805004	20	PASS
			NV	30	-80000.00	-13.805004	20	PASS
			NV	40	-80000.00	-13.805004	20	PASS
			NV	50	-80000.00	-13.805004	20	PASS
		5210	NV	-30	-80000.00	-13.805004	20	PASS
			NV	-20	-80000.00	-13.805004	20	PASS
			NV	-10	-80000.00	-13.805004	20	PASS
			NV	0	-80000.00	-15.355086	20	PASS
			NV	10	-80000.00	-15.355086	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-80000.00	-13.805004	20	PASS
			NV	40	-80000.00	-15.355086	20	PASS
			NV	50	-80000.00	-15.355086	20	PASS
		5290	NV	-30	-80000.00	-13.805004	20	PASS
			NV	-20	-80000.00	-13.805004	20	PASS
			NV	-10	-80000.00	-13.805004	20	PASS
			NV	0	-80000.00	-13.805004	20	PASS
			NV	10	-80000.00	-13.805004	20	PASS
			NV	20	-80000.00	-13.805004	20	PASS
			NV	30	-80000.00	-13.805004	20	PASS
			NV	40	-80000.00	-13.805004	20	PASS
			NV	50	-80000.00	-15.122873	20	PASS
		5610	NV	-30	-80000.00	-13.805004	20	PASS
			NV	-20	-80000.00	-14.260250	20	PASS
			NV	-10	-80000.00	-13.805004	20	PASS
			NV	0	-80000.00	-13.805004	20	PASS
			NV	10	-80000.00	-13.805004	20	PASS
			NV	20	-80000.00	-14.260250	20	PASS
			NV	30	-80000.00	-14.260250	20	PASS
			NV	40	-80000.00	-14.260250	20	PASS
			NV	50	-80000.00	-14.260250	20	PASS

		5775	NV	-30	-80000.00	-13.852814	20	PASS
			NV	-20	-80000.00	-13.852814	20	PASS
			NV	-10	-80000.00	-13.852814	20	PASS
			NV	0	-80000.00	-13.805004	20	PASS
			NV	10	-80000.00	-13.852814	20	PASS
			NV	20	-80000.00	-13.852814	20	PASS
			NV	30	-80000.00	-13.805004	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-80000.00	-13.852814	20	PASS


9. Duty Cycle

9.1. Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T [kHz]	Limit	Verdict
11A	Ant1	5180	1.40	1.44	97.22	0.714	---	---
		5200	1.39	1.44	96.53	0.719	---	---
		5240	1.40	1.44	97.22	0.714	---	---
		5260	1.40	1.44	97.22	0.714	---	---
		5280	1.39	1.44	96.53	0.719	---	---
		5320	1.39	1.43	97.20	0.719	---	---
		5500	1.40	1.44	97.22	0.714	---	---
		5580	1.40	1.44	97.22	0.714	---	---
		5700	1.39	1.43	97.20	0.719	---	---
		5745	1.40	1.44	97.22	0.714	---	---
		5785	1.39	1.43	97.20	0.719	---	---
		5825	1.39	1.43	97.20	0.719	---	---
11N20SISO	Ant1	5180	1.31	1.35	97.04	0.763	---	---
		5200	1.31	1.35	97.04	0.763	---	---
		5240	1.31	1.35	97.04	0.763	---	---
		5260	1.31	1.35	97.04	0.763	---	---
		5280	1.31	1.35	97.04	0.763	---	---
		5320	1.30	1.35	96.30	0.769	---	---
		5500	1.31	1.35	97.04	0.763	---	---
		5580	1.30	1.35	96.30	0.769	---	---
		5700	1.31	1.35	97.04	0.763	---	---
		5745	1.31	1.35	97.04	0.763	---	---
		5785	1.31	1.35	97.04	0.763	---	---
		5825	1.31	1.35	97.04	0.763	---	---
11N40SISO	Ant1	5190	0.65	0.69	94.20	1.538	---	---
		5230	0.65	0.69	94.20	1.538	---	---
		5270	0.65	0.69	94.20	1.538	---	---
		5310	0.65	0.69	94.20	1.538	---	---
		5510	0.65	0.69	94.20	1.538	---	---
		5550	0.65	0.69	94.20	1.538	---	---
		5670	0.65	0.69	94.20	1.538	---	---
		5755	0.65	0.69	94.20	1.538	---	---
		5795	0.65	0.69	94.20	1.538	---	---
11AC20SISO	Ant1	5180	1.32	1.36	97.06	0.758	---	---
		5200	1.31	1.35	97.04	0.763	---	---
		5240	1.32	1.36	97.06	0.758	---	---
		5260	1.32	1.36	97.06	0.758	---	---
		5280	1.32	1.36	97.06	0.758	---	---
		5320	1.31	1.36	96.32	0.763	---	---
		5500	1.31	1.35	97.04	0.763	---	---

		5580	1.32	1.36	97.06	0.758	---	---
		5700	1.32	1.36	97.06	0.758	---	---
		5745	1.31	1.35	97.04	0.763	---	---
		5785	1.31	1.36	96.32	0.763	---	---
		5825	1.31	1.35	97.04	0.763	---	---
11AC40SISO	Ant1	5190	0.65	0.69	94.20	1.538	---	---
		5230	0.66	0.70	94.29	1.515	---	---
		5270	0.65	0.70	92.86	1.538	---	---
		5310	0.66	0.70	94.29	1.515	---	---
		5510	0.66	0.70	94.29	1.515	---	---
		5550	0.66	0.70	94.29	1.515	---	---
		5670	0.65	0.69	94.20	1.538	---	---
		5755	0.65	0.70	92.86	1.538	---	---
		5795	0.66	0.70	94.29	1.515	---	---
11AC80SISO	Ant1	5210	0.32	0.37	86.49	3.125	---	---
		5290	0.33	0.37	89.19	3.030	---	---
		5610	0.33	0.37	89.19	3.030	---	---
		5775	0.32	0.36	88.89	3.125	---	---


9.2. Test Graphs




11A_Ant1_5260




11A_Ant1_5280




11A_Ant1_5320




11A_Ant1_5500




11A_Ant1_5580




11A_Ant1_5700




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310




11N40SISO_Ant1_5510




11N40SISO_Ant1_5550




11N40SISO_Ant1_5670




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260




11AC20SISO_Ant1_5280




11AC20SISO_Ant1_5320




11AC20SISO_Ant1_5500




11AC20SISO_Ant1_5580




11AC20SISO_Ant1_5700




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310




11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550




11AC40SISO_Ant1_5670




11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210




11AC80SISO_Ant1_5290



11AC80SISO_Ant1_5610



11AC80SISO_Ant1_5775



-----End of the report-----