

## Appendix Test Data

|                |                 |                    |                   |
|----------------|-----------------|--------------------|-------------------|
| Project No.:   | 18220WC10136901 | Test Date:         | 2021.6.22         |
| Test Engineer: | <i>Tony He</i>  | Auditor:           | <i>Edward Pan</i> |
| Temperature:   | 24.3°C          | Relative Humidity: | 56 %              |
| Pressure:      | 1012 hPa        |                    |                   |

## 1. Bandwidth


## 1.1 OBW

## 1.1.1 Test Result

| Mode     | TX Type | Frequency (MHz) | Packet Type | Ant | 99% Occupied Bandwidth (MHz) | Limit | Verdict |
|----------|---------|-----------------|-------------|-----|------------------------------|-------|---------|
| GFSK     | SISO    | 2402            | DH5         | 1   | 0.85                         | /     | Note1   |
|          |         | 2441            | DH5         | 1   | 0.85                         | /     | Note1   |
|          |         | 2480            | DH5         | 1   | 0.85                         | /     | Note1   |
| π/4-QPSK | SISO    | 2402            | 2DH5        | 1   | 1.17                         | /     | Note1   |
|          |         | 2441            | 2DH5        | 1   | 1.17                         | /     | Note1   |
|          |         | 2480            | 2DH5        | 1   | 1.17                         | /     | Note1   |
| 8DPSK    | SISO    | 2402            | 3DH5        | 1   | 1.18                         | /     | Note1   |
|          |         | 2441            | 3DH5        | 1   | 1.18                         | /     | Note1   |
|          |         | 2480            | 3DH5        | 1   | 1.18                         | /     | Note1   |

Note1: Only for Report Use

## 1.1.2 Test Graph



## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com




Hotline


400-003-0500

www.anbotek.com


GFSK\_DH5\_HCH\_2480MHz\_Ant1\_NTNV




$\pi/4$ -DQPSK\_2DH5\_LCH\_2402MHz\_Ant1\_NTNV



$\pi$  /4-DQPSK\_2DH5\_MCH\_2441MHz\_Ant1\_NTNV



$\pi$  /4-DQPSK\_2DH5\_HCH\_2480MHz\_Ant1\_NTNV




## Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com


Hotline  
400-003-0500  
www.anbotech.com

8DPSK\_3DH5\_LCH\_2402MHz\_Ant1\_NTNV



8DPSK\_3DH5\_MCH\_2441MHz\_Ant1\_NTNV





## Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com


## 1.2 20dB BW

### 1.2.1 Test Result

| Mode           | TX Type | Frequency (MHz) | Packet Type | Ant | 20dB Bandwidth (MHz) | Limit | Verdict |
|----------------|---------|-----------------|-------------|-----|----------------------|-------|---------|
| GFSK           | SISO    | 2402            | DH5         | 1   | 0.95                 | /     | Note1   |
|                |         | 2441            | DH5         | 1   | 0.95                 | /     | Note1   |
|                |         | 2480            | DH5         | 1   | 0.95                 | /     | Note1   |
| $\pi/4$ -DQPSK | SISO    | 2402            | 2DH5        | 1   | 1.28                 | /     | Note1   |
|                |         | 2441            | 2DH5        | 1   | 1.28                 | /     | Note1   |
|                |         | 2480            | 2DH5        | 1   | 1.28                 | /     | Note1   |
| 8DPSK          | SISO    | 2402            | 3DH5        | 1   | 1.31                 | /     | Note1   |
|                |         | 2441            | 3DH5        | 1   | 1.31                 | /     | Note1   |
|                |         | 2480            | 3DH5        | 1   | 1.31                 | /     | Note1   |

Note1: Only for Report Use

## 1.2.2 Test Graph



## Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com




Hotline


400-003-0500

www.anbotech.com


GFSK\_DH5\_HCH\_2480MHz\_Ant1\_NTNV




$\pi/4$ -DQPSK\_2DH5\_LCH\_2402MHz\_Ant1\_NTNV




$\pi$  /4-DQPSK\_2DH5\_MCH\_2441MHz\_Ant1\_NTNV




$\pi$  /4-DQPSK\_2DH5\_HCH\_2480MHz\_Ant1\_NTNV




8DPSK\_3DH5\_LCH\_2402MHz\_Ant1\_NTNV



8DPSK\_3DH5\_MCH\_2441MHz\_Ant1\_NTNV





## Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com

## 2. Maximum Conducted Output Power


### 2.1 Power

#### 2.1.1 Test Result

| Mode           | TX Type | Frequency (MHz) | Packet Type | Measured Peak Output Power (dBm) | Limit (dBm) | Verdict |
|----------------|---------|-----------------|-------------|----------------------------------|-------------|---------|
|                |         |                 |             | Ant1                             |             |         |
| GFSK           | SISO    | 2402            | DH5         | -2.35                            | <=30        | Pass    |
|                |         | 2441            | DH5         | -3.19                            | <=30        | Pass    |
|                |         | 2480            | DH5         | -4.38                            | <=30        | Pass    |
| $\pi/4$ -DQPSK | SISO    | 2402            | 2DH5        | -2.57                            | <=20.97     | Pass    |
|                |         | 2441            | 2DH5        | -2.48                            | <=20.97     | Pass    |
|                |         | 2480            | 2DH5        | -3.20                            | <=20.97     | Pass    |
| 8DPSK          | SISO    | 2402            | 3DH5        | -2.10                            | <=20.97     | Pass    |
|                |         | 2441            | 3DH5        | -1.98                            | <=20.97     | Pass    |
|                |         | 2480            | 3DH5        | -2.84                            | <=20.97     | Pass    |

Note1: Antenna Gain: 1.0.00dBi;

## 2.1.2 Test Graph



### Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com





Hotline

400-003-0500

www.anbotech.com

GFSK\_DH5\_HCH\_2480MHz\_Ant1\_NTNV

 $\pi/4$ -QPSK\_2DH5\_LCH\_2402MHz\_Ant1\_NTNV**Shenzhen Anbotech Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com




Hotline


400-003-0500

www.anbotech.com

$\pi$ /4-DQPSK\_2DH5\_MCH\_2441MHz\_Ant1\_NTNV



$\pi$ /4-DQPSK\_2DH5\_HCH\_2480MHz\_Ant1\_NTNV




## Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com

8DPSK\_3DH5\_LCH\_2402MHz\_Ant1\_NTNV



8DPSK\_3DH5\_MCH\_2441MHz\_Ant1\_NTNV

**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com



## Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com


### 3. Carrier Frequency Separation

#### 3.1 Ant1

##### 3.1.1 Test Result

| Ant1           |         |                 |             |                          |                      |              |         |
|----------------|---------|-----------------|-------------|--------------------------|----------------------|--------------|---------|
| Mode           | TX Type | Frequency (MHz) | Packet Type | Channel Separation (MHz) | 20dB Bandwidth (MHz) | Limit (MHz)  | Verdict |
| GFSK           | SISO    | HOPP            | DH5         | 1.01                     | 0.95                 | $\geq 0.955$ | Pass    |
| $\pi/4$ -DQPSK | SISO    | HOPP            | 2DH5        | 1.00                     | 1.28                 | $\geq 0.855$ | Pass    |
| 8DPSK          | SISO    | HOPP            | 3DH5        | 0.99                     | 1.31                 | $\geq 0.871$ | Pass    |

## 3.1.2 Test Graph



### Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com



## Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com


## 4. Number of Hopping Frequencies

### 4.1 HopNum

#### 4.1.1 Test Result

| Mode           | TX Type | Frequency (MHz) | Packet Type | Num of Hopping Frequencies | Limit | Verdict |
|----------------|---------|-----------------|-------------|----------------------------|-------|---------|
|                |         |                 |             | Ant1                       |       |         |
| GFSK           | SISO    | HOPP            | DH5         | 79                         | >=15  | Pass    |
| $\pi/4$ -DQPSK | SISO    | HOPP            | 2DH5        | 79                         | >=15  | Pass    |
| 8DPSK          | SISO    | HOPP            | 3DH5        | 79                         | >=15  | Pass    |

## 4.1.2 Test Graph



## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com



## Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com


## 5. Time of Occupancy (Dwell Time)

### 5.1 Ant1

#### 5.1.1 Test Result

| Ant1           |         |                 |             |                               |                        |                                    |                 |            |         |
|----------------|---------|-----------------|-------------|-------------------------------|------------------------|------------------------------------|-----------------|------------|---------|
| Mode           | TX Type | Frequency (MHz) | Packet Type | Duration of Single Pulse (ms) | Observation Period (s) | Num of Pulse in Observation Period | Dwell Time (ms) | Limit (ms) | Verdict |
| GFSK           | SISO    | HOPP            | DH1         | 0.38                          | 31.60                  | 319                                | 120.58          | <=400      | Pass    |
|                |         |                 | DH3         | 1.63                          | 31.60                  | 148                                | 241.83          | <=400      | Pass    |
|                |         |                 | DH5         | 2.88                          | 31.60                  | 113                                | 325.67          | <=400      | Pass    |
| $\pi/4$ -DQPSK | SISO    | HOPP            | 2DH1        | 0.39                          | 31.60                  | 318                                | 122.75          | <=400      | Pass    |
|                |         |                 | 2DH3        | 1.64                          | 31.60                  | 158                                | 259.12          | <=400      | Pass    |
|                |         |                 | 2DH5        | 2.89                          | 31.60                  | 102                                | 294.58          | <=400      | Pass    |
| 8DPSK          | SISO    | HOPP            | 3DH1        | 0.39                          | 31.60                  | 316                                | 122.61          | <=400      | Pass    |
|                |         |                 | 3DH3        | 1.64                          | 31.60                  | 158                                | 258.80          | <=400      | Pass    |
|                |         |                 | 3DH5        | 2.89                          | 31.60                  | 109                                | 315.01          | <=400      | Pass    |

## 5.1.2 Test Graph



## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com




Hotline


400-003-0500

www.anbotek.com


GFSK DH3\_HOPP\_Ant1\_NTNV




GFSK DH3\_HOPP\_Ant1\_NTNV







GFSK DH5\_HOPP\_Ant1\_NTNV




GFSK DH5\_HOPP\_Ant1\_NTNV




$\pi/4$ -DQPSK\_2DH1\_HOPP\_Ant1\_NTNV $\pi/4$ -DQPSK\_2DH1\_HOPP\_Ant1\_NTNV

$\pi/4$ -DQPSK\_2DH3\_HOPP\_Ant1\_NTNV $\pi/4$ -DQPSK\_2DH3\_HOPP\_Ant1\_NTNV


$\pi/4$ -DQPSK\_2DH5\_HOPP\_Ant1\_NTNV




$\pi/4$ -DQPSK\_2DH5\_HOPP\_Ant1\_NTNV




8DPSK 3DH1\_HOPP\_Ant1\_NTNV




8DPSK 3DH1\_HOPP\_Ant1\_NTNV




8DPSK 3DH3\_HOPP\_Ant1\_NTNV




8DPSK 3DH3\_HOPP\_Ant1\_NTNV



8DPSK 3DH5\_HOPP\_Ant1\_NTNV



8DPSK 3DH5\_HOPP\_Ant1\_NTNV




## 6. Unwanted Emissions In Non-restricted Frequency Bands

### 6.1 Ref

#### 6.1.1 Test Result

| Mode                                                                                                                                            | TX Type | Frequency (MHz) | Packet Type | Ant | Level of Reference (dBm) | Limit (dBm) | Verdict |
|-------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----------------|-------------|-----|--------------------------|-------------|---------|
| GFSK                                                                                                                                            | SISO    | 2402            | DH5         | 1   | -2.44                    | /           | /       |
|                                                                                                                                                 |         | 2441            | DH5         | 1   | -3.11                    | /           | /       |
|                                                                                                                                                 |         | 2480            | DH5         | 1   | -3.89                    | /           | /       |
| $\pi$ /4-DQPSK                                                                                                                                  | SISO    | 2402            | 2DH5        | 1   | -3.76                    | /           | /       |
|                                                                                                                                                 |         | 2441            | 2DH5        | 1   | -3.50                    | /           | /       |
|                                                                                                                                                 |         | 2480            | 2DH5        | 1   | -4.32                    | /           | /       |
| 8DPSK                                                                                                                                           | SISO    | 2402            | 3DH5        | 1   | -3.57                    | /           | /       |
|                                                                                                                                                 |         | 2441            | 3DH5        | 1   | -3.40                    | /           | /       |
|                                                                                                                                                 |         | 2480            | 3DH5        | 1   | -4.27                    | /           | /       |
| Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level. |         |                 |             |     |                          |             |         |
| Note2: Only for Report Use                                                                                                                      |         |                 |             |     |                          |             |         |

## 6.1.2 Test Graph





### Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com

GFSK\_DH5\_HCH\_2480MHz\_Ant1\_NTNV

 $\pi/4$ -DQPSK\_2DH5\_LCH\_2402MHz\_Ant1\_NTNV**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.



Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

$\pi$ /4-QPSK\_2DH5\_MCH\_2441MHz\_Ant1\_NTNV $\pi$ /4-QPSK\_2DH5\_HCH\_2480MHz\_Ant1\_NTNV**Shenzhen Anbotech Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com




Hotline


400-003-0500

www.anbotech.com

8DPSK\_3DH5\_LCH\_2402MHz\_Ant1\_NTNV



8DPSK\_3DH5\_MCH\_2441MHz\_Ant1\_NTNV




## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com



## Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com


Hotline  
400-003-0500  
www.anbotech.com

## 6.2 CSE

### 6.2.1 Test Result

| Mode                                                                                                                                            | TX Type | Frequency (MHz) | Packet Type | Ant | Level of Reference (dBm) | Limit (dBm)         | Verdict |
|-------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----------------|-------------|-----|--------------------------|---------------------|---------|
| GFSK                                                                                                                                            | SISO    | 2402            | DH5         | 1   | Refer To Test Graph      | Refer To Test Graph | Note2   |
|                                                                                                                                                 |         | 2441            | DH5         | 1   | Refer To Test Graph      | Refer To Test Graph | Note2   |
|                                                                                                                                                 |         | 2480            | DH5         | 1   | Refer To Test Graph      | Refer To Test Graph | Note2   |
|                                                                                                                                                 |         | HOPP            | DH5         | 1   | Refer To Test Graph      | Refer To Test Graph | Note2   |
| $\pi/4$ -DQPSK                                                                                                                                  | SISO    | 2402            | 2DH5        | 1   | Refer To Test Graph      | Refer To Test Graph | Note2   |
|                                                                                                                                                 |         | 2441            | 2DH5        | 1   | Refer To Test Graph      | Refer To Test Graph | Note2   |
|                                                                                                                                                 |         | 2480            | 2DH5        | 1   | Refer To Test Graph      | Refer To Test Graph | Note2   |
|                                                                                                                                                 |         | HOPP            | 2DH5        | 1   | Refer To Test Graph      | Refer To Test Graph | Note2   |
| 8DPSK                                                                                                                                           | SISO    | 2402            | 3DH5        | 1   | Refer To Test Graph      | Refer To Test Graph | Note2   |
|                                                                                                                                                 |         | 2441            | 3DH5        | 1   | Refer To Test Graph      | Refer To Test Graph | Note2   |
|                                                                                                                                                 |         | 2480            | 3DH5        | 1   | Refer To Test Graph      | Refer To Test Graph | Note2   |
|                                                                                                                                                 |         | HOPP            | 3DH5        | 1   | Refer To Test Graph      | Refer To Test Graph | Note2   |
| Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level. |         |                 |             |     |                          |                     |         |
| Note2: Only for Report Use                                                                                                                      |         |                 |             |     |                          |                     |         |

## 6.2.2 Test Graph




### Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com


GFSK\_DH5\_MCH\_2441MHz\_Ant1\_NTNV




GFSK\_DH5\_HCH\_2480MHz\_Ant1\_NTNV





GFSK\_DH5\_HCH\_2480MHz\_Ant1\_NTNV



GFSK\_DH5\_HOPP\_Ant1\_NTNV



GFSK\_DH5\_HOPP\_Ant1\_NTNV

 $\pi/4$ -DQPSK\_2DH5\_LCH\_2402MHz\_Ant1\_NTNV**Shenzhen Anbotech Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.



Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com


$\pi$ /4-DQPSK\_2DH5\_LCH\_2402MHz\_Ant1\_NTNV $\pi$ /4-DQPSK\_2DH5\_MCH\_2441MHz\_Ant1\_NTNV**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com

$\pi/4$ -DQPSK\_2DH5\_HCH\_2480MHz\_Ant1\_NTNV



$\pi/4$ -DQPSK\_2DH5\_HCH\_2480MHz\_Ant1\_NTNV





## Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com

$\pi/4$ -DQPSK\_2DH5\_HOPP\_Ant1\_NTNV $\pi/4$ -DQPSK\_2DH5\_HOPP\_Ant1\_NTNV**Shenzhen Anbotech Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com




Hotline


400-003-0500

www.anbotech.com

8DPSK\_3DH5\_LCH\_2402MHz\_Ant1\_NTNV



8DPSK\_3DH5\_LCH\_2402MHz\_Ant1\_NTNV




## Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com


8DPSK\_3DH5\_MCH\_2441MHz\_Ant1\_NTNV




8DPSK\_3DH5\_HCH\_2480MHz\_Ant1\_NTNV




8DPSK\_3DH5\_HCH\_2480MHz\_Ant1\_NTNV



8DPSK\_3DH5\_HOPP\_Ant1\_NTNV





---End---