

Appendix Test Data


Report No.:	1813C50226612502	Test Sample No.:	1-2-2
Start Test Date:	2025-5-27	Finish Test Date:	2025-5-30
Test Engineer:	Hu Sen Guan	Auditor:	Justin Feng
Temperature:	25.7°C	Relative Humidity:	54%
Pressure:	101kPa		


Appendix A: 6dB Bandwidth


Test Result


Test Mode	Antenna	Frequency[MHz]	6dB BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	10.20	2406.92	2417.12	0.5	PASS
11B	Ant1	2437	10.16	2431.96	2442.12	0.5	PASS
11B	Ant1	2462	10.20	2456.88	2467.08	0.5	PASS
11G	Ant1	2412	16.44	2403.80	2420.24	0.5	PASS
11G	Ant1	2437	16.60	2428.68	2445.28	0.5	PASS
11G	Ant1	2462	16.28	2453.88	2470.16	0.5	PASS
11N20SISO	Ant1	2412	17.40	2403.20	2420.60	0.5	PASS
11N20SISO	Ant1	2437	17.76	2428.08	2445.84	0.5	PASS
11N20SISO	Ant1	2462	17.44	2453.28	2470.72	0.5	PASS
11N40SISO	Ant1	2422	36.16	2403.92	2440.08	0.5	PASS
11N40SISO	Ant1	2437	36.16	2418.84	2455.00	0.5	PASS
11N40SISO	Ant1	2452	35.52	2434.00	2469.52	0.5	PASS
11AX20SISO	Ant1	2412	18.72	2402.56	2421.28	0.5	PASS
11AX20SISO	Ant1	2437	19.04	2427.40	2446.44	0.5	PASS
11AX20SISO	Ant1	2462	18.60	2452.72	2471.32	0.5	PASS
11AX40SISO	Ant1	2422	37.28	2403.12	2440.40	0.5	PASS
11AX40SISO	Ant1	2437	37.36	2418.44	2455.80	0.5	PASS
11AX40SISO	Ant1	2452	37.44	2433.04	2470.48	0.5	PASS


Test Graphs
























11AX40SISO-Ant1-2437-PASS




11AX40SISO-Ant1-2452-PASS


Appendix B: 99% Occupied Bandwidth


Test Result


Test Mode	Antenna	Channel Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	15.025	2404.5275	2419.5524	---	---
11B	Ant1	2437	15.065	2429.6074	2444.6723	---	---
11B	Ant1	2462	15.345	2454.2478	2469.5924	---	---
11G	Ant1	2412	17.303	2403.2488	2420.5514	---	---
11G	Ant1	2437	17.662	2428.3686	2446.0310	---	---
11G	Ant1	2462	17.982	2452.4496	2470.4316	---	---
11N20SISO	Ant1	2412	19.061	2402.0100	2421.0709	---	---
11N20SISO	Ant1	2437	18.501	2427.5694	2446.0709	---	---
11N20SISO	Ant1	2462	18.741	2452.4895	2471.2308	---	---
11N40SISO	Ant1	2422	36.284	2403.8581	2440.1419	---	---
11N40SISO	Ant1	2437	36.603	2418.5385	2455.1419	---	---
11N40SISO	Ant1	2452	36.603	2433.6184	2470.2218	---	---
11AX20SISO	Ant1	2412	19.141	2402.3696	2421.5105	---	---
11AX20SISO	Ant1	2437	19.101	2427.4496	2446.5504	---	---
11AX20SISO	Ant1	2462	19.101	2452.4895	2471.5904	---	---
11AX40SISO	Ant1	2422	38.202	2402.8991	2441.1009	---	---
11AX40SISO	Ant1	2437	37.882	2417.8991	2455.7812	---	---
11AX40SISO	Ant1	2452	38.282	2432.8192	2471.1009	---	---


Test Graphs
























Appendix C: Maximum conducted output power

Test Result Average

Test Mode	Antenna	Frequency [MHz]	Set Power	Average power [dBm]	Duty Cycle [%]	DC Factor [dB]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	NA	14.72	54.95	2.60	17.32	≤30.00	PASS
11B	Ant1	2437	NA	14.69	54.71	2.62	17.31	≤30.00	PASS
11B	Ant1	2462	NA	14.31	51.68	2.87	17.18	≤30.00	PASS
11G	Ant1	2412	NA	15.27	88.89	0.51	15.78	≤30.00	PASS
11G	Ant1	2437	NA	15.72	88.89	0.51	16.23	≤30.00	PASS
11G	Ant1	2462	NA	14.50	85.42	0.68	15.18	≤30.00	PASS
11N20SISO	Ant1	2412	NA	14.14	76.00	1.19	15.33	≤30.00	PASS
11N20SISO	Ant1	2437	NA	14.64	88.10	0.55	15.19	≤30.00	PASS
11N20SISO	Ant1	2462	NA	13.61	88.37	0.54	14.15	≤30.00	PASS
11N40SISO	Ant1	2422	NA	13.41	78.26	1.06	14.47	≤30.00	PASS
11N40SISO	Ant1	2437	NA	14.32	78.26	1.06	15.38	≤30.00	PASS
11N40SISO	Ant1	2452	NA	13.66	86.92	0.61	14.27	≤30.00	PASS
11AX20SISO	Ant1	2412	NA	13.90	85.29	0.69	14.59	≤30.00	PASS
11AX20SISO	Ant1	2437	NA	14.43	92.33	0.35	14.78	≤30.00	PASS
11AX20SISO	Ant1	2462	NA	13.37	85.29	0.69	14.06	≤30.00	PASS
11AX40SISO	Ant1	2422	NA	13.49	60.00	2.22	15.71	≤30.00	PASS
11AX40SISO	Ant1	2437	NA	14.05	75.00	1.25	15.30	≤30.00	PASS
11AX40SISO	Ant1	2452	NA	13.46	60.00	2.22	15.68	≤30.00	PASS

Note: 1. The cable loss are compensated in the graph


Test Graphs Average





Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com














Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

Hotline
400-003-0500
www.anbotech.com








Appendix D: Maximum power spectral density

Test Result

Test Mode	Antenna	Frequency [MHz]	Reading Result [dBm/3kHz]	DC Factor [dB]	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11B	Ant1	2412	-16.44	2.60	-13.84	≤8.00	PASS
11B	Ant1	2437	-16.35	2.62	-13.73	≤8.00	PASS
11B	Ant1	2462	-17.35	2.87	-14.48	≤8.00	PASS
11G	Ant1	2412	-18.11	0.51	-17.60	≤8.00	PASS
11G	Ant1	2437	-17.68	0.51	-17.17	≤8.00	PASS
11G	Ant1	2462	-18.93	0.68	-18.25	≤8.00	PASS
11N20SISO	Ant1	2412	-19.63	1.19	-18.44	≤8.00	PASS
11N20SISO	Ant1	2437	-18.96	0.55	-18.41	≤8.00	PASS
11N20SISO	Ant1	2462	-20.16	0.54	-19.62	≤8.00	PASS
11N40SISO	Ant1	2422	-21.78	1.06	-20.72	≤8.00	PASS
11N40SISO	Ant1	2437	-20.92	1.06	-19.86	≤8.00	PASS
11N40SISO	Ant1	2452	-21.59	0.61	-20.98	≤8.00	PASS
11AX20SISO	Ant1	2412	-18.69	0.69	-18.00	≤8.00	PASS
11AX20SISO	Ant1	2437	-17.78	0.35	-17.43	≤8.00	PASS
11AX20SISO	Ant1	2462	-18.82	0.69	-18.13	≤8.00	PASS
11AX40SISO	Ant1	2422	-19.7	2.22	-17.48	≤8.00	PASS
11AX40SISO	Ant1	2437	-20.38	1.25	-19.13	≤8.00	PASS
11AX40SISO	Ant1	2452	-21.42	2.22	-19.20	≤8.00	PASS

Note: 1. The cable loss are compensated in the graph.


Test Graphs




Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com







Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com




Hotline
400-003-0500
www.anbotech.com







11N20SISO-Ant1-2462-PASS




11N40SISO-Ant1-2422-PASS







11AX20SISO-Ant1-2412-PASS




11AX20SISO-Ant1-2437-PASS




11AX20SISO-Ant1-2462-PASS



11AX40SISO-Ant1-2422-PASS



11AX40SISO-Ant1-2437-PASS



11AX40SISO-Ant1-2452-PASS


Appendix E: Conducted Band edge


Test Result


Test Mode	Antenna	Ch. Name	Frequency[MHz]	Ref. Level[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	8.31	-32.19	≤-21.69	PASS
11B	Ant1	High	2462	6.17	-47.7	≤-23.83	PASS
11G	Ant1	Low	2412	-1.31	-37.16	≤-31.31	PASS
11G	Ant1	High	2462	1.21	-41.05	≤-28.79	PASS
11N20SISO	Ant1	Low	2412	-2.03	-36.67	≤-32.03	PASS
11N20SISO	Ant1	High	2462	0.78	-39.91	≤-29.22	PASS
11N40SISO	Ant1	Low	2422	0.13	-31.67	≤-29.87	PASS
11N40SISO	Ant1	High	2452	-0.57	-34.6	≤-30.57	PASS
11AX20SISO	Ant1	Low	2412	-1.91	-38.86	≤-31.91	PASS
11AX20SISO	Ant1	High	2462	-0.51	-38.02	≤-30.51	PASS
11AX40SISO	Ant1	Low	2422	-3.38	-37.02	≤-33.38	PASS
11AX40SISO	Ant1	High	2452	-0.44	-35.71	≤-30.44	PASS


Remark:1. Regarding the spurious emissions from 30MHz to 26.5GHz, the cable lose have been set in the 'offset' of the Spectrum Analyzer during the test.


Test Graphs














Appendix F: Conducted Spurious Emission

Test Result


Test Mode	Antenna	Frequency[MHz]	Freq. Range [Mhz]	Ref. Level [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	0~Reference	7.64	7.64	---	PASS
11B	Ant1	2412	30~1000	7.64	-57.56	≤-22.36	PASS
11B	Ant1	2412	1000~26500	7.64	-40.92	≤-22.36	PASS
11B	Ant1	2437	0~Reference	8.48	8.48	---	PASS
11B	Ant1	2437	30~1000	8.48	-59.1	≤-21.52	PASS
11B	Ant1	2437	1000~26500	8.48	-42.85	≤-21.52	PASS
11B	Ant1	2462	0~Reference	5.92	5.92	---	PASS
11B	Ant1	2462	30~1000	5.92	-62.39	≤-24.08	PASS
11B	Ant1	2462	1000~26500	5.92	-39.91	≤-24.08	PASS
11G	Ant1	2412	0~Reference	3.58	3.58	---	PASS
11G	Ant1	2412	30~1000	3.58	-68.9	≤-26.42	PASS
11G	Ant1	2412	1000~26500	3.58	-50.74	≤-26.42	PASS
11G	Ant1	2437	0~Reference	2.60	2.60	---	PASS
11G	Ant1	2437	30~1000	2.60	-68.78	≤-27.4	PASS
11G	Ant1	2437	1000~26500	2.60	-48.36	≤-27.4	PASS
11G	Ant1	2462	0~Reference	4.03	4.03	---	PASS
11G	Ant1	2462	30~1000	4.03	-68.39	≤-25.97	PASS
11G	Ant1	2462	1000~26500	4.03	-48.46	≤-25.97	PASS
11N20SISO	Ant1	2412	0~Reference	1.61	1.61	---	PASS
11N20SISO	Ant1	2412	30~1000	1.61	-68.98	≤-28.39	PASS
11N20SISO	Ant1	2412	1000~26500	1.61	-51.47	≤-28.39	PASS
11N20SISO	Ant1	2437	0~Reference	3.83	3.83	---	PASS
11N20SISO	Ant1	2437	30~1000	3.83	-67.85	≤-26.17	PASS
11N20SISO	Ant1	2437	1000~26500	3.83	-47.97	≤-26.17	PASS
11N20SISO	Ant1	2462	0~Reference	0.47	0.47	---	PASS
11N20SISO	Ant1	2462	30~1000	0.47	-68.38	≤-29.53	PASS
11N20SISO	Ant1	2462	1000~26500	0.47	-48.06	≤-29.53	PASS
11N40SISO	Ant1	2422	0~Reference	0.46	0.46	---	PASS
11N40SISO	Ant1	2422	30~1000	0.46	-68.53	≤-29.54	PASS
11N40SISO	Ant1	2422	1000~26500	0.46	-51.03	≤-29.54	PASS
11N40SISO	Ant1	2437	0~Reference	1.08	1.08	---	PASS
11N40SISO	Ant1	2437	30~1000	1.08	-68.5	≤-28.92	PASS
11N40SISO	Ant1	2437	1000~26500	1.08	-48.49	≤-28.92	PASS
11N40SISO	Ant1	2452	0~Reference	0.72	0.72	---	PASS
11N40SISO	Ant1	2452	30~1000	0.72	-68.35	≤-29.28	PASS
11N40SISO	Ant1	2452	1000~26500	0.72	-49.25	≤-29.28	PASS



11AX20SISO	Ant1	2412	0~Reference	3.56	3.56	---	PASS
11AX20SISO	Ant1	2412	30~1000	3.56	-67.77	≤-26.44	PASS
11AX20SISO	Ant1	2412	1000~26500	3.56	-51	≤-26.44	PASS
11AX20SISO	Ant1	2437	0~Reference	0.95	0.95	---	PASS
11AX20SISO	Ant1	2437	30~1000	0.95	-68.92	≤-29.05	PASS
11AX20SISO	Ant1	2437	1000~26500	0.95	-48.31	≤-29.05	PASS
11AX20SISO	Ant1	2462	0~Reference	3.08	3.08	---	PASS
11AX20SISO	Ant1	2462	30~1000	3.08	-68.76	≤-26.92	PASS
11AX20SISO	Ant1	2462	1000~26500	3.08	-48.18	≤-26.92	PASS
11AX40SISO	Ant1	2422	0~Reference	-2.69	-2.69	---	PASS
11AX40SISO	Ant1	2422	30~1000	-2.69	-67.87	≤-32.69	PASS
11AX40SISO	Ant1	2422	1000~26500	-2.69	-50.22	≤-32.69	PASS
11AX40SISO	Ant1	2437	0~Reference	0.58	0.58	---	PASS
11AX40SISO	Ant1	2437	30~1000	0.58	-68.74	≤-29.42	PASS
11AX40SISO	Ant1	2437	1000~26500	0.58	-51.18	≤-29.42	PASS
11AX40SISO	Ant1	2452	0~Reference	1.03	1.03	---	PASS
11AX40SISO	Ant1	2452	30~1000	1.03	-68.41	≤-28.97	PASS
11AX40SISO	Ant1	2452	1000~26500	1.03	-48.97	≤-28.97	PASS

Remark:Regarding the spurious emissions from 30MHz to 26.5GHz, the cable lose and attenuator factor s have been set in the 'TDF' of the Spectrum Analyzer during the test.

Test Graphs




Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com




Hotline
400-003-0500
www.anbotek.com




Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

Hotline
400-003-0500
www.anbotech.com







Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

Hotline
400-003-0500
www.anbotech.com






Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com




Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

Hotline
400-003-0500
www.anbotech.com







Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com






Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com


Hotline
400-003-0500
www.anbotech.com





Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com












Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com


Hotline
400-003-0500
www.anbotech.com













Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com






Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com


Hotline
400-003-0500
www.anbotech.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com





Appendix G: Duty Cycle


Test Result


Test Mode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor [dB]
11B	Ant1	2412	12.20	22.20	54.95	2.60
11B	Ant1	2437	12.20	22.30	54.71	2.62
11B	Ant1	2462	12.30	23.80	51.68	2.87
11G	Ant1	2412	2.00	2.25	88.89	0.51
11G	Ant1	2437	2.00	2.25	88.89	0.51
11G	Ant1	2462	2.05	2.40	85.42	0.68
11N20SISO	Ant1	2412	1.90	2.50	76.00	1.19
11N20SISO	Ant1	2437	1.85	2.10	88.10	0.55
11N20SISO	Ant1	2462	1.90	2.15	88.37	0.54
11N40SISO	Ant1	2422	0.90	1.15	78.26	1.06
11N40SISO	Ant1	2437	0.90	1.15	78.26	1.06
11N40SISO	Ant1	2452	4.65	5.35	86.92	0.61
11AX20SISO	Ant1	2412	1.45	1.70	85.29	0.69
11AX20SISO	Ant1	2437	13.25	14.35	92.33	0.35
11AX20SISO	Ant1	2462	1.45	1.70	85.29	0.69
11AX40SISO	Ant1	2422	0.75	1.25	60.00	2.22
11AX40SISO	Ant1	2437	0.75	1.00	75.00	1.25
11AX40SISO	Ant1	2452	0.75	1.25	60.00	2.22

Test Graphs











Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

Hotline
400-003-0500
www.anbotech.com








Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

Hotline
400-003-0500
www.anbotek.com







---End---