

SPECIFICATION FOR APPROVAL

CUST OMER: Shenzhen Ai-Thinker Technology Co., LtdCUS PART NO: Rd-03PART NAME: 24GHz Radar AntennaEdition: 1.0

Editor	Yuan Nannan	2023/06/25
Verifier	Guan Ning	2023/06/25
Approver	Xu Fuqiang	2023/06/25

**ZHONGSHAN B&T TECHNOLOGY Co., Ltd**


Address: 3-4/F, Building A, Dongfang Industrial Park, Nanlang Town,
Zhongshan City, Guangdong Province, China

Directory

1. Antenna Dimension	- 3 -
2. Performance parameter	- 3 -

Product specification

1. Antenna Dimension



2. Performance parameter

Name	24GHz Radar Antenna
Model Type	PCB Print Antenna
ELECTRICAL SPECTFICATIONS	
SRD	TX RX ☐ Hopping ☒ Not Hopping Channel Number Transmit Frequency Range: 24000MHz to 24250MHz Receive Frequency Range: 24000MHz to 24250MHz

	天线数量(Number of antennas): 1 TX 1 RX 勾选以下并填写功率(Choose and complete the power as below) ☐ 天线端口平均输出功率(Average output power at antenna port) ☒ 天线端口峰值输出功率(Peak output power at antenna port) 11 dBm Antenna Type PCB Print Antenna Antenna Max. Peak Gain 0.5 dBi
--	--