

EXHIBIT A - FCC ID LABEL AND LOCATION

Model: EOP1-1004

FCC ID Label

Model : EOP1-1004

Input : 120V 60Hz 1A

MADE IN CHINA 0425 J-188

FCC ID : 2AHAS-EOP11004J

CONFORMS TO UL STD. 1993

CERTIFIED TO CSA STD. C22.2 No.1993

SUITABLE FOR DAMP LOCATIONS

ADECUADA PARA LUGARES HÚMEDOS

DO NOT USE WITH STANDARD DIMMERS, SEE INSTRUCTIONS


NE PAS UTILISER AVEC DES GRADATEURS STANDARD. SE REPORTER AUX INSTRUCTIONS

NOT FOR USE IN TOTALLY ENCLOSED LUMINAIRES

NE CONVIENT PAS À DES LUMINAIRES TOTALEMENT FERMÉS



FCC ID Label Location Information



The label shown shall be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time purchase (Labeling requirements per 2.925)

Model: EOP1-1003

FCC ID Label

Model : EOP1-1003

Input : 120V 60Hz 1A

MADE IN CHINA 0425 J-188

FCC ID : 2AHAS-EOP11004J

CONFORMS TO UL STD. 1993

CERTIFIED TO CSA STD. C22.2 No.1993

SUITABLE FOR DAMP LOCATIONS

ADECUADA PARA LUGARES HÚMEDOS

DO NOT USE WITH STANDARD DIMMERS, SEE INSTRUCTIONS

NE PAS UTILISER AVEC DES GRADATEURS STANDARD. SE REPORTER AUX INSTRUCTIONS

NOT FOR USE IN TOTALLY ENCLOSED LUMINAIRES

NE CONVIENT PAS À DES LUMINAIRES TOTALEMENT FERMÉS



FCC ID Label Location Information



The label shown shall be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time purchase (Labeling requirements per 2.925)

Model: EOP1-1003-BLK

FCC ID Label

Model : EOP1-1003-BLK

Input : 120V 60Hz 1A

MADE IN CHINA 0425 J-188

FCC ID : 2AHAS-EOP11004J

CONFORMS TO UL STD. 1993

CERTIFIED TO CSA STD. C22.2 No.1993

SUITABLE FOR DAMP LOCATIONS

ADECUADA PARA LUGARES HÚMEDOS

DO NOT USE WITH STANDARD DIMMERS, SEE INSTRUCTIONS

NE PAS UTILISER AVEC DES GRADATEURS STANDARD. SE REPORTER AUX INSTRUCTIONS

NOT FOR USE IN TOTALLY ENCLOSED LUMINAIRES

NE CONVIENT PAS À DES LUMINAIRES TOTALEMENT FERMÉS



FCC ID Label Location Information



The label shown shall be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time purchase (Labeling requirements per 2.925)

Model: EOP1-1003-WHT

FCC ID Label

Model : EOP1-1003-WHT

Input : 120V 60Hz 1A

MADE IN CHINA 0425 J-188

FCC ID : 2AHAS-EOP11004J

CONFORMS TO UL STD. 1993

CERTIFIED TO CSA STD. C22.2 No.1993

SUITABLE FOR DAMP LOCATIONS

ADECUADA PARA LUGARES HÚMEDOS

DO NOT USE WITH STANDARD DIMMERS, SEE INSTRUCTIONS

NE PAS UTILISER AVEC DES GRADATEURS STANDARD. SE REPORTER AUX INSTRUCTIONS

NOT FOR USE IN TOTALLY ENCLOSED LUMINAIRES

NE CONVIENT PAS À DES LUMINAIRES TOTALEMENT FERMÉS



FCC ID Label Location Information



The label shown shall be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time purchase (Labeling requirements per 2.925)

Model: EOP1-1004-WHT

FCC ID Label

Model : EOP1-1004-WHT

Input : 120V 60Hz 1A

MADE IN CHINA 0425 J-188

FCC ID : 2AHAS-EOP11004J

CONFORMS TO UL STD. 1993

CERTIFIED TO CSA STD. C22.2 No.1993

SUITABLE FOR DAMP LOCATIONS

ADECUADA PARA LUGARES HÚMEDOS

DO NOT USE WITH STANDARD DIMMERS, SEE INSTRUCTIONS

NE PAS UTILISER AVEC DES GRADATEURS STANDARD. SE REPORTER AUX INSTRUCTIONS

NOT FOR USE IN TOTALLY ENCLOSED LUMINAIRES

NE CONVIENT PAS À DES LUMINAIRES TOTALEMENT FERMÉS



FCC ID Label Location Information



The label shown shall be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time purchase (Labeling requirements per 2.925)

Model: EOP1-1004-BLK

FCC ID Label

Model : EOP1-1004-BLK

Input : 120V 60Hz 1A

MADE IN CHINA 0425 J-188

FCC ID : 2AHAS-EOP11004J

CONFORMS TO UL STD. 1993

CERTIFIED TO CSA STD. C22.2 No.1993

SUITABLE FOR DAMP LOCATIONS

ADECUADA PARA LUGARES HÚMEDOS

DO NOT USE WITH STANDARD DIMMERS, SEE INSTRUCTIONS

NE PAS UTILISER AVEC DES GRADATEURS STANDARD. SE REPORTER AUX INSTRUCTIONS

NOT FOR USE IN TOTALLY ENCLOSED LUMINAIRES

NE CONVIENT PAS À DES LUMINAIRES TOTALEMENT FERMÉS



FCC ID Label Location Information



The label shown shall be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time purchase (Labeling requirements per 2.925)