


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX


6985MHz_TX

EUT Y_4TX
Setting 65
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9693G	49.72	88.20	-38.48	57.25	3	Vertical	355	2.23	-	40.88	16.04	64.45			
RMS	13.96964G	37.69	68.20	-30.51	45.22	3	Vertical	355	2.23	-	40.88	16.04	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX


6985MHz_TX

EUT Y_4TX
Setting 65
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9701G	49.53	88.20	-38.67	57.06	3	Horizontal	180	1.39	-	40.88	16.04	64.45			
RMS	13.97051G	37.70	68.20	-30.50	45.23	3	Horizontal	180	1.39	-	40.88	16.04	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX


6985MHz_TX

EUT Y_4TX
Setting 65
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95276G	49.20	83.54	-34.34	38.07	1	Vertical	92	1.55	-	37.91	21.92	48.70			
AV	20.95653G	37.59	63.54	-25.95	26.45	1	Vertical	92	1.55	-	37.91	21.93	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX


6985MHz_TX

EUT Y_4TX
Setting 65
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95926G	49.59	83.54	-33.95	38.44	1	Horizontal	239	2.21	-	37.92	21.93	48.70			
AV	20.95262G	37.43	63.54	-26.11	26.30	1	Horizontal	239	2.21	-	37.91	21.92	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT Y_4TX
Setting 58
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0154G	108.86	Inf	-Inf	106.47	3	Vertical	360	2.74	-	35.09	10.03	42.73			
RMS	7.0106G	99.32	Inf	-Inf	96.97	3	Vertical	360	2.74	-	35.06	10.02	42.73			
PK	7.145G	65.61	88.20	-22.59	62.17	3	Vertical	360	2.74	-	35.88	10.21	42.65			
RMS	7.145G	55.32	68.20	-12.88	51.88	3	Vertical	360	2.74	-	35.88	10.21	42.65			
PK	7.377G	56.45	74.00	-17.55	52.37	3	Vertical	360	2.74	-	36.15	10.44	42.51			
AV	7.2506G	46.36	54.00	-7.64	42.42	3	Vertical	360	2.74	-	36.20	10.33	42.59			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT Y_4TX
Setting 58
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9178G	107.15	Inf	-Inf	105.35	3	Horizontal	24	1.80	-	34.67	9.92	42.79			
RMS	7.0026G	96.88	Inf	-Inf	94.59	3	Horizontal	24	1.80	-	35.02	10.01	42.74			
PK	7.1826G	64.69	88.20	-23.51	61.09	3	Horizontal	24	1.80	-	35.97	10.26	42.63			
RMS	7.1474G	54.29	68.20	-13.91	50.84	3	Horizontal	24	1.80	-	35.89	10.21	42.65			
PK	7.25G	57.20	74.00	-16.80	53.26	3	Horizontal	24	1.80	-	36.20	10.33	42.59			
AV	7.2626G	46.11	54.00	-7.89	42.15	3	Horizontal	24	1.80	-	36.20	10.34	42.58			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT Y_4TX
Setting 58
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96961G	49.68	88.20	-38.52	57.21	3	Vertical	316	1.19	-	40.88	16.04	64.45			
RMS	13.97035G	37.68	68.20	-30.52	45.21	3	Vertical	316	1.19	-	40.88	16.04	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT Y_4TX
Setting 58
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97081G	50.18	88.20	-38.02	57.71	3	Horizontal	222	1.70	-	40.88	16.04	64.45			
RMS	13.97045G	37.80	68.20	-30.40	45.33	3	Horizontal	222	1.70	-	40.88	16.04	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT Y_4TX
Setting 58
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95576G	49.00	83.54	-34.54	37.87	1	Vertical	282	1.54	-	37.91	21.92	48.70			
AV	20.95557G	37.79	63.54	-25.75	26.66	1	Vertical	282	1.54	-	37.91	21.92	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT Y_4TX
Setting 58
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95521G	49.86	83.54	-33.68	38.73	1	Horizontal	22	1.53	-	37.91	21.92	48.70			
AV	20.95559G	37.65	63.54	-25.89	26.52	1	Horizontal	22	1.53	-	37.91	21.92	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT_Y_4TX
Setting 70
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.909G	82.03	88.20	-6.17	83.98	3	Vertical	356	1.80	-	32.30	9.04	43.29			
RMS	5.925G	68.16	68.20	-0.04	70.09	3	Vertical	356	1.80	-	32.30	9.05	43.28			
PK	6.01G	109.49	Inf	-Inf	111.14	3	Vertical	356	1.80	-	32.40	9.15	43.20			
RMS	6.005G	98.67	Inf	-Inf	100.33	3	Vertical	356	1.80	-	32.40	9.14	43.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT Y_4TX
Setting 70
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.91G	78.90	88.20	-9.30	80.85	3	Horizontal	356	1.79	-	32.30	9.04	43.29			
RMS	5.923G	63.77	68.20	-4.43	65.70	3	Horizontal	356	1.79	-	32.30	9.05	43.28			
PK	6.103G	108.88	Inf	-Inf	110.32	3	Horizontal	356	1.79	-	32.51	9.21	43.16			
RMS	6.148G	98.36	Inf	-Inf	99.67	3	Horizontal	356	1.79	-	32.60	9.24	43.15			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT Y_4TX
Setting 70
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20971G	46.52	74.00	-27.48	59.24	3	Vertical	312	2.88	-	38.98	13.85	65.55			
AV	12.21027G	34.75	54.00	-19.25	47.47	3	Vertical	312	2.88	-	38.98	13.85	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT Y_4TX
Setting 70
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21057G	47.47	74.00	-26.53	60.19	3	Horizontal	77	1.50	-	38.98	13.85	65.55			
AV	12.21059G	34.77	54.00	-19.23	47.49	3	Horizontal	77	1.50	-	38.98	13.85	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT Y_4TX
Setting 70
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31558G	49.38	83.54	-34.16	39.53	1	Vertical	205	1.52	-	37.63	20.48	48.26			
AV	18.31407G	37.85	63.54	-25.69	28.00	1	Vertical	205	1.52	-	37.63	20.48	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT Y_4TX
Setting 70
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31483G	49.74	83.54	-33.80	39.89	1	Horizontal	117	1.55	-	37.63	20.48	48.26			
AV	18.31428G	37.85	63.54	-25.69	28.00	1	Horizontal	117	1.55	-	37.63	20.48	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 68
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	78.60	88.20	-9.60	80.53	3	Vertical	360	1.80	-	32.30	9.05	43.28			
RMS	5.922G	65.97	68.20	-2.23	67.90	3	Vertical	360	1.80	-	32.30	9.05	43.28			
PK	6.07G	110.05	Inf	-Inf	111.60	3	Vertical	360	1.80	-	32.44	9.19	43.18			
RMS	6.06G	98.53	Inf	-Inf	100.11	3	Vertical	360	1.80	-	32.42	9.18	43.18			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 68
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.81G	78.08	88.20	-10.12	80.45	3	Horizontal	356	1.80	-	32.10	8.92	43.39			
RMS	5.925G	66.54	68.20	-1.66	68.47	3	Horizontal	356	1.80	-	32.30	9.05	43.28			
PK	5.998G	108.98	Inf	-Inf	110.64	3	Horizontal	356	1.80	-	32.40	9.14	43.20			
RMS	6.063G	98.71	Inf	-Inf	100.28	3	Horizontal	356	1.80	-	32.43	9.18	43.18			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT Y_4TX
Setting 68
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20961G	46.61	74.00	-27.39	59.33	3	Vertical	214	2.22	-	38.98	13.85	65.55			
AV	12.20963G	34.86	54.00	-19.14	47.58	3	Vertical	214	2.22	-	38.98	13.85	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT Y_4TX
Setting 68
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2105G	46.86	74.00	-27.14	59.58	3	Horizontal	224	2.80	-	38.98	13.85	65.55			
AV	12.21024G	34.71	54.00	-19.29	47.43	3	Horizontal	224	2.80	-	38.98	13.85	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT Y_4TX
Setting 68
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.3143G	50.14	83.54	-33.40	40.29	1	Vertical	63	1.54	-	37.63	20.48	48.26			
AV	18.31478G	37.84	63.54	-25.70	27.99	1	Vertical	63	1.54	-	37.63	20.48	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT Y_4TX
Setting 68
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31563G	49.59	83.54	-33.95	39.74	1	Horizontal	61	1.51	-	37.63	20.48	48.26			
AV	18.31458G	37.96	63.54	-25.58	28.11	1	Horizontal	61	1.51	-	37.63	20.48	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX


6105MHz_TX

EUT Y_4TX
Setting 63
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	73.80	88.20	-14.40	75.73	3	Vertical	344	1.79	-	32.30	9.05	43.28			
RMS	5.925G	62.53	68.20	-5.67	64.46	3	Vertical	344	1.79	-	32.30	9.05	43.28			
PK	6.07G	109.91	Inf	-Inf	111.46	3	Vertical	344	1.79	-	32.44	9.19	43.18			
RMS	6.14G	98.82	Inf	-Inf	100.16	3	Vertical	344	1.79	-	32.58	9.23	43.15			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 63
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.91G	75.07	88.20	-13.13	77.02	3	Horizontal	356	1.79	-	32.30	9.04	43.29			
RMS	5.92G	63.55	68.20	-4.65	65.48	3	Horizontal	356	1.79	-	32.30	9.05	43.28			
PK	6.002G	109.26	Inf	-Inf	110.92	3	Horizontal	356	1.79	-	32.40	9.14	43.20			
RMS	6.148G	99.06	Inf	-Inf	100.37	3	Horizontal	356	1.79	-	32.60	9.24	43.15			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX


6105MHz_TX

EUT Y_4TX
Setting 63
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20948G	47.16	74.00	-26.84	59.88	3	Vertical	315	1.25	-	38.98	13.85	65.55			
AV	12.21035G	33.86	54.00	-20.14	46.58	3	Vertical	315	1.25	-	38.98	13.85	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX


6105MHz_TX

EUT Y_4TX
Setting 63
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20979G	46.83	74.00	-27.17	59.55	3	Horizontal	190	1.61	-	38.98	13.85	65.55			
AV	12.21003G	33.87	54.00	-20.13	46.59	3	Horizontal	190	1.61	-	38.98	13.85	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 63
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31519G	49.16	83.54	-34.38	39.31	1	Vertical	244	1.54	-	37.63	20.48	48.26			
AV	18.314G	37.12	63.54	-26.42	27.27	1	Vertical	244	1.54	-	37.63	20.48	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX


6105MHz_TX

EUT Y_4TX
Setting 63
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31559G	50.19	83.54	-33.35	40.34	1	Horizontal	276	1.52	-	37.63	20.48	48.26			
AV	18.314G	37.12	63.54	-26.42	27.27	1	Horizontal	276	1.52	-	37.63	20.48	48.26			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT Y_4TX
Setting 57
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.764G	105.28	Inf	-Inf	104.35	3	Vertical	4	1.80	-	34.03	9.78	42.88			
AV	6.764G	94.25	Inf	-Inf	93.32	3	Vertical	4	1.80	-	34.03	9.78	42.88			
PK	7.203G	67.38	88.20	-20.82	63.71	3	Vertical	4	1.80	-	36.01	10.28	42.62			
RMS	7.219G	54.04	68.20	-14.16	50.27	3	Vertical	4	1.80	-	36.08	10.30	42.61			
AV	7.254G	53.03	54.00	-0.97	49.09	3	Vertical	4	1.80	-	36.20	10.33	42.59			
PK	7.264G	63.49	74.00	-10.51	59.53	3	Vertical	4	1.80	-	36.20	10.34	42.58			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT Y_4TX
Setting 57
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	6.764G	94.57	Inf	-Inf	93.64	3	Horizontal	19	1.80	-	34.03	9.78	42.88			
PK	6.809G	104.70	Inf	-Inf	103.60	3	Horizontal	19	1.80	-	34.14	9.81	42.85			
PK	7.2G	68.13	88.20	-20.07	64.47	3	Horizontal	19	1.80	-	36.00	10.28	42.62			
RMS	7.214G	54.58	68.20	-13.62	50.84	3	Horizontal	19	1.80	-	36.06	10.29	42.61			
AV	7.25G	53.92	54.00	-0.08	49.98	3	Horizontal	19	1.80	-	36.20	10.33	42.59			
PK	7.265G	64.97	74.00	-9.03	61.01	3	Horizontal	19	1.80	-	36.20	10.34	42.58			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT Y_4TX
Setting 57
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80993G	48.75	88.20	-39.45	56.87	3	Vertical	22	1.29	-	40.42	15.84	64.38			
RMS	13.80967G	36.86	68.20	-31.34	44.98	3	Vertical	22	1.29	-	40.42	15.84	64.38			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT Y_4TX
Setting 57
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80993G	47.95	88.20	-40.25	56.07	3	Horizontal	271	1.74	-	40.42	15.84	64.38			
RMS	13.8094G	36.66	68.20	-31.54	44.78	3	Horizontal	271	1.74	-	40.42	15.84	64.38			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT Y_4TX
Setting 57
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71485G	49.86	83.54	-33.68	38.98	1	Vertical	47	1.50	-	37.90	21.68	48.70			
AV	20.71561G	37.57	63.54	-25.97	26.69	1	Vertical	47	1.50	-	37.90	21.68	48.70			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT Y_4TX
Setting 57
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71588G	49.03	83.54	-34.51	38.15	1	Horizontal	171	1.51	-	37.90	21.68	48.70			
AV	20.7155G	37.57	63.54	-25.97	26.69	1	Horizontal	171	1.51	-	37.90	21.68	48.70			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 54
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	6.749G	93.53	Inf	-Inf	92.65	3	Vertical	5	1.79	-	34.00	9.77	42.89			
PK	6.764G	104.18	Inf	-Inf	103.25	3	Vertical	5	1.79	-	34.03	9.78	42.88			
RMS	7.229G	52.64	68.20	-15.56	48.81	3	Vertical	5	1.79	-	36.12	10.31	42.60			
PK	7.249G	62.86	88.20	-25.34	58.93	3	Vertical	5	1.79	-	36.20	10.32	42.59			
AV	7.259G	52.03	54.00	-1.97	48.08	3	Vertical	5	1.79	-	36.20	10.33	42.58			
PK	7.284G	62.29	74.00	-11.71	58.30	3	Vertical	5	1.79	-	36.20	10.36	42.57			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 54
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	6.764G	94.41	Inf	-Inf	93.48	3	Horizontal	19	1.79	-	34.03	9.78	42.88			
PK	6.809G	104.48	Inf	-Inf	103.38	3	Horizontal	19	1.79	-	34.14	9.81	42.85			
PK	7.23G	65.14	88.20	-23.06	61.31	3	Horizontal	19	1.79	-	36.12	10.31	42.60			
RMS	7.235G	54.05	68.20	-14.15	50.20	3	Horizontal	19	1.79	-	36.14	10.31	42.60			
AV	7.25G	53.66	54.00	-0.34	49.72	3	Horizontal	19	1.79	-	36.20	10.33	42.59			
PK	7.27G	64.56	74.00	-9.44	60.60	3	Horizontal	19	1.79	-	36.20	10.34	42.58			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 54
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8101G	48.34	88.20	-39.86	56.46	3	Vertical	158	2.98	-	40.42	15.84	64.38			
RMS	13.80912G	36.71	68.20	-31.49	44.83	3	Vertical	158	2.98	-	40.42	15.84	64.38			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 54
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80948G	49.22	88.20	-38.98	57.34	3	Horizontal	90	1.29	-	40.42	15.84	64.38			
RMS	13.80988G	36.76	68.20	-31.44	44.88	3	Horizontal	90	1.29	-	40.42	15.84	64.38			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 54
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71581G	48.92	83.54	-34.62	38.04	1	Vertical	292	1.51	-	37.90	21.68	48.70			
AV	20.71577G	37.57	63.54	-25.97	26.69	1	Vertical	292	1.51	-	37.90	21.68	48.70			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT_Y_4TX
Setting 54
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71566G	49.22	83.54	-34.32	38.34	1	Horizontal	150	1.55	-	37.90	21.68	48.70			
AV	20.71557G	37.71	63.54	-25.83	26.83	1	Horizontal	150	1.55	-	37.90	21.68	48.70			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX


6905MHz_TX

EUT Y_4TX
Setting 55
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
RMS	7.004G	94.87	Inf	-Inf	92.57	3	Vertical	358	1.80	-	35.02	10.02	42.74			
PK	7.012G	105.53	Inf	-Inf	103.16	3	Vertical	358	1.80	-	35.07	10.03	42.73			
PK	7.171G	63.50	88.20	-24.70	59.96	3	Vertical	358	1.80	-	35.94	10.24	42.64			
RMS	7.179G	52.56	68.20	-15.64	48.98	3	Vertical	358	1.80	-	35.96	10.25	42.63			
PK	7.254G	59.49	74.00	-14.51	55.55	3	Vertical	358	1.80	-	36.20	10.33	42.59			
AV	7.254G	49.45	54.00	-4.55	45.51	3	Vertical	358	1.80	-	36.20	10.33	42.59			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX


6905MHz_TX

EUT Y_4TX
Setting 55
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.834G	105.08	Inf	-Inf	103.84	3	Horizontal	-0	1.80	-	34.24	9.84	42.84			
RMS	6.859G	95.04	Inf	-Inf	93.65	3	Horizontal	-0	1.80	-	34.35	9.86	42.82			
RMS	7.179G	53.87	68.20	-14.33	50.29	3	Horizontal	-0	1.80	-	35.96	10.25	42.63			
PK	7.194G	64.88	88.20	-23.32	61.24	3	Horizontal	-0	1.80	-	35.99	10.27	42.62			
AV	7.254G	50.33	54.00	-3.67	46.39	3	Horizontal	-0	1.80	-	36.20	10.33	42.59			
PK	7.256G	62.75	74.00	-11.25	58.81	3	Horizontal	-0	1.80	-	36.20	10.33	42.59			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX


6905MHz_TX

EUT Y_4TX
Setting 55
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81075G	48.93	88.20	-39.27	57.05	3	Vertical	293	1.63	-	40.42	15.84	64.38			
RMS	13.80935G	36.76	68.20	-31.44	44.88	3	Vertical	293	1.63	-	40.42	15.84	64.38			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX


6905MHz_TX

EUT Y_4TX
Setting 55
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80925G	48.89	88.20	-39.31	57.01	3	Horizontal	324	1.57	-	40.42	15.84	64.38			
RMS	13.80919G	36.75	68.20	-31.45	44.87	3	Horizontal	324	1.57	-	40.42	15.84	64.38			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX


6905MHz_TX

EUT Y_4TX
Setting 55
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71422G	49.00	83.54	-34.54	38.12	1	Vertical	255	1.53	-	37.90	21.68	48.70			
AV	20.7156G	37.71	63.54	-25.83	26.83	1	Vertical	255	1.53	-	37.90	21.68	48.70			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX

6905MHz_TX

EUT Y_4TX
Setting 55
04-I-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71597G	49.75	83.54	-33.79	38.87	1	Horizontal	67	1.53	-	37.90	21.68	48.70			
AV	20.71569G	37.57	63.54	-25.97	26.69	1	Horizontal	67	1.53	-	37.90	21.68	48.70			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

02/07/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

02/07/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

02/07/2025




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6435MHz_TX

02/07/2025




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6475MHz_TX

02/07/2025




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6515MHz_TX

02/07/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

02/07/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

02/07/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6875MHz_TX

02/07/2025




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6895MHz_TX

02/07/2025




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

02/07/2025




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

02/07/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

02/07/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

02/07/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

02/07/2025




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6445MHz_TX

02/07/2025




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6485MHz_TX

02/07/2025




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6525MHz_TX

02/07/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

02/07/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

02/07/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6885MHz_TX

02/07/2025




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6925MHz_TX

02/07/2025




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7005MHz_TX

02/07/2025




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

02/07/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

02/07/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

02/07/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

02/07/2025




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6465MHz_TX

02/07/2025




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6545MHz_TX

02/07/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

02/07/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

02/07/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

02/07/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6865MHz_TX

02/07/2025




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6945MHz_TX

02/07/2025




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

7025MHz_TX

02/07/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

02/07/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

02/07/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

02/07/2025




6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6505MHz_TX

02/07/2025




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

02/07/2025




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6825MHz_TX

02/07/2025




6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6985MHz_TX

02/07/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961298G	-9.13	6.00105G	-60.07	-49.13	-10.94	1
5.961248G	-9.03	5.99875G	-60.51	-49.03	-11.48	2
5.959949G	-9.08	5.988325G	-59.90	-49.08	-10.82	3
5.962548G	-9.82	5.9909G	-60.44	-49.82	-10.62	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.198799G	-9.30	6.236775G	-60.09	-49.30	-10.79	1
6.196325G	-9.61	6.232425G	-60.04	-49.61	-10.43	2
6.201273G	-9.51	6.2286G	-59.78	-49.51	-10.27	3
6.188752G	-9.27	6.22935G	-60.08	-49.27	-10.81	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.422473G	-10.11	6.454875G	-59.60	-50.11	-9.49	1
6.422473G	-10.08	6.464525G	-59.80	-50.08	-9.72	2
6.409976G	-9.86	6.4631G	-59.22	-49.86	-9.36	3
6.417499G	-9.88	6.4592G	-59.90	-49.88	-10.02	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4337G	-9.70	6.480075G	-59.60	-49.70	-9.90	1
6.430026G	-10.03	6.484375G	-59.65	-50.03	-9.62	2
6.438799G	-10.26	6.472475G	-59.00	-50.26	-8.74	3
6.442473G	-9.39	6.4794G	-59.56	-49.39	-10.17	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

02/07/2025




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

02/07/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

02/07/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

02/07/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

02/07/2025

CF (Hz)
6.875G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.877499G	-8.22	6.906825G	-58.52	-48.22	-10.30	1
6.867577G	-8.59	6.92435G	-58.54	-48.59	-9.95	2
6.871226G	-7.91	6.91535G	-58.32	-47.91	-10.41	3
6.879949G	-8.33	6.915175G	-58.45	-48.33	-10.12	4


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

02/07/2025

CF (Hz)
6.895G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8939G	-9.51	6.938925G	-58.62	-49.51	-9.11	1
6.901223G	-9.45	6.92615G	-58.60	-49.45	-9.15	2
6.888702G	-9.90	6.93365G	-58.16	-49.90	-8.26	3
6.888702G	-9.50	6.93025G	-58.35	-49.50	-8.85	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99635G	-8.55	6.999025G	-58.37	-48.55	-9.82	1
6.992326G	-8.07	6.964275G	-57.82	-48.01	-9.81	2
6.997424G	-8.05	6.9591G	-57.72	-48.05	-9.67	3
6.991201G	-8.59	6.960925G	-58.36	-48.59	-9.77	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

02/07/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.091201G	-8.29	7.127675G	-59.37	-48.29	-11.08	1
7.093725G	-8.14	7.141825G	-58.94	-48.14	-10.80	2
7.102473G	-9.01	7.144625G	-58.31	-49.01	-9.30	3
7.093725G	-8.91	7.13245G	-59.03	-48.91	-10.12	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

02/07/2025

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.977397G	-6.21	6.0261G	-57.52	-46.21	-11.31	1
5.981196G	-7.07	6.0277G	-58.15	-47.07	-11.08	2
5.970999G	-7.02	6.0293G	-57.60	-47.02	-10.58	3
5.962501G	-6.80	6.02605G	-57.71	-46.80	-10.91	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

02/07/2025

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.187504G	-7.77	6.2661G	-57.56	-47.77	-9.79	1
6.188804G	-8.52	6.26825G	-58.16	-48.52	-9.64	2
6.202451G	-7.66	6.14245G	-57.47	-47.66	-9.81	3
6.202501G	-8.06	6.2664G	-57.67	-48.06	-9.61	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408699G	-8.03	6.4779G	-57.54	-48.03	-9.51	1
6.409949G	-7.57	6.48835G	-57.60	-47.57	-10.03	2
6.408649G	-7.08	6.4774G	-56.92	-47.08	-9.84	3
6.393653G	-7.62	6.47395G	-57.17	-47.62	-9.55	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.441201G	-8.40	6.5071G	-57.31	-48.40	-8.91	1
6.458697G	-7.77	6.5069G	-57.01	-47.77	-9.24	2
6.449999G	-7.72	6.5066G	-56.98	-47.72	-9.26	3
6.437502G	-7.91	6.50725G	-57.32	-47.91	-9.41	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

02/07/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

02/07/2025



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

02/07/2025

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.568699G	-8.15	6.4936G	-57.48	-48.15	-9.33	1
6.559951G	-7.61	6.5038G	-57.05	-47.61	-9.44	2
6.573698G	-8.24	6.49195G	-56.92	-48.24	-8.68	3
6.578697G	-7.88	6.5036G	-57.34	-47.88	-9.46	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

02/07/2025

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.672103G	-8.85	6.75125G	-57.97	-48.85	-9.12	1
6.680001G	-8.63	6.7817G	-58.24	-48.63	-9.61	2
6.677452G	-8.59	6.78185G	-57.58	-48.59	-8.99	3
6.680001G	-8.26	6.7465G	-58.09	-48.26	-9.83	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

02/07/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

02/07/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

02/07/2025

CF (Hz)
7.005G
Span (Hz)
200M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.008799G	-7.58	6.9427G	-56.22	-47.58	-8.64	1
7.009849G	-7.23	6.94335G	-56.21	-47.23	-8.98	2
6.998902G	-7.91	6.94425G	-56.27	-47.91	-8.36	3
6.990204G	-7.88	6.9282G	-56.62	-47.88	-8.74	4


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

02/07/2025

CF (Hz)
7.085G
Span (Hz)
200M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.072453G	-6.85	7.00735G	-55.62	-46.85	-8.77	1
7.088699G	-6.86	7.0052G	-56.09	-46.86	-9.23	2
7.093648G	-7.01	7.0041G	-55.94	-47.01	-8.93	3
7.082501G	-7.51	7.0016G	-56.25	-47.51	-8.74	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

02/07/2025

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.993G	-2.85	6.1067G	-52.45	-42.85	-9.60	1
5.9977G	-2.83	6.1052G	-51.64	-42.83	-8.81	2
5.9962G	-2.46	6.1102G	-52.02	-42.46	-9.56	3
5.997G	-2.61	6.1065G	-52.11	-42.61	-9.50	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

02/07/2025

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2314G	-3.50	6.3853G	-52.39	-43.50	-8.89	1
6.2382G	-3.67	6.3671G	-52.38	-43.67	-8.71	2
6.213G	-3.20	6.3492G	-52.12	-43.20	-8.92	3
6.2323G	-3.25	6.3477G	-52.24	-43.25	-8.99	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

02/07/2025




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

02/07/2025




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

02/07/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

02/07/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7002G	-3.86	6.8651G	-51.70	-43.86	-7.84	1
6.6897G	-3.62	6.8854G	-51.83	-43.62	-8.21	2
6.6971G	-3.17	6.9025G	-51.27	-43.17	-8.10	3
6.6907G	-3.59	6.8764G	-51.86	-43.59	-8.27	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7744G	-3.69	6.9452G	-51.38	-43.69	-7.69	1
6.781G	-3.70	6.9359G	-51.31	-43.70	-7.61	2
6.7918G	-3.82	6.9319G	-51.11	-43.82	-7.29	3
6.7704G	-2.93	6.9153G	-51.43	-42.93	-8.50	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

02/07/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

02/07/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0122G	-3.18	6.8648G	-49.67	-43.18	-6.49	1
7.0084G	-3.23	6.9036G	-50.93	-43.23	-7.70	2
7.0096G	-2.44	7.1496G	-50.53	-42.44	-8.09	3
7.0105G	-3.60	6.8823G	-50.82	-43.60	-7.22	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

02/07/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04899G	-0.21	6.2694G	-47.25	-40.21	-7.04	1
6.05139G	-0.46	6.268G	-47.40	-40.46	-6.94	2
5.99461G	0.29	6.2692G	-45.98	-39.71	-6.27	3
6.04819G	-0.27	6.269G	-47.51	-40.27	-7.24	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

02/07/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16041G	-0.95	6.4276G	-47.96	-40.81	-7.15	1
6.16341G	-0.88	6.428G	-46.74	-40.61	-6.13	2
6.15281G	-0.27	6.4448G	-48.02	-40.24	-7.78	3
6.1678G	-0.68	6.4294G	-47.95	-40.68	-7.27	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

02/07/2025

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36799G	-1.15	6.5874G	-48.23	-41.08	-7.15	1
6.36799G	-0.61	6.1014G	-48.18	-40.52	-7.66	2
6.37399G	-0.41	6.1008G	-47.23	-40.41	-6.82	3
6.3276G	-0.29	6.1004G	-47.19	-40.29	-6.90	4

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52879G	-0.79	6.748G	-48.06	-40.79	-7.27	1
6.48081G	-0.49	6.2614G	-48.14	-40.49	-7.65	2
6.47921G	0.16	6.2622G	-45.83	-39.83	-6.00	3
6.4892G	-0.93	6.2628G	-48.22	-40.83	-7.39	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63841G	-0.97	6.9086G	-47.76	-40.97	-6.79	1
6.58902G	-0.62	6.4212G	-47.67	-40.62	-7.05	2
6.60761G	-0.61	6.9072G	-47.22	-40.41	-6.81	3
6.60761G	-1.01	6.9074G	-48.16	-40.94	-7.22	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

02/07/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

02/07/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06981G	1.49	6.6338G	-41.23	-38.51	-2.72	1
6.14819G	1.68	6.3694G	-24.29	-21.15	-3.14	2
6.05821G	1.98	6.3446G	-22.78	-18.43	-4.35	3
6.05941G	1.58	6.591G	-39.02	-38.34	-0.68	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.22821G	0.91	6.7718G	-42.76	-39.09	-3.67	1
6.37257G	0.60	6.7558G	-41.92	-39.40	-2.52	2
6.16023G	1.46	6.0266G	-25.13	-19.56	-5.57	3
6.23021G	0.93	6.7526G	-41.88	-39.01	-2.87	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52817G	1.36	5.9942G	-36.80	-34.57	-2.23	1
6.45859G	1.18	5.997G	-36.61	-34.45	-2.16	2
6.39301G	1.41	6.0166G	-34.30	-32.86	-1.44	3
6.38901G	1.32	5.9754G	-36.67	-35.82	-0.85	4

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

02/07/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53861G	1.20	6.0978G	-39.74	-38.80	-0.94	1
6.47943G	1.21	6.0222G	-42.97	-38.08	-4.89	2
6.61699G	1.55	6.0926G	-39.26	-38.45	-0.81	3
6.54941G	1.53	6.1034G	-39.05	-38.16	-0.89	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

02/07/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

02/07/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.959974G	-8.73	6.0011G	-61.04	-48.73	-12.31	1
5.959949G	-9.63	6.0007G	-61.15	-49.63	-11.52	2
5.962448G	-9.60	5.98815G	-60.73	-49.60	-11.13	3
5.962523G	-9.48	5.992825G	-61.06	-49.48	-11.58	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.201248G	-9.33	6.232925G	-60.57	-49.33	-11.24	1
6.199949G	-9.96	6.2385G	-60.83	-49.96	-10.87	2
6.202473G	-9.99	6.2416G	-60.48	-49.99	-10.49	3
6.198724G	-9.39	6.23095G	-60.86	-49.39	-11.47	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.421273G	-11.91	6.453075G	-61.00	-51.91	-9.09	1
6.407452G	-12.21	6.4505G	-61.16	-52.21	-8.95	2
6.41375G	-11.60	6.451625G	-60.41	-51.60	-8.81	3
6.422548G	-11.74	6.45725G	-60.96	-51.74	-9.22	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.431276G	-11.88	6.48095G	-60.69	-51.88	-8.81	1
6.433725G	-12.05	6.47585G	-60.92	-52.05	-8.87	2
6.4363G	-12.42	6.467725G	-60.53	-52.42	-8.11	3
6.429951G	-11.26	6.481575G	-60.63	-51.26	-9.37	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.468702G	-10.49	6.50745G	-60.62	-50.49	-10.13	1
6.473725G	-10.40	6.508825G	-60.56	-50.40	-10.16	2
6.482473G	-10.84	6.4369G	-60.26	-50.84	-9.42	3
6.478724G	-10.11	6.508125G	-60.60	-50.11	-10.49	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.517474G	-9.70	6.476G	-60.61	-49.70	-10.91	1
6.508802G	-10.99	6.4742G	-60.72	-50.99	-9.73	2
6.507477G	-11.06	6.472975G	-60.89	-51.06	-9.83	3
6.508752G	-10.13	6.47025G	-60.91	-50.13	-10.78	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.537499G	-10.63	6.500625G	-60.56	-50.63	-9.93	1
6.541273G	-12.06	6.494475G	-60.62	-52.06	-8.56	2
6.528777G	-11.27	6.48905G	-60.65	-51.27	-9.38	3
6.538724G	-10.94	6.498675G	-60.48	-50.94	-9.54	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688752G	-11.41	6.7438G	-60.88	-51.41	-9.47	1
6.688777G	-10.90	6.72885G	-60.68	-50.90	-9.78	2
6.698674G	-11.02	6.737025G	-61.04	-51.02	-10.02	3
6.691226G	-10.86	6.7373G	-60.69	-50.86	-9.83	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.877474G	-8.86	6.908575G	-59.98	-48.86	-11.12	1
6.879949G	-9.70	6.9154G	-59.81	-49.70	-10.11	2
6.869976G	-9.09	6.9153G	-59.62	-49.09	-10.53	3
6.868777G	-9.12	6.9179G	-59.96	-49.12	-10.84	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.888727G	-9.62	6.93G	-59.65	-49.62	-10.03	1
6.897499G	-10.30	6.943425G	-59.75	-50.30	-9.45	2
6.902448G	-9.71	6.9271G	-59.41	-49.71	-9.70	3
6.891176G	-9.85	6.92955G	-59.97	-49.85	-10.12	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

02/07/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

02/07/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

02/07/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

02/07/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

02/07/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

02/07/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

02/07/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

02/07/2025



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

02/07/2025

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.568799G	-7.99	6.6261G	-56.26	-47.92	-8.34	1
6.559951G	-7.68	6.62685G	-56.37	-47.68	-8.69	2
6.573748G	-8.49	6.50295G	-56.61	-48.49	-8.12	3
6.570149G	-7.60	6.50335G	-56.31	-47.60	-8.71	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

02/07/2025

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.682451G	-7.24	6.74615G	-56.48	-47.20	-9.28	1
6.679901G	-7.43	6.7839G	-56.63	-47.43	-9.20	2
6.673903G	-7.53	6.78455G	-56.15	-47.53	-8.62	3
6.680001G	-7.01	6.7463G	-56.32	-47.01	-9.31	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

02/07/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

02/07/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

02/07/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

02/07/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9984G	-3.35	6.1141G	-52.82	-43.35	-9.47	1
6.0001G	-3.92	6.1084G	-52.94	-43.92	-9.02	2
5.9965G	-3.14	6.1096G	-53.12	-43.14	-9.98	3
5.9988G	-3.03	6.1097G	-52.91	-43.03	-9.88	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.211G	-2.99	6.3481G	-52.87	-42.90	-9.97	1
6.2388G	-3.33	6.3497G	-52.92	-43.33	-9.59	2
6.2117G	-3.18	6.3473G	-52.44	-42.95	-9.49	3
6.2139G	-2.95	6.3476G	-52.77	-42.81	-9.96	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3766G	-4.08	6.5079G	-52.26	-43.93	-8.33	1
6.3942G	-3.84	6.5074G	-52.57	-43.73	-8.84	2
6.3732G	-3.59	6.5074G	-52.71	-43.58	-9.13	3
6.3983G	-3.14	6.5074G	-52.43	-43.03	-9.40	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.452G	-5.25	6.6249G	-53.10	-45.25	-7.85	1
6.4777G	-4.81	6.3398G	-53.36	-44.81	-8.55	2
6.4505G	-5.02	6.3226G	-53.74	-45.02	-8.72	3
6.4783G	-4.74	6.648G	-53.65	-44.74	-8.91	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

02/07/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

02/07/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6926G	-5.21	6.8934G	-51.76	-45.21	-6.55	1
6.6934G	-5.09	6.8999G	-51.89	-45.09	-6.80	2
6.6939G	-4.70	6.896G	-52.03	-44.70	-7.33	3
6.6938G	-5.11	6.894G	-51.75	-45.11	-6.64	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7727G	-4.58	6.9448G	-51.50	-44.58	-6.92	1
6.7737G	-3.78	6.9303G	-51.93	-43.78	-8.15	2
6.7774G	-4.68	6.9508G	-51.58	-44.68	-6.90	3
6.7741G	-3.90	6.9353G	-51.91	-43.90	-8.01	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

02/07/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

02/07/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

02/07/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

02/07/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

02/07/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

02/07/2025




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53039G	-0.96	6.903G	-48.97	-40.96	-8.01	1
6.47801G	-0.52	6.8976G	-49.22	-40.52	-8.70	2
6.52999G	-0.20	6.2568G	-48.32	-40.11	-8.21	3
6.47781G	-0.99	6.9G	-49.16	-40.99	-8.17	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

03/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68939G	-1.77	6.9584G	-48.46	-41.77	-6.69	1
6.60761G	-1.11	6.9198G	-48.42	-41.11	-7.31	2
6.64061G	-1.24	6.9802G	-48.57	-41.24	-7.33	3
6.58902G	-1.28	6.9432G	-49.08	-41.28	-7.80	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

03/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79821G	-0.01	6.5656G	-48.00	-39.83	-8.17	1
6.74922G	0.54	6.5602G	-47.75	-39.46	-8.29	2
6.79881G	0.10	6.564G	-48.23	-39.85	-8.38	3
6.75962G	0.27	6.5658G	-48.15	-39.61	-8.54	4

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

03/07/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92322G	0.98	6.7186G	-45.38	-38.63	-6.75	1
6.92242G	1.46	6.717G	-45.58	-38.54	-7.04	2
6.95601G	1.43	6.682G	-45.72	-38.57	-7.15	3
6.90922G	1.83	6.7158G	-43.88	-38.07	-5.81	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

03/07/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

03/07/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

03/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53257G	3.54	6.0858G	-30.41	-21.19	-9.22	1
6.39341G	3.21	6.1358G	-28.27	-19.26	-9.01	2
6.45939G	3.41	6.139G	-26.41	-18.51	-7.90	3
6.31983G	3.57	6.1338G	-27.37	-19.17	-8.20	4

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

03/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55061G	1.17	6.0954G	-41.09	-38.63	-2.46	1
6.54021G	1.13	6.065G	-42.03	-38.86	-3.17	2
6.54861G	1.38	6.0626G	-41.33	-38.62	-2.71	3
6.54821G	1.24	6.073G	-41.45	-38.47	-2.98	4

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

03/07/2025




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

03/07/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961223G	-8.39	5.9871G	-60.20	-48.39	-11.81	1
5.957449G	-9.00	5.998825G	-60.39	-49.00	-11.39	2
5.962448G	-8.18	5.993225G	-60.27	-48.18	-12.09	3
5.951201G	-9.82	5.9979G	-60.90	-49.82	-11.08	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.201223G	-8.82	6.235725G	-60.24	-48.82	-11.42	1
6.188727G	-9.08	6.2282G	-59.94	-49.08	-10.86	2
6.199899G	-9.54	6.2282G	-60.29	-49.54	-10.75	3
6.188702G	-9.78	6.2435G	-60.55	-49.78	-10.77	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417424G	-9.92	6.448275G	-59.73	-49.92	-9.81	1
6.4137G	-10.43	6.44825G	-59.62	-50.43	-9.19	2
6.422448G	-11.85	6.4497G	-59.87	-51.85	-8.02	3
6.421223G	-10.58	6.456625G	-60.11	-50.58	-9.53	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.437474G	-11.75	6.47775G	-59.58	-51.75	-7.83	1
6.439899G	-12.16	6.469975G	-59.17	-52.16	-7.01	2
6.428677G	-12.54	6.48385G	-59.90	-52.54	-7.36	3
6.441223G	-12.36	6.4815G	-60.19	-52.36	-7.83	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.481173G	-10.58	6.5073G	-59.47	-50.58	-8.89	1
6.477399G	-11.18	6.443175G	-59.44	-51.06	-8.38	2
6.468677G	-11.17	6.509175G	-59.93	-51.17	-8.76	3
6.468702G	-11.76	6.50995G	-59.95	-51.76	-8.19	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.517499G	-9.84	6.478875G	-59.69	-49.84	-9.85	1
6.522398G	-10.71	6.4827G	-59.49	-50.71	-8.78	2
6.509951G	-10.90	6.480475G	-59.82	-50.90	-8.92	3
6.5137G	-11.30	6.482225G	-60.16	-51.30	-8.86	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.533725G	-8.98	6.496775G	-59.61	-48.98	-10.63	1
6.538674G	-9.64	6.500525G	-59.54	-49.64	-9.90	2
6.533675G	-9.81	6.5028G	-59.53	-49.81	-9.72	3
6.541173G	-10.45	6.49795G	-60.09	-50.45	-9.64	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

27/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.701148G	-9.92	6.74025G	-60.30	-49.92	-10.38	1
6.69365G	-10.10	6.7289G	-60.06	-50.10	-9.96	2
6.702398G	-10.60	6.728575G	-60.27	-50.60	-9.67	3
6.701223G	-11.14	6.74425G	-60.48	-51.14	-9.34	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

27/06/2025

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.881248G	-9.39	6.9199G	-58.63	-49.39	-9.24	1
6.877424G	-9.80	6.91865G	-58.55	-49.80	-8.75	2
6.882423G	-8.71	6.9157G	-58.63	-48.71	-9.92	3
6.878699G	-9.53	6.924175G	-59.16	-49.53	-9.63	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

27/06/2025

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.902398G	-8.96	6.94065G	-58.33	-48.96	-9.37	1
6.902448G	-9.22	6.929975G	-58.55	-49.22	-9.33	2
6.899924G	-7.81	6.94005G	-58.45	-47.81	-10.64	3
6.888652G	-8.69	6.9412G	-58.71	-48.69	-10.02	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.988677G	-10.29	6.95315G	-58.41	-50.29	-8.12	1
6.987427G	-11.09	6.960875G	-58.50	-51.09	-7.41	2
6.989951G	-11.15	6.959975G	-58.48	-51.15	-7.33	3
7.001198G	-10.27	6.96G	-58.70	-50.27	-8.43	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.101173G	-11.51	7.1443G	-59.79	-51.51	-8.28	1
7.097424G	-12.48	7.062175G	-59.33	-52.48	-6.85	2
7.097424G	-12.65	7.1439G	-59.66	-52.65	-7.01	3
7.088677G	-11.78	7.1433G	-60.09	-51.78	-8.31	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

27/06/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

27/06/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

27/06/2025

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
100m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408699G	-5.91	6.4659G	-55.21	-45.91	-9.30	1
6.409949G	-5.52	6.4661G	-55.14	-45.52	-9.62	2
6.419846G	-7.21	6.4867G	-55.71	-47.21	-8.50	3
6.413748G	-6.38	6.46625G	-55.66	-46.38	-9.28	4


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

27/06/2025

CF (Hz)
6.445G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
100m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.439951G	-6.06	6.50625G	-54.98	-46.06	-8.92	1
6.440101G	-6.43	6.5061G	-55.28	-46.43	-8.85	2
6.439951G	-6.84	6.50705G	-55.53	-46.84	-8.69	3
6.439951G	-6.12	6.5072G	-55.64	-46.12	-9.52	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.490049G	-6.18	6.42345G	-55.63	-46.18	-9.45	1
6.480001G	-6.45	6.42365G	-55.48	-46.45	-9.03	2
6.493848G	-7.32	6.42365G	-56.00	-47.32	-8.68	3
6.488649G	-6.62	6.4236G	-55.75	-46.62	-9.13	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.520051G	-5.42	6.4629G	-55.38	-45.42	-9.96	1
6.527299G	-5.91	6.4637G	-55.35	-45.91	-9.44	2
6.520101G	-6.23	6.46375G	-55.69	-46.23	-9.46	3
6.529949G	-5.96	6.46395G	-55.84	-45.96	-9.88	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

27/06/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

27/06/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

27/06/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

27/06/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

27/06/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

27/06/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9988G	-3.88	6.1124G	-53.34	-43.88	-9.46	1
5.9936G	-3.11	6.1071G	-52.65	-43.01	-9.64	2
5.9971G	-2.95	6.1075G	-52.93	-42.95	-9.98	3
5.9938G	-3.95	6.1067G	-53.13	-43.64	-9.49	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2138G	-2.78	6.3475G	-52.34	-42.61	-9.73	1
6.2397G	-2.47	6.3479G	-52.19	-42.47	-9.72	2
6.2138G	-2.62	6.3482G	-52.42	-42.56	-9.86	3
6.2385G	-3.08	6.3486G	-52.78	-43.08	-9.70	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3992G	-3.24	6.5096G	-52.10	-43.24	-8.86	1
6.3978G	-3.02	6.5074G	-51.94	-43.01	-8.93	2
6.3988G	-4.42	6.5092G	-52.49	-44.42	-8.07	3
6.3965G	-3.33	6.5089G	-52.65	-43.33	-9.32	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.453G	-2.59	6.3279G	-52.55	-42.59	-9.96	1
6.4523G	-2.78	6.332G	-52.38	-42.78	-9.60	2
6.454G	-2.89	6.3421G	-52.32	-42.89	-9.43	3
6.4545G	-2.76	6.3395G	-52.64	-42.76	-9.88	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5333G	-3.05	6.4214G	-52.56	-43.05	-9.51	1
6.5567G	-3.60	6.4229G	-52.08	-43.50	-8.58	2
6.5371G	-3.65	6.4217G	-52.49	-43.65	-8.84	3
6.559G	-3.61	6.4229G	-52.38	-43.42	-8.96	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6388G	-3.11	6.4989G	-52.26	-43.11	-9.15	1
6.6135G	-3.31	6.5022G	-51.92	-43.31	-8.61	2
6.6144G	-3.35	6.5023G	-52.17	-43.35	-8.82	3
6.6125G	-3.59	6.5025G	-52.33	-43.59	-8.74	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6936G	-2.83	6.9039G	-52.04	-42.83	-9.21	1
6.6892G	-3.29	6.9044G	-52.25	-43.29	-8.96	2
6.6923G	-3.43	6.9023G	-52.15	-43.43	-8.72	3
6.6927G	-3.55	6.9005G	-52.49	-43.55	-8.94	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.793G	-2.04	6.9738G	-51.19	-42.04	-9.15	1
6.7733G	-1.95	6.9076G	-51.40	-41.90	-9.50	2
6.7969G	-2.08	6.9255G	-51.30	-42.08	-9.22	3
6.7732G	-1.89	6.9085G	-51.61	-41.89	-9.72	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8531G	-2.83	6.9978G	-50.96	-42.83	-8.13	1
6.8534G	-2.72	7.0077G	-51.06	-42.72	-8.34	2
6.8542G	-2.80	6.9882G	-51.00	-42.80	-8.20	3
6.8526G	-2.70	6.9872G	-51.08	-42.44	-8.64	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9331G	-1.59	6.785G	-50.76	-41.59	-9.17	1
6.9325G	-1.94	6.8219G	-50.96	-41.94	-9.02	2
6.9342G	-2.32	6.8218G	-51.56	-42.32	-9.24	3
6.9311G	-1.63	6.822G	-51.05	-41.63	-9.42	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.014G	-3.55	6.865G	-51.06	-43.55	-7.51	1
7.0375G	-3.55	6.899G	-51.28	-43.55	-7.73	2
7.0396G	-4.38	6.9021G	-51.38	-44.32	-7.06	3
7.0362G	-3.80	6.9018G	-51.19	-43.80	-7.39	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

27/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04819G	0.35	6.2694G	-46.58	-39.29	-7.29	1
6.05099G	0.25	6.2702G	-46.43	-39.42	-7.01	2
5.99981G	0.88	6.2684G	-46.08	-38.24	-7.84	3
6.08718G	0.43	6.2678G	-45.80	-38.79	-7.01	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

27/06/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
100m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15921G	0.11	6.4284G	-46.81	-38.83	-7.98	1
6.16101G	0.63	6.4422G	-46.78	-39.37	-7.41	2
6.15941G	0.12	6.4332G	-47.90	-39.41	-8.49	3
6.15721G	-0.07	6.4282G	-47.15	-39.35	-7.80	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

27/06/2025

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
100m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42098G	-0.54	6.5874G	-48.26	-39.89	-8.37	1
6.42118G	-0.42	6.1026G	-47.83	-39.03	-8.80	2
6.26882G	-1.92	6.1014G	-49.60	-41.35	-8.25	3
6.31881G	-0.88	6.0994G	-49.37	-40.70	-8.67	4

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52819G	-0.20	6.7492G	-48.43	-39.81	-8.62	1
6.52899G	-0.85	6.2606G	-48.70	-40.49	-8.21	2
6.52779G	-1.98	6.904G	-49.68	-41.98	-7.70	3
6.44182G	-0.70	6.2612G	-48.78	-40.16	-8.62	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63981G	-0.41	6.9118G	-48.29	-40.31	-7.98	1
6.60082G	-0.66	6.4216G	-47.87	-40.16	-7.71	2
6.63921G	-0.43	6.9132G	-48.49	-40.43	-8.06	3
6.64041G	-0.25	6.4222G	-47.98	-39.66	-8.32	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79881G	-0.09	6.5824G	-47.79	-39.57	-8.22	1
6.76102G	0.19	6.5588G	-48.97	-39.81	-9.16	2
6.79961G	-0.03	6.5816G	-47.67	-39.06	-8.61	3
6.79761G	-0.01	6.582G	-47.30	-39.07	-8.23	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90882G	-0.72	6.7412G	-47.23	-40.28	-6.95	1
6.90942G	-0.65	6.7418G	-46.69	-39.38	-7.31	2
6.95981G	-1.97	7.2346G	-48.84	-41.97	-6.87	3
6.90882G	-0.21	7.247G	-47.65	-40.21	-7.44	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.14139G	1.36	6.595G	-41.85	-38.28	-3.57	1
6.13699G	1.32	6.591G	-41.46	-38.31	-3.15	2
6.07221G	0.97	6.5966G	-42.89	-39.03	-3.86	3
6.14099G	1.62	6.5986G	-41.40	-38.18	-3.22	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23101G	4.50	6.0146G	-23.76	-16.03	-7.73	1
6.23181G	4.90	5.9758G	-23.49	-15.66	-7.83	2
6.16103G	4.08	6.0322G	-24.60	-16.14	-8.46	3
6.16303G	4.19	5.9926G	-25.50	-16.87	-8.63	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45939G	1.98	7.0082G	-45.41	-37.44	-7.97	1
6.38941G	1.54	7.009G	-45.72	-38.17	-7.55	2
6.45979G	0.77	5.9854G	-40.18	-35.46	-4.72	3
6.45819G	1.85	7.0094G	-45.95	-37.81	-8.14	4

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63139G	1.83	6.0538G	-42.13	-37.68	-4.45	1
6.54901G	1.63	6.0694G	-41.60	-38.33	-3.27	2
6.61819G	1.30	6.0982G	-41.32	-38.39	-2.93	3
6.54781G	1.58	6.0962G	-41.02	-38.26	-2.76	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71221G	1.99	7.4922G	-46.27	-38.01	-8.26	1
6.63663G	2.29	6.155G	-43.26	-37.71	-5.55	2
6.64183G	1.69	6.1582G	-44.51	-38.27	-6.24	3
6.63903G	2.12	6.1578G	-44.76	-37.79	-6.97	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79983G	-0.71	7.3962G	-46.02	-40.71	-5.31	1
6.76903G	-0.92	6.4102G	-45.76	-40.92	-4.84	2
6.80023G	-1.49	7.4054G	-46.16	-41.49	-4.67	3
6.76743G	-1.24	6.4178G	-46.41	-41.05	-5.36	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962423G	-11.15	5.986375G	-62.26	-51.09	-11.17	1
5.959949G	-11.25	5.98555G	-62.17	-50.52	-11.65	2
5.962448G	-11.04	5.996175G	-62.98	-51.04	-11.94	3
5.958749G	-10.88	5.989275G	-62.82	-50.88	-11.94	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.201198G	-10.96	6.163175G	-63.13	-50.96	-12.17	1
6.189976G	-11.95	6.23245G	-62.37	-51.95	-10.42	2
6.192401G	-11.99	6.2374G	-63.23	-51.99	-11.24	3
6.198724G	-12.15	6.235275G	-63.20	-52.15	-11.05	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

27/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.421223G	-11.21	6.454475G	-63.12	-51.21	-11.91	1
6.421273G	-11.38	6.38075G	-62.95	-51.38	-11.57	2
6.422473G	-11.73	6.45095G	-63.04	-51.73	-11.31	3
6.419974G	-11.46	6.4616G	-62.83	-51.46	-11.37	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

27/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.438749G	-12.30	6.473725G	-63.05	-52.30	-10.75	1
6.433775G	-12.15	6.474675G	-62.50	-52.15	-10.35	2
6.439924G	-12.22	6.46865G	-63.27	-52.22	-11.05	3
6.441248G	-11.75	6.474025G	-63.14	-51.75	-11.39	4


6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

27/06/2025

CF (Hz)
6.475G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.471201G	-11.37	6.506625G	-62.99	-51.37	-11.62	1
6.470101G	-11.73	6.5075G	-62.76	-51.73	-11.03	2
6.482423G	-10.82	6.50895G	-62.98	-50.82	-12.16	3
6.478724G	-11.32	6.50985G	-63.28	-51.32	-11.96	4


6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

28/06/2025

CF (Hz)
6.515G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.508677G	-13.05	6.5548G	-63.12	-53.05	-10.07	1
6.511251G	-12.91	6.558175G	-62.83	-52.91	-9.92	2
6.517424G	-13.52	6.47705G	-62.97	-53.52	-9.45	3
6.51365G	-12.89	6.4829G	-63.21	-52.89	-10.32	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

28/06/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

28/06/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

28/06/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

28/06/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

28/06/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

28/06/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

28/06/2025

CF (Hz)
7.115G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.108677G	-16.95	7.149025G	-63.23	-56.95	-6.28	1
7.111226G	-16.78	7.155025G	-63.43	-56.78	-6.65	2
7.122398G	-17.07	7.16145G	-63.39	-57.07	-6.32	3
7.111201G	-16.61	7.15785G	-63.03	-56.61	-6.42	4


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

28/06/2025

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.976547G	-5.72	6.02635G	-56.72	-45.72	-11.00	1
5.973648G	-5.70	6.0276G	-57.77	-45.70	-12.07	2
5.982646G	-5.65	6.0263G	-57.28	-45.65	-11.63	3
5.976847G	-5.85	6.0361G	-57.76	-45.85	-11.91	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

28/06/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

28/06/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

28/06/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

28/06/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

28/06/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

28/06/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

28/06/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

28/06/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

28/06/2025

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.918602G	-6.72	6.986G	-56.97	-46.72	-10.25	1
6.909654G	-7.21	6.98595G	-56.95	-47.21	-9.74	2
6.937497G	-6.85	6.9867G	-56.63	-46.85	-9.78	3
6.928899G	-6.86	6.98615G	-57.12	-46.86	-10.26	4


6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

28/06/2025

CF (Hz)
7.005G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.993703G	-5.02	6.94355G	-56.33	-45.02	-11.31	1
6.997302G	-5.41	6.9439G	-55.86	-45.41	-10.45	2
6.993703G	-5.11	6.9439G	-56.93	-45.11	-11.82	3
7.011348G	-5.08	6.94375G	-55.88	-45.08	-10.80	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

28/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.070404G	-6.12	7.1462G	-57.57	-46.11	-11.46	1
7.080001G	-6.36	7.00595G	-57.76	-46.36	-11.40	2
7.082451G	-6.54	7.02355G	-57.53	-46.54	-10.99	3
7.092748G	-5.88	7.023G	-57.72	-45.88	-11.84	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

28/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9931G	-3.90	6.1559G	-54.65	-43.90	-10.75	1
5.9962G	-3.44	6.1072G	-54.07	-43.44	-10.63	2
5.9987G	-2.88	6.1062G	-54.10	-42.88	-11.22	3
5.9939G	-3.65	6.1131G	-54.66	-43.65	-11.01	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

28/06/2025

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2341G	-6.11	6.4097G	-55.19	-46.11	-9.08	1
6.2321G	-5.96	6.3471G	-55.04	-45.96	-9.08	2
6.2386G	-5.68	6.3474G	-55.40	-45.68	-9.72	3
6.2232G	-6.54	6.3479G	-55.54	-46.54	-9.00	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

28/06/2025

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3739G	-7.59	6.5096G	-55.07	-47.59	-7.48	1
6.41389G	-7.15	6.5067G	-55.12	-46.94	-8.18	2
6.3778G	-7.04	6.507G	-54.66	-46.82	-7.84	3
6.3762G	-6.75	6.5082G	-55.11	-46.75	-8.36	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

28/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4783G	-6.05	6.625G	-55.11	-46.05	-9.06	1
6.4776G	-6.08	6.6028G	-54.93	-46.08	-8.85	2
6.4561G	-6.48	6.6438G	-55.46	-46.48	-8.98	3
6.4799G	-6.05	6.3421G	-55.28	-46.05	-9.23	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

28/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5301G	-4.81	6.732G	-54.56	-44.81	-9.75	1
6.5313G	-4.82	6.6766G	-54.72	-44.82	-9.90	2
6.5483G	-5.26	6.6683G	-54.87	-45.26	-9.61	3
6.559G	-5.15	6.6678G	-54.96	-45.15	-9.81	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

28/06/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

28/06/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

28/06/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

28/06/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

28/06/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

28/06/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

28/06/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

28/06/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

28/06/2025




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

28/06/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

28/06/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

28/06/2025




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

28/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90922G	0.65	6.7208G	-48.31	-39.35	-8.96	1
6.92402G	0.10	6.7266G	-48.75	-39.67	-9.08	2
6.95921G	0.56	6.7358G	-47.37	-39.44	-7.93	3
6.92162G	0.56	6.718G	-47.98	-39.31	-8.67	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

28/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13899G	0.37	6.6114G	-45.21	-39.63	-5.58	1
6.14819G	0.30	6.5898G	-45.17	-39.53	-5.64	2
6.07461G	0.42	6.595G	-45.81	-39.58	-6.23	3
6.14059G	-0.03	6.589G	-45.71	-39.71	-6.00	4